


General Health Fair or Poor




General Health Fair or Poor

	District I	District II	District III	District IV	District V	District VI	District VII	District VIII	District IX	State Total
White	20.6	24.8	24.7	23.6	18.4	22.4	22.9	17.5	19.8	21.3
Nonwhite	25.3	29.3	26.1	28.0	23.2	24.4	33.2	24.6	23.9	25.5
Total	22.2	25.8	25.5	25.2	20.6	23.2	27.9	19.7	20.5	22.9

Source: Mississippi Behavioral Risk Factor Surveillance Survey, 2004

No Health Care Coverage




No Health Care Coverage

	District I	District II	District III	District IV	District V	District VI	District VII	District VIII	District IX	State Total
White	16.1	16.4	15.3	18.0	11.8	12.3	18.6	17.8	20.8	16.2
Nonwhite	20.9	14.0	36.6	26.1	26.5	31.2	31.3	21.6	31.5	27.1
Total	17.6	15.9	28.2	21.0	18.3	19.0	24.0	18.9	22.9	20.1

Source: Mississippi Behavioral Risk Factor Surveillance Survey, 2004

Physical Health Not Good For More Than 7 Days In Past Month




Physical Health Not Good For More than 7 Days in Past Month

	District I	District II	District III	District IV	District V	District VI	District VII	District VIII	District IX	State Total
White	9.4	13.2	9.6	9.7	8.9	10.0	11.5	9.8	10.1	10.2
Nonwhite	15.7	7.1	14.1	7.9	8.9	14.0	13.2	17.0	11.5	11.5
Total	11.4	12.0	12.4	9.0	9.0	11.4	12.2	11.8	10.3	10.6

Source: Mississippi Behavioral Risk Factor Surveillance Survey, 2004

Mental Health Not Good For More than 7 Days In Past Month




Mental Health Not Good For More than 7 Days in Past Month

	District I	District II	District III	District IV	District V	District VI	District VII	District VIII	District IX	State Total
White	18.9	12.6	14.1	16.2	13.8	11.1	11.6	15.4	14.3	15.3
Nonwhite	16.7	23.1	14.5	12.6	14.5	18.6	19.7	35.0	18.1	17.6
Total	18.1	18.0	14.3	14.9	14.3	13.9	15.1	20.9	15.0	16.1

Source: Mississippi Behavioral Risk Factor Surveillance Survey, 2004

Unable to See a Doctor in Past 12 Months Because of Cost




Unable to See a Doctor in Past 12 Months Because of Cost

	District I	District II	District III	District IV	District V	District VI	District VII	District VIII	District IX	State Total
White	19.0	16.8	15.5	16.9	14.3	15.8	19.9	18.1	19.4	16.9
Nonwhite	25.2	22.0	28.4	20.6	20.4	24.1	31.5	32.1	27.3	25.3
Total	21.0	17.9	23.3	18.3	17.0	18.7	24.8	22.0	20.9	19.9

Source: Mississippi Behavioral Risk Factor Surveillance Survey, 2004

No Exercise in Past 30 Days




No Exercise in Past 30 Days

	District I	District II	District III	District IV	District V	District VI	District VII	District VIII	District IX	State Total
White	29.8	30.0	27.8	30.1	24.8	28.1	29.6	26.9	26.8	28.0
Nonwhite	32.6	34.9	41.7	31.5	36.3	36.3	36.3	42.8	38.6	37.1
Total	30.7	31.0	36.2	30.6	30.1	31.0	33.1	31.5	29.1	31.3

Source: Mississippi Behavioral Risk Factor Surveillance Survey, 2004

Overweight or Obese




At Risk Because of Being Overweight or Obese

	District I	District II	District III	District IV	District V	District VI	District VII	District VIII	District IX	State Total
White	63.1	65.3	58.1	60.6	57.7	60.3	61.4	61.1	63.3	60.5
Nonwhite	65.3	65.6	67.4	65.0	67.8	69.9	72.9	74.8	67.9	67.4
Total	63.9	65.4	63.8	62.2	62.3	63.8	65.8	65.1	64.1	63.0

Source: Mississippi Behavioral Risk Factor Surveillance Survey, 2004

Made III by Bad Indoor Air in Past 12 Months




Made III By Bad Indoor Air in Past 12 Months

	District I	District II	District III	District IV	District V	District VI	District VII	District VIII	District IX	State Total
White	26.6	21.5	24.6	25.6	22.8	19.6	22.0	25.3	23.7	23.4
Nonwhite	25.0	22.0	17.0	23.6	26.7	29.4	23.1	28.6	29.7	24.9
Total	26.0	21.6	20.0	24.9	24.5	23.2	22.4	26.2	24.8	23.9

Source: Mississippi Behavioral Risk Factor Surveillance Survey, 2004

Made III by Bad Outdoor Air in Past 12 Months




Made III By Bad Outdoor Air in Past 12 Months

	District I	District II	District III	District IV	District V	District VI	District VII	District VIII	District IX	State Total
White	12.1	8.9	13.4	7.8	9.9	7.1	8.7	8.6	9.2	9.6
Nonwhite	11.6	11.8	17.7	12.0	11.3	11.2	16.7	13.6	14.4	13.6
Total	11.9	9.5	16.0	9.3	10.8	8.5	12.1	10.1	10.2	11.0

Source: Mississippi Behavioral Risk Factor Surveillance Survey, 2004

Sunburn in Past 12 Months




Sunburn in Past 12 Months

	District I	District II	District III	District IV	District V	District VI	District VII	District VIII	District IX	State Total
White	37.7	37.8	36.5	40.6	38.0	45.7	33.1	38.6	37.0	38.3
Nonwhite	7.7	11.1	3.0	9.0	5.5	6.5	3.6	8.1	10.7	6.7
Total	27.9	32.6	16.2	28.5	23.4	31.5	19.9	30.0	31.8	26.9

Source: Mississippi Behavioral Risk Factor Surveillance Survey, 2004

Current Smoker




Current Smoker

	District I	District II	District III	District IV	District V	District VI	District VII	District VIII	District IX	State Total
White	30.8	27.2	18.8	25.9	25.2	21.1	28.4	25.2	30.8	26.6
Nonwhite	19.1	18.3	19.1	19.5	20.5	22.8	16.7	20.6	27.0	20.6
Total	27.0	25.4	19.0	23.5	23.0	21.7	23.8	23.8	30.1	24.4

Source: Mississippi Behavioral Risk Factor Surveillance Survey, 2004

Binge Drinkers




At Risk Because of Binge Drinking

	District I	District II	District III	District IV	District V	District VI	District VII	District VIII	District IX	State Total
White	9.7	10.0	7.8	13.1	13.3	7.1	6.8	9.9	16.2	11.4
Nonwhite	9.2	9.4	6.2	3.9	8.8	10.7	10.6	5.5	8.0	8.3
Total	9.5	9.8	6.9	9.7	11.2	8.4	8.4	8.6	14.6	10.3

Source: Mississippi Behavioral Risk Factor Surveillance Survey, 2004

Heavy Drinkers




At Risk Because of Heavy Drinking

	District I	District II	District III	District IV	District V	District VI	District VII	District VIII	District IX	State Total
White	6.3	3.6	4.5	3.6	6.6	2.6	2.5	4.8	4.9	4.6
Nonwhite	1.8	2.8	1.8	0.0	2.8	4.2	6.3	2.0	5.9	3.1
Total	4.8	3.4	2.9	2.3	4.9	3.1	4.1	4.0	5.2	4.1

Source: Mississippi Behavioral Risk Factor Surveillance Survey, 2004

Ever Had Asthma




Ever Had Asthma

	District I	District II	District III	District IV	District V	District VI	District VII	District VIII	District IX	State Total
White	18.6	12.9	9.4	8.5	10.2	10.3	15.6	10.4	10.3	11.6
Nonwhite	13.1	10.2	11.4	12.7	10.2	15.7	5.9	21.0	13.2	12.1
Total	16.8	12.5	10.6	10.0	10.2	12.2	11.2	13.4	10.8	11.8

Source: Mississippi Behavioral Risk Factor Surveillance Survey, 2004

Have Asthma Now




Presently Have Asthma

	District I	District II	District III	District IV	District V	District VI	District VII	District VIII	District IX	State Total
White	9.4	8.4	6.4	4.3	5.9	7.1	10.3	7.2	5.0	6.7
Nonwhite	11.7	7.0	6.1	11.5	6.8	11.1	3.6	8.7	7.8	7.8
Total	10.1	8.2	6.2	7.0	6.3	8.5	7.2	7.6	5.5	7.1

Source: Mississippi Behavioral Risk Factor Surveillance Survey, 2004

Ever Diagnosed With Diabetes




Ever Diagnosed With Diabetes

	District I	District II	District III	District IV	District V	District VI	District VII	District VIII	District IX	State Total
White	9.2	10.1	10.1	8.9	7.4	8.8	8.4	7.9	9.3	8.7
Nonwhite	8.8	12.0	9.5	14.6	9.5	20.2	13.0	10.0	10.6	11.0
Total	9.0	10.5	9.7	11.0	8.4	12.9	10.4	8.6	9.5	9.5

Source: Mississippi Behavioral Risk Factor Surveillance Survey, 2004

Last Dental Visit More Than One Year Ago




Last Dental Visit More Than 1 Year Ago

	District I	District II	District III	District IV	District V	District VI	District VII	District VIII	District IX	State Total
White	39.0	45.7	44.5	41.8	26.9	41.0	39.7	38.0	41.9	38.7
Nonwhite	37.8	66.0	51.3	32.5	44.1	36.5	48.4	45.2	51.5	45.4
Total	38.7	49.9	48.6	38.4	34.4	39.3	44.0	40.1	43.7	41.1

Source: Mississippi Behavioral Risk Factor Surveillance Survey, 2004

No Permanent Teeth Ever Removed




No Permanent Teeth Ever Removed

	District I	District II	District III	District IV	District V	District VI	District VII	District VIII	District IX	State Total
White	47.8	43.5	47.6	46.3	55.0	39.0	37.2	52.0	48.2	47.3
Nonwhite	33.3	38.8	34.4	35.2	35.2	33.6	20.7	35.4	42.2	35.3
Total	43.0	42.5	39.6	42.2	46.3	37.0	29.6	47.2	47.0	43.0

Source: Mississippi Behavioral Risk Factor Surveillance Survey, 2004

No Flu Shot in Past 12 Months




No Flu Shot in Past 12 Months

	District I	District II	District III	District IV	District V	District VI	District VII	District VIII	District IX	State Total
White	68.7	62.4	59.9	56.7	60.6	62.6	64.7	62.7	69.1	62.6
Nonwhite	72.5	73.8	77.6	69.5	77.8	66.7	70.6	76.9	72.8	72.5
Total	69.9	64.5	70.6	61.4	68.4	64.0	67.4	66.7	69.7	66.1

Source: Mississippi Behavioral Risk Factor Surveillance Survey, 2004

No Flu Shot in Past 12 Months Age 65+




No Flu Shot in Past 12 Months Age 65+

	District I	District II	District III	District IV	District V	District VI	District VII	District VIII	District IX	State Total
White	31.2	30.3	37.7	21.6	25.9	33.5	37.2	29.0	33.3	28.7
Nonwhite	40.3	54.5	57.8	41.4	51.1	38.4	30.8	71.8	35.9	45.5
Total	34.1	32.8	46.2	26.3	33.6	34.7	37.7	37.5	33.6	32.9

Source: Mississippi Behavioral Risk Factor Surveillance Survey, 2004

Ever Has Pneumonia Vaccination




Ever Had Pneumonia Vaccination

	District I	District II	District III	District IV	District V	District VI	District VII	District VIII	District IX	State Total
White	21.5	21.1	28.9	26.6	27.8	27.2	34.3	24.4	25.8	26.0
Nonwhite	22.9	19.9	13.2	13.9	15.9	26.3	20.8	24.3	13.0	17.5
Total	22.1	21.1	19.4	21.9	22.4	26.8	28.2	24.3	23.4	23.0

Source: Mississippi Behavioral Risk Factor Surveillance Survey, 2004

Activities Limited by Health Problems




Activities Limited by Health Problems

	District I	District II	District III	District IV	District V	District VI	District VII	District VIII	District IX	State Total
White	23.0	22.7	25.3	20.6	22.4	23.1	21.7	23.4	23.5	22.7
Nonwhite	16.8	21.3	22.4	16.7	20.1	14.5	22.6	22.0	20.0	20.0
Total	21.0	22.7	23.6	19.2	21.3	20.0	22.0	23.1	22.8	21.8

Source: Mississippi Behavioral Risk Factor Surveillance Survey, 2004

Special Equipment Needed for Health Problems




Special Equipment Needed For Health Problems

	District I	District II	District III	District IV	District V	District VI	District VII	District VIII	District IX	State Total
White	5.1	5.5	7.9	5.5	5.9	9.8	8.1	7.4	6.2	6.9
Nonwhite	14.9	9.7	9.2	4.6	8.3	5.1	12.5	8.5	8.0	8.8
Total	8.3	6.5	8.7	5.2	7.0	8.1	9.9	7.7	6.5	7.6

Source: Mississippi Behavioral Risk Factor Surveillance Survey, 2004

Ever Had a Pap Test




Ever Had a Pap Test

	District I	District II	District III	District IV	District V	District VI	District VII	District VIII	District IX	State Total
White	94.5	95.5	91.4	94.1	94.9	93.0	99.4	98.6	98.5	95.2
Nonwhite	96.2	97.6	94.4	92.3	95.1	85.8	96.5	97.5	94.3	93.9
Total	95.1	96.0	93.4	93.3	95.0	90.0	97.8	98.2	97.5	94.7

Source: Mississippi Behavioral Risk Factor Surveillance Survey, 2004

Pap Test in Past 3 Years




Had a Pap Test in the Past Three Years (Women 18+)

	District I	District II	District III	District IV	District V	District VI	District VII	District VIII	District IX	State Total
White	81.4	81.3	71.5	78.0	88.8	70.4	88.0	83.0	84.3	81.2
Nonwhite	80.9	86.4	87.3	82.2	85.9	78.8	92.0	82.0	84.0	84.1
Total	81.2	82.5	81.8	79.9	87.3	74.0	90.0	82.6	84.3	82.4

Source: Mississippi Behavioral Risk Factor Surveillance Survey, 2004

Ever Had Mammogram and CBE (Women 40+)




Ever Had Mammogram and CBE (Women 40+)

	District I	District II	District III	District IV	District V	District VI	District VII	District VIII	District IX	State Total
White	80.9	79.8	72.0	85.0	84.9	82.2	84.2	80.4	82.9	81.4
Nonwhite	61.6	67.4	66.0	78.7	84.1	73.9	63.9	82.4	66.6	73.1
Total	75.0	77.4	68.7	82.6	84.6	79.7	75.3	80.9	80.5	78.7

Source: Mississippi Behavioral Risk Factor Surveillance Survey, 2004

Mammogram and CBE in Past 2 Years (Women 50+)




Mammogram and a CBE in the Past Two Years (Women 50+)

	District I	District II	District III	District IV	District V	District VI	District VII	District VIII	District IX	State Total
White	59.8	56.7	54.2	66.2	65.7	59.2	70.1	63.2	62.7	61.5
Nonwhite	54.1	42.0	35.7	63.9	61.3	64.5	53.3	43.8	58.1	53.0
Total	57.7	54.4	44.9	65.5	64.2	60.8	63.5	59.2	62.0	59.1

Source: Mississippi Behavioral Risk Factor Surveillance Survey, 2004

Ever had a PSA Test (Men 40+)




Ever Had a PSA Test (Men 40+)

	District I	District II	District III	District IV	District V	District VI	District VII	District VIII	District IX	State Total
White	55.3	57.0	48.4	66.5	65.4	54.4	42.0	65.9	59.8	59.8
Nonwhite	53.3	60.6	37.1	54.0	54.0	61.1	36.8	79.4	57.2	59.2
Total	54.8	57.6	42.8	62.8	61.4	56.4	41.6	69.0	59.4	59.6

Source: Mississippi Behavioral Risk Factor Surveillance Survey, 2004

No PSA Test in Past Two Years




No PSA Test in Last 2 Years

	District I	District II	District III	District IV	District V	District VI	District VII	District VIII	District IX	State Total
White	46.7	58.2	55.8	63.4	63.3	47.0	59.5	65.0	45.3	56.7
Nonwhite	36.3	53.5	56.0	46.0	45.8	55.2	71.0	79.1	38.5	53.6
Total	43.9	57.7	55.9	58.2	57.0	49.5	62.3	68.2	44.2	55.9

Source: Mississippi Behavioral Risk Factor Surveillance Survey, 2004

Ever Had Sigmoidoscopy/Colonoscopy (Age 50+)




Ever Had a Sigmoidoscopy/Colonoscopy (Age 50+)

	District I	District II	District III	District IV	District V	District VI	District VII	District VIII	District IX	State Total
White	43.0	43.8	43.7	44.2	59.3	52.8	44.4	49.6	51.4	49.8
Nonwhite	28.9	37.2	30.6	42.1	45.9	41.1	33.2	35.6	25.4	35.8
Total	39.6	42.7	37.2	43.6	54.6	49.6	39.3	46.6	47.8	46.0

Source: Mississippi Behavioral Risk Factor Surveillance Survey, 2004

No Blood Stool Test in Past Two Years (Age 50+)




No Blood Stool Test in Past Two Years (Persons 50+)

	District I	District II	District III	District IV	District V	District VI	District VII	District VIII	District IX	State Total
White	80.7	77.8	85.1	71.4	78.1	83.4	81.7	87.8	77.9	77.7
Nonwhite	90.7	73.6	83.8	66.9	80.5	92.4	76.8	89.0	78.7	79.6
Total	83.0	77.3	84.5	70.2	78.9	85.8	80.0	88.1	78.0	78.1

Source: Mississippi Behavioral Risk Factor Surveillance Survey, 2004

Trying to Prevent Pregnancy Males <= 59 and Females <= 44




Trying to Prevent Pregnancy: Males <= 59 and Females <= 44

	District I	District II	District III	District IV	District V	District VI	District VII	District VIII	District IX	State Total
White	67.6	67.5	43.4	65.7	56.4	65.9	57.5	63.4	63.9	62.3
Nonwhite	58.0	63.1	66.1	55.3	62.6	56.6	83.9	68.3	61.2	63.2
Total	64.4	66.5	58.6	61.4	59.0	62.0	70.4	64.8	63.3	62.6

Source: Mississippi Behavioral Risk Factor Surveillance Survey, 2004

Never Tested for HIV (Age 18 - 64)




Never Tested For HIV (Age 18 - 64)

	District I	District II	District III	District IV	District V	District VI	District VII	District VIII	District IX	State Total
White	59.0	61.0	55.9	59.9	61.2	60.9	61.6	59.1	51.7	58.5
Nonwhite	49.1	52.2	54.2	63.7	39.6	33.1	47.5	34.6	35.2	43.6
Total	55.7	59.2	54.8	61.4	51.1	50.3	55.0	51.8	48.3	52.9

Source: Mississippi Behavioral Risk Factor Surveillance Survey, 2004

Participated in High Risk Behavior (Age 18 - 64)



Participated in High Risk Behavior (Age 18 - 64)

	District I	District II	District III	District IV	District V	District VI	District VII	District VIII	District IX	State Total
White	1.6	3.5	6.3	2.0	2.4	5.6	5.1	2.1	3.3	3.2
Nonwhite	3.2	6.6	8.4	6.0	11.3	4.3	11.2	2.4	11.5	8.1
Total	2.2	4.1	7.6	3.6	6.6	5.1	7.9	2.2	5.0	5.1

Source: Mississippi Behavioral Risk Factor Surveillance Survey, 2004