

MISSISSIPPI DEPARTMENT OF HEALTH

**MISSISSIPPI
VITAL STATISTICS
2005**

TABLE OF CONTENTS

	Page
INTRODUCTION	
Description of Bulletin	1
Definitions of Live Birth, Fetal Death, Induced Termination, and Death	1
Occurrence and Residence Allocation	2
Population	2
Race	2
Rates	3
Classification of Cause of Death	3
SUMMARY TABLES, 2005	
POPULATION	
Table P1. 2005 Estimated Population, by Age, Race, and Sex, Residents of Mississippi	7
LIVE BIRTHS	
Table A1. Live Births and Average per Day, by Month	8
Table A2. Percentage of Live Births in Hospitals or Clinics, by Year and Race, 1940, 1950, 1960, 1970-2005	8
Table A3. Live Births and Percentage Distribution, by Place of Delivery, Attendant, and Race of Mother	9
Table A4. Live Births, Percentage Distribution, and Fertility Rates, by Age and Race of Mother	10
Table A5. Live Births and Percentage Distribution, by Years of School Completed by Mother and Race of Mother	10
Table A6. Live Births to Unmarried Mothers and Percent of Total Live Births in Specified Group, by Age and Race of Mother	11
Table A7. Live Births, Percentage Distribution, Fertility Rates, and Median Age of Mother, by Total-Birth Order and Race of Mother	11
Table A8. Live Births and Percentage Distribution, by Whether Mother Received Prenatal Care, Time during Pregnancy Care Began, and Race of Mother	12
Table A9. Live Births and Percentage Distribution, by Maturity and Race of Mother	12
Table A10. Congenital Anomalies Reported on Live Birth Certificates, by Anomaly and Race of Mother	13
Table A11. Medical Risk Factors Reported on Live Birth Certificates, by Risk Factor and Race of Mother	14
Table A12. Other Risk Factors Reported on Live Birth Certificates and Percentage Distribution, by Risk Factor and Race of Mother	15
Table A13. Complications of Labor and Delivery Reported on Live Birth Certificates, by Complication and Race of Mother	16

Table A14.	Methods of Delivery Reported on Live Birth Certificates, by Method and Race of Mother	16
Table A15.	Obstetric Procedures Reported on Live Birth Certificates, by Procedure and Race of Mother	17
Table A16.	Abnormal Conditions of Newborn Reported on Live Birth Certificates, by Condition and Race of Mother	17

FETAL DEATHS

Table B1.	Reportable Fetal Deaths and Percentage Distribution, by Place of Delivery, Attendant, and Race of Mother	18
Table B2.	Reportable Fetal Deaths and Fetal Death Ratios, by Age and Race of Mother	19
Table B3.	Percentage Distribution of Live Births and Reportable Fetal Deaths, by Whether Mother Received Prenatal Care and Race of Mother	19
Table B4.	Reportable Fetal Deaths and Fetal Death Ratios, by Completed Weeks of Gestation and Race of Mother, 2003-2005	20

DEATHS

Table C1.	Deaths and Average per Day, by Month	21
Table C2.	Deaths, Percentage Distribution, and Rates, by Age and Race	21
Table C3A.	Deaths by Age, Race, and Sex, and Male/Female Ratios by Age and Race	22
Table C3B.	Death Rates, by Age, Race, and Sex	22
Table C4.	Deaths, Mortality Rates, and Percent of Total Deaths from Ten Leading Causes, by Cause and Race	23
Table C5.	Deaths, Percent of Total Deaths, and Rates for Five Leading Causes, by Age and Cause	24
Table C6.	Deaths and Rates from Malignant Neoplasms, by Primary Site, Sex, and Race	25
Table C7.	Deaths from Major Chronic Respiratory Diseases, 1980, 1985, 1990, 1995, 2000, 2005	25
Table C8.	Deaths and Percent of Total Accidental Deaths from Five Leading Causes of Accidental Death, by Cause and Race	26
Table C9.	Deaths from Selected Types of Accidents, by Sex, also by Age	27
Table C10.	Motor Vehicle Accident Deaths Occurring in Mississippi and Rates, also Motor Vehicle Accident Deaths of Mississippi Residents and Rates, by Year, 1950, 1955, 1960, 1965, 1970-2005	28
Table C11.	Infant Deaths, Percentage Distribution, and Mortality Rates by Age and Race	29
Table C12.	Deaths and Mortality Rates for Ten Leading Causes of Infant Death, by Cause and Race	30
Table C13A.	Years of Potential Life Lost Before Age 75, for Selected Causes of Death	31
Table C13B.	Years of Potential Life Lost Before Age 75, for Selected Causes of Death, White Males and Females	32

Table C13C. Years of Potential Life Lost Before Age 75, for Selected Causes of Death, Nonwhite Males and Females	33
----------------------------------------------------------------------------------------------------------------------------	----

MARRIAGES

Table D1. Marriages and Average per Day, by Month	34
Table D2. Brides and Grooms and Percentage Distribution, by Age and Race . . .	35
Table D3. Median Age of Bride and Groom, for All Marriages and First Marriages, by Race	36
Table D4. Brides and Grooms and Percentage Distribution, by Marriage Order and Race	37
Table D5. Brides and Grooms and Percentage Distribution, by Previous Marital Status and Race	38
Table D6. Marriages and Percentage Distribution, by Residence of Bride and Groom and Race of Bride	39

DIVORCES

Table E1. Divorces and Percentage Distribution, by Cause and Race	40
Table E2. Divorces and Percentage Distribution, by Number of Minor Children and Race	40
Table E3. Divorces and Percentage Distribution, by Number of Years Married and Race	41

INDUCED TERMINATIONS OF PREGNANCY

Table F1. Reported Induced Terminations of Pregnancy, Percentage Distribution, and Induced Termination Ratios, by Age and Race of Patient, Procedures Performed in Mississippi	42
Table F2. Reported Induced Terminations of Pregnancy and Percentage Distribution, by Characteristics of Patient and Race, Procedures Performed in Mississippi	43
Table F3. Reported Induced Terminations of Pregnancy and Percentage Distribution, by Medical Characteristics and Race, Procedures Performed in Mississippi	44
Table F4. Reported Complications Resulting from Induced Terminations of Pregnancy, Patients Treated in Mississippi	44

MAJOR TABLES, 2005**POPULATION**

Table I. 2005 Estimated Population and Percent Change From 2000 Census Population, Mississippi	47
----------------------------------------------------------------------------------------------------------	----

LIVE BIRTHS

Table 1A.	Live Births, by Place of Occurrence and Race of Mother, also Live Births and Rates, by Place of Residence and Race of Mother, (Place Includes Counties, Out of State, Towns of 10,000 or More), Mississippi, 2005	49
Table 1B.	Fertility Rates, by County of Residence and Race of Mother, Mississippi, 2005	52
Table 2.	Live Births, by County of Residence, Race of Mother, and Attendant, also by County of Residence and Sex, Mississippi, 2005	53
Table 3A.	Total Live Births, by County of Residence and Age of Mother, Mississippi, 2005	56
Table 3B.	Live Births to White Mothers, by County of Residence and Age of Mother, Mississippi, 2005	58
Table 3C.	Live Births to Nonwhite Mothers, by County of Residence and Age of Mother, Mississippi, 2005	60
Table 4.	Live Births to Unmarried Mothers and Percent of Total Live Births, by County of Residence and Race of Mother, Mississippi, 2005	62
Table 5A.	Total Live Births to Unmarried Mothers, by County of Residence and Age of Mother, Mississippi, 2005	64
Table 5B.	Live Births to Unmarried White Mothers, by County of Residence and Age of Mother, Mississippi, 2005	66
Table 5C.	Live Births to Unmarried Nonwhite Mothers, by County of Residence and Age of Mother, Mississippi, 2005	68
Table 6A.	Live Births Weighing Less Than 2,500 Grams at Birth and Percent of Total Live Births, by County of Residence and Race of Mother, Mississippi, 2005	70
Table 6B.	Live Births Weighing Less Than 1,500 Grams at Birth and Percent of Total Live Births, by County of Residence and Race of Mother, Mississippi, 2005	72
Table 7.	Premature Live Births and Percent of Total Live Births, by County of Residence and Race of Mother, Mississippi, 2005	74

FETAL DEATHS

Table 8.	Reportable Fetal Deaths, by County of Occurrence and Race of Mother, also Reportable Fetal Deaths and Fetal Death Ratios, by County of Residence and Race of Mother, Mississippi, 2005	76
----------	--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	----

DEATHS

Table 9.	Deaths, by Place of Occurrence and Race, also Deaths and Rates, by Place of Residence and Race, (Place Includes Counties, Out of State, Towns of 10,000 or More), Mississippi, 2005	78
Table 10A.	Deaths, by Cause and Race, (Cause Groupings Based on NCHS List of 358 Selected Causes), Mississippi Residents, 2005	81
Table 10B.	Deaths, by Cause and Race, Mississippi Residents, 2005	91

	Page
Table 11. Deaths from Major Cause Groups and Certain Selected Causes, by Race, Sex, and Age, also Rates for Major Cause Groups and Certain Selected Causes, Mississippi Residents, 2005	114
Table 12A. Infant, Neonatal, and Postneonatal Deaths, by County of Residence and Race, Mississippi, 2005	121
Table 12B. Infant, Neonatal, and Postneonatal Mortality Rates, by County of Residence and Race, Mississippi, 2001-2005 (5-Year Average) . .	123
Table 13. Infant Deaths from Selected Causes, by Race and Age, also Mortality Rates for Selected Causes, Mississippi Residents, 2005	125
Table 14. Accidental Deaths, by County of Occurrence and Type of Accident, Mississippi, 2005	128
 MARRIAGES	
Table 15. Marriages, by County of Licensure and Race of Bride, also by County of Occurrence and Race of Bride, also by County of Residence of Bride and Race of Bride, Mississippi, 2005	130
 DIVORCES	
Table 16. Divorces, by County of Occurrence and Race, Mississippi, 2005	132
 INDUCED TERMINATIONS	
Table 17. Reported Induced Terminations of Pregnancy Performed in Mississippi on Mississippi Residents, by County of Residence and Race, 2005	133
 TEENAGE PREGNANCY	
Table 18A. Teenage Pregnancies, by County of Residence, Race, and Age Group of Mother, Mississippi, 2005	134
Table 18B. Teenage Pregnancy Rates, by County of Residence, Race, and Age Group of Mother, Mississippi Residents, 2005	136
 DEATHS (COUNTY AND STATE SUMMARIES)	
Table 19. Deaths from Selected Causes Used for Ranking Leading Causes, by Race, Residents	
The Counties (in alphabetical order)	139
The State	159

TIME SERIES TABLES

Table 20.	Live Births and Rates, by Year and Race, Mississippi, 1913-2005, (Occurrence Data 1913-1943, Residence Data 1944-2005)	163
Table 21.	Deaths and Rates, by Year and Race, Mississippi, 1913-2005, (Occurrence Data 1913-1943, Residence Data 1944-2005)	165
Table 22.	Maternal Deaths and Mortality Rates, by Year and Race, Mississippi, 1913-2005, (Occurrence Data 1913-1943, Residence Data 1944-2005)	167
Table 23.	Infant Deaths and Mortality Rates, by Year and Race, Mississippi, 1917-2005, (Occurrence Data 1917-1943, Residence Data 1944-2005)	169
Table 24.	Neonatal Deaths and Mortality Rates, by Year and Race, Mississippi, 1924-2005, (Occurrence Data 1924-1944, Residence Data 1945-2005)	171
Table 25.	Postneonatal Deaths and Mortality Rates, by Year and Race, Mississippi, 1924-2005, (Occurrence Data 1924-1943, Residence Data 1944-2005)	173
Table 26.	Marriages and Divorces, by Year and Race, Occurrence Data, Mississippi, 1926-2005	175
Table 27.	Reported Induced Terminations of Pregnancy and Induced Termination Ratios, by Year and Race, Procedures Performed in Mississippi, 1976-2005	177
Table 28.	Teenage Pregnancies and Pregnancy Rates, by Year and Race, Residence Data, Mississippi, 1979-2005	178

APPENDICES

Appendix A.	List of 358 Selected Causes of Death Used for Tabulating Mortality Statistics, Showing Group Number, Cause of Death, and ICD-10 Codes Included	181
Appendix B.	List of 50 Selected Categories of Causes of Death Used for Ranking Leading Causes, Showing Group Numbers, Causes of Death, and ICD-10 Codes Included in Each Category	195
Appendix C.	List of 130 Selected Causes of Infant Death Used for Tabulating Infant Mortality Statistics, Showing Group Number, Cause of Death, and ICD-10 Codes Included	197
Appendix D.	Finalized Adoptions by Chancery Court District as Reported to the Administrative Office of Courts by the Chancery Clerks, Fiscal Year 2006	204
Appendix E.	Deaths Related to Hurricane Katrina	205

VITAL STATISTICS MISSISSIPPI, 2005

INTRODUCTION

Description of Bulletin

The information on live births, fetal deaths, induced terminations of pregnancy, deaths, marriages, and divorces which is presented in this bulletin was obtained from official records submitted to the Mississippi State Department of Health as required by statute and regulation. Live birth and fetal death records were prepared by hospitals, clinics, physicians, and midwives. Reports of induced terminations of pregnancy were prepared by hospitals, clinic staff, and physicians. Reports of complications from induced terminations of pregnancy were made by the clinic or physician who treated the patient for the complication. Responsibility for the preparation of death certificates was shared by hospitals, nursing homes and other institutions which provide care or custody, funeral homes, physicians, medical examiners, and medical examiner investigators. Marriage records were completed partly by brides and grooms, partly by persons who performed marriage ceremonies, and partly by circuit clerks. Chancery clerks prepared the statistical records of divorce.

This publication consists of three parts. The first part includes summary tables for the state as a whole for 2005; the second part contains major statistical tables for 2005. Time series tables numbered 20 through 28 are presented in the third part.

Definitions of Live Birth, Fetal Death, Induced Termination, and Death

The definitions of live birth, fetal death, and induced termination of pregnancy adopted by the Mississippi State Department of Health for use in Mississippi are those formulated by the World Health Organization and recommended by the National Center for Health Statistics. The definition of death was adopted by the Mississippi Legislature in 1982, statute number 41-36-3.

Live Birth - the complete expulsion or extraction from its mother of a product of human conception, irrespective of the duration of pregnancy, which, after such expulsion or extraction, breathes or shows any other evidence of life such as beating of the heart, pulsation of the umbilical cord, or definite movement of voluntary muscles, whether or not the umbilical cord has been cut or the placenta is attached.

Fetal Death - death prior to the complete expulsion or extraction from its mother of a product of human conception, irrespective of the duration of pregnancy; the death is indicated by the fact that after such expulsion or extraction the fetus does not breathe or show any other evidence of life such as beating of the heart, pulsation of the umbilical cord, or definite movement of voluntary muscles.

Induced Termination of Pregnancy - the intentional termination of pregnancy with the intention other than to produce a live-born infant or to remove a dead fetus.

Death - an individual who has sustained either (a) irreversible cessation of circulatory and respiratory functions or (b) irreversible cessation of all functions of

the entire brain, including the brain stem, is dead. A determination of death must be made in accordance with accepted medical standards.

Even though the definition of fetal death is all-inclusive, the State Department of Health does not require the reporting of all fetal deaths. Since January 1, 1976, fetal death reports have been required only for spontaneous fetal deaths of 20 weeks or more gestation or weight of 350 grams or more. There is a separate reporting system (with no names or addresses) for all induced terminations of pregnancy.

Occurrence and Residence Allocation

Live births, fetal deaths, and deaths were classified by place of occurrence and by place of residence. Some of the tables contain both occurrence and residence figures, but most of the tables are based on residence data only, as these data are considered more suitable for studying public health problems.

Occurrence data were obtained from certificates filed in Mississippi at the place of the event. Residence data include transcripts of records of events that occurred in other states to Mississippi residents and exclude records filed in this state for nonresidents. Residence assignment for live births and fetal deaths was determined by the usual residence of the mother. For deaths it was determined by the usual residence of the decedent except that deaths of inmates of institutions were reallocated to the location of the institution regardless of length of stay.

Figures on induced terminations of pregnancy in Tables F1, F2, F3, and 17 refer only to procedures performed in Mississippi, and do not include transcripts of records of events that occurred in other states to Mississippi residents. Residence assignment was determined by the usual residence of the patient. However, the teenage pregnancy figures in Tables 18A, 18B, and 28, which include induced termination figures, refer to induced terminations of all Mississippi resident teens, regardless of where the induced termination was actually performed.

Marriages were classified according to place of issuance of the marriage license, place of occurrence of marriage, and place of residence of the bride. However, the figures on brides who were Mississippi residents are incomplete since there is no exchange among the states of transcripts of marriage records for nonresidents and the out-of-state marriages of Mississippi brides could not be included. Divorces were classified only according to place where the decree was granted, as there is no information regarding place of residence on the record.

Population

The population figures used in this publication are 2005 population estimates which were prepared by the United States Census Bureau. Estimates for small counties and small categories such as age/race/sex groups should be used with caution. Any slight discrepancies in the figures are due to rounding.

Race

The two categories for race used in this publication are white and nonwhite. White includes such groups as Caucasian, Anglo-American, Canadian, Cuban, French, Greek, Hispanic, Latin American, Mexican, Puerto Rican, Swedish, etc. Nonwhite includes such groups as Black, Afro-American, American Indian, Chinese, Japanese, Hawaiian, Filipino, and all other groups not considered as white.

Prior to 1989, all statistics regarding live births and fetal deaths were broken down by race of the child or fetus; however, beginning with 1989 and continuing with subsequent years all statistics on live births and fetal deaths will be reported by race of the mother. This includes any rates or ratios that involve figures for live births or fetal deaths. For example, the infant mortality rate for white infants will now be calculated using the number of live births to white mothers as the denominator.

Rates

Population-based rates for the state include those for live births, total deaths, and deaths from specific causes, except maternal deaths and deaths from certain conditions originating in the perinatal period. Figures on live births were used as the base for calculating fetal death ratios as well as rates for maternal deaths, infant, neonatal, and postneonatal deaths, and deaths from certain conditions originating in the perinatal period, as the birth counts represent the groups at risk more accurately than do general population figures.

Classification of Cause of Death

Causes of death were assigned according to the Tenth Revision International Statistical Classification of Diseases and Related Health Problems (ICD-10). The Tenth Revision was used for the first time in 1999, and is markedly different from the Ninth Revision. Because of this, and also because periodic changes in the classification system occurring throughout the years have resulted in an unavoidable lack of comparability for some causes, caution should be used in analyzing trends which span classification revisions.

With the exception of Table 10B, all tables which show cause of death are based on the National Center for Health Statistics' List of 358 Selected Causes of Death (see Appendix A), and appear with group numbers instead of the actual ICD-10 codes. These groupings were developed to preserve traditional categories of causes of death not found in continuous ranges of codes in ICD-10 as they were in ICD-9, to maintain continuity with prior coding revisions to facilitate trend analysis, and to separately identify causes of death that are of public health and medical importance. In Table 10B, however, the cause-of-death titles shown do follow the actual coding structure of the Tenth revision, and the causes are shown with their corresponding ICD-10 codes.

Adoptions

In 2005, Section 93-17-205, MS Code 1972 was amended to require the number of adoptions finalized in each Chancery Court be reported to the Bureau by the Administrative Office of Courts. This law became effective on July 1, 2005. It is important to note that the birth

certificate is not automatically changed after the adoption process is complete, but requires the petitioner to present Vital Records with a copy of the adoption decree. This may not happen immediately and, in fact, may never happen. For this reason, birth records are a poor source for determining the number of adoptions that occur in a given year. Information was not available for the first half of calendar year 2005. Therefore, the information presented in Appendix D covers the time period from July 2005 through June 2006. In the future this information will be presented for a single calendar year.

Hurricane Katrina

On August 29, 2005, Hurricane Katrina made landfall along the Mississippi gulf coast. In addition to the unprecedented destruction left behind in the wake of the storm, there were also numerous fatalities that occurred in Mississippi. Death certificates with any mention of Hurricane Katrina were evaluated by hand and grouped into four categories roughly indicating the circumstances surrounding the death. These categories were 1) directly-related, 2) indirectly-related, 3) possibly related, and 4) probably unrelated. Due to the lack of specific information on many of the certificates, this categorization is less precise than might be expected. In the months following the hurricane, there were many reports, both published and unpublished, citing numbers of deaths due to Hurricane Katrina. The numbers presented here represent deaths that could be associated with the hurricane by documentation on the death certificate and may not match figures in other reports.

Deaths were coded as directly-related when the only cause of death was “Hurricane Katrina Related Fatality” or certificates where it was clearly stated or apparent that injuries were sustained during the storm (e.g., “tree blew over on him”). Indirectly-related deaths were those where disease conditions were exacerbated by storm conditions or conditions after the hurricane (e.g., heat, lack of power, transportation to medical facilities, etc.) and injuries sustained while cleaning up hurricane debris. Records where information on the death certificate made it difficult to determine a probable association between the cause of death and the hurricane were coded as possibly related. Examples of the latter were causes such as respiratory arrest, cardiac arrest and kidney failure occurring weeks or months after the hurricane but with the hurricane listed as a contributing cause. In addition to those deaths shown in the table in Appendix E, there were five deaths that were probably unrelated to the hurricane. These deaths contained “Hurricane Katrina Evacuee” in the section for other significant conditions related to the death.

Internet site

The tables contained in this book can also be found on the Internet at:

www.msdh.state.ms.us/phs

SUMMARY TABLES

In this section, all tables on live births, fetal deaths, and deaths represent residence data unless otherwise specified; all information on induced terminations of pregnancy, marriages, and divorces is occurrence data.

TABLE P1. 2005 ESTIMATED POPULATION*, BY AGE, RACE, AND SEX
RESIDENTS OF MISSISSIPPI

AGE	TOTAL			WHITE			NONWHITE		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
TOTAL	2,921,088	1,418,613	1,502,475	1,788,108	883,790	904,318	1,132,980	534,823	598,157
0-4	211,890	108,526	103,364	110,997	57,433	53,564	100,893	51,093	49,800
(Under 1)	44,453	22,783	21,670	23,219	12,039	11,180	21,234	10,744	10,490
(1-4)	167,437	85,743	81,694	87,778	45,394	42,384	79,659	40,349	39,310
5-9	197,519	100,989	96,530	105,847	54,502	51,345	91,672	46,487	45,185
10-14	209,186	106,574	102,612	109,497	56,353	53,144	99,689	50,221	49,468
15-19	216,518	110,590	105,928	115,884	59,883	56,001	100,634	50,707	49,927
20-24	228,907	117,168	111,739	124,556	65,073	59,483	104,351	52,095	52,256
25-29	209,172	104,918	104,254	120,238	62,545	57,693	88,934	42,373	46,561
30-34	187,841	91,627	96,214	113,542	57,601	55,941	74,299	34,026	40,273
35-39	189,412	92,249	97,163	117,625	59,914	57,711	71,787	32,335	39,452
40-44	212,292	102,683	109,609	133,477	67,024	66,453	78,815	35,659	43,156
45-49	212,937	102,852	110,085	133,923	67,040	66,883	79,014	35,812	43,202
50-54	191,770	92,320	99,450	124,397	61,363	63,034	67,373	30,957	36,416
55-59	168,239	81,497	86,742	117,551	58,016	59,535	50,688	23,481	27,207
60-64	127,012	60,028	66,984	93,344	44,990	48,354	33,668	15,038	18,630
65-69	107,878	49,987	57,891	79,720	37,932	41,788	28,158	12,055	16,103
70-74	87,593	37,784	49,809	65,779	29,285	36,494	21,814	8,499	13,315
75-79	74,082	30,664	43,418	56,305	24,004	32,301	17,777	6,660	11,117
80-84	48,175	16,669	31,506	36,503	12,808	23,695	11,672	3,861	7,811
85+	40,665	11,488	29,177	28,923	8,024	20,899	11,742	3,464	8,278
UNDER 15	618,595	316,089	302,506	326,341	168,288	158,053	292,254	147,801	144,453
15-64	1,944,100	955,932	988,168	1,194,537	603,449	591,088	749,563	352,483	397,080
65 & OVER	358,393	146,592	211,801	267,230	112,053	155,177	91,163	34,539	56,624
MEDIAN AGE	35.0	33.3	36.6	39.0	37.4	40.6	29.0	27.0	30.7

* POPULATION ESTIMATE WAS OBTAINED FROM THE U.S. BUREAU OF THE CENSUS.

**TABLE A1. LIVE BIRTHS AND AVERAGE PER DAY, BY MONTH
MISSISSIPPI, 2005**

MONTH	BIRTHS	AVERAGE PER DAY	MONTH	BIRTHS	AVERAGE PER DAY
<u>TOTAL</u>	<u>42,327</u>	<u>116</u>			
JANUARY	3,530	114	JULY	3,556	115
FEBRUARY	3,136	112	AUGUST	3,752	121
MARCH	3,469	112	SEPTEMBER	3,757	125
APRIL	3,232	108	OCTOBER	3,603	116
MAY	3,461	112	NOVEMBER	3,521	117
JUNE	3,532	118	DECEMBER	3,778	122

**TABLE A2. PERCENTAGE OF LIVE BIRTHS IN HOSPITALS OR CLINICS,
BY YEAR AND RACE*
MISSISSIPPI, 1940, 1950, 1960, 1970-2005**

YEAR	TOTAL	WHITE	NON- WHITE	YEAR	TOTAL	WHITE	NON- WHITE
1940	14.1	27.1	3.9				
1950	46.1	83.3	18.9				
1960	73.2	99.0	51.3				
1970#	90.0	99.7	79.7	1990#	99.6	99.6	99.6
1971#	92.2	99.6	84.2	1991#	99.6	99.6	99.6
1972#	95.2	99.8	90.4	1992#	99.7	99.7	99.7
1973#	96.4	99.7	92.8	1993#	99.7	99.7	99.6
1974#	97.4	99.7	94.8	1994#	99.7	99.7	99.7
1975#	97.9	99.6	96.0	1995#	99.7	99.7	99.6
1976#	98.5	99.7	97.3	1996#	99.7	99.7	99.7
1977#	98.9	99.7	98.1	1997#	99.7	99.8	99.7
1978#	99.1	99.7	98.4	1998#	99.6	99.7	99.6
1979#	99.3	99.7	98.9	1999#	99.7	99.7	99.7
1980#	99.4	99.7	99.1	2000#	99.7	99.7	99.7
1981#	99.3	99.6	99.0	2001#	99.7	99.7	99.7
1982#	99.4	99.6	99.2	2002#	99.7	99.7	99.8
1983#	99.5	99.6	99.4	2003#	99.7	99.7	99.7
1984#	99.5	99.6	99.4	2004#	99.7	99.7	99.8
1985#	99.6	99.7	99.4	2005#	99.7	99.7	99.8
1986#	99.6	99.7	99.5				
1987#	99.6	99.8	99.5				
1988#	99.6	99.7	99.6				
1989#	99.6	99.8	99.5				

* FIGURES FOR YEARS PRIOR TO 1989 ARE BY RACE OF CHILD;
BEGINNING IN 1989 FIGURES SHOWN ARE BY RACE OF MOTHER.

INCLUDES BIRTHS IN ANY FACILITY WHICH PROVIDES MEDICAL
CARE; PRIOR TO 1970 ONLY BIRTHS IN FACILITIES PROVIDING
INPATIENT CARE WERE INCLUDED.

**TABLE A3. LIVE BIRTHS AND PERCENTAGE DISTRIBUTION, BY PLACE OF DELIVERY, ATTENDANT, AND RACE OF MOTHER
MISSISSIPPI, 2005**

PLACE OF DELIVERY AND RACE	NUMBER						PERCENT					
	TOTAL	PHYSICIAN	CERTIFIED NURSE MIDWIFE	GRANNY MIDWIFE	OTHER NAMED PERSON	UNKNOWN	TOTAL	PHYSICIAN	CERTIFIED NURSE MIDWIFE	GRANNY MIDWIFE	OTHER NAMED PERSON	UNKNOWN
<u>TOTAL</u>	<u>42,327</u>	<u>41,313</u>	<u>791</u>	<u>36</u>	<u>112</u>	<u>75</u>	<u>100.0</u>	<u>97.6</u>	<u>1.9</u>	<u>0.1</u>	<u>0.3</u>	<u>0.2</u>
HOSPITAL CLINIC/DOCTOR'S OFFICE	42,218	41,298	787	2	61	70	99.7	97.6	1.8	*	0.1	0.2
HOME	0	0	0	0	0	0	-	-	-	-	-	-
OTHER PLACE	96	13	4	31	43	5	0.2	*	*	0.1	0.1	*
UNKNOWN PLACE	13	2	0	3	8	0	*	*	-	*	*	-
	0	0	0	0	0	0	-	-	-	-	-	-
<u>WHITE</u>	<u>23,015</u>	<u>22,443</u>	<u>447</u>	<u>34</u>	<u>44</u>	<u>47</u>	<u>100.0</u>	<u>97.5</u>	<u>1.9</u>	<u>0.1</u>	<u>0.2</u>	<u>0.2</u>
HOSPITAL CLINIC/DOCTOR'S OFFICE	22,952	22,437	443	1	26	45	99.7	97.5	1.9	*	0.1	0.2
HOME	0	0	0	0	0	0	-	-	-	-	-	-
OTHER PLACE	56	5	4	30	15	2	0.2	*	*	0.1	0.1	*
UNKNOWN PLACE	7	1	0	3	3	0	*	*	-	*	*	-
	0	0	0	0	0	0	-	-	-	-	-	-
<u>NONWHITE</u>	<u>19,312</u>	<u>18,870</u>	<u>344</u>	<u>2</u>	<u>68</u>	<u>28</u>	<u>100.0</u>	<u>97.7</u>	<u>1.8</u>	<u>-</u>	<u>0.4</u>	<u>0.1</u>
HOSPITAL CLINIC/DOCTOR'S OFFICE	19,266	18,861	344	1	35	25	99.8	97.7	1.8	*	0.2	0.1
HOME	0	0	0	0	0	0	-	-	-	-	-	-
OTHER PLACE	40	8	0	1	28	3	0.2	*	-	*	0.1	*
UNKNOWN PLACE	6	1	0	0	5	0	*	*	-	-	*	-
	0	0	0	0	0	0	-	-	-	-	-	-

* LESS THAN 0.06 PERCENT.

**TABLE A4. LIVE BIRTHS, PERCENTAGE DISTRIBUTION, AND FERTILITY RATES,
BY AGE AND RACE OF MOTHER
MISSISSIPPI, 2005**

AGE OF MOTHER	NUMBER			PERCENT			FERTILITY RATE*		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>TOTAL</u>	<u>42,327</u>	<u>23,015</u>	<u>19,312</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>	<u>67.7</u>	<u>65.1</u>	<u>71.1</u>
UNDER 15	183	30	153	0.4	0.1	0.8	1.8	0.6	3.1
15-19	6,397	2,635	3,762	15.1	11.4	19.5	60.4	47.0	75.4
20-24	14,673	7,271	7,402	34.7	31.6	38.3	131.3	122.2	141.6
25-29	11,251	6,610	4,641	26.6	28.7	24.0	107.9	114.6	99.7
30-34	6,689	4,439	2,250	15.8	19.3	11.6	69.5	79.4	55.9
35-39	2,581	1,704	877	6.1	7.4	4.5	26.6	29.5	22.2
40-44	529	312	217	1.2	1.4	1.1	4.8	4.7	5.0
45-49	19	12	7	*	*	*	0.2	0.2	0.2
UNKNOWN	5	2	3	*	*	*			

* FOR TOTAL GROUP- LIVE BIRTHS PER 1,000 FEMALES 15-44 YEARS OF AGE; FOR SPECIFIC AGE GROUPS - LIVE BIRTHS PER 1,000 FEMALES IN SPECIFIED GROUP.

** LESS THAN 0.06 PERCENT.

**TABLE A5. LIVE BIRTHS AND PERCENTAGE DISTRIBUTION,
BY YEARS OF SCHOOL COMPLETED BY MOTHER AND RACE OF MOTHER
MISSISSIPPI, 2005**

YEARS OF SCHOOL COMPLETED BY MOTHER	NUMBER			PERCENT*			CUMULATIVE PERCENT*		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>TOTAL BIRTHS</u>	<u>42,327</u>	<u>23,015</u>	<u>19,312</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>			
0-6 YEARS	510	411	99	1.2	1.8	0.5	1.2	1.8	0.5
7-9 YEARS	3,124	1,685	1,439	7.5	7.5	7.5	8.7	9.3	8.0
10,11 YEARS	6,211	2,529	3,682	14.9	11.3	19.2	23.7	20.6	27.3
12 YEARS	13,133	6,237	6,896	31.6	27.8	36.0	55.3	48.4	63.3
1-3 YEARS COLLEGE	10,680	5,741	4,939	25.7	25.6	25.8	81.0	74.0	89.1
4 OR MORE YEARS OF COLLEGE	7,911	5,833	2,078	19.0	26.0	10.9	100.0	100.0	100.0
UNKNOWN	758	579	179						
MEDIAN YEARS COMPLETED*	12	13	12						

* CALCULATIONS EXCLUDE BIRTHS TO MOTHERS WITH EDUCATION UNKNOWN.

**TABLE A6. LIVE BIRTHS TO UNMARRIED MOTHERS
AND PERCENT OF TOTAL LIVE BIRTHS IN SPECIFIED GROUP,
BY AGE AND RACE OF MOTHER
MISSISSIPPI, 2005**

AGE OF MOTHER	NUMBER			PERCENT		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>TOTAL</u>	<u>20,908</u>	<u>6,293</u>	<u>14,615</u>	<u>49.4</u>	<u>27.3</u>	<u>75.7</u>
UNDER 15	183	30	153	100.0	100.0	100.0
15-19	5,450	1,776	3,674	85.2	67.4	97.7
20-24	9,032	2,718	6,314	61.6	37.4	85.3
25-29	4,045	1,094	2,951	36.0	16.6	63.6
30-34	1,512	451	1,061	22.6	10.2	47.2
35-39	548	181	367	21.2	10.6	41.8
40-44	128	41	87	24.2	13.1	40.1
45-49	7	2	5	36.8	16.7	71.4
UNKNOWN	3	0	3			

**TABLE A7. LIVE BIRTHS, PERCENTAGE DISTRIBUTION, FERTILITY RATES, AND
MEDIAN AGE OF MOTHER, BY TOTAL-BIRTH ORDER AND RACE OF MOTHER
MISSISSIPPI, 2005**

TOTAL BIRTH ORDER*	NUMBER			PERCENT			FERTILITY RATE**			MEDIAN AGE OF MOTHER		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>TOTAL</u>	<u>42,327</u>	<u>23,015</u>	<u>19,312</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>	<u>67.7</u>	<u>65.1</u>	<u>71.1</u>	<u>24</u>	<u>26</u>	<u>23</u>
FIRST	14,569	8,159	6,410	34.4	35.4	33.2	23.3	23.1	23.6	21	23	20
SECOND	12,893	7,403	5,490	30.5	32.2	28.4	20.6	21.0	20.2	25	26	23
THIRD	7,901	4,211	3,690	18.7	18.3	19.1	12.6	11.9	13.6	26	28	25
FOURTH	3,864	1,900	1,964	9.1	8.2	10.2	6.2	5.4	7.2	27	29	26
FIFTH	1,652	725	927	3.9	3.2	4.8	2.6	2.0	3.4	28	30	27
SIXTH	710	269	441	1.7	1.2	2.3	1.1	0.8	1.6	30	32	29
SEVENTH	357	157	200	0.8	0.7	1.0	0.6	0.4	0.7	30	32	29
EIGHTH	148	66	82	0.4	0.3	0.4	0.2	0.2	0.3	31	32	30
NINTH	74	29	45	0.2	0.1	0.2	0.1	0.1	0.2	33	36	31
TENTH & OVER	84	40	44	0.2	0.2	0.2	0.1	0.1	0.2	34	35	34
UNKNOWN	75	56	19	0.2	0.2	0.1	0.1	0.2	0.1			

* INCLUDES ALL LIVE BIRTHS PLUS ALL FETAL DEATHS REGARDLESS OF LENGTH OF GESTATION.

** LIVE BIRTHS PER 1,000 FEMALES 15-44 YEARS OF AGE.

**TABLE A8. LIVE BIRTHS AND PERCENTAGE DISTRIBUTION,
BY WHETHER MOTHER RECEIVED PRENATAL CARE,
TIME DURING PREGNANCY CARE BEGAN, AND RACE OF MOTHER
MISSISSIPPI, 2005**

PRENATAL CARE AND TIME CARE BEGAN	NUMBER			PERCENT		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>TOTAL</u>	<u>42,327</u>	<u>23,015</u>	<u>19,312</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>
NO PRENATAL CARE	420	150	270	1.0	0.6	1.4
<u>SOME PRENATAL CARE</u>	<u>41,019</u>	<u>22,226</u>	<u>18,793</u>	<u>96.9</u>	<u>96.6</u>	<u>97.3</u>
FIRST TRIMESTER	34,455	19,709	14,746	81.4	85.6	76.4
SECOND TRIMESTER	5,212	1,864	3,348	12.3	8.1	17.3
THIRD TRIMESTER	816	282	534	1.9	1.2	2.8
UNKNOWN MONTH	536	371	165	1.3	1.6	0.8
UNKNOWN WHETHER ANY PRENATAL CARE	888	639	249	2.1	2.8	1.3

**TABLE A9. LIVE BIRTHS AND PERCENTAGE DISTRIBUTION,
BY MATURITY AND RACE OF MOTHER
MISSISSIPPI, 2005**

MATURITY*	NUMBER			PERCENT		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>TOTAL</u>	<u>42,327</u>	<u>23,015</u>	<u>19,312</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>
IMMATURE ONLY**	2,073	837	1,236	4.9	3.6	6.4
PREMATURE ONLY**	4,797	2,351	2,446	11.3	10.2	12.7
BOTH IMMATURE AND PREMATURE	2,958	1,134	1,824	7.0	4.9	9.4
TOTAL IMMATURE	5,031	1,971	3,060	11.9	8.6	15.8
TOTAL PREMATURE	7,755	3,485	4,270	18.3	15.1	22.1
TOTAL IMMATURE AND/OR PREMATURE	9,828	4,322	5,506	23.2	18.8	28.5
NEITHER IMMATURE NOR PREMATURE**	32,499	18,693	13,806	76.8	81.2	71.5

* IMMATURE - BIRTHWEIGHT LESS THAN 5 1/2 POUNDS (2,500 GRAMS); PREMATURE - GESTATION LESS THAN 37 WEEKS (CALCULATED BY SUBTRACTING THE DATE OF THE LAST NORMAL MENSTRUAL PERIOD PRIOR TO DELIVERY FROM THE DATE OF BIRTH).

** BIRTHS CLASSIFIED AS IMMATURE ONLY OR AS PREMATURE ONLY INCLUDE SOME FOR WHICH THE OTHER MEASUREMENT WAS UNKNOWN. THOSE CLASSIFIED AS NEITHER IMMATURE NOR PREMATURE INCLUDE SOME FOR WHICH ONE OR BOTH MEASUREMENTS WERE UNKNOWN.

**TABLE A10. CONGENITAL ANOMALIES REPORTED ON LIVE BIRTH CERTIFICATES,
BY ANOMALY AND RACE OF MOTHER
MISSISSIPPI, 2005**

CONGENITAL ANOMALY	TOTAL	WHITE	NON- WHITE
<u>TOTAL ANOMALIES REPORTED</u>	<u>446</u>	<u>210</u>	<u>236</u>
ANENCEPHALUS	7	4	3
SPINA BIFIDA / MENINGOCELE	7	6	1
HYDROCEPHALUS	9	6	3
MICROCEPHALUS	0	0	0
OTHER CENTRAL NERVOUS SYSTEM ANOMALIES	4	3	1
HEART MALFORMATIONS	36	19	17
OTHER CIRCULATORY / RESPIRATORY ANOMALIES	30	17	13
RECTAL ATRESIA / STENOSIS	8	4	4
TRACHEO-ESOPHAGEAL FISTULA / ESOPHAGEAL ATRESIA	4	3	1
OMPHALOCELE / GASTROSCHISIS	25	14	11
OTHER GASTROINTESTINAL ANOMALIES	6	0	6
MALFORMED GENITALIA	39	24	15
RENAL AGENESIS	7	4	3
OTHER UROGENITAL ANOMALIES	16	12	4
CLEFT LIP / PALATE	25	14	11
POLYDACTYLY / SYNDACTYLY / ADACTYLY	76	11	65
CLUB FOOT	20	15	5
DIAPHRAGMATIC HERNIA	4	1	3
OTHER MUSCULOSKELETAL / INTEGUMENTAL ANOMALIES	78	35	43
DOWNS SYNDROME	9	5	4
OTHER CHROMOSOMAL ANOMALIES	6	3	3
OTHER	30	10	20

**TABLE A11. MEDICAL RISK FACTORS REPORTED ON LIVE BIRTH CERTIFICATES,
BY RISK FACTOR AND RACE OF MOTHER
MISSISSIPPI, 2005**

MEDICAL RISK FACTOR	TOTAL	WHITE	NON- WHITE
<u>TOTAL RISK FACTORS REPORTED</u>	<u>12,535</u>	<u>6,099</u>	<u>6,436</u>
ANEMIA (HCT. < 30/HGB. < 10)	881	357	524
CARDIAC DISEASE	165	121	44
ACUTE OR CHRONIC LUNG DISEASE	382	207	175
DIABETES	1,296	689	607
GENITAL HERPES	260	137	123
HYDRAMNIOS/OLIGOHYDRAMNIOS	497	209	288
HEMOGLOBINOPATHY	139	4	135
HYPERTENSION, CHRONIC	833	295	538
HYPERTENSION, PREGNANCY-ASSOCIATED	2,312	1,177	1,135
ECLAMPSIA	156	87	69
INCOMPETENT CERVIX	115	52	63
PREVIOUS INFANT 4000+ GRAMS	112	76	36
PREVIOUS PRETERM OR SMALL-FOR-GESTATIONAL-AGE INFANT	433	211	222
RENAL DISEASE	71	51	20
RH SENSITIZATION	340	218	122
UTERINE BLEEDING	128	90	38
OTHER	4,415	2,118	2,297

**TABLE A12. OTHER RISK FACTORS REPORTED ON LIVE BIRTH CERTIFICATES
AND PERCENTAGE DISTRIBUTION, BY RISK FACTOR AND RACE OF MOTHER,
MISSISSIPPI, 2005**

RISK FACTOR	NUMBER			PERCENT		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>TOTAL LIVE BIRTHS</u>	<u>42,327</u>	<u>23,015</u>	<u>19,312</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>
TOBACCO USE DURING PREGNANCY						
NONE	37,140	19,088	18,052	87.7	82.9	93.5
<u>SOME</u>	<u>5,098</u>	<u>3,890</u>	<u>1,208</u>	<u>12.0</u>	<u>16.9</u>	<u>6.2</u>
1-9 CIGARETTES PER DAY	2,061	1,364	697	4.9	5.9	3.6
10-19 CIGARETTES PER DAY	1,908	1,623	285	4.5	7.0	1.5
20-29 CIGARETTES PER DAY	779	685	94	1.8	3.0	0.5
30-39 CIGARETTES PER DAY	36	30	6	0.1	0.1	*
40-49 CIGARETTES PER DAY	25	17	8	*	0.1	*
50-59 CIGARETTES PER DAY	0	0	0	-	-	-
60 OR MORE PER DAY	2	2	0	*	*	-
UNKNOWN AMOUNT	287	169	118	0.7	0.7	0.6
NOT STATED	89	37	52	0.2	0.2	0.3
ALCOHOL USE DURING PREGNANCY						
NONE	40,268	21,507	18,761	95.1	93.4	97.1
<u>SOME</u>	<u>221</u>	<u>77</u>	<u>144</u>	<u>0.5</u>	<u>0.3</u>	<u>0.7</u>
1 DRINK PER WEEK	67	35	32	0.2	0.2	0.2
2 DRINKS PER WEEK	29	9	20	0.1	*	0.1
3 DRINKS PER WEEK	9	4	5	*	*	*
4 DRINKS PER WEEK	4	2	2	*	*	*
5 DRINKS PER WEEK	2	0	2	*	-	*
6 OR MORE PER WEEK	21	8	13	*	*	0.1
UNKNOWN AMOUNT	89	19	70	0.2	0.1	0.4
NOT STATED	1,838	1,431	407	4.3	6.2	2.1
WEIGHT GAINED DURING PREGNANCY						
NONE OR LOST WEIGHT	1,432	588	844	3.4	2.6	4.4
1-4 POUNDS	687	342	345	1.6	1.5	1.8
5-9 POUNDS	1,126	493	633	2.7	2.1	3.3
10-14 POUNDS	2,509	1,077	1,432	5.9	4.7	7.4
15-19 POUNDS	2,966	1,352	1,614	7.0	5.9	8.4
20-24 POUNDS	6,142	3,109	3,033	14.5	13.5	15.7
25-29 POUNDS	4,576	2,536	2,040	10.8	11.0	10.6
30-34 POUNDS	5,795	3,225	2,570	13.7	14.0	13.3
35-39 POUNDS	3,750	2,306	1,444	8.9	10.0	7.5
40-44 POUNDS	3,715	2,205	1,510	8.8	9.6	7.8
45 OR MORE POUNDS	6,388	3,850	2,538	15.1	16.7	13.1
UNKNOWN AMOUNT	3,241	1,932	1,309	7.6	8.4	6.8
MEDIAN WEIGHT GAIN (LBS)**	30	30	26			

* LESS THAN 0.06 PERCENT.

** EXCLUDES MOTHERS WHOSE WEIGHT GAIN WAS UNKNOWN.

**TABLE A13. COMPLICATIONS OF LABOR AND DELIVERY
REPORTED ON LIVE BIRTH CERTIFICATES,
BY COMPLICATION AND RACE OF MOTHER
MISSISSIPPI, 2005**

COMPLICATION	TOTAL	WHITE	NON- WHITE
<u>TOTAL COMPLICATIONS REPORTED</u>	<u>10,737</u>	<u>5,935</u>	<u>4,802</u>
FEBRILE (> 100 DEGREES F. OR 38 DEGREES C.)	221	122	99
MECONIUM, MODERATE / HEAVY	1,365	600	765
PREMATURE RUPTURE OF MEMBRANE (> 12 HOURS)	579	297	282
ABRUPTIO PLACENTA	238	115	123
PLACENTA PREVIA	70	46	24
OTHER EXCESSIVE BLEEDING	80	43	37
SEIZURES DURING LABOR	11	5	6
PRECIPITOUS LABOR (< 3 HOURS)	449	206	243
PROLONGED LABOR (> 20 HOURS)	140	70	70
DYSFUNCTIONAL LABOR	1,079	574	505
BREECH / MALPRESENTATION	1,753	1,125	628
CEPHALOPELVIC DISPROPORTION	836	512	324
CORD PROLAPSE	57	30	27
ANESTHETIC COMPLICATIONS	15	10	5
FETAL DISTRESS	1,968	1,014	954
OTHER	1,876	1,166	710

**TABLE A14. METHOD OF DELIVERY REPORTED ON LIVE BIRTH CERTIFICATES,
BY METHOD AND RACE OF MOTHER
MISSISSIPPI, 2005**

METHOD OF DELIVERY	TOTAL	WHITE	NON- WHITE
<u>TOTAL METHODS OF DELIVERY REPORTED</u>	<u>44,429</u>	<u>24,228</u>	<u>20,201</u>
VAGINAL	27,058	14,690	12,368
VAGINAL BIRTH AFTER PREVIOUS C-SECTION	261	122	139
PRIMARY C-SECTION	8,646	4,762	3,884
REPEAT C-SECTION	6,348	3,430	2,918
FORCEPS	542	343	199
VACUUM	1,574	881	693

**TABLE A15. OBSTETRIC PROCEDURES REPORTED ON LIVE BIRTH CERTIFICATES,
BY PROCEDURE AND RACE OF MOTHER
MISSISSIPPI, 2005**

OBSTETRIC PROCEDURE	TOTAL	WHITE	NON- WHITE
<u>TOTAL OBSTETRIC PROCEDURES REPORTED</u>	<u>71,094</u>	<u>39,811</u>	<u>31,283</u>
AMNIOCENTESIS	137	86	51
ELECTRONIC FETAL MONITORING	33,926	18,351	15,575
INDUCTION OF LABOR	8,486	5,444	3,042
STIMULATION OF LABOR	3,969	2,129	1,840
TOCOLYSIS	545	259	286
ULTRASOUND	23,980	13,513	10,467
OTHER	51	29	22

**TABLE A16. ABNORMAL CONDITIONS OF NEWBORN
REPORTED ON LIVE BIRTH CERTIFICATES,
BY CONDITION AND RACE OF MOTHER
MISSISSIPPI, 2005**

ABNORMAL CONDITION OF NEWBORN	TOTAL	WHITE	NON- WHITE
<u>TOTAL ABNORMAL CONDITIONS REPORTED</u>	<u>2,732</u>	<u>1,356</u>	<u>1,376</u>
ANEMIA (HCT. < 39 / HGB. < 13)	45	20	25
BIRTH INJURY	133	92	41
FETAL ALCOHOL SYNDROME	0	0	0
HYALINE MEMBRANE DISEASE / RDS	386	210	176
MECONIUM ASPIRATION SYNDROME	40	19	21
ASSISTED VENTILATION < 30 MINUTES	549	254	295
ASSISTED VENTILATION 30 MINUTES OR MORE	514	194	320
SEIZURES	11	4	7
OTHER	1,054	563	491

FETAL DEATHS

TABLE B1. REPORTABLE* FETAL DEATHS AND PERCENTAGE DISTRIBUTION,
BY PLACE OF DELIVERY, ATTENDANT, AND RACE OF MOTHER
MISSISSIPPI, 2005

PLACE OF DELIVERY AND RACE	NUMBER						PERCENT					
	TOTAL	PHYSICIAN	CERTIFIED NURSE MIDWIFE	GRANNY MIDWIFE	OTHER NAMED PERSON	UNKNOWN	TOTAL	PHYSICIAN	CERTIFIED NURSE MIDWIFE	GRANNY MIDWIFE	OTHER NAMED PERSON	UNKNOWN
<u>TOTAL</u>	<u>426</u>	<u>393</u>	<u>5</u>	<u>0</u>	<u>27</u>	<u>1</u>	<u>100.0</u>	<u>92.2</u>	<u>1.2</u>	-	<u>6.3</u>	<u>0.2</u>
HOSPITAL CLINIC / DOCTOR'S OFFICE	418	392	5	0	21	0	98.1	92.0	1.2	-	4.9	-
HOME	0	0	0	0	0	0	-	-	-	-	-	-
OTHER PLACE	8	1	0	0	6	1	1.9	0.2	-	-	1.4	0.2
	0	0	0	0	0	0	-	-	-	-	-	-
<u>WHITE</u>	<u>131</u>	<u>128</u>	<u>2</u>	<u>0</u>	<u>1</u>	<u>0</u>	<u>100.0</u>	<u>97.7</u>	<u>1.5</u>	-	<u>0.8</u>	-
HOSPITAL CLINIC / DOCTOR'S OFFICE	131	128	2	0	1	0	100.0	97.7	1.5	-	0.8	-
HOME	0	0	0	0	0	0	-	-	-	-	-	-
OTHER PLACE	0	0	0	0	0	0	-	-	-	-	-	-
<u>NONWHITE</u>	<u>295</u>	<u>265</u>	<u>3</u>	<u>0</u>	<u>26</u>	<u>1</u>	<u>100.0</u>	<u>89.8</u>	<u>1.0</u>	-	<u>8.8</u>	<u>0.3</u>
HOSPITAL CLINIC / DOCTOR'S OFFICE	287	264	3	0	20	0	97.3	89.5	1.0	-	6.8	-
HOME	0	0	0	0	0	0	-	-	-	-	-	-
OTHER PLACE	8	1	0	0	6	1	2.7	0.3	-	-	2.0	0.3
	0	0	0	0	0	0	-	-	-	-	-	-

* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

**TABLE B2. REPORTABLE* FETAL DEATHS AND FETAL DEATH RATIOS,
BY AGE AND RACE OF MOTHER
MISSISSIPPI, 2005**

AGE OF MOTHER	NUMBER			RATIO**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>TOTAL</u>	<u>426</u>	<u>131</u>	<u>295</u>	<u>10.1</u>	<u>5.7</u>	<u>15.3</u>
UNDER 15	3	1	2	16.4	#	13.1
15-19	85	22	63	13.3	8.3	16.7
20-24	135	41	94	9.2	5.6	12.7
25-29	99	31	68	8.8	4.7	14.6
30-34	64	21	43	9.6	4.7	19.1
35-39	36	12	24	13.9	7.0	27.4
40-44	3	2	1	5.7	6.4	4.6
45-49	1	1	0	#	#	#
50 & OVER	0	0	0	#	#	#
UNKNOWN	0	0	0	#	#	#

* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

** REPORTABLE FETAL DEATHS PER 1,000 LIVE BIRTHS TO MOTHERS IN SPECIFIED GROUP.

RATIO NOT CALCULATED ON LESS THAN 100 LIVE BIRTHS.

**TABLE B3. PERCENTAGE DISTRIBUTION OF LIVE BIRTHS
AND REPORTABLE* FETAL DEATHS,
BY WHETHER MOTHER RECEIVED PRENATAL CARE AND RACE OF MOTHER
MISSISSIPPI, 2005**

PRENATAL CARE	LIVE BIRTHS			REPORTABLE* FETAL DEATHS		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>TOTAL</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>
NO CARE	1.0	0.6	1.4	7.7	6.1	8.5
SOME CARE	95.6	95.0	96.4	79.8	81.7	79.0
UNKNOWN WHETHER ANY CARE	3.4	4.4	2.1	12.4	12.2	12.5

* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

**TABLE B4. REPORTABLE* FETAL DEATHS AND FETAL DEATH RATIOS,
BY COMPLETED WEEKS OF GESTATION AND RACE OF MOTHER,
MISSISSIPPI, 2003-2005**

COMPLETED WEEKS OF GESTATION **	TOTAL			WHITE			NONWHITE		
	2003	2004	2005	2003	2004	2005	2003	2004	2005
REPORTABLE* FETAL DEATHS									
<u>TOTAL</u>	<u>417</u>	<u>419</u>	<u>426</u>	<u>121</u>	<u>143</u>	<u>131</u>	<u>296</u>	<u>276</u>	<u>295</u>
UNDER 20	18	17	11	1	6	3	17	11	8
<u>20 AND OVER</u>	<u>285</u>	<u>300</u>	<u>297</u>	<u>94</u>	<u>109</u>	<u>91</u>	<u>191</u>	<u>191</u>	<u>206</u>
20-22	68	62	86	11	22	20	57	40	66
23-27	82	72	71	27	20	24	55	52	47
28-36	77	120	97	27	46	26	50	74	71
37 AND OVER	58	46	43	29	21	21	29	25	22
UNKNOWN	114	102	118	26	28	37	88	74	81
FETAL DEATH RATIOS#									
<u>TOTAL</u>	<u>9.8</u>	<u>9.8</u>	<u>10.1</u>	<u>5.2</u>	<u>6.1</u>	<u>5.7</u>	<u>15.4</u>	<u>14.3</u>	<u>15.3</u>
UNDER 20	0.4	0.4	0.3	##	0.2	0.1	0.9	0.6	0.4
<u>20 AND OVER</u>	<u>6.7</u>	<u>7.0</u>	<u>7.0</u>	<u>4.1</u>	<u>4.6</u>	<u>4.0</u>	<u>9.9</u>	<u>9.9</u>	<u>10.7</u>
20-22	1.6	1.4	2.0	0.5	0.9	0.9	3.0	2.1	3.4
23-27	1.9	1.7	1.7	1.2	0.8	1.0	2.9	2.7	2.4
28-36	1.8	2.8	2.3	1.2	2.0	1.1	2.6	3.8	3.7
37 AND OVER	1.4	1.1	1.0	1.2	0.9	0.9	1.5	1.3	1.1
UNKNOWN	2.7	2.4	2.8	1.1	1.2	1.6	4.6	3.8	4.2

* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

** CALCULATED BY SUBTRACTING THE DATE OF THE LAST NORMAL MENSTRUAL PERIOD PRIOR TO DELIVERY FROM THE DATE OF DELIVERY.

REPORTABLE FETAL DEATHS PER 1,000 LIVE BIRTHS.

LESS THAN 0.06.

DEATHS

**TABLE C1. DEATHS AND AVERAGE PER DAY, BY MONTH
MISSISSIPPI, 2005**

MONTH	DEATHS	AVERAGE PER DAY	MONTH	DEATHS	AVERAGE PER DAY
<u>TOTAL</u>	<u>29,047</u>	<u>80</u>			
JANUARY	2,581	83	JULY	2,383	77
FEBRUARY	2,505	89	AUGUST	2,426	78
MARCH	2,744	88	SEPTEMBER	2,360	79
APRIL	2,285	76	OCTOBER	2,289	74
MAY	2,410	78	NOVEMBER	2,348	78
JUNE	2,219	74	DECEMBER	2,497	80

**TABLE C2. DEATHS, PERCENTAGE DISTRIBUTION, AND RATES, BY AGE AND RACE
MISSISSIPPI, 2005**

AGE	NUMBER			PERCENT			RATE*		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>TOTAL</u>	<u>29,047</u>	<u>19,524</u>	<u>9,523</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>	<u>9.9</u>	<u>10.9</u>	<u>8.4</u>
UNDER 1	481	153	328	1.6	0.8	3.4	10.8	6.6	15.4
1-4	74	39	35	0.2	0.2	0.4	0.4	0.4	0.4
5-9	52	25	27	0.2	0.1	0.3	0.3	0.2	0.3
10-14	61	36	25	0.2	0.2	0.3	0.3	0.3	0.2
15-24	515	279	236	1.8	1.4	2.5	1.2	1.2	1.2
25-34	701	343	358	2.4	1.8	3.8	1.8	1.5	2.2
35-44	1,245	656	589	4.3	3.4	6.2	3.1	2.6	3.9
45-54	2,635	1,471	1,164	9.1	7.5	12.2	6.5	5.7	8.0
55-64	3,787	2,382	1,405	13.0	12.2	14.8	12.8	11.3	16.6
65-74	5,102	3,479	1,623	17.6	17.8	17.0	26.1	23.9	32.5
75 AND OVER	14,384	10,656	3,728	49.5	54.6	39.1	88.3	87.5	90.5
UNKNOWN	10	5	5	**	**	**	**	**	**

* DEATHS PER 1,000 POPULATION IN SPECIFIED GROUP.

** LESS THAN 0.06 PERCENT.

**TABLE C3A. DEATHS BY AGE, RACE, AND SEX,
AND MALE/FEMALE RATIOS BY AGE AND RACE
MISSISSIPPI, 2005**

AGE	TOTAL			WHITE			NONWHITE		
	MALE	FEMALE	MALES PER FEMALE	MALE	FEMALE	MALES PER FEMALE	MALE	FEMALE	MALES PER FEMALE
<u>TOTAL</u>	<u>14,567</u>	<u>14,480</u>	<u>1.01</u>	<u>9,678</u>	<u>9,846</u>	<u>0.98</u>	<u>4,889</u>	<u>4,634</u>	<u>1.06</u>
UNDER 1	285	196	1.45	93	60	1.55	192	136	1.41
1-4	41	33	1.24	24	15	1.60	17	18	0.94
5-9	30	22	1.36	16	9	1.78	14	13	1.08
10-14	41	20	2.05	26	10	2.60	15	10	1.50
15-24	363	152	2.39	209	70	2.98	154	82	1.88
25-34	459	242	1.90	245	98	2.50	214	144	1.49
35-44	752	493	1.52	403	253	1.59	349	240	1.45
45-54	1,618	1,017	1.59	930	541	1.72	688	476	1.44
55-64	2,335	1,452	1.61	1,472	910	1.62	863	542	1.59
65-74	2,930	2,172	1.35	2,044	1,435	1.42	886	737	1.20
75-84	3,583	3,920	0.91	2,708	2,891	0.94	875	1,029	0.85
85 AND OVER	2,123	4,758	0.45	1,504	3,553	0.42	619	1,205	0.51
UNKNOWN	7	3		4	1		3	2	
MEDIAN AGE	70	79		72	80		64	74	

**TABLE C3B. DEATH RATES* BY AGE, RACE, AND SEX
MISSISSIPPI, 2005**

AGE	TOTAL		WHITE		NONWHITE	
	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE
<u>TOTAL</u>	<u>10.3</u>	<u>9.6</u>	<u>11.0</u>	<u>10.9</u>	<u>9.1</u>	<u>7.7</u>
UNDER 1	12.5	9.0	7.7	5.4	17.9	13.0
1-4	0.5	0.4	0.5	0.4	0.4	0.4
5-9	0.3	0.2	0.3	0.2	0.3	0.3
10-14	0.4	0.2	0.5	0.2	0.3	0.2
15-24	1.6	0.7	1.7	0.6	1.5	0.8
25-34	2.3	1.2	2.0	0.9	2.8	1.6
35-44	3.8	2.4	3.2	2.0	5.1	2.9
45-54	8.3	4.8	7.2	4.2	10.3	6.0
55-64	16.5	9.4	14.3	8.4	22.4	11.8
65-74	33.4	20.2	30.4	18.3	43.1	25.0
75 AND OVER	97.0	83.4	93.9	83.8	106.8	82.1

* DEATHS PER 1,000 POPULATION IN SPECIFIED GROUP.

**TABLE C4. DEATHS, MORTALITY RATES, AND PERCENT OF TOTAL DEATHS FROM TEN LEADING CAUSES,
BY CAUSE AND RACE
MISSISSIPPI, 2005**

CAUSE AND GROUP NUMBER	NUMBER			RATE*			PERCENT		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>TOTAL OF TEN LEADING CAUSES</u>	<u>22,833</u>	<u>15,631</u>	<u>7,202</u>	<u>7.8</u>	<u>8.7</u>	<u>6.4</u>	<u>78.6</u>	<u>80.1</u>	<u>75.6</u>
1. HEART DISEASES (156-160,162,164-181)	8,584	5,862	2,722	293.9	327.8	240.2	29.6	30.0	28.6
2. MALIGNANT NEOPLASMS (056-108)	6,019	4,071	1,948	206.0	227.7	171.9	20.7	20.8	20.4
3. ACCIDENTS (295-330)	1,912	1,305	607	65.4	73.0	53.6	6.6	6.7	6.4
4. CEREBROVASCULAR DISEASE (182-186)	1,617	1,053	564	55.4	58.9	49.8	5.6	5.4	5.9
5. EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	1,468	1,232	236	50.2	68.9	20.8	5.0	6.3	2.5
6. ALZHEIMERS DISEASE (148)	711	586	125	24.3	32.8	11.0	2.4	3.0	1.3
7. DIABETES MELLITUS (124)	670	360	310	22.9	20.1	27.4	2.3	1.8	3.2
8. NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (247-249,251,253)	660	363	297	22.6	20.3	26.2	2.3	1.8	3.1
9. INFLUENZA AND PNEUMONIA (195-198)	636	462	174	21.8	25.8	15.4	2.2	2.4	1.8
10. SEPTICEMIA (018)	556	337	219	19.0	18.8	19.3	1.9	1.7	2.3

* TOTAL DEATHS ARE PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION.

** SEE APPENDIX B FOR EXPLANATION OF GROUP NUMBERS.

**TABLE C5. DEATHS, PERCENT OF TOTAL DEATHS, AND RATES
FOR FIVE LEADING CAUSES, BY AGE AND CAUSE
MISSISSIPPI, 2005**

AGE	CAUSES AND GROUP NUMBER*	NUMBER	PERCENT	RATE**
1-4	<u>ALL CAUSES</u>	<u>74</u>	<u>100.0</u>	<u>0.4</u>
	1. ACCIDENTS (295-330)	34	45.9	20.3
	2. CONGENITAL MALFORMATIONS AND DEFORMATIONS (282-290)	6	8.1	3.6
	T3. HEART DISEASES (156-160,162,164-181)	3	4.0	1.8
	T3. HOMICIDE (338-346)	3	4.0	1.8
	T5. SEPTICEMIA (018)	2	2.7	1.2
	T5. MALIGNANT NEOPLASMS (056-108)	2	2.7	1.2
5-14	<u>ALL CAUSES</u>	<u>113</u>	<u>100.0</u>	<u>0.3</u>
	1. ACCIDENTS (295-330)	56	49.6	13.8
	2. MALIGNANT NEOPLASMS (056-108)	12	10.6	3.0
	T3. HEART DISEASES (156-160,162,164-181)	4	3.5	1.0
	T3. INFLUENZA AND PNEUMONIA (195-198)	4	3.5	1.0
	T3. CONGENITAL MALFORMATIONS AND DEFORMATIONS (282-290)	4	3.5	1.0
15-24	<u>ALL CAUSES</u>	<u>515</u>	<u>100.0</u>	<u>1.2</u>
	1. ACCIDENTS (295-330)	275	53.4	61.7
	2. SUICIDE (331-337)	54	10.5	12.1
	3. HOMICIDE (338-346)	53	10.3	11.9
	4. HEART DISEASES (156-160,162,164-181)	26	5.0	5.8
5. MALIGNANT NEOPLASMS (056-108)	23	4.5	5.2	
25-44	<u>ALL CAUSES</u>	<u>1,946</u>	<u>100.0</u>	<u>2.4</u>
	1. ACCIDENTS (295-330)	506	26.0	63.4
	2. HEART DISEASES (156-160,162,164-181)	318	16.3	39.8
	3. MALIGNANT NEOPLASMS (056-108)	240	12.3	30.0
	4. SUICIDE (331-337)	146	7.5	18.3
5. HOMICIDE (338-346)	122	6.3	15.3	
45-64	<u>ALL CAUSES</u>	<u>6,422</u>	<u>100.0</u>	<u>9.2</u>
	1. MALIGNANT NEOPLASMS (056-108)	1,868	29.1	266.9
	2. HEART DISEASES (156-160,162,164-181)	1,769	27.5	252.7
	3. ACCIDENTS (295-330)	516	8.0	73.7
	4. CEREBROVASCULAR DISEASE (182-186)	281	4.4	40.1
5. EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	245	3.8	35.0	
65 & OVER	<u>ALL CAUSES</u>	<u>19,486</u>	<u>100.0</u>	<u>54.4</u>
	1. HEART DISEASES (156-160,162,164-181)	6,459	33.1	1,802.2
	2. MALIGNANT NEOPLASMS (056-108)	3,873	19.9	1,080.6
	3. CEREBROVASCULAR DISEASE (182-186)	1,274	6.5	355.5
	4. EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	1,197	6.1	334.0
5. ALZHEIMER'S DISEASE (148)	704	3.6	196.4	

* SEE APPENDIX B FOR EXPLANATION OF CAUSE CATEGORIES AND GROUP NUMBERS.

** DEATHS FROM ALL CAUSES PER 1,000 POPULATION IN SPECIFIED GROUP AND DEATHS FROM SPECIFIC CAUSES PER 100,000 POPULATION IN SPECIFIED GROUP.

**TABLE C6. DEATHS AND RATES FROM MALIGNANT NEOPLASMS,
BY PRIMARY SITE, SEX, AND RACE
MISSISSIPPI, 2005**

PRIMARY SITE (RANKED ACCORDING TO NUMBER OF DEATHS AMONG TOTAL POPULATION) AND GROUP NUMBER*	NUMBER				RATE**			
	MALE		FEMALE		MALE		FEMALE	
	WHITE	NON-WHITE	WHITE	NON-WHITE	WHITE	NON-WHITE	WHITE	NON-WHITE
<u>TOTAL</u>	<u>2,207</u>	<u>1,057</u>	<u>1,864</u>	<u>891</u>	<u>249.7</u>	<u>197.6</u>	<u>206.1</u>	<u>149.0</u>
1. RESPIRATORY AND INTRA-THORACIC ORGANS (071-075)	848	358	545	174	96.0	66.9	60.3	29.1
2. DIGESTIVE ORGANS (060-070)	482	261	408	216	54.5	48.8	45.1	36.1
3. GENITAL ORGANS (083-091)	171	165	175	104	19.3	30.9	19.4	17.4
4. LYMPHOID, HEMATOPOIETIC AND RELATED TISSUE	213	77	162	88	24.1	14.4	17.9	14.7
5. BREAST (082)	4	2	249	179	0.5	0.4	27.5	29.9
6. URINARY TRACT (092-094)	122	37	50	31	13.8	6.9	5.5	5.2
7. BRAIN (096)	59	22	56	19	6.7	4.1	6.2	3.2
8. LIP, ORAL CAVITY, AND PHARYNX (056-059)	45	44	19	11	5.1	8.2	2.1	1.8
9. SKIN (077,078)	48	3	28	4	5.4	0.6	3.1	0.7
10. BONE AND ARTICULAR CARTILAGE (076)	12	7	14	0	1.4	1.3	1.5	-
OTHER AND UNSPECIFIED SITES (079-081,095,097-99)	203	81	158	65	23.0	15.1	17.5	10.9

* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

** DEATHS PER 100,000 POPULATION IN SPECIFIED GROUP.

**TABLE C7. DEATHS FROM MAJOR CHRONIC RESPIRATORY DISEASES,
1980, 1985, 1990, 1995, 2000, 2005**

DISEASE*	1980	1985	1990	1995	2000	2005
TUBERCULOSIS OF RESPIRATORY SYSTEM	26	20	27	14	12	6
MALIGNANT NEOPLASMS OF RESPIRATORY SYSTEM	1,202	1,416	1,639	1,766	1,978	1,925
MALIGNANT NEOPLASMS OF TRACHEA, BRONCHUS, AND LUNG	1,151	1,355	1,602	1,710	1,930	1,876
CHRONIC AND UNQUALIFIED BRONCHITIS	15	17	37	45	15	7
EMPHYSEMA	130	90	126	143	136	110
ASTHMA	45	51	49	50	60	49

* PERIODIC CHANGES IN THE CLASSIFICATION SYSTEM WHICH HAVE OCCURRED THROUGH THE YEARS HAVE RESULTED IN AN UNAVOIDABLE LACK OF COMPARABILITY FOR SOME CAUSES. CAUTION SHOULD BE USED WHEN ANALYZING LONG-TERM TRENDS.

**TABLE C8. DEATHS AND PERCENT OF TOTAL ACCIDENTAL DEATHS FROM
FIVE LEADING CAUSES OF ACCIDENTAL DEATH, BY CAUSE AND RACE
MISSISSIPPI, 2005**

TYPE OF ACCIDENT AND GROUP NUMBER*	NUMBER			PERCENT		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>TOTAL OF FIVE LEADING CAUSES</u>	<u>1,604</u>	<u>1108</u>	<u>496</u>	<u>83.9</u>	<u>84.9</u>	<u>81.7</u>
1. MOTOR VEHICLE (296-306)	956	606	350	50.0	46.4	57.7
2. POISONING AND EXPO- SURE TO NOXIOUS SUBSTANCES (327-329)	197	162	35	10.3	12.4	5.8
3. FALLS (312-314)	193	155	38	10.1	11.9	6.3
4. CATAclySMIC STORM AND FLOOD (326)	181	139	42	9.5	10.6	6.9
5. INHALATION AND INGESTION OF FOOD OR OTHER OBJECTS CAUSING OBSTRUCTION OF RESPIRATORY TRACT (318)	77	46	31	4.0	3.5	5.1

* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

**TABLE C9. DEATHS FROM SELECTED TYPES OF ACCIDENTS, BY SEX, ALSO BY AGE
MISSISSIPPI, 2005**

TYPE OF ACCIDENT AND GROUP NUMBER*	TOTAL	SEX		AGE								
		MALE	FEMALE	UNDER 1	1-4	5-14	15-24	25-34	35-44	45-64	65 & OVER	UNK.
<u>ALL ACCIDENTS</u>	<u>1,912</u>	<u>1,238</u>	<u>674</u>	<u>17</u>	<u>34</u>	<u>56</u>	<u>275</u>	<u>260</u>	<u>246</u>	<u>516</u>	<u>504</u>	<u>4</u>
MOTOR VEHICLE (296-306)	956	653	303	7	15	34	216	170	147	246	121	0
OTHER LAND TRANSPORT (295,307-308)	11	8	3	0	0	0	3	1	1	4	2	0
WATER TRANSPORT (309)	9	8	1	0	0	1	2	2	1	1	2	0
AIR AND SPACE TRANSPORT (310)	11	10	1	0	0	0	0	2	0	8	1	0
FALLS (312-314)	193	102	91	0	1	0	3	1	8	38	142	0
DISCHARGE OF FIREARMS (315)	20	18	2	0	3	3	2	5	1	3	3	0
EXPLOSION (316)	7	6	1	0	0	1	1	1	1	3	0	0
DROWNING AND SUBMERSION (EXCEPT IN TRANSPORT ACCIDENTS) (317)	44	38	6	3	7	4	8	2	3	6	11	0
INHALATION AND INGESTION OF FOOD OR OTHER OBJECTS CAUSING OBSTRUC- TION OF RESPIRATORY TRACT (318)	77	27	50	0	2	1	3	1	5	16	49	0
OTHER AND UNSPECIFIED THREATS TO BREATHING (319)	10	5	5	5	0	4	0	0	0	1	0	0
EXPOSURE TO ELECTRIC CURRENT (320)	10	9	1	0	0	2	2	4	2	0	0	0
EXPOSURE TO SMOKE, FIRE AND FLAMES (322)	70	46	24	0	5	2	2	8	9	22	22	0
CONTACT WITH HEAT AND HOT SUBSTANCES (323)	1	1	0	0	0	0	0	0	0	0	1	0
<u>POISONING (327-329)</u>	<u>197</u>	<u>128</u>	<u>69</u>	<u>1</u>	<u>0</u>	<u>0</u>	<u>22</u>	<u>46</u>	<u>50</u>	<u>68</u>	<u>10</u>	<u>0</u>
BY DRUGS AND OTHER BIOLOGICAL SUBSTANCES (327)	182	114	68	1	0	0	21	44	46	61	9	0
BY OTHER SOLID AND LIQUID SUB- STANCES, GASES AND VAPORS (328,329)	15	14	1	0	0	0	1	2	4	7	1	0
ALL OTHER ACCIDENTS (311,321,324-326,330)	296	179	117	1	1	4	11	17	18	100	140	4

* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

TABLE C10. MOTOR VEHICLE ACCIDENT DEATHS OCCURRING IN MISSISSIPPI AND RATES, ALSO MOTOR VEHICLE ACCIDENT DEATHS OF MISSISSIPPI RESIDENTS AND RATES, BY YEAR, 1950,1955, 1960, 1965, 1970-2005

YEAR	OCCURRENCE DATA		RESIDENCE DATA	
	NUMBER	RATE*	NUMBER	RATE*
1950	530	**	515	23.6
1955	568	**	541	24.8
1960	676	9.3	620	28.5
1965	748	8.4	742	31.8
1970	960	8.2	937	42.3
1971	1,011	8.2	984	44.4
1972	1,019	7.8	989	43.8
1973	956	7.0	954	41.2
1974	711	5.2	717	30.7
1975	671	4.7	681	29.1
1976	725	4.7	696	29.4
1977	763	4.8	771	32.3
1978	884	5.2	877	36.5
1979	801	4.7	783	32.5
1980	796	4.8	743	29.5
1981	792	4.7	793	31.5
1982	777	4.5	755	29.6
1983	744	4.2	725	28.0
1984	707	3.8	697	26.9
1985	691	4.0	683	25.7
1986	785	5.7	782	29.4
1987	802	4.0	804	29.6
1988	791	3.6	776	28.2
1989	806	3.5	797	28.7
1990	863	3.5	854	33.2
1991	811	3.3	810	31.5
1992	838	3.2	826	32.1
1993	897	3.3	868	33.7
1994	854	3.0	844	32.8
1995	904	3.0	898	33.3
1996	851	2.8	868	32.2
1997	896	2.9	868	32.2
1998	983	2.9	957	34.8
1999	943	2.7	954	34.4
2000	948	2.7	935	32.9
2001	804	2.2	816	28.7
2002	898	2.5	875	30.5
2003	895	2.4	890	30.9
2004	932	2.4	907	31.2
2005	956	2.3	956	32.7

* DEATHS IN MISSISSIPPI PER 100,000,000 MILES OF VEHICLE TRAVEL; DEATHS OF RESIDENTS PER 100,000 POPULATION.

** NOT AVAILABLE.

**TABLE C11. INFANT DEATHS, PERCENTAGE DISTRIBUTION, AND MORTALITY RATES
BY AGE AND RACE
MISSISSIPPI, 2005**

	NUMBER			PERCENT			RATE*		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>TOTAL UNDER 1 YEAR</u>	<u>481</u>	<u>153</u>	<u>328</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>	<u>11.4</u>	<u>6.6</u>	<u>17.0</u>
<u>NEONATAL (UNDER 28 DAYS)</u>	<u>283</u>	<u>70</u>	<u>213</u>	<u>58.8</u>	<u>45.8</u>	<u>64.9</u>	<u>6.7</u>	<u>3.0</u>	<u>11.0</u>
<u>HEBDOMADAL (UNDER 7 DAYS)</u>	<u>219</u>	<u>49</u>	<u>170</u>	<u>45.5</u>	<u>32.0</u>	<u>51.8</u>	<u>5.2</u>	<u>2.1</u>	<u>8.8</u>
<u>UNDER 1 DAY</u>	<u>163</u>	<u>29</u>	<u>134</u>	<u>33.9</u>	<u>19.0</u>	<u>40.8</u>	<u>3.8</u>	<u>1.3</u>	<u>6.9</u>
<u>1-6 DAYS</u>	<u>56</u>	<u>20</u>	<u>36</u>	<u>11.6</u>	<u>13.1</u>	<u>11.0</u>	<u>1.3</u>	<u>0.9</u>	<u>1.9</u>
<u>7-27 DAYS</u>	<u>64</u>	<u>21</u>	<u>43</u>	<u>13.3</u>	<u>13.7</u>	<u>13.1</u>	<u>1.5</u>	<u>0.9</u>	<u>2.2</u>
<u>POSTNEONATAL (28 DAYS TO 1 YEAR)</u>	<u>198</u>	<u>83</u>	<u>115</u>	<u>41.2</u>	<u>54.2</u>	<u>35.1</u>	<u>4.7</u>	<u>3.6</u>	<u>6.0</u>

* DEATHS PER 1,000 LIVE BIRTHS.

**TABLE C12. DEATHS AND MORTALITY RATES FOR TEN LEADING CAUSES
OF INFANT DEATHS, BY CAUSE AND RACE
MISSISSIPPI, 2005**

CAUSE AND GROUP NUMBER**	NUMBER			RATE*		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>ALL CAUSES</u>	<u>481</u>	<u>153</u>	<u>328</u>	<u>11.4</u>	<u>6.6</u>	<u>17.0</u>
1. DISORDERS RELATED TO SHORT GESTATION AND LOW BIRTH WEIGHT, NOT ELSEWHERE CLASSIFIED (071,072)	97	10	87	2.3	0.4	4.5
2. SUDDEN INFANT DEATH SYNDROME (111)	91	47	44	2.2	2.0	2.3
3. CONGENITAL MALFORMATIONS, DEFORMATIONS AND CHROMOSOMAL ABNORMALITIES (096-110)	70	32	38	1.6	1.4	2.0
4. ACCIDENTS (114-124)	17	9	8	0.4	0.4	0.4
5. NEWBORN AFFECTED BY MATERNAL COMPLICATIONS OF PREGNANCY (060-063)	15	4	11	0.4	0.2	0.6
6. BACTERIAL SEPSIS OF NEWBORN (085)	14	3	11	0.3	0.1	0.6
7. NECROTIZING ENTEROCOLITIS OF THE NEWBORN (093)	13	4	9	0.3	0.2	0.5
8. NEWBORN AFFECTED BY COMPLICATIONS OF PLACENTA, CORD AND MEMBRANES (064-067)	11	1	10	0.3	#	0.5
9T. PULMONARY HEMORRHAGE ORIGINATING IN THE PERINATAL PERIOD (081)	9	3	6	0.2	0.1	0.3
9T. NEONATAL HEMORRHAGE (088)	9	3	6	0.2	0.1	0.3

* DEATHS PER 1,000 LIVE BIRTHS.

** SEE APPENDIX C FOR EXPLANATION OF CAUSE CATEGORIES AND GROUP NUMBERS.

**TABLE C13A. YEARS OF POTENTIAL LIFE LOST BEFORE AGE 75
FOR SELECTED CAUSES OF DEATH
MISSISSIPPI, 2005**

CAUSE AND GROUP NUMBER*	YEARS	RATE **
<u>ALL RACES - ALL CAUSES</u>	<u>302,316</u>	<u>10,960.8</u>
HEART DISEASES (156-160,162,164-181)	54,376	1,971.4
ISCHEMIC HEART DISEASE (165-168)	32,793	1,188.9
CEREBROVASCULAR DISEASES (182-186)	9,300	337.2
MALIGNANT NEOPLASMS (056-108)	53,876	1,953.3
RESPIRATORY SYSTEM (071-075)	16,025	581.0
COLORECTAL (063,064)	5,093	184.6
PROSTATE (089)#	833	61.2
BREAST (082)##	5,268	376.7
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (202-206)	7,255	263.0
PNEMONIA AND INFLUENZA (195-198)	3,025	109.7
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	4,363	158.2
DIABETES MELLITUS (124)	5,837	211.6
HIV INFECTION (039-043)	6,138	222.5
UNINTENTIONAL INJURIES (295-330)	55,156	1,999.7
MOTOR VEHICLE CRASHES (296-306)	34,493	1,250.6
SUICIDE (331-337)	11,550	418.8
HOMICIDE AND LEGAL INTERVENTION (338-346, 353,354)	9,514	344.9

* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

** YEARS OF POTENTIAL LIFE LOST BEFORE AGE 75 PER 100,000
POPULATION UNDER AGE 75.

MALES ONLY.

FEMALES ONLY.

**TABLE C13B. YEARS OF POTENTIAL LIFE LOST BEFORE AGE 75
FOR SELECTED CAUSES OF DEATH
WHITE MALES AND FEMALES
MISSISSIPPI, 2005**

CAUSE AND GROUP NUMBER*	YEARS	RATE **
<u>WHITE MALES - ALL CAUSES</u>	<u>104,212</u>	<u>12,421.6</u>
HEART DISEASES (156-160,162,164-181)	19,033	2,268.6
ISCHEMIC HEART DISEASE (165-168)	13,706	1,633.7
CEREBROVASCULAR DISEASES (182-186)	2,516	299.9
MALIGNANT NEOPLASMS (056-108)	18,352	2,187.5
RESPIRATORY SYSTEM (071-075)	6,352	757.1
COLORECTAL (063,064)	1,755	209.2
PROSTATE (089)	349	41.6
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (202-206)	3,019	359.9
PNEMONIA AND INFLUENZA (195-198)	658	78.4
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	2,204	262.7
DIABETES MELLITUS (124)	1,476	175.9
HIV INFECTION (039-043)	554	66.0
UNINTENTIONAL INJURIES (295-330)	25,484	3,037.6
MOTOR VEHICLE CRASHES (296-306)	15,117	1,801.9
SUICIDE (331-337)	7,345	875.5
HOMICIDE AND LEGAL INTERVENTION (338-346, 353,354)	2,113	251.9
<u>WHITE FEMALES - ALL CAUSES</u>	<u>58,485</u>	<u>7,068.3</u>
HEART DISEASES (156-160,162,164-181)	9,379	1,133.5
ISCHEMIC HEART DISEASE (165-168)	5,556	671.5
CEREBROVASCULAR DISEASES (182-186)	1,892	228.7
MALIGNANT NEOPLASMS (056-108)	14,249	1,722.1
RESPIRATORY SYSTEM (071-075)	4,176	504.7
COLORECTAL (063,064)	1,155	139.6
BREAST (082)	2,513	303.7
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (202-206)	2,366	285.9
PNEMONIA AND INFLUENZA (195-198)	768	92.8
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	824	99.6
DIABETES MELLITUS (124)	1,032	124.7
HIV INFECTION (039-043)	330	39.9
UNINTENTIONAL INJURIES (295-330)	10,012	1,210.0
MOTOR VEHICLE CRASHES (296-306)	5,878	710.4
SUICIDE (331-337)	1,946	235.2
HOMICIDE AND LEGAL INTERVENTION (338-346, 353,354)	755	91.2

* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMERS.

** YEARS OF POTENTIAL LIFE LOST BEFORE AGE 75 PER 100,000
POPULATION UNDER AGE 75.

**TABLE C13C. YEARS OF POTENTIAL LIFE LOST BEFORE AGE 75
FOR SELECTED CAUSES OF DEATH
NONWHITE MALES AND FEMALES
MISSISSIPPI, 2005**

CAUSE AND GROUP NUMBER*	YEARS	RATE **
<u>NONWHITE MALES - ALL CAUSES</u>	<u>83,286</u>	<u>15,990.8</u>
HEART DISEASES (156-160,162,164-181)	16,050	3,081.6
ISCHEMIC HEART DISEASE (165-168)	9,203	1,767.0
CEREBROVASCULAR DISEASES (182-186)	2,733	524.7
MALIGNANT NEOPLASMS (056-108)	11,255	2,160.9
RESPIRATORY SYSTEM (071-075)	3,802	730.0
COLORECTAL (063,064)	996	191.2
PROSTATE (089)	484	92.9
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (202-206)	1,009	193.7
PNEMONIA AND INFLUENZA (195-198)	900	172.8
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	1,001	192.2
DIABETES MELLITUS (124)	1,603	307.8
HIV INFECTION (039-043)	3,376	648.2
UNINTENTIONAL INJURIES (295-330)	13,355	2,564.1
MOTOR VEHICLE CRASHES (296-306)	8,968	1,721.8
SUICIDE (331-337)	1,995	383.0
HOMICIDE AND LEGAL INTERVENTION (338-346, 353,354)	4,990	958.1
<u>NONWHITE FEMALES - ALL CAUSES</u>	<u>56,333</u>	<u>9,866.5</u>
HEART DISEASES (156-160,162,164-181)	9,914	1,736.4
ISCHEMIC HEART DISEASE (165-168)	4,328	758.0
CEREBROVASCULAR DISEASES (182-186)	2,159	378.1
MALIGNANT NEOPLASMS (056-108)	10,020	1,755.0
RESPIRATORY SYSTEM (071-075)	1,695	296.9
COLORECTAL (063,064)	1,187	207.9
BREAST (082)	2,716	475.7
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (202-206)	861	150.8
PNEMONIA AND INFLUENZA (195-198)	699	122.4
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	334	58.5
DIABETES MELLITUS (124)	1,726	302.3
HIV INFECTION (039-043)	1,878	328.9
UNINTENTIONAL INJURIES (295-330)	6,305	1,104.3
MOTOR VEHICLE CRASHES (296-306)	4,530	793.4
SUICIDE (331-337)	264	46.2
HOMICIDE AND LEGAL INTERVENTION (338-346, 353,354)	1,656	290.0

* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMERS.

** YEARS OF POTENTIAL LIFE LOST BEFORE AGE 75 PER 100,000
POPULATION UNDER AGE 75.

MARRIAGES

**TABLE D1. MARRIAGES AND AVERAGE PER DAY, BY MONTH
MISSISSIPPI, 2005**

MONTH	MARRIAGES	AVERAGE PER DAY	MONTH	MARRIAGES	AVERAGE PER DAY
<u>TOTAL</u>	<u>16,868</u>	<u>46</u>			
JANUARY	827	27	JULY	1,887	61
FEBRUARY	1,131	40	AUGUST	1,240	40
MARCH	1,432	46	SEPTEMBER	1,126	38
APRIL	1,539	51	OCTOBER	1,373	44
MAY	1,811	58	NOVEMBER	1,171	39
JUNE	1,969	66	DECEMBER	1,362	44

NOTE: DUE TO INCONSISTENT REPORTING BY COUNTIES, STATISTICS ON MARRIAGES
MAY BE INCOMPLETE.

**TABLE D2. BRIDES AND GROOMS AND PERCENTAGE DISTRIBUTION, BY AGE AND RACE
MISSISSIPPI, 2005**

AGE	NUMBER						PERCENT					
	BRIDE			GROOM			BRIDE			GROOM		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	16,862	11,318	5,544	16,864	11,228	5,636	100.0	100.0	100.0	100.0	100.0	100.0
UNDER 20	1,373	1,264	109	478	438	40	8.1	11.2	2.0	2.8	3.9	0.7
< 13	0	0	0	0	0	0	-	-	-	-	-	-
13	0	0	0	0	0	0	-	-	-	-	-	-
14	1	1	0	0	0	0	*	*	-	-	-	-
15	47	40	7	2	2	0	0.3	0.4	0.1	*	*	-
16	72	71	1	5	4	1	0.4	0.6	*	*	*	*
17	185	173	12	47	45	2	1.1	1.5	0.2	0.3	0.4	*
18	465	438	27	147	139	8	2.8	3.9	0.5	0.9	1.2	0.1
19	603	541	62	277	248	29	3.6	4.8	1.1	1.6	2.2	0.5
20-24	4,912	3,687	1,225	3,983	3,074	909	29.1	32.6	22.1	23.6	27.4	16.1
25-34	5,483	3,260	2,223	6,293	3,984	2,309	32.5	28.8	40.1	37.3	35.5	41.0
35-44	2,775	1,620	1,155	3,059	1,803	1,256	16.4	14.3	20.8	18.1	16.0	22.3
45-54	1,513	878	635	1,801	1,069	732	9.0	7.8	11.4	10.7	9.5	13.0
55-64	527	387	140	799	528	271	3.1	3.4	2.5	4.7	4.7	4.8
65-74	214	168	46	310	231	79	1.3	1.5	0.8	1.8	2.0	1.4
75 & OVER	65	54	11	141	101	40	0.4	0.5	0.2	0.8	0.9	0.7
UNKNOWN	0	0	0	0	0	0	-	-	-	-	-	-

* LESS THAN 0.06 PERCENT.

NOTE: DUE TO INCONSISTENT REPORTING BY COUNTIES, STATISTICS ON MARRIAGES MAY BE INCOMPLETE.

**TABLE D3. MEDIAN AGE OF BRIDE AND GROOM
FOR ALL MARRIAGES AND FIRST MARRIAGES, BY RACE
MISSISSIPPI, 2005**

ALL AND FIRST MARRIAGES	BRIDE			GROOM		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
ALL MARRIAGES	27	26	30	29	28	32
FIRST MARRIAGES	24	22	27	25	24	28

NOTE: DUE TO INCONSISTENT REPORTING BY COUNTIES, STATISTICS ON MARRIAGES
MAY BE INCOMPLETE.

**TABLE D4. BRIDES AND GROOMS AND PERCENTAGE DISTRIBUTION,
BY MARRIAGE ORDER AND RACE
MISSISSIPPI, 2005**

MARRIAGE ORDER	NUMBER						PERCENT					
	BRIDE			GROOM			BRIDE			GROOM		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>TOTAL</u>	<u>16,862</u>	<u>11,318</u>	<u>5,544</u>	<u>16,864</u>	<u>11,228</u>	<u>5,636</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>
FIRST	10,351	6,548	3,803	10,260	6,575	3,685	61.4	57.8	68.6	60.8	58.6	65.4
<u>REMARRIAGE</u>	<u>6,511</u>	<u>4,770</u>	<u>1,741</u>	<u>6,604</u>	<u>4,653</u>	<u>1,951</u>	<u>38.6</u>	<u>42.1</u>	<u>31.4</u>	<u>39.2</u>	<u>41.4</u>	<u>34.6</u>
SECOND	4,263	2,901	1,362	4,426	2,961	1,465	25.3	25.6	24.6	26.2	26.4	26.0
<u>OVER TWO</u>	<u>2,248</u>	<u>1,869</u>	<u>379</u>	<u>2,178</u>	<u>1,692</u>	<u>486</u>	<u>13.3</u>	<u>16.5</u>	<u>6.8</u>	<u>12.9</u>	<u>15.1</u>	<u>8.6</u>
THIRD	1,600	1,277	323	1,620	1,213	407	9.5	11.3	5.8	9.6	10.8	7.2
FOURTH	481	432	49	425	356	69	2.8	3.8	0.9	2.5	3.2	1.2
FIFTH	111	105	6	100	91	9	0.6	0.9	0.1	0.6	0.8	0.2
SIXTH	39	39	0	25	24	1	0.2	0.3	-	0.1	0.2	#
SEVENTH	11	11	0	6	6	0	0.1	0.1	-	#	#	-
EIGHTH	4	3	1	1	1	0	#	#	#	#	#	-
NINTH	1	1	0	1	1	0	#	#	-	#	#	-
TENTH	1	1	0	0	0	0	#	#	-	-	-	-
OVER TEN	0	0	0	0	0	0	-	-	-	-	-	-
UNKNOWN*	0	0	0	0	0	0	-	-	-	-	-	-
UNKNOWN**	0	0	0	0	0	0	-	-	-	-	-	-

* PREVIOUSLY MARRIED BUT NUMBER OF PREVIOUS MARRIAGES UNKNOWN.

** UNKNOWN WHETHER PREVIOUSLY MARRIED.

LESS THAN 0.06 PERCENT.

NOTE: DUE TO INCONSISTENT REPORTING BY COUNTIES, STATISTICS ON MARRIAGES MAY BE INCOMPLETE.

**TABLE D5. BRIDES AND GROOMS AND PERCENTAGE DISTRIBUTION,
BY PREVIOUS MARITAL STATUS AND RACE
MISSISSIPPI, 2005**

PREVIOUS MARITAL STATUS	BRIDE			GROOM		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
NUMBER						
<u>TOTAL</u>	<u>16,862</u>	<u>11,318</u>	<u>5,544</u>	<u>16,864</u>	<u>11,228</u>	<u>5,636</u>
NOT PREVIOUSLY MARRIED	10,351	6,548	3,803	10,260	6,575	3,685
<u>REMARRIAGES</u>	<u>6,511</u>	<u>4,770</u>	<u>1,741</u>	<u>6,604</u>	<u>4,653</u>	<u>1,951</u>
WIDOWED	639	459	180	651	460	191
DIVORCED*	5,870	4,310	1,560	5,952	4,192	1,760
UNKNOWN**	2	1	1	1	1	0
UNKNOWN#	0	0	0	0	0	0
PERCENT						
<u>TOTAL</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>
NOT PREVIOUSLY MARRIED	61.4	57.8	68.6	60.8	58.6	65.4
<u>REMARRIAGES</u>	<u>38.6</u>	<u>42.1</u>	<u>31.4</u>	<u>39.2</u>	<u>41.4</u>	<u>34.6</u>
WIDOWED	3.8	4.0	3.2	3.9	4.1	3.4
DIVORCED*	34.8	38.1	28.1	35.3	37.3	31.2
UNKNOWN**	##	##	##	##	##	-
UNKNOWN#	-	-	-	-	-	-

* INCLUDES THOSE WHOSE LAST MARRIAGE WAS ANNULLED.

** UNKNOWN WHETHER WIDOWED OR DIVORCED.

UNKNOWN WHETHER ANY PREVIOUS MARRIAGE.

LESS THAN 0.06 PERCENT.

NOTE: DUE TO INCONSISTENT REPORTING BY COUNTIES, STATISTICS ON MARRIAGES
MAY BE INCOMPLETE.

**TABLE D6. MARRIAGES AND PERCENTAGE DISTRIBUTION,
BY RESIDENCE OF BRIDE AND GROOM AND RACE OF BRIDE
MISSISSIPPI, 2005**

RESIDENCE OF GROOM	RACE AND RESIDENCE OF BRIDE											
	TOTAL				WHITE				NONWHITE			
	TOTAL	MISSIS- SIPPI	OTHER	UN- KNOWN	TOTAL	MISSIS- SIPPI	OTHER	UN- KNOWN	TOTAL	MISSIS- SIPPI	OTHER	UN- KNOWN
NUMBER												
<u>TOTAL</u>	<u>16,862</u>	<u>15,831</u>	<u>1,031</u>	<u>0</u>	<u>11,318</u>	<u>10,539</u>	<u>779</u>	<u>0</u>	<u>5,544</u>	<u>5,292</u>	<u>252</u>	<u>0</u>
MISSISSIPPI	15,560	15,341	219	0	10,317	10,164	153	0	5,243	5,177	66	0
OTHER	1,302	490	812	0	1,001	375	626	0	301	115	186	0
UNKNOWN	0	0	0	0	0	0	0	0	0	0	0	0
PERCENT												
<u>TOTAL</u>	<u>100.0</u>	<u>93.9</u>	<u>6.1</u>	<u>-</u>	<u>100.0</u>	<u>93.1</u>	<u>6.9</u>	<u>-</u>	<u>100.0</u>	<u>95.4</u>	<u>4.5</u>	<u>-</u>
MISSISSIPPI	92.3	91.0	1.3	-	91.2	89.8	1.4	-	94.6	93.4	1.2	-
OTHER	7.7	2.9	4.8	-	8.8	3.3	5.5	-	5.4	2.1	3.4	-
UNKNOWN	-	-	-	-	-	-	-	-	-	-	-	-

* LESS THAN 0.06 PERCENT.

NOTE: DUE TO INCONSISTENT REPORTING BY COUNTIES, STATISTICS ON MARRIAGES MAY BE INCOMPLETE.

DIVORCES

**TABLE E1. DIVORCES AND PERCENTAGE DISTRIBUTION, BY CAUSE AND RACE*
MISSISSIPPI, 2005**

CAUSE	NUMBER				PERCENT			
	TOTAL	WHITE	NON-WHITE	UN-KNOWN	TOTAL	WHITE	NON-WHITE	UN-KNOWN
<u>TOTAL</u>	<u>12,798</u>	<u>8,305</u>	<u>3,053</u>	<u>1,440</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>
IRRECONCILABLE DIFFERENCES	11,585	7,713	2,634	1,238	90.5	92.9	86.3	86.0
CRUEL AND INHUMAN TREATMENT	512	267	150	95	4.0	3.2	4.9	6.6
DESERTION	332	129	159	44	2.6	1.6	5.2	3.0
ADULTERY	232	122	68	42	1.8	1.5	2.2	2.9
DRUNKENNESS	48	28	17	3	0.4	0.3	0.6	0.2
PENITENTIARY	63	32	22	9	0.5	0.4	0.7	0.6
ANNULMENT	8	5	0	3	0.1	0.1	-	0.2
BIGAMY	6	2	1	3	#	#	#	0.2
MISCELLANEOUS AND OTHER	9	6	1	2	0.1	0.1	#	0.1
UNKNOWN	3	1	1	1	#	#	#	0.1

* DIVORCES OF MIXED-RACE COUPLES ARE INCLUDED IN FIGURES FOR NONWHITES.

LESS THAN 0.06 PERCENT.

NOTE: DUE TO INCONSISTENT REPORTING BY COUNTIES, STATISTICS ON DIVORCES MAY BE INCOMPLETE.

**TABLE E2. DIVORCES AND PERCENTAGE DISTRIBUTION,
BY NUMBER OF MINOR CHILDREN AND RACE*
MISSISSIPPI, 2005**

NUMBER OF MINOR CHILDREN	NUMBER				PERCENT			
	TOTAL	WHITE	NON-WHITE	UN-KNOWN	TOTAL	WHITE	NON-WHITE	UN-KNOWN
<u>TOTAL DIVORCES</u>	<u>12,798</u>	<u>8,305</u>	<u>3,053</u>	<u>1,440</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>
NONE	6,773	4,331	1,648	794	52.9	52.1	54.0	55.1
ONE	3,086	2,033	702	351	24.1	24.5	23.0	24.4
TWO	2,201	1,494	493	214	17.2	18.0	16.1	14.9
THREE OR MORE	738	447	210	81	5.8	5.4	6.9	5.6
UNKNOWN	0	0	0	0	-	-	-	-

* DIVORCES OF MIXED-RACE COUPLES ARE INCLUDED IN FIGURES FOR NONWHITES.

LESS THAN 0.06 PERCENT.

NOTE: DUE TO INCONSISTENT REPORTING BY COUNTIES, STATISTICS ON DIVORCES MAY BE INCOMPLETE.

**TABLE E3. DIVORCES AND PERCENTAGE DISTRIBUTION,
BY NUMBER OF YEARS MARRIED AND RACE*
MISSISSIPPI, 2005**

NUMBER OF YEARS MARRIED	NUMBER				PERCENT			
	TOTAL	WHITE	NON- WHITE	UN- KNOWN	TOTAL	WHITE	NON- WHITE	UN- KNOWN
<u>TOTAL DIVORCES</u>	<u>12,798</u>	<u>8,305</u>	<u>3,053</u>	<u>1,440</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>
<u>UNDER FIVE</u>	<u>4,681</u>	<u>3,149</u>	<u>925</u>	<u>607</u>	<u>36.6</u>	<u>37.9</u>	<u>30.3</u>	<u>42.2</u>
<u>UNDER ONE</u>	503	386	58	59	3.9	4.6	1.9	4.1
<u>ONE</u>	1,036	721	177	138	8.1	8.7	5.8	9.6
<u>TWO</u>	1,125	770	210	145	8.8	9.3	6.9	10.1
<u>THREE</u>	1,033	668	227	138	8.1	8.0	7.4	9.6
<u>FOUR</u>	984	604	253	127	7.7	7.3	8.3	8.8
<u>FIVE-NINE</u>	<u>3,610</u>	<u>2,283</u>	<u>952</u>	<u>375</u>	<u>28.2</u>	<u>27.5</u>	<u>31.2</u>	<u>26.0</u>
<u>TEN-NINETEEN</u>	<u>2,879</u>	<u>1,855</u>	<u>741</u>	<u>283</u>	<u>22.5</u>	<u>22.3</u>	<u>24.3</u>	<u>19.6</u>
<u>TWENTY AND OVER</u>	<u>1,565</u>	<u>993</u>	<u>426</u>	<u>146</u>	<u>12.2</u>	<u>12.0</u>	<u>14.0</u>	<u>10.1</u>
<u>UNKNOWN</u>	<u>63</u>	<u>25</u>	<u>9</u>	<u>29</u>	<u>0.5</u>	<u>0.3</u>	<u>0.3</u>	<u>2.0</u>

* DIVORCES OF MIXED-RACE COUPLES ARE INCLUDED IN FIGURES FOR NONWHITES.

NOTE: DUE TO INCONSISTENT REPORTING BY COUNTIES, STATISTICS ON DIVORCES MAY BE INCOMPLETE.

INDUCED TERMINATIONS OF PREGNANCY

**TABLE F1. REPORTED INDUCED TERMINATIONS OF PREGNANCY,
PERCENTAGE DISTRIBUTION, AND INDUCED TERMINATION RATIOS,
BY AGE AND RACE OF PATIENT
PROCEDURES PERFORMED IN MISSISSIPPI, 2005**

AGE OF PATIENT	NUMBER				PERCENT			INDUCED TERMINATION RATIO*		
	TOTAL	WHITE	NON-WHITE	UNK. RACE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>TOTAL</u>	<u>3,041</u>	<u>672</u>	<u>2,356</u>	<u>13</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>	<u>71.8</u>	<u>29.2</u>	<u>122.0</u>
UNDER 15	35	7	28	0	1.2	1.0	1.2	191.2	233.3	183.0
15-19	469	109	359	1	15.4	16.2	15.2	73.3	41.4	95.4
20-24	1,144	253	889	2	37.6	37.6	37.7	78.0	34.8	120.1
25-29	760	162	595	3	25.0	24.1	25.2	67.6	24.5	128.2
30-34	397	78	316	3	13.0	11.6	13.4	59.4	17.6	140.4
35-39	162	36	124	2	5.3	5.4	5.3	62.8	21.1	141.4
40-44	66	23	41	2	2.2	3.4	1.7	124.8	73.7	188.9
45-49	3	3	0	0	0.1	0.4	0.0	157.9	250.0	0.0
UNKNOWN	4	1	3	0	0.1	0.1	0.1			

* INDUCED TERMINATIONS PER 1,000 LIVE BIRTHS IN SPECIFIED GROUP.

** LESS THAN 0.06 PERCENT.

**TABLE F2. REPORTED INDUCED TERMINATIONS OF PREGNANCY
AND PERCENTAGE DISTRIBUTION.
BY CHARACTERISTICS OF PATIENT AND RACE
PROCEDURES PERFORMED IN MISSISSIPPI, 2005**

CHARACTERISTICS OF PATIENT	NUMBER				PERCENT		
	TOTAL	WHITE	NON-WHITE	UNK. RACE	TOTAL	WHITE	NON-WHITE
<u>TOTAL</u>	<u>3,041</u>	<u>672</u>	<u>2,356</u>	<u>13</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>
MISSISSIPPI RESIDENT	2,956	642	2,302	12	97.2	95.5	97.7
<u>NONRESIDENT</u>	<u>85</u>	<u>30</u>	<u>54</u>	<u>1</u>	<u>2.8</u>	<u>4.5</u>	<u>2.3</u>
BORDER STATE	79	28	51	0	2.6	4.2	2.2
OTHER STATE	6	2	3	1	0.2	0.3	0.1
<u>MARITAL STATUS</u>							
MARRIED	267	99	162	6	8.8	14.7	6.9
NOT MARRIED	2,771	573	2,191	7	91.1	85.3	93.0
UNKNOWN	3	0	3	0	0.1	-	0.1
<u>EDUCATION (COMPLETED YEARS)</u>							
0-6 YEARS	2	0	2	0	0.1	-	0.1
7-9 YEARS	76	25	51	0	2.5	3.7	2.2
10, 11 YEARS	233	64	168	1	7.7	9.5	7.1
12 YEARS	1,060	233	820	7	34.8	34.7	34.8
1-3 YEARS COLLEGE	1,220	252	966	2	40.1	37.5	41.0
4 OR MORE YEARS COLLEGE	414	88	324	2	13.6	13.1	13.8
UNKNOWN	36	10	25	1	1.2	1.5	1.1
<u>NUMBER OF LIVING CHILDREN</u>							
NONE	964	290	670	4	31.7	43.2	28.4
ONE	1,037	200	834	3	34.1	29.8	35.4
TWO	670	122	543	5	22.0	18.2	23.0
THREE	250	45	205	0	8.2	6.7	8.7
FOUR	81	11	69	1	2.7	1.6	2.9
FIVE OR MORE	39	4	35	0	1.3	0.6	1.5
UNKNOWN	0	0	0	0	-	-	-
<u>NUMBER OF PREVIOUS INDUCED TERMINATIONS</u>							
NONE	1,951	435	1,508	8	64.2	64.7	64.0
ONE	800	185	612	3	26.3	27.5	26.0
TWO	233	39	194	0	7.7	5.8	8.2
THREE OR MORE	57	13	42	2	1.9	1.9	1.8
UNKNOWN	0	0	0	0	-	-	-

* LESS THAN 0.06 PERCENT.

TABLE F3. REPORTED INDUCED TERMINATIONS OF PREGNANCY AND PERCENTAGE DISTRIBUTION BY MEDICAL CHARACTERISTICS AND RACE, PROCEDURES PERFORMED IN MISSISSIPPI, 2005

MEDICAL CHARACTERISTICS	NUMBER				PERCENT		
	TOTAL	WHITE	NON-WHITE	UNK. RACE	TOTAL	WHITE	NON-WHITE
<u>TOTAL</u>	<u>3,041</u>	<u>672</u>	<u>2,356</u>	<u>13</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>
<u>COMPLETED WEEKS OF GESTATION*</u>							
<u>UNDER 9</u>	1,443	334	1,100	9	47.4	49.7	46.7
9, 10	587	124	461	2	19.3	18.4	19.6
11, 12	274	42	232	0	9.0	6.2	9.8
13-15	182	40	140	2	6.0	6.0	5.9
16-20	21	6	15	0	0.7	0.9	0.6
21 OR MORE	2	0	2	0	0.1	-	0.1
UNKNOWN	532	126	406	0	17.5	18.8	17.2
<u>PRIMARY PROCEDURE</u>							
SUCTION CURRETTAGE	2,856	633	2,212	11	93.9	94.2	93.9
MEDICAL (NONSURGICAL)	0	0	0	0	-	-	-
DILATION AND EVACUATION	0	0	0	0	-	-	-
INTRA-UTERINE INSTILLATION	0	0	0	0	-	-	-
SHARP CURRETTAGE	185	39	144	2	6.1	5.8	6.1
HYSTEROTOMY OR HYSTERECTOMY	0	0	0	0	-	-	-
OTHER	0	0	0	0	-	-	-
UNKNOWN	0	0	0	0	-	-	-

* CALCULATED BY SUBTRACTING DATE OF LAST NORMAL MENSTRUAL PERIOD PRIOR TO TERMINATION FROM DATE OF TERMINATION.

** LESS THAN 0.06 PERCENT.

TABLE F4. REPORTED COMPLICATIONS RESULTING FROM INDUCED TERMINATIONS OF PREGNANCY PATIENTS TREATED IN MISSISSIPPI, 2005

DEMOGRAPHIC/MEDICAL CHARACTERISTICS	TOTAL	WHITE	NON-WHITE	UNK. RACE
<u>TOTAL</u>	<u>6</u>	<u>3</u>	<u>3</u>	<u>0</u>
<u>AGE</u>				
UNDER 20	1	0	1	0
20-29	4	2	2	0
30-39	1	1	0	0
40-49	0	0	0	0
50+	0	0	0	0
UNKNOWN	0	0	0	0
<u>MARITAL STATUS</u>				
MARRIED	2	2	0	0
NOT MARRIED	4	1	3	0
UNKNOWN	0	0	0	0
<u>CONDITION(S) REQUIRING TREATMENT</u>				
PELVIC INFECTION	1	1	0	0
HEMORRHAGE	1	0	1	0
DAMAGE TO PELVIC ORGANS	0	0	0	0
RENAL FAILURE	0	0	0	0
METABOLIC DISORDER	0	0	0	0
SHOCK	0	0	0	0
EMBOLISM	0	0	0	0
COMA	0	0	0	0
DEATH	0	0	0	0
OTHER	4	2	2	0
UNKNOWN	0	0	0	0

NOTE: PATIENTS TREATED MULTIPLE TIMES MAY RESULT IN MULTIPLE REPORTS. THESE REPORTS ARE COUNTED SEPARATELY.
COMPLICATIONS TABULATED HERE MAY BE THE RESULT OF INDUCED TERMINATIONS THAT OCCURRED OUTSIDE OF THE STATE.

MAJOR TABLES

TABLE i
2005 ESTIMATED POPULATION AND PERCENT CHANGE FROM 2000 CENSUS POPULATION
MISSISSIPPI

COUNTY	POPULATION			PERCENT CHANGE SINCE 2000		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>STATE</u>	<u>2,921,088</u>	<u>1,788,108</u>	<u>1,132,980</u>	<u>2.7</u>	<u>2.4</u>	<u>3.1</u>
ADAMS	32,099	13,964	18,135	-6.5	-11.7	-2.1
ALCORN	35,306	30,958	4,348	2.2	2.5	-0.4
AMITE	13,435	7,739	5,696	-1.2	0.9	-3.9
ATTALA	19,552	11,459	8,093	-0.6	-0.1	-1.2
BENTON	7,852	5,064	2,788	-2.2	2.2	-9.2
BOLIVAR	38,641	12,943	25,698	-4.9	-4.2	-5.3
CALHOUN	14,652	10,312	4,340	-2.8	-1.4	-5.8
CARROLL	10,397	6,806	3,591	-3.5	0.8	-10.7
CHICKASAW	19,184	11,067	8,117	-1.3	0.1	-3.1
CHOCTAW	9,572	6,512	3,060	-1.9	-1.9	-1.9
CLAIBORNE	11,492	1,742	9,750	-2.9	-3.0	-2.8
CLARKE	17,670	11,655	6,015	-1.6	0.7	-5.7
CLAY	21,223	8,988	12,235	-3.4	-4.5	-2.7
COAHOMA	29,002	7,428	21,574	-5.3	-17.1	-0.4
COPIAH	29,164	14,186	14,978	1.4	3.2	-0.2
COVINGTON	20,273	12,800	7,473	4.5	4.0	5.3
DESOTO	137,004	110,941	26,063	27.8	20.7	70.9
FORREST	75,095	47,521	27,574	3.4	1.7	6.5
FRANKLIN	8,411	5,328	3,083	-0.4	0.4	-1.9
GEORGE	21,259	19,077	2,182	11.1	11.5	7.3
GREENE	13,183	9,617	3,566	-0.9	-0.7	-1.4
GRENADA	22,861	13,061	9,800	-1.7	-3.1	0.1
HANCOCK	46,711	42,311	4,400	8.7	9.2	4.4
HARRISON	193,810	140,121	53,689	2.2	1.0	5.5
HINDS	249,345	83,060	166,285	-0.6	-11.3	5.8
HOLMES	21,099	3,944	17,155	-2.4	-10.9	-0.2
HUMPHREYS	10,527	2,728	7,799	-6.1	-10.4	-4.4
ISSAQUENA	1,909	713	1,196	-16.1	-13.7	-17.4
ITAWAMBA	23,359	21,671	1,688	2.6	2.9	-1.6
JACKSON	135,940	101,802	34,138	3.4	2.8	5.4
JASPER	18,162	8,529	9,633	0.1	1.1	-0.9
JEFFERSON	9,432	1,296	8,136	-3.2	1.9	-3.9
JEFF DAVIS	13,158	5,468	7,690	-5.8	-6.0	-5.6
JONES	66,160	47,232	18,928	1.9	2.3	0.9
KEMPER	10,246	3,972	6,274	-2.0	-2.7	-1.6
LAFAYETTE	40,842	29,925	10,917	5.4	7.5	0.1
LAMAR	44,616	37,546	7,070	14.2	12.6	23.4
LAUDERDALE	77,218	44,726	32,492	-1.2	-4.9	4.3
LAWRENCE	13,502	9,115	4,387	1.8	2.7	0.1
LEAKE	22,453	12,531	9,922	7.2	6.6	8.0
LEE	78,793	57,265	21,528	4.0	2.6	7.9
LEFLORE	36,431	10,382	26,049	-4.0	-8.8	-1.9

TABLE i - PAGE 2
 2005 ESTIMATED POPULATION - MISSISSIPPI

COUNTY	POPULATION			PERCENT CHANGE SINCE 2000		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
LINCOLN	33,906	23,419	10,487	2.2	1.8	3.3
LOWNDES	59,895	33,130	26,765	-2.8	-4.7	-0.2
MADISON	84,286	50,362	33,924	12.9	11.9	14.4
MARION	25,235	16,827	8,408	-1.4	-1.8	-0.6
MARSHALL	35,659	17,700	17,959	1.9	4.6	-0.6
MONROE	37,704	25,776	11,928	-0.8	-0.8	-0.8
MONTGOMERY	11,829	6,348	5,481	-3.0	-4.0	-1.7
NESHOBA	29,905	19,017	10,888	4.3	1.2	10.0
NEWTON	22,366	14,584	7,782	2.4	2.7	1.9
NOXUBEE	12,202	3,528	8,674	-2.8	-4.7	-2.0
OKTIBBEHA	41,247	24,831	16,416	-3.9	-1.3	-7.4
PANOLA	35,331	18,177	17,154	3.1	5.1	1.1
PEARL RIVER	52,659	45,190	7,469	8.3	8.6	6.3
PERRY	12,160	9,242	2,918	0.2	*	0.9
PIKE	39,426	19,542	19,884	1.3	-2.1	4.7
PONTOTOC	28,208	23,887	4,321	5.6	5.9	3.7
PRENTISS	25,593	21,774	3,819	0.1	-0.8	5.6
QUITMAN	9,512	2,899	6,613	-6.0	-6.0	-6.0
RANKIN	131,841	105,228	26,613	14.3	12.6	21.7
SCOTT	28,739	17,216	11,523	1.1	5.9	-5.3
SHARKEY	5,967	1,780	4,187	-9.3	-7.9	-9.9
SIMPSON	27,944	18,059	9,885	1.1	1.5	0.4
SMITH	16,058	12,271	3,787	-0.8	-0.4	-2.0
STONE	14,862	11,757	3,105	9.1	8.7	10.7
SUNFLOWER	32,311	8,702	23,609	-6.0	-12.3	-3.4
TALLAHATCHIE	14,191	5,510	8,681	-4.8	-6.7	-3.5
TATE	26,548	18,259	8,289	4.6	6.1	1.6
TIPPAH	21,212	17,399	3,813	1.9	2.1	0.9
TISHOMINGO	19,202	18,411	791	0.2	1.2	-18.5
TUNICA	10,321	2,658	7,663	11.9	4.6	14.6
UNION	26,784	22,449	4,335	5.6	6.1	3.1
WALTHALL	15,460	8,511	6,949	2.0	2.8	1.0
WARREN	49,131	25,783	23,348	-1.0	-5.5	4.4
WASHINGTON	59,220	18,773	40,447	-6.0	-12.3	-2.7
WAYNE	21,291	13,072	8,219	0.4	0.5	0.1
WEBSTER	10,092	8,053	2,039	-2.0	0.9	-11.8
WILKINSON	10,269	3,061	7,208	-0.4	-4.9	1.6
WINSTON	19,870	10,871	8,999	-1.4	-2.4	-0.2
YALOBUSHA	13,417	8,077	5,340	2.8	2.4	3.5
YAZOO	28,195	12,470	15,725	0.2	-1.0	1.1

* LESS THAN 0.06 PERCENT CHANGE.

* POPULATION ESTIMATE WAS OBTAINED FROM THE U.S. BUREAU OF THE CENSUS.

TABLE 1A
LIVE BIRTHS, BY PLACE OF OCCURRENCE AND RACE OF MOTHER,
ALSO LIVE BIRTHS AND RATES, BY PLACE OF RESIDENCE AND RACE OF MOTHER,
(PLACE INCLUDES COUNTIES, OUT OF STATE, TOWNS OF 10,000 OR MORE),
MISSISSIPPI, 2005

COUNTY	OCCURRENCE DATA			RESIDENCE DATA					
	NUMBER			NUMBER			RATE*		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>STATE</u>	<u>41,180</u>	<u>21,784</u>	<u>19,396</u>	<u>42,327</u>	<u>23,015</u>	<u>19,312</u>	<u>14.5</u>	<u>12.9</u>	<u>17.0</u>
ADAMS	1,014	382	632	435	149	286	13.6	10.7	15.8
ALCORN	473	399	74	459	392	67	13.0	12.7	15.4
AMITE	0	0	0	153	74	79	11.4	9.6	13.9
ATTALA	5	1	4	292	138	154	14.9	12.0	19.0
BENTON	0	0	0	122	82	40	15.5	16.2	14.3
BOLIVAR	591	135	456	567	160	407	14.7	12.4	15.8
CALHOUN	2	0	2	215	145	70	14.7	14.1	16.1
CARROLL	0	0	0	109	71	38	10.5	10.4	10.6
CHICKASAW	1	0	1	270	140	130	14.1	12.6	16.0
CHOCTAW	0	0	0	103	55	48	10.8	8.4	15.7
CLAIBORNE	0	0	0	137	6	131	11.9	3.4	13.4
CLARKE	1	0	1	221	131	90	12.5	11.2	15.0
CLAY	511	180	331	323	114	209	15.2	12.7	17.1
COAHOMA	822	172	650	482	84	398	16.6	11.3	18.4
COPIAH	122	27	95	475	187	288	16.3	13.2	19.2
COVINGTON	71	25	46	321	178	143	15.8	13.9	19.1
DESOTO	1,769	1,039	730	2,023	1,607	416	14.8	14.5	16.0
FORREST	2,214	1,467	747	1,091	614	477	14.5	12.9	17.3
FRANKLIN	0	0	0	115	53	62	13.7	9.9	20.1
GEORGE	186	154	32	335	305	30	15.8	16.0	13.7
GREENE	2	2	0	150	116	34	11.4	12.1	9.5
GRENADA	622	291	331	348	174	174	15.2	13.3	17.8
HANCOCK	266	233	33	452	411	41	9.7	9.7	9.3
HARRISON	3,017	2,156	861	2,736	1,901	835	14.1	13.6	15.6
HINDS	7,222	2,570	4,652	3,953	913	3,040	15.8	11.0	18.3
HOLMES	5	0	5	383	41	342	18.2	10.4	19.9
HUMPHREYS	0	0	0	192	22	170	18.2	8.1	21.8
ISSAQUENA	0	0	0	18	6	12	9.4	8.4	10.0
ITAWAMBA	0	0	0	264	245	19	11.3	11.3	11.2
JACKSON	1,397	980	417	1,706	1,203	503	12.6	11.8	14.7
JASPER	1	0	1	224	90	134	12.3	10.6	13.9
JEFFERSON	0	0	0	118	6	112	12.5	4.6	13.8
JEFF DAVIS	0	0	0	166	53	113	12.6	9.7	14.7
JONES	1,126	586	540	1,068	679	389	16.1	14.4	20.6
KEMPER	1	0	1	116	36	80	11.3	9.1	12.8
LAFAYETTE	948	569	379	493	293	200	12.1	9.8	18.3
LAMAR	1,485	1,056	429	707	552	155	15.8	14.7	21.9
LAUDERDALE	2,526	1,313	1,213	1,168	587	581	15.1	13.1	17.9
LAWRENCE	0	0	0	169	106	63	12.5	11.6	14.4
LEAKE	3	0	3	383	200	183	17.0	16.0	18.4
LEE	2,397	1,812	585	1,218	817	401	15.4	14.3	18.6
LEFLORE	708	130	578	580	123	457	15.9	11.8	17.5

TABLE 1A - Page 2
LIVE BIRTHS - MISSISSIPPI -2005

COUNTY	OCCURRENCE DATA			RESIDENCE DATA					
	NUMBER			NUMBER			RATE*		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
LINCOLN	532	335	197	468	306	162	13.8	13.1	15.4
LOWNDES	831	326	505	835	416	419	13.9	12.6	15.6
MADISON	318	13	305	1,230	674	556	14.6	13.4	16.4
MARION	3	3	0	386	265	121	15.3	15.7	14.4
MARSHALL	33	11	22	494	239	255	13.8	13.5	14.2
MONROE	767	569	198	566	356	210	15.0	13.8	17.6
MONTGOMERY	1	1	0	161	68	93	13.6	10.7	17.0
NESHOBA	3	0	3	515	251	264	17.2	13.2	24.2
NEWTON	3	2	1	368	189	179	16.4	13.0	23.0
NOXUBEE	1	0	1	183	34	149	15.0	9.6	17.2
OKTIBBEHA	1,098	517	581	602	290	312	14.6	11.7	19.0
PANOLA	176	63	113	560	241	319	15.8	13.2	18.6
PEARL RIVER	269	193	76	660	553	107	12.5	12.2	14.3
PERRY	1	1	0	159	117	42	13.1	12.7	14.4
PIKE	866	408	458	604	233	371	15.3	11.9	18.6
PONTOTOC	11	11	0	440	379	61	15.6	15.9	14.1
PRENTISS	1	1	0	289	244	45	11.3	11.2	11.8
QUITMAN	0	0	0	121	25	96	12.7	8.6	14.5
RANKIN	3,084	2,134	950	1,968	1,574	394	14.9	15.0	14.8
SCOTT	5	2	3	476	294	182	16.6	17.1	15.8
SHARKEY	1	0	1	101	22	79	16.9	12.4	18.9
SIMPSON	108	61	47	393	228	165	14.1	12.6	16.7
SMITH	0	0	0	213	153	60	13.3	12.5	15.8
STONE	0	0	0	181	142	39	12.2	12.1	12.6
SUNFLOWER	336	55	281	476	81	395	14.7	9.3	16.7
TALLAHATCHIE	0	0	0	165	52	113	11.6	9.4	13.0
TATE	4	2	2	382	241	141	14.4	13.2	17.0
TIPPAH	0	0	0	336	283	53	15.8	16.3	13.9
TISHOMINGO	1	1	0	223	220	3	11.6	11.9	3.8
TUNICA	1	0	1	228	43	185	22.1	16.2	24.1
UNION	942	760	182	385	340	45	14.4	15.1	10.4
WALTHALL	1	0	1	193	96	97	12.5	11.3	14.0
WARREN	1,071	324	747	729	300	429	14.8	11.6	18.4
WASHINGTON	951	210	741	931	207	724	15.7	11.0	17.9
WAYNE	223	98	125	277	134	143	13.0	10.2	17.4
WEBSTER	1	0	1	117	78	39	11.6	9.7	19.1
WILKINSON	6	2	4	137	32	105	13.3	10.4	14.6
WINSTON	2	0	2	273	107	166	13.7	9.8	18.4
YALOBUSHA	1	1	0	211	121	90	15.7	15.0	16.8
YAZOO	20	1	19	431	128	303	15.3	10.3	19.3
OUT OF STATE	2,426	1,947	479	1,279	716	563			

* LIVE BIRTHS PER 1,000 POPULATION.

TABLE 1A - PAGE 3
LIVE BIRTHS - MISSISSIPPI - 2005

TOWN**	NUMBER		
	TOTAL	WHITE	NON-WHITE
BILOXI	696	487	209
BRANDON	455	365	90
BROOKHAVEN	157	61	96
CANTON	256	61	195
CLARKSDALE	375	63	312
CLEVELAND	222	99	123
CLINTON	309	184	125
COLUMBUS	397	135	262
CORINTH	190	134	56
GAUTIER	236	151	85
GREENVILLE	659	100	559
GREENWOOD	323	74	249
GRENADA	241	102	139
GULFPORT	1,083	619	464
HATTIESBURG	744	272	472
INDIANOLA	190	23	167
JACKSON	3,015	429	2,586
LAUREL	427	174	253
LONG BEACH	193	165	28
MCCOMB	250	59	191
MERIDIAN	624	185	439
MOSS POINT	279	138	141
NATCHEZ	238	67	171
OCEAN SPRINGS	367	323	44
PASCAGOULA	330	174	156
PEARL	386	284	102
PICAYUNE	187	111	76
RIDGELAND	299	172	127
SOUTHAVEN	585	461	124
STARKVILLE	439	202	237
TUPELO	586	303	283
VICKSBURG	435	108	327
YAZOO CITY	267	36	231

** TOWNS OF 10,000 POPULATION OR MORE.

**TABLE 1B
FERTILITY RATES*, BY COUNTY OF RESIDENCE AND RACE OF MOTHER,
MISSISSIPPI, 2005**

COUNTY	TOTAL	WHITE	NON- WHITE	COUNTY	TOTAL	WHITE	NON- WHITE
<u>STATE</u>	<u>67.7</u>	<u>65.1</u>	<u>71.1</u>				
ADAMS	70.7	68.7	71.8	LINCOLN	67.6	69.0	64.9
ALCORN	66.4	66.2	68.0	LOWNDES	64.0	65.6	62.5
AMITE	59.2	55.1	63.6	MADISON	63.1	62.8	63.5
ATTALA	76.8	71.1	82.8	MARION	76.4	83.2	64.8
BENTON	79.3	85.9	68.6	MARSHALL	66.5	73.0	61.3
BOLIVAR	63.0	59.0	64.8	MONROE	72.8	72.2	73.7
CALHOUN	76.7	81.4	68.6	MONTGOMERY	68.6	65.5	71.1
CARROLL	56.0	57.7	53.1	NESHOBA	82.7	69.7	100.6
CHICKASAW	70.1	69.1	71.2	NEWTON	80.2	68.7	97.5
CHOCTAW	54.7	48.0	65.1	NOXUBEE	72.1	63.2	74.5
CLAIBORNE	47.1	24.8	49.2	OKTIBBEHA	53.6	43.2	69.0
CLARKE	66.0	64.7	68.1	PANOLA	72.4	69.1	75.1
CLAY	72.4	72.1	72.6	PEARL RIVER	59.6	59.5	60.1
COAHOMA	78.8	79.4	78.7	PERRY	63.0	64.8	58.4
COPIAH	76.3	71.1	80.2	PIKE	76.8	69.6	82.1
COVINGTON	75.7	73.4	78.8	PONTOTOC	72.9	76.6	55.9
DESOTO	65.4	66.5	61.4	PRENTISS	54.7	57.1	44.4
FORREST	57.2	53.4	63.0	QUITMAN	59.8	55.2	61.2
FRANKLIN	67.1	55.6	81.6	RANKIN	65.6	68.2	57.0
GEORGE	76.9	77.5	71.4	SCOTT	83.1	95.2	69.0
GREENE	66.4	64.3	74.6	SHARKEY	84.4	87.3	83.7
GRENADA	71.3	71.0	71.6	SIMPSON	68.0	64.5	73.6
HANCOCK	49.1	49.7	43.5	SMITH	66.1	66.0	66.4
HARRISON	67.7	68.1	66.8	STONE	57.0	59.2	50.2
HINDS	71.0	63.8	73.4	SUNFLOWER	76.3	63.3	79.6
HOLMES	81.8	61.3	85.2	TALLAHATCHIE	54.5	56.8	53.5
HUMPHREYS	86.7	53.5	94.2	TATE	66.6	64.9	69.7
ISSAQUENA	47.6	46.2	48.4	TIPPAH	74.0	77.9	58.5
ITAWAMBA	53.4	54.3	44.1	TISHOMINGO	60.5	62.4	18.4
JACKSON	60.8	59.6	63.8	TUNICA	96.0	94.9	96.3
JASPER	60.8	59.7	61.6	UNION	69.2	74.6	44.7
JEFFERSON	60.9	29.0	64.7	WALTHALL	60.7	61.1	60.4
JEFF DAVIS	62.6	61.8	63.0	WARREN	72.0	65.7	77.2
JONES	80.4	76.8	87.7	WASHINGTON	75.0	69.4	76.8
KEMPER	55.8	54.3	56.5	WAYNE	60.8	51.9	72.4
LAFAYETTE	42.6	34.0	67.4	WEBSTER	60.5	52.2	89.0
LAMAR	68.1	64.9	82.5	WILKINSON	75.5	72.2	76.6
LAUDERDALE	74.7	73.8	75.6	WINSTON	71.4	59.6	81.9
LAWRENCE	60.0	59.6	60.6	YALOBUSHA	78.2	84.0	71.6
LEAKE	88.6	91.0	86.1	YAZOO	80.8	67.0	88.5
LEE	72.8	71.2	76.3				
LEFLORE	73.1	74.6	72.8				

* LIVE BIRTHS PER 1,000 FEMALE POPULATION 15-44 YEARS OF AGE.

TABLE 2
LIVE BIRTHS, BY COUNTY OF RESIDENCE, RACE OF MOTHER, AND ATTENDANT,
ALSO BY COUNTY OF RESIDENCE AND SEX,
MISSISSIPPI, 2005

COUNTY	TOTAL	WHITE				NONWHITE				SEX	
		TOTAL	HOSP. OR CLINIC	PHYS., OTHER PLACE	OTHER	TOTAL	HOSP. OR CLINIC	PHYS., OTHER PLACE	OTHER	MALE	FEMALE
<u>STATE</u>	<u>42,327</u>	<u>23,015</u>	<u>22,952</u>	<u>6</u>	<u>57</u>	<u>19,312</u>	<u>19,266</u>	<u>9</u>	<u>37</u>	<u>21,624</u>	<u>20,703</u>
ADAMS	435	149	149	0	0	286	284	1	1	206	229
ALCORN	459	392	392	0	0	67	67	0	0	230	229
AMITE	153	74	74	0	0	79	79	0	0	65	88
ATTALA	292	138	137	0	1	154	154	0	0	141	151
BENTON	122	82	82	0	0	40	40	0	0	65	57
BOLIVAR	567	160	160	0	0	407	406	0	1	253	314
CALHOUN	215	145	145	0	0	70	68	0	2	124	91
CARROLL	109	71	71	0	0	38	38	0	0	42	67
CHICKASAW	270	140	140	0	0	130	129	0	1	136	134
CHOCTAW	103	55	55	0	0	48	48	0	0	58	45
CLAIBORNE	137	6	6	0	0	131	131	0	0	73	64
CLARKE	221	131	131	0	0	90	90	0	0	108	113
CLAY	323	114	114	0	0	209	208	0	1	170	153
COAHOMA	482	84	84	0	0	398	398	0	0	272	210
COPIAH	475	187	187	0	0	288	288	0	0	245	230
COVINGTON	321	178	177	0	1	143	143	0	0	170	151
DESOTO	2,023	1,607	1,606	0	1	416	414	0	2	1,056	967
FORREST	1,091	614	612	0	2	477	477	0	0	563	528
FRANKLIN	115	53	53	0	0	62	62	0	0	63	52
GEORGE	335	305	305	0	0	30	30	0	0	177	158
GREENE	150	116	116	0	0	34	34	0	0	78	72
GRENADA	348	174	174	0	0	174	174	0	0	180	168
HANCOCK	452	411	410	0	1	41	41	0	0	232	220
HARRISON	2,736	1,901	1,896	0	5	835	833	0	2	1,407	1,329

TABLE 2 - PAGE 2
LIVE BIRTHS - MISSISSIPPI - 2005

COUNTY	TOTAL	WHITE				NONWHITE				SEX	
		TOTAL	HOSP. OR CLINIC	PHYS., OTHER PLACE	OTHER	TOTAL	HOSP. OR CLINIC	PHYS., OTHER PLACE	OTHER	MALE	FEMALE
HINDS	3,953	913	911	0	2	3,040	3,029	4	7	2,015	1,938
HOLMES	383	41	41	0	0	342	340	0	2	188	195
HUMPHREYS	192	22	22	0	0	170	170	0	0	100	92
ISSAQUENA	18	6	6	0	0	12	12	0	0	11	7
ITAWAMBA	264	245	245	0	0	19	19	0	0	130	134
JACKSON	1,706	1,203	1,200	0	3	503	503	0	0	869	837
JASPER	224	90	90	0	0	134	133	0	1	131	93
JEFFERSON	118	6	6	0	0	112	112	0	0	57	61
JEFF DAVIS	166	53	53	0	0	113	113	0	0	86	80
JONES	1068	679	676	0	3	389	387	0	2	533	535
KEMPER	116	36	36	0	0	80	79	1	0	62	54
LAFAYETTE	493	293	291	0	2	200	198	0	2	241	252
LAMAR	707	552	549	0	3	155	155	0	0	346	361
LAUDERDALE	1,168	587	586	0	1	581	580	0	1	572	596
LAWRENCE	169	106	106	0	0	63	63	0	0	90	79
LEAKE	383	200	200	0	0	183	183	0	0	179	204
LEE	1,218	817	817	0	0	401	401	0	0	620	598
LEFLORE	580	123	123	0	0	457	455	0	2	290	290
LINCOLN	468	306	305	0	1	162	162	0	0	243	225
LOWNDES	835	416	416	0	0	419	419	0	0	448	387
MADISON	1,230	674	672	0	2	556	555	0	1	652	578
MARION	386	265	263	0	2	121	121	0	0	204	182
MARSHALL	494	239	237	0	2	255	254	0	1	273	221
MONROE	566	356	354	0	2	210	210	0	0	282	284
MONTGOMERY	161	68	67	0	1	93	93	0	0	88	73
NESHOBA	515	251	251	0	0	264	264	0	0	261	254
NEWTON	368	189	188	0	1	179	179	0	0	174	194
NOXUBEE	183	34	34	0	0	149	149	0	0	93	90
OKTIBBEHA	602	290	289	0	1	312	310	0	2	308	294
PANOLA	560	241	241	0	0	319	317	1	1	281	279

TABLE 2 - PAGE 3
LIVE BIRTHS - MISSISSIPPI - 2005

COUNTY	TOTAL	WHITE				NONWHITE				SEX	
		TOTAL	HOSP. OR CLINIC	PHYS., OTHER PLACE	OTHER	TOTAL	HOSP. OR CLINIC	PHYS., OTHER PLACE	OTHER	MALE	FEMALE
PEARL RIVER	660	553	553	0	0	107	107	0	0	307	353
PERRY	159	117	116	0	1	42	42	0	0	77	82
PIKE	604	233	233	0	0	371	370	0	1	294	310
PONTOTOC	440	379	368	3	8	61	61	0	0	230	210
PRENTISS	289	244	242	1	1	45	45	0	0	148	141
QUITMAN	121	25	25	0	0	96	96	0	0	64	57
RANKIN	1,968	1,574	1,571	1	2	394	394	0	0	1,038	930
SCOTT	476	294	294	0	0	182	181	0	1	241	235
SHARKEY	101	22	22	0	0	79	79	0	0	50	51
SIMPSON	393	228	227	0	1	165	165	0	0	208	185
SMITH	213	153	152	0	1	60	60	0	0	92	121
STONE	181	142	142	0	0	39	39	0	0	89	92
SUNFLOWER	476	81	81	0	0	395	393	2	0	257	219
TALLAHATCHIE	165	52	52	0	0	113	113	0	0	81	84
TATE	382	241	239	0	2	141	140	0	1	202	180
TIPPAH	336	283	283	0	0	53	53	0	0	176	160
TISHOMINGO	223	220	220	0	0	3	3	0	0	119	104
TUNICA	228	43	43	0	0	185	185	0	0	116	112
UNION	385	340	339	1	0	45	45	0	0	192	193
WALTHALL	193	96	96	0	0	97	96	0	1	98	95
WARREN	729	300	299	0	1	429	429	0	0	367	362
WASHINGTON	931	207	207	0	0	724	723	0	1	478	453
WAYNE	277	134	134	0	0	143	143	0	0	143	134
WEBSTER	117	78	78	0	0	39	39	0	0	65	52
WILKINSON	137	32	31	0	1	105	105	0	0	63	74
WINSTON	273	107	107	0	0	166	166	0	0	146	127
YALOBUSHA	211	121	120	0	1	90	90	0	0	98	113
YAZOO	431	128	127	0	1	303	303	0	0	244	187

NOTE: "HOSP. OR CLINIC" INCLUDES DELIVERY BY PHYSICIAN, CNM, OR ANY OTHER NAMED PERSON. "OTHER" INCLUDES DELIVERY BY ANY PERSON OTHER THAN A PHYSICIAN, AT ANY PLACE OTHER THAN A HOSPITAL OR CLINIC.

**TABLE 3A
TOTAL LIVE BIRTHS, BY COUNTY OF RESIDENCE AND AGE OF MOTHER,
MISSISSIPPI, 2005**

COUNTY	TOTAL	AGE OF MOTHER								UN- KNOWN
		UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	
<u>STATE</u>	<u>42,327</u>	<u>183</u>	<u>6,397</u>	<u>14,673</u>	<u>11,251</u>	<u>6,689</u>	<u>2,581</u>	<u>529</u>	<u>19</u>	<u>5</u>
ADAMS	435	2	87	151	114	52	26	3	0	0
ALCORN	459	3	72	152	134	76	20	2	0	0
AMITE	153	1	28	56	37	22	7	2	0	0
ATTALA	292	0	53	100	80	45	12	2	0	0
BENTON	122	0	19	55	35	9	4	0	0	0
BOLIVAR	567	7	114	215	130	70	26	5	0	0
CALHOUN	215	1	37	69	55	44	9	0	0	0
CARROLL	109	0	12	36	32	21	6	2	0	0
CHICKASAW	270	2	54	91	74	30	16	3	0	0
CHOCTAW	103	0	10	45	30	7	10	0	0	1
CLAIBORNE	137	1	25	51	38	14	6	2	0	0
CLARKE	221	0	26	70	70	38	16	1	0	0
CLAY	323	3	53	109	82	50	25	1	0	0
COAHOMA	482	1	103	195	116	41	21	5	0	0
COPIAH	475	2	72	186	125	57	31	2	0	0
COVINGTON	321	0	58	124	78	45	13	3	0	0
DESOTO	2,023	0	206	544	624	450	170	26	3	0
FORREST	1,091	6	164	368	313	165	62	13	0	0
FRANKLIN	115	0	9	49	31	19	3	3	1	0
GEORGE	335	1	56	137	78	46	11	6	0	0
GREENE	150	0	29	57	39	18	4	3	0	0
GRENADA	348	1	54	133	72	59	22	7	0	0
HANCOCK	452	1	87	127	116	79	37	5	0	0
HARRISON	2,736	5	351	1,018	741	420	168	28	5	0
HINDS	3,953	23	657	1,324	962	671	250	65	0	1
HOLMES	383	4	79	154	94	30	15	6	1	0
HUMPHREYS	192	0	42	92	34	16	8	0	0	0
ISSAQUENA	18	0	8	1	5	3	1	0	0	0
ITAWAMBA	264	0	34	107	71	39	11	2	0	0
JACKSON	1,706	6	230	554	470	287	122	36	1	0
JASPER	224	2	35	81	64	32	8	2	0	0
JEFFERSON	118	0	26	45	29	11	5	2	0	0
JEFF DAVIS	166	2	22	64	47	17	12	2	0	0
JONES	1068	3	196	377	276	148	56	11	1	0
KEMPER	116	1	13	41	35	20	5	1	0	0
LAFAYETTE	493	1	58	137	134	106	47	8	0	2
LAMAR	707	0	69	207	210	156	53	12	0	0
LAUDERDALE	1,168	6	182	386	300	217	66	11	0	0
LAWRENCE	169	1	21	70	48	22	5	2	0	0
LEAKE	383	4	51	143	100	54	25	6	0	0
LEE	1,218	3	173	420	331	196	81	14	0	0
LEFLORE	580	8	121	215	140	63	29	4	0	0

TABLE 3A - PAGE 2
TOTAL LIVE BIRTHS - MISSISSIPPI - 2005

COUNTY	TOTAL	AGE OF MOTHER								UN- KNOWN
		UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	
LINCOLN	468	1	65	162	148	67	21	4	0	0
LOWNDES	835	5	117	297	231	123	54	8	0	0
MADISON	1,230	3	111	293	342	309	138	33	0	1
MARION	386	0	77	142	88	55	20	4	0	0
MARSHALL	494	3	88	182	104	79	32	5	1	0
MONROE	566	1	76	204	161	84	32	6	2	0
MONTGOMERY	161	1	21	55	46	29	8	1	0	0
NESHOBA	515	0	76	187	149	68	27	8	0	0
NEWTON	368	2	47	125	117	57	17	3	0	0
NOXUBEE	183	2	41	57	42	28	11	2	0	0
OKTIBBEHA	602	3	67	210	162	103	50	7	0	0
PANOLA	560	2	120	227	122	65	18	6	0	0
PEARL RIVER	660	3	81	254	161	113	40	8	0	0
PERRY	159	0	17	73	42	17	5	5	0	0
PIKE	604	10	90	240	161	71	24	8	0	0
PONTOTOC	440	1	61	150	129	58	37	4	0	0
PRENTISS	289	1	41	106	82	38	21	0	0	0
QUITMAN	121	1	30	52	22	10	3	3	0	0
RANKIN	1,968	1	188	563	585	427	165	36	3	0
SCOTT	476	3	90	173	117	64	27	2	0	0
SHARKEY	101	1	18	42	29	7	4	0	0	0
SIMPSON	393	0	52	158	103	56	19	5	0	0
SMITH	213	1	30	84	52	36	8	2	0	0
STONE	181	0	28	47	52	32	18	4	0	0
SUNFLOWER	476	4	109	194	97	41	23	8	0	0
TALLAHATCHIE	165	1	34	59	46	18	6	1	0	0
TATE	382	1	73	118	103	65	19	3	0	0
TIPPAH	336	0	63	112	94	51	13	3	0	0
TISHOMINGO	223	0	42	77	67	26	10	1	0	0
TUNICA	228	2	49	80	62	21	9	5	0	0
UNION	385	7	58	128	107	60	23	2	0	0
WALTHALL	193	0	24	66	57	31	14	1	0	0
WARREN	729	6	110	264	194	111	36	8	0	0
WASHINGTON	931	5	176	366	225	112	36	10	1	0
WAYNE	277	0	47	125	65	26	11	3	0	0
WEBSTER	117	0	17	53	24	17	5	1	0	0
WILKINSON	137	4	22	45	36	20	8	2	0	0
WINSTON	273	1	38	104	77	40	13	0	0	0
YALOBUSHA	211	1	32	78	54	35	8	3	0	0
YAZOO	431	5	75	165	102	54	24	6	0	0

TABLE 3B
LIVE BIRTHS TO WHITE MOTHERS, BY COUNTY OF RESIDENCE AND AGE OF MOTHER,
MISSISSIPPI, 2005

COUNTY	TOTAL	AGE OF MOTHER								UN- KNOWN
		UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	
<u>STATE</u>	<u>23,015</u>	<u>30</u>	<u>2,635</u>	<u>7,271</u>	<u>6,610</u>	<u>4,439</u>	<u>1,704</u>	<u>312</u>	<u>12</u>	<u>2</u>
ADAMS	149	0	20	50	38	27	14	0	0	0
ALCORN	392	2	58	132	112	68	18	2	0	0
AMITE	74	0	6	27	23	12	5	1	0	0
ATTALA	138	0	16	45	42	29	6	0	0	0
BENTON	82	0	10	39	21	8	4	0	0	0
BOLIVAR	160	1	13	38	61	36	8	3	0	0
CALHOUN	145	0	19	47	36	35	8	0	0	0
CARROLL	71	0	7	21	22	15	5	1	0	0
CHICKASAW	140	1	25	55	36	15	7	1	0	0
CHOCTAW	55	0	4	22	17	5	7	0	0	0
CLAIBORNE	6	0	0	1	2	2	1	0	0	0
CLARKE	131	0	11	48	40	21	10	1	0	0
CLAY	114	0	4	38	35	27	10	0	0	0
COAHOMA	84	0	14	25	20	14	10	1	0	0
COPIAH	187	0	21	64	49	33	20	0	0	0
COVINGTON	178	0	24	66	49	30	9	0	0	0
DESOTO	1,607	0	149	417	504	372	139	23	3	0
FORREST	614	0	73	191	179	114	50	7	0	0
FRANKLIN	53	0	4	20	13	13	2	0	1	0
GEORGE	305	0	52	123	71	43	11	5	0	0
GREENE	116	0	21	48	29	13	3	2	0	0
GRENADA	174	0	21	64	43	34	10	2	0	0
HANCOCK	411	1	75	113	106	75	37	4	0	0
HARRISON	1,901	3	218	683	538	307	127	22	3	0
HINDS	913	0	73	233	252	248	83	24	0	0
HOLMES	41	0	3	16	11	10	0	1	0	0
HUMPHREYS	22	0	0	10	7	5	0	0	0	0
ISSAQUENA	6	0	1	0	3	2	0	0	0	0
ITAWAMBA	245	0	30	99	65	38	11	2	0	0
JACKSON	1,203	2	128	386	334	221	104	27	1	0
JASPER	90	0	9	30	30	15	6	0	0	0
JEFFERSON	6	0	1	2	2	0	1	0	0	0
JEFF DAVIS	53	0	6	22	15	6	3	1	0	0
JONES	679	2	106	221	184	109	49	8	0	0
KEMPER	36	1	2	9	17	4	3	0	0	0
LAFAYETTE	293	0	22	52	91	76	42	8	0	2
LAMAR	552	0	45	150	168	136	45	8	0	0
LAUDERDALE	587	1	66	165	162	149	40	4	0	0
LAWRENCE	106	1	8	46	33	13	4	1	0	0
LEAKE	200	0	21	71	61	31	15	1	0	0
LEE	817	2	102	252	227	157	69	8	0	0
LEFLORE	123	0	16	39	39	21	7	1	0	0

TABLE 3B - PAGE 2
LIVE BIRTHS TO WHITE MOTHERS - MISSISSIPPI - 2005

COUNTY	TOTAL	AGE OF MOTHER								UN- KNOWN
		UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	
LINCOLN	306	0	37	103	104	45	13	4	0	0
LOWNDES	416	1	37	127	130	80	35	6	0	0
MADISON	674	0	30	94	215	216	96	23	0	0
MARION	265	0	56	91	61	40	16	1	0	0
MARSHALL	239	0	32	88	54	47	15	3	0	0
MONROE	356	0	44	123	102	60	20	5	2	0
MONTGOMERY	68	0	3	20	23	15	6	1	0	0
NESHOBA	251	0	24	91	75	43	12	6	0	0
NEWTON	189	1	18	57	66	35	10	2	0	0
NOXUBEE	34	0	0	8	13	8	4	1	0	0
OKTIBBEHA	290	0	11	83	91	69	33	3	0	0
PANOLA	241	0	45	79	62	40	13	2	0	0
PEARL RIVER	553	3	66	204	143	97	33	7	0	0
PERRY	117	0	10	51	33	14	5	4	0	0
PIKE	233	0	31	73	69	36	17	7	0	0
PONTOTOC	379	1	50	130	112	50	33	3	0	0
PRENTISS	244	0	37	86	67	36	18	0	0	0
QUITMAN	25	0	6	10	6	2	1	0	0	0
RANKIN	1,574	1	133	442	471	366	129	30	2	0
SCOTT	294	2	52	105	75	42	17	1	0	0
SHARKEY	22	0	2	7	9	3	1	0	0	0
SIMPSON	228	0	30	98	52	35	13	0	0	0
SMITH	153	0	19	57	40	29	6	2	0	0
STONE	142	0	22	35	41	28	12	4	0	0
SUNFLOWER	81	0	9	24	29	9	8	2	0	0
TALLAHATCHIE	52	0	9	17	15	8	3	0	0	0
TATE	241	0	37	75	64	49	15	1	0	0
TIPPAH	283	0	54	92	78	45	12	2	0	0
TISHOMINGO	220	0	41	76	66	26	10	1	0	0
TUNICA	43	1	2	14	17	5	2	2	0	0
UNION	340	3	47	117	96	57	18	2	0	0
WALTHALL	96	0	5	34	29	22	6	0	0	0
WARREN	300	0	39	92	85	61	17	6	0	0
WASHINGTON	207	0	20	59	68	39	16	5	0	0
WAYNE	134	0	21	57	36	15	4	1	0	0
WEBSTER	78	0	7	35	18	12	5	1	0	0
WILKINSON	32	0	3	13	10	3	3	0	0	0
WINSTON	107	0	14	40	33	14	6	0	0	0
YALOBUSHA	121	0	16	40	31	25	7	2	0	0
YAZOO	128	0	12	44	34	24	11	3	0	0

TABLE 3C
LIVE BIRTHS TO NONWHITE MOTHERS, BY COUNTY OF RESIDENCE AND AGE OF MOTHER,
MISSISSIPPI, 2005

COUNTY	TOTAL	AGE OF MOTHER								UN- KNOWN
		UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	
<u>STATE</u>	<u>19,312</u>	<u>153</u>	<u>3,762</u>	<u>7,402</u>	<u>4,641</u>	<u>2,250</u>	<u>877</u>	<u>217</u>	<u>7</u>	<u>3</u>
ADAMS	286	2	67	101	76	25	12	3	0	0
ALCORN	67	1	14	20	22	8	2	0	0	0
AMITE	79	1	22	29	14	10	2	1	0	0
ATTALA	154	0	37	55	38	16	6	2	0	0
BENTON	40	0	9	16	14	1	0	0	0	0
BOLIVAR	407	6	101	177	69	34	18	2	0	0
CALHOUN	70	1	18	22	19	9	1	0	0	0
CARROLL	38	0	5	15	10	6	1	1	0	0
CHICKASAW	130	1	29	36	38	15	9	2	0	0
CHOCTAW	48	0	6	23	13	2	3	0	0	1
CLAIBORNE	131	1	25	50	36	12	5	2	0	0
CLARKE	90	0	15	22	30	17	6	0	0	0
CLAY	209	3	49	71	47	23	15	1	0	0
COAHOMA	398	1	89	170	96	27	11	4	0	0
COPIAH	288	2	51	122	76	24	11	2	0	0
COVINGTON	143	0	34	58	29	15	4	3	0	0
DESOTO	416	0	57	127	120	78	31	3	0	0
FORREST	477	6	91	177	134	51	12	6	0	0
FRANKLIN	62	0	5	29	18	6	1	3	0	0
GEORGE	30	1	4	14	7	3	0	1	0	0
GREENE	34	0	8	9	10	5	1	1	0	0
GRENADA	174	1	33	69	29	25	12	5	0	0
HANCOCK	41	0	12	14	10	4	0	1	0	0
HARRISON	835	2	133	335	203	113	41	6	2	0
HINDS	3,040	23	584	1,091	710	423	167	41	0	1
HOLMES	342	4	76	138	83	20	15	5	1	0
HUMPHREYS	170	0	42	82	27	11	8	0	0	0
ISSAQUENA	12	0	7	1	2	1	1	0	0	0
ITAWAMBA	19	0	4	8	6	1	0	0	0	0
JACKSON	503	4	102	168	136	66	18	9	0	0
JASPER	134	2	26	51	34	17	2	2	0	0
JEFFERSON	112	0	25	43	27	11	4	2	0	0
JEFF DAVIS	113	2	16	42	32	11	9	1	0	0
JONES	389	1	90	156	92	39	7	3	1	0
KEMPER	80	0	11	32	18	16	2	1	0	0
LAFAYETTE	200	1	36	85	43	30	5	0	0	0
LAMAR	155	0	24	57	42	20	8	4	0	0
LAUDERDALE	581	5	116	221	138	68	26	7	0	0
LAWRENCE	63	0	13	24	15	9	1	1	0	0
LEAKE	183	4	30	72	39	23	10	5	0	0
LEE	401	1	71	168	104	39	12	6	0	0
LEFLORE	457	8	105	176	101	42	22	3	0	0

TABLE 3C - PAGE 2
LIVE BIRTHS TO NONWHITE MOTHERS - MISSISSIPPI - 2005

COUNTY	TOTAL	AGE OF MOTHER								UN- KNOWN
		UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	
LINCOLN	162	1	28	59	44	22	8	0	0	0
LOWNDES	419	4	80	170	101	43	19	2	0	0
MADISON	556	3	81	199	127	93	42	10	0	1
MARION	121	0	21	51	27	15	4	3	0	0
MARSHALL	255	3	56	94	50	32	17	2	1	0
MONROE	210	1	32	81	59	24	12	1	0	0
MONTGOMERY	93	1	18	35	23	14	2	0	0	0
NESHOBA	264	0	52	96	74	25	15	2	0	0
NEWTON	179	1	29	68	51	22	7	1	0	0
NOXUBEE	149	2	41	49	29	20	7	1	0	0
OKTIBBEHA	312	3	56	127	71	34	17	4	0	0
PANOLA	319	2	75	148	60	25	5	4	0	0
PEARL RIVER	107	0	15	50	18	16	7	1	0	0
PERRY	42	0	7	22	9	3	0	1	0	0
PIKE	371	10	59	167	92	35	7	1	0	0
PONTOTOC	61	0	11	20	17	8	4	1	0	0
PRENTISS	45	1	4	20	15	2	3	0	0	0
QUITMAN	96	1	24	42	16	8	2	3	0	0
RANKIN	394	0	55	121	114	61	36	6	1	0
SCOTT	182	1	38	68	42	22	10	1	0	0
SHARKEY	79	1	16	35	20	4	3	0	0	0
SIMPSON	165	0	22	60	51	21	6	5	0	0
SMITH	60	1	11	27	12	7	2	0	0	0
STONE	39	0	6	12	11	4	6	0	0	0
SUNFLOWER	395	4	100	170	68	32	15	6	0	0
TALLAHATCHIE	113	1	25	42	31	10	3	1	0	0
TATE	141	1	36	43	39	16	4	2	0	0
TIPPAH	53	0	9	20	16	6	1	1	0	0
TISHOMINGO	3	0	1	1	1	0	0	0	0	0
TUNICA	185	1	47	66	45	16	7	3	0	0
UNION	45	4	11	11	11	3	5	0	0	0
WALTHALL	97	0	19	32	28	9	8	1	0	0
WARREN	429	6	71	172	109	50	19	2	0	0
WASHINGTON	724	5	156	307	157	73	20	5	1	0
WAYNE	143	0	26	68	29	11	7	2	0	0
WEBSTER	39	0	10	18	6	5	0	0	0	0
WILKINSON	105	4	19	32	26	17	5	2	0	0
WINSTON	166	1	24	64	44	26	7	0	0	0
YALOBUSHA	90	1	16	38	23	10	1	1	0	0
YAZOO	303	5	63	121	68	30	13	3	0	0

TABLE 4
LIVE BIRTHS TO UNMARRIED MOTHERS AND PERCENT OF TOTAL LIVE BIRTHS,
BY COUNTY OF RESIDENCE AND RACE OF MOTHER,
MISSISSIPPI, 2005

COUNTY	NUMBER			PERCENT		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>STATE</u>	<u>20,908</u>	<u>6,293</u>	<u>14,615</u>	<u>49.4</u>	<u>27.3</u>	<u>75.7</u>
ADAMS	285	50	235	65.5	33.6	82.2
ALCORN	177	127	50	38.6	32.4	74.6
AMITE	77	16	61	50.3	21.6	77.2
ATTALA	146	28	118	50.0	20.3	76.6
BENTON	48	22	26	39.3	26.8	65.0
BOLIVAR	377	33	344	66.5	20.6	84.5
CALHOUN	95	37	58	44.2	25.5	82.8
CARROLL	45	15	30	41.3	21.1	78.9
CHICKASAW	146	47	99	54.1	33.6	76.2
CHOCTAW	49	16	33	47.6	29.1	68.8
CLAIBORNE	106	2	104	77.4	33.3	79.4
CLARKE	87	29	58	39.4	22.1	64.4
CLAY	199	26	173	61.6	22.8	82.8
COAHOMA	356	29	327	73.8	34.5	82.2
COPIAH	276	51	225	58.1	27.3	78.1
COVINGTON	158	42	116	49.2	23.6	81.1
DESOTO	674	441	233	33.3	27.4	56.0
FORREST	553	193	360	50.7	31.4	75.5
FRANKLIN	66	11	55	57.4	20.8	88.7
GEORGE	101	80	21	30.1	26.2	70.0
GREENE	51	29	22	34.0	25.0	64.7
GRENADA	198	56	142	56.9	32.2	81.6
HANCOCK	203	171	32	44.9	41.6	78.0
HARRISON	1,202	649	553	43.9	34.1	66.2
HINDS	2,458	220	2,238	62.2	24.1	73.6
HOLMES	303	14	289	79.1	34.1	84.5
HUMPHREYS	152	4	148	79.2	18.2	87.0
ISSAQUENA	12	2	10	66.7	33.3	83.3
ITAWAMBA	80	65	15	30.3	26.5	78.9
JACKSON	740	382	358	43.4	31.8	71.2
JASPER	118	19	99	52.7	21.1	73.9
JEFFERSON	93	3	90	78.8	50.0	80.4
JEFF DAVIS	103	18	85	62.0	34.0	75.2
JONES	535	226	309	50.1	33.3	79.4
KEMPER	72	8	64	62.1	22.2	80.0
LAFAYETTE	183	47	136	37.1	16.0	68.0
LAMAR	212	119	93	30.0	21.6	60.0
LAUDERDALE	596	141	455	51.0	24.0	78.3
LAWRENCE	66	23	43	39.0	21.7	68.2
LEAKE	211	74	137	55.1	37.0	74.9
LEE	521	220	301	42.8	26.9	75.1
LEFLORE	426	39	387	73.4	31.7	84.7

TABLE 4 - PAGE 2
LIVE BIRTHS TO UNMARRIED MOTHERS - MISSISSIPPI - 2005

COUNTY	NUMBER			PERCENT		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
LINCOLN	175	60	115	37.4	19.6	71.0
LOWNDES	390	84	306	46.7	20.2	73.0
MADISON	459	89	370	37.3	13.2	66.5
MARION	164	76	88	42.5	28.7	72.7
MARSHALL	285	88	197	57.7	36.8	77.2
MONROE	225	88	137	39.8	24.7	65.2
MONTGOMERY	78	13	65	48.4	19.1	69.9
NESHOPA	269	70	199	52.2	27.9	75.4
NEWTON	171	41	130	46.5	21.7	72.6
NOXUBEE	127	4	123	69.4	11.8	82.6
OKTIBBEHA	247	37	210	41.0	12.8	67.3
PANOLA	361	84	277	64.5	34.8	86.8
PEARL RIVER	244	169	75	37.0	30.6	70.1
PERRY	69	34	35	43.4	29.1	83.3
PIKE	341	47	294	56.4	20.2	79.2
PONTOTOC	136	98	38	30.9	25.8	62.3
PRENTISS	98	63	35	33.9	25.8	77.8
QUITMAN	92	11	81	76.0	44.0	84.4
RANKIN	604	366	238	30.7	23.2	60.4
SCOTT	270	127	143	56.7	43.2	78.6
SHARKEY	72	3	69	71.3	13.6	87.3
SIMPSON	185	73	112	47.1	32.0	67.9
SMITH	75	29	46	35.2	19.0	76.7
STONE	63	36	27	34.8	25.4	69.2
SUNFLOWER	359	22	337	75.4	27.2	85.3
TALLAHATCHIE	113	15	98	68.5	28.8	86.7
TATE	174	70	104	45.6	29.0	73.8
TIPPAH	103	75	28	30.6	26.5	52.8
TISHOMINGO	57	55	2	25.6	25.0	66.7
TUNICA	170	14	156	74.6	32.6	84.3
UNION	129	104	25	33.5	30.6	55.6
WALTHALL	86	19	67	44.6	19.8	69.1
WARREN	436	97	339	59.8	32.3	79.0
WASHINGTON	686	57	629	73.7	27.5	86.9
WAYNE	148	32	116	53.4	23.9	81.1
WEBSTER	44	20	24	37.6	25.6	61.5
WILKINSON	99	7	92	72.3	21.9	87.6
WINSTON	139	20	119	50.9	18.7	71.7
YALOBUSHA	112	38	74	53.1	31.4	82.2
YAZOO	297	34	263	68.9	26.6	86.8

TABLE 5A
TOTAL LIVE BIRTHS TO UNMARRIED MOTHERS,
BY COUNTY OF RESIDENCE AND AGE OF MOTHER,
MISSISSIPPI, 2005

COUNTY	TOTAL	AGE OF MOTHER								UN- KNOWN
		UNDER 15	15-19	20-24	25-29	30-24	35-39	40-44	45-49	
<u>STATE</u>	<u>20,908</u>	<u>183</u>	<u>5,450</u>	<u>9,032</u>	<u>4,045</u>	<u>1,512</u>	<u>548</u>	<u>128</u>	<u>7</u>	<u>3</u>
ADAMS	285	2	79	109	67	18	10	0	0	0
ALCORN	177	3	55	77	30	9	3	0	0	0
AMITE	77	1	25	33	9	6	2	1	0	0
ATTALA	146	0	48	55	28	11	4	0	0	0
BENTON	48	0	17	20	8	2	1	0	0	0
BOLIVAR	377	7	107	174	59	19	10	1	0	0
CALHOUN	95	1	27	36	20	11	0	0	0	0
CARROLL	45	0	11	17	10	5	1	1	0	0
CHICKASAW	146	2	42	51	34	14	3	0	0	0
CHOCTAW	49	0	9	27	10	2	0	0	0	1
CLAIBORNE	106	1	24	44	27	6	3	1	0	0
CLARKE	87	0	22	33	18	10	4	0	0	0
CLAY	199	3	52	78	39	19	8	0	0	0
COAHOMA	356	1	97	164	71	14	7	2	0	0
COPIAH	276	2	63	130	52	19	9	1	0	0
COVINGTON	158	0	50	68	24	12	2	2	0	0
DESOTO	674	0	171	280	136	56	25	6	0	0
FORREST	553	6	145	229	116	41	12	4	0	0
FRANKLIN	66	0	8	30	17	7	1	3	0	0
GEORGE	101	1	37	45	10	6	1	1	0	0
GREENE	51	0	16	21	8	5	0	1	0	0
GRENADA	198	1	50	81	33	23	7	3	0	0
HANCOCK	203	1	71	72	36	15	5	3	0	0
HARRISON	1,202	5	281	574	231	74	26	8	3	0
HINDS	2,458	23	625	1,034	481	192	80	22	0	1
HOLMES	303	4	75	135	66	15	7	0	1	0
HUMPHREYS	152	0	42	76	22	6	6	0	0	0
ISSAQUENA	12	0	8	1	2	1	0	0	0	0
ITAWAMBA	80	0	23	37	10	8	2	0	0	0
JACKSON	740	6	195	294	156	62	22	4	1	0
JASPER	118	2	31	50	26	6	2	1	0	0
JEFFERSON	93	0	26	37	21	5	4	0	0	0
JEFF DAVIS	103	2	20	43	21	10	7	0	0	0
JONES	535	3	158	214	104	37	15	4	0	0
KEMPER	72	1	12	31	15	12	1	0	0	0
LAFAYETTE	183	1	49	82	33	15	3	0	0	0
LAMAR	212	0	56	94	32	17	9	4	0	0
LAUDERDALE	596	6	156	250	113	53	15	3	0	0
LAWRENCE	66	1	17	28	15	4	1	0	0	0
LEAKE	211	4	44	89	47	19	4	4	0	0
LEE	521	3	137	245	92	29	13	2	0	0
LEFLORE	426	8	115	178	88	25	10	2	0	0

TABLE 5A - PAGE 2
TOTAL LIVE BIRTHS TO UNMARRIED MOTHERS - MISSISSIPPI - 2005

COUNTY	TOTAL	AGE OF MOTHER								UN- KNOWN
		UNDER 15	15-19	20-24	25-29	30-24	35-39	40-44	45-49	
LINCOLN	175	1	49	73	36	10	5	1	0	0
LOWNDES	390	5	102	175	73	23	10	2	0	0
MADISON	459	3	100	204	83	45	19	4	0	1
MARION	164	0	57	62	28	13	3	1	0	0
MARSHALL	285	3	74	125	42	30	9	2	0	0
MONROE	225	1	51	105	45	11	11	1	0	0
MONTGOMERY	78	1	20	31	20	6	0	0	0	0
NESHOBA	269	0	67	121	54	18	9	0	0	0
NEWTON	171	2	39	71	49	9	1	0	0	0
NOXUBEE	127	2	38	42	24	15	4	2	0	0
OKTIBBEHA	247	3	62	120	42	17	3	0	0	0
PANOLA	361	2	108	163	58	23	6	1	0	0
PEARL RIVER	244	3	58	117	45	17	4	0	0	0
PERRY	69	0	12	34	16	4	2	1	0	0
PIKE	341	10	74	161	69	22	4	1	0	0
PONTOTOC	136	1	38	61	26	3	5	2	0	0
PRENTISS	98	1	25	42	22	7	1	0	0	0
QUITMAN	92	1	28	41	13	7	1	1	0	0
RANKIN	604	1	142	277	113	46	20	4	1	0
SCOTT	270	3	71	108	58	24	5	1	0	0
SHARKEY	72	1	18	32	19	2	0	0	0	0
SIMPSON	185	0	43	84	36	16	2	4	0	0
SMITH	75	1	22	34	12	3	2	1	0	0
STONE	63	0	19	19	15	7	3	0	0	0
SUNFLOWER	359	4	106	168	54	15	9	3	0	0
TALLAHATCHIE	113	1	31	43	27	7	3	1	0	0
TATE	174	1	60	72	31	8	2	0	0	0
TIPPAH	103	0	36	38	17	8	3	1	0	0
TISHOMINGO	57	0	22	23	7	2	2	1	0	0
TUNICA	170	2	49	67	35	12	3	2	0	0
UNION	129	7	42	48	23	5	4	0	0	0
WALTHALL	86	0	20	32	22	9	2	1	0	0
WARREN	436	6	102	190	94	31	10	3	0	0
WASHINGTON	686	5	170	311	137	46	14	2	1	0
WAYNE	148	0	37	76	22	10	3	0	0	0
WEBSTER	44	0	16	21	7	0	0	0	0	0
WILKINSON	99	4	21	35	22	15	2	0	0	0
WINSTON	139	1	27	66	27	15	3	0	0	0
YALOBUSHA	112	1	28	42	25	13	2	1	0	0
YAZOO	297	5	70	132	60	18	12	0	0	0

**TABLE 5B
LIVE BIRTHS TO UNMARRIED WHITE MOTHERS,
BY COUNTY OF RESIDENCE AND AGE OF MOTHER,
MISSISSIPPI, 2005**

COUNTY	TOTAL	AGE OF MOTHER								UN- KNOWN
		UNDER 15	15-19	20-24	25-29	30-24	35-39	40-44	45-49	
<u>STATE</u>	<u>6,293</u>	<u>30</u>	<u>1,776</u>	<u>2,718</u>	<u>1,094</u>	<u>451</u>	<u>181</u>	<u>41</u>	<u>2</u>	<u>0</u>
ADAMS	50	0	12	18	13	3	4	0	0	0
ALCORN	127	2	41	60	17	5	2	0	0	0
AMITE	16	0	4	8	2	0	2	0	0	0
ATTALA	28	0	11	9	5	3	0	0	0	0
BENTON	22	0	8	11	1	1	1	0	0	0
BOLIVAR	33	1	7	16	7	1	1	0	0	0
CALHOUN	37	0	9	17	5	6	0	0	0	0
CARROLL	15	0	6	4	3	1	1	0	0	0
CHICKASAW	47	1	14	19	10	3	0	0	0	0
CHOCTAW	16	0	3	9	3	1	0	0	0	0
CLAIBORNE	2	0	0	1	1	0	0	0	0	0
CLARKE	29	0	7	13	5	4	0	0	0	0
CLAY	26	0	3	15	4	1	3	0	0	0
COAHOMA	29	0	10	13	4	1	1	0	0	0
COPIAH	51	0	13	24	7	5	2	0	0	0
COVINGTON	42	0	17	19	4	2	0	0	0	0
DESOTO	441	0	115	185	85	33	17	6	0	0
FORREST	193	0	54	82	36	14	5	2	0	0
FRANKLIN	11	0	3	4	2	2	0	0	0	0
GEORGE	80	0	33	34	7	4	1	1	0	0
GREENE	29	0	9	15	2	3	0	0	0	0
GRENADA	56	0	17	23	8	8	0	0	0	0
HANCOCK	171	1	59	61	30	13	5	2	0	0
HARRISON	649	3	155	313	125	34	14	4	1	0
HINDS	220	0	51	106	35	18	8	2	0	0
HOLMES	14	0	3	8	2	1	0	0	0	0
HUMPHREYS	4	0	0	1	1	2	0	0	0	0
ISSAQUENA	2	0	1	0	1	0	0	0	0	0
ITAWAMBA	65	0	19	31	5	8	2	0	0	0
JACKSON	382	2	103	158	69	32	15	2	1	0
JASPER	19	0	5	6	5	2	1	0	0	0
JEFFERSON	3	0	1	1	1	0	0	0	0	0
JEFF DAVIS	18	0	4	10	2	1	1	0	0	0
JONES	226	2	69	83	44	16	10	2	0	0
KEMPER	8	1	1	3	3	0	0	0	0	0
LAFAYETTE	47	0	16	14	9	5	3	0	0	0
LAMAR	119	0	32	51	17	11	6	2	0	0
LAUDERDALE	141	1	43	60	20	15	2	0	0	0
LAWRENCE	23	1	4	11	6	0	1	0	0	0
LEAKE	74	0	16	28	21	9	0	0	0	0
LEE	220	2	68	97	31	12	9	1	0	0
LEFLORE	39	0	13	14	7	4	1	0	0	0

TABLE 5B - PAGE 2
LIVE BIRTHS TO UNMARRIED WHITE MOTHERS - MISSISSIPPI - 2005

COUNTY	TOTAL	AGE OF MOTHER								UN- KNOWN
		UNDER 15	15-19	20-24	25-29	30-24	35-39	40-44	45-49	
LINCOLN	60	0	21	26	10	0	2	1	0	0
LOWNDES	84	1	23	36	15	5	2	2	0	0
MADISON	89	0	20	41	13	12	3	0	0	0
MARION	76	0	36	22	12	4	2	0	0	0
MARSHALL	88	0	20	46	10	12	0	0	0	0
MONROE	88	0	21	39	15	6	6	1	0	0
MONTGOMERY	13	0	2	5	6	0	0	0	0	0
NESHOBA	70	0	19	37	8	4	2	0	0	0
NEWTON	41	1	10	13	12	4	1	0	0	0
NOXUBEE	4	0	0	1	0	2	0	1	0	0
OKTIBBEHA	37	0	9	16	6	5	1	0	0	0
PANOLA	84	0	33	34	7	6	4	0	0	0
PEARL RIVER	169	3	43	73	34	13	3	0	0	0
PERRY	34	0	6	13	8	4	2	1	0	0
PIKE	47	0	15	16	12	2	1	1	0	0
PONTOTOC	98	1	29	43	17	3	3	2	0	0
PRENTISS	63	0	21	26	11	5	0	0	0	0
QUITMAN	11	0	5	4	1	1	0	0	0	0
RANKIN	366	1	87	180	59	29	8	2	0	0
SCOTT	127	2	34	49	30	10	2	0	0	0
SHARKEY	3	0	2	1	0	0	0	0	0	0
SIMPSON	73	0	21	36	10	5	1	0	0	0
SMITH	29	0	11	10	7	0	0	1	0	0
STONE	36	0	13	9	9	3	2	0	0	0
SUNFLOWER	22	0	8	9	4	0	1	0	0	0
TALLAHATCHIE	15	0	6	6	2	0	1	0	0	0
TATE	70	0	24	34	10	0	2	0	0	0
TIPPAH	75	0	28	28	9	6	3	1	0	0
TISHOMINGO	55	0	21	23	6	2	2	1	0	0
TUNICA	14	1	2	6	4	1	0	0	0	0
UNION	104	3	31	43	20	4	3	0	0	0
WALTHALL	19	0	2	8	6	3	0	0	0	0
WARREN	97	0	31	38	18	7	1	2	0	0
WASHINGTON	57	0	15	25	12	2	2	1	0	0
WAYNE	32	0	12	15	3	1	1	0	0	0
WEBSTER	20	0	6	9	5	0	0	0	0	0
WILKINSON	7	0	2	4	1	0	0	0	0	0
WINSTON	20	0	7	11	2	0	0	0	0	0
YALOBUSHA	38	0	12	11	8	6	1	0	0	0
YAZOO	34	0	9	17	7	0	1	0	0	0

TABLE 5C
LIVE BIRTHS TO UNMARRIED NONWHITE MOTHERS,
BY COUNTY OF RESIDENCE AND AGE OF MOTHER,
MISSISSIPPI, 2005

COUNTY	TOTAL	AGE OF MOTHER								UN- KNOWN
		UNDER 15	15-19	20-24	25-29	30-24	35-39	40-44	45-49	
<u>STATE</u>	<u>14,615</u>	<u>153</u>	<u>3,674</u>	<u>6,314</u>	<u>2,951</u>	<u>1,061</u>	<u>367</u>	<u>87</u>	<u>5</u>	<u>3</u>
ADAMS	235	2	67	91	54	15	6	0	0	0
ALCORN	50	1	14	17	13	4	1	0	0	0
AMITE	61	1	21	25	7	6	0	1	0	0
ATTALA	118	0	37	46	23	8	4	0	0	0
BENTON	26	0	9	9	7	1	0	0	0	0
BOLIVAR	344	6	100	158	52	18	9	1	0	0
CALHOUN	58	1	18	19	15	5	0	0	0	0
CARROLL	30	0	5	13	7	4	0	1	0	0
CHICKASAW	99	1	28	32	24	11	3	0	0	0
CHOCTAW	33	0	6	18	7	1	0	0	0	1
CLAIBORNE	104	1	24	43	26	6	3	1	0	0
CLARKE	58	0	15	20	13	6	4	0	0	0
CLAY	173	3	49	63	35	18	5	0	0	0
COAHOMA	327	1	87	151	67	13	6	2	0	0
COPIAH	225	2	50	106	45	14	7	1	0	0
COVINGTON	116	0	33	49	20	10	2	2	0	0
DESOTO	233	0	56	95	51	23	8	0	0	0
FORREST	360	6	91	147	80	27	7	2	0	0
FRANKLIN	55	0	5	26	15	5	1	3	0	0
GEORGE	21	1	4	11	3	2	0	0	0	0
GREENE	22	0	7	6	6	2	0	1	0	0
GRENADA	142	1	33	58	25	15	7	3	0	0
HANCOCK	32	0	12	11	6	2	0	1	0	0
HARRISON	553	2	126	261	106	40	12	4	2	0
HINDS	2,238	23	574	928	446	174	72	20	0	1
HOLMES	289	4	72	127	64	14	7	0	1	0
HUMPHREYS	148	0	42	75	21	4	6	0	0	0
ISSAQUENA	10	0	7	1	1	1	0	0	0	0
ITAWAMBA	15	0	4	6	5	0	0	0	0	0
JACKSON	358	4	92	136	87	30	7	2	0	0
JASPER	99	2	26	44	21	4	1	1	0	0
JEFFERSON	90	0	25	36	20	5	4	0	0	0
JEFF DAVIS	85	2	16	33	19	9	6	0	0	0
JONES	309	1	89	131	60	21	5	2	0	0
KEMPER	64	0	11	28	12	12	1	0	0	0
LAFAYETTE	136	1	33	68	24	10	0	0	0	0
LAMAR	93	0	24	43	15	6	3	2	0	0
LAUDERDALE	455	5	113	190	93	38	13	3	0	0
LAWRENCE	43	0	13	17	9	4	0	0	0	0
LEAKE	137	4	28	61	26	10	4	4	0	0
LEE	301	1	69	148	61	17	4	1	0	0
LEFLORE	387	8	102	164	81	21	9	2	0	0

TABLE 5C - PAGE 2
LIVE BIRTHS TO UNMARRIED NONWHITE MOTHERS - MISSISSIPPI - 2005

COUNTY	TOTAL	AGE OF MOTHER								UN- KNOWN
		UNDER 15	15-19	20-24	25-29	30-24	35-39	40-44	45-49	
LINCOLN	115	1	28	47	26	10	3	0	0	0
LOWNDES	306	4	79	139	58	18	8	0	0	0
MADISON	370	3	80	163	70	33	16	4	0	1
MARION	88	0	21	40	16	9	1	1	0	0
MARSHALL	197	3	54	79	32	18	9	2	0	0
MONROE	137	1	30	66	30	5	5	0	0	0
MONTGOMERY	65	1	18	26	14	6	0	0	0	0
NESHOBA	199	0	48	84	46	14	7	0	0	0
NEWTON	130	1	29	58	37	5	0	0	0	0
NOXUBEE	123	2	38	41	24	13	4	1	0	0
OKTIBBEHA	210	3	53	104	36	12	2	0	0	0
PANOLA	277	2	75	129	51	17	2	1	0	0
PEARL RIVER	75	0	15	44	11	4	1	0	0	0
PERRY	35	0	6	21	8	0	0	0	0	0
PIKE	294	10	59	145	57	20	3	0	0	0
PONTOTOC	38	0	9	18	9	0	2	0	0	0
PRENTISS	35	1	4	16	11	2	1	0	0	0
QUITMAN	81	1	23	37	12	6	1	1	0	0
RANKIN	238	0	55	97	54	17	12	2	1	0
SCOTT	143	1	37	59	28	14	3	1	0	0
SHARKEY	69	1	16	31	19	2	0	0	0	0
SIMPSON	112	0	22	48	26	11	1	4	0	0
SMITH	46	1	11	24	5	3	2	0	0	0
STONE	27	0	6	10	6	4	1	0	0	0
SUNFLOWER	337	4	98	159	50	15	8	3	0	0
TALLAHATCHIE	98	1	25	37	25	7	2	1	0	0
TATE	104	1	36	38	21	8	0	0	0	0
TIPPAH	28	0	8	10	8	2	0	0	0	0
TISHOMINGO	2	0	1	0	1	0	0	0	0	0
TUNICA	156	1	47	61	31	11	3	2	0	0
UNION	25	4	11	5	3	1	1	0	0	0
WALTHALL	67	0	18	24	16	6	2	1	0	0
WARREN	339	6	71	152	76	24	9	1	0	0
WASHINGTON	629	5	155	286	125	44	12	1	1	0
WAYNE	116	0	25	61	19	9	2	0	0	0
WEBSTER	24	0	10	12	2	0	0	0	0	0
WILKINSON	92	4	19	31	21	15	2	0	0	0
WINSTON	119	1	20	55	25	15	3	0	0	0
YALOBUSHA	74	1	16	31	17	7	1	1	0	0
YAZOO	263	5	61	115	53	18	11	0	0	0

TABLE 6A
LIVE BIRTHS WEIGHING LESS THAN 2,500 GRAMS AT BIRTH
AND PERCENT OF TOTAL LIVE BIRTHS,
BY COUNTY OF RESIDENCE AND RACE OF MOTHER,
MISSISSIPPI, 2005

COUNTY	NUMBER			PERCENT		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>STATE</u>	<u>5,031</u>	<u>1,971</u>	<u>3,060</u>	<u>11.9</u>	<u>8.6</u>	<u>15.8</u>
ADAMS	60	14	46	13.8	9.4	16.1
ALCORN	46	33	13	10.0	8.4	19.4
AMITE	18	7	11	11.8	9.4	13.9
ATTALA	42	16	26	14.4	11.6	16.9
BENTON	12	7	5	9.8	8.5	12.5
BOLIVAR	79	17	62	13.9	10.6	15.2
CALHOUN	30	15	15	14.0	10.3	21.4
CARROLL	8	1	7	7.3	1.4	18.4
CHICKASAW	29	9	20	10.7	6.4	15.4
CHOCTAW	13	7	6	12.6	12.7	12.5
CLAIBORNE	27	0	27	19.7	-	20.6
CLARKE	22	10	12	10.0	7.6	13.3
CLAY	35	5	30	10.8	4.4	14.4
COAHOMA	72	7	65	14.9	8.3	16.3
COPIAH	83	20	63	17.5	10.7	21.9
COVINGTON	38	13	25	11.8	7.3	17.5
DESOTO	159	102	57	7.9	6.3	13.7
FORREST	137	54	83	12.6	8.8	17.4
FRANKLIN	17	9	8	14.8	17.0	12.9
GEORGE	35	32	3	10.4	10.5	10.0
GREENE	8	6	2	5.3	5.2	5.9
GRENADA	42	12	30	12.1	6.9	17.2
HANCOCK	36	30	6	8.0	7.3	14.6
HARRISON	277	165	112	10.1	8.7	13.4
HINDS	608	65	543	15.4	7.1	17.9
HOLMES	45	8	37	11.7	19.5	10.8
HUMPHREYS	39	1	38	20.3	4.5	22.4
ISSAQUENA	2	1	1	11.1	16.7	8.3
ITAWAMBA	27	26	1	10.2	10.6	5.3
JACKSON	191	118	73	11.2	9.8	14.5
JASPER	26	9	17	11.6	10.0	12.7
JEFFERSON	18	0	18	15.2	-	16.1
JEFF DAVIS	19	2	17	11.4	3.8	15.0
JONES	140	74	66	13.1	10.9	17.0
KEMPER	15	4	11	12.9	11.1	13.8
LAFAYETTE	55	18	37	11.2	6.1	18.5
LAMAR	63	44	19	8.9	8.0	12.2
LAUDERDALE	135	40	95	11.6	6.8	16.4
LAWRENCE	21	11	10	12.4	10.4	15.9
LEAKE	48	23	25	12.5	11.5	13.7
LEE	132	64	68	10.8	7.8	17.0
LEFLORE	87	9	78	15.0	7.3	17.1

TABLE 6A - PAGE 2
LIVE BIRTHS LESS THAN 2,500 GRAMS - MISSISSIPPI - 2005

COUNTY	NUMBER			PERCENT		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
LINCOLN	38	17	21	8.1	5.6	13.0
LOWNDES	103	31	72	12.3	7.4	17.2
MADISON	132	50	82	10.7	7.4	14.7
MARION	39	27	12	10.1	10.2	9.9
MARSHALL	62	25	37	12.6	10.5	14.5
MONROE	69	33	36	12.2	9.3	17.1
MONTGOMERY	14	4	10	8.7	5.9	10.8
NESHOBA	44	14	30	8.5	5.6	11.4
NEWTON	36	11	25	9.8	5.8	14.0
NOXUBEE	24	4	20	13.1	11.8	13.4
OKTIBBEHA	96	33	63	15.9	11.4	20.2
PANOLA	51	17	34	9.1	7.0	10.6
PEARL RIVER	63	47	16	9.5	8.5	15.0
PERRY	10	6	4	6.3	5.1	9.5
PIKE	89	24	65	14.7	10.3	17.5
PONTOTOC	49	38	11	11.1	10.0	18.0
PRENTISS	27	19	8	9.3	7.8	17.8
QUITMAN	20	2	18	16.5	8.0	18.8
RANKIN	206	143	63	10.5	9.1	16.0
SCOTT	53	29	24	11.1	9.9	13.2
SHARKEY	19	2	17	18.8	9.1	21.5
SIMPSON	51	23	28	13.0	10.1	17.0
SMITH	13	5	8	6.1	3.3	13.3
STONE	27	22	5	14.9	15.5	12.8
SUNFLOWER	73	7	66	15.3	8.6	16.7
TALLAHATCHIE	17	4	13	10.3	7.7	11.5
TATE	27	14	13	7.1	5.8	9.2
TIPPAH	44	35	9	13.1	12.4	17.0
TISHOMINGO	24	24	0	10.8	10.9	-
TUNICA	44	7	37	19.3	16.3	20.0
UNION	47	38	9	12.2	11.2	20.0
WALTHALL	18	6	12	9.3	6.2	12.4
WARREN	79	26	53	10.8	8.7	12.4
WASHINGTON	138	25	113	14.8	12.1	15.6
WAYNE	34	12	22	12.3	9.0	15.4
WEBSTER	11	5	6	9.4	6.4	15.4
WILKINSON	22	0	22	16.0	-	21.0
WINSTON	40	12	28	14.6	11.2	16.9
YALOBUSHA	24	13	11	11.4	10.7	12.2
YAZOO	58	9	49	13.4	7.0	16.2

TABLE 6B
LIVE BIRTHS WEIGHING LESS THAN 1,500 GRAMS AT BIRTH
AND PERCENT OF TOTAL LIVE BIRTHS,
BY COUNTY OF RESIDENCE AND RACE OF MOTHER,
MISSISSIPPI, 2005

COUNTY	NUMBER			PERCENT		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>STATE</u>	<u>988</u>	<u>291</u>	<u>697</u>	<u>2.3</u>	<u>1.3</u>	<u>3.6</u>
ADAMS	19	2	17	4.4	1.3	5.9
ALCORN	9	8	1	2.0	2.0	1.5
AMITE	3	0	3	2.0	-	3.8
ATTALA	10	1	9	3.4	0.7	5.8
BENTON	1	0	1	0.8	-	2.5
BOLIVAR	19	1	18	3.4	0.6	4.4
CALHOUN	5	1	4	2.3	0.7	5.7
CARROLL	3	0	3	2.8	-	7.9
CHICKASAW	5	2	3	1.8	1.4	2.3
CHOCTAW	1	0	1	1.0	-	2.1
CLAIBORNE	9	0	9	6.6	-	6.9
CLARKE	1	0	1	0.4	-	1.1
CLAY	12	2	10	3.7	1.8	4.8
COAHOMA	14	2	12	2.9	2.4	3.0
COPIAH	6	1	5	1.3	0.5	1.7
COVINGTON	10	4	6	3.1	2.2	4.2
DESOTO	25	17	8	1.2	1.0	1.9
FORREST	25	6	19	2.3	1.0	4.0
FRANKLIN	2	0	2	1.7	-	3.2
GEORGE	4	4	0	1.2	1.3	-
GREENE	3	2	1	2.0	1.7	2.9
GRENADA	12	1	11	3.4	0.6	6.3
HANCOCK	8	5	3	1.8	1.2	7.3
HARRISON	52	28	24	1.9	1.5	2.9
HINDS	138	6	132	3.5	0.6	4.3
HOLMES	7	2	5	1.8	4.9	1.5
HUMPHREYS	7	0	7	3.6	-	4.1
ISSAQUENA	0	0	0	-	-	-
ITAWAMBA	5	5	0	1.9	2.0	-
JACKSON	27	14	13	1.6	1.2	2.6
JASPER	7	0	7	3.1	-	5.2
JEFFERSON	5	0	5	4.2	-	4.5
JEFF DAVIS	1	1	0	0.6	1.9	-
JONES	17	5	12	1.6	0.7	3.1
KEMPER	4	0	4	3.4	-	5.0
LAFAYETTE	14	4	10	2.8	1.4	5.0
LAMAR	18	9	9	2.5	1.6	5.8
LAUDERDALE	18	3	15	1.5	0.5	2.6
LAWRENCE	6	2	4	3.6	1.9	6.3
LEAKE	11	4	7	2.9	2.0	3.8
LEE	22	11	11	1.8	1.3	2.7
LEFLORE	19	1	18	3.3	0.8	3.9

TABLE 6B - PAGE 2
LIVE BIRTHS LESS THAN 1,500 GRAMS - MISSISSIPPI - 2005

COUNTY	NUMBER			PERCENT		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
LINCOLN	7	2	5	1.5	0.6	3.1
LOWNDES	22	7	15	2.6	1.7	3.6
MADISON	29	6	23	2.4	0.9	4.1
MARION	4	4	0	1.0	1.5	-
MARSHALL	13	4	9	2.6	1.7	3.5
MONROE	18	6	12	3.2	1.7	5.7
MONTGOMERY	5	0	5	3.1	-	5.4
NESHOBA	15	2	13	2.9	0.8	4.9
NEWTON	9	4	5	2.4	2.1	2.8
NOXUBEE	6	1	5	3.3	2.9	3.4
OKTIBBEHA	24	5	19	4.0	1.7	6.1
PANOLA	12	7	5	2.1	2.9	1.6
PEARL RIVER	3	3	0	0.4	0.5	-
PERRY	2	1	1	1.2	0.8	2.4
PIKE	14	4	10	2.3	1.7	2.7
PONTOTOC	14	11	3	3.2	2.9	4.9
PRENTISS	5	4	1	1.7	1.6	2.2
QUITMAN	7	0	7	5.8	-	7.3
RANKIN	36	20	16	1.8	1.3	4.1
SCOTT	9	3	6	1.9	1.0	3.3
SHARKEY	2	1	1	2.0	4.5	1.3
SIMPSON	7	1	6	1.8	0.4	3.6
SMITH	0	0	0	-	-	-
STONE	6	4	2	3.3	2.8	5.1
SUNFLOWER	14	1	13	2.9	1.2	3.3
TALLAHATCHIE	7	2	5	4.2	3.8	4.4
TATE	5	3	2	1.3	1.2	1.4
TIPPAH	9	9	0	2.7	3.2	-
TISHOMINGO	5	5	0	2.2	2.3	-
TUNICA	10	1	9	4.4	2.3	4.9
UNION	5	2	3	1.3	0.6	6.7
WALTHALL	4	0	4	2.1	-	4.1
WARREN	23	3	20	3.2	1.0	4.7
WASHINGTON	20	4	16	2.1	1.9	2.2
WAYNE	4	2	2	1.4	1.5	1.4
WEBSTER	3	1	2	2.6	1.3	5.1
WILKINSON	7	0	7	5.1	-	6.7
WINSTON	5	0	5	1.8	-	3.0
YALOBUSHA	5	3	2	2.4	2.5	2.2
YAZOO	9	1	8	2.1	0.8	2.6

TABLE 7
PREMATURE* LIVE BIRTHS AND PERCENT OF TOTAL LIVE BIRTHS,
BY COUNTY OF RESIDENCE AND RACE OF MOTHER,
MISSISSIPPI, 2005

COUNTY	NUMBER			PERCENT		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
STATE	7,755	3,485	4,270	18.3	15.1	22.1
ADAMS	85	17	68	19.5	11.4	23.8
ALCORN	85	65	20	18.5	16.6	29.8
AMITE	25	11	14	16.3	14.9	17.7
ATTALA	51	15	36	17.5	10.9	23.4
BENTON	20	9	11	16.4	11.0	27.5
BOLIVAR	115	22	93	20.3	13.8	22.8
CALHOUN	32	19	13	14.9	13.1	18.6
CARROLL	17	9	8	15.6	12.7	21.0
CHICKASAW	53	21	32	19.6	15.0	24.6
CHOCTAW	18	8	10	17.5	14.5	20.8
CLAIBORNE	27	1	26	19.7	16.7	19.8
CLARKE	28	15	13	12.7	11.4	14.4
CLAY	63	18	45	19.5	15.8	21.5
COAHOMA	118	16	102	24.5	19.0	25.6
COPIAH	125	32	93	26.3	17.1	32.3
COVINGTON	56	27	29	17.4	15.2	20.3
DESOTO	241	170	71	11.9	10.6	17.1
FORREST	214	112	102	19.6	18.2	21.4
FRANKLIN	28	14	14	24.3	26.4	22.6
GEORGE	64	56	8	19.1	18.4	26.7
GREENE	20	18	2	13.3	15.5	5.9
GRENADA	56	17	39	16.1	9.8	22.4
HANCOCK	84	72	12	18.6	17.5	29.3
HARRISON	447	280	167	16.3	14.7	20.0
HINDS	1029	176	853	26.0	19.3	28.0
HOLMES	78	7	71	20.4	17.1	20.8
HUMPHREYS	43	3	40	22.4	13.6	23.5
ISSAQUENA	5	2	3	27.8	33.3	25.0
ITAWAMBA	40	38	2	15.2	15.5	10.5
JACKSON	253	169	84	14.8	14.0	16.7
JASPER	30	13	17	13.4	14.4	12.7
JEFFERSON	28	1	27	23.7	16.7	24.1
JEFF DAVIS	22	5	17	13.2	9.4	15.0
JONES	127	76	51	11.9	11.2	13.1
KEMPER	18	5	13	15.5	13.9	16.2
LAFAYETTE	84	34	50	17.0	11.6	25.0
LAMAR	131	97	34	18.5	17.6	21.9
LAUDERDALE	215	93	122	18.4	15.8	21.0
LAWRENCE	29	18	11	17.2	17.0	17.5
LEAKE	72	39	33	18.8	19.5	18.0
LEE	192	116	76	15.8	14.2	19.0
LEFLORE	99	13	86	17.1	10.6	18.8

TABLE 7 - PAGE 2
 PREMATURE LIVE BIRTHS - MISSISSIPPI - 2005

COUNTY	NUMBER			PERCENT		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
LINCOLN	65	40	25	13.9	13.1	15.4
LOWNDES	175	67	108	21.0	16.1	25.8
MADISON	290	152	138	23.6	22.6	24.8
MARION	47	36	11	12.2	13.6	9.1
MARSHALL	68	30	38	13.8	12.6	14.9
MONROE	99	54	45	17.5	15.2	21.4
MONTGOMERY	20	7	13	12.4	10.3	14.0
NESHOBA	74	34	40	14.4	13.5	15.2
NEWTON	57	19	38	15.5	10.0	21.2
NOXUBEE	46	6	40	25.1	17.6	26.8
OKTIBBEHA	75	29	46	12.4	10.0	14.7
PANOLA	76	32	44	13.6	13.3	13.8
PEARL RIVER	96	74	22	14.5	13.4	20.6
PERRY	20	14	6	12.6	12.0	14.3
PIKE	121	38	83	20.0	16.3	22.4
PONTOTOC	63	52	11	14.3	13.7	18.0
PRENTISS	34	29	5	11.8	11.9	11.1
QUITMAN	31	6	25	25.6	24.0	26.0
RANKIN	462	332	130	23.5	21.1	33.0
SCOTT	97	56	41	20.4	19.0	22.5
SHARKEY	24	4	20	23.8	18.2	25.3
SIMPSON	86	40	46	21.9	17.5	27.9
SMITH	31	23	8	14.6	15.0	13.3
STONE	32	23	9	17.7	16.2	23.1
SUNFLOWER	115	12	103	24.2	14.8	26.1
TALLAHATCHIE	40	9	31	24.2	17.3	27.4
TATE	44	26	18	11.5	10.8	12.8
TIPPAH	45	34	11	13.4	12.0	20.8
TISHOMINGO	32	32	0	14.4	14.5	-
TUNICA	46	5	41	20.2	11.6	22.2
UNION	58	52	6	15.1	15.3	13.3
WALTHALL	25	8	17	13.0	8.3	17.5
WARREN	153	53	100	21.0	17.7	23.3
WASHINGTON	188	29	159	20.2	14.0	22.0
WAYNE	49	17	32	17.7	12.7	22.4
WEBSTER	8	6	2	6.8	7.7	5.1
WILKINSON	32	2	30	23.4	6.2	28.6
WINSTON	49	17	32	17.9	15.9	19.3
YALOBUSHA	29	12	17	13.7	9.9	18.9
YAZOO	86	25	61	20.0	19.5	20.1

* GESTATION LESS THAN 37 WEEKS.

TABLE 8
REPORTABLE * FETAL DEATHS, BY COUNTY OF OCCURRENCE AND RACE OF MOTHER,
ALSO REPORTABLE* FETAL DEATHS AND FETAL DEATH RATIOS,
BY COUNTY OF RESIDENCE AND RACE OF MOTHER,
MISSISSIPPI, 2005

COUNTY	OCCURRENCE DATA			RESIDENCE DATA					
	NUMBER			NUMBER			RATIO**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>STATE</u>	<u>433</u>	<u>126</u>	<u>307</u>	<u>426</u>	<u>131</u>	<u>295</u>	<u>10.1</u>	<u>5.7</u>	<u>15.3</u>
ADAMS	7	0	7	5	0	5	11.5	-	17.5
ALCORN	5	4	1	7	6	1	15.2	15.3	14.9
AMITE	0	0	0	2	1	1	13.1	13.5	12.6
ATTALA	0	0	0	5	1	4	17.1	7.2	26.0
BENTON	0	0	0	1	1	0	8.2	12.2	-
BOLIVAR	9	1	8	7	0	7	12.3	-	17.2
CALHOUN	0	0	0	1	1	0	4.6	6.9	-
CARROLL	0	0	0	2	0	2	18.3	-	52.6
CHICKASAW	0	0	0	1	0	1	3.7	-	7.7
CHOCTAW	0	0	0	1	0	1	9.7	-	20.8
CLAIBORNE	0	0	0	1	0	1	7.3	-	7.6
CLARKE	0	0	0	0	0	0	-	-	-
CLAY	7	1	6	2	1	1	6.2	8.8	4.8
COAHOMA	4	0	4	3	0	3	6.2	-	7.5
COPIAH	1	0	1	5	1	4	10.5	5.3	13.9
COVINGTON	1	0	1	4	0	4	12.5	-	28.0
DESOTO	13	7	6	13	9	4	6.4	5.6	9.6
FORREST	13	3	10	4	1	3	3.7	1.6	6.3
FRANKLIN	0	0	0	2	2	0	17.4	37.7	-
GEORGE	0	0	0	1	1	0	3.0	3.3	-
GREENE	0	0	0	0	0	0	-	-	-
GRENADA	7	1	6	2	1	1	5.7	5.7	5.7
HANCOCK	1	0	1	3	2	1	6.6	4.9	24.4
HARRISON	20	11	9	15	6	9	5.5	3.2	10.8
HINDS	148	29	119	61	11	50	15.4	12.0	16.4
HOLMES	1	0	1	11	0	11	28.7	-	32.2
HUMPHREYS	1	0	1	9	1	8	46.9	45.4	47.0
ISSAQUENA	0	0	0	0	0	0	-	-	-
ITAWAMBA	0	0	0	1	1	0	3.8	4.1	-
JACKSON	13	6	7	14	8	6	8.2	6.6	11.9
JASPER	0	0	0	7	2	5	31.2	22.2	37.3
JEFFERSON	0	0	0	1	1	0	8.5	167.0	-
JEFF DAVIS	0	0	0	1	1	0	6.0	18.9	-
JONES	19	5	14	10	3	7	9.4	4.4	18.0
KEMPER	0	0	0	2	0	2	17.2	-	25.0
LAFAYETTE	2	1	1	2	0	2	4.0	-	10.0
LAMAR	5	4	1	3	2	1	4.2	3.6	6.4
LAUDERDALE	26	10	16	10	5	5	8.6	8.5	8.6
LAWRENCE	0	0	0	0	0	0	-	-	-
LEAKE	1	0	1	5	2	3	13.0	10.0	16.4
LEE	7	5	2	7	5	2	5.7	6.1	5.0
LEFLORE	5	0	5	9	0	9	15.5	-	19.7

TABLE 8 - PAGE 2
 FETAL DEATHS - MISSISSIPPI - 2005

COUNTY	OCCURRENCE DATA			RESIDENCE DATA					
	NUMBER			NUMBER			RATIO**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
LINCOLN	5	4	1	4	3	1	8.5	9.8	6.2
LOWNDES	8	0	8	7	1	6	8.4	2.4	14.3
MADISON	5	0	5	17	4	13	13.8	5.9	23.4
MARION	0	0	0	2	0	2	5.2	-	16.5
MARSHALL	0	0	0	4	2	2	8.1	8.4	7.8
MONROE	5	3	2	4	2	2	7.1	5.6	9.5
MONTGOMERY	0	0	0	3	0	3	18.6	-	32.2
NESHOBA	0	0	0	8	4	4	15.5	15.9	15.2
NEWTON	0	0	0	2	1	1	5.4	5.3	5.6
NOXUBEE	0	0	0	2	0	2	10.9	-	13.4
OKTIBBEHA	11	3	8	7	0	7	11.6	-	22.4
PANOLA	1	0	1	3	1	2	5.4	4.1	6.3
PEARL RIVER	5	3	2	7	5	2	10.6	9.0	18.7
PERRY	0	0	0	0	0	0	-	-	-
PIKE	8	3	5	7	0	7	11.6	-	18.9
PONTOTOC	0	0	0	0	0	0	-	-	-
PRENTISS	0	0	0	1	1	0	3.5	4.1	-
QUITMAN	0	0	0	1	1	0	8.3	40.0	-
RANKIN	23	16	7	12	11	1	6.1	7.0	2.5
SCOTT	1	0	1	9	4	5	18.9	13.6	27.5
SHARKEY	0	0	0	1	0	1	9.9	-	12.6
SIMPSON	0	0	0	5	3	2	12.7	13.2	12.1
SMITH	0	0	0	4	1	3	18.8	6.5	50.0
STONE	0	0	0	3	3	0	16.6	21.1	-
SUNFLOWER	7	0	7	10	1	9	21.0	12.3	22.8
TALLAHATCHIE	2	0	2	5	1	4	30.3	19.2	35.4
TATE	2	0	2	3	0	3	7.8	-	21.3
TIPPAH	0	0	0	2	1	1	6.0	3.5	18.9
TISHOMINGO	0	0	0	0	0	0	-	-	-
TUNICA	0	0	0	0	0	0	-	-	-
UNION	4	2	2	0	0	0	-	-	-
WALTHALL	0	0	0	2	0	2	10.4	-	20.6
WARREN	10	2	8	9	1	8	12.3	3.3	18.6
WASHINGTON	16	1	15	20	1	19	21.5	4.8	26.2
WAYNE	3	1	2	3	1	2	10.8	7.5	14.0
WEBSTER	0	0	0	1	1	0	8.5	12.8	-
WILKINSON	0	0	0	0	0	0	-	-	-
WINSTON	1	0	1	6	1	5	22.0	9.3	30.1
YALOBUSHA	0	0	0	1	0	1	4.7	-	11.1
YAZOO	0	0	0	11	0	11	25.5	-	36.3
OUT OF STATE	14	6	8	20	7	13	-	-	-

* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

** REPORTABLE FETAL DEATHS PER 1,000 LIVE BIRTHS.

TABLE 9
DEATHS, BY PLACE OF OCCURRENCE AND RACE,
ALSO DEATHS AND RATES, BY PLACE OF RESIDENCE AND RACE,
(PLACE INCLUDES COUNTIES, OUT OF STATE, TOWNS OF 10,000 OR MORE),
MISSISSIPPI, 2005

COUNTY	OCCURRENCE DATA			RESIDENCE DATA					
	NUMBER			NUMBER			RATE*		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>STATE</u>	<u>28,543</u>	<u>19,119</u>	<u>9,424</u>	<u>29,047</u>	<u>19,524</u>	<u>9,523</u>	<u>9.9</u>	<u>10.9</u>	<u>8.4</u>
ADAMS	437	221	216	382	193	189	11.9	13.8	10.4
ALCORN	435	396	39	458	407	51	13.0	13.1	11.7
AMITE	67	41	26	124	71	53	9.2	9.2	9.3
ATTALA	242	181	61	270	198	72	13.8	17.3	8.9
BENTON	39	30	9	79	58	21	10.1	11.4	7.5
BOLIVAR	353	127	226	406	146	260	10.5	11.3	10.1
CALHOUN	126	101	25	187	147	40	12.8	14.2	9.2
CARROLL	39	29	10	114	72	42	11.0	10.6	11.7
CHICKASAW	110	80	30	183	118	65	9.5	10.7	8.0
CHOCTAW	71	50	21	104	76	28	10.9	11.7	9.2
CLAIBORNE	71	20	51	118	30	88	10.3	17.2	9.0
CLARKE	124	86	38	198	131	67	11.2	11.2	11.1
CLAY	169	97	72	224	120	104	10.6	13.4	8.5
COAHOMA	313	103	210	320	116	204	11.0	15.6	9.4
COPIAH	197	122	75	287	167	120	9.8	11.8	8.0
COVINGTON	171	140	31	245	191	54	12.1	14.9	7.2
DESOTO	884	705	179	917	797	120	6.7	7.2	4.6
FORREST	1,205	870	335	742	535	207	9.9	11.2	7.5
FRANKLIN	61	46	15	85	59	26	10.1	11.1	8.4
GEORGE	167	149	18	193	175	18	9.1	9.2	8.2
GREENE	74	66	8	123	102	21	9.3	10.6	5.9
GRENADA	245	150	95	258	151	107	11.3	11.6	10.9
HANCOCK	310	282	28	478	445	33	10.2	10.5	7.5
HARRISON	2,034	1,613	421	1,945	1,524	421	10.0	10.9	7.8
HINDS	3,606	1,798	1,808	2,105	903	1,202	8.4	10.9	7.2
HOLMES	174	62	112	241	79	162	11.4	20.0	9.4
HUMPHREYS	71	23	48	107	28	79	10.2	10.3	10.1
ISSAQUENA	9	4	5	16	6	10	8.4	8.4	8.4
ITAWAMBA	180	176	4	288	283	5	12.3	13.0	3.0
JACKSON	1,172	959	213	1,228	1,006	222	9.0	9.9	6.5
JASPER	98	57	41	188	106	82	10.4	12.4	8.5
JEFFERSON	46	8	38	70	10	60	7.4	7.7	7.4
JEFF DAVIS	75	45	30	147	76	71	11.2	13.9	9.2
JONES	670	513	157	706	550	156	10.7	11.6	8.2
KEMPER	43	28	15	85	46	39	8.3	11.6	6.2
LAFAYETTE	534	372	162	367	262	105	9.0	8.8	9.6
LAMAR	387	328	59	338	292	46	7.6	7.8	6.5
LAUDERDALE	1,339	848	491	934	623	311	12.1	13.9	9.6
LAWRENCE	86	58	28	133	95	38	9.8	10.4	8.7
LEAKE	211	141	70	280	182	98	12.5	14.5	9.9
LEE	1,382	1,086	296	728	579	149	9.2	10.1	6.9
LEFLORE	486	203	283	384	183	201	10.5	17.6	7.7

TABLE 9 - PAGE 2
DEATHS - MISSISSIPPI - 2005

COUNTY	OCCURRENCE DATA			RESIDENCE DATA					
	NUMBER			NUMBER			RATE*		
	TOTAL	WHITE	NON WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
LINCOLN	322	217	105	381	261	120	11.2	11.1	11.4
LOWNDES	627	402	225	573	377	196	9.6	11.4	7.3
MADISON	789	537	252	1,022	680	342	12.1	13.5	10.1
MARION	266	193	73	337	242	95	13.4	14.4	11.3
MARSHALL	235	152	83	374	225	149	10.5	12.7	8.3
MONROE	325	249	76	410	302	108	10.9	11.7	9.0
MONTGOMERY	128	84	44	149	104	45	12.6	16.4	8.2
NESHOBA	234	161	73	355	236	119	11.9	12.4	10.9
NEWTON	176	111	65	238	151	87	10.6	10.4	11.2
NOXUBEE	58	18	40	95	28	67	7.8	7.9	7.7
OKTIBBEHA	213	121	92	257	141	116	6.2	5.7	7.1
PANOLA	293	190	103	391	241	150	11.1	13.2	8.7
PEARL RIVER	385	342	43	518	460	58	9.8	10.2	7.8
PERRY	73	60	13	115	96	19	9.4	10.4	6.5
PIKE	515	314	201	473	276	197	12.0	14.1	9.9
PONTOTOC	173	160	13	256	234	22	9.1	9.8	5.1
PRENTISS	200	184	16	270	243	27	10.6	11.2	7.1
QUITMAN	78	39	39	107	43	64	11.2	14.8	9.7
RANKIN	688	548	140	850	698	152	6.4	6.6	5.7
SCOTT	186	120	66	245	151	94	8.5	8.8	8.2
SHARKEY	43	15	28	62	21	41	10.4	11.8	9.8
SIMPSON	287	212	75	303	212	91	10.8	11.7	9.2
SMITH	140	109	31	233	182	51	14.5	14.8	13.5
STONE	113	97	16	174	141	33	11.7	12.0	10.6
SUNFLOWER	275	89	186	350	116	234	10.8	13.3	9.9
TALLAHATCHIE	83	42	41	137	57	80	9.6	10.3	9.2
TATE	161	120	41	258	190	68	9.7	10.4	8.2
TIPPAH	194	169	25	250	217	33	11.8	12.5	8.6
TISHOMINGO	168	166	2	223	219	4	11.6	11.9	5.0
TUNICA	62	30	32	104	38	66	10.1	14.3	8.6
UNION	245	214	31	270	233	37	10.1	10.4	8.5
WALTHALL	127	81	46	180	116	64	11.6	13.6	9.2
WARREN	595	326	269	514	300	214	10.5	11.6	9.2
WASHINGTON	676	261	415	635	249	386	10.7	13.3	9.5
WAYNE	173	124	49	204	143	61	9.6	10.9	7.4
WEBSTER	132	114	18	159	141	18	15.8	17.5	8.8
WILKINSON	126	54	72	126	47	79	12.3	15.4	11.0
WINSTON	174	103	71	224	122	102	11.3	11.2	11.3
YALOBUSHA	80	64	16	156	109	47	11.6	13.5	8.8
YAZOO	212	113	99	284	144	140	10.1	11.5	8.9
OUT OF STATE	1,517	1,096	421	1,013	691	322	-	-	-

* DEATHS PER 1,000 POPULATION.

TABLE 9 - PAGE 3
DEATHS - MISSISSIPPI - 2005

TOWN**	NUMBER		
	TOTAL	WHITE	NON-WHITE
BILOXI	601	478	123
BRANDON	224	192	32
BROOKHAVEN	209	123	86
CANTON	115	32	83
CLARKSDALE	244	92	152
CLEVELAND	165	83	82
CLINTON	192	137	55
COLUMBUS	362	226	136
CORINTH	282	240	42
GAUTIER	114	94	20
GREENVILLE	458	171	287
GREENWOOD	214	93	121
GRENADA	180	90	90
GULFPORT	752	518	234
HATTIESBURG	517	330	187
INDIANOLA	124	40	84
JACKSON	1,551	573	978
LAUREL	273	174	99
LONG BEACH	108	98	10
MCCOMB	246	138	108
MERIDIAN	560	345	215
MOSS POINT	203	96	107
NATCHEZ	263	127	136
OCEAN SPRINGS	282	251	31
PASCAGOULA	249	201	48
PEARL	146	130	16
PICAYUNE	144	114	30
RIDGELAND	607	460	147
SOUTHAVEN	322	289	33
STARKVILLE	153	81	72
TUPELO	356	270	86
VICKSBURG	362	176	186
YAZOO CITY	170	66	104

** TOWNS OF 10,000 POPULATION OR MORE.

TABLE 10A
DEATHS, BY CAUSE AND RACE,
(CAUSE GROUPINGS BASED ON NCHS LIST OF 358 SELECTED CAUSES)
MISSISSIPPI RESIDENTS, 2005

GROUP NUMBER*	CAUSE OF DEATH	TOTAL	WHITE	NON-WHITE
<u>001-358</u>	<u>ALL CAUSES</u>	<u>29,047</u>	<u>19,524</u>	<u>9,523</u>
<u>001-055</u>	<u>CERTAIN INFECTIOUS AND PARASITIC DISEASES</u>	<u>897</u>	<u>469</u>	<u>428</u>
<u>001-008</u>	<u>Intestinal infectious diseases</u>	<u>26</u>	<u>20</u>	<u>6</u>
<u>002-007</u>	<u>Other intestinal infectious diseases</u>	<u>26</u>	<u>20</u>	<u>6</u>
003	Paratyphoid fevers and other salmonella infections	1	1	0
007	Intestinal infections due to other specified organisms	25	19	6
<u>009-010</u>	<u>Tuberculosis</u>	<u>7</u>	<u>4</u>	<u>3</u>
009	Respiratory tuberculosis	6	3	3
010	Other tuberculosis	1	1	0
<u>011-019</u>	<u>Zoonotic and other bacterial diseases</u>	<u>582</u>	<u>357</u>	<u>225</u>
015	Whooping cough	1	0	1
018	Septicemia	556	337	219
019	Other zoonotic and bacterial diseases	25	20	5
<u>028-044</u>	<u>Viral diseases</u>	<u>247</u>	<u>70</u>	<u>177</u>
032	Other and unspecified arthropod-borne viral and hemorrhagic fevers	3	3	0
033	Herpesviral (herpes simplex) infections	2	0	2
034	Zoster (herpes zoster)	2	2	0
038	Viral hepatitis	36	27	9
<u>039-043</u>	<u>Human immunodeficiency virus [HIV] disease</u>	<u>190</u>	<u>31</u>	<u>159</u>
039	Human immunodeficiency virus (HIV) disease resulting in infectious and parasitic diseases	73	12	61
040	Human immunodeficiency virus (HIV) disease resulting in malignant neoplasms	11	2	9
041	Human immunodeficiency virus (HIV) disease resulting in other specified diseases	17	2	15
042	Human immunodeficiency virus (HIV) disease resulting in other conditions	35	7	28
043	Unspecified human immunodeficiency virus (HIV) disease	54	8	46
044	All other and unspecified viral diseases	14	7	7
<u>045-055</u>	<u>Other and unspecified infectious and parasitic diseases and their sequelae</u>	<u>35</u>	<u>18</u>	<u>17</u>
045	Mycoses	15	6	9
<u>046-050</u>	<u>Protozoal diseases</u>	<u>1</u>	<u>0</u>	<u>1</u>
049	Pneumocystosis	1	0	1
054	Sequelae of poliomyelitis	5	5	0
055	All other and unspecified infectious and parasitic diseases and their sequelae	14	7	7
<u>056-115</u>	<u>NEOPLASMS</u>	<u>6,152</u>	<u>4,172</u>	<u>1,980</u>
<u>056-108</u>	<u>Malignant neoplasms</u>	<u>6,019</u>	<u>4,071</u>	<u>1,948</u>
<u>056-059</u>	<u>Malignant neoplasms of lip, oral cavity and pharynx</u>	<u>119</u>	<u>64</u>	<u>55</u>
056	Malignant neoplasms of lip	1	1	0
057	Malignant neoplasms of tongue	15	11	4
058	Malignant neoplasms of pharynx	78	41	37

Table 10A - Page 2
Deaths - Mississippi - 2005

GROUP NUMBER*	CAUSE OF DEATH	TOTAL	WHITE	NON-WHITE
059	Malignant neoplasms of other and unspecified sites within the lip, oral cavity and pharynx	25	11	14
<u>060-070</u>	<u>Malignant neoplasms of digestive organs</u>	<u>1,367</u>	<u>890</u>	<u>477</u>
060	Malignant neoplasms of esophagus	131	72	59
061	Malignant neoplasms of stomach	133	65	68
062	Malignant neoplasms of small intestine	8	5	3
063	Malignant neoplasms of colon	507	317	190
064	Malignant neoplasms of rectosigmoid junction and rectum	70	51	19
065	Malignant neoplasms of anus and anal canal	3	3	0
066	Malignant neoplasms of liver	150	113	37
067	Intrahepatic bile duct carcinoma	23	20	3
068	Malignant neoplasms of gallbladder and extrahepatic bile ducts	28	26	2
069	Malignant neoplasms of pancreas	302	214	88
070	Malignant neoplasms of other and ill-defined digestive organs	12	4	8
<u>071-075</u>	<u>Malignant neoplasms of respiratory and intrathoracic organs</u>	<u>1,925</u>	<u>1,393</u>	<u>532</u>
071	Malignant neoplasms of nasal cavity, middle ear and accessory sinuses	3	1	2
072	Malignant neoplasms of larynx	44	25	19
073	Malignant neoplasms of trachea, bronchus and lung	1,876	1,365	511
074	Malignant neoplasms of thymus, heart, mediastinum and pleura	2	2	0
076	Malignant neoplasms of bone and articular cartilage	33	26	7
<u>077-078</u>	<u>Melanoma and other malignant neoplasms of skin</u>	<u>83</u>	<u>76</u>	<u>7</u>
077	Malignant melanoma of skin	69	65	4
078	Other malignant neoplasms of skin	14	11	3
<u>079-081</u>	<u>Malignant neoplasms of mesothelial and soft tissue</u>	<u>49</u>	<u>42</u>	<u>7</u>
079	Mesothelioma	13	12	1
081	Malignant neoplasms of other mesothelial and soft tissue	36	30	6
082	Malignant neoplasm of breast	434	253	181
<u>083-088</u>	<u>Malignant neoplasms of female genital organs</u>	<u>279</u>	<u>175</u>	<u>104</u>
083	Malignant neoplasms of vulva and vagina	10	7	3
084	Malignant neoplasms of cervix uteri	59	29	30
085	Malignant neoplasms of corpus uteri and uterus, part unspecified	71	36	35
086	Malignant neoplasms of ovary	139	103	36
<u>089-091</u>	<u>Malignant neoplasms of male genital organs</u>	<u>336</u>	<u>171</u>	<u>165</u>
089	Malignant neoplasms of prostate	333	169	164
090	Malignant neoplasms of testis	2	1	1
091	Malignant neoplasms of penis and other and unspecified male genital organs	1	1	0
<u>092-094</u>	<u>Malignant neoplasms of urinary tract</u>	<u>240</u>	<u>172</u>	<u>68</u>
092	Malignant neoplasms of kidney and renal pelvis	125	90	35
093	Malignant neoplasms of bladder	108	76	32
094	Malignant neoplasms of other and unspecified sites within the urinary tract	7	6	1
095	Malignant neoplasm of eye and adnexa	6	6	0
<u>096-097</u>	<u>Malignant neoplasms of meninges, brain and other parts of central nervous system</u>	<u>159</u>	<u>116</u>	<u>43</u>
096	Malignant neoplasms of brain	156	115	41
097	Malignant neoplasms of other parts of central nervous system	3	1	2
098	Malignant neoplasms of thyroid and other endocrine glands	21	14	7

Table 10A - Page 3
Deaths - Mississippi - 2005

GROUP NUMBER*	CAUSE OF DEATH	TOTAL	WHITE	NON-WHITE
099	Other malignant neoplasms of other and unspecified sites	428	298	130
<u>100-108</u>	<u>Malignant neoplasms of lymphoid, hematopoietic and related tissue</u>	<u>540</u>	<u>375</u>	<u>165</u>
100	Hodgkin's disease	18	10	8
101	Non-Hodgkin's lymphoma	182	148	34
102	Malignant neoplasms of other and unspecified lymphoid, hematopoietic and related tissue	2	2	0
103	Malignant immunoproliferative diseases	1	1	0
104	Multiple myeloma and malignant plasma cell neoplasms	116	58	58
<u>105-108</u>	<u>Leukemia</u>	<u>221</u>	<u>156</u>	<u>65</u>
105	Lymphoid leukemia	56	42	14
106	Myeloid leukemia	78	56	22
107	Monocytic leukemia	2	2	0
108	Other and unspecified leukemia	85	56	29
110	Carcinoma in situ of other and unspecified sites	1	1	0
<u>111-113</u>	<u>Benign neoplasms</u>	<u>8</u>	<u>5</u>	<u>3</u>
112	Benign neoplasms of eye, brain and other parts of central nervous system	5	2	3
113	Benign neoplasms of other and unspecified sites	3	3	0
114	Neoplasms of uncertain or unknown behavior of specified sites	116	90	26
115	Neoplasm of uncertain or unknown behavior of unspecified sites	8	5	3
<u>116-122</u>	<u>DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS AND CERTAIN DISORDERS INVOLVING THE IMMUNE MECHANISM</u>	<u>115</u>	<u>48</u>	<u>67</u>
<u>116-119</u>	<u>Anemias</u>	<u>61</u>	<u>21</u>	<u>40</u>
116	Nutritional anemias	2	1	1
117	Hemolytic anemias	20	1	19
118	Aplastic anemias	10	6	4
119	Acute posthemorrhagic and other anemias	29	13	16
120	Coagulation defects, purpura and other hemorrhagic conditions	25	16	9
121	Other diseases of blood and blood-forming organs	9	7	2
122	Certain disorders involving the immune mechanism	20	4	16
<u>123-135</u>	<u>ENDOCRINE, NUTRITIONAL AND METABOLIC DISEASES</u>	<u>945</u>	<u>518</u>	<u>427</u>
<u>123-128</u>	<u>Endocrine diseases</u>	<u>699</u>	<u>380</u>	<u>319</u>
123	Disorders of thyroid gland	14	9	5
124	Diabetes mellitus	670	360	310
125	Disorders of pituitary gland	2	1	1
126	Disorders of adrenal glands	5	5	0
128	Other endocrine diseases	8	5	3
<u>129-131</u>	<u>Malnutrition and other nutritional deficiencies</u>	<u>41</u>	<u>18</u>	<u>23</u>
<u>129-130</u>	<u>Malnutrition</u>	<u>39</u>	<u>17</u>	<u>22</u>
129	Nutritional marasmus	2	0	2
130	Other and unspecified malnutrition	37	17	20
131	Other nutritional deficiencies	2	1	1
132	Obesity and other hyperalimentation	56	27	29

Table 10A - Page 4
Deaths - Mississippi - 2005

GROUP NUMBER*	CAUSE OF DEATH	TOTAL	WHITE	NON-WHITE
<u>133-135</u>	<u>Metabolic disorders</u>	<u>149</u>	<u>93</u>	<u>56</u>
133	Cystic fibrosis	5	5	0
134	Volume depletion, disorders of fluid, electrolyte and acid-base balance	110	70	40
135	Other metabolic disorders	34	18	16
<u>136-144</u>	<u>MENTAL AND BEHAVIORAL DISORDERS</u>	<u>642</u>	<u>483</u>	<u>159</u>
136	Organic dementia	519	407	112
137	Other and unspecified organic mental disorders	23	14	9
<u>138-139</u>	<u>Mental and behavioral disorders due to psychoactive substance abuse</u>	<u>76</u>	<u>49</u>	<u>27</u>
138	Mental and behavioral disorders due to use of alcohol	58	37	21
139	Mental and behavioral disorders due to other psychoactive substance use	18	12	6
140	Schizophrenia, schizotypal and delusional disorders	3	1	2
141	Mood (affective) disorders	2	1	1
142	Neurotic, stress-related and somatoform disorders	6	5	1
143	Mental retardation	5	2	3
144	Other and unspecified mental and behavioral disorders	8	4	4
<u>145-153</u>	<u>DISEASES OF THE NERVOUS SYSTEM</u>	<u>1,152</u>	<u>907</u>	<u>245</u>
145	Meningitis	10	5	5
146	Other inflammatory diseases of central nervous system	6	2	4
147	Parkinson's disease	130	122	8
148	Alzheimer's disease	711	586	125
149	Multiple sclerosis	20	14	6
150	Epilepsy	18	9	9
151	Transient cerebral ischemic attacks and related syndromes	2	2	0
152	Infantile cerebral palsy	26	9	17
153	All other diseases of nervous system	229	158	71
<u>154</u>	<u>DISEASES OF THE EYE AND ADNEXA</u>	<u>0</u>	<u>0</u>	<u>0</u>
<u>155</u>	<u>DISEASES OF THE EAR AND MASTOID PROCESS</u>	<u>1</u>	<u>0</u>	<u>1</u>
<u>156-191</u>	<u>DISEASES OF THE CIRCULATORY SYSTEM</u>	<u>10,910</u>	<u>7,311</u>	<u>3,599</u>
<u>156-189</u>	<u>Major cardiovascular diseases</u>	<u>10,862</u>	<u>7,278</u>	<u>3,584</u>
<u>157-160</u>	<u>Chronic rheumatic heart diseases</u>	<u>23</u>	<u>18</u>	<u>5</u>
157	Rheumatic mitral valve diseases	15	12	3
159	Disorders of both mitral and aortic valves	5	4	1
160	Other chronic rheumatic heart diseases	3	2	1
<u>161-164</u>	<u>Hypertensive diseases</u>	<u>1,126</u>	<u>563</u>	<u>563</u>
161	Essential (primary) hypertension	242	134	108
162	Hypertensive heart disease	670	359	311
163	Hypertensive renal disease	147	41	106
164	Hypertensive heart and renal disease	67	29	38
<u>165-168</u>	<u>Ischemic heart diseases</u>	<u>4,744</u>	<u>3,403</u>	<u>1,341</u>
165	Acute myocardial infarction	2,095	1,418	677
166	Other acute ischemic heart diseases	15	8	7

Table 10A - Page 5
Deaths - Mississippi - 2005

GROUP NUMBER*	CAUSE OF DEATH	TOTAL	WHITE	NON-WHITE
167	Atherosclerotic cardiovascular disease, so described	645	496	149
168	All other forms of chronic ischemic heart disease	1,989	1,481	508
<u>169-170</u>	<u>Pulmonary heart disease and diseases of pulmonary circulation</u>	<u>204</u>	<u>130</u>	<u>74</u>
169	Pulmonary embolism	146	91	55
170	Other pulmonary heart disease and diseases of pulmonary circulation	58	39	19
<u>171-181</u>	<u>Other forms of heart disease</u>	<u>2,876</u>	<u>1,923</u>	<u>953</u>
171	Acute and subacute endocarditis	18	8	10
172	Diseases of pericardium and acute myocarditis	6	3	3
173	Nonrheumatic mitral valve disorders	19	15	4
174	Nonrheumatic aortic valve disorders	85	64	21
175	All other diseases of endocardium	29	19	10
176	Cardiomyopathy	271	150	121
177	Conduction disorders and cardiac dysrhythmias	740	450	290
178	Congestive heart failure	1,302	956	346
179	Other and unspecified heart failure	127	77	50
180	Myocarditis, unspecified and myocardial degeneration	6	3	3
181	All other and ill-defined forms of heart disease	273	178	95
<u>182-186</u>	<u>Cerebrovascular diseases</u>	<u>1,617</u>	<u>1,053</u>	<u>564</u>
182	Subarachnoid hemorrhage	57	40	17
183	Intracerebral and other intracranial hemorrhage	310	180	130
184	Cerebral infarction	76	49	27
185	Stroke, not specified as hemorrhage or infarction	1,002	665	337
186	Other cerebrovascular diseases and their sequelae	172	119	53
<u>187-189</u>	<u>Diseases of arteries, arterioles and capillaries</u>	<u>272</u>	<u>188</u>	<u>84</u>
187	Atherosclerosis	47	37	10
188	Aortic aneurysm and dissection	139	101	38
189	Other diseases of arteries, arterioles and capillaries	86	50	36
<u>190-191</u>	<u>Other disorders of circulatory system</u>	<u>48</u>	<u>33</u>	<u>15</u>
190	Phlebitis, thrombophlebitis, venous embolism and thrombosis	33	25	8
191	All other and unspecified disorders of circulatory system	15	8	7
<u>192-214</u>	<u>DISEASES OF THE RESPIRATORY SYSTEM</u>	<u>2,685</u>	<u>2,136</u>	<u>549</u>
<u>192-194</u>	<u>Acute upper respiratory infections</u>	<u>4</u>	<u>3</u>	<u>1</u>
193	Acute laryngitis and tracheitis	1	0	1
194	Other and unspecified acute upper respiratory infections	3	3	0
<u>195-214</u>	<u>Other diseases of the respiratory system</u>	<u>2,681</u>	<u>2,133</u>	<u>548</u>
195	Influenza	7	5	2
<u>196-198</u>	<u>Pneumonia</u>	<u>629</u>	<u>457</u>	<u>172</u>
196	Viral pneumonia, not elsewhere classified	3	3	0
197	Bacterial pneumonia	39	24	15
198	Pneumonia due to other or unspecified organisms	587	430	157
<u>199-200</u>	<u>Other acute lower respiratory infections</u>	<u>5</u>	<u>5</u>	<u>0</u>
199	Acute bronchitis and bronchiolitis	2	2	0
200	Unspecified acute lower respiratory infection	3	3	0
201	Other diseases of upper respiratory tract	2	1	1
<u>202-207</u>	<u>Chronic lower respiratory diseases</u>	<u>1,468</u>	<u>1,232</u>	<u>236</u>
202	Bronchitis, not specified as acute or chronic	6	5	1
203	Chronic bronchitis	1	0	1
204	Emphysema	110	93	17

Table 10A - Page 6
 Deaths - Mississippi - 2005

GROUP NUMBER*	CAUSE OF DEATH	TOTAL	WHITE	NON-WHITE
205	Other chronic obstructive pulmonary disease	1,294	1,111	183
206	Asthma	49	18	31
207	Bronchiectasis	8	5	3
<u>208-211</u>	<u>Lung diseases due to external agents</u>	<u>238</u>	<u>175</u>	<u>63</u>
208	Pneumoconioses and chemical effects	20	17	3
209	Pneumonitis due to food and vomit	216	156	60
211	Other lung diseases due to external agents	2	2	0
212	Suppurative and necrotic conditions of lower respiratory tract	6	5	1
213	Pleural effusion and plaque	13	7	6
214	All other diseases of respiratory system	313	246	67
<u>215-237</u>	<u>DISEASES OF THE DIGESTIVE SYSTEM</u>	<u>946</u>	<u>653</u>	<u>293</u>
215	Diseases of oral cavity, salivary glands and jaws	2	1	1
<u>216-237</u>	<u>Diseases of other parts of digestive system</u>	<u>944</u>	<u>652</u>	<u>292</u>
216	Diseases of esophagus	18	12	6
<u>217-220</u>	<u>Peptic ulcer</u>	<u>37</u>	<u>27</u>	<u>10</u>
217	Gastric ulcer	11	8	3
218	Duodenal ulcer	14	10	4
219	Peptic ulcer, site unspecified	12	9	3
221	Gastritis and duodenitis	3	2	1
222	Dyspepsia and other diseases of stomach and duodenum	6	3	3
223	Diseases of appendix	1	1	0
224	Hernia	17	13	4
225	Crohn's disease and ulcerative colitis	4	2	2
226	Vascular disorders and obstruction of intestine without hernia	140	89	51
227	Diverticular disease of intestine	24	19	5
228	Other diseases of intestines and peritoneum	49	32	17
229	Diseases of peritoneum	20	14	6
<u>230-233</u>	<u>Diseases of liver</u>	<u>422</u>	<u>313</u>	<u>109</u>
230	Alcoholic liver disease	89	66	23
231	Chronic hepatitis, not elsewhere classified	1	1	0
232	Fibrosis and cirrhosis of liver	181	140	41
233	Other diseases of liver	151	106	45
234	Cholelithiasis and other disorders of gallbladder	32	23	9
<u>235-236</u>	<u>Disorders of biliary tract and pancreas</u>	<u>48</u>	<u>27</u>	<u>21</u>
235	Pancreatitis	35	21	14
236	Other disorders of biliary tract and pancreas	13	6	7
237	All other diseases of digestive system	123	75	48
<u>238-239</u>	<u>DISEASES OF THE SKIN AND SUBCUTANEOUS TISSUE</u>	<u>69</u>	<u>27</u>	<u>42</u>
238	Infections of skin and subcutaneous tissue	12	8	4
239	Other and unspecified diseases of skin and subcutaneous tissue	57	19	38
<u>240-246</u>	<u>DISEASES OF THE MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE</u>	<u>104</u>	<u>63</u>	<u>41</u>
240	Rheumatoid arthritis and related inflammatory polyarthropathies	11	9	2

Table 10A - Page 7
Deaths - Mississippi - 2005

GROUP NUMBER*	CAUSE OF DEATH	TOTAL	WHITE	NON-WHITE
241	Systemic lupus erythematosus	9	4	5
242	Other arthropathies and related disorders	40	22	18
243	Dorsopathies	8	5	3
244	Soft tissue disorders	18	11	7
<u>245-246</u>	<u>Osteopathies, chondropathies and other disorders of musculoskeletal system and connective tissue</u>	<u>18</u>	<u>12</u>	<u>6</u>
245	Osteoporosis	9	8	1
246	Other osteopathies, chondropathies and disorders of musculoskeletal system and connective tissue	9	4	5
<u>247-260</u>	<u>DISEASES OF THE GENITOURINARY SYSTEM</u>	<u>945</u>	<u>550</u>	<u>395</u>
<u>247-255</u>	<u>Diseases of urinary system</u>	<u>931</u>	<u>543</u>	<u>388</u>
<u>247-249</u>	<u>Glomerular diseases</u>	<u>6</u>	<u>5</u>	<u>1</u>
248	Nephrotic syndrome	1	0	1
249	Other and unspecified glomerular diseases	5	5	0
250	Renal tubulo-interstitial diseases	21	10	11
251	Renal failure	653	357	296
252	Urolithiasis	4	2	2
253	Other and unspecified disorders of kidney	1	1	0
254	Urinary tract infection, site not specified	229	158	71
255	Other diseases of urinary system	17	10	7
<u>256-257</u>	<u>Diseases of male genital organs</u>	<u>12</u>	<u>7</u>	<u>5</u>
256	Hyperplasia of prostate	8	6	2
257	Other diseases of male genital organs	4	1	3
<u>259-260</u>	<u>Disorders of female genital organs</u>	<u>2</u>	<u>0</u>	<u>2</u>
260	Noninflammatory disorders of female genital tract	2	0	2
<u>261-273</u>	<u>PREGNANCY, CHILDBIRTH AND THE PUERPERIUM</u>	<u>12</u>	<u>2</u>	<u>10</u>
<u>266-269</u>	<u>Other direct obstetric deaths</u>	<u>2</u>	<u>0</u>	<u>2</u>
266	Eclampsia and pre-eclampsia	1	0	1
<u>268-269</u>	<u>Complications predominantly related to the puerperium</u>	<u>1</u>	<u>0</u>	<u>1</u>
268	Obstetric embolism	1	0	1
270	All other direct obstetric causes	5	1	4
272	Other deaths related to pregnancy, childbirth and the puerperium	2	0	2
273	Indirect obstetric deaths	3	1	2
<u>274-281</u>	<u>CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD</u>	<u>224</u>	<u>43</u>	<u>181</u>
274	Newborn affected by maternal factors and by complications of pregnancy, labor and delivery	31	6	25
275	Disorders related to short gestation and low birth weight, not elsewhere classified	97	10	87
277	Intrauterine hypoxia and birth asphyxia	8	2	6
278	Respiratory distress of newborn	8	2	6
279	Other respiratory conditions originating in the perinatal period	21	5	16
280	Infections specific to the perinatal period	20	5	15
281	Other and unspecified conditions originating in the perinatal period	39	13	26

Table 10A - Page 8
Deaths - Mississippi - 2005

GROUP NUMBER*	CAUSE OF DEATH	TOTAL	WHITE	NON-WHITE
<u>282-290</u>	<u>CONGENITAL MALFORMATIONS, DEFORMATIONS AND CHROMOSOMAL ABNORMALITIES</u>	<u>117</u>	<u>67</u>	<u>50</u>
282	Anencephaly and similar malformations	3	2	1
283	Spina bifida	2	2	0
284	All other congenital malformations of nervous system	10	7	3
285	Congenital malformations of heart	24	15	9
286	Other congenital malformations of circulatory system	6	4	2
287	Congenital malformations of respiratory system	10	4	6
288	Other congenital malformations and deformations	39	20	19
289	Down's syndrome	11	8	3
290	All other chromosomal abnormalities, not elsewhere classified	12	5	7
<u>291-294</u>	<u>SYMPTOMS, SIGNS AND ABNORMAL CLINICAL AND LABORATORY FINDINGS, NOT ELSEWHERE CLASSIFIED</u>	<u>494</u>	<u>307</u>	<u>187</u>
291	Senility	17	11	6
<u>292-293</u>	<u>Ill-defined and unknown causes of mortality</u>	<u>217</u>	<u>128</u>	<u>89</u>
292	Sudden infant death syndrome	91	47	44
293	Other ill-defined and unknown causes of mortality	126	81	45
294	All other symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified	260	168	92
<u>295-358</u>	<u>EXTERNAL CAUSES OF MORTALITY</u>	<u>2,637</u>	<u>1,768</u>	<u>869</u>
<u>295-330</u>	<u>Accidents</u>	<u>1,912</u>	<u>1,305</u>	<u>607</u>
295	Railway accidents	6	3	3
<u>296-306</u>	<u>Motor vehicle accidents</u>	<u>956</u>	<u>606</u>	<u>350</u>
296	Pedestrian involved in collision with motor vehicle	66	40	26
297	Pedal cyclist involved in collision with motor vehicle	4	4	0
298	Motorcyclist involved in any accident except collision with railway train	43	28	15
300	Other motor vehicle accident involving collision with railway train	14	7	7
301	Occupant of motor vehicle involved in collision with other (non-motorized) road vehicle, streetcar, animal or pedestrian	191	129	62
302	Occupant of car, pickup truck or van involved in collision with other motor vehicle	300	186	114
303	Occupant of heavy transport vehicle or bus involved in collision with other motor vehicle	5	3	2
304	Occupant of motor vehicle involved in noncollision accident	188	105	83
305	Occupant of special-use motor vehicle involved in any accident	38	30	8
306	Other and unspecified motor vehicle accidents	107	74	33
308	Other and unspecified land transport accidents	5	5	0
309	Water transport accidents	9	8	1
310	Air and space transport accidents	11	11	0
311	Other and unspecified transport accidents and their sequelae	9	7	2

Table 10A - Page 9
Deaths - Mississippi - 2005

GROUP NUMBER*	CAUSE OF DEATH	TOTAL	WHITE	NON-WHITE
<u>312-314</u>	<u>Falls</u>	<u>193</u>	<u>155</u>	<u>38</u>
312	Fall on same level	80	61	19
313	Fall from one level to another	25	21	4
314	Unspecified fall	88	73	15
315	Accidental discharge of firearms	20	11	9
316	Accidental explosion	7	5	2
317	Accidental drowning and submersion	44	29	15
318	Accidental inhalation and ingestion of food or other objects causing obstruction of respiratory tract	77	46	31
319	Other accidental and unspecified threats to breathing	10	5	5
320	Accidental exposure to electric current	10	8	2
322	Accidental exposure to smoke, fire and flames	70	31	39
323	Accidental contact with heat and hot substances	1	0	1
324	Lightning	1	1	0
326	Cataclysmic storm and flood	181	139	42
<u>327-329</u>	<u>Accidental poisoning by and exposure to noxious substances</u>	<u>197</u>	<u>162</u>	<u>35</u>
327	Accidental poisoning by and exposure to drugs and other biological substances	182	155	27
328	Accidental poisoning by and exposure to other and unspecified solid or liquid substances	9	5	4
329	Accidental poisoning by and exposure to other gases and vapors	6	2	4
330	All other and unspecified accidents and their sequelae	105	73	32
<u>331-337</u>	<u>Intentional self-harm (suicide)</u>	<u>365</u>	<u>303</u>	<u>62</u>
331	Intentional self-poisoning (suicide) by and exposure to drugs and other biological substances	25	23	2
333	Intentional self-poisoning (suicide) by and exposure to other gases and vapors	8	6	2
334	Intentional self-harm (suicide) by hanging, strangulation and suffocation	67	53	14
335	Intentional self-harm (suicide) by discharge of firearms	253	213	40
337	Intentional self-harm (suicide) by all other and unspecified means and their sequelae	12	8	4
<u>338-346</u>	<u>Assault (homicide)</u>	<u>249</u>	<u>85</u>	<u>164</u>
338	Assault (homicide) by drugs, biological substances and other and unspecified noxious substances	1	0	1
339	Assault (homicide) by hanging, strangulation and suffocation	10	4	6
340	Assault (homicide) by discharge of firearms	172	52	120
341	Assault (homicide) by sharp object	35	10	25
342	Assault (homicide) by blunt object	7	3	4
345	Neglect, abandonment and other maltreatment syndromes	2	1	1
346	Assault (homicide) by all other and unspecified means and their sequelae	22	15	7
<u>347-352</u>	<u>Event of undetermined intent</u>	<u>53</u>	<u>39</u>	<u>14</u>
347	Poisoning by and exposure to drugs and biological substances, undetermined intent	32	30	2
348	Poisoning by and exposure to other and unspecified solid or liquid substance, undetermined intent	1	1	0
350	Discharge of firearms, undetermined intent	7	3	4
352	All other and unspecified events of undetermined intent and their sequelae	13	5	8
<u>353-354</u>	<u>Legal intervention</u>	<u>3</u>	<u>3</u>	<u>0</u>

Table 10A - Page 10
 Deaths - Mississippi - 2005

GROUP NUMBER*	CAUSE OF DEATH	TOTAL	WHITE	NON-WHITE
353	Legal execution	1	1	0
354	Other legal intervention and their sequelae	2	2	0
<u>356-358</u>	<u>Complications of medical and surgical care</u>	<u>55</u>	<u>33</u>	<u>22</u>
356	Drugs, medicaments and biological substances causing adverse effects in therapeutic use, and their sequelae	4	1	3
357	Misadventures to patients during medical and surgical care and their sequelae	4	3	1
358	Other complications of medical and surgical care and their sequelae	47	29	18

* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

**TABLE 10B
DEATHS, BY CAUSE AND RACE,
MISSISSIPPI RESIDENTS, 2005**

INTERNATIONAL CLASSIFICATION NUMBER*	CAUSE OF DEATH*	TOTAL	WHITE	NON-WHITE
<u>A00-Y89</u>	<u>ALL CAUSES</u>	<u>29,047</u>	<u>19,524</u>	<u>9,523</u>
<u>A00-B99</u>	<u>CERTAIN INFECTIOUS AND PARASITIC DISEASES</u>	<u>897</u>	<u>469</u>	<u>428</u>
<u>A00-A09</u>	<u>Intestinal infectious diseases</u>	<u>26</u>	<u>20</u>	<u>6</u>
A02	Other salmonella infections	1	1	0
A04	Other bacterial intestinal infections	19	15	4
A08	Viral and other specified intestinal infections	6	4	2
<u>A16-A19</u>	<u>Tuberculosis</u>	<u>7</u>	<u>4</u>	<u>3</u>
A16	Respiratory tuberculosis, not confirmed bacteriologically or histologically	6	3	3
A18	Tuberculosis of other organs	1	1	0
<u>A30-A49</u>	<u>Other bacterial diseases</u>	<u>582</u>	<u>357</u>	<u>225</u>
A31	Infection due to other mycobacteria	4	4	0
A37	Whooping cough	1	0	1
A40	Streptococcal septicemia	10	7	3
A41	Other septicemia	546	330	216
A48	Other bacterial diseases, not elsewhere classified	4	3	1
A49	Bacterial infection of unspecified site	17	13	4
<u>A80-A89</u>	<u>Viral infections of the central nervous system</u>	<u>7</u>	<u>5</u>	<u>2</u>
A81	Atypical virus infections of central nervous system	4	2	2
A86	Unspecified viral encephalitis	3	3	0
<u>A90-A99</u>	<u>Arthropod-borne viral fevers and viral hemorrhagic fevers</u>	<u>3</u>	<u>3</u>	<u>0</u>
A92	Other mosquito-borne viral fevers	3	3	0
<u>B00-B09</u>	<u>Viral infections characterized by skin and mucous membrane lesions</u>	<u>4</u>	<u>2</u>	<u>2</u>
B00	Herpes-viral [herpes simplex] infections	2	0	2
B02	Zoster [herpes zoster]	2	2	0
<u>B15-B19</u>	<u>Viral hepatitis</u>	<u>36</u>	<u>27</u>	<u>9</u>
B15	Acute hepatitis A	1	0	1
B16	Acute hepatitis B	5	3	2
B18	Chronic viral hepatitis	30	24	6
<u>B20-B24</u>	<u>Human immunodeficiency virus [HIV] disease</u>	<u>190</u>	<u>31</u>	<u>159</u>
B20	Human immunodeficiency virus [HIV] disease resulting in infectious and parasitic diseases	73	12	61
B21	Human immunodeficiency virus [HIV] disease resulting in malignant neoplasms	11	2	9
B22	Human immunodeficiency virus [HIV] disease resulting in other specified diseases	17	2	15
B23	Human immunodeficiency virus [HIV] disease resulting in other conditions	35	7	28
B24	Unspecified human immunodeficiency virus [HIV] disease	54	8	46
<u>B25-B34</u>	<u>Other viral diseases</u>	<u>7</u>	<u>2</u>	<u>5</u>
B25	Cytomegaloviral disease	3	0	3
B33	Other viral diseases, not elsewhere classified	2	2	0
B34	Viral infection of unspecified site	2	0	2

Table 10B - Page 2
Deaths - Mississippi - 2005

INTERNATIONAL CLASSIFICATION NUMBER*	CAUSE OF DEATH*	TOTAL	WHITE	NON-WHITE
<u>B35-B49</u>	<u>Mycoses</u>	<u>15</u>	<u>6</u>	<u>9</u>
B37	Candidiasis	5	2	3
B40	Blastomycosis	2	0	2
B45	Cryptococcosis	3	2	1
B49	Unspecified mycosis	5	2	3
<u>B50-B64</u>	<u>Protozoal diseases</u>	<u>1</u>	<u>0</u>	<u>1</u>
B59	Pneumocystosis	1	0	1
<u>B90-B94</u>	<u>Sequela of infectious and parasitic diseases</u>	<u>13</u>	<u>10</u>	<u>3</u>
B91	Sequelae of poliomyelitis	5	5	0
B94	Sequelae of other and unspecified infectious and parasitic diseases	8	5	3
B99	Other and unspecified infectious diseases	6	2	4
<u>C00-D48</u>	<u>NEOPLASMS</u>	<u>6,152</u>	<u>4,172</u>	<u>1,980</u>
<u>C00-C97</u>	<u>Malignant neoplasms</u>	<u>6,019</u>	<u>4,071</u>	<u>1,948</u>
<u>C00-C14</u>	<u>Malignant neoplasms of lip, oral cavity and pharynx</u>	<u>119</u>	<u>64</u>	<u>55</u>
C00	Malignant neoplasm of lip	1	1	0
C01	Malignant neoplasm of base of tongue	1	0	1
C02	Malignant neoplasm of other and unspecified parts of tongue	14	11	3
C03	Malignant neoplasm of gum	2	1	1
C05	Malignant neoplasm of palate	1	0	1
C06	Malignant neoplasm of other and unspecified parts of mouth	12	6	6
C09	Malignant neoplasm of tonsil	10	4	6
C10	Malignant neoplasm of oropharynx	6	6	0
C11	Malignant neoplasm of nasopharynx	8	3	5
C12	Malignant neoplasm of pyriform sinus	1	1	0
C13	Malignant neoplasm of hypopharynx	2	0	2
C14	Malignant neoplasm of other and ill-defined sites in the lip, oral cavity, and pharynx	61	31	30
<u>C15-C26</u>	<u>Malignant neoplasms of digestive organs</u>	<u>1,367</u>	<u>890</u>	<u>477</u>
C15	Malignant neoplasm of esophagus	131	72	59
C16	Malignant neoplasm of stomach	133	65	68
C17	Malignant neoplasm of small intestine	8	5	3
C18	Malignant neoplasm of colon	507	317	190
C19	Malignant neoplasm of rectosigmoid junction	16	10	6
C20	Malignant neoplasm of rectum	54	41	13
C21	Malignant neoplasm of anus and anal canal	3	3	0
C22	Malignant neoplasm of liver and intrahepatic bile ducts	173	133	40
C23	Malignant neoplasm of gallbladder	14	13	1
C24	Malignant neoplasm of other and unspecified parts of biliary tract	14	13	1
C25	Malignant neoplasm of pancreas	302	214	88
C26	Malignant neoplasm of other and ill-defined digestive organs	12	4	8
<u>C30-C39</u>	<u>Malignant neoplasms of respiratory and intrathoracic organs</u>	<u>1,925</u>	<u>1,393</u>	<u>532</u>
C31	Malignant neoplasm of accessory sinuses	3	1	2
C32	Malignant neoplasm of larynx	44	25	19
C34	Malignant neoplasm of bronchus and lung	1,876	1,365	511

Table 10B - Page 3
Deaths - Mississippi - 2005

INTERNATIONAL CLASSIFICATION NUMBER*	CAUSE OF DEATH*	TOTAL	WHITE	NON-WHITE
C37	Malignant neoplasm of thymus	1	1	0
C38	Malignant neoplasm of heart, mediastinum, and pleura	1	1	0
<u>C40-C41</u>	<u>Malignant neoplasms of bone and articular cartilage</u>	<u>33</u>	<u>26</u>	<u>7</u>
C41	Malignant neoplasm of bone and articular cartilage of other and unspecified sites	33	26	7
<u>C43-C44</u>	<u>Melanoma and other malignant neoplasms of skin</u>	<u>83</u>	<u>76</u>	<u>7</u>
C43	Malignant melanoma of skin	69	65	4
C44	Other malignant neoplasms of skin	14	11	3
<u>C45-C49</u>	<u>Malignant neoplasms of mesothelial and soft tissue</u>	<u>49</u>	<u>42</u>	<u>7</u>
C45	Mesothelioma	13	12	1
C47	Malignant neoplasm of peripheral nerves and autonomic nervous system	1	1	0
C48	Malignant neoplasm of retroperitoneum and peritoneum	10	8	2
C49	Malignant neoplasm of other connective and soft tissue	25	21	4
C50	Malignant neoplasm of breast	434	253	181
<u>C51-C58</u>	<u>Malignant neoplasms of female genital organs</u>	<u>279</u>	<u>175</u>	<u>104</u>
C51	Malignant neoplasm of vulva	5	3	2
C52	Malignant neoplasm of vagina	5	4	1
C53	Malignant neoplasm of cervix uteri	59	29	30
C54	Malignant neoplasm of corpus uteri	25	12	13
C55	Malignant neoplasm of uterus, part unspecified	46	24	22
C56	Malignant neoplasm of ovary	139	103	36
<u>C60-C63</u>	<u>Malignant neoplasms of male genital organs</u>	<u>336</u>	<u>171</u>	<u>165</u>
C61	Malignant neoplasm of prostate	333	169	164
C62	Malignant neoplasm of testis	2	1	1
C63	Malignant neoplasm of other and unspecified male genital organs	1	1	0
<u>C64-C68</u>	<u>Malignant neoplasms of urinary tract</u>	<u>240</u>	<u>172</u>	<u>68</u>
C64	Malignant neoplasm of kidney, except renal pelvis	122	87	35
C65	Malignant neoplasm of renal pelvis	3	3	0
C66	Malignant neoplasm of ureter	2	2	0
C67	Malignant neoplasm of bladder	108	76	32
C68	Malignant neoplasm of other and unspecified urinary organs	5	4	1
<u>C69-C72</u>	<u>Malignant neoplasms of eye, brain and other parts of central nervous system</u>	<u>165</u>	<u>122</u>	<u>43</u>
C69	Malignant neoplasm of eye and adnexa	6	6	0
C71	Malignant neoplasm of brain	156	115	41
C72	Malignant neoplasm of spinal cord, cranial nerves, and other parts of central nervous system	3	1	2
<u>C73-C75</u>	<u>Malignant neoplasms of thyroid and other endocrine glands</u>	<u>21</u>	<u>14</u>	<u>7</u>
C73	Malignant neoplasm of thyroid gland	13	10	3
C74	Malignant neoplasm of adrenal gland	6	4	2
C75	Malignant neoplasm of other endocrine glands and related structures	2	0	2
<u>C76-C80</u>	<u>Malignant neoplasms of ill-defined, secondary and unspecified sites</u>	<u>387</u>	<u>271</u>	<u>116</u>
C76	Malignant neoplasm of other and ill-defined sites	43	28	15
C77	Secondary and unspecified malignant neoplasm of lymph nodes	4	3	1

Table 10B - Page 4
Deaths - Mississippi - 2005

INTERNATIONAL CLASSIFICATION NUMBER*	CAUSE OF DEATH*	TOTAL	WHITE	NON-WHITE
C78	Secondary malignant neoplasm of respiratory and digestive organs	43	31	12
C79	Secondary malignant neoplasm of other sites	41	30	11
C80	Malignant neoplasm without specification of site	256	179	77
<u>C81-C96</u>	<u>Malignant neoplasms of lymphoid, hematopoietic and related tissue</u>	<u>540</u>	<u>375</u>	<u>165</u>
C81	Hodgkin's disease	18	10	8
C82	Follicular [nodular] non-Hodgkin's lymphoma	3	2	1
C83	Diffuse non-Hodgkin's lymphoma	21	19	2
C84	Peripheral and cutaneous T-cell lymphomas	3	3	0
C85	Other and unspecified types of non-Hodgkin's lymphoma	155	124	31
C88	Malignant immunoproliferative diseases	1	1	0
C90	Multiple myeloma and malignant plasma cell neoplasms	116	58	58
C91	Lymphoid leukemia	56	42	14
C92	Myeloid leukemia	78	56	22
C93	Monocytic leukemia	2	2	0
C94	Other leukemias of specified cell type	1	0	1
C95	Leukemia of unspecified cell type	84	56	28
C96	Other and unspecified malignant neoplasms of lymphoid, hematopoietic, and related tissue	2	2	0
C97	Malignant neoplasms of independent (primary) multiple sites	41	27	14
<u>D00-D09</u>	<u>In situ neoplasms</u>	<u>1</u>	<u>1</u>	<u>0</u>
D01	Carcinoma in situ of other and unspecified digestive organs	1	1	0
<u>D10-D36</u>	<u>Benign neoplasms</u>	<u>8</u>	<u>5</u>	<u>3</u>
D18	Hemangioma and lymphangioma, any site	1	1	0
D21	Other benign neoplasms of connective and other soft tissue	1	1	0
D32	Benign neoplasm of meninges	3	2	1
D33	Benign neoplasm of brain and other parts of central nervous system	2	0	2
D35	Benign neoplasm of other and unspecified endocrine glands	1	1	0
<u>D37-D48</u>	<u>Neoplasms of uncertain or unknown behavior</u>	<u>124</u>	<u>95</u>	<u>29</u>
D37	Neoplasm of uncertain or unknown behavior of oral cavity and digestive organs	2	2	0
D38	Neoplasm of uncertain or unknown behavior of middle ear and respiratory and intrathoracic organs	3	1	2
D39	Neoplasm of uncertain or unknown behavior of female genital organs	2	0	2
D41	Neoplasm of uncertain or unknown behavior of urinary organs	2	1	1
D43	Neoplasm of uncertain or unknown behavior of brain and central nervous system	53	39	14
D45	Polycythemia vera	1	0	1
D46	Myelodysplastic syndromes	44	42	2
D47	Other neoplasms of uncertain or unknown behavior of lymphoid, hematopoietic, and related tissue	9	5	4
D48	Neoplasm of uncertain or unknown behavior of other and unspecified sites	8	5	3
<u>D50-D89</u>	<u>DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS AND CERTAIN DISORDERS INVOLVING THE IMMUNE MECHANISM</u>	<u>115</u>	<u>48</u>	<u>67</u>

Table 10B - Page 5
Deaths - Mississippi - 2005

INTERNATIONAL CLASSIFICATION NUMBER*	CAUSE OF DEATH*	TOTAL	WHITE	NON-WHITE
<u>D50-D53</u>	<u>Nutritional anemias</u>	<u>2</u>	<u>1</u>	<u>1</u>
D51	Vitamin B-12 deficiency anemia	1	1	0
D53	Other nutritional anemias	1	0	1
<u>D55-D59</u>	<u>Hemolytic anemias</u>	<u>20</u>	<u>1</u>	<u>19</u>
D57	Sickle-cell disorders	17	1	16
D58	Other hereditary hemolytic anemias	3	0	3
<u>D60-D64</u>	<u>Aplastic and other anemias</u>	<u>39</u>	<u>19</u>	<u>20</u>
D61	Other aplastic anemias	10	6	4
D62	Acute posthemorrhagic anemia	1	1	0
D64	Other anemias	28	12	16
<u>D65-D69</u>	<u>Coagulation defects, purpura and other hemorrhagic conditions</u>	<u>25</u>	<u>16</u>	<u>9</u>
D65	Disseminated intravascular coagulation [defibrination syndrome]	7	6	1
D68	Other coagulation defects	13	8	5
D69	Purpura and other hemorrhagic conditions	5	2	3
<u>D70-D77</u>	<u>Other diseases of blood and blood-forming organs</u>	<u>9</u>	<u>7</u>	<u>2</u>
D70	Agranulocytosis	3	2	1
D72	Other disorders of white blood cells	4	4	0
D73	Diseases of spleen	2	1	1
<u>D80-D89</u>	<u>Certain disorders involving the immune mechanism</u>	<u>20</u>	<u>4</u>	<u>16</u>
D81	Combined immunodeficiencies	1	0	1
D84	Other immunodeficiencies	6	4	2
D86	Sarcoidosis	13	0	13
<u>E00-E88</u>	<u>ENDOCRINE, NUTRITIONAL AND METABOLIC DISEASES</u>	<u>945</u>	<u>518</u>	<u>427</u>
<u>E00-E07</u>	<u>Disorders of thyroid gland</u>	<u>14</u>	<u>9</u>	<u>5</u>
E03	Other hypothyroidism	10	8	2
E05	Thyrotoxicosis [hyperthyroidism]	4	1	3
<u>E10-E14</u>	<u>Diabetes mellitus</u>	<u>670</u>	<u>360</u>	<u>310</u>
E10	Insulin-dependent diabetes mellitus	36	20	16
E11	Noninsulin-dependent diabetes mellitus	65	28	37
E14	Unspecified diabetes mellitus	569	312	257
<u>E15-E16</u>	<u>Other disorders of glucose regulation and pancreatic internal secretion</u>	<u>7</u>	<u>4</u>	<u>3</u>
E16	Other disorders of pancreatic internal secretion	7	4	3
<u>E20-E35</u>	<u>Disorders of other endocrine glands</u>	<u>8</u>	<u>7</u>	<u>1</u>
E23	Hypofunction and other disorders of the pituitary gland	2	1	1
E24	Cushing's syndrome	1	1	0
E27	Other disorders of adrenal gland	4	4	0
E34	Other endocrine disorders	1	1	0
<u>E40-E46</u>	<u>Malnutrition</u>	<u>39</u>	<u>17</u>	<u>22</u>
E41	Nutritional marasmus	2	0	2
E43	Unspecified severe protein-energy malnutrition	5	2	3
E46	Unspecified protein-energy malnutrition	32	15	17
<u>E50-E64</u>	<u>Other nutritional deficiencies</u>	<u>2</u>	<u>1</u>	<u>1</u>

Table 10B - Page 6
Deaths - Mississippi - 2005

INTERNATIONAL CLASSIFICATION NUMBER*	CAUSE OF DEATH*	TOTAL	WHITE	NON-WHITE
E63	Other nutritional deficiencies	2	1	1
<u>E65-E68</u>	<u>Obesity and other hyperalimentation</u>	<u>56</u>	<u>27</u>	<u>29</u>
E66	Obesity	56	27	29
<u>E70-E88</u>	<u>Metabolic disorders</u>	<u>149</u>	<u>93</u>	<u>56</u>
E75	Disorders of sphingolipid metabolism and other lipid storage disorders	2	2	0
E78	Disorders of lipoprotein metabolism and other lipidemias	16	9	7
E83	Disorders of mineral metabolism	4	1	3
E84	Cystic fibrosis	5	5	0
E85	Amyloidosis	5	3	2
E86	Volume depletion	72	45	27
E87	Other disorders of fluid, electrolyte, and acid-base balance	38	25	13
E88	Other metabolic disorders	7	3	4
<u>F00-F99</u>	<u>MENTAL AND BEHAVIORAL DISORDERS</u>	<u>642</u>	<u>483</u>	<u>159</u>
<u>F00-F09</u>	<u>Organic, including symptomatic, mental disorders</u>	<u>542</u>	<u>421</u>	<u>121</u>
F01	Vascular dementia	18	12	6
F03	Unspecified dementia	501	395	106
F05	Delirium, not induced by alcohol and other psychoactive substances	1	1	0
F06	Other mental disorders due to brain damage and dysfunction and to physical disease	21	13	8
F07	Personality and behavioral disorders due to brain disease, damage, and dysfunction	1	0	1
<u>F10-F19</u>	<u>Mental and behavioral disorders due to psychoactive substance use</u>	<u>76</u>	<u>49</u>	<u>27</u>
F10	Mental and behavioral disorders due to use of alcohol	58	37	21
F14	Mental and behavioral disorders due to use of cocaine	7	4	3
F17	Mental and behavioral disorders due to use of tobacco	5	5	0
F19	Mental and behavioral disorders due to multiple-drug use and use of other psychoactive substances	6	3	3
<u>F20-F29</u>	<u>Schizophrenia, schizotypal and delusional disorders</u>	<u>3</u>	<u>1</u>	<u>2</u>
F20	Schizophrenia	3	1	2
<u>F30-F39</u>	<u>Mood [affective] disorders</u>	<u>2</u>	<u>1</u>	<u>1</u>
F32	Depressive episode	2	1	1
<u>F40-F48</u>	<u>Neurotic, stress-related and somatoform disorders</u>	<u>6</u>	<u>5</u>	<u>1</u>
F41	Other anxiety disorders	2	1	1
F43	Reaction to severe stress, and adjustment disorders	2	2	0
F48	Other neurotic disorders	2	2	0
<u>F50-F59</u>	<u>Behavioral syndromes associated with physiological disturbances and physical factors</u>	<u>7</u>	<u>4</u>	<u>3</u>
F50	Eating disorders	1	1	0
F54	Psychological and behavioral factors associated with disorders or diseases classified elsewhere	6	3	3
<u>F70-F79</u>	<u>Mental retardation</u>	<u>5</u>	<u>2</u>	<u>3</u>
F79	Unspecified mental retardation	5	2	3
<u>F80-F89</u>	<u>Disorders of psychological development</u>	<u>1</u>	<u>0</u>	<u>1</u>

Table 10B - Page 7
Deaths - Mississippi - 2005

INTERNATIONAL CLASSIFICATION NUMBER*	CAUSE OF DEATH*	TOTAL	WHITE	NON-WHITE
F84	Pervasive developmental disorders	1	0	1
<u>G00-G98</u>	<u>DISEASES OF THE NERVOUS SYSTEM</u>	<u>1,152</u>	<u>907</u>	<u>245</u>
<u>G00-G09</u>	<u>Inflammatory diseases of the central nervous system</u>	<u>16</u>	<u>7</u>	<u>9</u>
G00	Bacterial meningitis, not elsewhere classified	5	3	2
G03	Meningitis due to other and unspecified causes	5	2	3
G04	Encephalitis, myelitis, and encephalomyelitis	3	1	2
G06	Intracranial and intraspinal abscess and granuloma	2	1	1
G09	Sequelae of inflammatory diseases of central nervous system	1	0	1
<u>G10-G13</u>	<u>Systemic atrophies primarily affecting the central nervous system</u>	<u>63</u>	<u>57</u>	<u>6</u>
G10	Huntington's disease	8	5	3
G11	Hereditary ataxia	3	3	0
G12	Spinal muscular atrophy and related syndromes	52	49	3
<u>G20-G26</u>	<u>Extrapyramidal and movement disorders</u>	<u>132</u>	<u>123</u>	<u>9</u>
G20	Parkinson's disease	129	121	8
G21	Secondary parkinsonism	1	1	0
G23	Other degenerative diseases of basal ganglia	2	1	1
<u>G30-G32</u>	<u>Other degenerative diseases of the nervous system</u>	<u>719</u>	<u>591</u>	<u>128</u>
G30	Alzheimer's disease	711	586	125
G31	Other degenerative diseases of nervous system, not elsewhere classified	8	5	3
<u>G35-G37</u>	<u>Demyelinating diseases of the central nervous system</u>	<u>20</u>	<u>14</u>	<u>6</u>
G35	Multiple sclerosis	20	14	6
<u>G40-G47</u>	<u>Episodic and paroxysmal disorders</u>	<u>28</u>	<u>14</u>	<u>14</u>
G40	Epilepsy	14	5	9
G41	Status epilepticus	4	4	0
G45	Transient cerebral ischemic attacks and related syndromes	2	2	0
G47	Sleep disorders	8	3	5
<u>G50-G59</u>	<u>Nerve, nerve root and plexus disorders</u>	<u>1</u>	<u>1</u>	<u>0</u>
G58	Other mononeuropathies	1	1	0
<u>G60-G64</u>	<u>Polyneuropathies and other disorders of the peripheral nervous system</u>	<u>10</u>	<u>8</u>	<u>2</u>
G60	Hereditary and idiopathic neuropathy	1	1	0
G61	Inflammatory polyneuropathy	5	4	1
G62	Other polyneuropathies	4	3	1
<u>G70-G73</u>	<u>Diseases of myoneural junction and muscle</u>	<u>23</u>	<u>17</u>	<u>6</u>
G70	Myasthenia gravis and other myoneural disorders	8	8	0
G71	Primary disorders of muscles	14	9	5
G72	Other myopathies	1	0	1
<u>G80-G83</u>	<u>Cerebral palsy and other paralytic syndromes</u>	<u>37</u>	<u>16</u>	<u>21</u>
G80	Infantile cerebral palsy	26	9	17
G81	Hemiplegia	1	1	0
G82	Paraplegia and tetraplegia	10	6	4
<u>G90-G99</u>	<u>Other disorders of the nervous system</u>	<u>103</u>	<u>59</u>	<u>44</u>
G90	Disorders of autonomic nervous system	2	2	0
G91	Hydrocephalus	7	4	3

Table 10B - Page 8
Deaths - Mississippi - 2005

INTERNATIONAL CLASSIFICATION NUMBER*	CAUSE OF DEATH*	TOTAL	WHITE	NON-WHITE
G93	Other disorders of brain	92	52	40
G95	Other diseases of spinal cord	1	0	1
G98	Other disorders of nervous system, not elsewhere classified	1	1	0
<u>H00-H59</u>	<u>DISEASES OF THE EYE AND ADNEXA</u>	<u>0</u>	<u>0</u>	<u>0</u>
	Blank Line			
<u>H60-H95</u>	<u>DISEASES OF THE EAR AND MASTOID PROCESS</u>	<u>1</u>	<u>0</u>	<u>1</u>
<u>H65-H75</u>	<u>Diseases of middle ear and mastoid</u>	<u>1</u>	<u>0</u>	<u>1</u>
H70	Mastoiditis and related conditions	1	0	1
<u>I00-I99</u>	<u>DISEASES OF THE CIRCULATORY SYSTEM</u>	<u>10,910</u>	<u>7,311</u>	<u>3,599</u>
<u>I05-I09</u>	<u>Chronic rheumatic heart diseases</u>	<u>23</u>	<u>18</u>	<u>5</u>
I05	Rheumatic mitral valve diseases	15	12	3
I07	Rheumatic tricuspid valve diseases	2	1	1
I08	Multiple valve diseases	5	4	1
I09	Other rheumatic heart diseases	1	1	0
<u>I10-I13</u>	<u>Hypertensive diseases</u>	<u>1,126</u>	<u>563</u>	<u>563</u>
I10	Essential (primary) hypertension	242	134	108
I11	Hypertensive heart disease	670	359	311
I12	Hypertensive renal disease	147	41	106
I13	Hypertensive heart and renal disease	67	29	38
<u>I20-I25</u>	<u>Ischemic heart diseases</u>	<u>4,744</u>	<u>3,403</u>	<u>1,341</u>
I20	Angina pectoris	7	5	2
I21	Acute myocardial infarction	2,095	1,418	677
I24	Other acute ischemic heart diseases	15	8	7
I25	Chronic ischemic heart disease	2,627	1,972	655
<u>I26-I28</u>	<u>Pulmonary heart disease and diseases of pulmonary circulation</u>	<u>204</u>	<u>130</u>	<u>74</u>
I26	Pulmonary embolism	146	91	55
I27	Other pulmonary heart diseases	57	38	19
I28	Other diseases of pulmonary vessels	1	1	0
<u>I30-I51</u>	<u>Other forms of heart disease</u>	<u>2,876</u>	<u>1,923</u>	<u>953</u>
I31	Other diseases of pericardium	6	3	3
I33	Acute and subacute endocarditis	18	8	10
I34	Nonrheumatic mitral valve disorders	19	15	4
I35	Nonrheumatic aortic valve disorders	85	64	21
I37	Pulmonary valve disorders	1	1	0
I38	Endocarditis, valve unspecified	28	18	10
I42	Cardiomyopathy	271	150	121
I44	Atrioventricular and left bundle-branch block	3	0	3
I45	Other conduction disorders	7	5	2
I46	Cardiac arrest	562	317	245
I47	Paroxysmal tachycardia	8	7	1
I48	Atrial fibrillation and flutter	89	77	12
I49	Other cardiac arrhythmias	71	44	27

Table 10B - Page 9
Deaths - Mississippi - 2005

INTERNATIONAL CLASSIFICATION NUMBER*	CAUSE OF DEATH*	TOTAL	WHITE	NON-WHITE
150	Heart failure	1,429	1,033	396
151	Complications and ill-defined descriptions of heart disease	279	181	98
<u>160-169</u>	<u>Cerebrovascular diseases</u>	<u>1,617</u>	<u>1,053</u>	<u>564</u>
160	Subarachnoid hemorrhage	57	40	17
161	Intracerebral hemorrhage	197	118	79
162	Other nontraumatic intracranial hemorrhage	113	62	51
163	Cerebral infarction	76	49	27
164	Stroke, not specified as hemorrhage or infarction	1,002	665	337
167	Other cerebrovascular diseases	77	49	28
169	Sequelae of cerebrovascular disease	95	70	25
<u>170-178</u>	<u>Diseases of arteries, arterioles and capillaries</u>	<u>272</u>	<u>188</u>	<u>84</u>
170	Atherosclerosis	47	37	10
171	Aortic aneurysm and dissection	139	101	38
172	Other aneurysm	10	6	4
173	Other peripheral vascular diseases	51	27	24
174	Arterial embolism and thrombosis	10	7	3
177	Other disorders of arteries and arterioles	15	10	5
<u>180-189</u>	<u>Diseases of veins, lymphatic vessels and lymph nodes, not elsewhere classified</u>	<u>46</u>	<u>31</u>	<u>15</u>
180	Phlebitis and thrombophlebitis	26	19	7
181	Portal vein thrombosis	3	2	1
182	Other venous embolism and thrombosis	4	4	0
183	Varicose veins of lower extremities	3	1	2
185	Esophageal varices	5	1	4
187	Other disorders of veins	3	3	0
189	Other noninfective disorders of lymphatic vessels and lymph nodes	2	1	1
<u>195-199</u>	<u>Other and unspecified disorders of the circulatory system</u>	<u>2</u>	<u>2</u>	<u>0</u>
195	Hypotension	1	1	0
199	Other and unspecified disorders of circulatory system	1	1	0
<u>J00-J98</u>	<u>DISEASES OF THE RESPIRATORY SYSTEM</u>	<u>2,685</u>	<u>2,136</u>	<u>549</u>
<u>J00-J06</u>	<u>Acute upper respiratory infections</u>	<u>4</u>	<u>3</u>	<u>1</u>
J04	Acute laryngitis and tracheitis	1	0	1
J06	Acute upper respiratory infections of multiple and unspecified sites	3	3	0
<u>J10-J18</u>	<u>Influenza and pneumonia</u>	<u>636</u>	<u>462</u>	<u>174</u>
J11	Influenza, virus not identified	7	5	2
J12	Viral pneumonia, not elsewhere classified	3	3	0
J13	Pneumonia due to Streptococcus pneumoniae	7	5	2
J14	Pneumonia due to Hemophilus influenzae	1	0	1
J15	Bacterial pneumonia, not elsewhere classified	31	19	12
J18	Pneumonia, organism unspecified	587	430	157
<u>J20-J22</u>	<u>Other acute lower respiratory infections</u>	<u>5</u>	<u>5</u>	<u>0</u>
J20	Acute bronchitis	2	2	0
J22	Unspecified acute lower respiratory infection	3	3	0
<u>J30-J39</u>	<u>Other diseases of upper respiratory tract</u>	<u>2</u>	<u>1</u>	<u>1</u>

Table 10B - Page 10
Deaths - Mississippi - 2005

INTERNATIONAL CLASSIFICATION NUMBER*	CAUSE OF DEATH*	TOTAL	WHITE	NON-WHITE
J39	Other diseases of upper respiratory tract	2	1	1
<u>J40-J47</u>	<u>Chronic lower respiratory diseases</u>	<u>1,468</u>	<u>1,232</u>	<u>236</u>
J40	Bronchitis, not specified as acute or chronic	6	5	1
J42	Unspecified chronic bronchitis	1	0	1
J43	Emphysema	110	93	17
J44	Other chronic obstructive pulmonary disease	1,294	1,111	183
J45	Asthma	48	18	30
J46	Status asthmaticus	1	0	1
J47	Bronchiectasis	8	5	3
<u>J60-J70</u>	<u>Lung diseases due to external agents</u>	<u>238</u>	<u>175</u>	<u>63</u>
J61	Pneumoconiosis due to asbestos and other mineral fibers	18	16	2
J62	Pneumoconiosis due to dust containing silica	1	1	0
J64	Unspecified pneumoconiosis	1	0	1
J67	Hypersensitivity pneumonitis due to organic dust	1	1	0
J69	Pneumonitis due to solids and liquids	216	156	60
J70	Respiratory conditions due to other external agents	1	1	0
<u>J80-J84</u>	<u>Other respiratory diseases principally affecting the interstitium</u>	<u>161</u>	<u>143</u>	<u>18</u>
J80	Adult respiratory distress syndrome	21	17	4
J81	Pulmonary edema	6	5	1
J82	Pulmonary eosinophilia, not elsewhere classified	1	1	0
J84	Other interstitial pulmonary diseases	133	120	13
<u>J85-J86</u>	<u>Suppurative and necrotic conditions of lower respiratory tract</u>	<u>6</u>	<u>5</u>	<u>1</u>
J85	Abscess of lung and mediastinum	4	3	1
J86	Pyothorax	2	2	0
<u>J90-J94</u>	<u>Other diseases of pleura</u>	<u>18</u>	<u>11</u>	<u>7</u>
J90	Pleural effusion, not elsewhere classified	13	7	6
J93	Pneumothorax	4	4	0
J94	Other pleural conditions	1	0	1
<u>J95-J99</u>	<u>Other diseases of the respiratory system</u>	<u>147</u>	<u>99</u>	<u>48</u>
J96	Respiratory failure, not elsewhere classified	98	64	34
J98	Other respiratory disorders	49	35	14
<u>K00-K92</u>	<u>DISEASES OF THE DIGESTIVE SYSTEM</u>	<u>946</u>	<u>653</u>	<u>293</u>
<u>K00-K14</u>	<u>Diseases of oral cavity, salivary glands and jaws</u>	<u>2</u>	<u>1</u>	<u>1</u>
K04	Diseases of pulp and periapical tissues	1	0	1
K08	Other disorders of the teeth and supporting structures	1	1	0
<u>K20-K31</u>	<u>Diseases of esophagus, stomach and duodenum</u>	<u>64</u>	<u>44</u>	<u>20</u>
K20	Esophagitis	2	1	1
K21	Gastroesophageal reflux disease	8	3	5
K22	Other diseases of esophagus	8	8	0
K25	Gastric ulcer	11	8	3
K26	Duodenal ulcer	14	10	4
K27	Peptic ulcer, site unspecified	12	9	3
K29	Gastritis and duodenitis	3	2	1
K31	Other diseases of stomach and duodenum	6	3	3

Table 10B - Page 11
Deaths - Mississippi - 2005

INTERNATIONAL CLASSIFICATION NUMBER*	CAUSE OF DEATH*	TOTAL	WHITE	NON-WHITE
<u>K35-K38</u>	<u>Diseases of appendix</u>	<u>1</u>	<u>1</u>	<u>0</u>
K37	Unspecified appendicitis	1	1	0
<u>K40-K46</u>	<u>Hernia</u>	<u>17</u>	<u>13</u>	<u>4</u>
K40	Inguinal hernia	4	2	2
K43	Ventral hernia	4	3	1
K44	Diaphragmatic hernia	2	2	0
K45	Other abdominal hernia	1	1	0
K46	Unspecified abdominal hernia	6	5	1
<u>K50-K52</u>	<u>Noninfective enteritis and colitis</u>	<u>20</u>	<u>12</u>	<u>8</u>
K50	Crohn's disease [regional enteritis]	4	2	2
K52	Other noninfective gastroenteritis and colitis	16	10	6
<u>K55-K63</u>	<u>Other diseases of intestines</u>	<u>197</u>	<u>130</u>	<u>67</u>
K55	Vascular disorders of intestine	70	49	21
K56	Paralytic ileus and intestinal obstruction without hernia	70	40	30
K57	Diverticular disease of intestine	24	19	5
K59	Other functional intestinal disorders	4	0	4
K60	Fissure and fistula of anal and rectal regions	1	1	0
K61	Abscess of anal and rectal regions	1	1	0
K62	Other diseases of anus and rectum	4	3	1
K63	Other diseases of intestine	23	17	6
<u>K65-K67</u>	<u>Diseases of peritoneum</u>	<u>20</u>	<u>14</u>	<u>6</u>
K65	Peritonitis	15	9	6
K66	Other disorders of peritoneum	5	5	0
<u>K70-K76</u>	<u>Diseases of liver</u>	<u>422</u>	<u>313</u>	<u>109</u>
K70	Alcoholic liver disease	89	66	23
K72	Hepatic failure, not elsewhere classified	70	46	24
K73	Chronic hepatitis, not elsewhere classified	1	1	0
K74	Fibrosis and cirrhosis of liver	181	140	41
K75	Other inflammatory liver diseases	15	8	7
K76	Other diseases of liver	66	52	14
<u>K80-K87</u>	<u>Disorders of gallbladder, biliary tract and pancreas</u>	<u>80</u>	<u>50</u>	<u>30</u>
K80	Cholelithiasis	12	9	3
K81	Cholecystitis	13	10	3
K82	Other diseases of gallbladder	7	4	3
K83	Other diseases of biliary tract	9	5	4
K85	Acute pancreatitis	29	18	11
K86	Other diseases of pancreas	10	4	6
<u>K90-K93</u>	<u>Other diseases of the digestive system</u>	<u>123</u>	<u>75</u>	<u>48</u>
K90	Intestinal malabsorption	4	3	1
K92	Other diseases of the digestive system	119	72	47
<u>L00-L98</u>	<u>DISEASES OF THE SKIN AND SUBCUTANEOUS TISSUE</u>	<u>69</u>	<u>27</u>	<u>42</u>
<u>L00-L08</u>	<u>Infections of the skin and subcutaneous tissue</u>	<u>12</u>	<u>8</u>	<u>4</u>
L02	Cutaneous abscess, furuncle, and carbuncle	2	1	1
L03	Cellulitis	7	6	1
L08	Other local infections of skin and subcutaneous tissue	3	1	2
<u>L10-L14</u>	<u>Bullous disorders</u>	<u>1</u>	<u>0</u>	<u>1</u>

Table 10B - Page 12
 Deaths - Mississippi - 2005

INTERNATIONAL CLASSIFICATION NUMBER*	CAUSE OF DEATH*	TOTAL	WHITE	NON-WHITE
L12	Pemphigoid	1	0	1
<u>L20-L30</u>	<u>Dermatitis and eczema</u>	<u>1</u>	<u>0</u>	<u>1</u>
L26	Exfoliative dermatitis	1	0	1
<u>L50-L54</u>	<u>Urticaria and erythema</u>	<u>3</u>	<u>0</u>	<u>3</u>
L51	Erythema multiforme	3	0	3
<u>L60-L75</u>	<u>Disorders of skin appendages</u>	<u>1</u>	<u>1</u>	<u>0</u>
L73	Other follicular disorders	1	1	0
<u>L80-L99</u>	<u>Other disorders of the skin and subcutaneous tissue</u>	<u>51</u>	<u>18</u>	<u>33</u>
L89	Decubitus ulcer	41	15	26
L93	Lupus erythematosus	4	2	2
L97	Ulcer of lower limb, not elsewhere classified	4	0	4
L98	Other disorders of skin and subcutaneous tissue, not elsewhere classified	2	1	1
<u>M00-M99</u>	<u>DISEASES OF THE MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE</u>	<u>104</u>	<u>63</u>	<u>41</u>
<u>M00-M25</u>	<u>Arthropathies</u>	<u>20</u>	<u>16</u>	<u>4</u>
<u>M00-M03</u>	<u>Infectious arthropathies</u>	<u>3</u>	<u>3</u>	<u>0</u>
M00	Pyogenic arthritis	3	3	0
<u>M05-M14</u>	<u>Inflammatory polyarthropathies</u>	<u>15</u>	<u>12</u>	<u>3</u>
M05	Seropositive rheumatoid arthritis	2	1	1
M06	Other rheumatoid arthritis	9	8	1
M10	Gout	1	1	0
M13	Other arthritis	3	2	1
<u>M15-M19</u>	<u>Arthrosis</u>	<u>2</u>	<u>1</u>	<u>1</u>
M19	Other arthrosis	2	1	1
<u>M30-M36</u>	<u>Systemic connective tissue disorders</u>	<u>40</u>	<u>19</u>	<u>21</u>
M31	Other necrotizing vasculopathies	12	4	8
M32	Systemic lupus erythematosus	9	4	5
M33	Dermatopolymyositis	4	3	1
M34	Systemic sclerosis	11	4	7
M35	Other systemic involvement of connective tissue	4	4	0
<u>M40-M54</u>	<u>Dorsopathies</u>	<u>8</u>	<u>5</u>	<u>3</u>
<u>M40-M43</u>	<u>Deforming dorsopathies</u>	<u>3</u>	<u>2</u>	<u>1</u>
M40	Kyphosis and lordosis	1	1	0
M41	Scoliosis	2	1	1
<u>M45-M49</u>	<u>Spondylopathies</u>	<u>3</u>	<u>2</u>	<u>1</u>
M46	Other inflammatory spondylopathies	2	1	1
M47	Spondylosis	1	1	0
<u>M50-M54</u>	<u>Other dorsopathies</u>	<u>2</u>	<u>1</u>	<u>1</u>
M50	Cervical disc disorders	1	0	1
M51	Other intervertebral disc disorders	1	1	0
<u>M60-M79</u>	<u>Soft tissue disorders</u>	<u>18</u>	<u>11</u>	<u>7</u>
<u>M60-M63</u>	<u>Disorders of muscles</u>	<u>8</u>	<u>6</u>	<u>2</u>
M62	Other disorders of muscle	8	6	2
<u>M70-M79</u>	<u>Other soft tissue disorders</u>	<u>10</u>	<u>5</u>	<u>5</u>
M72	Fibroblastic disorders	9	5	4

Table 10B - Page 13
Deaths - Mississippi - 2005

INTERNATIONAL CLASSIFICATION NUMBER*	CAUSE OF DEATH*	TOTAL	WHITE	NON-WHITE
M79	Other soft tissue disorders, not elsewhere classified	1	0	1
<u>M80-M94</u>	<u>Osteopathies and chondropathies</u>	<u>18</u>	<u>12</u>	<u>6</u>
<u>M80-M85</u>	<u>Disorders of bone density and structure</u>	<u>10</u>	<u>8</u>	<u>2</u>
M80	Osteoporosis with pathological fracture	3	2	1
M81	Osteoporosis without pathological fracture	6	6	0
M84	Disorders of continuity of bone	1	0	1
<u>M86-M90</u>	<u>Other osteopathies</u>	<u>7</u>	<u>3</u>	<u>4</u>
M86	Osteomyelitis	7	3	4
<u>M91-M94</u>	<u>Chondropathies</u>	<u>1</u>	<u>1</u>	<u>0</u>
M94	Other disorders of cartilage	1	1	0
<u>N00-N98</u>	<u>DISEASES OF THE GENITOURINARY SYSTEM</u>	<u>945</u>	<u>550</u>	<u>395</u>
<u>N00-N07</u>	<u>Glomerular diseases</u>	<u>6</u>	<u>5</u>	<u>1</u>
N03	Chronic nephritic syndrome	4	4	0
N04	Nephrotic syndrome	1	0	1
N05	Unspecified nephritic syndrome	1	1	0
<u>N10-N16</u>	<u>Renal tubulo-interstitial diseases</u>	<u>21</u>	<u>10</u>	<u>11</u>
N10	Acute tubulo-interstitial nephritis	2	1	1
N12	Tubulo-interstitial nephritis, not specified as acute or chronic	14	8	6
N13	Obstructive and reflux uropathy	2	0	2
N15	Other renal tubulo-interstitial diseases	3	1	2
<u>N17-N19</u>	<u>Renal failure</u>	<u>653</u>	<u>357</u>	<u>296</u>
N17	Acute renal failure	103	63	40
N18	Chronic renal failure	251	124	127
N19	Unspecified renal failure	299	170	129
<u>N20-N23</u>	<u>Urolithiasis</u>	<u>4</u>	<u>2</u>	<u>2</u>
N20	Calculus of kidney and ureter	4	2	2
<u>N25-N29</u>	<u>Other disorders of kidney and ureter</u>	<u>14</u>	<u>8</u>	<u>6</u>
N26	Unspecified contracted kidney	1	1	0
N28	Other disorders of kidney and ureter, not elsewhere classified	13	7	6
<u>N30-N39</u>	<u>Other diseases of urinary system</u>	<u>233</u>	<u>161</u>	<u>72</u>
N31	Neuromuscular dysfunction of bladder, not elsewhere classified	2	2	0
N32	Other disorders of bladder	2	1	1
N39	Other disorders of urinary system	229	158	71
<u>N40-N50</u>	<u>Diseases of male genital organs</u>	<u>12</u>	<u>7</u>	<u>5</u>
N40	Hyperplasia of prostate	8	6	2
N42	Other disorders of prostate	2	1	1
N49	Inflammatory disorders of male genital organs, not elsewhere classified	2	0	2
<u>N80-N98</u>	<u>Noninflammatory disorders of female genital tract</u>	<u>2</u>	<u>0</u>	<u>2</u>
N83	Noninflammatory disorders of ovary, fallopian tube, and broad ligament	1	0	1
N93	Other abnormal uterine and vaginal bleeding	1	0	1
<u>O00-O99</u>	<u>PREGNANCY, CHILDBIRTH AND THE PUERPERIUM</u>	<u>12</u>	<u>2</u>	<u>10</u>

Table 10B - Page 14
Deaths - Mississippi - 2005

INTERNATIONAL CLASSIFICATION NUMBER*	CAUSE OF DEATH*	TOTAL	WHITE	NON-WHITE
<u>O10-O92</u>	<u>Other direct obstetric deaths</u>	<u>7</u>	<u>1</u>	<u>6</u>
<u>O10-O16</u>	<u>Edema, proteinuria and hypertensive disorders in pregnancy, childbirth and the puerperium</u>	<u>1</u>	<u>0</u>	<u>1</u>
O15	Eclampsia	1	0	1
<u>O20-O29</u>	<u>Other maternal disorders predominantly related to pregnancy</u>	<u>2</u>	<u>1</u>	<u>1</u>
O26	Maternal care for other conditions predominantly related to pregnancy	2	1	1
<u>O60-O75</u>	<u>Complications of labor and delivery</u>	<u>3</u>	<u>0</u>	<u>3</u>
O75	Other complications of labor and delivery, not elsewhere classified	3	0	3
<u>O85-O92</u>	<u>Complications predominantly related to the puerperium</u>	<u>1</u>	<u>0</u>	<u>1</u>
O88	Obstetric embolism	1	0	1
<u>O95-O99</u>	<u>Other obstetric conditions, not elsewhere classified</u>	<u>5</u>	<u>1</u>	<u>4</u>
O96	Death from any obstetric cause occurring more than 42 days but less than 1 year after delivery	2	0	2
O99	Other maternal diseases classifiable elsewhere but complicating pregnancy, childbirth, and the puerperium	3	1	2
<u>P00-P96</u>	<u>CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD</u>	<u>224</u>	<u>43</u>	<u>181</u>
<u>P00-P04</u>	<u>Fetus and newborn affected by maternal factors and by complications of pregnancy, labor and delivery</u>	<u>31</u>	<u>6</u>	<u>25</u>
P00	Newborn affected by maternal conditions that may be unrelated to present pregnancy	1	0	1
P01	Newborn affected by maternal complications of pregnancy	15	4	11
P02	Newborn affected by complications of placenta, cord, and membranes	11	1	10
P03	Newborn affected by other complications of labor and delivery	4	1	3
<u>P05-P08</u>	<u>Disorders related to length of gestation and fetal growth</u>	<u>98</u>	<u>10</u>	<u>88</u>
P07	Disorders related to short gestation and low birthweight, not elsewhere classified	97	10	87
P08	Disorders related to long gestation and high birthweight	1	0	1
<u>P20-P29</u>	<u>Respiratory and cardiovascular disorders specific to the perinatal period</u>	<u>47</u>	<u>13</u>	<u>34</u>
P20	Intrauterine hypoxia	2	0	2
P21	Birth asphyxia	6	2	4
P22	Respiratory distress of newborn	8	2	6
P23	Congenital pneumonia	2	0	2
P25	Interstitial emphysema and related conditions originating in the perinatal period	1	0	1
P26	Pulmonary hemorrhage originating in the perinatal period	9	3	6
P27	Chronic respiratory disease originating in the perinatal period	3	0	3
P28	Other respiratory conditions originating in the perinatal period	6	2	4

Table 10B - Page 15
Deaths - Mississippi - 2005

INTERNATIONAL CLASSIFICATION NUMBER*	CAUSE OF DEATH*	TOTAL	WHITE	NON-WHITE
P29	Cardiovascular disorders originating in the perinatal period	10	4	6
<u>P35-P39</u>	<u>Infections specific to the perinatal period</u>	<u>20</u>	<u>5</u>	<u>15</u>
P35	Congenital viral diseases	3	0	3
P36	Bacterial sepsis of newborn	14	3	11
P37	Other congenital infectious and parasitic diseases	2	1	1
P39	Other infections specific to the perinatal period	1	1	0
<u>P50-P61</u>	<u>Hemorrhagic and hematological disorders of fetus and newborn</u>	<u>10</u>	<u>3</u>	<u>7</u>
P52	Intracranial nontraumatic hemorrhage of fetus and newborn	5	2	3
P54	Other neonatal hemorrhages	4	1	3
P61	Other perinatal hematological disorders	1	0	1
<u>P75-P78</u>	<u>Digestive system disorders of fetus and newborn</u>	<u>13</u>	<u>4</u>	<u>9</u>
P77	Necrotizing enterocolitis of newborn	13	4	9
<u>P80-P83</u>	<u>Conditions involving the integument and temperature regulation of fetus and newborn</u>	<u>2</u>	<u>2</u>	<u>0</u>
P83	Other conditions of integument specific to newborn	2	2	0
<u>P90-P96</u>	<u>Other disorders originating in the perinatal period</u>	<u>3</u>	<u>0</u>	<u>3</u>
P96	Other conditions originating in the perinatal period	3	0	3
<u>Q00-Q99</u>	<u>CONGENITAL MALFORMATIONS, DEFORMATIONS AND CHROMOSOMAL ABNORMALITIES</u>	<u>117</u>	<u>67</u>	<u>50</u>
<u>Q00-Q07</u>	<u>Congenital malformations of the nervous system</u>	<u>15</u>	<u>11</u>	<u>4</u>
Q00	Anencephaly and similar malformations	3	2	1
Q01	Encephalocele	1	0	1
Q03	Congenital hydrocephalus	3	2	1
Q04	Other congenital malformations of brain	5	5	0
Q05	Spina bifida	2	2	0
Q07	Other congenital malformations of nervous system	1	0	1
<u>Q10-Q18</u>	<u>Congenital malformations of eye, ear, face and neck</u>	<u>1</u>	<u>1</u>	<u>0</u>
Q18	Other congenital malformations of face and neck	1	1	0
<u>Q20-Q28</u>	<u>Congenital malformations of the circulatory system</u>	<u>30</u>	<u>19</u>	<u>11</u>
Q20	Congenital malformations of cardiac chambers and connections	2	2	0
Q21	Congenital malformations of cardiac septa	4	4	0
Q22	Congenital malformations of pulmonary and tricuspid valves	2	0	2
Q23	Congenital malformations of aortic and mitral valves	3	3	0
Q24	Other congenital malformations of heart	13	6	7
Q25	Congenital malformations of great arteries	4	2	2
Q27	Other congenital malformations of peripheral vascular system	1	1	0
Q28	Other congenital malformations of circulatory system	1	1	0
<u>Q30-Q34</u>	<u>Congenital malformations of the respiratory system</u>	<u>10</u>	<u>4</u>	<u>6</u>
Q33	Congenital malformations of lung	10	4	6
<u>Q38-Q45</u>	<u>Other congenital malformations of the digestive system</u>	<u>3</u>	<u>3</u>	<u>0</u>
Q39	Congenital malformations of esophagus	1	1	0
Q43	Other congenital malformations of intestine	1	1	0
Q44	Congenital malformations of gallbladder, bile ducts, and liver	1	1	0
<u>Q60-Q64</u>	<u>Congenital malformations of the urinary system</u>	<u>13</u>	<u>7</u>	<u>6</u>
Q60	Renal agenesis and other reduction defects of kidney	9	4	5

Table 10B - Page 16
Deaths - Mississippi - 2005

INTERNATIONAL CLASSIFICATION NUMBER*	CAUSE OF DEATH*	TOTAL	WHITE	NON-WHITE
Q61	Cystic kidney disease	4	3	1
<u>Q65-Q79</u>	<u>Congenital malformations and deformations of the musculoskeletal system</u>	<u>10</u>	<u>3</u>	<u>7</u>
Q75	Other congenital malformations of skull and face bones	1	0	1
Q77	Osteochondrodysplasia with defects of growth of tubular bones and spine	2	1	1
Q78	Other osteochondrodysplasias	1	0	1
Q79	Congenital malformations of musculoskeletal system, not elsewhere classified	6	2	4
<u>Q80-Q89</u>	<u>Other congenital malformations</u>	<u>12</u>	<u>6</u>	<u>6</u>
Q81	Epidermolysis bullosa	1	0	1
Q85	Phakomatoses, not elsewhere classified	1	1	0
Q87	Other specified congenital malformation syndromes affecting multiple systems	4	1	3
Q89	Other congenital malformations, not elsewhere classified	6	4	2
<u>Q90-Q99</u>	<u>Chromosomal abnormalities, not elsewhere classified</u>	<u>23</u>	<u>13</u>	<u>10</u>
Q90	Down's syndrome	11	8	3
Q91	Edwards' syndrome and Patau's syndrome	6	3	3
Q92	Other trisomies and partial trisomies of autosomes, not elsewhere classified	3	1	2
Q99	Other chromosome abnormalities, not elsewhere classified	3	1	2
<u>R00-R99</u>	<u>SYMPTOMS, SIGNS AND ABNORMAL CLINICAL AND LABORATORY FINDINGS NOT ELSEWHERE CLASSIFIED</u>	<u>494</u>	<u>307</u>	<u>187</u>
<u>R00-R09</u>	<u>Symptoms and signs involving the circulatory and respiratory systems</u>	<u>66</u>	<u>42</u>	<u>24</u>
R02	Gangrene, not elsewhere classified	1	1	0
R04	Hemorrhage from respiratory passages	2	1	1
R06	Abnormalities of breathing	5	2	3
R09	Other symptoms and signs involving the circulatory and respiratory systems	58	38	20
<u>R10-R19</u>	<u>Symptoms and signs involving the digestive system and abdomen</u>	<u>6</u>	<u>3</u>	<u>3</u>
R13	Dysphagia	1	0	1
R19	Other symptoms and signs involving the digestive system and abdomen	5	3	2
<u>R40-R46</u>	<u>Symptoms and signs involving cognition, perception, emotional state and behavior</u>	<u>1</u>	<u>0</u>	<u>1</u>
R40	Somnolence, stupor, and coma	1	0	1
<u>R47-R49</u>	<u>Symptoms and signs involving speech and voice</u>	<u>1</u>	<u>0</u>	<u>1</u>
R47	Speech disturbances, not elsewhere classified	1	0	1
<u>R50-R69</u>	<u>General symptoms and signs</u>	<u>199</u>	<u>132</u>	<u>67</u>
R53	Malaise and fatigue	66	43	23
R54	Senility	17	11	6
R56	Convulsions, not elsewhere classified	24	12	12
R57	Shock, not elsewhere classified	8	5	3

Table 10B - Page 17
Deaths - Mississippi - 2005

INTERNATIONAL CLASSIFICATION NUMBER*	CAUSE OF DEATH*	TOTAL	WHITE	NON-WHITE
R58	Hemorrhage, not elsewhere classified	3	1	2
R62	Lack of expected normal physiological development	81	60	21
<u>R70-R79</u>	<u>Abnormal findings on examination of blood, without diagnosis</u>	<u>2</u>	<u>0</u>	<u>2</u>
R73	Elevated blood glucose level	1	0	1
R75	Laboratory evidence of human immunodeficiency virus [HIV]	1	0	1
<u>R90-R94</u>	<u>Abnormal findings on diagnostic imaging and in function studies, without diagnosis</u>	<u>2</u>	<u>2</u>	<u>0</u>
R91	Abnormal findings on diagnostic imaging of lung	1	1	0
R94	Abnormal results of function studies	1	1	0
<u>R95-R99</u>	<u>Ill-defined and unknown causes of mortality</u>	<u>217</u>	<u>128</u>	<u>89</u>
R95	Sudden infant death syndrome	91	47	44
R96	Other sudden death, cause unknown	2	0	2
R99	Other ill-defined and unspecified causes of mortality	124	81	43
<u>V01-Y89</u>	<u>EXTERNAL CAUSES OF MORTALITY</u>	<u>2,637</u>	<u>1,768</u>	<u>869</u>
<u>V01-V09</u>	<u>Pedestrian injured in transport accident</u>	<u>93</u>	<u>61</u>	<u>32</u>
V02	Pedestrian injured in collision with two- or three-wheeled motor vehicle	1	0	1
V03	Pedestrian injured in collision with car, pickup truck, or van	60	36	24
V04	Pedestrian injured in collision with heavy transport vehicle or bus	5	4	1
V05	Pedestrian injured in collision with railway train or railway vehicle	5	3	2
V09	Pedestrian injured in other and unspecified transport accidents	22	18	4
<u>V10-V19</u>	<u>Pedal cyclist injured in transport accident</u>	<u>6</u>	<u>5</u>	<u>1</u>
V13	Pedal cyclist injured in collision with car, pickup truck, or van	3	3	0
V15	Pedal cyclist injured in collision with railway train or railway vehicle	1	0	1
V18	Pedal cyclist injured in noncollision transport accident	1	1	0
V19	Pedal cyclist injured in other and unspecified transport accidents	1	1	0
<u>V20-V29</u>	<u>Motorcycle rider injured in transport accident</u>	<u>42</u>	<u>27</u>	<u>15</u>
V20	Motorcycle rider injured in collision with pedestrian or animal	2	1	1
V22	Motorcycle rider injured in collision with two- or three-wheeled motor vehicle	1	1	0
V23	Motorcycle rider injured in collision with car, pickup truck, or van	20	12	8
V26	Motorcycle rider injured in collision with other nonmotor vehicle	1	1	0
V27	Motorcycle rider injured in collision with fixed or stationary object	9	6	3
V28	Motorcycle rider injured in noncollision transport accident	7	4	3
V29	Motorcycle rider injured in other and unspecified transport accidents	2	2	0

Table 10B - Page 18
Deaths - Mississippi - 2005

INTERNATIONAL CLASSIFICATION NUMBER*	CAUSE OF DEATH*	TOTAL	WHITE	NON-WHITE
<u>V30-V39</u>	<u>Occupant of three-wheeled motor vehicle injured in transport accident</u>	<u>1</u>	<u>1</u>	<u>0</u>
V38	Occupant of three-wheeled motor vehicle injured in noncollision transport accident	1	1	0
<u>V40-V49</u>	<u>Car occupant injured in transport accident</u>	<u>515</u>	<u>292</u>	<u>223</u>
V43	Car occupant injured in collision with car, pickup truck, or van	181	108	73
V44	Car occupant injured in collision with heavy transport vehicle or bus	49	27	22
V45	Car occupant injured in collision with railway train or railway vehicle	4	0	4
V47	Car occupant injured in collision with fixed or stationary object	135	84	51
V48	Car occupant injured in noncollision transport accident	137	68	69
V49	Car occupant injured in other and unspecified transport accidents	9	5	4
<u>V50-V59</u>	<u>Occupant of pick-up truck or van injured in transport accident</u>	<u>161</u>	<u>124</u>	<u>37</u>
V53	Occupant of pickup truck or van injured in collision with car, pickup truck, or van	38	28	10
V54	Occupant of pickup truck or van injured in collision with heavy transport vehicle or bus	20	15	5
V55	Occupant of pickup truck or van injured in collision with railway train or railway vehicle	6	4	2
V57	Occupant of pickup truck or van injured in collision with fixed or stationary object	51	41	10
V58	Occupant of pickup truck or van injured in noncollision transport accident	43	33	10
V59	Occupant of pickup truck or van injured in other and unspecified transport accidents	3	3	0
<u>V60-V69</u>	<u>Occupant of heavy transport vehicle injured in transport accident</u>	<u>17</u>	<u>10</u>	<u>7</u>
V63	Occupant of heavy transport vehicle injured in collision with car, pickup truck, or van	1	1	0
V64	Occupant of heavy transport vehicle injured in collision with heavy transport vehicle or bus	3	1	2
V67	Occupant of heavy transport vehicle injured in collision with fixed or stationary object	5	4	1
V68	Occupant of heavy transport vehicle injured in noncollision transport accident	8	4	4
<u>V70-V79</u>	<u>Bus occupant injured in transport accident</u>	<u>1</u>	<u>1</u>	<u>0</u>
V79	Bus occupant injured in other and unspecified transport accidents	1	1	0
<u>V80-V89</u>	<u>Other land transport accidents</u>	<u>131</u>	<u>93</u>	<u>38</u>
V80	Animal-rider or occupant of animal-drawn vehicle injured in transport accident	2	2	0
V81	Occupant of railway train or railway vehicle injured in transport accident	4	3	1

Table 10B - Page 19
Deaths - Mississippi - 2005

INTERNATIONAL CLASSIFICATION NUMBER*	CAUSE OF DEATH*	TOTAL	WHITE	NON-WHITE
V83	Occupant of special vehicle mainly used on industrial premises injured in transport accident	1	1	0
V84	Occupant of special vehicle mainly used in agriculture injured in transport accident	10	8	2
V85	Occupant of special construction vehicle injured in transport accident	1	0	1
V86	Occupant of special all-terrain or other motor vehicle designed primarily for off-road use, injured in transport accident	26	21	5
V87	Traffic accident of specified type but victim's mode of transport unknown	17	14	3
V89	Motor- or nonmotor-vehicle accident, type of vehicle unspecified	70	44	26
<u>V90-V94</u>	<u>Water transport accidents</u>	<u>9</u>	<u>8</u>	<u>1</u>
V90	Accident to watercraft causing drowning and submersion	2	2	0
V91	Accident to watercraft causing other injury	2	2	0
V92	Water-transport-related drowning and submersion without accident to watercraft	5	4	1
<u>V95-V97</u>	<u>Air and space transport accidents</u>	<u>11</u>	<u>11</u>	<u>0</u>
V95	Accident to powered aircraft causing injury to occupant	11	11	0
<u>W00-W19</u>	<u>Falls</u>	<u>193</u>	<u>155</u>	<u>38</u>
W01	Fall on same level from slipping, tripping, and stumbling	10	8	2
W05	Fall involving wheelchair	11	8	3
W06	Fall involving bed	10	8	2
W07	Fall involving chair	3	3	0
W08	Fall involving other furniture	4	4	0
W09	Fall involving playground equipment	1	0	1
W10	Fall on and from stairs and steps	3	3	0
W11	Fall on and from ladder	4	3	1
W13	Fall from, out of, or through building or structure	11	9	2
W14	Fall from tree	3	2	1
W16	Diving or jumping into water causing injury other than drowning or submersion	1	1	0
W17	Other fall from one level to another	3	3	0
W18	Other fall on same level	41	30	11
W19	Unspecified fall	88	73	15
<u>W20-W49</u>	<u>Exposure to inanimate mechanical forces</u>	<u>57</u>	<u>39</u>	<u>18</u>
W20	Struck by thrown, projected, or falling object	14	9	5
W22	Striking against or struck by other objects	2	1	1
W23	Caught, crushed, jammed, or pinched in or between objects	4	4	0
W24	Contact with lifting and transmission devices, not elsewhere classified	1	1	0
W28	Contact with powered lawn mower	3	2	1
W30	Contact with agricultural machinery	3	3	0
W31	Contact with other and unspecified machinery	2	2	0
W32	Handgun discharge	5	4	1
W33	Rifle, shotgun, and larger firearm discharge	5	2	3
W34	Discharge from other and unspecified firearms	10	5	5

Table 10B - Page 20
Deaths - Mississippi - 2005

INTERNATIONAL CLASSIFICATION NUMBER*	CAUSE OF DEATH*	TOTAL	WHITE	NON-WHITE
W40	Explosion of other materials	7	5	2
W45	Foreign body or object entering through skin	1	1	0
<u>W50-W64</u>	<u>Exposure to animate mechanical forces</u>	<u>2</u>	<u>1</u>	<u>1</u>
W50	Hit, struck, kicked, twisted, bitten, or scratched by another person	1	0	1
W57	Bitten or stung by nonvenomous insect and other nonvenomous arthropods	1	1	0
<u>W65-W74</u>	<u>Accidental drowning and submersion</u>	<u>44</u>	<u>29</u>	<u>15</u>
W65	Drowning and submersion while in bathtub	3	0	3
W66	Drowning and submersion following fall into bathtub	3	3	0
W67	Drowning and submersion while in swimming pool	5	3	2
W68	Drowning and submersion following fall into swimming pool	5	4	1
W69	Drowning and submersion while in natural water	17	11	6
W70	Drowning and submersion following fall into natural water	3	1	2
W73	Other specified drowning and submersion	6	5	1
W74	Unspecified drowning and submersion	2	2	0
<u>W75-W84</u>	<u>Other accidental threats to breathing</u>	<u>87</u>	<u>51</u>	<u>36</u>
W75	Accidental suffocation and strangulation in bed	5	2	3
W76	Other accidental hanging and strangulation	4	2	2
W78	Inhalation of gastric contents	5	2	3
W79	Inhalation and ingestion of food causing obstruction of respiratory tract	13	7	6
W80	Inhalation and ingestion of other objects causing obstruction of respiratory tract	59	37	22
W83	Other specified threats to breathing	1	1	0
<u>W85-W99</u>	<u>Exposure to electric current, radiation and extreme ambient air temperature and pressure</u>	<u>10</u>	<u>8</u>	<u>2</u>
W85	Exposure to electric transmission lines	5	5	0
W86	Exposure to other specified electric current	2	2	0
W87	Exposure to unspecified electric current	3	1	2
<u>X00-X09</u>	<u>Exposure to smoke, fire and flames</u>	<u>70</u>	<u>31</u>	<u>39</u>
X00	Exposure to uncontrolled fire in building or structure	57	23	34
X01	Exposure to uncontrolled fire, not in building or structure	5	4	1
X06	Exposure to ignition or melting of other clothing and apparel	3	0	3
X09	Exposure to unspecified smoke, fire, and flames	5	4	1
<u>X10-X19</u>	<u>Contact with heat and hot substances</u>	<u>1</u>	<u>0</u>	<u>1</u>
X11	Contact with hot tap water	1	0	1
<u>X20-X29</u>	<u>Contact with venomous animals and plants</u>	<u>1</u>	<u>1</u>	<u>0</u>
X23	Contact with hornets, wasps, and bees	1	1	0
<u>X30-X39</u>	<u>Exposure to forces of nature</u>	<u>196</u>	<u>145</u>	<u>51</u>
X30	Exposure to excessive natural heat	7	4	3
X31	Exposure to excessive natural cold	7	1	6
X33	Victim of lightning	1	1	0
X37	Victim of cataclysmic storm	181	139	42
<u>X40-X49</u>	<u>Accidental poisoning by and exposure to noxious substances</u>	<u>197</u>	<u>162</u>	<u>35</u>
X40	Accidental poisoning by and exposure to nonopioid analgesics, antipyretics, and antirheumatics	4	4	0

Table 10B - Page 21
Deaths - Mississippi - 2005

INTERNATIONAL CLASSIFICATION NUMBER*	CAUSE OF DEATH*	TOTAL	WHITE	NON-WHITE
X41	Accidental poisoning by and exposure to antiepileptic, sedative-hypnotic, antiparkinsonism, and psychotropic drugs, not elsewhere classified	7	4	3
X42	Accidental poisoning by and exposure to narcotics and psychodysleptics [hallucinogens], not elsewhere classified	27	18	9
X44	Accidental poisoning by and exposure to other and unspecified drugs, medicaments, and biological substances	144	129	15
X45	Accidental poisoning by and exposure to alcohol	6	3	3
X46	Accidental poisoning by and exposure to organic solvents and halogenated hydrocarbons and their vapors	1	1	0
X47	Accidental poisoning by and exposure to other gases and vapors	6	2	4
X49	Accidental poisoning by and exposure to other and unspecified chemicals and noxious substances	2	1	1
<u>X50-X57</u>	<u>Overexertion, travel and privation</u>	<u>6</u>	<u>4</u>	<u>2</u>
X50	Overexertion and strenuous or repetitive movements	6	4	2
<u>X58-X59</u>	<u>Accidental exposure to other and unspecified factors</u>	<u>41</u>	<u>30</u>	<u>11</u>
X58	Exposure to other specified factors	1	0	1
X59	Exposure to unspecified factor	40	30	10
<u>X60-X84</u>	<u>Intentional self-harm</u>	<u>364</u>	<u>302</u>	<u>62</u>
X60	Intentional self-poisoning (suicide) by and exposure to nonopioid analgesics, antipyretics, and antirheumatics	4	4	0
X61	Intentional self-poisoning (suicide) by and exposure to antiepileptic, sedative-hypnotic, antiparkinsonism, and psychotropic drugs, not elsewhere classified	2	2	0
X62	Intentional self-poisoning (suicide) by and exposure to narcotics and psychodysleptics [hallucinogens], not elsewhere classified	1	1	0
X64	Intentional self-poisoning (suicide) by and exposure to other and unspecified drugs, medicaments, and biological substances	18	16	2
X67	Intentional self-poisoning (suicide) by and exposure to other gases and vapors	8	6	2
X70	Intentional self harm (suicide) by hanging, strangulation, and suffocation	67	53	14
X72	Intentional self harm (suicide) by handgun discharge	85	74	11
X73	Intentional self harm (suicide) by rifle, shotgun, and larger firearm discharge	40	36	4
X74	Intentional self harm (suicide) by other and unspecified firearm discharge	128	103	25
X76	Intentional self harm (suicide) by smoke, fire, and flames	1	1	0
X78	Intentional self harm (suicide) by sharp object	4	3	1
X81	Intentional self harm (suicide) by jumping or lying before moving object	4	2	2
X82	Intentional self harm (suicide) by crashing of motor vehicle	1	1	0
X84	Intentional self harm (suicide) by unspecified means	1	0	1

Table 10B - Page 22
Deaths - Mississippi - 2005

INTERNATIONAL CLASSIFICATION NUMBER*	CAUSE OF DEATH*	TOTAL	WHITE	NON-WHITE
<u>X85-Y09</u>	<u>Assault</u>	<u>248</u>	<u>85</u>	<u>163</u>
X85	Assault (homicide) by drugs, medicaments, and biological substances	1	0	1
X91	Assault (homicide) by hanging, strangulation, and suffocation	10	4	6
X93	Assault (homicide) by handgun discharge	44	5	39
X94	Assault (homicide) by rifle, shotgun, and larger firearm discharge	17	7	10
X95	Assault (homicide) by other and unspecified firearm discharge	111	40	71
X99	Assault (homicide) by sharp object	35	10	25
Y00	Assault (homicide) by blunt object	7	3	4
Y02	Assault (homicide) by pushing or placing victim before moving object	1	0	1
Y03	Assault (homicide) by crashing of motor vehicle	1	1	0
Y07	Other maltreatment syndromes	2	1	1
Y08	Assault (homicide) by other specified means	3	2	1
Y09	Assault (homicide) by unspecified means	16	12	4
<u>Y10-Y34</u>	<u>Event of undetermined intent</u>	<u>53</u>	<u>39</u>	<u>14</u>
Y11	Poisoning by and exposure to antiepileptic, sedative-hypnotic, antiparkinsonism, and psychotropic drugs, not elsewhere classified, undetermined intent	2	2	0
Y12	Poisoning by and exposure to narcotics and psychodysleptics [hallucinogens], not elsewhere classified, undetermined intent	10	10	0
Y14	Poisoning by and exposure to other and unspecified drugs, medicaments, and biological substances, undetermined intent	20	18	2
Y15	Poisoning by and exposure to alcohol, undetermined intent	1	1	0
Y21	Drowning and submersion, undetermined intent	4	2	2
Y22	Handgun discharge, undetermined intent	2	2	0
Y23	Rifle, shotgun, and larger firearm discharge, undetermined intent	3	1	2
Y24	Other and unspecified firearm discharge, undetermined intent	2	0	2
Y26	Exposure to smoke, fire, and flames, undetermined intent	6	3	3
Y32	Crashing of motor vehicle, undetermined intent	2	0	2
Y34	Unspecified event, undetermined intent	1	0	1
<u>Y35-Y36</u>	<u>Legal intervention and operations of war</u>	<u>3</u>	<u>3</u>	<u>0</u>
Y35	Legal intervention	3	3	0
<u>Y40-Y59</u>	<u>Drugs, medicaments and biological substances causing adverse effects in therapeutic use</u>	<u>4</u>	<u>1</u>	<u>3</u>
Y46	Antiepileptics and antiparkinsonism drugs	1	0	1
Y49	Psychotropic drugs, not elsewhere classified	1	0	1
Y52	Agents primarily affecting the cardiovascular system	1	0	1
Y57	Other and unspecified drugs and medicaments	1	1	0
<u>Y60-Y69</u>	<u>Misadventures to patients during surgical and medical care</u>	<u>4</u>	<u>3</u>	<u>1</u>
Y60	Unintentional cut, puncture, perforation, or hemorrhage during surgical and medical care	2	1	1

Table 10B - Page 23
 Deaths - Mississippi - 2005

INTERNATIONAL CLASSIFICATION NUMBER*	CAUSE OF DEATH*	TOTAL	WHITE	NON-WHITE
Y65	Other misadventures during surgical and medical care	2	2	0
<u>Y70-Y82</u>	<u>Medical devices associated with adverse incidents in diagnostic and therapeutic use</u>	<u>1</u>	<u>0</u>	<u>1</u>
Y82	Other and unspecified medical devices associated with adverse incidents	1	0	1
<u>Y83-Y84</u>	<u>Surgical and other medical procedures as the cause of abnormal reaction of the patient, or of later complication, without mention of misadventure at the time of the procedure</u>	<u>44</u>	<u>27</u>	<u>17</u>
Y83	Surgical operation and other surgical procedures as the cause of abnormal reaction of the patient, or of later complication, without mention of misadventure at the time of the procedure	36	25	11
Y84	Other medical procedures as the cause of abnormal reaction of the patient, or of later complication, without mention of misadventure at the time of the procedure	8	2	6
<u>Y85-Y89</u>	<u>Sequelae of external causes of mortality</u>	<u>24</u>	<u>19</u>	<u>5</u>
Y85	Sequelae of transport accidents	9	7	2
Y86	Sequelae of other accidents	11	9	2
Y87	Sequelae of intentional self harm, assault, and events of undetermined intent	2	1	1
Y88	Sequelae with surgical and medical care as external cause	2	2	0

* NUMBERS AND CAUSES ARE FROM THE TENTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES AND RELATED HEALTH PROBLEMS.

TABLE 11
DEATHS FROM MAJOR CAUSE GROUPS AND CERTAIN SELECTED CAUSES, BY RACE, SEX, AND AGE,
ALSO RATES FOR MAJOR CAUSE GROUPS AND CERTAIN SELECTED CAUSES,
MISSISSIPPI RESIDENTS, 2005

GROUP NUMBER*	CAUSE OF DEATH	TOTAL		RACE	TOTAL BY RACE	SEX	TOTAL BY RACE AND SEX	AGE										65 AND OVER	UNKNOWN
								NO.	RATE#	UNDER 1	1-4	5-9	10-14	15-24	25-34	35-44	45-54		
001-358	ALL CAUSES	29,047	9.9	W	M	9,678	93	24	16	26	209	245	403	930	1,472	6,256	4		
					F	9,846	60	15	9	10	70	98	253	541	910	7,879	1		
				NW	M	4,889	192	17	14	15	154	214	349	688	863	2,380	3		
					F	4,634	136	18	13	10	82	144	240	476	542	2,971	2		
001-055	INFECTIOUS AND PARASITIC DISEASES	897	30.7	W	M	219	0	0	1	0	2	3	14	29	34	136	0		
					F	250	1	1	0	0	5	1	8	16	25	193	0		
				NW	M	227	5	1	0	1	4	23	45	43	35	70	0		
					F	201	6	1	0	0	6	18	22	26	13	109	0		
009,010	TUBERCULOSIS	7	0.2	W	M	3	0	0	0	0	0	0	0	1	0	2	0		
					F	1	0	0	0	0	0	0	0	0	0	1	0		
				NW	M	3	0	0	0	0	0	0	0	1	0	2	0		
					F	0	0	0	0	0	0	0	0	0	0	0	0		
039-043	HUMAN IMMUNODEFICIENCY VIRUS (HIV) DISEASE	190	6.5	W	M	22	0	0	0	0	0	0	7	11	1	3	0		
					F	9	0	0	0	0	2	0	4	3	0	0	0		
				NW	M	109	0	0	0	0	3	21	35	29	13	8	0		
					F	50	0	0	0	0	6	14	18	9	1	2	0		
056-108	MALIGNANT NEOPLASMS	6,019	206.0	W	M	2,207	0	0	3	1	7	13	57	202	449	1,474	1		
					F	1,864	0	0	2	2	5	12	34	164	353	1,292	0		
				NW	M	1,057	0	1	1	1	6	19	37	135	250	607	0		
					F	891	0	1	1	1	5	11	57	136	179	500	0		
109-115	IN SITU NEOPLASMS, BENIGN NEOPLASMS, AND NEOPLASMS OF UNDETERMINED NATURE	133	4.6	W	M	56	0	1	1	0	0	1	2	4	10	37	0		
					F	45	0	0	0	0	0	1	2	2	6	34	0		
				NW	M	8	0	0	0	0	0	0	1	1	2	4	0		
					F	24	0	0	0	0	0	0	2	4	2	16	0		

TABLE 11 - PAGE 2
DEATHS - MISSISSIPPI - 2005

GROUP NUMBER*	CAUSE OF DEATH	TOTAL		RACE	TOTAL BY RACE	SEX	TOTAL BY RACE AND SEX	AGE										
		NO.	RATE#					UNDER 1	1-4	5-9	10-14	15-24	25-34	35-44	45-54	55-64	65 AND OVER	UNKNOWN
116-122	DISEASES OF BLOOD AND BLOOD-FORMING ORGANS	115	3.9	W	M	21	0	0	0	0	0	0	0	1	4	3	13	0
					F	27	0	0	0	0	0	0	2	3	0	22	0	
				NW	M	29	1	0	0	0	3	1	4	7	2	11	0	
					F	38	0	0	2	0	0	4	6	7	1	18	0	
116-119	ANEMIAS	61	2.1	W	M	7	0	0	0	0	0	0	0	0	0	1	6	0
					F	14	0	0	0	0	0	0	1	1	0	12	0	
				NW	M	14	0	0	0	0	3	1	1	1	1	7	0	
					F	26	0	0	2	0	0	2	4	3	0	15	0	
123-135	ENDOCRINE, NUTRITIONAL AND METABOLIC DISEASES	945	32.4	W	M	231	1	0	0	1	0	2	16	20	47	144	0	
					F	287	0	1	0	0	1	5	8	25	25	222	0	
				NW	M	185	0	0	0	0	0	5	14	20	44	102	0	
					F	242	1	0	0	0	4	8	8	28	33	160	0	
124	DIABETES MELLITUS	670	22.9	W	M	172	0	0	0	0	0	0	7	15	41	109	0	
					F	188	0	0	0	0	0	2	2	15	21	148	0	
				NW	M	133	0	0	0	0	0	3	9	15	38	68	0	
					F	177	0	0	0	0	3	5	4	21	30	114	0	
129-131	MALNUTRITION AND OTHER NUTRITIONAL DEFICIENCIES	41	1.4	W	M	6	0	0	0	0	0	0	0	1	0	5	0	
					F	12	0	0	0	0	0	0	0	0	1	11	0	
				NW	M	11	0	0	0	0	0	0	0	1	1	9	0	
					F	12	0	0	0	0	0	0	0	0	0	0	12	0
136-144	MENTAL AND BEHAVIORAL DISORDERS	642	22.0	W	M	148	0	0	0	1	0	0	6	18	11	112	0	
					F	335	0	0	0	0	1	0	5	3	6	320	0	
				NW	M	77	0	0	0	0	0	1	5	14	10	47	0	
					F	82	0	0	0	0	0	1	0	0	0	81	0	
138	MENTAL AND BEHAVIORAL DISORDERS DUE TO USE OF ALCOHOL	58	2.0	W	M	33	0	0	0	1	0	0	4	15	7	6	0	
					F	4	0	0	0	0	0	0	2	1	1	0	0	
				NW	M	21	0	0	0	0	0	0	2	10	7	2	0	
					F	0	0	0	0	0	0	0	0	0	0	0	0	

TABLE 11 - PAGE 3
DEATHS - MISSISSIPPI - 2005

GROUP NUMBER*	CAUSE OF DEATH	TOTAL		RACE	TOTAL BY RACE	SEX	TOTAL BY RACE AND SEX	AGE										
		NO.	RATE#					UNDER 1	1-4	5-9	10-14	15-24	25-34	35-44	45-54	55-64	65 AND OVER	UNKNOWN
<u>145-153</u>	<u>DISEASES OF THE NERVOUS SYSTEM</u>	<u>1.152</u>	<u>39.4</u>	W	<u>907</u>	M	<u>334</u>	<u>3</u>	<u>2</u>	<u>2</u>	<u>1</u>	<u>1</u>	<u>4</u>	<u>9</u>	<u>15</u>	<u>22</u>	<u>275</u>	<u>0</u>
					F	<u>573</u>	<u>1</u>	<u>1</u>	<u>1</u>	<u>1</u>	<u>3</u>	<u>4</u>	<u>4</u>	<u>14</u>	<u>23</u>	<u>521</u>	<u>0</u>	
				NW	M	<u>245</u>	<u>95</u>	<u>5</u>	<u>0</u>	<u>1</u>	<u>1</u>	<u>3</u>	<u>7</u>	<u>5</u>	<u>10</u>	<u>13</u>	<u>50</u>	<u>0</u>
					F		<u>150</u>	<u>2</u>	<u>0</u>	<u>1</u>	<u>0</u>	<u>3</u>	<u>3</u>	<u>8</u>	<u>13</u>	<u>7</u>	<u>112</u>	<u>1</u>
145	MENINGITIS	10	0.3	W	5	M	3	0	1	0	0	0	0	0	0	1	1	0
					F	5	2	0	0	0	0	0	0	0	1	0	1	0
				NW	M	5	2	1	0	0	0	0	0	0	0	1	0	0
					F		3	0	0	0	0	0	0	0	2	1	0	0
147	PARKINSONS DISEASE	130	4.4	W	122	M	63	0	0	0	0	0	0	0	1	1	61	0
					F	122	59	0	0	0	0	0	1	0	2	56	0	
				NW	M	8	5	0	0	0	0	0	0	0	0	0	5	0
					F		3	0	0	0	0	0	0	0	0	0	3	0
148	ALZHEIMERS DISEASE	711	24.3	W	586	M	171	0	0	0	0	0	0	0	0	2	169	0
					F	586	415	0	0	0	0	0	0	0	3	412	0	
				NW	M	125	37	0	0	0	0	0	0	0	1	36	0	
					F		88	0	0	0	0	0	0	0	0	87	1	
150	EPILEPSY	18	0.6	W	9	M	5	0	0	0	0	0	0	3	1	1	0	
					F	9	4	0	1	0	0	0	1	0	2	0	0	
				NW	M	9	4	0	0	0	1	1	0	1	1	0	0	
					F		5	0	0	0	0	0	1	2	1	1	0	
<u>154</u>	<u>DISEASES OF THE EYE AND ADNEXA</u>	<u>0</u>	<u>0.0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>
				<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	
				<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>
				<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>
<u>155</u>	<u>DISEASES OF THE EAR AND MASTOID PROCESS</u>	<u>1</u>	<u>* -</u>	W	<u>0</u>	M	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>
					F	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>
				NW	M	<u>1</u>	<u>1</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>1</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>
					F	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>

TABLE 11 - PAGE 4
DEATHS - MISSISSIPPI - 2005

GROUP NUMBER*	CAUSE OF DEATH	TOTAL		RACE	TOTAL BY RACE	SEX	TOTAL BY RACE AND SEX	AGE										
								NO.	RATE#	UNDER 1	1-4	5-9	10-14	15-24	25-34	35-44	45-54	55-64
<u>156-191</u>	<u>DISEASES OF THE CIRCULATORY SYSTEM</u>	<u>10,910</u>	<u>373.5</u>	W	M	<u>3,413</u>	<u>1</u>	<u>1</u>	<u>0</u>	<u>2</u>	<u>3</u>	<u>25</u>	<u>81</u>	<u>270</u>	<u>539</u>	<u>2,489</u>	<u>2</u>	
					F	<u>3,898</u>	<u>0</u>	<u>2</u>	<u>0</u>	<u>2</u>	<u>14</u>	<u>54</u>	<u>140</u>	<u>244</u>	<u>3,442</u>	<u>0</u>		
				NW	M	<u>1,731</u>	<u>3</u>	<u>0</u>	<u>3</u>	<u>0</u>	<u>12</u>	<u>34</u>	<u>103</u>	<u>263</u>	<u>352</u>	<u>960</u>	<u>1</u>	
					F	<u>1,868</u>	<u>1</u>	<u>1</u>	<u>0</u>	<u>1</u>	<u>14</u>	<u>27</u>	<u>68</u>	<u>166</u>	<u>214</u>	<u>1,376</u>	<u>0</u>	
156-189	MAJOR CARDIO-VASCULAR DISEASES	10,862	371.8	W	M	3,393	1	1	0	2	3	25	79	267	536	2,477	2	
					F	3,885	0	2	0	0	2	14	52	140	242	3,433	0	
				NW	M	1,723	3	0	3	0	12	34	102	260	350	958	1	
					F	1,861	1	1	0	1	14	27	68	164	214	1,371	0	
156-160, 162, 164-181	HEART DISEASES	8,584	293.9	W	M	2,808	0	1	0	1	2	19	64	230	465	2,024	2	
					F	3,054	0	1	0	0	2	13	39	102	205	2,692	0	
				NW	M	1,326	1	0	2	0	11	31	80	211	278	711	1	
					F	1,396	1	1	0	1	11	20	52	109	169	1,032	0	
161,163	HYPERTENSION	389	13.3	W	M	52	0	0	0	0	0	0	3	7	8	34	0	
					F	123	0	0	0	0	0	0	0	3	5	115	0	
				NW	M	80	0	0	0	0	1	0	2	13	12	52	0	
					F	134	0	0	0	0	1	3	6	12	13	99	0	
182-186	CEREBROVASCULAR DISEASES	1,617	55.4	W	M	440	1	0	0	1	0	4	11	26	49	348	0	
					F	613	0	1	0	0	0	1	9	30	24	548	0	
				NW	M	279	2	0	1	0	0	2	17	30	53	174	0	
					F	285	0	0	0	0	2	1	9	43	26	204	0	
187	ATHEROSCLEROSIS	47	1.6	W	M	9	0	0	0	0	0	0	0	0	0	9	0	
					F	28	0	0	0	0	0	0	0	1	2	25	0	
				NW	M	5	0	0	0	0	0	0	1	0	0	4	0	
					F	5	0	0	0	0	0	0	0	0	0	5	0	
<u>192-214</u>	<u>DISEASES OF THE RESPIRATORY SYSTEM</u>	<u>2,685</u>	<u>91.9</u>	W	M	<u>1,043</u>	<u>1</u>	<u>2</u>	<u>0</u>	<u>0</u>	<u>1</u>	<u>3</u>	<u>11</u>	<u>53</u>	<u>106</u>	<u>866</u>	<u>0</u>	
					F	<u>1,093</u>	<u>4</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>1</u>	<u>1</u>	<u>11</u>	<u>39</u>	<u>93</u>	<u>944</u>	<u>0</u>	
				NW	M	<u>305</u>	<u>8</u>	<u>0</u>	<u>2</u>	<u>2</u>	<u>2</u>	<u>0</u>	<u>9</u>	<u>29</u>	<u>33</u>	<u>220</u>	<u>0</u>	
					F	<u>244</u>	<u>5</u>	<u>1</u>	<u>2</u>	<u>1</u>	<u>0</u>	<u>5</u>	<u>8</u>	<u>9</u>	<u>32</u>	<u>181</u>	<u>0</u>	

TABLE 11 - PAGE 5
DEATHS - MISSISSIPPI - 2005

GROUP NUMBER*	CAUSE OF DEATH	TOTAL		RACE	TOTAL BY RACE	SEX	TOTAL BY RACE AND SEX	AGE											
		NO.	RATE#					UNDER 1	1-4	5-9	10-14	15-24	25-34	35-44	45-54	55-64	65 AND OVER	UNKNOWN	
195	INFLUENZA	7	0.2	W	5	M	3	0	0	0	0	0	0	0	0	1	0	2	0
						F	2	0	0	0	0	0	0	0	0	0	0	2	0
				NW	2	M	2	0	0	0	0	0	0	0	1	0	0	1	0
						F	0	0	0	0	0	0	0	0	0	0	0	0	0
196-198	PNEUMONIA	629	21.5	W	457	M	189	1	0	0	0	0	1	3	6	6	172	0	
						F	268	2	0	0	0	1	1	2	8	9	245	0	
				NW	172	M	89	3	0	1	1	1	0	4	6	8	65	0	
						F	83	2	1	1	1	0	1	3	3	6	65	0	
204	EMPHYSEMA	110	3.8	W	93	M	62	0	0	0	0	0	0	0	6	11	45	0	
						F	31	0	0	0	0	0	0	0	2	9	20	0	
				NW	17	M	13	0	0	0	0	0	0	0	1	1	11	0	
						F	4	0	0	0	0	0	0	0	0	0	4	0	
<u>215-237</u>	<u>DISEASES OF THE DIGESTIVE SYSTEM</u>	<u>946</u>	<u>32.4</u>	<u>W</u>	<u>653</u>	<u>M</u>	<u>341</u>	<u>2</u>	<u>1</u>	<u>0</u>	<u>0</u>	<u>4</u>	<u>4</u>	<u>17</u>	<u>69</u>	<u>81</u>	<u>163</u>	<u>0</u>	
						F	<u>312</u>	<u>2</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>1</u>	<u>3</u>	<u>14</u>	<u>25</u>	<u>39</u>	<u>228</u>	<u>0</u>	
				NW	<u>293</u>	M	<u>155</u>	<u>5</u>	<u>4</u>	<u>1</u>	<u>1</u>	<u>2</u>	<u>2</u>	<u>9</u>	<u>44</u>	<u>26</u>	<u>61</u>	<u>0</u>	
						F	<u>138</u>	<u>1</u>	<u>0</u>	<u>1</u>	<u>0</u>	<u>1</u>	<u>11</u>	<u>9</u>	<u>18</u>	<u>13</u>	<u>84</u>	<u>0</u>	
217-220	PEPTIC ULCER	37	1.3	W	27	M	13	0	0	0	0	0	0	1	1	2	9	0	
						F	14	0	0	0	0	0	0	1	1	1	11	0	
				NW	10	M	6	0	0	0	0	0	0	1	1	2	2	0	
						F	4	0	0	0	0	0	0	0	0	0	4	0	
230-232	CHRONIC LIVER DISEASE AND CIRRHOSIS	271	9.3	W	207	M	133	0	0	0	0	1	1	10	38	43	40	0	
						F	74	0	0	0	0	0	1	8	10	12	43	0	
				NW	64	M	47	0	0	0	0	0	0	5	23	13	6	0	
						F	17	0	0	0	0	0	1	3	6	1	6	0	
<u>238-239</u>	<u>DISEASES OF THE SKIN AND SUBCUTANEOUS TISSUE</u>	<u>69</u>	<u>2.4</u>	<u>W</u>	<u>27</u>	<u>M</u>	<u>12</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>3</u>	<u>3</u>	<u>6</u>	<u>0</u>	
						F	<u>15</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>1</u>	<u>0</u>	<u>0</u>	<u>14</u>	<u>0</u>	
				NW	<u>42</u>	M	<u>16</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>1</u>	<u>3</u>	<u>1</u>	<u>2</u>	<u>9</u>	<u>0</u>	
						F	<u>26</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>1</u>	<u>0</u>	<u>1</u>	<u>1</u>	<u>23</u>	<u>0</u>	

TABLE 11 - PAGE 6
DEATHS - MISSISSIPPI - 2005

GROUP NUMBER*	CAUSE OF DEATH	TOTAL		RACE	TOTAL BY RACE	SEX	TOTAL BY RACE AND SEX	AGE										65 AND OVER	UNKNOWN
								NO.	RATE#	UNDER 1	1-4	5-9	10-14	15-24	25-34	35-44	45-54		
<u>240-246</u>	<u>DISEASES OF THE MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE</u>	<u>104</u>	<u>3.6</u>	W	<u>63</u>	M	<u>24</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>2</u>	<u>2</u>	<u>1</u>	<u>0</u>	<u>19</u>	<u>0</u>	
							F	<u>39</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>1</u>	<u>0</u>	<u>2</u>	<u>8</u>	<u>28</u>	<u>0</u>	
							NW	M	<u>41</u>	<u>0</u>	<u>1</u>	<u>0</u>	<u>0</u>	<u>1</u>	<u>2</u>	<u>2</u>	<u>4</u>	<u>6</u>	<u>0</u>
								F	<u>25</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>2</u>	<u>1</u>	<u>2</u>	<u>6</u>	<u>4</u>	<u>10</u>	<u>0</u>
<u>247-260</u>	<u>DISEASES OF THE GENITOURINARY SYSTEM</u>	<u>945</u>	<u>32.4</u>	W	<u>550</u>	M	<u>234</u>	<u>1</u>	<u>0</u>	<u>0</u>	<u>1</u>	<u>1</u>	<u>1</u>	<u>3</u>	<u>5</u>	<u>27</u>	<u>195</u>	<u>0</u>	
							F	<u>316</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>4</u>	<u>12</u>	<u>19</u>	<u>281</u>	<u>0</u>	
							NW	M	<u>395</u>	<u>3</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>1</u>	<u>1</u>	<u>14</u>	<u>25</u>	<u>128</u>	<u>0</u>
								F	<u>223</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>1</u>	<u>9</u>	<u>12</u>	<u>25</u>	<u>176</u>	<u>0</u>
<u>247-249</u>	<u>NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS</u>	<u>660</u>	<u>22.6</u>	W	<u>363</u>	M	<u>176</u>	<u>1</u>	<u>0</u>	<u>0</u>	<u>1</u>	<u>0</u>	<u>1</u>	<u>3</u>	<u>3</u>	<u>22</u>	<u>145</u>	<u>0</u>	
							F	<u>187</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>3</u>	<u>9</u>	<u>12</u>	<u>163</u>	<u>0</u>	
							NW	M	<u>297</u>	<u>3</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>1</u>	<u>14</u>	<u>21</u>	<u>90</u>	<u>0</u>
								F	<u>168</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>1</u>	<u>7</u>	<u>9</u>	<u>24</u>	<u>127</u>	<u>0</u>
<u>261-273</u>	<u>PREGNANCY, CHILDBIRTH AND THE PUERPERIUM</u>	<u>12</u>	<u>28.4</u>	W	<u>2</u>	M	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	
							F	<u>2</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>1</u>	<u>0</u>	<u>1</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	
							NW	M	<u>10</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>
								F	<u>10</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>4</u>	<u>6</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>
<u>274-281</u>	<u>CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD</u>	<u>224</u>	<u>5.3</u>	W	<u>43</u>	M	<u>20</u>	<u>20</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	
							F	<u>23</u>	<u>23</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	
							NW	M	<u>181</u>	<u>105</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>
								F	<u>76</u>	<u>76</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>
<u>282-290</u>	<u>CONGENITAL MALFORMATIONS, DEFORMATIONS, AND CHROMOSOMAL ABNORMALITIES</u>	<u>117</u>	<u>4.0</u>	W	<u>67</u>	M	<u>41</u>	<u>21</u>	<u>4</u>	<u>0</u>	<u>2</u>	<u>3</u>	<u>1</u>	<u>1</u>	<u>4</u>	<u>0</u>	<u>5</u>	<u>0</u>	
							F	<u>26</u>	<u>11</u>	<u>0</u>	<u>1</u>	<u>1</u>	<u>2</u>	<u>0</u>	<u>1</u>	<u>2</u>	<u>1</u>	<u>7</u>	
							NW	M	<u>50</u>	<u>23</u>	<u>18</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>1</u>	<u>3</u>	<u>1</u>	<u>0</u>
								F	<u>27</u>	<u>20</u>	<u>2</u>	<u>0</u>	<u>0</u>	<u>2</u>	<u>1</u>	<u>0</u>	<u>0</u>	<u>1</u>	<u>1</u>
<u>291-294</u>	<u>SYMPTOMS, SIGNS AND ABNORMAL CLINICAL AND LABORATORY FINDINGS, NEC</u>	<u>494</u>	<u>16.9</u>	W	<u>307</u>	M	<u>153</u>	<u>36</u>	<u>1</u>	<u>0</u>	<u>1</u>	<u>3</u>	<u>4</u>	<u>12</u>	<u>15</u>	<u>9</u>	<u>72</u>	<u>0</u>	
							F	<u>154</u>	<u>15</u>	<u>2</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>6</u>	<u>6</u>	<u>5</u>	<u>5</u>	<u>115</u>	
							NW	M	<u>187</u>	<u>95</u>	<u>31</u>	<u>2</u>	<u>0</u>	<u>1</u>	<u>3</u>	<u>4</u>	<u>4</u>	<u>9</u>	<u>10</u>
								F	<u>92</u>	<u>22</u>	<u>1</u>	<u>0</u>	<u>1</u>	<u>2</u>	<u>2</u>	<u>4</u>	<u>6</u>	<u>3</u>	<u>53</u>

TABLE 11 - PAGE 7
DEATHS - MISSISSIPPI - 2005

GROUP NUMBER*	CAUSE OF DEATH	TOTAL		RACE	TOTAL BY RACE	SEX	TOTAL BY RACE AND SEX	AGE										
		NO.	RATE#					UNDER 1	1-4	5-9	10-14	15-24	25-34	35-44	45-54	55-64	65 AND OVER	UNKNOWN
295-358	ALL EXTERNAL CAUSES	2.637	90.3	W	1,768	M	1,181	7	12	9	16	184	182	171	218	131	250	1
					F	587	3	8	5	6	48	50	98	89	63	216	1	
				NW	869	M	592	8	8	6	7	119	115	106	93	54	74	2
					F	277	2	11	6	6	39	44	39	44	14	71	1	
296-306	MOTOR VEHICLE ACCIDENTS	956	32.7	W	606	M	416	3	4	7	6	101	83	53	65	41	53	0
					F	190	0	4	2	4	35	16	35	37	16	41	0	
				NW	350	M	237	3	1	5	3	54	50	45	36	21	19	0
					F	113	1	6	3	4	26	21	14	22	8	8	0	
295, 307-330	ALL OTHER ACCIDENTS	956	32.7	W	699	M	420	3	8	2	7	34	54	44	76	54	137	1
					F	279	3	3	3	1	6	17	27	31	30	158	0	
				NW	257	M	165	3	5	1	4	16	13	21	36	21	43	2
					F	92	1	3	2	2	3	6	7	17	5	45	1	
331-337	SUICIDE	365	12.5	W	303	M	244	0	0	0	3	37	29	52	57	23	43	0
					F	59	0	0	0	0	5	12	18	10	12	2	0	
				NW	62	M	55	0	0	0	0	10	15	16	5	4	5	0
					F	7	0	0	0	0	2	2	2	0	0	1	0	
338-346	HOMICIDE	249	8.5	W	85	M	62	1	0	0	0	9	12	13	15	7	5	0
					F	23	0	1	0	1	1	3	9	2	2	4	0	
				NW	164	M	121	0	1	0	0	36	35	23	15	6	5	0
					F	43	0	1	1	0	7	14	13	1	1	5	0	
353,354	LEGAL INTERVENTION	3	0.1	W	3	M	3	0	0	0	0	0	0	1	1	0	1	0
					F	0	0	0	0	0	0	0	0	0	0	0	0	0
				NW	0	M	0	0	0	0	0	0	0	0	0	0	0	0
					F	0	0	0	0	0	0	0	0	0	0	0	0	0

* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

** LESS THAN 0.06.

TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES PER 100,000 POPULATION, EXCEPT DEATHS FROM PREGNANCY, CHILDBIRTH AND THE PUERPERIUM (GROUP NUMBERS 261-273) ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (GROUP NUMBERS 274-281) ARE PER 1,000 LIVE BIRTHS.

TABLE 12A
INFANT, NEONATAL, AND POSTNEONATAL DEATHS*,
BY COUNTY OF RESIDENCE AND RACE,
MISSISSIPPI, 2005

COUNTY	INFANT DEATHS			NEONATAL DEATHS			POSTNEONATAL DEATHS		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>STATE</u>	<u>481</u>	<u>153</u>	<u>328</u>	<u>283</u>	<u>70</u>	<u>213</u>	<u>198</u>	<u>83</u>	<u>115</u>
ADAMS	6	0	6	4	0	4	2	0	2
ALCORN	4	3	1	2	2	0	2	1	1
AMITE	2	1	1	2	1	1	0	0	0
ATTALA	1	0	1	0	0	0	1	0	1
BENTON	3	2	1	2	1	1	1	1	0
BOLIVAR	7	0	7	3	0	3	4	0	4
CALHOUN	3	1	2	1	0	1	2	1	1
CARROLL	2	1	1	0	0	0	2	1	1
CHICKASAW	4	1	3	3	1	2	1	0	1
CHOCTAW	1	0	1	1	0	1	0	0	0
CLAIBORNE	3	0	3	2	0	2	1	0	1
CLARKE	4	1	3	3	0	3	1	1	0
CLAY	3	0	3	2	0	2	1	0	1
COAHOMA	10	1	9	6	0	6	4	1	3
COPIAH	4	0	4	4	0	4	0	0	0
COVINGTON	3	2	1	0	0	0	3	2	1
DESOTO	10	5	5	7	3	4	3	2	1
FORREST	18	7	11	10	2	8	8	5	3
FRANKLIN	1	1	0	0	0	0	1	1	0
GEORGE	1	1	0	0	0	0	1	1	0
GREENE	0	0	0	0	0	0	0	0	0
GRENADA	6	0	6	4	0	4	2	0	2
HANCOCK	3	2	1	3	2	1	0	0	0
HARRISON	29	14	15	14	7	7	15	7	8
HINDS	69	7	62	46	5	41	23	2	21
HOLMES	2	0	2	1	0	1	1	0	1
HUMPHREYS	3	0	3	3	0	3	0	0	0
ISSAQUENA	0	0	0	0	0	0	0	0	0
ITAWAMBA	6	6	0	2	2	0	4	4	0
JACKSON	16	11	5	7	4	3	9	7	2
JASPER	3	2	1	2	1	1	1	1	0
JEFFERSON	3	0	3	2	0	2	1	0	1
JEFF DAVIS	0	0	0	0	0	0	0	0	0
JONES	14	7	7	7	4	3	7	3	4
KEMPER	0	0	0	0	0	0	0	0	0
LAFAYETTE	7	2	5	6	2	4	1	0	1
LAMAR	10	4	6	7	3	4	3	1	2
LAUDERDALE	9	3	6	6	2	4	3	1	2
LAWRENCE	1	0	1	1	0	1	0	0	0
LEAKE	5	2	3	1	0	1	4	2	2
LEE	11	7	4	4	1	3	7	6	1
LEFLORE	10	1	9	8	1	7	2	0	2

INFANT, NEONATAL, AND POSTNEONATAL DEATHS - MISSISSIPPI - 2005

COUNTY	INFANT DEATHS			NEONATAL DEATHS			POSTNEONATAL DEATHS		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
LINCOLN	5	3	2	3	1	2	2	2	0
LOWNDES	6	1	5	5	1	4	1	0	1
MADISON	14	1	13	11	1	10	3	0	3
MARION	6	5	1	2	2	0	4	3	1
MARSHALL	2	1	1	1	0	1	1	1	0
MONROE	5	1	4	3	0	3	2	1	1
MONTGOMERY	1	1	0	0	0	0	1	1	0
NESHOBA	6	1	5	4	1	3	2	0	2
NEWTON	5	0	5	1	0	1	4	0	4
NOXUBEE	5	0	5	4	0	4	1	0	1
OKTIBBEHA	9	1	8	8	0	8	1	1	0
PANOLA	4	0	4	3	0	3	1	0	1
PEARL RIVER	5	4	1	1	1	0	4	3	1
PERRY	0	0	0	0	0	0	0	0	0
PIKE	4	2	2	2	0	2	2	2	0
PONTOTOC	3	3	0	3	3	0	0	0	0
PRENTISS	6	5	1	2	1	1	4	4	0
QUITMAN	2	0	2	1	0	1	1	0	1
RANKIN	19	10	9	9	4	5	10	6	4
SCOTT	7	2	5	5	1	4	2	1	1
SHARKEY	0	0	0	0	0	0	0	0	0
SIMPSON	3	0	3	2	0	2	1	0	1
SMITH	2	1	1	1	1	0	1	0	1
STONE	3	1	2	2	1	1	1	0	1
SUNFLOWER	8	1	7	5	0	5	3	1	2
TALLAHATCHIE	3	0	3	3	0	3	0	0	0
TATE	4	2	2	2	1	1	2	1	1
TIPPAH	2	2	0	0	0	0	2	2	0
TISHOMINGO	2	2	0	1	1	0	1	1	0
TUNICA	3	0	3	2	0	2	1	0	1
UNION	3	1	2	2	1	1	1	0	1
WALTHALL	0	0	0	0	0	0	0	0	0
WARREN	7	0	7	5	0	5	2	0	2
WASHINGTON	12	1	11	3	1	2	9	0	9
WAYNE	5	1	4	3	1	2	2	0	2
WEBSTER	1	1	0	1	1	0	0	0	0
WILKINSON	1	0	1	0	0	0	1	0	1
WINSTON	4	1	3	3	1	2	1	0	1
YALOBUSHA	3	1	2	2	0	2	1	1	0
YAZOO	4	2	2	2	1	1	2	1	1

* INFANT DEATHS ARE THOSE OF CHILDREN UNDER ONE YEAR OF AGE; NEONATAL DEATHS ARE THOSE OF INFANTS UNDER 28 DAYS OF AGE; POSTNEONATAL DEATHS ARE THOSE OF INFANTS AGES 28 DAYS TO ONE YEAR.

**TABLE 12B
 INFANT, NEONATAL, AND POSTNEONATAL MORTALITY RATES*,
 BY COUNTY OF RESIDENCE AND RACE,
 MISSISSIPPI, 2001-2005 (5-YEAR AVERAGE)**

COUNTY	INFANT **			NEONATAL**			POSTNEONATAL**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>STATE</u>	<u>10.5</u>	<u>6.7</u>	<u>15.1</u>	<u>6.4</u>	<u>3.7</u>	<u>9.5</u>	<u>4.2</u>	<u>3.0</u>	<u>5.6</u>
ADAMS	10.6	5.4	13.4	6.5	1.3	9.1	4.2	4.0	4.2
ALCORN	9.5	7.6	20.4	5.6	4.6	11.7	3.9	3.1	8.7
AMITE	8.8	2.6	14.7	6.3	2.6	9.8	2.5	-	4.9
ATTALA	11.5	-	22.7	7.2	-	14.2	4.3	-	8.5
BENTON	14.1	14.6	13.3	7.0	5.8	8.9	7.0	8.7	4.4
BOLIVAR	12.8	3.9	15.9	5.6	1.3	7.1	7.2	2.6	8.8
CALHOUN	11.8	9.0	17.2	8.8	6.0	14.4	3.0	3.0	2.9
CARROLL	11.2	12.5	9.3	5.6	6.3	4.7	5.6	6.3	4.7
CHICKASAW	8.8	8.3	9.3	6.1	4.2	8.0	2.7	4.2	1.3
CHOCTAW	8.1	3.2	16.2	6.1	3.2	10.8	2.0	-	5.4
CLAIBORNE	19.4	16.4	19.7	13.0	16.4	12.7	6.5	-	7.0
CLARKE	6.0	6.1	6.0	5.2	4.6	6.0	0.9	1.5	-
CLAY	16.7	3.7	23.6	10.9	1.8	15.8	5.8	1.8	7.9
COAHOMA	21.2	9.7	23.4	14.6	4.8	16.5	6.5	4.8	6.9
COPIAH	11.0	3.5	16.0	8.3	3.5	11.4	2.8	-	4.6
COVINGTON	12.0	8.5	16.5	4.7	-	10.5	7.4	8.5	6.0
DESOTO	6.3	4.8	13.5	4.1	2.8	10.4	2.1	1.9	3.1
FORREST	12.8	7.6	19.2	7.1	3.3	11.9	5.7	4.3	7.4
FRANKLIN	9.3	3.4	16.4	3.7	-	8.2	5.6	3.4	8.2
GEORGE	7.1	6.6	11.6	3.5	2.6	11.6	3.5	3.9	-
GREENE	5.4	5.1	6.4	2.7	3.4	-	2.7	1.7	6.4
GRENADA	13.4	6.5	20.7	9.4	2.6	16.5	4.0	3.9	4.1
HANCOCK	7.7	6.8	17.4	3.5	2.5	13.0	4.2	4.2	4.3
HARRISON	9.4	7.4	13.8	5.0	4.1	6.9	4.4	3.3	6.9
HINDS	13.3	6.2	15.6	8.3	4.1	9.7	5.0	2.0	5.9
HOLMES	8.5	-	9.6	2.7	-	3.0	5.9	-	6.6
HUMPHREYS	18.9	6.8	20.9	14.9	-	17.4	4.0	6.8	3.5
ISSAQUENA	11.5	38.5	-	11.5	38.5	-	-	-	-
ITAWAMBA	10.8	8.7	34.5	7.2	5.5	25.9	3.6	3.2	8.6
JACKSON	7.9	6.9	10.3	4.3	3.7	5.7	3.6	3.2	4.6
JASPER	9.8	6.0	12.4	7.3	2.0	11.0	2.4	4.0	1.4
JEFFERSON	10.6	-	11.3	6.1	-	6.5	4.6	-	4.8
JEFF DAVIS	9.8	10.5	9.4	6.1	10.5	3.8	3.7	-	5.7
JONES	9.5	6.2	15.4	5.2	3.4	8.2	4.4	2.8	7.1
KEMPER	16.9	10.1	20.0	13.9	10.1	15.5	3.1	-	4.4
LAFAYETTE	11.4	7.6	17.2	9.3	5.5	15.1	2.1	2.1	2.2
LAMAR	8.8	7.8	13.0	6.4	5.6	9.7	2.4	2.2	3.2
LAUDERDALE	12.2	7.3	17.2	8.1	5.3	11.0	4.1	2.0	6.2
LAWRENCE	11.2	5.6	19.8	7.8	3.7	14.1	3.4	1.8	5.6
LEAKE	13.1	16.6	9.2	6.0	6.2	5.7	7.1	10.4	3.4
LEE	10.3	8.0	15.0	5.1	2.7	10.4	5.1	5.4	4.7
LEFLORE	16.8	4.7	20.2	11.3	3.2	13.6	5.5	1.6	6.6

TABLE 12B - PAGE 2

INFANT, NEONATAL, AND POSTNEONATAL MORTALITY RATES - MISSISSIPPI - 2001-2005 AVERAGE

COUNTY	INFANT **			NEONATAL**			POSTNEONATAL**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
LINCOLN	7.9	5.3	13.0	4.8	2.6	9.1	3.0	2.6	3.9
LOWNDES	11.2	6.3	16.2	8.8	4.9	12.6	2.5	1.3	3.6
MADISON	10.0	4.3	16.4	6.2	2.8	10.1	3.8	1.5	6.3
MARION	8.9	9.3	8.4	4.7	5.0	4.2	4.2	4.2	4.2
MARSHALL	13.2	11.7	14.7	8.0	7.5	8.5	5.2	4.2	6.2
MONROE	7.0	5.5	9.6	4.3	2.4	7.5	2.7	3.1	2.1
MONTGOMERY	5.0	5.9	4.4	2.5	3.0	2.2	2.5	3.0	2.2
NESHOPA	9.6	2.4	16.7	6.8	2.4	11.1	2.8	-	5.6
NEWTON	11.8	7.5	17.0	5.3	4.3	6.5	6.5	3.2	10.4
NOXUBEE	17.2	4.8	20.5	11.1	-	14.1	6.1	4.8	6.4
OKTIBBEHA	7.8	4.5	10.7	6.7	3.0	10.0	1.1	1.5	0.7
PANOLA	7.4	0.9	11.9	4.2	-	7.1	3.2	0.9	4.8
PEARL RIVER	6.6	5.0	14.9	3.3	2.5	7.4	3.3	2.5	7.4
PERRY	3.6	1.6	10.9	1.2	-	5.5	2.4	1.6	5.5
PIKE	6.6	4.8	7.9	3.8	1.6	5.2	2.8	3.2	2.6
PONTOTOC	5.0	4.6	7.1	2.5	2.9	-	2.5	1.7	7.1
PRENTISS	12.9	13.2	11.6	5.2	4.6	7.8	7.7	8.5	3.9
QUITMAN	14.1	7.9	15.4	7.0	7.9	6.8	7.0	-	8.6
RANKIN	9.0	7.0	16.7	5.2	3.8	11.1	3.7	3.2	5.6
SCOTT	15.9	10.1	24.6	9.0	5.0	15.0	6.9	5.0	9.6
SHARKEY	3.9	-	5.2	2.0	-	2.6	2.0	-	2.6
SIMPSON	13.5	6.8	23.1	9.0	1.7	19.5	4.5	5.1	3.6
SMITH	14.3	9.6	25.3	10.5	6.8	19.0	3.8	2.7	6.3
STONE	12.4	8.1	26.2	7.2	2.7	21.8	5.2	5.4	4.4
SUNFLOWER	17.0	12.3	18.0	11.9	9.8	12.3	5.1	2.4	5.6
TALLAHATCHIE	11.5	-	15.8	9.4	-	12.9	2.1	-	2.9
TATE	9.8	8.1	12.8	5.7	4.9	7.1	4.1	3.2	5.7
TIPPAH	8.6	9.9	3.2	4.9	5.3	3.2	3.7	4.6	-
TISHOMINGO	9.8	10.0	-	8.0	8.2	-	1.8	1.8	-
TUNICA	16.0	12.2	16.7	10.0	12.2	9.6	6.0	-	7.2
UNION	8.4	6.0	20.6	3.4	2.7	6.9	5.0	3.3	13.7
WALTHALL	11.2	6.0	15.8	6.6	6.0	7.0	4.7	-	8.8
WARREN	7.2	3.1	10.3	4.3	2.5	5.6	2.9	0.6	4.7
WASHINGTON	11.8	5.2	13.9	5.9	5.2	6.1	5.9	-	7.7
WAYNE	8.2	5.3	11.3	3.4	2.6	4.2	4.8	2.6	7.0
WEBSTER	7.3	4.2	14.3	5.8	4.2	9.5	1.5	-	4.8
WILKINSON	7.2	-	9.2	2.9	-	3.7	4.3	-	5.5
WINSTON	11.3	5.3	15.7	8.3	3.6	11.8	3.0	1.8	3.9
YALOBUSHA	9.3	9.6	9.0	6.2	3.8	9.0	3.1	5.7	-
YAZOO	11.8	7.5	13.7	5.7	4.5	6.2	6.1	3.0	7.6

* DEATHS PER 1,000 LIVE BIRTHS.

** INFANT - AGE LESS THAN ONE YEAR; NEONATAL - AGE LESS THAN 28 DAYS; POSTNEONATAL - AGE 28 DAYS TO ONE YEAR.

TABLE 13
INFANT DEATHS* FROM SELECTED CAUSES, BY RACE AND AGE,
ALSO MORTALITY RATES FOR SELECTED CAUSES,
MISSISSIPPI RESIDENTS, 2005

CAUSE OF DEATH AND GROUP NUMBER**	TOTAL		RACE	TOTAL BY RACE	UNDER 28 DAYS OF AGE						28 DAYS AND OVER
	NUMBER	RATE#			TOT- AL	< 1 DAY	1- 6	7- 13	14- 20	21- 27	
<u>ALL CAUSES</u>	<u>481</u>	<u>11.4</u>	W	<u>153</u>	<u>70</u>	<u>29</u>	<u>20</u>	<u>8</u>	<u>5</u>	<u>8</u>	<u>83</u>
			NW	<u>328</u>	<u>213</u>	<u>134</u>	<u>36</u>	<u>17</u>	<u>14</u>	<u>12</u>	<u>115</u>
WHOOPING COUGH (006)	1	##	W	0	0	0	0	0	0	0	0
			NW	1	0	0	0	0	0	0	1
SEPTICEMIA (008)	5	0.1	W	0	0	0	0	0	0	0	0
			NW	5	0	0	0	0	0	0	5
DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS AND CERTAIN DISORDERS INVOLVING THE IMMUNE MECHANISM (025-027)	1	##	W	0	0	0	0	0	0	0	0
			NW	1	0	0	0	0	0	0	1
VOLUME DEPLETION, DISORDERS OF FLUID, ELECTROLYTE AND ACID-BASE BALANCE (031)	1	##	W	0	0	0	0	0	0	0	0
			NW	1	0	0	0	0	0	0	1
MENINGITIS (033)	1	##	W	0	0	0	0	0	0	0	0
			NW	1	0	0	0	0	0	0	1
ANOXIC BRAIN DAMAGE, NOT ELSEWHERE CLASSIFIED (036)	2	##	W	0	0	0	0	0	0	0	0
			NW	2	0	0	0	0	0	0	2
DISEASES OF THE CIRCULATORY SYSTEM (039-044)	5	0.1	W	1	0	0	0	0	0	0	1
			NW	4	0	0	0	0	0	0	4
INFLUENZA AND PNEUMONIA (046,047)	8	0.2	W	3	0	0	0	0	0	0	3
			NW	5	0	0	0	0	0	0	5
GASTRITIS, DUODENITIS, AND NONINFECTIVE ENTERITIS AND COLITIS (053)	7	0.2	W	3	1	0	0	0	0	1	2
			NW	4	0	0	0	0	0	0	4
RENAL FAILURE AND OTHER DISORDERS OF KIDNEY (056)	4	0.1	W	1	1	0	1	0	0	0	0
			NW	3	3	0	0	1	0	2	0
NEWBORN AFFECTED BY OTHER MATERNAL CONDITIONS WHICH MAY BE UNRELATED TO PRESENT PREGNANCY (059)	1	##	W	0	0	0	0	0	0	0	0
			NW	1	1	1	0	0	0	0	0
NEWBORN AFFECTED BY MATERNAL COMPLICATIONS OF PREGNANCY (060-063)	15	0.4	W	4	4	4	0	0	0	0	0
			NW	11	11	10	0	1	0	0	0

TABLE 13 - PAGE 2
 INFANT DEATHS - MISSISSIPPI - 2005

CAUSE OF DEATH AND GROUP NUMBER**	TOTAL		RACE	TOTAL BY RACE	UNDER 28 DAYS OF AGE						28 DAYS AND OVER
	NUMBER	RATE#			TOT-AL	< 1 DAY	1-6	7-13	14-20	21-27	
NEWBORN AFFECTED BY COMPLICATIONS OF PLACENTA, CORD AND MEMBRANES (064-067)	11	0.3	W	1	1	1	0	0	0	0	0
			NW	10	10	8	2	0	0	0	
NEWBORN AFFECTED BY OTHER COMPLICATIONS OF LABOR AND DELIVERY (068)	4	0.1	W	1	1	1	0	0	0	0	0
			NW	3	3	3	0	0	0	0	
DISORDERS RELATED TO SHORT GESTATION AND LOW BIRTH WEIGHT, NOT ELSEWHERE CLASSIFIED (071,072)	97	2.3	W	10	10	6	3	0	0	1	0
			NW	87	86	71	11	2	0	2	1
DISORDERS RELATED TO LONG GESTATION AND HIGH BIRTH WEIGHT (073)	1	##	W	0	0	0	0	0	0	0	0
			NW	1	1	1	0	0	0	0	0
INTRAUTERINE HYPOXIA AND BIRTH ASPHYXIA (075,076)	8	0.2	W	2	2	0	0	1	0	1	0
			NW	6	5	4	0	1	0	0	1
RESPIRATORY DISTRESS OF NEWBORN (077)	8	0.2	W	2	2	0	2	0	0	0	0
			NW	6	6	2	3	1	0	0	0
CONGENITAL PNEUMONIA (078)	2	##	W	0	0	0	0	0	0	0	0
			NW	2	2	1	0	0	1	0	0
INTERSTITIAL EMPHYSEMA AND RELATED CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (080)	1	##	W	0	0	0	0	0	0	0	0
			NW	1	1	1	0	0	0	0	0
PULMONARY HEMORRHAGE ORIGINATING IN THE PERINATAL PERIOD (081)	9	0.2	W	3	3	0	3	0	0	0	0
			NW	6	5	0	3	2	0	0	1
CHRONIC RESPIRATORY DISEASE ORIGINATING IN THE PERINATAL PERIOD (082)	3	0.1	W	0	0	0	0	0	0	0	0
			NW	3	0	0	0	0	0	0	3
ATELECTASIS (083)	5	0.1	W	2	2	1	1	0	0	0	0
			NW	3	3	3	0	0	0	0	0
BACTERIAL SEPSIS OF NEWBORN (085)	14	0.3	W	3	3	0	0	1	1	1	0
			NW	11	10	1	4	2	3	0	1
NEONATAL HEMORRHAGE (088)	9	0.2	W	3	3	0	1	1	0	1	0
			NW	6	6	1	3	2	0	0	0

TABLE 13 - PAGE 3
 INFANT DEATHS - MISSISSIPPI - 2005

CAUSE OF DEATH AND GROUP NUMBER**	TOTAL		RACE	TOTAL BY RACE	UNDER 28 DAYS OF AGE					28 DAYS AND OVER	
	NUMBER	RATE#			TOT- AL	< 1 DAY	1- 6	7- 13	14- 20		21- 27
HEMATOLOGICAL DISORDERS (091)	1	##	W	0	0	0	0	0	0	0	0
			NW	1	1	0	1	0	0	0	0
NECROTIZING ENTEROCOLITIS OF NEWBORN (093)	13	0.3	W	4	4	0	0	1	1	2	0
			NW	9	7	0	2	0	2	3	2
HYDROPS FETALIS NOT DUE TO HEMOLYTIC DISEASE (094)	2	##	W	2	2	1	1	0	0	0	0
			NW	0	0	0	0	0	0	0	0
CONGENITAL MALFORMATIONS, DEFORMATIONS AND CHROMOSO- MAL ABNORMALITIES (096-110)	70	1.6	W	32	18	11	5	2	0	0	14
			NW	38	31	18	5	1	4	3	7
SUDDEN INFANT DEATH SYNDROME (111)	91	2.2	W	47	3	0	1	0	2	0	44
			NW	44	1	0	0	0	1	0	43
ACCIDENTS (114-124)	17	0.4	W	9	3	0	1	0	1	1	6
			NW	8	0	0	0	0	0	0	8
ASSAULT (HOMICIDE) (125-128)	1	##	W	1	0	0	0	0	0	0	1
			NW	0	0	0	0	0	0	0	0
ALL OTHER CAUSES	63	1.5	W	19	7	4	1	2	0	0	12
			NW	44	20	9	2	4	3	2	24

* DEATHS OF CHILDREN UNDER 1 YEAR OF AGE.

** SEE APPENDIX C FOR EXPLANATION OF GROUP NUMBERS.

DEATHS PER 1,000 LIVE BIRTHS.

LESS THAN 0.06.

**TABLE 14
ACCIDENTAL DEATHS, BY COUNTY OF OCCURRENCE AND TYPE OF ACCIDENT,
MISSISSIPPI, 2005**

COUNTY	TOTAL	MOTOR VEHICLE	OTHER TRANS- PORT	POISON- ING	FALLS	SMOKE, FIRE, FLAMES	DROWNING AND SUB- MERSION	FIRE- ARMS	ALL OTHER
<u>STATE</u>	<u>1,902</u>	<u>956</u>	<u>41</u>	<u>210</u>	<u>199</u>	<u>59</u>	<u>40</u>	<u>16</u>	<u>381</u>
ADAMS	19	5	6	1	3	1	0	0	3
ALCORN	19	10	0	5	1	0	1	0	2
AMITE	7	5	0	1	0	1	0	0	0
ATTALA	7	2	0	1	1	0	0	0	3
BENTON	3	2	0	1	0	0	0	0	0
BOLIVAR	14	8	1	1	2	1	1	0	0
CALHOUN	7	7	0	0	0	0	0	0	0
CARROLL	7	6	0	0	0	1	0	0	0
CHICKASAW	5	5	0	0	0	0	0	0	0
CHOCTAW	8	7	0	0	0	0	0	1	0
CLAIBORNE	2	2	0	0	0	0	0	0	0
CLARKE	14	13	0	1	0	0	0	0	0
CLAY	11	8	0	0	0	0	1	0	2
COAHOMA	16	9	1	2	2	0	0	0	2
COPIAH	23	14	2	2	1	1	0	0	3
COVINGTON	16	14	0	0	0	0	0	0	2
DESOTO	40	16	1	9	7	0	1	2	4
FORREST	95	59	3	10	14	1	0	2	6
FRANKLIN	2	2	0	0	0	0	0	0	0
GEORGE	6	3	0	2	0	1	0	0	0
GREENE	11	6	0	1	0	0	2	1	1
GRENADA	15	11	0	0	1	1	0	1	1
HANCOCK	88	6	3	15	2	0	0	0	62
HARRISON	208	41	2	33	17	4	3	0	108
HINDS	202	122	3	10	37	4	3	0	23
HOLMES	19	14	2	0	2	1	0	0	0
HUMPHREYS	5	4	0	0	0	0	0	0	1
ISSAQUENA	2	2	0	0	0	0	0	0	0
ITAWAMBA	9	8	0	0	1	0	0	0	0
JACKSON	112	37	3	33	13	1	4	0	21
JASPER	8	7	0	0	0	1	0	0	0
JEFFERSON	3	3	0	0	0	0	0	0	0
JEFF DAVIS	10	9	0	0	0	1	0	0	0
JONES	53	21	2	5	6	1	1	0	17
KEMPER	2	2	0	0	0	0	0	0	0
LAFAYETTE	22	7	0	2	9	1	0	0	3
LAMAR	19	11	0	2	2	1	1	0	2
LAUDERDALE	60	30	4	6	7	3	0	1	9
LAWRENCE	6	5	0	0	0	0	1	0	0
LEAKE	9	4	1	0	0	0	0	0	4
LEE	87	50	0	2	22	1	2	0	10
LEFLORE	17	8	0	1	4	2	1	1	0

TABLE 14 - PAGE 2
 ACCIDENTAL DEATHS - MISSISSIPPI - 2005

COUNTY	TOTAL	MOTOR VEHICLE	OTHER TRANS- PORT	POISON- ING	FALLS	SMOKE, FIRE, FLAMES	DROWNING AND SUB- MERSION	FIRE- ARMS	ALL OTHER
LINCOLN	13	11	0	0	1	0	0	0	1
LOWNDES	28	9	0	4	7	0	2	0	6
MADISON	12	4	2	3	2	0	0	0	1
MARION	11	4	0	0	3	0	0	0	4
MARSHALL	21	17	0	0	0	1	1	0	2
MONROE	19	13	0	1	2	0	1	0	2
MONTGOMERY	14	11	1	0	2	0	0	0	0
NESHOBA	13	8	0	1	0	1	0	1	2
NEWTON	12	6	0	1	2	1	0	0	2
NOXUBEE	10	6	1	0	0	1	1	1	0
OKTIBBEHA	10	4	0	0	1	2	0	0	3
PANOLA	30	25	0	2	1	0	0	0	2
PEARL RIVER	39	19	0	16	0	0	0	0	4
PERRY	6	3	0	0	0	1	0	0	2
PIKE	21	8	0	5	1	0	0	0	7
PONTOTOC	11	10	0	1	0	0	0	0	0
PRENTISS	10	8	0	0	0	0	1	0	1
QUITMAN	1	0	0	1	0	0	0	0	0
RANKIN	51	23	1	10	5	1	2	0	9
SCOTT	23	14	1	3	2	0	1	1	1
SHARKEY	4	2	0	0	2	0	0	0	0
SIMPSON	26	16	0	1	0	3	0	1	5
SMITH	11	7	0	0	1	1	0	0	2
STONE	12	6	0	3	1	0	1	0	1
SUNFLOWER	16	12	0	0	0	1	0	0	3
TALLAHATCHIE	10	8	0	0	0	0	1	0	1
TATE	10	6	0	2	1	1	0	0	0
TIPPAH	9	4	1	0	0	2	0	0	2
TISHOMINGO	12	4	0	3	2	0	2	0	1
TUNICA	8	5	0	1	0	0	1	0	1
UNION	13	9	0	0	0	0	0	1	3
WALTHALL	9	6	0	0	0	0	1	0	2
WARREN	28	12	0	3	3	1	2	0	7
WASHINGTON	41	17	0	1	3	9	1	0	10
WAYNE	9	7	0	0	0	1	0	0	1
WEBSTER	2	0	0	0	0	1	0	0	1
WILKINSON	2	2	0	0	0	0	0	0	0
WINSTON	13	9	0	0	1	1	0	1	1
YALOBUSHA	5	2	0	1	1	0	0	0	1
YAZOO	19	14	0	1	1	1	0	1	1

**TABLE 15
MARRIAGES, BY COUNTY OF LICENSURE AND RACE OF BRIDE,
ALSO BY COUNTY OF RESIDENCE OF BRIDE AND RACE OF BRIDE,
MISSISSIPPI, 2005**

COUNTY	LICENSURE DATA			OCCURRENCE DATA			RESIDENCE DATA		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>STATE</u>	<u>16,862</u>	<u>11,318</u>	<u>5,544</u>	<u>16,862</u>	<u>11,318</u>	<u>5,544</u>	<u>15,831</u>	<u>10,539</u>	<u>5,292</u>
ADAMS	284	179	105	308	209	99	186	100	86
ALCORN	137	127	10	133	122	11	124	115	9
AMITE	92	62	30	119	77	42	96	64	32
ATTALA	141	87	54	129	82	47	136	80	56
BENTON	33	18	15	32	20	12	34	18	16
BOLIVAR	0	0	0	23	12	11	16	10	6
CALHOUN	94	75	19	95	77	18	101	80	21
CARROLL	39	25	14	42	24	18	38	25	13
CHICKASAW	104	66	38	95	59	36	92	59	33
CHOCTAW	46	24	22	60	35	25	44	24	20
CLAIBORNE	47	6	41	49	12	37	52	10	42
CLARKE	82	57	25	97	67	30	86	58	28
CLAY	125	63	62	133	69	64	118	63	55
COAHOMA	86	36	50	92	40	52	69	27	42
COPIAH	193	91	102	214	114	100	195	99	96
COVINGTON	151	96	55	138	85	53	143	94	49
DESOTO	698	569	129	591	489	102	565	475	90
FORREST	549	385	164	515	361	154	420	286	134
FRANKLIN	53	45	8	61	46	15	57	44	13
GEORGE	192	173	19	166	150	16	158	143	15
GREENE	59	50	9	66	55	11	56	49	7
GRENADA	141	89	52	150	88	62	131	84	47
HANCOCK	222	202	20	211	192	19	211	195	16
HARRISON	1,132	875	257	1,170	911	259	996	759	237
HINDS	1,674	670	1,004	1,655	713	942	1,487	552	935
HOLMES	113	20	93	130	25	105	105	18	87
HUMPHREYS	43	12	31	52	17	35	51	15	36
ISSAQUENA	7	5	2	11	6	5	6	5	1
ITAWAMBA	106	104	2	116	115	1	109	107	2
JACKSON	630	498	132	671	535	136	667	524	143
JASPER	93	44	49	101	44	57	90	45	45
JEFFERSON	38	4	34	57	10	47	40	4	36
JEFF DAVIS	88	36	52	99	39	60	80	31	49
JONES	441	324	117	459	346	113	428	316	112
KEMPER	65	31	34	73	36	37	49	23	26
LAFAYETTE	266	200	66	260	194	66	240	173	67
LAMAR	240	213	27	260	223	37	320	268	52
LAUDERDALE	359	221	138	347	206	141	336	198	138
LAWRENCE	82	54	28	89	55	34	92	63	29
LEAKE	118	68	50	126	68	58	114	73	41
LEE	501	379	122	461	348	113	441	328	113
LEFLORE	111	40	71	126	54	72	108	40	68

TABLE 15 - PAGE 2
MARRIAGES - MISSISSIPPI - 2005

COUNTY	LICENSURE DATA			OCCURRENCE DATA			RESIDENCE DATA		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
LINCOLN	285	215	70	292	219	73	274	202	72
LOWNDES	292	193	99	300	186	114	280	174	106
MADISON	444	269	175	479	305	174	500	304	196
MARION	211	155	56	213	160	53	202	152	50
MARSHALL	143	58	85	163	63	100	126	60	66
MONROE	184	135	49	218	159	59	199	138	61
MONTGOMERY	76	41	35	75	43	32	65	33	32
NESHOBA	212	150	62	213	149	64	223	151	72
NEWTON	124	81	43	124	85	39	133	91	42
NOXUBEE	70	21	49	67	23	44	58	14	44
OKTIBBEHA	267	147	120	239	129	110	241	123	118
PANOLA	184	110	74	175	108	67	189	109	80
PEARL RIVER	331	294	37	333	295	38	306	270	36
PERRY	100	84	16	103	89	14	107	90	17
PIKE	352	205	147	341	196	145	306	171	135
PONTOTOC	172	156	16	171	156	15	175	156	19
PRENTISS	127	122	5	125	117	8	128	117	11
QUITMAN	29	12	17	39	17	22	26	12	14
RANKIN	1,046	880	166	765	630	135	1,052	887	165
SCOTT	189	125	64	205	142	63	193	130	63
SHARKEY	13	4	9	18	6	12	16	7	9
SIMPSON	184	137	47	191	142	49	189	139	50
SMITH	90	76	14	95	76	19	106	84	22
STONE	136	111	25	123	96	27	113	90	23
SUNFLOWER	97	30	67	94	28	66	82	21	61
TALLAHATCHIE	58	23	35	56	21	35	61	22	39
TATE	160	116	44	188	154	34	127	95	32
TIPPAH	105	94	11	101	90	11	102	91	11
TISHOMINGO	117	116	1	129	128	1	93	92	1
TUNICA	50	20	30	59	30	29	43	14	29
UNION	152	130	22	155	135	20	154	133	21
WALTHALL	105	62	43	94	49	45	100	57	43
WARREN	381	228	153	378	236	142	317	187	130
WASHINGTON	183	86	97	191	94	97	155	74	81
WAYNE	99	71	28	96	68	28	93	66	27
WEBSTER	50	39	11	60	46	14	53	43	10
WILKINSON	66	26	40	68	29	39	55	22	33
WINSTON	105	55	50	117	63	54	94	49	45
YALOBUSHA	62	46	16	70	47	23	74	55	19
YAZOO	136	72	64	157	79	78	134	70	64
OUT OF STATE	*	*	*	*	*	*	1,031	779	252

* INFORMATION ON MISSISSIPPI BRIDES WHO OBTAINED LICENSES AND/OR MARRIED IN OTHER STATES IS NOT AVAILABLE.

NOTE: DUE TO INCONSISTENT REPORTING BY COUNTIES, STATISTICS ON MARRIAGES MAY BE INCOMPLETE.

**TABLE 16
DIVORCES, BY COUNTY OF OCCURRENCE AND RACE*,
MISSISSIPPI, 2005**

COUNTY	TOTAL	WHITE	NON-WHITE	UN-KNOWN	COUNTY	TOTAL	WHITE	NON-WHITE	UN-KNOWN
<u>STATE</u>	<u>12,798</u>	<u>8,305</u>	<u>3,053</u>	<u>1,440</u>					
ADAMS	172	92	64	16	LINCOLN	161	109	33	19
ALCORN	205	185	13	7	LOWNDES	258	162	86	10
AMITE	52	43	9	0	MADISON	321	225	95	1
ATTALA	84	48	16	20	MARION	143	103	34	6
BENTON	40	29	10	1	MARSHALL	152	94	53	5
BOLIVAR	122	58	54	10	MONROE	196	148	44	4
CALHOUN	53	42	11	0	MONTGOMERY	52	26	26	0
CARROLL	32	24	8	0	NESHOBA	120	96	23	1
CHICKASAW	49	25	13	11	NEWTON	95	70	22	3
CHOCTAW	39	23	10	6	NOXUBEE	33	11	19	3
CLAIBORNE	35	5	30	0	OKTIBBEHA	117	75	39	3
CLARKE	67	50	16	1	PANOLA	138	90	47	1
CLAY	75	33	31	11	PEARL RIVER	245	224	20	1
COAHOMA	84	32	49	3	PERRY	61	52	8	1
COPIAH	92	54	29	9	PIKE	197	127	59	11
COVINGTON	71	53	17	1	PONTOTOC	0	0	0	0
DESOTO	744	585	78	81	PRENTISS	145	108	12	25
FORREST	314	210	72	32	QUITMAN	21	7	14	0
FRANKLIN	33	28	5	0	RANKIN	708	641	65	2
GEORGE	119	48	1	70	SCOTT	128	91	35	2
GREENE	48	21	2	25	SHARKEY	13	5	8	0
GRENADA	120	92	28	0	SIMPSON	97	78	17	2
HANCOCK	175	111	3	61	SMITH	89	78	11	0
HARRISON	1,011	320	64	627	STONE	67	58	5	4
HINDS	921	289	543	89	SUNFLOWER	90	39	47	4
HOLMES	38	7	31	0	TALLAHATCHIE	49	18	31	0
HUMPHREYS	25	11	14	0	TATE	135	104	28	3
ISSAQUENA	0	0	0	0	TIPPAH	161	122	20	19
ITAWAMBA	176	154	1	21	TISHOMINGO	111	110	1	0
JACKSON	662	569	87	6	TUNICA	51	29	22	0
JASPER	68	32	35	1	UNION	188	156	10	22
JEFFERSON	16	2	14	0	WALTHALL	63	48	15	0
JEFF DAVIS	6	0	6	0	WARREN	188	118	46	24
JONES	315	239	69	7	WASHINGTON	203	86	114	3
KEMPER	26	15	11	0	WAYNE	112	69	34	9
LAFAYETTE	152	97	30	25	WEBSTER	33	32	1	0
LAMAR	256	211	27	18	WILKINSON	32	19	13	0
LAUDERDALE	396	254	138	4	WINSTON	77	48	29	0
LAWRENCE	73	63	10	0	YALOBUSHA	69	50	19	0
LEAKE	131	90	39	2	YAZOO	63	44	18	1
LEE	390	237	68	85					
LEFLORE	129	54	74	1					

* DIVORCES OF MIXED-RACE COUPLES ARE INCLUDED IN FIGURES FOR NONWHITES.

NOTE: DUE TO INCONSISTENT REPORTING BY COUNTIES, STATISTICS ON DIVORCES MAY BE INCOMPLETE.

**TABLE 17
 REPORTED INDUCED TERMINATIONS OF PREGNANCY PERFORMED IN MISSISSIPPI
 ON MISSISSIPPI RESIDENTS, BY COUNTY OF RESIDENCE AND RACE, 2005**

COUNTY	TOTAL	WHITE	NON- WHITE	UN- KNOWN	COUNTY	TOTAL	WHITE	NON- WHITE	UN- KNOWN
<u>STATE</u>	<u>2,956</u>	<u>642</u>	<u>2,302</u>	<u>12</u>					
ADAMS	60	13	47	0	LINCOLN	45	18	27	0
ALCORN	0	0	0	0	LOWNDES	4	0	4	0
AMITE	15	2	13	0	MADISON	215	50	163	2
ATTALA	26	5	21	0	MARION	23	6	17	0
BENTON	0	0	0	0	MARSHALL	1	0	1	0
BOLIVAR	15	8	7	0	MONROE	2	0	2	0
CALHOUN	2	1	1	0	MONTGOMERY	17	3	14	0
CARROLL	9	1	8	0	NESHOPA	28	10	18	0
CHICKASAW	4	2	2	0	NEWTON	12	5	7	0
CHOCTAW	2	1	1	0	NOXUBEE	2	0	2	0
CLAIBORNE	25	1	24	0	OKTIBBEHA	13	6	7	0
CLARKE	7	2	5	0	PANOLA	1	1	0	0
CLAY	4	1	3	0	PEARL RIVER	8	4	4	0
COAHOMA	2	0	2	0	PERRY	4	2	2	0
COPIAH	56	8	48	0	PIKE	77	14	62	1
COVINGTON	16	3	13	0	PONTOTOC	0	0	0	0
DESOTO	0	0	0	0	PRENTISS	1	1	0	0
FORREST	124	33	91	0	QUITMAN	2	0	2	0
FRANKLIN	7	1	6	0	RANKIN	236	129	106	1
GEORGE	1	0	1	0	SCOTT	38	14	23	1
GREENE	2	1	1	0	SHARKEY	13	1	12	0
GRENADA	12	6	6	0	SIMPSON	37	12	25	0
HANCOCK	5	5	0	0	SMITH	9	6	3	0
HARRISON	17	12	4	1	STONE	3	2	1	0
HINDS	1,099	102	993	4	SUNFLOWER	20	2	18	0
HOLMES	83	4	79	0	TALLAHATCHIE	3	2	1	0
HUMPHREYS	13	0	13	0	TATE	0	0	0	0
ISSAQUENA	0	0	0	0	TIPPAH	3	3	0	0
ITAWAMBA	3	1	2	0	TISHOMINGO	0	0	0	0
JACKSON	1	1	0	0	TUNICA	0	0	0	0
JASPER	20	7	13	0	UNION	1	0	1	0
JEFFERSON	25	0	25	0	WALTHALL	10	1	9	0
JEFF DAVIS	17	3	14	0	WARREN	133	28	105	0
JONES	30	6	24	0	WASHINGTON	33	7	26	0
KEMPER	1	0	1	0	WAYNE	10	3	7	0
LAFAYETTE	12	9	3	0	WEBSTER	1	1	0	0
LAMAR	46	24	22	0	WILKINSON	2	1	0	1
LAUDERDALE	24	10	13	1	WINSTON	20	4	16	0
LAWRENCE	18	6	12	0	YALOBUSHA	2	2	0	0
LEAKE	28	7	21	0	YAZOO	61	12	49	0
LEE	3	2	1	0					
LEFLORE	32	4	28	0					

**TABLE 18A
TEENAGE PREGNANCIES*, BY COUNTY OF RESIDENCE,
RACE, AND AGE GROUP OF MOTHER,
MISSISSIPPI, 2005**

COUNTY	TOTAL**			WHITE			NONWHITE		
	TOTAL	UNDER 15	15 - 19	TOTAL	UNDER 15	15 - 19	TOTAL	UNDER 15	15 - 19
<u>STATE</u>	<u>7,405</u>	<u>233</u>	<u>7,172</u>	<u>2,900</u>	<u>39</u>	<u>2,861</u>	<u>4,502</u>	<u>194</u>	<u>4,308</u>
ADAMS	102	4	98	23	0	23	79	4	75
ALCORN	79	3	76	61	2	59	18	1	17
AMITE	30	1	29	6	0	6	24	1	23
ATTALA	55	0	55	16	0	16	39	0	39
BENTON	19	0	19	10	0	10	9	0	9
BOLIVAR	125	7	118	16	1	15	109	6	103
CALHOUN	40	1	39	19	0	19	21	1	20
CARROLL	16	1	15	9	0	9	7	1	6
CHICKASAW	57	2	55	27	1	26	30	1	29
CHOCTAW	11	0	11	4	0	4	7	0	7
CLAIBORNE	30	1	29	0	0	0	30	1	29
CLARKE	30	0	30	11	0	11	19	0	19
CLAY	64	3	61	8	0	8	55	3	52
COAHOMA	105	1	104	14	0	14	91	1	90
COPIAH	81	4	77	22	0	22	59	4	55
COVINGTON	63	0	63	25	0	25	38	0	38
DESOTO	210	0	210	150	0	150	60	0	60
FORREST	201	7	194	84	0	84	117	7	110
FRANKLIN	9	0	9	4	0	4	5	0	5
GEORGE	58	1	57	52	0	52	6	1	5
GREENE	31	0	31	23	0	23	8	0	8
GRENADA	60	1	59	23	0	23	37	1	36
HANCOCK	91	2	89	79	2	77	12	0	12
HARRISON	391	5	386	243	3	240	148	2	146
HINDS	873	32	841	89	0	89	784	32	752
HOLMES	105	6	99	3	0	3	102	6	96
HUMPHREYS	47	0	47	0	0	0	47	0	47
ISSAQUENA	8	0	8	1	0	1	7	0	7
ITAWAMBA	36	0	36	32	0	32	4	0	4
JACKSON	264	6	258	151	2	149	112	4	108
JASPER	44	3	41	10	0	10	34	3	31
JEFFERSON	30	0	30	1	0	1	29	0	29
JEFF DAVIS	28	3	25	6	0	6	22	3	19
JONES	214	5	209	110	2	108	104	3	101
KEMPER	17	1	16	3	1	2	14	0	14
LAFAYETTE	63	1	62	24	0	24	39	1	38
LAMAR	76	0	76	51	0	51	25	0	25
LAUDERDALE	224	9	215	78	1	77	146	8	138
LAWRENCE	23	1	22	9	1	8	14	0	14
LEAKE	62	4	58	23	0	23	39	4	35
LEE	188	4	184	108	2	106	80	2	78
LEFLORE	136	9	127	17	0	17	119	9	110

TABLE 18A - PAGE 2
TEENAGE PREGNANCIES - MISSISSIPPI - 2005

COUNTY	TOTAL**			WHITE			NONWHITE		
	TOTAL	UNDER 15	15 - 19	TOTAL	UNDER 15	15 - 19	TOTAL	UNDER 15	15 - 19
LINCOLN	78	1	77	44	0	44	34	1	33
LOWNDES	148	6	142	46	1	45	102	5	97
MADISON	160	8	152	46	1	45	114	7	107
MARION	80	0	80	57	0	57	23	0	23
MARSHALL	95	3	92	33	0	33	62	3	59
MONROE	84	2	82	46	0	46	38	2	36
MONTGOMERY	32	3	29	4	1	3	28	2	26
NESHOBA	85	0	85	29	0	29	56	0	56
NEWTON	54	3	51	21	1	20	33	2	31
NOXUBEE	52	2	50	0	0	0	52	2	50
OKTIBBEHA	88	3	85	14	0	14	74	3	71
PANOLA	122	2	120	45	0	45	77	2	75
PEARL RIVER	90	4	86	73	4	69	17	0	17
PERRY	20	0	20	10	0	10	10	0	10
PIKE	118	12	106	33	1	32	85	11	74
PONTOTOC	62	1	61	51	1	50	11	0	11
PRENTISS	46	1	45	39	0	39	7	1	6
QUITMAN	32	1	31	6	0	6	26	1	25
RANKIN	233	4	229	162	4	158	71	0	71
SCOTT	102	3	99	56	2	54	45	1	44
SHARKEY	20	1	19	2	0	2	18	1	17
SIMPSON	57	1	56	33	1	32	24	0	24
SMITH	33	1	32	21	0	21	12	1	11
STONE	36	0	36	30	0	30	6	0	6
SUNFLOWER	118	4	114	9	0	9	109	4	105
TALLAHATCHIE	37	1	36	9	0	9	28	1	27
TATE	75	1	74	37	0	37	38	1	37
TIPPAH	63	0	63	54	0	54	9	0	9
TISHOMINGO	43	0	43	42	0	42	1	0	1
TUNICA	51	2	49	3	1	2	48	1	47
UNION	66	7	59	51	3	48	15	4	11
WALTHALL	26	0	26	5	0	5	21	0	21
WARREN	142	9	133	45	0	45	97	9	88
WASHINGTON	191	5	186	20	0	20	171	5	166
WAYNE	53	1	52	21	0	21	32	1	31
WEBSTER	18	0	18	8	0	8	10	0	10
WILKINSON	26	4	22	3	0	3	23	4	19
WINSTON	48	2	46	15	0	15	33	2	31
YALOBUSHA	34	1	33	17	0	17	17	1	16
YAZOO	91	6	85	15	0	15	76	6	70

* LIVE BIRTHS PLUS REPORTABLE SPONTANEOUS FETAL DEATHS PLUS INDUCED TERMINATIONS TO MOTHERS UNDER AGE 20.

** TOTAL FIGURES INCLUDE SOME FOR WHICH THE RACE OF THE MOTHER WAS UNKNOWN.

TABLE 18B
TEENAGE PREGNANCY RATES*, BY COUNTY OF RESIDENCE,
RACE, AND AGE GROUP OF MOTHER,
MISSISSIPPI, 2005

COUNTY	TOTAL**			WHITE			NONWHITE		
	TOTAL	UNDER 15	15 - 19	TOTAL	UNDER 15	15 - 19	TOTAL	UNDER 15	15 - 19
<u>STATE</u>	<u>35.5</u>	<u>2.3</u>	<u>67.7</u>	<u>26.6</u>	<u>0.7</u>	<u>51.1</u>	<u>45.3</u>	<u>3.9</u>	<u>86.3</u>
ADAMS	44.2	3.4	86.3	29.8	-	59.3	51.5	5.1	100.4
ALCORN	37.4	2.8	74.6	34.3	2.2	69.0	54.4	6.0	104.3
AMITE	32.8	2.1	64.9	13.8	-	29.4	50.3	4.3	94.6
ATTALA	40.6	-	79.5	25.0	-	49.8	54.5	-	105.1
BENTON	36.7	-	80.8	37.6	-	80.0	35.7	-	81.8
BOLIVAR	40.0	4.9	69.5	21.6	3.6	32.2	45.8	5.2	83.5
CALHOUN	43.5	2.1	87.0	34.4	-	73.1	57.1	5.6	106.4
CARROLL	24.1	3.1	43.4	25.4	-	49.7	22.6	6.9	36.4
CHICKASAW	41.6	2.9	81.8	42.7	2.8	95.6	40.6	3.0	72.5
CHOCTAW	15.2	-	27.9	8.8	-	16.1	25.6	-	48.3
CLAIBORNE	27.0	2.6	40.3	-	-	-	28.7	2.8	42.5
CLARKE	24.4	-	50.1	14.8	-	31.2	38.8	-	76.9
CLAY	41.4	3.8	80.5	17.2	-	38.1	50.8	5.6	94.9
COAHOMA	42.2	0.8	82.7	32.1	-	61.1	44.4	1.0	87.5
COPIAH	35.8	4.2	58.9	26.3	-	44.8	41.5	6.6	67.4
COVINGTON	40.8	-	85.1	29.7	-	60.0	54.3	-	117.6
DESOTO	21.9	-	46.0	20.4	-	42.6	26.7	-	57.4
FORREST	37.1	3.1	61.9	29.1	-	48.4	46.3	6.2	78.7
FRANKLIN	16.5	-	30.6	14.3	-	28.8	18.9	-	32.2
GEORGE	39.5	1.2	85.1	39.9	-	87.5	36.4	11.2	65.8
GREENE	40.3	-	83.6	38.2	-	81.3	47.9	-	90.9
GRENADA	35.4	1.2	69.1	27.7	-	54.1	42.7	2.3	83.9
HANCOCK	29.7	1.3	58.4	29.2	1.5	57.2	34.2	-	67.8
HARRISON	29.9	0.7	60.7	28.8	0.7	57.8	32.0	0.8	66.1
HINDS	46.3	3.5	85.5	19.7	-	35.1	54.6	4.5	103.0
HOLMES	57.8	6.8	105.4	12.7	-	18.0	64.6	7.4	124.4
HUMPHREYS	54.3	-	108.5	-	-	-	64.9	-	129.8
ISSAQUENA	50.0	-	97.6	30.3	-	45.4	55.1	-	116.7
ITAWAMBA	20.5	-	38.0	20.4	-	39.4	21.5	-	30.1
JACKSON	27.4	1.2	54.5	22.6	0.6	45.0	37.9	2.6	75.9
JASPER	33.7	4.5	64.7	21.4	-	45.9	40.5	7.1	74.5
JEFFERSON	42.0	-	78.1	20.0	-	30.3	43.6	-	82.6
JEFF DAVIS	29.1	6.2	52.4	20.9	-	39.2	32.6	8.6	58.6
JONES	48.7	2.3	92.6	40.0	1.5	75.0	63.1	3.6	123.8
KEMPER	23.5	3.1	40.3	14.4	11.5	16.4	27.2	-	50.9
LAFAYETTE	20.6	1.1	29.2	10.9	-	14.8	45.9	2.8	76.8
LAMAR	24.5	-	49.6	20.8	-	42.1	38.6	-	77.9
LAUDERDALE	41.1	3.4	77.1	30.2	0.8	56.6	50.9	5.6	96.5
LAWRENCE	23.9	1.9	49.1	15.7	3.3	29.8	35.8	-	77.8
LEAKE	37.6	4.7	72.7	31.0	-	63.7	43.0	8.5	80.1
LEE	34.7	1.4	71.6	31.4	1.1	65.2	40.6	1.9	82.7
LEFLORE	47.6	6.6	85.3	29.6	-	53.4	52.0	8.1	93.9

TABLE 18B - PAGE 2
TEENAGE PREGNANCY RATES - MISSISSIPPI - 2005

COUNTY	TOTAL**			WHITE			NONWHITE		
	TOTAL	UNDER 15	15 - 19	TOTAL	UNDER 15	15 - 19	TOTAL	UNDER 15	15 - 19
LINCOLN	34.2	0.8	71.5	30.8	-	64.2	39.9	2.2	84.2
LOWNDES	33.4	2.8	62.9	23.0	1.1	42.5	42.0	4.1	81.0
MADISON	25.6	2.5	49.0	14.3	0.6	29.0	37.5	4.7	69.1
MARION	44.5	-	90.1	56.0	-	110.5	29.5	-	61.8
MARSHALL	37.0	2.5	68.1	33.4	-	66.4	39.3	4.1	69.1
MONROE	31.8	1.5	64.1	28.4	-	57.2	37.3	3.7	75.6
MONTGOMERY	38.0	7.3	67.4	11.6	6.1	16.5	56.3	8.0	104.8
NESHOBA	38.9	-	82.7	25.5	-	52.2	53.4	-	118.4
NEWTON	32.6	3.9	57.8	22.6	2.3	39.8	45.4	5.8	81.4
NOXUBEE	55.2	4.3	103.7	-	-	-	67.7	5.5	123.8
OKTIBBEHA	30.5	3.3	43.3	9.6	-	13.1	52.0	5.7	79.3
PANOLA	47.3	1.6	92.0	45.9	-	90.9	48.2	2.5	92.6
PEARL RIVER	24.5	2.2	45.4	24.3	2.8	44.1	25.3	-	51.8
PERRY	23.1	-	47.4	17.2	-	36.0	35.1	-	69.4
PIKE	40.4	8.0	74.6	27.5	1.8	50.6	49.4	11.8	93.9
PONTOTOC	32.8	1.0	66.7	32.7	1.2	66.8	33.6	-	65.9
PRENTISS	25.4	1.2	45.0	26.3	-	47.9	21.6	7.2	32.2
QUITMAN	40.8	2.5	79.7	40.0	-	78.9	41.0	3.1	79.9
RANKIN	28.3	1.0	56.2	25.8	1.2	51.2	36.5	-	71.9
SCOTT	49.4	2.8	97.9	54.5	3.9	104.2	43.4	1.8	89.2
SHARKEY	41.2	3.9	83.7	21.5	-	52.6	45.9	4.9	89.9
SIMPSON	28.6	1.0	58.8	30.1	1.8	59.4	26.8	-	58.0
SMITH	29.6	1.7	60.5	27.6	-	56.4	34.2	5.2	70.1
STONE	31.8	-	56.6	35.6	-	62.4	20.8	-	38.7
SUNFLOWER	48.9	3.5	90.5	19.2	-	34.4	56.1	4.2	105.2
TALLAHATCHIE	30.6	1.6	63.6	26.9	-	55.9	32.0	2.1	66.7
TATE	35.8	1.1	62.8	28.5	-	53.0	47.5	3.1	76.9
TIPPAH	46.0	-	87.6	50.5	-	94.7	30.0	-	60.4
TISHOMINGO	36.6	-	78.8	37.2	-	79.7	22.2	-	52.6
TUNICA	63.0	4.9	121.3	31.2	22.7	38.5	67.3	2.8	133.5
UNION	37.4	7.6	69.7	36.0	4.1	69.5	43.2	20.8	71.0
WALTHALL	23.9	-	48.1	11.3	-	22.1	32.7	-	66.9
WARREN	39.3	4.6	79.3	28.1	-	59.3	48.3	8.2	95.9
WASHINGTON	41.5	2.1	84.4	19.8	-	39.4	47.6	2.6	97.8
WAYNE	35.8	1.3	73.6	26.4	-	52.8	46.7	2.6	100.6
WEBSTER	28.0	-	57.3	17.5	-	37.4	53.8	-	100.0
WILKINSON	39.6	12.0	68.1	20.8	-	37.5	44.8	14.8	78.2
WINSTON	36.3	3.0	69.5	25.2	-	50.5	45.3	5.5	84.9
YALOBUSHA	39.5	2.2	80.1	41.1	-	85.4	38.1	4.3	75.1
YAZOO	45.6	5.8	89.0	24.6	-	48.4	54.9	8.1	108.5

* LIVE BIRTHS PLUS REPORTABLE SPONTANEOUS FETAL DEATHS PLUS INDUCED TERMINATIONS PER 1,000 FEMALES IN SPECIFIED AGE/RACE GROUP.

** TOTAL FIGURES INCLUDE SOME FOR WHICH ARE RACE OF THE MOTHER WAS UNKNOWN.

NOTE:

Table 19 extends from page 139 through 159 with identical data for each county as well as for the state.

**TABLE 19
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE
RESIDENCE OF ADAMS, ALCORN, AMITE, AND ATTALA COUNTIES, MISSISSIPPI, 2005**

CAUSE AND GROUP NUMBER*	ADAMS COUNTY						ALCORN COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
ALL CAUSES	382	193	189	11.9	13.8	10.4	458	407	51	13.0	13.1	11.7
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	11	4	7	34.3	28.6	38.6	7	7	0	19.8	22.6	-
HIV DISEASE (039-043)	0	0	0	-	-	-	0	0	0	-	-	-
MALIGNANT NEOPLASMS (056-108)	64	39	25	199.4	279.3	137.8	102	92	10	288.9	297.2	230.0
DIABETES MELLITUS (124)	5	0	5	15.6	-	27.6	6	4	2	17.0	12.9	46.0
ALZHEIMERS DISEASE (148)	14	10	4	43.6	71.6	22.0	12	12	0	34.0	38.8	-
MAJOR CARDIOVASCULAR DISEASES# (156-189)	129	58	71	401.9	415.4	391.5	172	156	16	487.2	503.9	368.0
HEART DISEASES (156-160,162, 164-181)	103	46	57	320.9	329.4	314.3	142	131	11	402.2	423.2	253.0
HYPERTENSION (161,163)	7	3	4	21.8	21.5	22.0	3	2	1	8.5	6.5	23.0
CEREBROVASCULAR DISEASES (182-186)	17	8	9	53.0	57.3	49.6	24	20	4	68.0	64.6	92.0
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	2	2	0	5.7	6.5	-
INFLUENZA AND PNEUMONIA (195-198)	13	7	6	40.5	50.1	33.1	11	10	1	31.2	32.3	23.0
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	20	11	9	62.3	78.8	49.6	35	34	1	99.1	109.8	23.0
PEPTIC ULCER (217-220)	0	0	0	-	-	-	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	1	0	1	3.1	-	5.5	2	2	0	5.7	6.5	-
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	8	5	3	24.9	35.8	16.5	9	5	4	25.5	16.2	92.0
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	4	0	4	9.2	-	14.0	1	1	0	2.2	2.6	-
CONGENITAL MALFORMATIONS (282-290)	1	0	1	3.1	-	5.5	3	3	0	8.5	9.7	-
SUDDEN INFANT DEATH SYNDROME# (292)	0	0	0	-	-	-	2	1	1	4.4	2.6	14.9
ACCIDENTS (295-330)	14	3	11	43.6	21.5	60.6	26	20	6	73.6	64.6	138.0
MOTOR VEHICLE ACCIDENTS# (296-306)	6	1	5	18.7	7.2	27.6	12	8	4	34.0	25.8	92.0
SUICIDE (331-337)	6	5	1	18.7	35.8	5.5	4	4	0	11.3	12.9	-
HOMICIDE (338-346)	3	1	2	9.3	7.2	11.0	2	1	1	5.7	3.2	23.0

CAUSE AND GROUP NUMBER*	AMITE COUNTY						ATTALA COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
ALL CAUSES	124	71	53	9.2	9.2	9.3	270	198	72	13.8	17.3	8.9
TUBERCULOSIS (009,010)	1	0	1	7.4	-	17.6	1	0	1	5.1	-	12.4
SEPTICEMIA (018)	1	1	0	7.4	12.9	-	10	4	6	51.1	34.9	74.1
HIV DISEASE (039-043)	1	1	0	7.4	12.9	-	0	0	0	-	-	-
MALIGNANT NEOPLASMS (056-108)	27	14	13	201.0	180.9	228.2	51	34	17	260.8	296.7	210.0
DIABETES MELLITUS (124)	3	2	1	22.3	25.8	17.6	4	3	1	20.4	26.2	12.4
ALZHEIMERS DISEASE (148)	4	4	0	29.8	51.7	-	15	12	3	76.7	104.7	37.1
MAJOR CARDIOVASCULAR DISEASES# (156-189)	51	27	24	379.6	348.9	421.3	102	79	23	521.7	689.4	284.2
HEART DISEASES (156-160,162, 164-181)	39	20	19	290.3	258.4	333.6	72	57	15	368.2	497.4	185.3
HYPERTENSION (161,163)	3	2	1	22.3	25.8	17.6	6	3	3	30.7	26.2	37.1
CEREBROVASCULAR DISEASES (182-186)	6	3	3	44.6	38.8	52.7	21	17	4	107.4	148.4	49.4
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	1	1	0	5.1	8.7	-
INFLUENZA AND PNEUMONIA (195-198)	2	2	0	14.9	25.8	-	8	8	0	40.9	69.8	-
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	3	2	1	22.3	25.8	17.6	18	17	1	92.1	148.4	12.4
PEPTIC ULCER (217-220)	0	0	0	-	-	-	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	0	0	0	-	-	-	2	1	1	10.2	8.7	12.4
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	6	5	1	44.6	64.6	17.6	4	4	0	20.4	34.9	-
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	1	0	1	6.5	-	12.6	0	0	0	-	-	-
CONGENITAL MALFORMATIONS (282-290)	2	2	0	14.9	25.8	-	0	0	0	-	-	-
SUDDEN INFANT DEATH SYNDROME# (292)	0	0	0	-	-	-	1	0	1	3.4	-	6.5
ACCIDENTS (295-330)	12	5	7	89.3	64.6	122.9	13	11	2	66.5	96.0	24.7
MOTOR VEHICLE ACCIDENTS# (296-306)	8	3	5	59.5	38.8	87.8	7	6	1	35.8	52.4	12.4
SUICIDE (331-337)	0	0	0	-	-	-	2	1	1	10.2	8.7	12.4
HOMICIDE (338-346)	1	0	1	7.4	-	17.6	1	0	1	5.1	-	12.4

* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

** TOTAL DEATHS ARE PER 1,000 POPULATION; DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD AND DEATHS FROM SUDDEN INFANT DEATH SYNDROME ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING

**TABLE 19
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE
RESIDENCE OF BENTON, BOLIVAR, CALHOUN, AND CARROLL COUNTIES, MISSISSIPPI, 2005**

CAUSE AND GROUP NUMBER*	BENTON COUNTY						BOLIVAR COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
ALL CAUSES	79	58	21	10.1	11.4	7.5	406	146	260	10.5	11.3	10.1
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	3	2	1	38.2	39.5	35.9	12	5	7	31.0	38.6	27.2
HIV DISEASE (039-043)	1	0	1	12.7	-	35.9	4	0	4	10.4	-	15.6
MALIGNANT NEOPLASMS (056-108)	21	15	6	267.4	296.2	215.2	91	32	59	235.5	247.2	229.6
DIABETES MELLITUS (124)	6	3	3	76.4	59.2	107.6	21	4	17	54.3	30.9	66.2
ALZHEIMERS DISEASE (148)	0	0	0	-	-	-	15	9	6	38.8	69.5	23.3
MAJOR CARDIOVASCULAR DISEASES# (156-189)	26	20	6	331.1	394.9	215.2	131	44	87	339.0	340.0	338.5
HEART DISEASES (156-160,162, 164-181)	16	12	4	203.8	237.0	143.5	99	34	65	256.2	262.7	252.9
HYPERTENSION (161,163)	3	2	1	38.2	39.5	35.9	9	2	7	23.3	15.4	27.2
CEREBROVASCULAR DISEASES (182-186)	7	6	1	89.1	118.5	35.9	19	7	12	49.2	54.1	46.7
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	1	1	0	12.7	19.7	-	12	7	5	31.0	54.1	19.4
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	3	3	0	38.2	59.2	-	15	12	3	38.8	92.7	11.7
PEPTIC ULCER (217-220)	0	0	0	-	-	-	1	0	1	2.6	-	3.9
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	2	1	1	25.5	19.7	35.9	1	1	0	2.6	7.7	-
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	0	0	0	-	-	-	18	6	12	46.6	46.4	46.7
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	1	0	1	176.4	-	245.7
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	1	0	1	8.2	-	25.0	3	0	3	5.3	-	7.4
CONGENITAL MALFORMATIONS (282-290)	1	1	0	12.7	19.7	-	3	1	2	7.8	7.7	7.8
SUDDEN INFANT DEATH SYNDROME# (292)	0	0	0	-	-	-	2	0	2	3.5	-	4.9
ACCIDENTS (295-330)	7	6	1	89.1	118.5	35.9	19	8	11	49.2	61.8	42.8
MOTOR VEHICLE ACCIDENTS# (296-306)	3	3	0	38.2	59.2	-	11	4	7	28.5	30.9	27.2
SUICIDE (331-337)	1	1	0	12.7	19.7	-	2	2	0	5.2	15.4	-
HOMICIDE (338-346)	0	0	0	-	-	-	8	1	7	20.7	7.7	27.2

CAUSE AND GROUP NUMBER*	CALHOUN COUNTY						CARROLL COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
ALL CAUSES	187	147	40	12.8	14.2	9.2	114	72	42	11.0	10.6	11.7
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	3	1	2	20.5	9.7	46.1	3	2	1	28.8	29.4	27.8
HIV DISEASE (039-043)	1	0	1	6.8	-	23.0	0	0	0	-	-	-
MALIGNANT NEOPLASMS (056-108)	39	32	7	266.2	310.3	161.3	27	16	11	259.7	235.1	306.3
DIABETES MELLITUS (124)	5	2	3	34.1	19.4	69.1	2	1	1	19.2	14.7	27.8
ALZHEIMERS DISEASE (148)	12	11	1	81.9	106.7	23.0	0	0	0	-	-	-
MAJOR CARDIOVASCULAR DISEASES# (156-189)	81	65	16	552.8	630.3	368.7	37	24	13	355.9	352.6	362.0
HEART DISEASES (156-160,162, 164-181)	67	57	10	457.3	552.8	230.4	30	22	8	288.5	323.2	222.8
HYPERTENSION (161,163)	1	1	0	6.8	9.7	-	4	0	4	38.5	-	111.4
CEREBROVASCULAR DISEASES (182-186)	12	7	5	81.9	67.9	115.2	2	1	1	19.2	14.7	27.8
ATHEROSCLEROSIS (187)	1	0	1	6.8	-	23.0	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	3	2	1	20.5	19.4	23.0	3	2	1	28.8	29.4	27.8
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	9	8	1	61.4	77.6	23.0	5	3	2	48.1	44.1	55.7
PEPTIC ULCER (217-220)	1	1	0	6.8	9.7	-	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	1	1	0	6.8	9.7	-	4	4	0	38.5	58.8	-
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	0	0	0	-	-	-	5	2	3	48.1	29.4	83.5
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL MALFORMATIONS (282-290)	1	0	1	6.8	-	23.0	0	0	0	-	-	-
SUDDEN INFANT DEATH SYNDROME# (292)	1	1	0	4.6	6.9	-	1	0	1	9.2	-	26.3
ACCIDENTS (295-330)	14	10	4	95.6	97.0	92.2	16	10	6	153.9	146.9	167.1
MOTOR VEHICLE ACCIDENTS# (296-306)	11	7	4	75.1	67.9	92.2	13	8	5	125.0	117.5	139.2
SUICIDE (331-337)	3	3	0	20.5	29.1	-	0	0	0	-	-	-
HOMICIDE (338-346)	0	0	0	-	-	-	1	1	0	9.6	14.7	-

* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

** TOTAL DEATHS ARE PER 1,000 POPULATION; DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD AND DEATHS FROM SUDDEN INFANT DEATH SYNDROME ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING

**TABLE 19
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE
RESIDENCE OF CHICKASAW, CHOCTAW, CLAIBORNE, AND CLARKE COUNTIES, MISSISSIPPI, 2005**

CAUSE AND GROUP NUMBER*	CHICKASAW COUNTY						CHOCTAW COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
ALL CAUSES	183	118	65	9.5	10.7	8.0	10.4	7.6	2.8	10.9	11.7	9.2
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	1	0	1	5.2	-	12.3	0	0	0	-	-	-
HIV DISEASE (039-043)	0	0	0	-	-	-	0	0	0	-	-	-
MALIGNANT NEOPLASMS (056-108)	39	24	15	203.3	216.9	184.8	22	15	7	229.8	230.3	228.8
DIABETES MELLITUS (124)	6	5	1	31.3	45.2	12.3	0	0	0	-	-	-
ALZHEIMERS DISEASE (148)	3	3	0	15.6	27.1	-	1	1	0	10.4	15.4	-
MAJOR CARDIOVASCULAR DISEASES# (156-189)	70	43	27	364.9	388.5	332.6	38	27	11	397.0	414.6	359.5
HEART DISEASES (156-160,162, 164-181)	55	39	16	286.7	352.4	197.1	36	25	11	376.1	383.9	359.5
HYPERTENSION (161,163)	6	0	6	31.3	-	73.9	0	0	0	-	-	-
CEREBROVASCULAR DISEASES (182-186)	9	4	5	46.9	36.1	61.6	2	2	0	20.9	30.7	-
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	3	3	0	15.6	27.1	-	3	3	0	31.3	46.1	-
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	9	8	1	46.9	72.3	12.3	4	4	0	41.8	61.4	-
PEPTIC ULCER (217-220)	0	0	0	-	-	-	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	1	0	1	5.2	-	12.3	1	1	0	10.4	15.4	-
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	7	6	1	36.5	54.2	12.3	6	5	1	62.7	76.8	32.7
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	4	1	3	14.8	7.1	23.1	1	0	1	9.7	-	20.8
CONGENITAL MALFORMATIONS (282-290)	0	0	0	-	-	-	1	1	0	10.4	15.4	-
SUDDEN INFANT DEATH SYNDROME# (292)	0	0	0	-	-	-	0	0	0	-	-	-
ACCIDENTS (295-330)	11	7	4	57.3	63.2	49.3	12	8	4	125.4	122.8	130.7
MOTOR VEHICLE ACCIDENTS# (296-306)	7	3	4	36.5	27.1	49.3	7	3	4	73.1	46.1	130.7
SUICIDE (331-337)	2	1	1	10.4	9.0	12.3	1	1	0	10.4	15.4	-
HOMICIDE (338-346)	2	0	2	10.4	-	24.6	1	1	0	10.4	15.4	-

CAUSE AND GROUP NUMBER*	CLAIBORNE COUNTY						CLARKE COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
ALL CAUSES	118	30	88	10.3	17.2	9.0	198	131	67	11.2	11.2	11.1
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	2	0	2	17.4	-	20.5	1	1	0	5.6	8.6	-
HIV DISEASE (039-043)	2	0	2	17.4	-	20.5	0	0	0	-	-	-
MALIGNANT NEOPLASMS (056-108)	23	8	15	200.1	459.2	153.8	35	23	12	198.1	197.3	199.5
DIABETES MELLITUS (124)	0	0	0	-	-	-	4	2	2	22.6	17.2	33.2
ALZHEIMERS DISEASE (148)	0	0	0	-	-	-	8	6	2	45.3	51.5	33.2
MAJOR CARDIOVASCULAR DISEASES# (156-189)	57	14	43	496.0	803.7	441.0	80	54	26	452.7	463.3	432.2
HEART DISEASES (156-160,162, 164-181)	53	13	40	461.2	746.3	410.2	70	48	22	396.2	411.8	365.8
HYPERTENSION (161,163)	2	0	2	17.4	-	20.5	1	1	0	5.6	8.6	-
CEREBROVASCULAR DISEASES (182-186)	1	0	1	8.7	-	10.2	8	4	4	45.3	34.3	66.5
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	3	1	2	26.1	57.4	20.5	2	1	1	11.3	8.6	16.6
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	4	2	2	34.8	114.8	20.5	5	3	2	28.3	25.7	33.2
PEPTIC ULCER (217-220)	0	0	0	-	-	-	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	0	0	0	-	-	-	2	1	1	11.3	8.6	16.6
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	2	0	2	17.4	-	20.5	8	5	3	45.3	42.9	49.9
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	2	0	2	14.6	-	15.3	2	0	2	9.0	-	22.2
CONGENITAL MALFORMATIONS (282-290)	0	0	0	-	-	-	1	0	1	5.6	-	16.6
SUDDEN INFANT DEATH SYNDROME# (292)	1	0	1	7.3	-	7.6	0	0	0	-	-	-
ACCIDENTS (295-330)	3	0	3	26.1	-	30.8	18	11	7	101.9	94.4	116.4
MOTOR VEHICLE ACCIDENTS# (296-306)	3	0	3	26.1	-	30.8	16	11	5	90.5	94.4	83.1
SUICIDE (331-337)	1	1	0	8.7	57.4	-	2	2	0	11.3	17.2	-
HOMICIDE (338-346)	4	1	3	34.8	57.4	30.8	2	2	0	11.3	17.2	-

* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

** TOTAL DEATHS ARE PER 1,000 POPULATION; DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD AND DEATHS FROM SUDDEN INFANT DEATH SYNDROME ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING

**TABLE 19
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE
RESIDENCE OF CLAY, COAHOMA, COPIAH, AND COVINGTON COUNTIES, MISSISSIPPI, 2005**

CAUSE AND GROUP NUMBER*	CLAY COUNTY						COAHOMA COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
ALL CAUSES	224	120	104	10.6	13.4	8.5	320	116	204	11.0	15.6	9.4
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	5	4	1	23.6	44.5	8.2	8	3	5	27.6	40.4	23.2
HIV DISEASE (039-043)	2	0	2	9.4	-	16.3	6	0	6	20.7	-	27.8
MALIGNANT NEOPLASMS (056-108)	52	27	25	245.0	300.4	204.3	75	30	45	258.6	403.9	208.6
DIABETES MELLITUS (124)	4	3	1	18.8	33.4	8.2	15	6	9	51.7	80.8	41.7
ALZHEIMERS DISEASE (148)	2	2	0	9.4	22.2	-	1	1	0	3.4	13.5	-
MAJOR CARDIOVASCULAR DISEASES# (156-189)	94	53	41	442.9	589.7	335.1	111	44	67	382.7	592.4	310.6
HEART DISEASES (156-160,162, 164-181)	69	42	27	325.1	467.3	220.7	78	33	45	268.9	444.3	208.6
HYPERTENSION (161,163)	6	3	3	28.3	33.4	24.5	9	2	7	31.0	26.9	32.4
CEREBROVASCULAR DISEASES (182-186)	18	8	10	84.8	89.0	81.7	21	8	13	72.4	107.7	60.2
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	3	1	2	14.1	11.1	16.3	6	3	3	20.7	40.4	13.9
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	13	9	4	61.2	100.1	32.7	11	4	7	37.9	53.8	32.4
PEPTIC ULCER (217-220)	0	0	0	-	-	-	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	2	1	1	9.4	11.1	8.2	1	0	1	3.4	-	4.6
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	6	2	4	28.3	22.2	32.7	10	4	6	34.5	53.8	27.8
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	1	0	1	207.5	-	251.2
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	2	0	2	6.2	-	9.6	6	0	6	12.4	-	15.1
CONGENITAL MALFORMATIONS (282-290)	0	0	0	-	-	-	1	0	1	3.4	-	4.6
SUDDEN INFANT DEATH SYNDROME# (292)	0	0	0	-	-	-	0	0	0	-	-	-
ACCIDENTS (295-330)	14	8	6	66.0	89.0	49.0	17	5	12	58.6	67.3	55.6
MOTOR VEHICLE ACCIDENTS# (296-306)	8	5	3	37.7	55.6	24.5	10	1	9	34.5	13.5	41.7
SUICIDE (331-337)	1	0	1	4.7	-	8.2	3	1	2	10.3	13.5	9.3
HOMICIDE (338-346)	2	1	1	9.4	11.1	8.2	3	0	3	10.3	-	13.9

CAUSE AND GROUP NUMBER*	COPIAH COUNTY						COVINGTON COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
ALL CAUSES	287	167	120	9.8	11.8	8.0	245	191	54	12.1	14.9	7.2
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	2	0	2	6.8	-	13.4	5	4	1	24.7	31.2	13.4
HIV DISEASE (039-043)	2	0	2	6.8	-	13.4	1	0	1	4.9	-	13.4
MALIGNANT NEOPLASMS (056-108)	67	42	25	229.7	296.1	166.9	44	37	7	217.0	289.1	93.7
DIABETES MELLITUS (124)	11	3	8	37.7	21.1	53.4	2	1	1	9.9	7.8	13.4
ALZHEIMERS DISEASE (148)	6	4	2	20.6	28.2	13.4	10	9	1	49.3	70.3	13.4
MAJOR CARDIOVASCULAR DISEASES# (156-189)	87	47	40	298.3	331.3	267.0	77	59	18	379.8	460.9	240.9
HEART DISEASES (156-160,162, 164-181)	63	35	28	216.0	246.7	186.9	61	46	15	300.9	359.4	200.7
HYPERTENSION (161,163)	4	3	1	13.7	21.1	6.7	2	1	1	9.9	7.8	13.4
CEREBROVASCULAR DISEASES (182-186)	18	9	9	61.7	63.4	60.1	13	11	2	64.1	85.9	26.8
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	10	8	2	34.3	56.4	13.4	6	4	2	29.6	31.2	26.8
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	12	11	1	41.1	77.5	6.7	18	18	0	88.8	140.6	-
PEPTIC ULCER (217-220)	0	0	0	-	-	-	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	2	1	1	6.8	7.0	6.7	1	1	0	4.9	7.8	-
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	8	3	5	27.4	21.1	33.4	3	1	2	14.8	7.8	26.8
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	3	0	3	6.3	-	10.4	0	0	0	-	-	-
CONGENITAL MALFORMATIONS (282-290)	1	0	1	3.4	-	6.7	1	1	0	4.9	7.8	-
SUDDEN INFANT DEATH SYNDROME# (292)	0	0	0	-	-	-	1	1	0	3.1	5.6	-
ACCIDENTS (295-330)	20	12	8	68.6	84.6	53.4	25	12	13	123.3	93.8	174.0
MOTOR VEHICLE ACCIDENTS# (296-306)	9	5	4	30.9	35.2	26.7	16	6	10	78.9	46.9	133.8
SUICIDE (331-337)	5	5	0	17.1	35.2	-	2	2	0	9.9	15.6	-
HOMICIDE (338-346)	3	1	2	10.3	7.0	13.4	2	2	0	9.9	15.6	-

* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

** TOTAL DEATHS ARE PER 1,000 POPULATION; DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD AND DEATHS FROM SUDDEN INFANT DEATH SYNDROME ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING

**TABLE 19
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE
RESIDENCE OF DESOTO, FORREST, FRANKLIN, AND GEORGE COUNTIES, MISSISSIPPI, 2005**

CAUSE AND GROUP NUMBER*	DESOTO COUNTY						FORREST COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
ALL CAUSES	917	797	120	6.7	7.2	4.6	742	535	207	9.9	11.2	7.5
TUBERCULOSIS (009,010)	0	0	0	-	-	-	1	1	0	1.3	2.1	-
SEPTICEMIA (018)	14	12	2	10.2	10.8	7.7	28	18	10	37.3	37.9	36.3
HIV DISEASE (039-043)	9	3	6	6.6	2.7	23.0	4	1	3	5.3	2.1	10.9
MALIGNANT NEOPLASMS (056-108)	212	181	31	154.7	163.2	118.9	133	91	42	177.1	191.5	152.3
DIABETES MELLITUS (124)	54	46	8	39.4	41.5	30.7	36	26	10	47.9	54.7	36.3
ALZHEIMERS DISEASE (148)	19	19	0	13.9	17.1	-	32	24	8	42.6	50.5	29.0
MAJOR CARDIOVASCULAR DISEASES# (156-189)	331	287	44	241.6	258.7	168.8	249	196	53	331.6	412.4	192.2
HEART DISEASES (156-160,162, 164-181)	279	245	34	203.6	220.8	130.4	185	153	32	246.4	322.0	116.0
HYPERTENSION (161,163)	5	1	4	3.6	0.9	15.3	15	11	4	20.0	23.1	14.5
CEREBROVASCULAR DISEASES (182-186)	41	35	6	29.9	31.5	23.0	45	28	17	59.9	58.9	61.6
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	17	14	3	12.4	12.6	11.5	17	13	4	22.6	27.4	14.5
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	52	51	1	38.0	46.0	3.8	42	35	7	55.9	73.6	25.4
PEPTIC ULCER (217-220)	1	1	0	0.7	0.9	-	1	1	0	1.3	2.1	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	11	9	2	8.0	8.1	7.7	12	9	3	16.0	18.9	10.9
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	9	6	3	6.6	5.4	11.5	21	13	8	28.0	27.4	29.0
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	1	0	1	91.6	-	209.6
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	5	2	3	2.5	1.2	7.2	6	0	6	5.5	-	12.6
CONGENITAL MALFORMATIONS (282-290)	4	3	1	2.9	2.7	3.8	4	2	2	5.3	4.2	7.2
SUDDEN INFANT DEATH SYNDROME# (292)	2	1	1	1.0	0.6	2.4	5	3	2	4.6	4.9	4.2
ACCIDENTS (295-330)	56	53	3	40.9	47.8	11.5	46	35	11	61.2	73.6	39.9
MOTOR VEHICLE ACCIDENTS# (296-306)	30	27	3	21.9	24.3	11.5	27	21	6	36.0	44.2	21.8
SUICIDE (331-337)	17	17	0	12.4	15.3	-	6	4	2	8.0	8.4	7.2
HOMICIDE (338-346)	5	4	1	3.6	3.6	3.8	5	3	2	6.6	6.3	7.2

CAUSE AND GROUP NUMBER*	FRANKLIN COUNTY						GEORGE COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
ALL CAUSES	85	59	26	10.1	11.1	8.4	193	175	18	9.1	9.2	8.2
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	1	1	0	11.9	18.8	-	2	1	1	9.4	5.2	45.8
HIV DISEASE (039-043)	0	0	0	-	-	-	0	0	0	-	-	-
MALIGNANT NEOPLASMS (056-108)	20	12	8	237.8	225.2	259.5	30	30	0	141.1	157.2	-
DIABETES MELLITUS (124)	1	0	1	11.9	-	32.4	10	10	0	47.0	52.4	-
ALZHEIMERS DISEASE (148)	1	1	0	11.9	18.8	-	3	3	0	14.1	15.7	-
MAJOR CARDIOVASCULAR DISEASES# (156-189)	41	29	12	487.4	544.3	389.2	82	70	12	385.7	366.9	550.0
HEART DISEASES (156-160,162, 164-181)	38	28	10	451.8	525.5	324.4	60	50	10	282.2	262.1	458.3
HYPERTENSION (161,163)	1	0	1	11.9	-	32.4	4	4	0	18.8	21.0	-
CEREBROVASCULAR DISEASES (182-186)	2	1	1	23.8	18.8	32.4	13	11	2	61.2	57.7	91.6
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	1	1	0	4.7	5.2	-
INFLUENZA AND PNEUMONIA (195-198)	3	2	1	35.7	37.5	32.4	2	2	0	9.4	10.5	-
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	3	1	2	35.7	18.8	64.9	21	20	1	98.8	104.8	45.8
PEPTIC ULCER (217-220)	0	0	0	-	-	-	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	0	0	0	-	-	-	3	3	0	14.1	15.7	-
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	3	2	1	35.7	37.5	32.4	3	3	0	14.1	15.7	-
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL MALFORMATIONS (282-290)	0	0	0	-	-	-	1	0	1	4.7	-	45.8
SUDDEN INFANT DEATH SYNDROME# (292)	0	0	0	-	-	-	1	1	0	3.0	3.3	-
ACCIDENTS (295-330)	3	3	0	35.7	56.3	-	12	10	2	56.4	52.4	91.6
MOTOR VEHICLE ACCIDENTS# (296-306)	2	2	0	23.8	37.5	-	7	7	0	32.9	36.7	-
SUICIDE (331-337)	2	2	0	23.8	37.5	-	2	2	0	9.4	10.5	-
HOMICIDE (338-346)	0	0	0	-	-	-	1	0	1	4.7	-	45.8

* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

** TOTAL DEATHS ARE PER 1,000 POPULATION; DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD AND DEATHS FROM SUDDEN INFANT DEATH SYNDROME ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING

**TABLE 19
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE
RESIDENCE OF GREENE, GRENADA, HANCOCK, AND HARRISON COUNTIES, MISSISSIPPI, 2005**

CAUSE AND GROUP NUMBER	GREENE COUNTY						GRENADA COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
ALL CAUSES	123	102	21	9.3	10.6	5.9	258	151	107	11.3	11.6	10.9
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	1	0	1	7.6	-	28.0	4	2	2	17.5	15.3	20.4
HIV DISEASE (039-043)	0	0	0	-	-	-	2	0	2	8.7	-	20.4
MALIGNANT NEOPLASMS (056-108)	24	23	1	182.0	239.2	28.0	53	36	17	231.8	275.6	173.5
DIABETES MELLITUS (124)	5	4	1	37.9	41.6	28.0	4	1	3	17.5	7.6	30.6
ALZHEIMERS DISEASE (148)	4	3	1	30.3	31.2	28.0	2	2	0	8.7	15.3	-
MAJOR CARDIOVASCULAR DISEASES# (156-189)	56	45	11	424.8	467.9	308.5	110	66	44	481.2	505.3	449.0
HEART DISEASES (156-160,162, 164-181)	49	40	9	371.7	415.9	252.4	81	50	31	354.3	382.8	316.3
HYPERTENSION (161,163)	1	0	1	7.6	-	28.0	10	2	8	43.7	15.3	81.6
CEREBROVASCULAR DISEASES (182-186)	3	3	0	22.8	31.2	-	16	12	4	70.0	91.9	40.8
ATHEROSCLEROSIS (187)	1	1	0	7.6	10.4	-	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	0	0	0	-	-	-	4	3	1	17.5	23.0	10.2
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	7	7	0	53.1	72.8	-	13	11	2	56.9	84.2	20.4
PEPTIC ULCER (217-220)	0	0	0	-	-	-	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	2	2	0	15.2	20.8	-	0	0	0	-	-	-
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	5	2	3	37.9	20.8	84.1	8	5	3	35.0	38.3	30.6
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	1	0	1	287.4	-	574.7
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	0	0	0	-	-	-	2	0	2	5.7	-	11.5
CONGENITAL MALFORMATIONS (282-290)	1	1	0	7.6	10.4	-	0	0	0	-	-	-
SUDDEN INFANT DEATH SYNDROME# (292)	0	0	0	-	-	-	1	0	1	2.9	-	5.7
ACCIDENTS (295-330)	7	7	0	53.1	72.8	-	15	11	4	65.6	84.2	40.8
MOTOR VEHICLE ACCIDENTS# (296-306)	4	4	0	30.3	41.6	-	9	8	1	39.4	61.2	10.2
SUICIDE (331-337)	1	1	0	7.6	10.4	-	3	2	1	13.1	15.3	10.2
HOMICIDE (338-346)	0	0	0	-	-	-	4	1	3	17.5	7.6	30.6

CAUSE AND GROUP NUMBER	HANCOCK COUNTY						HARRISON COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
ALL CAUSES	478	445	33	10.2	10.5	7.5	1,945	1,524	421	10.0	10.9	7.8
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	9	9	0	19.3	21.3	-	39	30	9	20.1	21.4	16.8
HIV DISEASE (039-043)	1	1	0	2.1	2.4	-	8	3	5	4.1	2.1	9.3
MALIGNANT NEOPLASMS (056-108)	96	93	3	205.5	219.8	68.2	440	354	86	227.0	252.6	160.2
DIABETES MELLITUS (124)	5	5	0	10.7	11.8	-	19	15	4	9.8	10.7	7.4
ALZHEIMERS DISEASE (148)	5	5	0	10.7	11.8	-	39	37	2	20.1	26.4	3.7
MAJOR CARDIOVASCULAR DISEASES# (156-189)	135	125	10	289.0	295.4	227.3	638	500	138	329.2	356.8	257.0
HEART DISEASES (156-160,162, 164-181)	112	104	8	239.8	245.8	181.8	523	415	108	269.8	296.2	201.2
HYPERTENSION (161,163)	1	1	0	2.1	2.4	-	4	2	2	2.1	1.4	3.7
CEREBROVASCULAR DISEASES (182-186)	18	16	2	38.5	37.8	45.4	90	67	23	46.4	47.8	42.8
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	4	3	1	2.1	2.1	1.9
INFLUENZA AND PNEUMONIA (195-198)	10	9	1	21.4	21.3	22.7	31	26	5	16.0	18.6	9.3
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	34	34	0	72.8	80.4	-	83	74	9	42.8	52.8	16.8
PEPTIC ULCER (217-220)	0	0	0	-	-	-	2	1	1	1.0	0.7	1.9
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	6	5	1	12.8	11.8	22.7	26	18	8	13.4	12.8	14.9
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	11	11	0	23.5	26.0	-	49	37	12	25.3	26.4	22.4
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	1	1	0	36.6	52.6	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	2	1	1	4.4	2.4	24.4	11	6	5	4.0	3.2	6.0
CONGENITAL MALFORMATIONS (282-290)	2	1	1	4.3	2.4	22.7	9	7	2	4.6	5.0	3.7
SUDDEN INFANT DEATH SYNDROME# (292)	0	0	0	-	-	-	8	5	3	2.9	2.6	3.6
ACCIDENTS (295-330)	87	81	6	186.2	191.4	136.4	215	153	62	110.9	109.2	115.5
MOTOR VEHICLE ACCIDENTS# (296-306)	10	10	0	21.4	23.6	-	41	26	15	21.2	18.6	27.9
SUICIDE (331-337)	7	6	1	15.0	14.2	22.7	34	32	2	17.5	22.8	3.7
HOMICIDE (338-346)	1	1	0	2.1	2.4	-	16	9	7	8.2	6.4	13.0

* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

** TOTAL DEATHS ARE PER 1,000 POPULATION; DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD AND DEATHS FROM SUDDEN INFANT DEATH SYNDROME ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING

**TABLE 19
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE
RESIDENCE OF HINDS, HOLMES, HUMPHREYS, AND ISSAQUENA COUNTIES, MISSISSIPPI, 2005**

CAUSE AND GROUP NUMBER	HINDS COUNTY						HOLMES COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
ALL CAUSES	2,105	903	1,202	8.4	10.9	7.2	241	79	162	11.4	20.0	9.4
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	56	26	30	22.4	31.3	18.0	9	2	7	42.6	50.7	40.8
HIV DISEASE (039-043)	43	4	39	17.2	4.8	23.4	5	0	5	23.7	-	29.1
MALIGNANT NEOPLASMS (056-108)	364	165	199	146.0	198.6	119.7	51	20	31	241.7	507.1	180.7
DIABETES MELLITUS (124)	36	8	28	14.4	9.6	16.8	3	0	3	14.2	-	17.5
ALZHEIMERS DISEASE (148)	46	28	18	18.4	33.7	10.8	7	4	3	33.2	101.4	17.5
MAJOR CARDIOVASCULAR DISEASES# (156-189)	819	356	463	328.5	428.6	278.4	94	33	61	445.5	836.7	355.6
HEART DISEASES (156-160,162, 164-181)	672	300	372	269.5	361.2	223.7	54	16	38	255.9	405.7	221.5
HYPERTENSION (161,163)	24	9	15	9.6	10.8	9.0	12	5	7	56.9	126.8	40.8
CEREBROVASCULAR DISEASES (182-186)	106	42	64	42.5	50.6	38.5	24	12	12	113.7	304.3	70.0
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	3	0	3	14.2	-	17.5
INFLUENZA AND PNEUMONIA (195-198)	59	29	30	23.7	34.9	18.0	4	1	3	19.0	25.4	17.5
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	75	44	31	30.1	53.0	18.6	10	6	4	47.4	152.1	23.3
PEPTIC ULCER (217-220)	1	1	0	0.4	1.2	-	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	10	8	2	4.0	9.6	1.2	0	0	0	-	-	-
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	40	9	31	16.0	10.8	18.6	5	1	4	23.7	25.4	23.3
MATERNAL CAUSES (261-273)	2	0	2	50.6	-	65.8	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	41	5	36	10.4	5.5	11.8	1	0	1	2.6	-	2.9
CONGENITAL MALFORMATIONS (282-290)	11	2	9	4.4	2.4	5.4	0	0	0	-	-	-
SUDDEN INFANT DEATH SYNDROME# (292)	6	1	5	1.5	1.1	1.6	1	0	1	2.6	-	2.9
ACCIDENTS (295-330)	90	36	54	36.1	43.3	32.5	18	4	14	85.3	101.4	81.6
MOTOR VEHICLE ACCIDENTS# (296-306)	58	24	34	23.3	28.9	20.4	10	2	8	47.4	50.7	46.6
SUICIDE (331-337)	27	18	9	10.8	21.7	5.4	5	0	5	23.7	-	29.1
HOMICIDE (338-346)	47	1	46	18.8	1.2	27.7	4	0	4	19.0	-	23.3

CAUSE AND GROUP NUMBER	HUMPHREYS COUNTY						ISSAQUENA COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
ALL CAUSES	107	28	79	10.2	10.3	10.1	16	6	10	8.4	8.4	8.4
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	1	0	1	9.5	-	12.8	0	0	0	-	-	-
HIV DISEASE (039-043)	1	0	1	9.5	-	12.8	0	0	0	-	-	-
MALIGNANT NEOPLASMS (056-108)	29	9	20	275.5	329.9	256.4	3	1	2	157.2	140.2	167.2
DIABETES MELLITUS (124)	2	0	2	19.0	-	25.6	0	0	0	-	-	-
ALZHEIMERS DISEASE (148)	4	1	3	38.0	36.6	38.5	0	0	0	-	-	-
MAJOR CARDIOVASCULAR DISEASES# (156-189)	43	13	30	408.5	476.5	384.7	11	5	6	576.2	701.3	501.7
HEART DISEASES (156-160,162, 164-181)	28	9	19	266.0	329.9	243.6	9	4	5	471.4	561.0	418.1
HYPERTENSION (161,163)	5	0	5	47.5	-	64.1	0	0	0	-	-	-
CEREBROVASCULAR DISEASES (182-186)	9	4	5	85.5	146.6	64.1	1	0	1	52.4	-	83.6
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	2	0	2	19.0	-	25.6	0	0	0	-	-	-
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	4	2	2	38.0	73.3	25.6	1	0	1	52.4	-	83.6
PEPTIC ULCER (217-220)	0	0	0	-	-	-	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	1	1	0	9.5	36.6	-	0	0	0	-	-	-
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	2	0	2	19.0	-	25.6	0	0	0	-	-	-
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	3	0	3	15.6	-	17.6	0	0	0	-	-	-
CONGENITAL MALFORMATIONS (282-290)	0	0	0	-	-	-	0	0	0	-	-	-
SUDDEN INFANT DEATH SYNDROME# (292)	0	0	0	-	-	-	0	0	0	-	-	-
ACCIDENTS (295-330)	6	0	6	57.0	-	76.9	0	0	0	-	-	-
MOTOR VEHICLE ACCIDENTS# (296-306)	5	0	5	47.5	-	64.1	0	0	0	-	-	-
SUICIDE (331-337)	0	0	0	-	-	-	0	0	0	-	-	-
HOMICIDE (338-346)	1	0	1	9.5	-	12.8	0	0	0	-	-	-

* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

** TOTAL DEATHS ARE PER 1,000 POPULATION; DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD AND DEATHS FROM SUDDEN INFANT DEATH SYNDROME ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING

**TABLE 19
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE
RESIDENCE OF ITAWAMBA, JACKSON, JASPER, AND JEFFERSON COUNTIES, MISSISSIPPI, 2005**

CAUSE AND GROUP NUMBER	ITAWAMBA COUNTY						JACKSON COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
ALL CAUSES	288	283	5	12.3	13.0	3.0	1,228	1,006	222	9.0	9.9	6.5
TUBERCULOSIS (009,010)	0	0	0	-	-	-	1	1	0	0.7	1.0	-
SEPTICEMIA (018)	5	5	0	21.4	23.1	-	24	17	7	17.6	16.7	20.5
HIV DISEASE (039-043)	0	0	0	-	-	-	6	2	4	4.4	2.0	11.7
MALIGNANT NEOPLASMS (056-108)	57	56	1	244.0	258.4	59.2	225	182	43	165.5	178.8	126.0
DIABETES MELLITUS (124)	3	3	0	12.8	13.8	-	16	13	3	11.8	12.8	8.8
ALZHEIMERS DISEASE (148)	15	15	0	64.2	69.2	-	42	39	3	30.9	38.3	8.8
MAJOR CARDIOVASCULAR DISEASES# (156-189)	88	86	2	376.7	396.8	118.5	420	343	77	309.0	336.9	225.6
HEART DISEASES (156-160,162, 164-181)	67	67	0	286.8	309.2	-	316	257	59	232.4	252.4	172.8
HYPERTENSION (161,163)	2	1	1	8.6	4.6	59.2	15	13	2	11.0	12.8	5.8
CEREBROVASCULAR DISEASES (182-186)	17	16	1	72.8	73.8	59.2	80	66	14	58.8	64.8	41.0
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	2	2	0	1.5	2.0	-
INFLUENZA AND PNEUMONIA (195-198)	5	5	0	21.4	23.1	-	18	13	5	13.2	12.8	14.6
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	26	26	0	111.3	120.0	-	72	66	6	53.0	64.8	17.6
PEPTIC ULCER (217-220)	0	0	0	-	-	-	2	1	1	1.5	1.0	2.9
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	2	2	0	8.6	9.2	-	13	12	1	9.6	11.8	2.9
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	4	4	0	17.1	18.4	-	20	15	5	14.7	14.7	14.6
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	1	1	0	3.8	4.1	-	5	2	3	2.9	1.7	6.0
CONGENITAL MALFORMATIONS (282-290)	1	1	0	4.3	4.6	-	9	8	1	6.6	7.8	2.9
SUDDEN INFANT DEATH SYNDROME# (292)	5	5	0	18.9	20.4	-	4	3	1	2.3	2.5	2.0
ACCIDENTS (295-330)	12	12	0	51.4	55.4	-	111	92	19	81.6	90.4	55.6
MOTOR VEHICLE ACCIDENTS# (296-306)	8	8	0	34.2	36.9	-	40	33	7	29.4	32.4	20.5
SUICIDE (331-337)	5	5	0	21.4	23.1	-	19	16	3	14.0	15.7	8.8
HOMICIDE (338-346)	2	1	1	8.6	4.6	59.2	12	6	6	8.8	5.9	17.6

CAUSE AND GROUP NUMBER	JASPER COUNTY						JEFFERSON COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
ALL CAUSES	188	106	82	10.4	12.4	8.5	70	10	60	7.4	7.7	7.4
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	3	1	2	16.5	11.7	20.8	1	0	1	10.6	-	12.3
HIV DISEASE (039-043)	0	0	0	-	-	-	0	0	0	-	-	-
MALIGNANT NEOPLASMS (056-108)	34	18	16	187.2	211.0	166.1	14	3	11	148.4	231.5	135.2
DIABETES MELLITUS (124)	1	0	1	5.5	-	10.4	2	0	2	21.2	-	24.6
ALZHEIMERS DISEASE (148)	1	0	1	5.5	-	10.4	0	0	0	-	-	-
MAJOR CARDIOVASCULAR DISEASES# (156-189)	85	57	28	468.0	668.3	290.7	27	3	24	286.3	231.5	295.0
HEART DISEASES (156-160,162, 164-181)	71	50	21	390.9	586.2	218.0	20	2	18	212.0	154.3	221.2
HYPERTENSION (161,163)	1	0	1	5.5	-	10.4	2	0	2	21.2	-	24.6
CEREBROVASCULAR DISEASES (182-186)	13	7	6	71.6	82.1	62.3	4	1	3	42.4	77.2	36.9
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	3	1	2	16.5	11.7	20.8	1	0	1	10.6	-	12.3
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	5	3	2	27.5	35.2	20.8	2	0	2	21.2	-	24.6
PEPTIC ULCER (217-220)	0	0	0	-	-	-	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	2	0	2	11.0	-	20.8	0	0	0	-	-	-
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	9	2	7	49.6	23.4	72.7	4	0	4	42.4	-	49.2
MATERNAL CAUSES (261-273)	1	1	0	446.4	1,111.1	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	1	0	1	4.5	-	7.5	2	0	2	16.9	-	17.8
CONGENITAL MALFORMATIONS (282-290)	1	1	0	5.5	11.7	-	0	0	0	-	-	-
SUDDEN INFANT DEATH SYNDROME# (292)	1	1	0	4.5	11.1	-	1	0	1	8.5	-	8.9
ACCIDENTS (295-330)	17	7	10	93.6	82.1	103.8	5	1	4	53.0	77.2	49.2
MOTOR VEHICLE ACCIDENTS# (296-306)	14	5	9	77.1	58.6	93.4	4	1	3	42.4	77.2	36.9
SUICIDE (331-337)	4	4	0	22.0	46.9	-	0	0	0	-	-	-
HOMICIDE (338-346)	3	1	2	16.5	11.7	20.8	2	0	2	21.2	-	24.6

* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

** TOTAL DEATHS ARE PER 1,000 POPULATION; DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD AND DEATHS FROM SUDDEN INFANT DEATH SYNDROME ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING

**TABLE 19
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE
RESIDENCE OF JEFF DAVIS, JONES, KEMPER, AND LAFAYETTE COUNTIES, MISSISSIPPI, 2005**

CAUSE AND GROUP NUMBER	JEFF DAVIS COUNTY						JONES COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
ALL CAUSES	147	76	71	11.2	13.9	9.2	706	550	156	10.7	11.6	8.2
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	7	3	4	53.2	54.9	52.0	14	10	4	21.2	21.2	21.1
HIV DISEASE (039-043)	0	0	0	-	-	-	4	2	2	6.0	4.2	10.6
MALIGNANT NEOPLASMS (056-108)	35	21	14	266.0	384.0	182.0	132	98	34	199.5	207.5	179.6
DIABETES MELLITUS (124)	3	1	2	22.8	18.3	26.0	14	12	2	21.2	25.4	10.6
ALZHEIMERS DISEASE (148)	2	0	2	15.2	-	26.0	14	13	1	21.2	27.5	5.3
MAJOR CARDIOVASCULAR DISEASES# (156-189)	42	21	21	319.2	384.0	273.1	243	186	57	367.3	393.8	301.1
HEART DISEASES (156-160,162, 164-181)	36	18	18	273.6	329.2	234.1	200	153	47	302.3	323.9	248.3
HYPERTENSION (161,163)	4	3	1	30.4	54.9	13.0	7	3	4	10.6	6.4	21.1
CEREBROVASCULAR DISEASES (182-186)	1	0	1	7.6	-	13.0	31	27	4	46.8	57.2	21.1
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	1	1	0	7.6	18.3	-	29	24	5	43.8	50.8	26.4
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	9	7	2	68.4	128.0	26.0	33	27	6	49.9	57.2	31.7
PEPTIC ULCER (217-220)	2	1	1	15.2	18.3	13.0	2	2	0	3.0	4.2	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	0	0	0	-	-	-	9	7	2	13.6	14.8	10.6
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	5	3	2	38.0	54.9	26.0	16	11	5	24.2	23.3	26.4
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	0	0	0	-	-	-	4	1	3	3.7	1.5	7.7
CONGENITAL MALFORMATIONS (282-290)	0	0	0	-	-	-	2	2	0	3.0	4.2	-
SUDDEN INFANT DEATH SYNDROME# (292)	0	0	0	-	-	-	5	3	2	4.7	4.4	5.1
ACCIDENTS (295-330)	18	8	10	136.8	146.3	130.0	51	41	10	77.1	86.8	52.8
MOTOR VEHICLE ACCIDENTS# (296-306)	13	4	9	98.8	73.2	117.0	21	17	4	31.7	36.0	21.1
SUICIDE (331-337)	0	0	0	-	-	-	10	9	1	15.1	19.0	5.3
HOMICIDE (338-346)	1	0	1	7.6	-	13.0	6	5	1	9.1	10.6	5.3

CAUSE AND GROUP NUMBER	KEMPER COUNTY						LAFAYETTE COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
ALL CAUSES	85	46	39	8.3	11.6	6.2	367	262	105	9.0	8.8	9.6
TUBERCULOSIS (009,010)	0	0	0	-	-	-	1	1	0	2.4	3.3	-
SEPTICEMIA (018)	3	1	2	29.3	25.2	31.9	6	5	1	14.7	16.7	9.2
HIV DISEASE (039-043)	0	0	0	-	-	-	1	0	1	2.4	-	9.2
MALIGNANT NEOPLASMS (056-108)	11	8	3	107.4	201.4	47.8	67	47	20	164.0	157.0	183.2
DIABETES MELLITUS (124)	3	2	1	29.3	50.4	15.9	19	11	8	46.5	36.8	73.3
ALZHEIMERS DISEASE (148)	2	0	2	19.5	-	31.9	19	16	3	46.5	53.5	27.5
MAJOR CARDIOVASCULAR DISEASES# (156-189)	41	24	17	400.2	604.2	271.0	129	93	36	315.8	310.8	329.8
HEART DISEASES (156-160,162, 164-181)	34	17	17	331.8	428.0	271.0	97	72	25	237.5	240.6	229.0
HYPERTENSION (161,163)	1	1	0	9.8	25.2	-	8	5	3	19.6	16.7	27.5
CEREBROVASCULAR DISEASES (182-186)	6	6	0	58.6	151.0	-	20	12	8	49.0	40.1	73.3
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	0	0	0	-	-	-	8	7	1	19.6	23.4	9.2
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	4	1	3	39.0	25.2	47.8	23	20	3	56.3	66.8	27.5
PEPTIC ULCER (217-220)	0	0	0	-	-	-	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	0	0	0	-	-	-	0	0	0	-	-	-
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	0	0	0	-	-	-	13	11	2	31.8	36.8	18.3
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	0	0	0	-	-	-	5	1	4	10.1	3.4	20.0
CONGENITAL MALFORMATIONS (282-290)	0	0	0	-	-	-	1	1	0	2.4	3.3	-
SUDDEN INFANT DEATH SYNDROME# (292)	0	0	0	-	-	-	0	0	0	-	-	-
ACCIDENTS (295-330)	2	2	0	19.5	50.4	-	19	14	5	46.5	46.8	45.8
MOTOR VEHICLE ACCIDENTS# (296-306)	2	2	0	19.5	50.4	-	10	7	3	24.5	23.4	27.5
SUICIDE (331-337)	2	1	1	19.5	25.2	15.9	3	1	2	7.3	3.3	18.3
HOMICIDE (338-346)	1	0	1	9.8	-	15.9	1	0	1	2.4	-	9.2

* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

** TOTAL DEATHS ARE PER 1,000 POPULATION; DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD AND DEATHS FROM SUDDEN INFANT DEATH SYNDROME ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING

**TABLE 19
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE
RESIDENCE OF LAMAR, LAUDERDALE, LAWRENCE, AND LEAKE COUNTIES, MISSISSIPPI, 2005**

CAUSE AND GROUP NUMBER	LAMAR COUNTY						LAUDERDALE COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
ALL CAUSES	338	292	46	7.6	7.8	6.5	934	623	311	12.1	13.9	9.6
TUBERCULOSIS (009,010)	0	0	0	-	-	-	1	1	0	1.3	2.2	-
SEPTICEMIA (018)	11	9	2	24.6	24.0	28.3	15	10	5	19.4	22.4	15.4
HIV DISEASE (039-043)	1	0	1	2.2	-	14.1	4	2	2	5.2	4.5	6.2
MALIGNANT NEOPLASMS (056-108)	71	67	4	159.1	178.4	56.6	193	121	72	249.9	270.5	221.6
DIABETES MELLITUS (124)	5	5	0	11.2	13.3	-	11	7	4	14.2	15.6	12.3
ALZHEIMERS DISEASE (148)	12	11	1	26.9	29.3	14.1	37	27	10	47.9	60.4	30.8
MAJOR CARDIOVASCULAR DISEASES# (156-189)	120	107	13	269.0	285.0	183.9	339	229	110	439.0	512.0	338.5
HEART DISEASES (156-160,162, 164-181)	86	83	3	192.8	221.1	42.4	252	175	77	326.3	391.3	237.0
HYPERTENSION (161,163)	5	2	3	11.2	5.3	42.4	3	1	2	3.9	2.2	6.2
CEREBROVASCULAR DISEASES (182-186)	27	22	5	60.5	58.6	70.7	74	46	28	95.8	102.8	86.2
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	4	3	1	9.0	8.0	14.1	18	13	5	23.3	29.1	15.4
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	22	18	4	49.3	47.9	56.6	54	49	5	69.9	109.6	15.4
PEPTIC ULCER (217-220)	0	0	0	-	-	-	2	1	1	2.6	2.2	3.1
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	4	4	0	9.0	10.6	-	10	9	1	13.0	20.1	3.1
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	9	6	3	20.2	16.0	42.4	14	8	6	18.1	17.9	18.5
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	6	2	4	8.5	3.6	25.8	3	1	2	2.6	1.7	3.4
CONGENITAL MALFORMATIONS (282-290)	1	1	0	2.2	2.7	-	3	2	1	3.9	4.5	3.1
SUDDEN INFANT DEATH SYNDROME# (292)	1	0	1	1.4	-	6.4	1	0	1	0.8	-	1.7
ACCIDENTS (295-330)	25	19	6	56.0	50.6	84.9	48	32	16	62.2	71.5	49.2
MOTOR VEHICLE ACCIDENTS# (296-306)	14	9	5	31.4	24.0	70.7	20	12	8	25.9	26.8	24.6
SUICIDE (331-337)	3	3	0	6.7	8.0	-	11	8	3	14.2	17.9	9.2
HOMICIDE (338-346)	3	2	1	6.7	5.3	14.1	8	0	8	10.4	-	24.6

CAUSE AND GROUP NUMBER	LAWRENCE COUNTY						LEAKE COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
ALL CAUSES	133	95	38	9.8	10.4	8.7	280	182	98	12.5	14.5	9.9
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	1	0	1	7.4	-	22.8	5	2	3	22.3	16.0	30.2
HIV DISEASE (039-043)	0	0	0	-	-	-	0	0	0	-	-	-
MALIGNANT NEOPLASMS (056-108)	34	22	12	251.8	241.4	273.5	70	47	23	311.8	375.1	231.8
DIABETES MELLITUS (124)	7	5	2	51.8	54.8	45.6	10	2	8	44.5	16.0	80.6
ALZHEIMERS DISEASE (148)	2	2	0	14.8	21.9	-	6	5	1	26.7	39.9	10.1
MAJOR CARDIOVASCULAR DISEASES# (156-189)	57	45	12	422.2	493.7	273.5	99	69	30	440.9	550.6	302.4
HEART DISEASES (156-160,162, 164-181)	43	32	11	318.5	351.1	250.7	77	59	18	342.9	470.8	181.4
HYPERTENSION (161,163)	1	0	1	7.4	-	22.8	7	2	5	31.2	16.0	50.4
CEREBROVASCULAR DISEASES (182-186)	11	11	0	81.5	120.7	-	15	8	7	66.8	63.8	70.6
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	0	0	0	-	-	-	8	7	1	35.6	55.9	10.1
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	2	2	0	14.8	21.9	-	15	14	1	66.8	111.7	10.1
PEPTIC ULCER (217-220)	1	1	0	7.4	11.0	-	1	1	0	4.4	8.0	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	1	1	0	7.4	11.0	-	2	1	1	8.9	8.0	10.1
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	0	0	0	-	-	-	8	4	4	35.6	31.9	40.3
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	1	0	1	5.9	-	15.9	1	0	1	2.6	-	5.5
CONGENITAL MALFORMATIONS (282-290)	0	0	0	-	-	-	1	0	1	4.4	-	10.1
SUDDEN INFANT DEATH SYNDROME# (292)	0	0	0	-	-	-	0	0	0	-	-	-
ACCIDENTS (295-330)	6	3	3	44.4	32.9	68.4	13	10	3	57.9	79.8	30.2
MOTOR VEHICLE ACCIDENTS# (296-306)	5	3	2	37.0	32.9	45.6	7	6	1	31.2	47.9	10.1
SUICIDE (331-337)	2	2	0	14.8	21.9	-	1	0	1	4.4	-	10.1
HOMICIDE (338-346)	0	0	0	-	-	-	1	0	1	4.4	-	10.1

* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

** TOTAL DEATHS ARE PER 1,000 POPULATION; DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD AND DEATHS FROM SUDDEN INFANT DEATH SYNDROME ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING

**TABLE 19
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE
RESIDENCE OF LEE, LEFLORE, LINCOLN, AND LOWNDES COUNTIES, MISSISSIPPI, 2005**

CAUSE AND GROUP NUMBER	LEE COUNTY						LEFLORE COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
ALL CAUSES	728	579	149	9.2	10.1	6.9	384	183	201	10.5	17.6	7.7
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	7	5	2	8.9	8.7	9.3	9	4	5	24.7	38.5	19.2
HIV DISEASE (039-043)	5	4	1	6.3	7.0	4.6	1	0	1	2.7	-	3.8
MALIGNANT NEOPLASMS (056-108)	153	128	25	194.2	223.5	116.1	70	34	36	192.1	327.5	138.2
DIABETES MELLITUS (124)	15	9	6	19.0	15.7	27.9	3	2	1	8.2	19.3	3.8
ALZHEIMERS DISEASE (148)	11	11	0	14.0	19.2	-	4	3	1	11.0	28.9	3.8
MAJOR CARDIOVASCULAR DISEASES# (156-189)	307	239	68	389.6	417.4	315.9	168	84	84	461.1	809.1	322.5
HEART DISEASES (156-160,162, 164-181)	231	186	45	293.2	324.8	209.0	130	67	63	356.8	645.3	241.8
HYPERTENSION (161,163)	18	12	6	22.8	21.0	27.9	5	2	3	13.7	19.3	11.5
CEREBROVASCULAR DISEASES (182-186)	51	34	17	64.7	59.4	79.0	28	12	16	76.8	115.6	61.4
ATHEROSCLEROSIS (187)	1	1	0	1.3	1.7	-	2	2	0	5.5	19.3	-
INFLUENZA AND PNEUMONIA (195-198)	17	14	3	21.6	24.4	13.9	12	3	9	32.9	28.9	34.6
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	44	42	2	55.8	73.3	9.3	23	17	6	63.1	163.7	23.0
PEPTIC ULCER (217-220)	0	0	0	-	-	-	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	8	6	2	10.2	10.5	9.3	4	1	3	11.0	9.6	11.5
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	11	6	5	14.0	10.5	23.2	4	1	3	11.0	9.6	11.5
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	1	0	1	172.4	-	218.8
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	5	1	4	4.1	1.2	10.0	9	1	8	15.5	8.1	17.5
CONGENITAL MALFORMATIONS (282-290)	2	1	1	2.5	1.7	4.6	0	0	0	-	-	-
SUDDEN INFANT DEATH SYNDROME# (292)	4	4	0	3.3	4.9	-	1	0	1	1.7	-	2.2
ACCIDENTS (295-330)	38	26	12	48.2	45.4	55.7	18	6	12	49.4	57.8	46.1
MOTOR VEHICLE ACCIDENTS# (296-306)	22	13	9	27.9	22.7	41.8	9	3	6	24.7	28.9	23.0
SUICIDE (331-337)	5	5	0	6.3	8.7	-	3	1	2	8.2	9.6	7.7
HOMICIDE (338-346)	3	2	1	3.8	3.5	4.6	3	0	3	8.2	-	11.5

CAUSE AND GROUP NUMBER	LINCOLN COUNTY						LOWNDES COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
ALL CAUSES	381	261	120	11.2	11.1	11.4	573	377	196	9.6	11.4	7.3
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	10	7	3	29.5	29.9	28.6	8	7	1	13.4	21.1	3.7
HIV DISEASE (039-043)	1	0	1	2.9	-	9.5	3	0	3	5.0	-	11.2
MALIGNANT NEOPLASMS (056-108)	65	40	25	191.7	170.8	238.4	136	87	49	227.1	262.6	183.1
DIABETES MELLITUS (124)	14	7	7	41.3	29.9	66.7	10	7	3	16.7	21.1	11.2
ALZHEIMERS DISEASE (148)	5	4	1	14.7	17.1	9.5	11	10	1	18.4	30.2	3.7
MAJOR CARDIOVASCULAR DISEASES# (156-189)	160	105	55	471.9	448.4	524.4	212	125	87	354.0	377.3	325.0
HEART DISEASES (156-160,162, 164-181)	127	88	39	374.6	375.8	371.9	175	106	69	292.2	320.0	257.8
HYPERTENSION (161,163)	7	4	3	20.6	17.1	28.6	9	5	4	15.0	15.1	14.9
CEREBROVASCULAR DISEASES (182-186)	23	11	12	67.8	47.0	114.4	25	12	13	41.7	36.2	48.6
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	8	6	2	23.6	25.6	19.1	10	10	0	16.7	30.2	-
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	31	25	6	91.4	106.8	57.2	44	41	3	73.5	123.8	11.2
PEPTIC ULCER (217-220)	1	1	0	2.9	4.3	-	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	1	1	0	2.9	4.3	-	4	3	1	6.7	9.0	3.7
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	10	5	5	29.5	21.4	47.7	10	5	5	16.7	15.1	18.7
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	3	1	2	6.4	3.3	12.3	2	0	2	2.4	-	4.8
CONGENITAL MALFORMATIONS (282-290)	1	1	0	2.9	4.3	-	5	2	3	8.3	6.0	11.2
SUDDEN INFANT DEATH SYNDROME# (292)	2	2	0	4.3	6.5	-	1	0	1	1.2	-	2.4
ACCIDENTS (295-330)	17	15	2	50.1	64.0	19.1	31	19	12	51.8	57.4	44.8
MOTOR VEHICLE ACCIDENTS# (296-306)	14	12	2	41.3	51.2	19.1	13	7	6	21.7	21.1	22.4
SUICIDE (331-337)	2	2	0	5.9	8.5	-	9	8	1	15.0	24.1	3.7
HOMICIDE (338-346)	1	1	0	2.9	4.3	-	2	2	0	3.3	6.0	-

* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

** TOTAL DEATHS ARE PER 1,000 POPULATION; DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD AND DEATHS FROM SUDDEN INFANT DEATH SYNDROME ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING

**TABLE 19
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE
RESIDENCE OF MADISON, MARION, MARSHALL, AND MONROE COUNTIES, MISSISSIPPI, 2005**

CAUSE AND GROUP NUMBER	MADISON COUNTY						MARION COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
ALL CAUSES	1,022	680	342	12.1	13.5	10.1	337	242	95	13.4	14.4	11.3
TUBERCULOSIS (009,010)	1	0	1	1.2	-	2.9	0	0	0	-	-	-
SEPTICEMIA (018)	10	5	5	11.9	9.9	14.7	11	7	4	43.6	41.6	47.6
HIV DISEASE (039-043)	19	2	17	22.5	4.0	50.1	1	0	1	4.0	-	11.9
MALIGNANT NEOPLASMS (056-108)	308	203	105	365.4	403.1	309.5	56	37	19	221.9	219.9	226.0
DIABETES MELLITUS (124)	18	7	11	21.4	13.9	32.4	12	6	6	47.6	35.6	71.4
ALZHEIMERS DISEASE (148)	32	30	2	38.0	59.6	5.9	15	13	2	59.4	77.2	23.8
MAJOR CARDIOVASCULAR DISEASES# (156-189)	289	203	86	342.9	403.1	253.5	126	84	42	499.3	499.2	499.5
HEART DISEASES (156-160,162, 164-181)	206	145	61	244.4	287.9	179.8	97	61	36	384.4	362.5	428.2
HYPERTENSION (161,163)	9	3	6	10.7	6.0	17.7	1	0	1	4.0	-	11.9
CEREBROVASCULAR DISEASES (182-186)	65	48	17	77.1	95.3	50.1	28	23	5	111.0	136.7	59.5
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	12	6	6	14.2	11.9	17.7	10	8	2	39.6	47.5	23.8
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	45	35	10	53.4	69.5	29.5	10	10	0	39.6	59.4	-
PEPTIC ULCER (217-220)	3	1	2	3.6	2.0	5.9	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	13	8	5	15.4	15.9	14.7	2	2	0	7.9	11.9	-
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	26	12	14	30.8	23.8	41.3	8	6	2	31.7	35.6	23.8
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	7	1	6	5.7	1.5	10.8	0	0	0	-	-	-
CONGENITAL MALFORMATIONS (282-290)	5	1	4	5.9	2.0	11.8	2	2	0	7.9	11.9	-
SUDDEN INFANT DEATH SYNDROME# (292)	2	0	2	1.6	-	3.6	1	1	0	2.6	3.8	-
ACCIDENTS (295-330)	26	16	10	30.8	31.8	29.5	18	17	1	71.3	101.0	11.9
MOTOR VEHICLE ACCIDENTS# (296-306)	13	6	7	15.4	11.9	20.6	7	6	1	27.7	35.6	11.9
SUICIDE (331-337)	9	6	3	10.7	11.9	8.8	3	3	0	11.9	17.8	-
HOMICIDE (338-346)	7	0	7	8.3	-	20.6	3	1	2	11.9	5.9	23.8

CAUSE AND GROUP NUMBER	MARSHALL COUNTY						MONROE COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
ALL CAUSES	374	225	149	10.5	12.7	8.3	410	302	108	10.9	11.7	9.0
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	4	3	1	11.2	16.9	5.6	6	4	2	15.9	15.5	16.8
HIV DISEASE (039-043)	0	0	0	-	-	-	0	0	0	-	-	-
MALIGNANT NEOPLASMS (056-108)	74	47	27	207.5	265.5	150.3	93	69	24	246.6	267.7	201.2
DIABETES MELLITUS (124)	11	3	8	30.8	16.9	44.5	8	6	2	21.2	23.3	16.8
ALZHEIMERS DISEASE (148)	10	7	3	28.0	39.5	16.7	21	19	2	55.7	73.7	16.8
MAJOR CARDIOVASCULAR DISEASES# (156-189)	141	81	60	395.4	457.6	334.1	143	105	38	379.3	407.4	318.6
HEART DISEASES (156-160,162, 164-181)	103	64	39	288.8	361.6	217.2	114	85	29	302.4	329.8	243.1
HYPERTENSION (161,163)	18	9	9	50.5	50.8	50.1	8	3	5	21.2	11.6	41.9
CEREBROVASCULAR DISEASES (182-186)	19	8	11	53.3	45.2	61.2	18	14	4	47.7	54.3	33.5
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	9	6	3	25.2	33.9	16.7	17	13	4	45.1	50.4	33.5
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	28	23	5	78.5	129.9	27.8	17	13	4	45.1	50.4	33.5
PEPTIC ULCER (217-220)	0	0	0	-	-	-	1	1	0	2.6	3.9	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	2	2	0	5.6	11.3	-	2	2	0	5.3	7.8	-
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	7	2	5	19.6	11.3	27.8	14	8	6	37.1	31.0	50.3
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	1	0	1	176.7	-	476.2
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	1	0	1	2.0	-	3.9	2	0	2	3.5	-	9.5
CONGENITAL MALFORMATIONS (282-290)	1	1	0	2.8	5.6	-	1	1	0	2.6	3.9	-
SUDDEN INFANT DEATH SYNDROME# (292)	1	1	0	2.0	4.2	-	1	0	1	1.8	-	4.8
ACCIDENTS (295-330)	23	13	10	64.5	73.4	55.7	25	20	5	66.3	77.6	41.9
MOTOR VEHICLE ACCIDENTS# (296-306)	14	9	5	39.3	50.8	27.8	17	13	4	45.1	50.4	33.5
SUICIDE (331-337)	6	5	1	16.8	28.2	5.6	4	3	1	10.6	11.6	8.4
HOMICIDE (338-346)	2	2	0	5.6	11.3	-	3	2	1	8.0	7.8	8.4

* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

** TOTAL DEATHS ARE PER 1,000 POPULATION; DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD AND DEATHS FROM SUDDEN INFANT DEATH SYNDROME ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING

**TABLE 19
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE
RESIDENCE OF MONTGOMERY, NESHOMA, NEWTON, AND NOXUBEE COUNTIES, MISSISSIPPI, 2005**

CAUSE AND GROUP NUMBER	MONTGOMERY COUNTY						NESHOMA COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
ALL CAUSES	149	104	45	12.6	16.4	8.2	355	236	119	11.9	12.4	10.9
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	3	1	2	25.4	15.8	36.5	10	5	5	33.4	26.3	45.9
HIV DISEASE (039-043)	1	0	1	8.4	-	18.2	0	0	0	-	-	-
MALIGNANT NEOPLASMS (056-108)	31	21	10	262.1	330.8	182.4	61	39	22	204.0	205.1	202.0
DIABETES MELLITUS (124)	3	2	1	25.4	31.5	18.2	12	1	11	40.1	5.2	101.0
ALZHEIMERS DISEASE (148)	2	1	1	16.9	15.8	18.2	8	7	1	26.8	36.8	9.2
MAJOR CARDIOVASCULAR DISEASES# (156-189)	57	39	18	481.9	614.4	328.4	145	109	36	484.9	573.2	330.6
HEART DISEASES (156-160,162, 164-181)	47	31	16	397.3	488.3	291.9	113	88	25	377.9	462.7	229.6
HYPERTENSION (161,163)	0	0	0	-	-	-	3	1	2	10.0	5.2	18.4
CEREBROVASCULAR DISEASES (182-186)	9	7	2	76.1	110.3	36.5	27	19	8	90.3	99.9	73.5
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	10	8	2	84.5	126.0	36.5	13	12	1	43.5	63.1	9.2
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	8	4	4	67.6	63.0	73.0	9	8	1	30.1	42.1	9.2
PEPTIC ULCER (217-220)	0	0	0	-	-	-	1	1	0	3.3	5.2	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	1	1	0	8.4	15.8	-	3	2	1	10.0	10.5	9.2
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	3	3	0	25.4	47.2	-	8	4	4	26.8	21.0	36.7
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	0	0	0	-	-	-	2	1	1	3.9	4.0	3.8
CONGENITAL MALFORMATIONS (282-290)	0	0	0	-	-	-	3	0	3	10.0	-	27.6
SUDDEN INFANT DEATH SYNDROME# (292)	1	1	0	6.2	14.7	-	0	0	0	-	-	-
ACCIDENTS (295-330)	6	6	0	50.7	94.5	-	26	13	13	86.9	68.4	119.4
MOTOR VEHICLE ACCIDENTS# (296-306)	5	5	0	42.3	78.8	-	13	5	8	43.5	26.3	73.5
SUICIDE (331-337)	2	2	0	16.9	31.5	-	3	3	0	10.0	15.8	-
HOMICIDE (338-346)	1	0	1	8.4	-	18.2	2	0	2	6.7	-	18.4

CAUSE AND GROUP NUMBER	NEWTON COUNTY						NOXUBEE COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
ALL CAUSES	238	151	87	10.6	10.4	11.2	95	28	67	7.8	7.9	7.7
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	1	1	0	4.5	6.8	-	4	1	3	32.8	28.3	34.6
HIV DISEASE (039-043)	2	0	2	8.9	-	25.7	0	0	0	-	-	-
MALIGNANT NEOPLASMS (056-108)	43	28	15	192.2	192.0	192.8	15	4	11	122.9	113.4	126.8
DIABETES MELLITUS (124)	6	2	4	26.8	13.7	51.4	1	0	1	8.2	-	11.5
ALZHEIMERS DISEASE (148)	5	4	1	22.4	27.4	12.8	0	0	0	-	-	-
MAJOR CARDIOVASCULAR DISEASES# (156-189)	119	76	43	532.0	521.1	552.6	36	9	27	295.0	255.1	311.3
HEART DISEASES (156-160,162, 164-181)	100	66	34	447.1	452.6	436.9	28	7	21	229.5	198.4	242.1
HYPERTENSION (161,163)	7	1	6	31.3	6.8	77.1	2	0	2	16.4	-	23.0
CEREBROVASCULAR DISEASES (182-186)	9	6	3	40.2	41.1	38.6	6	2	4	49.2	56.7	46.1
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	5	4	1	22.4	27.4	12.8	2	0	2	16.4	-	23.0
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	11	10	1	49.2	68.6	12.8	3	2	1	24.6	56.7	11.5
PEPTIC ULCER (217-220)	0	0	0	-	-	-	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	1	1	0	4.5	6.8	-	0	0	0	-	-	-
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	3	2	1	13.4	13.7	12.8	5	1	4	41.0	28.3	46.1
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	1	0	1	2.7	-	5.6	3	0	3	16.4	-	20.1
CONGENITAL MALFORMATIONS (282-290)	1	1	0	4.5	6.8	-	1	0	1	8.2	-	11.5
SUDDEN INFANT DEATH SYNDROME# (292)	1	0	1	2.7	-	5.6	1	0	1	5.5	-	6.7
ACCIDENTS (295-330)	12	6	6	53.6	41.1	77.1	12	5	7	98.3	141.7	80.7
MOTOR VEHICLE ACCIDENTS# (296-306)	6	2	4	26.8	13.7	51.4	5	2	3	41.0	56.7	34.6
SUICIDE (331-337)	2	1	1	8.9	6.8	12.8	0	0	0	-	-	-
HOMICIDE (338-346)	1	0	1	4.5	-	12.8	1	0	1	8.2	-	11.5

* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

** TOTAL DEATHS ARE PER 1,000 POPULATION; DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD AND DEATHS FROM SUDDEN INFANT DEATH SYNDROME ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING

**TABLE 19
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE
RESIDENCE OF OKTIBBEHA, PANOLA, PEARL RIVER, AND PERRY COUNTIES, MISSISSIPPI, 2005**

CAUSE AND GROUP NUMBER	OKTIBBEHA COUNTY						PANOLA COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
ALL CAUSES	257	141	116	6.2	5.7	7.1	391	241	150	11.1	13.2	8.7
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	3	2	1	7.3	8.0	6.1	3	1	2	8.5	5.5	11.6
HIV DISEASE (039-043)	1	0	1	2.4	-	6.1	5	2	3	14.2	11.0	17.5
MALIGNANT NEOPLASMS (056-108)	61	31	30	147.9	124.8	182.7	78	52	26	220.8	286.1	151.6
DIABETES MELLITUS (124)	4	0	4	9.7	-	24.4	7	5	2	19.8	27.5	11.6
ALZHEIMERS DISEASE (148)	5	3	2	12.1	12.1	12.2	8	5	3	22.6	27.5	17.5
MAJOR CARDIOVASCULAR DISEASES# (156-189)	97	57	40	235.2	229.6	243.7	158	94	64	447.2	517.1	373.1
HEART DISEASES (156-160,162, 164-181)	78	48	30	189.1	193.3	182.7	132	84	48	373.6	462.1	279.8
HYPERTENSION (161,163)	7	1	6	17.0	4.0	36.6	8	3	5	22.6	16.5	29.1
CEREBROVASCULAR DISEASES (182-186)	10	6	4	24.2	24.2	24.4	15	6	9	42.4	33.0	52.5
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	8	5	3	19.4	20.1	18.3	6	4	2	17.0	22.0	11.6
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	12	11	1	29.1	44.3	6.1	18	14	4	50.9	77.0	23.3
PEPTIC ULCER (217-220)	0	0	0	-	-	-	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	1	1	0	2.4	4.0	-	7	6	1	19.8	33.0	5.8
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	4	2	2	9.7	8.0	12.2	10	6	4	28.3	33.0	23.3
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	7	0	7	11.6	-	22.4	2	0	2	3.6	-	6.3
CONGENITAL MALFORMATIONS (282-290)	2	1	1	4.8	4.0	6.1	1	0	1	2.8	-	5.8
SUDDEN INFANT DEATH SYNDROME# (292)	0	0	0	-	-	-	1	0	1	1.8	-	3.1
ACCIDENTS (295-330)	10	5	5	24.2	20.1	30.4	33	19	14	93.4	104.5	81.6
MOTOR VEHICLE ACCIDENTS# (296-306)	4	2	2	9.7	8.0	12.2	26	14	12	73.6	77.0	70.0
SUICIDE (331-337)	2	0	2	4.8	-	12.2	4	2	2	11.3	11.0	11.6
HOMICIDE (338-346)	3	0	3	7.3	-	18.3	3	2	1	8.5	11.0	5.8

CAUSE AND GROUP NUMBER	PEARL RIVER COUNTY						PERRY COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
ALL CAUSES	518	460	58	9.8	10.2	7.8	115	96	19	9.4	10.4	6.5
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	11	10	1	20.9	22.1	13.4	2	2	0	16.4	21.6	-
HIV DISEASE (039-043)	1	0	1	1.9	-	13.4	0	0	0	-	-	-
MALIGNANT NEOPLASMS (056-108)	113	103	10	214.6	227.9	133.9	21	17	4	172.7	183.9	137.1
DIABETES MELLITUS (124)	14	9	5	26.6	19.9	66.9	3	3	0	24.7	32.5	-
ALZHEIMERS DISEASE (148)	10	9	1	19.0	19.9	13.4	3	3	0	24.7	32.5	-
MAJOR CARDIOVASCULAR DISEASES# (156-189)	173	148	25	328.5	327.5	334.7	38	28	10	312.5	303.0	342.7
HEART DISEASES (156-160,162, 164-181)	140	120	20	265.9	265.5	267.8	30	21	9	246.7	227.2	308.4
HYPERTENSION (161,163)	4	3	1	7.6	6.6	13.4	0	0	0	-	-	-
CEREBROVASCULAR DISEASES (182-186)	24	20	4	45.6	44.2	53.6	6	5	1	49.3	54.1	34.3
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	12	12	0	22.8	26.6	-	5	5	0	41.1	54.1	-
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	29	28	1	55.1	62.0	13.4	9	9	0	74.0	97.4	-
PEPTIC ULCER (217-220)	0	0	0	-	-	-	1	1	0	8.2	10.8	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	10	9	1	19.0	19.9	13.4	2	2	0	16.4	21.6	-
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	13	11	2	24.7	24.3	26.8	3	3	0	24.7	32.5	-
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	1	1	0	1.5	1.8	-	0	0	0	-	-	-
CONGENITAL MALFORMATIONS (282-290)	0	0	0	-	-	-	0	0	0	-	-	-
SUDDEN INFANT DEATH SYNDROME# (292)	3	3	0	4.5	5.4	-	0	0	0	-	-	-
ACCIDENTS (295-330)	36	32	4	68.4	70.8	53.6	17	13	4	139.8	140.7	137.1
MOTOR VEHICLE ACCIDENTS# (296-306)	18	16	2	34.2	35.4	26.8	10	7	3	82.2	75.7	102.8
SUICIDE (331-337)	12	12	0	22.8	26.6	-	2	2	0	16.4	21.6	-
HOMICIDE (338-346)	2	2	0	3.8	4.4	-	2	1	1	16.4	10.8	34.3

* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

** TOTAL DEATHS ARE PER 1,000 POPULATION; DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD AND DEATHS FROM SUDDEN INFANT DEATH SYNDROME ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING

**TABLE 19
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE
RESIDENCE OF PIKE, PONTOTOC, PRETISS, AND QUITMAN COUNTIES, MISSISSIPPI, 2005**

CAUSE AND GROUP NUMBER	PIKE COUNTY						PONTOTOC COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
ALL CAUSES	473	276	197	12.0	14.1	9.9	256	234	22	9.1	9.8	5.1
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	12	4	8	30.4	20.5	40.2	5	5	0	17.7	20.9	-
HIV DISEASE (039-043)	2	0	2	5.1	-	10.0	0	0	0	-	-	-
MALIGNANT NEOPLASMS (056-108)	105	55	50	266.3	281.4	251.4	64	57	7	226.9	238.6	162.0
DIABETES MELLITUS (124)	19	10	9	48.2	51.2	45.3	10	8	2	35.4	33.5	46.3
ALZHEIMERS DISEASE (148)	12	8	4	30.4	40.9	20.1	3	3	0	10.6	12.6	-
MAJOR CARDIOVASCULAR DISEASES# (156-189)	177	107	70	448.9	547.5	352.0	101	94	7	358.0	393.5	162.0
HEART DISEASES (156-160,162, 164-181)	140	88	52	355.1	450.3	261.5	78	72	6	276.5	301.4	138.8
HYPERTENSION (161,163)	7	3	4	17.8	15.4	20.1	2	2	0	7.1	8.4	-
CEREBROVASCULAR DISEASES (182-186)	27	14	13	68.5	71.6	65.4	17	16	1	60.3	67.0	23.1
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	4	2	2	10.1	10.2	10.0	5	5	0	17.7	20.9	-
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	23	15	8	58.3	76.8	40.2	15	14	1	53.2	58.6	23.1
PEPTIC ULCER (217-220)	1	1	0	2.5	5.1	-	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	7	7	0	17.8	35.8	-	6	6	0	21.3	25.1	-
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	10	4	6	25.4	20.5	30.2	3	3	0	10.6	12.6	-
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	1	0	1	1.6	-	2.7	2	2	0	4.5	5.3	-
CONGENITAL MALFORMATIONS (282-290)	2	1	1	5.1	5.1	5.0	2	2	0	7.1	8.4	-
SUDDEN INFANT DEATH SYNDROME# (292)	1	1	0	1.6	4.3	-	0	0	0	-	-	-
ACCIDENTS (295-330)	25	19	6	63.4	97.2	30.2	8	8	0	28.4	33.5	-
MOTOR VEHICLE ACCIDENTS# (296-306)	14	11	3	35.5	56.3	15.1	8	8	0	28.4	33.5	-
SUICIDE (331-337)	3	3	0	7.6	15.4	-	3	3	0	10.6	12.6	-
HOMICIDE (338-346)	4	1	3	10.1	5.1	15.1	2	2	0	7.1	8.4	-

CAUSE AND GROUP NUMBER	PRETISS COUNTY						QUITMAN COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
ALL CAUSES	270	243	27	10.6	11.2	7.1	107	43	64	11.2	14.8	9.7
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	3	3	0	11.7	13.8	-	4	1	3	42.0	34.5	45.4
HIV DISEASE (039-043)	0	0	0	-	-	-	4	0	4	42.0	-	60.5
MALIGNANT NEOPLASMS (056-108)	54	45	9	211.0	206.7	235.7	24	11	13	252.3	379.4	196.6
DIABETES MELLITUS (124)	2	1	1	7.8	4.6	26.2	4	1	3	42.0	34.5	45.4
ALZHEIMERS DISEASE (148)	10	10	0	39.1	45.9	-	2	2	0	21.0	69.0	-
MAJOR CARDIOVASCULAR DISEASES# (156-189)	99	91	8	386.8	417.9	209.5	44	14	30	462.6	482.9	453.6
HEART DISEASES (156-160,162, 164-181)	81	73	8	316.5	335.3	209.5	38	12	26	399.5	413.9	393.2
HYPERTENSION (161,163)	2	2	0	7.8	9.2	-	0	0	0	-	-	-
CEREBROVASCULAR DISEASES (182-186)	15	15	0	58.6	68.9	-	5	1	4	52.6	34.5	60.5
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	2	2	0	7.8	9.2	-	0	0	0	-	-	-
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	16	16	0	62.5	73.5	-	5	5	0	52.6	172.5	-
PEPTIC ULCER (217-220)	1	1	0	3.9	4.6	-	1	1	0	10.5	34.5	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	3	2	1	11.7	9.2	26.2	0	0	0	-	-	-
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	6	5	1	23.4	23.0	26.2	2	0	2	21.0	-	30.2
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	2	1	1	6.9	4.1	22.2	2	0	2	16.5	-	20.8
CONGENITAL MALFORMATIONS (282-290)	2	2	0	7.8	9.2	-	0	0	0	-	-	-
SUDDEN INFANT DEATH SYNDROME# (292)	1	1	0	3.5	4.1	-	0	0	0	-	-	-
ACCIDENTS (295-330)	16	14	2	62.5	64.3	52.4	4	2	2	42.0	69.0	30.2
MOTOR VEHICLE ACCIDENTS# (296-306)	12	10	2	46.9	45.9	52.4	1	1	0	10.5	34.5	-
SUICIDE (331-337)	8	8	0	31.2	36.7	-	1	1	0	10.5	34.5	-
HOMICIDE (338-346)	2	2	0	7.8	9.2	-	0	0	0	-	-	-

* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

** TOTAL DEATHS ARE PER 1,000 POPULATION; DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD AND DEATHS FROM SUDDEN INFANT DEATH SYNDROME ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING

**TABLE 19
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE
RESIDENCE OF RANKIN, SCOTT, SHARKEY, AND SIMPSON COUNTIES, MISSISSIPPI, 2005**

CAUSE AND GROUP NUMBER	RANKIN COUNTY						SCOTT COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
ALL CAUSES	850	698	152	6.4	6.6	5.7	245	151	94	8.5	8.8	8.2
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	13	9	4	9.9	8.6	15.0	2	2	0	7.0	11.6	-
HIV DISEASE (039-043)	3	1	2	2.3	1.0	7.5	1	0	1	3.5	-	8.7
MALIGNANT NEOPLASMS (056-108)	158	138	20	119.8	131.1	75.2	43	25	18	149.6	145.2	156.2
DIABETES MELLITUS (124)	12	9	3	9.1	8.6	11.3	1	0	1	3.5	-	8.7
ALZHEIMERS DISEASE (148)	14	13	1	10.6	12.4	3.8	0	0	0	-	-	-
MAJOR CARDIOVASCULAR DISEASES# (156-189)	360	295	65	273.0	280.3	244.2	111	73	38	386.2	424.0	329.8
HEART DISEASES (156-160,162, 164-181)	306	262	44	232.1	249.0	165.3	85	57	28	295.8	331.1	243.0
HYPERTENSION (161,163)	5	2	3	3.8	1.9	11.3	6	3	3	20.9	17.4	26.0
CEREBROVASCULAR DISEASES (182-186)	43	26	17	32.6	24.7	63.9	7	3	4	24.4	17.4	34.7
ATHEROSCLEROSIS (187)	2	2	0	1.5	1.9	-	10	10	0	34.8	58.1	-
INFLUENZA AND PNEUMONIA (195-198)	16	11	5	12.1	10.4	18.8	4	3	1	13.9	17.4	8.7
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	41	34	7	31.1	32.3	26.3	8	6	2	27.8	34.8	17.4
PEPTIC ULCER (217-220)	0	0	0	-	-	-	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	7	5	2	5.3	4.8	7.5	1	1	0	3.5	5.8	-
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	20	13	7	15.2	12.4	26.3	6	3	3	20.9	17.4	26.0
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	8	3	5	4.1	1.9	12.7	4	0	4	8.4	-	22.0
CONGENITAL MALFORMATIONS (282-290)	2	1	1	1.5	1.0	3.8	2	1	1	7.0	5.8	8.7
SUDDEN INFANT DEATH SYNDROME# (292)	4	3	1	2.0	1.9	2.5	1	1	0	2.1	3.4	-
ACCIDENTS (295-330)	78	68	10	59.2	64.6	37.6	30	20	10	104.4	116.2	86.8
MOTOR VEHICLE ACCIDENTS# (296-306)	41	36	5	31.1	34.2	18.8	18	11	7	62.6	63.9	60.7
SUICIDE (331-337)	17	17	0	12.9	16.2	-	4	3	1	13.9	17.4	8.7
HOMICIDE (338-346)	5	4	1	3.8	3.8	3.8	2	0	2	7.0	-	17.4

CAUSE AND GROUP NUMBER	SHARKEY COUNTY						SIMPSON COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
ALL CAUSES	62	21	41	10.4	11.8	9.8	303	212	91	10.8	11.7	9.2
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	1	0	1	16.8	-	23.9	6	3	3	21.5	16.6	30.3
HIV DISEASE (039-043)	0	0	0	-	-	-	1	0	1	3.6	-	10.1
MALIGNANT NEOPLASMS (056-108)	16	5	11	268.1	280.9	262.7	64	46	18	229.0	254.7	182.1
DIABETES MELLITUS (124)	2	1	1	33.5	56.2	23.9	1	0	1	3.6	-	10.1
ALZHEIMERS DISEASE (148)	0	0	0	-	-	-	1	1	0	3.6	5.5	-
MAJOR CARDIOVASCULAR DISEASES# (156-189)	22	7	15	368.7	393.2	358.2	119	85	34	425.8	470.7	344.0
HEART DISEASES (156-160,162, 164-181)	17	6	11	284.9	337.1	262.7	92	67	25	329.2	371.0	252.9
HYPERTENSION (161,163)	2	0	2	33.5	-	47.8	5	3	2	17.9	16.6	20.2
CEREBROVASCULAR DISEASES (182-186)	3	1	2	50.3	56.2	47.8	11	8	3	39.4	44.3	30.3
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	7	5	2	25.0	27.7	20.2
INFLUENZA AND PNEUMONIA (195-198)	2	0	2	33.5	-	47.8	14	11	3	50.1	60.9	30.3
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	5	3	2	83.8	168.5	47.8	20	17	3	71.6	94.1	30.3
PEPTIC ULCER (217-220)	1	1	0	16.8	56.2	-	1	0	1	3.6	-	10.1
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	0	0	0	-	-	-	1	1	0	3.6	5.5	-
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	0	0	0	-	-	-	4	1	3	14.3	5.5	30.3
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	0	0	0	-	-	-	2	0	2	5.1	-	12.1
CONGENITAL MALFORMATIONS (282-290)	0	0	0	-	-	-	2	1	1	7.2	5.5	10.1
SUDDEN INFANT DEATH SYNDROME# (292)	0	0	0	-	-	-	1	0	1	2.5	-	6.1
ACCIDENTS (295-330)	3	1	2	50.3	56.2	47.8	22	14	8	78.7	77.5	80.9
MOTOR VEHICLE ACCIDENTS# (296-306)	0	0	0	-	-	-	15	10	5	53.7	55.4	50.6
SUICIDE (331-337)	2	1	1	33.5	56.2	23.9	3	3	0	10.7	16.6	-
HOMICIDE (338-346)	0	0	0	-	-	-	1	0	1	3.6	-	10.1

* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

** TOTAL DEATHS ARE PER 1,000 POPULATION; DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD AND DEATHS FROM SUDDEN INFANT DEATH SYNDROME ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING

**TABLE 19
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE
RESIDENCE OF SMITH, STONE, SUNFLOWER, AND TALLAHATCHIE COUNTIES, MISSISSIPPI, 2005**

CAUSE AND GROUP NUMBER	SMITH COUNTY						STONE COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
ALL CAUSES	233	182	51	14.5	14.8	13.5	174	141	33	11.7	12.0	10.6
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	1	1	0	6.2	8.1	-	6	2	4	40.4	17.0	128.8
HIV DISEASE (039-043)	2	1	1	12.4	8.1	26.4	0	0	0	-	-	-
MALIGNANT NEOPLASMS (056-108)	54	41	13	336.3	334.1	343.3	34	28	6	228.8	238.2	193.2
DIABETES MELLITUS (124)	4	1	3	24.9	8.1	79.2	4	3	1	26.9	25.5	32.2
ALZHEIMERS DISEASE (148)	5	5	0	31.1	40.7	-	0	0	0	-	-	-
MAJOR CARDIOVASCULAR DISEASES# (156-189)	94	75	19	585.4	611.2	501.7	71	61	10	477.7	518.8	322.1
HEART DISEASES (156-160,162, 164-181)	82	66	16	510.6	537.8	422.5	57	50	7	383.5	425.3	225.4
HYPERTENSION (161,163)	1	1	0	6.2	8.1	-	1	1	0	6.7	8.5	-
CEREBROVASCULAR DISEASES (182-186)	8	7	1	49.8	57.0	26.4	11	8	3	74.0	68.0	96.6
ATHEROSCLEROSIS (187)	1	0	1	6.2	-	26.4	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	3	3	0	18.7	24.4	-	3	3	0	20.2	25.5	-
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	17	16	1	105.9	130.4	26.4	4	3	1	26.9	25.5	32.2
PEPTIC ULCER (217-220)	0	0	0	-	-	-	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	1	0	1	6.2	-	26.4	1	0	1	6.7	-	32.2
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	7	5	2	43.6	40.7	52.8	4	1	3	26.9	8.5	96.6
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	1	1	0	4.7	6.5	-	2	1	1	11.0	7.0	25.6
CONGENITAL MALFORMATIONS (282-290)	0	0	0	-	-	-	0	0	0	-	-	-
SUDDEN INFANT DEATH SYNDROME# (292)	0	0	0	-	-	-	0	0	0	-	-	-
ACCIDENTS (295-330)	10	6	4	62.3	48.9	105.6	17	15	2	114.4	127.6	64.4
MOTOR VEHICLE ACCIDENTS# (296-306)	4	3	1	24.9	24.4	26.4	7	6	1	47.1	51.0	32.2
SUICIDE (331-337)	3	3	0	18.7	24.4	-	2	2	0	13.4	17.0	-
HOMICIDE (338-346)	1	0	1	6.2	-	26.4	3	3	0	20.2	25.5	-

CAUSE AND GROUP NUMBER	SUNFLOWER COUNTY						TALLAHATCHIE COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
ALL CAUSES	350	116	234	10.8	13.3	9.9	137	57	80	9.6	10.3	9.2
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	5	1	4	15.5	11.5	16.9	4	2	2	28.2	36.3	23.0
HIV DISEASE (039-043)	5	0	5	15.5	-	21.2	0	0	0	-	-	-
MALIGNANT NEOPLASMS (056-108)	74	23	51	229.0	264.3	216.0	22	5	17	155.0	90.7	195.8
DIABETES MELLITUS (124)	8	1	7	24.8	11.5	29.6	3	1	2	21.1	18.1	23.0
ALZHEIMERS DISEASE (148)	7	5	2	21.7	57.4	8.5	4	3	1	28.2	54.4	11.5
MAJOR CARDIOVASCULAR DISEASES# (156-189)	138	42	96	427.1	482.6	406.6	59	26	33	415.8	471.9	380.1
HEART DISEASES (156-160,162, 164-181)	107	31	76	331.2	356.2	321.9	46	23	23	324.1	417.4	264.9
HYPERTENSION (161,163)	3	0	3	9.3	-	12.7	3	0	3	21.1	-	34.6
CEREBROVASCULAR DISEASES (182-186)	24	9	15	74.3	103.4	63.5	9	3	6	63.4	54.4	69.1
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	16	13	3	49.5	149.4	12.7	7	4	3	49.3	72.6	34.6
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	9	4	5	27.8	46.0	21.2	3	2	1	21.1	36.3	11.5
PEPTIC ULCER (217-220)	1	0	1	3.1	-	4.2	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	3	2	1	9.3	23.0	4.2	6	5	1	42.3	90.7	11.5
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	9	1	8	27.8	11.5	33.9	3	1	2	21.1	18.1	23.0
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	3	0	3	6.3	-	7.6	3	0	3	18.2	-	26.5
CONGENITAL MALFORMATIONS (282-290)	3	1	2	9.3	11.5	8.5	0	0	0	-	-	-
SUDDEN INFANT DEATH SYNDROME# (292)	1	0	1	2.1	-	2.5	0	0	0	-	-	-
ACCIDENTS (295-330)	21	8	13	65.0	91.9	55.1	12	4	8	84.6	72.6	92.2
MOTOR VEHICLE ACCIDENTS# (296-306)	14	6	8	43.3	69.0	33.9	10	3	7	70.5	54.4	80.6
SUICIDE (331-337)	3	1	2	9.3	11.5	8.5	1	0	1	7.0	-	11.5
HOMICIDE (338-346)	5	1	4	15.5	11.5	16.9	1	1	0	7.0	18.1	-

* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

** TOTAL DEATHS ARE PER 1,000 POPULATION; DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD AND DEATHS FROM SUDDEN INFANT DEATH SYNDROME ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING

**TABLE 19
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE
RESIDENCE OF TATE, TIPPACH, TISHOMINGO, AND TUNICA COUNTIES, MISSISSIPPI, 2005**

CAUSE AND GROUP NUMBER	TATE COUNTY						TIPPACH COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
ALL CAUSES	258	190	68	9.7	10.4	8.2	250	217	33	11.8	12.5	8.6
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	4	3	1	15.1	16.4	12.1	3	3	0	14.1	17.2	-
HIV DISEASE (039-043)	0	0	0	-	-	-	0	0	0	-	-	-
MALIGNANT NEOPLASMS (056-108)	48	36	12	180.8	197.2	144.8	53	46	7	249.8	264.4	183.6
DIABETES MELLITUS (124)	3	3	0	11.3	16.4	-	4	4	0	18.8	23.0	-
ALZHEIMERS DISEASE (148)	6	6	0	22.6	32.9	-	9	8	1	42.4	46.0	26.2
MAJOR CARDIOVASCULAR DISEASES# (156-189)	108	81	27	406.8	443.6	325.7	115	96	19	542.1	551.8	498.3
HEART DISEASES (156-160,162, 164-181)	93	69	24	350.3	377.9	289.5	79	64	15	372.4	367.8	393.4
HYPERTENSION (161,163)	2	1	1	7.5	5.5	12.1	4	3	1	18.8	17.2	26.2
CEREBROVASCULAR DISEASES (182-186)	11	10	1	41.4	54.8	12.1	31	28	3	146.1	160.9	78.7
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	2	0	2	7.5	-	24.1	3	3	0	14.1	17.2	-
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	16	13	3	60.3	71.2	36.2	19	19	0	89.6	109.2	-
PEPTIC ULCER (217-220)	0	0	0	-	-	-	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	6	5	1	22.6	27.4	12.1	2	1	1	9.4	5.7	26.2
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	9	4	5	33.9	21.9	60.3	3	2	1	14.1	11.5	26.2
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL MALFORMATIONS (282-290)	2	1	1	7.5	5.5	12.1	0	0	0	-	-	-
SUDDEN INFANT DEATH SYNDROME# (292)	2	1	1	5.2	4.1	7.1	0	0	0	-	-	-
ACCIDENTS (295-330)	19	12	7	71.6	65.7	84.4	15	14	1	70.7	80.5	26.2
MOTOR VEHICLE ACCIDENTS# (296-306)	10	6	4	37.7	32.9	48.2	8	8	0	37.7	46.0	-
SUICIDE (331-337)	2	2	0	7.5	11.0	-	2	2	0	9.4	11.5	-
HOMICIDE (338-346)	0	0	0	-	-	-	0	0	0	-	-	-

CAUSE AND GROUP NUMBER	TISHOMINGO COUNTY						TUNICA COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
ALL CAUSES	223	219	4	11.6	11.9	5.0	104	38	66	10.1	14.3	8.6
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	3	3	0	15.6	16.3	-	4	3	1	38.8	112.9	13.0
HIV DISEASE (039-043)	0	0	0	-	-	-	1	0	1	9.7	-	13.0
MALIGNANT NEOPLASMS (056-108)	37	36	1	192.7	195.5	126.4	22	8	14	213.2	301.0	182.7
DIABETES MELLITUS (124)	3	3	0	15.6	16.3	-	7	3	4	67.8	112.9	52.2
ALZHEIMERS DISEASE (148)	11	11	0	57.3	59.7	-	1	1	0	9.7	37.6	-
MAJOR CARDIOVASCULAR DISEASES# (156-189)	90	88	2	468.7	478.0	252.8	36	12	24	348.8	451.5	313.2
HEART DISEASES (156-160,162, 164-181)	69	68	1	359.3	369.3	126.4	34	11	23	329.4	413.8	300.1
HYPERTENSION (161,163)	2	2	0	10.4	10.9	-	0	0	0	-	-	-
CEREBROVASCULAR DISEASES (182-186)	10	10	0	52.1	54.3	-	2	1	1	19.4	37.6	13.0
ATHEROSCLEROSIS (187)	6	6	0	31.2	32.6	-	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	2	2	0	10.4	10.9	-	2	1	1	19.4	37.6	13.0
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	16	15	1	83.3	81.5	126.4	3	1	2	29.1	37.6	26.1
PEPTIC ULCER (217-220)	2	2	0	10.4	10.9	-	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	4	4	0	20.8	21.7	-	2	1	1	19.4	37.6	13.0
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	7	7	0	36.4	38.0	-	4	1	3	38.8	37.6	39.1
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	1	1	0	4.5	4.5	-	2	0	2	8.8	-	10.8
CONGENITAL MALFORMATIONS (282-290)	0	0	0	-	-	-	0	0	0	-	-	-
SUDDEN INFANT DEATH SYNDROME# (292)	1	1	0	4.5	4.5	-	0	0	0	-	-	-
ACCIDENTS (295-330)	14	14	0	72.9	76.0	-	6	1	5	58.1	37.6	65.2
MOTOR VEHICLE ACCIDENTS# (296-306)	6	6	0	31.2	32.6	-	1	1	0	9.7	37.6	-
SUICIDE (331-337)	4	4	0	20.8	21.7	-	3	2	1	29.1	75.2	13.0
HOMICIDE (338-346)	1	1	0	5.2	5.4	-	1	0	1	9.7	-	13.0

* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

** TOTAL DEATHS ARE PER 1,000 POPULATION; DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD AND DEATHS FROM SUDDEN INFANT DEATH SYNDROME ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING

**TABLE 19
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE
RESIDENCE OF UNION, WALTHALL, WARREN, AND WASHINGTON COUNTIES, MISSISSIPPI, 2005**

CAUSE AND GROUP NUMBER	UNION COUNTY						WALTHALL COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
ALL CAUSES	270	233	37	10.1	10.4	8.5	180	116	64	11.6	13.6	9.2
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	1	0	1	3.7	-	23.1	10	8	2	64.7	94.0	28.8
HIV DISEASE (039-043)	0	0	0	-	-	-	1	0	1	6.5	-	14.4
MALIGNANT NEOPLASMS (056-108)	62	56	6	231.5	249.4	138.4	35	19	16	226.4	223.2	230.2
DIABETES MELLITUS (124)	2	1	1	7.5	4.4	23.1	7	2	5	45.3	23.5	72.0
ALZHEIMERS DISEASE (148)	4	3	1	14.9	13.4	23.1	2	1	1	12.9	11.8	14.4
MAJOR CARDIOVASCULAR DISEASES# (156-189)	103	89	14	384.6	396.4	323.0	72	51	21	465.7	599.2	302.2
HEART DISEASES (156-160,162, 164-181)	84	72	12	313.6	320.7	276.8	57	41	16	368.7	481.7	230.2
HYPERTENSION (161,163)	2	2	0	7.5	8.9	-	3	1	2	19.4	11.8	28.8
CEREBROVASCULAR DISEASES (182-186)	16	14	2	59.7	62.4	46.1	12	9	3	77.6	105.7	43.2
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	5	5	0	18.7	22.3	-	7	6	1	45.3	70.5	14.4
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	14	13	1	52.3	57.9	23.1	6	3	3	38.8	35.2	43.2
PEPTIC ULCER (217-220)	0	0	0	-	-	-	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	1	1	0	3.7	4.4	-	2	1	1	12.9	11.8	14.4
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	6	5	1	22.4	22.3	23.1	5	3	2	32.3	35.2	28.8
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	2	0	2	5.2	-	44.4	0	0	0	-	-	-
CONGENITAL MALFORMATIONS (282-290)	2	2	0	7.5	8.9	-	0	0	0	-	-	-
SUDDEN INFANT DEATH SYNDROME# (292)	0	0	0	-	-	-	0	0	0	-	-	-
ACCIDENTS (295-330)	20	16	4	74.7	71.3	92.3	11	8	3	71.2	94.0	43.2
MOTOR VEHICLE ACCIDENTS# (296-306)	11	8	3	41.1	35.6	69.2	6	5	1	38.8	58.7	14.4
SUICIDE (331-337)	4	4	0	14.9	17.8	-	2	2	0	12.9	23.5	-
HOMICIDE (338-346)	4	2	2	14.9	8.9	46.1	0	0	0	-	-	-

CAUSE AND GROUP NUMBER	WARREN COUNTY						WASHINGTON COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
ALL CAUSES	514	300	214	10.5	11.6	9.2	635	249	386	10.7	13.3	9.5
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	10	5	5	20.4	19.4	21.4	13	4	9	22.0	21.3	22.2
HIV DISEASE (039-043)	7	0	7	14.2	-	30.0	5	0	5	8.4	-	12.4
MALIGNANT NEOPLASMS (056-108)	106	69	37	215.8	267.6	158.5	146	49	97	246.5	261.0	239.8
DIABETES MELLITUS (124)	8	3	5	16.3	11.6	21.4	14	2	12	23.6	10.6	29.7
ALZHEIMERS DISEASE (148)	10	6	4	20.4	23.3	17.1	10	5	5	16.9	26.6	12.4
MAJOR CARDIOVASCULAR DISEASES# (156-189)	200	116	84	407.1	449.9	359.8	267	108	159	450.9	575.3	393.1
HEART DISEASES (156-160,162, 164-181)	156	93	63	317.5	360.7	269.8	219	90	129	369.8	479.4	318.9
HYPERTENSION (161,163)	6	3	3	12.2	11.6	12.8	13	4	9	22.0	21.3	22.2
CEREBROVASCULAR DISEASES (182-186)	35	17	18	71.2	65.9	77.1	25	10	15	42.2	53.3	37.1
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	12	7	5	24.4	27.2	21.4	14	13	1	23.6	69.2	2.5
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	25	21	4	50.9	81.4	17.1	17	13	4	28.7	69.2	9.9
PEPTIC ULCER (217-220)	2	2	0	4.1	7.8	-	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	6	2	4	12.2	7.8	17.1	3	2	1	5.1	10.6	2.5
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	8	4	4	16.3	15.5	17.1	20	4	16	33.8	21.3	39.6
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	1	0	1	107.4	-	138.1
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	3	0	3	4.1	-	7.0	3	1	2	3.2	4.8	2.8
CONGENITAL MALFORMATIONS (282-290)	1	0	1	2.0	-	4.3	2	1	1	3.4	5.3	2.5
SUDDEN INFANT DEATH SYNDROME# (292)	2	0	2	2.7	-	4.7	3	0	3	3.2	-	4.1
ACCIDENTS (295-330)	29	16	13	59.0	62.0	55.7	24	8	16	40.5	42.6	39.6
MOTOR VEHICLE ACCIDENTS# (296-306)	13	6	7	26.5	23.3	30.0	15	7	8	25.3	37.3	19.8
SUICIDE (331-337)	11	10	1	22.4	38.8	4.3	7	5	2	11.8	26.6	4.9
HOMICIDE (338-346)	6	1	5	12.2	3.9	21.4	9	4	5	15.2	21.3	12.4

* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

** TOTAL DEATHS ARE PER 1,000 POPULATION; DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD AND DEATHS FROM SUDDEN INFANT DEATH SYNDROME ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING

**TABLE 19
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE
RESIDENCE OF WAYNE, WEBSTER, WILKINSON, AND WINSTON COUNTIES, MISSISSIPPI, 2005**

CAUSE AND GROUP NUMBER	WAYNE COUNTY						WEBSTER COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
ALL CAUSES	204	143	61	9.6	10.9	7.4	159	141	18	15.8	17.5	8.8
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	0	0	0	-	-	-	5	5	0	49.5	62.1	-
HIV DISEASE (039-043)	0	0	0	-	-	-	0	0	0	-	-	-
MALIGNANT NEOPLASMS (056-108)	41	29	12	192.6	221.8	146.0	36	33	3	356.7	409.8	147.1
DIABETES MELLITUS (124)	8	5	3	37.6	38.2	36.5	0	0	0	-	-	-
ALZHEIMERS DISEASE (148)	5	5	0	23.5	38.2	-	6	6	0	59.4	74.5	-
MAJOR CARDIOVASCULAR DISEASES# (156-189)	83	59	24	389.8	451.3	292.0	63	54	9	624.2	670.6	441.4
HEART DISEASES (156-160,162, 164-181)	63	43	20	295.9	328.9	243.3	58	50	8	574.7	620.9	392.3
HYPERTENSION (161,163)	0	0	0	-	-	-	0	0	0	-	-	-
CEREBROVASCULAR DISEASES (182-186)	13	11	2	61.0	84.1	24.3	5	4	1	49.5	49.7	49.0
ATHEROSCLEROSIS (187)	2	1	1	9.4	7.6	12.2	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	6	4	2	28.2	30.6	24.3	2	2	0	19.8	24.8	-
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	9	9	0	42.3	68.8	-	4	4	0	39.6	49.7	-
PEPTIC ULCER (217-220)	1	0	1	4.7	-	12.2	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	2	1	1	9.4	7.6	12.2	1	1	0	9.9	12.4	-
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	3	1	2	14.1	7.6	24.3	4	3	1	39.6	37.2	49.0
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	1	0	1	3.6	-	7.0	1	1	0	8.5	12.8	-
CONGENITAL MALFORMATIONS (282-290)	1	1	0	4.7	7.6	-	0	0	0	-	-	-
SUDDEN INFANT DEATH SYNDROME# (292)	1	0	1	3.6	-	7.0	0	0	0	-	-	-
ACCIDENTS (295-330)	14	10	4	65.8	76.5	48.7	5	3	2	49.5	37.2	98.1
MOTOR VEHICLE ACCIDENTS# (296-306)	11	7	4	51.7	53.6	48.7	3	1	2	29.7	12.4	98.1
SUICIDE (331-337)	3	2	1	14.1	15.3	12.2	0	0	0	-	-	-
HOMICIDE (338-346)	1	1	0	4.7	7.6	-	0	0	0	-	-	-

CAUSE AND GROUP NUMBER	WILKINSON COUNTY						WINSTON COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
ALL CAUSES	126	47	79	12.3	15.4	11.0	224	122	102	11.3	11.2	11.3
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	2	1	1	19.5	32.7	13.9	0	0	0	-	-	-
HIV DISEASE (039-043)	0	0	0	-	-	-	3	1	2	15.1	9.2	22.2
MALIGNANT NEOPLASMS (056-108)	25	10	15	243.4	326.7	208.1	45	21	24	226.5	193.2	266.7
DIABETES MELLITUS (124)	7	2	5	68.2	65.3	69.4	5	2	3	25.2	18.4	33.3
ALZHEIMERS DISEASE (148)	6	4	2	58.4	130.7	27.7	13	9	4	65.4	82.8	44.4
MAJOR CARDIOVASCULAR DISEASES# (156-189)	56	19	37	545.3	620.7	513.3	91	50	41	458.0	459.9	455.6
HEART DISEASES (156-160,162, 164-181)	50	17	33	486.9	555.4	457.8	73	43	30	367.4	395.5	333.4
HYPERTENSION (161,163)	2	1	1	19.5	32.7	13.9	0	0	0	-	-	-
CEREBROVASCULAR DISEASES (182-186)	4	1	3	39.0	32.7	41.6	17	7	10	85.6	64.4	111.1
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	1	0	1	5.0	-	11.1
INFLUENZA AND PNEUMONIA (195-198)	4	0	4	39.0	-	55.5	8	7	1	40.3	64.4	11.1
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	3	1	2	29.2	32.7	27.7	7	6	1	35.2	55.2	11.1
PEPTIC ULCER (217-220)	1	1	0	9.7	32.7	-	1	1	0	5.0	9.2	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	0	0	0	-	-	-	3	2	1	15.1	18.4	11.1
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	5	1	4	48.7	32.7	55.5	6	4	2	30.2	36.8	22.2
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	1	0	1	366.3	-	602.4
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	0	0	0	-	-	-	2	1	1	7.3	9.3	6.0
CONGENITAL MALFORMATIONS (282-290)	0	0	0	-	-	-	1	0	1	5.0	-	11.1
SUDDEN INFANT DEATH SYNDROME# (292)	0	0	0	-	-	-	0	0	0	-	-	-
ACCIDENTS (295-330)	4	2	2	39.0	65.3	27.7	15	7	8	75.5	64.4	88.9
MOTOR VEHICLE ACCIDENTS# (296-306)	4	2	2	39.0	65.3	27.7	10	4	6	50.3	36.8	66.7
SUICIDE (331-337)	1	0	1	9.7	-	13.9	1	1	0	5.0	9.2	-
HOMICIDE (338-346)	0	0	0	-	-	-	0	0	0	-	-	-

* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

** TOTAL DEATHS ARE PER 1,000 POPULATION; DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD AND DEATHS FROM SUDDEN INFANT DEATH SYNDROME ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING

**TABLE 19
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE
RESIDENCE OF YALOBUSHA, YAZOO COUNTIES AND THE STATE OF MISSISSIPPI, 2005**

CAUSE AND GROUP NUMBER	YALOBUSHA COUTNY						YAZOO COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
ALL CAUSES	156	109	47	11.6	13.5	8.8	284	144	140	10.1	11.5	8.9
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	0	0	0	-	-	-	4	2	2	14.2	16.0	12.7
HIV DISEASE (039-043)	1	0	1	7.4	-	18.7	5	1	4	17.7	8.0	25.4
MALIGNANT NEOPLASMS (056-108)	39	27	12	290.7	334.3	224.7	57	28	29	202.2	224.5	184.4
DIABETES MELLITUS (124)	5	3	2	37.3	37.1	37.4	23	7	16	81.6	56.1	101.7
ALZHEIMERS DISEASE (148)	2	2	0	14.9	24.8	-	1	1	0	3.5	8.0	-
MAJOR CARDIOVASCULAR DISEASES# (156-189)	62	41	21	462.1	507.6	393.2	110	56	54	390.1	449.1	343.4
HEART DISEASES (156-160,162, 164-181)	48	32	16	357.8	396.2	299.6	79	36	43	280.2	288.7	273.4
HYPERTENSION (161,163)	4	1	3	29.8	12.4	56.2	4	2	2	14.2	16.0	12.7
CEREBROVASCULAR DISEASES (182-186)	9	7	2	67.1	86.7	37.4	19	12	7	67.4	96.2	44.5
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	0	0	0	-	-	-	4	3	1	14.2	24.0	6.4
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	11	9	2	82.0	111.4	37.4	15	11	4	53.2	88.2	25.4
PEPTIC ULCER (217-220)	0	0	0	-	-	-	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	3	2	1	22.4	24.8	18.7	2	2	0	7.1	16.0	-
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	5	3	2	37.3	37.1	37.4	4	1	3	14.2	8.0	19.1
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	2	0	2	9.5	-	22.2	2	1	1	4.6	7.8	3.3
CONGENITAL MALFORMATIONS (282-290)	0	0	0	-	-	-	1	1	0	3.5	8.0	-
SUDDEN INFANT DEATH SYNDROME# (292)	0	0	0	-	-	-	2	1	1	4.6	7.8	3.3
ACCIDENTS (295-330)	5	5	0	37.3	61.9	-	14	9	5	49.6	72.2	31.8
MOTOR VEHICLE ACCIDENTS# (296-306)	1	1	0	7.4	12.4	-	9	5	4	31.9	40.1	25.4
SUICIDE (331-337)	3	3	0	22.4	37.1	-	5	4	1	17.7	32.1	6.4
HOMICIDE (338-346)	1	1	0	7.4	12.4	-	2	0	2	7.1	-	12.7

CAUSE AND GROUP NUMBER	STATE OF MISSISSIPPI					
	NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
ALL CAUSES	29,047	19,524	9,523	9.9	10.9	8.4
TUBERCULOSIS (009,010)	7	4	3	0.2	0.2	0.3
SEPTICEMIA (018)	556	337	219	19.0	18.8	19.3
HIV DISEASE (039-043)	190	31	159	6.5	1.7	14.0
MALIGNANT NEOPLASMS (056-108)	6,019	4,071	1,948	206.0	227.7	171.9
DIABETES MELLITUS (124)	670	360	310	22.9	20.1	27.4
ALZHEIMERS DISEASE (148)	711	586	125	24.3	32.8	11.0
MAJOR CARDIOVASCULAR DISEASES# (156-189)	10,862	7,278	3,584	371.8	407.0	316.3
HEART DISEASES (156-160,162, 164-181)	8,584	5,862	2,722	293.9	327.8	240.2
HYPERTENSION (161,163)	389	175	214	13.3	9.8	18.9
CEREBROVASCULAR DISEASES (182-186)	1,617	1,053	564	55.4	58.9	49.8
ATHEROSCLEROSIS (187)	47	37	10	1.6	2.1	0.9
INFLUENZA AND PNEUMONIA (195-198)	636	462	174	21.8	25.8	15.4
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	1,468	1,232	236	50.2	68.9	20.8
PEPTIC ULCER (217-220)	37	27	10	1.3	1.5	0.9
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	271	207	64	9.3	11.6	5.6
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	660	363	297	22.6	20.3	26.2
MATERNAL CAUSES (261-273)	12	2	10	28.4	8.7	51.8
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	224	43	181	5.3	1.9	9.4
CONGENITAL MALFORMATIONS (282-290)	117	67	50	4.0	3.7	4.4
SUDDEN INFANT DEATH SYNDROME# (292)	91	47	44	2.2	2.0	2.3
ACCIDENTS (295-330)	1,912	1,305	607	65.4	73.0	53.6
MOTOR VEHICLE ACCIDENTS# (296-306)	956	606	350	32.7	33.9	30.9
SUICIDE (331-337)	365	303	62	12.5	16.9	5.5
HOMICIDE (338-346)	249	85	164	8.5	4.8	14.5

* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

** TOTAL DEATHS ARE PER 1,000 POPULATION; DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD AND DEATHS FROM SUDDEN INFANT DEATH SYNDROME ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING

TIME SERIES TABLES

TABLE 20
LIVE BIRTHS AND RATES, BY YEAR AND RACE
MISSISSIPPI, 1913-2005
(OCCURRENCE DATA 1913-1943, RESIDENCE DATA 1944-2005)

YEAR	NUMBER			RATE*		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
1913	41,103	21,874	19,229	21.9	26.6	18.2
1914	40,623	21,360	19,263	21.4	25.7	18.0
1915	39,484	20,999	18,485	20.5	23.8	17.1
1916	39,033	20,130	18,903	20.0	23.6	17.2
1917	37,141	19,056	18,085	18.8	22.0	16.3
1918	39,391	20,005	19,386	19.7	22.8	17.2
1919	42,491	22,028	20,463	21.0	24.9	18.0
1920	43,743	22,438	21,305	24.4	26.3	22.7
1921	46,482	23,703	22,779	25.6	27.3	24.1
1922	43,723	21,286	22,437	23.8	24.1	23.6
1923	43,266	21,140	22,126	23.3	23.6	23.1
1924	43,960	22,180	21,780	23.4	24.3	22.5
1925	45,563	22,265	23,298	24.0	24.1	23.9
1926	50,449	24,600	25,849	26.2	26.2	26.3
1927	49,204	24,163	25,041	25.3	25.3	25.3
1928	48,126	23,642	24,484	24.5	24.4	24.5
1929	45,570	22,105	23,465	22.9	22.5	23.3
1930	47,982	23,192	24,790	23.8	23.2	24.0
1931	45,123	21,637	23,486	22.2	21.4	22.9
1932	46,481	21,883	24,598	22.6	21.4	23.9
1933	44,184	20,407	23,777	21.3	19.7	22.9
1934	47,905	22,342	25,563	23.0	21.4	24.6
1935	48,291	21,972	26,319	23.0	20.8	25.1
1936	49,261	22,194	27,067	23.3	20.8	25.7
1937	52,170	23,285	28,885	24.4	21.6	27.3
1938	53,729	24,046	29,683	25.0	22.1	27.8
1939	52,288	23,505	28,783	24.1	21.4	26.8
1940	52,526	23,084	29,442	24.0	20.9	27.3
1941	54,561	24,167	30,394	24.7	21.6	28.0
1942	56,521	25,306	31,215	25.4	22.4	28.6
1943	59,408	27,611	31,797	28.9	26.4	31.6
1944	56,586	25,647	30,939	28.3	25.2	31.6
1945	53,540	23,426	30,114	26.9	23.1	30.9
1946	61,430	29,715	31,715	26.8	25.4	28.2
1947	66,291	32,423	33,868	28.6	27.5	29.9
1948	65,291	29,666	35,625	28.0	24.9	31.2
1949	66,128	28,786	37,342	28.1	24.0	32.5
1950	64,427	27,188	37,239	29.6	22.9	37.6
1951	65,512	27,798	37,714	30.1	23.4	38.1
1952	64,509	28,073	36,436	29.6	23.6	36.8
1953	64,061	28,312	35,749	29.4	23.8	36.1
1954	64,748	28,781	35,967	29.7	24.2	36.3
1955	63,244	27,546	35,698	29.0	23.2	36.0
1956	62,178	27,278	34,900	29.5	23.8	36.2
1957	60,712	26,804	33,908	28.8	23.4	35.2
1958	59,189	26,812	32,377	27.1	20.9	35.9
1959	60,562	27,979	32,583	27.2	20.9	36.6

TABLE 20 - PAGE 2
LIVE BIRTHS - MISSISSIPPI - 1913-2005

YEAR	NUMBER			RATE*		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
1960	59,210	27,198	32,012	27.2	21.6	34.8
1961	59,523	27,435	32,088	27.3	21.8	34.8
1962	58,921	27,512	31,409	26.1	20.8	33.5
1963	57,316	26,823	30,493	25.0	19.9	32.4
1964	56,650	25,942	30,708	24.5	18.9	32.5
1965	51,171	23,369	27,802	22.0	17.4	28.2
1966	48,230	22,736	25,494	20.4	16.5	25.9
1967	46,594	22,675	23,919	19.7	15.9	25.6
1968	45,719	22,807	22,912	19.4	15.7	25.4
1969	47,120	24,025	23,095	21.2	17.2	28.0
1970	48,141	24,893	23,248	21.7	17.9	28.2
1971	48,601	25,199	23,402	21.9	18.1	28.4
1972	45,907	23,745	22,162	20.3	NOT AVAILABLE	
1973	44,638	23,119	21,519	19.3	NOT AVAILABLE	
1974	44,032	23,023	21,009	18.9	NOT AVAILABLE	
1975	43,336	22,559	20,777	18.5	NOT AVAILABLE	
1976	42,983	22,605	20,378	18.2	NOT AVAILABLE	
1977	45,532	23,369	22,163	19.1	NOT AVAILABLE	
1978	44,373	22,632	21,741	18.5	NOT AVAILABLE	
1979	45,919	23,487	22,432	19.1	NOT AVAILABLE	
1980	47,821	24,687	23,134	19.0	15.3	25.5
1981	46,228	23,777	22,451	18.3	14.7	24.8
1982	45,926	24,028	21,898	18.0	NOT AVAILABLE	
1983	43,992	22,659	21,333	17.0	NOT AVAILABLE	
1984	43,742	22,672	21,070	16.9	NOT AVAILABLE	
1985	43,432	22,943	20,489	16.3	13.5	21.5
1986	41,868	22,060	19,808	15.8	13.0	20.8
1987	41,279	21,576	19,703	15.2	12.4	20.2
1988	42,040	21,685	20,355	15.3	12.3	20.6
1989**	43,026	22,069	20,957	15.5	12.4	20.9
1990**	43,547	22,280	21,267	16.9	13.6	22.6
1991**	43,184	21,908	21,276	16.8	13.4	22.6
1992**	42,676	21,700	20,976	16.6	13.3	22.3
1993**	42,134	21,246	20,888	16.4	13.0	22.2
1994**	41,938	21,536	20,402	16.3	13.2	21.7
1995**	41,332	21,571	19,761	15.3	12.7	19.8
1996**	40,978	21,447	19,531	15.2	12.7	19.5
1997**	41,527	22,021	19,506	15.4	13.0	19.5
1998**	42,917	22,950	19,967	15.6	13.3	19.3
1999**	42,678	22,652	20,026	15.4	13.1	19.2
2000**	44,075	23,540	20,535	15.5	13.5	18.7
2001**	42,277	22,798	19,479	14.9	13.0	17.7
2002**	41,511	22,620	18,891	14.4	12.8	17.0
2003**	42,321	23,118	19,203	14.7	13.1	17.2
2004**	42,809	23,524	19,285	14.8	13.2	17.2
2005**	42,327	23,015	19,312	14.5	12.9	17.0

* BIRTHS PER 1,000 POPULATION.

** FIGURES SHOWN ARE BY RACE OF MOTHER; FIGURES FOR YEARS PRIOR TO 1989 ARE BY RACE OF CHILD.

TABLE 21
DEATHS AND RATES, BY YEAR AND RACE,
MISSISSIPPI, 1913-2005,
(OCCURRENCE DATA 1913-1943, RESIDENCE DATA 1944-2005)

YEAR	NUMBER			RATE*		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
1913	21,305	7,643	13,662	11.4	9.3	13.0
1914	21,485	7,442	14,043	11.3	8.9	13.1
1915	24,001	8,088	15,913	12.5	9.6	14.7
1916	21,794	7,588	14,206	11.2	8.9	13.0
1917	23,579	8,048	15,531	11.9	9.3	14.0
1918	30,437	10,177	20,260	15.2	11.6	18.0
1919	22,667	8,142	14,525	12.7	9.5	15.5
1920	22,072	7,916	14,156	12.3	9.3	15.1
1921	19,991	7,308	12,683	11.0	8.4	13.4
1922	19,278	7,312	11,966	10.5	8.3	12.6
1923	20,363	7,688	12,675	11.0	8.6	13.2
1924	21,155	7,809	13,346	11.3	8.6	13.8
1925	22,229	8,143	14,086	11.7	8.8	14.4
1926	23,929	9,133	14,796	12.5	9.7	15.1
1927	23,257	8,765	14,492	12.0	9.2	14.6
1928	25,965	10,111	15,854	13.2	10.4	15.9
1929	25,868	10,048	15,820	13.0	10.2	15.7
1930	24,098	9,072	15,026	11.9	9.0	14.8
1931	22,007	8,641	13,366	10.8	8.5	13.0
1932	20,322	8,295	12,027	9.9	8.1	11.6
1933	21,617	8,898	12,719	10.4	8.6	12.2
1934	21,786	9,350	12,436	10.5	9.0	12.0
1935	21,285	9,186	12,099	10.1	8.7	11.6
1936	24,127	10,367	13,760	11.4	9.7	13.1
1937	24,005	10,055	13,950	11.2	9.3	13.2
1938	22,814	9,471	13,343	10.6	8.7	12.5
1939	22,701	9,464	13,237	10.5	8.6	12.3
1940	23,185	9,565	13,620	10.6	8.6	12.6
1941	22,573	9,442	13,131	10.2	8.4	12.1
1942	20,693	8,750	11,943	9.3	7.7	10.9
1943	20,850	9,139	11,711	10.2	8.7	11.6
1944	20,199	8,830	11,369	10.1	8.7	11.6
1945	19,024	8,452	10,572	9.6	8.3	10.8
1946	19,321	8,995	10,326	8.4	7.7	9.2
1947	20,007	9,238	10,769	8.6	7.8	9.5
1948	20,183	9,216	10,967	8.6	7.7	9.6
1949	20,489	9,233	11,256	8.7	7.7	9.8
1950	20,567	9,466	11,101	9.4	8.0	11.2
1951	21,007	9,593	11,414	9.6	8.1	11.5
1952	20,657	9,387	11,270	9.5	7.9	11.4
1953	20,492	9,495	10,997	9.4	8.0	11.1
1954	19,353	9,453	9,900	8.9	8.0	10.0
1955	19,403	9,501	9,902	8.9	8.0	10.0
1956	19,780	9,969	9,811	9.4	8.7	10.2
1957	20,476	10,339	10,137	9.7	9.0	10.5
1958	21,541	10,811	10,730	9.9	8.4	11.9
1959	20,890	10,742	10,148	9.4	8.0	11.4

TABLE 21 - PAGE 2
DEATHS - MISSISSIPPI - 1913-2005

YEAR	NUMBER			RATE*		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
1960	21,713	11,204	10,509	10.0	8.9	11.4
1961	21,232	11,063	10,169	9.7	8.8	11.0
1962	22,713	11,868	10,845	10.0	9.0	11.6
1963	23,339	12,118	11,221	10.2	9.0	11.9
1964	22,559	12,039	10,520	9.7	8.8	11.1
1965	22,652	12,376	10,276	9.7	9.2	10.4
1966	23,350	12,976	10,374	9.9	9.4	10.5
1967	22,609	12,816	9,793	9.6	9.0	10.5
1968	23,986	13,468	10,518	10.2	9.3	11.7
1969	23,865	13,873	9,992	10.8	10.0	12.1
1970	23,305	13,623	9,682	10.5	9.8	11.8
1971	23,426	13,980	9,446	10.6	10.0	11.5
1972	23,663	14,077	9,586	10.5	NOT AVAILABLE	
1973	24,007	14,461	9,546	10.4	NOT AVAILABLE	
1974	23,153	14,268	8,885	9.9	NOT AVAILABLE	
1975	22,768	13,790	8,978	9.7	NOT AVAILABLE	
1976	23,124	14,307	8,817	9.8	NOT AVAILABLE	
1977	23,022	14,318	8,704	9.6	NOT AVAILABLE	
1978	23,363	14,631	8,732	9.7	NOT AVAILABLE	
1979	22,932	14,348	8,584	9.5	NOT AVAILABLE	
1980	23,576	14,531	9,045	9.4	9.0	10.0
1981	23,405	14,876	8,529	9.3	9.2	9.4
1982	23,173	14,863	8,310	9.1	NOT AVAILABLE	
1983	23,831	15,250	8,581	9.2	NOT AVAILABLE	
1984	23,781	15,225	8,556	9.2	NOT AVAILABLE	
1985	24,568	15,803	8,765	9.2	9.3	9.2
1986	24,341	15,694	8,647	9.2	9.2	9.1
1987	24,525	15,835	8,690	9.0	9.1	8.9
1988	24,706	16,034	8,672	9.0	9.1	8.8
1989	25,273	16,386	8,887	9.1	9.2	8.9
1990	24,994	16,088	8,906	9.7	9.8	9.5
1991	25,503	16,393	9,110	9.9	10.0	9.7
1992	25,163	16,417	8,746	9.8	10.0	9.3
1993	26,271	17,003	9,268	10.2	10.4	9.9
1994	26,657	17,210	9,447	10.4	10.5	10.0
1995	26,910	17,729	9,181	10.0	10.5	9.2
1996	26,566	17,488	9,078	9.9	10.3	9.1
1997	27,380	18,034	9,346	10.2	10.6	9.3
1998	27,737	18,343	9,394	10.1	10.7	9.1
1999	28,090	18,693	9,397	10.1	10.8	9.0
2000	28,529	19,189	9,340	10.0	11.0	8.5
2001	28,134	18,774	9,360	9.9	10.8	8.5
2002	28,765	19,168	9,597	10.0	10.9	8.6
2003	28,333	19,013	9,320	9.8	10.8	8.3
2004	27,748	18,689	9,059	9.6	10.5	8.1
2005	29,047	19,524	9,523	9.9	10.9	8.4

* DEATHS PER 1,000 POPULATION.

TABLE 22
MATERNAL DEATHS* AND MORTALITY RATES, BY YEAR AND RACE,
MISSISSIPPI, 1913-2005,
(OCCURRENCE DATA 1913-1943, RESIDENCE DATA 1944-2005)

YEAR	NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
1913	447	162	285	1,087.5	740.6	1,482.1
1914	413	124	289	1,016.7	580.5	1,500.3
1915	289	88	201	731.9	419.1	1,087.4
1916	326	102	224	835.2	506.7	1,185.0
1917	297	105	192	799.6	551.0	1,061.6
1918	302	82	220	766.7	409.9	1,134.8
1919	407	173	234	957.8	785.4	1,143.5
1920	393	127	266	898.4	566.0	1,248.5
1921	391	145	246	841.2	611.7	1,079.9
1922	313	110	203	715.9	516.8	904.8
1923	321	108	213	741.9	510.9	962.7
1924	413	137	276	939.5	617.7	1,267.2
1925	435	143	292	954.7	642.3	1,253.3
1926	388	153	235	769.1	622.0	909.1
1927	409	134	275	831.2	554.6	1,098.2
1928	421	161	260	874.8	681.0	1,061.9
1929	410	152	258	899.7	687.6	1,099.5
1930	489	171	318	1,019.1	737.3	1,282.8
1931	352	131	221	780.1	605.4	941.0
1932	279	103	176	600.2	470.7	715.5
1933	315	116	199	712.9	568.4	836.9
1934	306	116	190	638.8	519.2	743.3
1935	334	137	197	691.6	623.5	748.5
1936	358	134	224	726.7	603.8	827.6
1937	370	150	220	709.2	644.2	761.6
1938	333	116	217	619.8	482.4	731.0
1939	311	97	214	594.8	412.7	743.5
1940	327	106	221	622.5	459.2	750.6
1941	293	93	200	537.0	384.8	658.0
1942	248	77	171	438.8	304.3	547.8
1943	233	66	167	392.2	239.0	525.2
1944	225	72	153	397.6	280.7	494.5
1945	216	64	152	403.4	273.2	504.7
1946	199	67	132	323.9	225.5	416.2
1947	175	50	125	264.0	154.2	369.1
1948	177	38	139	271.1	128.1	390.2
1949	147	32	115	222.3	111.2	308.0
1950	165	30	135	256.1	110.3	362.5
1951	143	28	115	218.3	100.7	304.9
1952	119	15	104	184.5	53.4	285.4
1953	119	24	95	185.8	84.8	265.7
1954	104	11	93	160.6	38.2	258.6
1955	76	12	64	120.2	43.6	179.3
1956	74	12	62	119.0	44.0	177.6
1957	75	14	61	123.5	52.2	179.9
1958	53	10	43	89.5	37.3	132.8
1959	55	9	46	90.8	32.2	141.2

TABLE 22 - PAGE 2
 MATERNAL DEATHS - MISSISSIPPI - 1913-2005

YEAR	NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
1960	59	8	51	99.6	29.4	159.3
1961	49	9	40	82.3	32.8	124.6
1962	55	7	48	93.3	25.4	152.8
1963	44	9	35	76.8	33.6	114.8
1964	57	9	48	100.6	34.7	156.3
1965	40	3	37	78.2	12.8	133.1
1966	27	6	21	56.0	26.4	82.4
1967	36	10	26	77.3	44.1	108.7
1968	21	3	18	45.9	13.2	78.6
1969	23	3	20	48.8	12.5	86.6
1970	34	5	29	70.6	20.1	124.7
1971	21	5	16	43.2	19.8	68.4
1972	24	5	19	52.3	21.0	85.7
1973	12	4	8	26.9	17.3	37.2
1974	12	4	8	27.2	17.4	38.1
1975	6	0	6	13.8	-	28.9
1976	8	4	4	18.6	17.7	19.6
1977	10	2	8	22.0	8.6	36.1
1978	6	1	5	13.5	4.4	23.0
1979	10	3	7	21.8	12.8	31.2
1980	2	1	1	4.2	4.0	4.3
1981	7	5	2	15.1	21.0	8.9
1982	1	1	0	2.2	4.2	-
1983	1	0	1	2.3	-	4.7
1984	3	1	2	6.8	4.4	9.5
1985	3	2	1	6.9	8.7	4.9
1986	3	0	3	7.2	-	15.1
1987	4	2	2	9.7	9.3	10.2
1988	7	2	5	16.6	9.2	24.6
1989	6	1	5	13.9	4.5	23.8
1990	6	0	6	13.8	-	28.2
1991	3	2	1	6.9	9.1	4.7
1992	4	1	3	9.4	4.6	14.3
1993	11	2	9	26.1	9.4	43.1
1994	4	1	3	9.5	4.6	14.7
1995	5	0	5	12.1	-	25.3
1996	1	0	1	2.4	-	5.1
1997	11	4	7	26.5	18.2	35.9
1998	4	2	2	9.3	8.7	10.0
1999	6	2	4	14.0	8.8	20.0
2000	8	2	6	18.2	8.5	29.2
2001	12	4	8	28.4	17.5	41.1
2002	9	2	7	21.7	8.8	37.0
2003	7	3	4	16.5	13.0	20.8
2004	11	4	7	25.7	17.0	36.3
2005	12	2	10	28.4	8.7	51.8

* DEATHS RESULTING FROM DELIVERIES AND COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM.

** DEATHS PER 100,000 LIVE BIRTHS.

TABLE 23
INFANT DEATHS* AND MORTALITY RATES, BY YEAR AND RACE,
MISSISSIPPI, 1917-2005
(OCCURRENCE DATA 1917-1944, RESIDENCE DATA 1945-2005)

YEAR	NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
1917	3,689	1,296	2,393	99.3	68.0	132.3
1918	#	#	#	#	#	#
1919	3,554	#	#	83.6	#	#
1920	3,499	1,344	2,155	80.0	59.9	101.1
1921	3,157	1,243	1,914	67.9	52.4	84.0
1922	2,826	1,067	1,759	64.6	50.1	78.4
1923	2,908	1,104	1,804	67.2	52.2	81.5
1924	3,137	1,188	1,949	71.4	53.6	89.5
1925	3,176	1,179	1,997	69.7	53.0	85.7
1926	3,578	1,447	2,131	70.9	58.8	82.4
1927	3,291	1,303	1,988	66.9	54.0	79.4
1928	3,567	1,416	2,151	74.1	59.9	87.9
1929	3,275	1,268	2,007	71.9	57.4	85.5
1930	3,276	1,182	2,094	68.3	51.0	84.5
1931	2,547	961	1,586	56.4	44.4	67.5
1932	2,482	965	1,517	53.4	44.1	61.7
1933	2,800	1,035	1,765	63.4	50.7	74.2
1934	3,070	1,199	1,871	64.1	53.7	73.2
1935	2,587	1,044	1,543	53.6	47.5	58.6
1936	2,883	1,105	1,778	58.5	49.8	65.7
1937	3,098	1,174	1,924	59.4	50.4	66.6
1938	3,051	1,205	1,846	56.8	50.1	62.2
1939	2,908	1,135	1,773	55.6	48.3	61.6
1940	2,864	1,070	1,794	54.5	46.4	60.9
1941	2,969	1,113	1,856	54.4	46.1	61.1
1942	2,654	957	1,697	47.0	37.8	54.4
1943	2,774	1,137	1,637	46.7	41.2	51.5
1944	2,481	965	1,516	43.6	37.1	49.0
1945	2,192	846	1,346	40.9	36.1	44.7
1946	2,298	1,005	1,293	37.4	33.8	40.8
1947	2,428	1,009	1,419	36.6	31.1	41.9
1948	2,470	988	1,482	37.8	33.3	41.6
1949	2,612	900	1,712	39.5	31.3	45.8
1950	2,348	763	1,585	36.4	28.1	42.6
1951	2,589	814	1,775	39.5	29.3	47.1
1952	2,592	760	1,832	40.2	27.1	50.3
1953	2,534	807	1,727	39.6	28.5	48.3
1954	2,360	744	1,616	36.4	25.8	44.9
1955	2,338	680	1,658	37.0	24.7	46.4
1956	2,353	734	1,619	37.8	26.9	46.4
1957	2,257	694	1,563	37.2	25.9	46.1
1958	2,424	706	1,718	41.0	26.3	53.1
1959	2,355	677	1,678	38.9	24.2	51.5

TABLE 23 - PAGE 2
 INFANT DEATHS - MISSISSIPPI - 1917-2005

YEAR	NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
1960	2,457	714	1,743	41.5	26.2	54.4
1961	2,250	645	1,605	37.8	23.5	50.0
1962	2,353	705	1,648	39.9	25.6	52.5
1963	2,372	610	1,762	41.4	22.7	57.8
1964	2,230	599	1,631	39.4	23.1	53.1
1965	2,126	593	1,533	41.5	25.4	55.1
1966	1,856	520	1,336	38.5	22.9	52.4
1967	1,645	512	1,133	35.3	22.6	47.4
1968	1,613	517	1,096	35.3	22.7	47.8
1969	1,513	530	983	32.1	22.1	42.6
1970	1,403	480	923	29.1	19.3	39.7
1971	1,311	460	851	27.0	18.2	36.4
1972	1,187	459	728	25.8	19.3	32.8
1973	1,154	392	762	25.8	17.0	35.4
1974	1,024	356	668	23.2	15.5	31.8
1975	975	356	619	22.5	15.8	29.8
1976	927	331	596	21.6	14.6	29.2
1977	834	285	549	18.3	12.2	24.8
1978	846	266	580	19.1	11.8	26.7
1979	809	280	529	17.6	11.9	23.6
1980	812	272	540	17.0	11.0	23.3
1981	711	248	463	15.4	10.4	20.6
1982	706	249	457	15.4	10.4	20.9
1983	664	240	424	15.1	10.6	19.9
1984	629	224	405	14.4	9.9	19.2
1985	596	213	383	13.7	9.3	18.7
1986	517	197	320	12.3	8.9	16.2
1987	565	212	353	13.7	9.8	17.9
1988	516	189	327	12.3	8.7	16.1
1989	498	190	308	11.6	8.6	14.7
1990	528	189	339	12.1	8.5	15.9
1991	493	163	330	11.4	7.4	15.5
1992	508	170	338	11.9	7.8	16.1
1993	482	178	304	11.4	8.4	14.6
1994	459	158	301	10.9	7.3	14.8
1995	435	149	286	10.5	6.9	14.5
1996	451	169	282	11.0	7.9	14.4
1997	440	156	284	10.6	7.1	14.6
1998	436	146	290	10.2	6.4	14.5
1999	435	152	283	10.2	6.7	14.1
2000	468	157	311	10.6	6.7	15.1
2001	443	157	286	10.5	6.9	14.7
2002	428	155	273	10.3	6.8	14.4
2003	453	158	295	10.7	6.8	15.4
2004	417	144	273	9.7	6.1	14.2
2005	481	153	328	11.4	6.6	17.0

* DEATHS OF CHILDREN UNDER 1 YEAR OF AGE.

** DEATHS PER 1,000 LIVE BIRTHS.

NOT AVAILABLE.

TABLE 24
NEONATAL DEATHS* AND MORTALITY RATES, BY YEAR AND RACE,
MISSISSIPPI, 1924-2005
(OCCURRENCE DATA 1924-1944, RESIDENCE DATA 1945-2005)

YEAR	NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
1924	1,598	730	868	36.4	32.9	39.8
1925	1,639	701	938	36.0	31.5	40.3
1926	1,731	823	908	34.3	33.4	35.1
1927	1,644	786	858	33.4	32.5	34.3
1928	1,788	804	984	37.2	34.0	40.2
1929	1,662	773	889	36.5	35.0	37.9
1930	1,692	715	977	35.3	30.8	39.4
1931	1,339	590	749	29.7	27.3	31.9
1932	1,361	572	789	29.3	26.1	32.1
1933	1,540	636	904	34.8	31.2	38.0
1934	1,505	644	861	31.4	28.8	33.7
1935	1,446	642	804	29.9	29.2	30.5
1936	1,494	676	818	30.3	30.4	30.2
1937	1,678	755	923	32.2	32.4	32.0
1938	1,688	747	941	31.4	31.1	31.7
1939	1,637	735	902	31.3	31.3	31.3
1940	1,613	680	933	30.7	29.4	31.7
1941	1,663	734	929	30.5	30.4	30.6
1942	1,544	638	906	27.3	25.2	29.0
1943	1,652	791	861	27.8	28.6	27.1
1944	1,436	661	775	25.2	25.4	25.1
1945	1,351	624	727	25.2	26.6	24.1
1946	1,561	794	767	25.4	26.7	24.2
1947	1,595	750	845	24.1	23.1	24.9
1948	1,674	773	901	25.6	26.0	25.3
1949	1,594	661	933	24.1	23.0	25.0
1950	1,446	560	886	22.4	20.6	23.8
1951	1,679	626	1,053	25.6	22.5	27.9
1952	1,658	581	1,077	25.7	20.7	29.6
1953	1,630	635	995	25.4	22.4	27.8
1954	1,521	601	920	23.5	20.9	25.6
1955	1,440	527	913	22.8	19.1	25.6
1956	1,451	581	870	23.3	21.3	24.9
1957	1,425	540	885	23.5	20.1	26.1
1958	1,475	540	935	24.9	20.1	28.9
1959	1,450	515	935	23.9	18.4	28.7
1960	1,497	550	947	25.3	20.2	29.6
1961	1,401	509	892	23.5	18.6	27.8
1962	1,456	550	906	24.7	20.0	28.8
1963	1,449	470	979	25.3	17.5	32.1
1964	1,372	460	912	24.2	17.7	29.7
1965	1,283	470	813	25.1	20.1	29.2
1966	1,123	386	737	23.3	17.0	28.9
1967	1,053	388	665	22.6	17.1	27.8
1968	1,116	424	692	24.4	18.6	30.2
1969	1,066	441	625	22.6	18.4	27.1

TABLE 24 - PAGE 2
 NEONATAL DEATHS - MISSISSIPPI - 1924-2005

YEAR	NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
1970	976	391	585	20.3	15.7	25.2
1971	940	382	558	19.3	15.2	23.8
1972	837	362	475	18.2	15.2	21.4
1973	793	301	492	17.8	13.0	22.9
1974	710	276	434	16.1	12.0	20.6
1975	677	257	420	15.6	11.4	20.2
1976	626	243	383	14.6	10.7	18.8
1977	588	222	366	12.9	9.5	16.5
1978	559	191	368	12.6	8.4	16.9
1979	514	191	323	11.2	8.1	14.4
1980	523	189	334	10.9	7.6	14.4
1981	486	166	320	10.5	7.0	14.2
1982	467	166	301	10.2	6.9	13.7
1983	410	160	250	9.3	7.1	11.7
1984	395	158	237	9.0	7.0	11.2
1985	368	127	241	8.5	5.5	11.8
1986	323	133	190	7.7	6.0	9.6
1987	363	128	235	8.8	5.9	11.9
1988	318	118	200	7.6	5.4	9.8
1989	309	132	177	7.2	6.0	8.4
1990	332	111	221	7.6	5.0	10.4
1991	303	95	208	7.0	4.3	9.8
1992	320	97	223	7.5	4.5	10.6
1993	298	111	187	7.1	5.2	9.0
1994	273	93	180	6.5	4.3	8.8
1995	254	88	166	6.1	4.1	8.4
1996	294	103	191	7.2	4.8	9.8
1997	269	96	173	6.5	4.4	8.9
1998	265	76	189	6.2	3.3	9.5
1999	267	91	176	6.2	4.0	8.8
2000	289	91	198	6.6	3.9	9.6
2001	277	96	181	6.6	4.2	9.3
2002	281	100	181	6.8	4.4	9.6
2003	246	78	168	5.8	3.4	8.7
2004	256	82	174	6.0	3.5	9.0
2005	283	70	213	6.7	3.0	11.0

* DEATHS OF INFANTS UNDER 28 DAYS OF AGE, BUT FIGURES FOR 1924-1948 INCLUDE DEATHS OF INFANTS UNDER ONE MONTH OF AGE.

** DEATHS PER 1,000 LIVE BIRTHS.

TABLE 25
POSTNEONATAL DEATHS* AND MORTALITY RATES, BY YEAR AND RACE,
MISSISSIPPI, 1924-2005
(OCCURRENCE DATA 1924-1944, RESIDENCE DATA 1945-2005)

YEAR	NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
1924	1,539	458	1,081	35.0	20.6	49.6
1925	1,537	478	1,059	33.7	21.5	45.4
1926	1,847	624	1,223	36.6	25.4	47.3
1927	1,647	517	1,130	33.5	21.4	45.1
1928	1,779	612	1,167	37.0	25.9	47.7
1929	1,613	495	1,118	35.4	22.4	47.6
1930	1,584	467	1,117	33.0	20.1	45.0
1931	1,208	371	837	26.8	17.1	35.6
1932	1,121	393	728	24.1	18.0	29.6
1933	1,260	399	861	28.5	19.6	36.2
1934	1,565	555	1,010	32.7	24.8	39.5
1935	1,141	402	739	23.6	18.3	28.1
1936	1,389	429	960	28.2	19.3	35.5
1937	1,420	419	1,001	27.2	18.0	34.6
1938	1,363	458	905	25.4	19.0	30.5
1939	1,271	400	871	24.3	17.0	30.3
1940	1,251	390	861	23.8	16.9	29.2
1941	1,306	379	927	23.9	15.7	30.5
1942	1,110	319	791	19.6	12.6	25.3
1943	1,122	346	776	18.9	12.5	24.4
1944	1,045	304	741	18.4	11.7	24.0
1945	841	222	619	15.7	9.5	20.6
1946	737	211	526	12.0	7.1	16.6
1947	833	259	574	12.6	8.0	16.9
1948	796	215	581	12.2	7.2	16.3
1949	1,018	239	779	15.4	8.3	20.9
1950	902	203	699	14.0	7.5	18.8
1951	910	188	722	13.9	6.8	19.1
1952	934	179	755	14.5	6.4	20.7
1953	904	172	732	14.1	6.1	20.5
1954	839	143	696	13.0	5.0	19.4
1955	898	153	745	14.2	5.6	20.9
1956	902	153	749	14.5	5.6	21.5
1957	832	154	678	13.7	5.7	20.0
1958	949	166	783	16.0	6.2	24.2
1959	905	162	743	14.9	5.8	22.8
1960	960	164	796	16.2	6.0	24.9
1961	849	136	713	14.3	5.0	22.2
1962	897	155	742	15.2	5.6	23.6
1963	923	140	783	16.1	5.2	25.7
1964	858	139	719	15.1	5.4	23.4
1965	843	123	720	16.5	5.3	25.9
1966	733	134	599	15.2	5.9	23.5
1967	592	124	468	12.7	5.5	19.6
1968	497	93	404	10.9	4.1	17.6
1969	447	89	358	9.5	3.7	15.5

TABLE 25 - PAGE 2
 POSTNEONATAL DEATHS - MISSISSIPPI - 1924 - 2005

YEAR	NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
1970	427	89	338	8.9	3.6	14.5
1971	371	78	293	7.6	3.1	12.5
1972	350	97	253	7.6	4.1	11.4
1973	361	91	270	8.1	3.9	12.5
1974	314	80	234	7.1	3.5	11.1
1975	298	99	199	6.9	4.4	9.6
1976	301	88	213	7.0	3.9	10.4
1977	246	63	183	5.4	2.7	8.2
1978	287	75	212	6.5	3.3	9.8
1979	295	89	206	6.4	3.8	9.2
1980	289	83	206	6.0	3.4	8.9
1981	225	82	143	4.9	3.4	6.4
1982	239	83	156	5.2	3.4	7.1
1983	254	80	174	5.8	3.5	8.2
1984	234	66	168	5.4	2.9	8.0
1985	228	86	142	5.2	3.7	6.9
1986	194	64	130	4.6	2.9	6.6
1987	202	84	118	4.9	3.9	6.0
1988	198	71	127	4.7	3.3	6.2
1989	189	58	131	4.4	2.6	6.2
1990	196	78	118	4.5	3.5	5.5
1991	190	68	122	4.4	3.1	5.7
1992	188	73	115	4.4	3.4	5.5
1993	184	67	117	4.4	3.2	5.6
1994	186	65	121	4.4	3.0	5.9
1995	181	61	120	4.4	2.8	6.1
1996	157	66	91	3.8	3.1	4.6
1997	171	60	111	4.1	2.7	5.7
1998	171	70	101	4.0	3.0	5.0
1999	168	61	107	3.9	2.7	5.3
2000	179	66	113	4.1	2.8	5.5
2001	166	61	105	3.9	2.7	5.4
2002	147	55	92	3.5	2.4	4.9
2003	207	80	127	4.9	3.5	6.6
2004	161	62	99	3.8	2.6	5.1
2005	198	83	115	4.7	3.6	6.0

* DEATHS OF INFANTS 28 DAYS OF AGE OR OLDER, BUT FIGURES FOR 1924-1948 ONLY INCLUDE DEATHS OF INFANTS ONE MONTH OF AGE OR OLDER.

** DEATHS PER 1,000 LIVE BIRTHS.

TABLE 26
MARRIAGES AND DIVORCES, BY YEAR AND RACE, OCCURRENCE DATA,
MISSISSIPPI, 1926-2005

YEAR	MARRIAGES			DIVORCES		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
1926*	28,712			2,766		
1927*	29,048**	11,402	17,383	2,895		
1928	30,231**	11,662	18,257	3,009	1,435	1,574
1929	31,495**	12,864	18,388	3,172	1,598	1,574
1930	25,728**	10,815	14,751	2,743	1,487	1,256
1931	21,589**	9,952	11,629	2,015	1,308	707
1932	22,688**	10,147	12,453	1,918	1,308	610
1933	27,567**	12,201	15,300	1,955	1,396	559
1934	30,149**	13,497	16,541	2,446	1,704	742
1935	28,722**	12,955	15,635	2,425	1,681	744
1936	32,480**	14,120	18,196	2,520	1,690	830
1937	32,055**	14,802	17,246	2,977	1,984	993
1938	31,495	14,224	17,271	2,916	2,069	847
1939	31,956	15,370	16,586	3,034	2,166	868
1940	34,088	16,834	17,254	3,251	2,295	956
1941	42,142	21,611	20,531	3,831	2,444	1,387
1942	49,565	27,227	22,338	4,326	2,606	1,720
1943	46,030	23,445	22,585	5,851	3,062	2,789
1944	41,559	21,173	20,386	6,742	3,425	3,317
1945	44,871	24,738	20,133	6,727	3,919	2,808
1946	64,204	37,099	27,105	9,495	5,867	3,628
1947	53,584	30,514	23,070	7,004	4,323	2,681
1948	53,645	31,504	22,141	6,697	3,864	2,833
1949	52,765	32,191	20,574	6,285	3,621	2,664
1950	56,738	37,871	18,867	6,065	3,711	2,354
1951	57,321	37,857	19,464	5,464	3,601	1,863
1952	58,116	39,162	18,954	5,419	3,607	1,812
1953	61,751	42,961	18,790	5,204	3,515	1,689
1954	61,381	43,268	18,113	5,001	3,424	1,577
1955	66,423	47,618	18,805	4,845	3,372	1,473
1956	66,223	48,140	18,083	5,027	3,452	1,575
1957	62,495	46,868	15,627	4,974	3,350	1,624
1958	36,402	26,998	9,404	5,016	3,485	1,531
1959	20,447	13,547	6,900	5,108	3,557	1,551
1960	21,233	14,029	7,204	5,260	3,553	1,707
1961	21,610	14,438	7,172	5,213	3,545	1,668
1962	22,007	14,432	7,575	5,467	3,827	1,640
1963	22,140	14,508	7,632	5,452	3,930	1,522
1964	22,784	15,159	7,625	5,631	4,077	1,554
1965	23,343	15,613	7,730	5,730	4,220	1,510
1966	23,476	15,860	7,616	6,306	4,650	1,656
1967	23,535	15,752	7,783	6,455	4,704	1,751
1968	25,355	17,142	8,213	7,020	5,202	1,818
1969	25,956	17,582	8,374	7,506	5,616	1,890

TABLE 26 - PAGE 2
MARRIAGES AND DIVORCES - MISSISSIPPI - 1926-2005

YEAR	MARRIAGES			DIVORCES		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
1970	26,328	17,883	8,445	8,211	6,227	1,984
1971	27,597	18,668	8,929	8,936	6,705	2,231
1972	28,703	19,178	9,525	10,097	7,510	2,587
1973	28,513	19,276	9,237	10,787	8,138	2,649
1974	27,613	19,236	8,377	11,866	9,203	2,663
1975	26,279	18,602	7,677	12,303	9,570	2,733
1976	26,772	18,969	7,803	12,243	9,399	2,844
1977	26,843	19,200	7,643	12,759	9,921	2,838
1978	27,280	19,762	7,518	13,313	10,339	2,974
1979	27,279	19,843	7,436	13,628	10,402	3,226
1980	27,908	20,620	7,288	13,846	10,760	3,086
1981	28,002	20,877	7,125	14,182**	10,403	2,795
1982	27,584	20,547	7,037	12,861**	10,239	2,570
1983	26,921	19,950	6,971	13,436**	10,709	2,674
1984	26,025	19,255	6,770	12,911**	10,205	2,664
1985	24,750	18,241	6,509	12,535**	9,766	2,662
1986	24,283	17,729	6,554	12,871**	10,155	2,630
1987	23,729	17,286	6,443	12,142**	9,542	2,420
1988	24,919	18,335	6,584	12,097**	9,454	2,473
1989	24,240	17,735	6,505	12,945**	9,823	2,755
1990	24,348	17,766	6,582	12,735**	9,498	2,804
1991	23,446	17,235	6,211	13,027**	9,926	2,689
1992	22,995	16,776	6,219	12,758**	9,785	2,667
1993	23,271	17,066	6,205	13,860**	10,513	2,940
1994	22,872	16,479	6,393	13,302**	10,110	2,890
1995	22,150	15,714	6,436	13,182**	10,073	2,850
1996	21,550	15,219	6,331	14,263**	10,658	3,180
1997	21,338	14,630	6,708	13,860**	10,376	3,101
1998	20,911	14,222	6,689	13,748**	10,310	3,004
1999	21,828	14,436	7,392	14,056**	10,625	3,221
2000	19,879	13,232	6,647	14,177**	10,666	3,312
2001	18,605	12,483	6,122	14,198**	10,683	3,370
2002	18,447	12,451	5,996	14,196**	10,548	3,466
2003	17,827	12,081	5,746	13,330**	9,737	3,325
2004	17,705	12,055	5,650	13,003**	8,876	3,123
2005	16,862	11,318	5,544	12,798**	8,305	3,053

* TOTAL NUMBER OF MARRIAGES FOR 1926 AND TOTAL NUMBER OF DIVORCES FOR 1926 AND 1927 FURNISHED BY U.S. BUREAU OF CENSUS; DISTRIBUTION BY RACE NOT AVAILABLE.

** INCLUDES SOME RECORDS ON WHICH THE RACE OF THE COUPLE WAS NOT STATED.

NOTE: DUE TO INCONSISTENT REPORTING BY COUNTIES, STATISTICS ON MARRIAGES AND DIVORCES MAY BE INCOMPLETE.

TABLE 27
REPORTED INDUCED TERMINATIONS OF PREGNANCY
AND INDUCED TERMINATION RATIOS, BY YEAR AND RACE,
PROCEDURES PERFORMED IN MISSISSIPPI, 1976-2005

YEAR	NUMBER				RATIO*		
	TOTAL	WHITE	NON- WHITE	UNK. RACE	TOTAL	WHITE	NON- WHITE
1976	1,510	976	515	19	35.1	43.2	25.3
1977	2,446	1,531	907	8	53.7	65.5	40.9
1978	3,280	1,998	1,270	12	73.9	88.3	58.4
1979	4,411	2,765	1,636	10	96.1	117.7	72.9
1980	5,543	3,283	2,250	10	115.9	133.0	97.2
1981	5,561	3,236	2,263	62	120.3	136.1	100.8
1982	5,145	2,954	2,174	17	112.0	122.9	99.3
1983	4,560	2,473	2,084	3	103.6	109.1	97.7
1984	4,585	2,633	1,945	7	104.8	116.1	92.3
1985	5,288	2,922	2,359	7	121.8	127.4	115.1
1986	4,521	2,505	2,013	3	108.0	113.6	101.6
1987	5,469	2,950	2,517	2	132.5	136.7	127.7
1988	5,170	2,561	2,588	21	123.0	118.1	127.1
1989	5,490	2,674	2,802	14	127.6	121.2	133.7
1990	6,842	3,334	3,485	23	157.1	149.6	163.9
1991	8,184	3,910	4,244	30	189.5	178.5	199.5
1992	7,555	3,425	4,127	3	177.0	157.8	196.7
1993	6,002	2,425	3,551	26	142.4	114.1	170.0
1994	3,979	1,414	2,558	7	94.9	65.6	125.4
1995	3,563	1,288	2,274	1	86.2	59.7	115.1
1996	4,206	1,340	2,859	7	102.6	62.5	146.4
1997	4,325	1,418	2,906	1	104.1	64.4	149.0
1998	3,955	1,215	2,737	3	92.2	52.9	137.1
1999	3,878	1,060	2,810	8	90.9	46.8	140.3
2000	3,758	1,039	2,711	8	85.3	44.1	132.0
2001	3,566	960	2,598	8	84.3	42.1	133.4
2002	3,605	970	2,633	2	85.3	42.5	135.2
2003	3,753	957	2,769	27	88.7	41.4	144.2
2004	3,493	837	2,655	1	81.6	35.6	137.7
2005	3,041	672	2,356	13	71.8	29.2	122.0

* INDUCED TERMINATIONS OF PREGNANCY PER 1,000 LIVE BIRTHS.

TABLE 28
TEENAGE PREGNANCIES AND PREGNANCY RATES,
BY YEAR AND RACE, RESIDENCE DATA,
MISSISSIPPI, 1979-2005

YEAR	NUMBER			RATE*		
	TOTAL**	WHITE	NON-WHITE	TOTAL**	WHITE	NON-WHITE
1979	13,347	5,401	7,895	55.9	40.4	75.2
1980	13,544	5,712	7,808	56.8	42.7	74.4
1981	12,804	5,399	7,365	53.7	40.4	70.2
1982	12,217	5,125	7,080	51.2	38.4	67.4
1983	11,435	4,708	6,727	52.6	38.1	71.4
1984	11,091	4,382	6,709	51.0	35.5	71.3
1985	10,998	4,455	6,543	50.5	36.1	69.5
1986	10,231	4,077	6,154	47.0	33.0	65.4
1987	10,244	4,057	6,187	47.6	33.2	66.4
1988	10,565	4,174	6,391	49.3	34.3	69.0
1989#	11,267	4,403	6,855	52.9	36.4	74.4
1990#	11,379	4,457	6,916	53.1	39.0	69.3
1991#	11,545	4,485	7,056	53.9	39.2	70.7
1992#	11,089	4,119	6,969	51.8	36.0	69.8
1993#	10,962	3,911	7,046	51.2	34.2	70.6
1994#	10,802	3,889	6,911	50.4	34.0	69.3
1995#	10,778	3,984	6,789	49.9	34.5	67.5
1996#	10,401	3,787	6,612	48.1	32.8	65.7
1997#	9,989	3,681	6,305	46.2	31.9	62.7
1998#	9,891	3,748	6,143	45.9	32.8	60.5
1999#	9,675	3,646	6,027	45.2	32.1	59.8
2000#	9,508	3,618	5,889	42.9	31.1	55.9
2001#	8,624	3,309	5,314	38.9	28.4	50.4
2002#	8,192	3,266	4,925	38.2	29.1	48.3
2003#	7,743	3,070	4,666	36.3	27.6	45.8
2004#	7,673	3,131	4,538	36.4	28.3	45.3
2005#	7,405	2,900	4,502	35.5	26.6	45.3

* NUMBER OF LIVE BIRTHS PLUS REPORTABLE SPONTANEOUS FETAL DEATHS PLUS INDUCED TERMINATIONS PER 1,000 FEMALES AGES 10-19 IN SPECIFIED RACE GROUP.

** TOTAL FIGURES INCLUDE SOME FOR WHICH THE RACE WAS UNKNOWN.

FIGURES SHOWN ARE BY RACE OF MOTHER; FIGURES FOR YEARS PRIOR TO 1989 ARE BY RACE OF CHILD.

APPENDICES

APPENDIX A.
LIST OF 358 SELECTED CAUSES OF DEATH USED FOR TABULATING MORTALITY STATISTICS,
SHOWING GROUP NUMBER, CAUSE OF DEATH, AND ICD-10 CODES INCLUDED

This list of causes of death for the tabulation and dissemination of mortality data was prepared by the National Center for Health Statistics based on the Tenth Revision of the International Classification of Diseases (ICD-10) and recommendations by the World Health Organization (WHO).

The purpose of this list of 358 selected causes is threefold: (1) to separately identify causes of death specified by the WHO in its recommended mortality tabulation lists, (2) to the greatest extent possible, to maintain continuity with past lists (ie, NCHS's List of 282 Selected Causes of Death used with ICD-9) for historic continuity and to facilitate trend analysis, and (3) to separately identify causes of death that are of public health and medical importance.

Group	Cause of Death	ICD-10 Codes Included
001	Cholera	A00
002	Typhoid fever	A01.0
003	Paratyphoid fevers and other salmonella infections	A01.1-A01.4, A02
004	Shigellosis	A03
005	Other bacterial food-borne intoxications	A05
006	Amebiasis	A06
007	Intestinal infections due to other specified organisms	A04, A07-A08
008	Diarrhea and gastroenteritis of presumed infectious origin	A09
009	Respiratory tuberculosis	A16
010	Other tuberculosis	A17-A19
011	Plague	A20
012	Brucellosis	A23
013	Tetanus	A33-A35
014	Diphtheria	A36
015	Whooping cough	A37
016	Scarlet fever and erysipelas	A38, A46
017	Meningococcal infection	A39
018	Septicemia	A40-A41
019	Other zoonotic and bacterial diseases	A21-A22, A24-A32, A42-A44, A48-A49
020	Cardiovascular syphilis	A52.0
021	Neurosyphilis	A52.1-A52.3
022	Other and unspecified syphilis	A50-A51, A52.7-A52.9, A53
023	Gonococcal infection	A54

Group	Cause of Death	ICD-10 Codes Included
024	Other infections with a predominately sexual mode of transmission	A55-A64
025	Lyme disease	A69.2
026	Typhus fever	A75
027	All other infections caused by spirochetes, chlamydia or rickettsia	A65-A68, A69.0-A69.1, A69.8-A69.9, A70-A74, A77-A79
028	Acute poliomyelitis	A80
029	Rabies	A82
030	Arthropod-borne viral encephalitis	A83-A84, A85.2
031	Yellow fever	A95
032	Other and unspecified arthropod-borne viral and hemorrhagic fevers	A90-A94, A96-A99
033	Herpesviral (herpes simplex) infections	B00
034	Zoster (herpes zoster)	B02
035	Smallpox	B03
036	Measles	B05
037	Rubella (German measles)	B06
038	Viral hepatitis	B15-B19
039	Human immunodeficiency virus (HIV) disease resulting in infectious and parasitic diseases	B20
040	Human immunodeficiency virus (HIV) disease resulting in malignant neoplasms	B21
041	Human immunodeficiency virus (HIV) disease resulting in other specified diseases	B22
042	Human immunodeficiency virus (HIV) disease resulting in other conditions	B23
043	Unspecified human immunodeficiency virus (HIV) disease	B24
044	All other and unspecified viral diseases	A85.0-A85.1, A85.8, A86-A89, B01, B04, B07-B09, B25-B34
045	Mycoses	B35-B49
046	Malaria	B50-B54
047	Leishmaniasis	B55
048	Trypanosomiasis	B56-B57
049	Pneumocystosis	B59
050	Other and unspecified protozoal diseases	B58, B60-B64
051	Schistosomiasis (bilharziasis)	B65

Group	Cause of Death	ICD-10 Codes Included
052	Other and unspecified helminthiases	B66-B83
053	Sequelae of tuberculosis	B90
054	Sequelae of poliomyelitis	B91
055	All other and unspecified infectious and parasitic diseases and their sequela	B85-B89, B92-B99
056	Malignant neoplasms of lip	C00
057	Malignant neoplasms of tongue	C01-C02
058	Malignant neoplasms of pharynx	C10-C13, C14.0
059	Malignant neoplasms of other and unspecified sites within the lip, oral cavity and pharynx	C03-C09, C14.2-C14.8
060	Malignant neoplasms of esophagus	C15
061	Malignant neoplasms of stomach	C16
062	Malignant neoplasms of small intestine	C17
063	Malignant neoplasms of colon	C18
064	Malignant neoplasms of rectosigmoid junction and rectum	C19-C20
065	Malignant neoplasms of anus and anal canal	C21
066	Malignant neoplasms of liver	C22.0, C22.2-C22.9
067	Intrahepatic bile duct carcinoma	C22.1
068	Malignant neoplasms of gallbladder and extrahepatic bile ducts	C23-C24
069	Malignant neoplasms of pancreas	C25
070	Malignant neoplasms of other and ill-defined digestive organs	C26
071	Malignant neoplasms of nasal cavity, middle ear and accessory sinuses	C30-C31
072	Malignant neoplasms of larynx	C32
073	Malignant neoplasms of trachea, bronchus and lung	C33-C34
074	Malignant neoplasms of thymus, heart, mediastinum and pleura	C37-C38
075	Malignant neoplasms of other and ill-defined sites in respiratory system and intrathoracic organs	C39
076	Malignant neoplasms of bone and articular cartilage	C40-C41
077	Malignant melanoma of skin	C43
078	Other malignant neoplasms of skin	C44
079	Mesothelioma	C45

Group	Cause of Death	ICD-10 Codes Included
080	Kaposi's sarcoma	C46
081	Malignant neoplasms of other mesothelial and soft tissue	C47-C49
082	Malignant neoplasm of breast	C50
083	Malignant neoplasms of vulva and vagina	C51-C52
084	Malignant neoplasms of cervix uteri	C53
085	Malignant neoplasms of corpus uteri and uterus, part unspecified	C54-C55
086	Malignant neoplasms of ovary	C56
087	Malignant neoplasms of other and unspecified female genital organs	C57
088	Malignant neoplasms of placenta	C58
089	Malignant neoplasms of prostate	C61
090	Malignant neoplasms of testis	C62
091	Malignant neoplasms of penis and other and unspecified male genital organs	C60, C63
092	Malignant neoplasms of kidney and renal pelvis	C64-C65
093	Malignant neoplasms of bladder	C67
094	Malignant neoplasms of other and unspecified sites within the urinary tract	C66, C68
095	Malignant neoplasm of eye and adnexa	C69
096	Malignant neoplasms of brain	C71
097	Malignant neoplasms of other parts of central nervous system	C70, C72
098	Malignant neoplasms of thyroid and other endocrine glands	C73-C75
099	Other malignant neoplasms of other and unspecified sites	C76-C80, C97
100	Hodgkin's disease	C81
101	Non-Hodgkin's lymphoma	C82-C85
102	Malignant neoplasms of other and unspecified lymphoid, hematopoietic and related tissue	C96
103	Malignant immunoproliferative diseases	C88
104	Multiple myeloma and malignant plasma cell neoplasms	C90
105	Lymphoid leukemia	C91
106	Myeloid leukemia	C92
107	Monocytic leukemia	C93

Group	Cause of Death	ICD-10 Codes Included
108	Other and unspecified leukemia	C94-C95
109	Carcinoma in situ of breast and genitourinary system	D05-D07
110	Carcinoma in situ of other and unspecified sites	D00-D04, D09
111	Benign neoplasms of female genital organs	D25-D28
112	Benign neoplasms of eye, brain and other parts of central nervous system	D31-D33
113	Benign neoplasms of other and unspecified sites	D10-D24, D29-D30, D34-D36
114	Neoplasms of uncertain or unknown behavior of specified sites	D37-D47
115	Neoplasm of uncertain or unknown behavior of unspecified sites	D48
116	Nutritional anemias	D50-D53
117	Hemolytic anemias	D55-D59
118	Aplastic anemias	D60-D61
119	Acute posthemorrhagic and other anemias	D62, D64
120	Coagulation defects, purpura and other hemorrhagic conditions	D65-D69
121	Other diseases of blood and blood-forming organs	D70-D76
122	Certain disorders involving the immune mechanism	D80-D89
123	Disorders of thyroid gland	E00-E07
124	Diabetes mellitus	E10-E14
125	Disorders of pituitary gland	E22-E23
126	Disorders of adrenal glands	E24-E27
127	Diseases of thymus	E32
128	Other endocrine diseases	E15-E21, E28-E31, E34
129	Nutritional marasmus	E41
130	Other and unspecified malnutrition	E40, E42-E46
131	Other nutritional deficiencies	E50-E64
132	Obesity and other hyperalimentation	E65-E68
133	Cystic fibrosis	E84
134	Volume depletion, disorders of fluid, electrolyte and acid-base balance	E86-E87
135	Other metabolic disorders	E70-E83, E85, E88

Group	Cause of Death	ICD-10 Codes Included
136	Organic dementia	F01, F03
137	Other and unspecified organic mental disorders	F04-F09
138	Mental and behavioral disorders due to use of alcohol	F10
139	Mental and behavioral disorders due to other psychoactive substance use	F11-F19
140	Schizophrenia, schizotypal and delusional disorders	F20-F29
141	Mood (affective) disorders	F30-F39
142	Neurotic, stress-related and somatoform disorders	F40-F48
143	Mental retardation	F70-F79
144	Other and unspecified mental and behavioral disorders	F50-F69, F80-F99
145	Meningitis	G00, G03
146	Other inflammatory diseases of central nervous system	G04-G09
147	Parkinson's disease	G20-G21
148	Alzheimer's disease	G30
149	Multiple sclerosis	G35
150	Epilepsy	G40-G41
151	Transient cerebral ischemic attacks and related syndromes	G45
152	Infantile cerebral palsy	G80
153	All other diseases of nervous system	G10-G12, G23-G25, G31, G36-G37, G43-G44, G47-G72, G81-G98
154	Diseases of the eye and adnexa	H00-H57
155	Diseases of the ear and mastoid process	H60-H93
156	Acute rheumatic fever	I00-I02
157	Rheumatic mitral valve diseases	I05
158	Rheumatic aortic valve diseases	I06
159	Disorders of both mitral and aortic valves	I08.0
160	Other chronic rheumatic heart diseases	I07, I08.1-I08.9, I09
161	Essential (primary) hypertension	I10
162	Hypertensive heart disease	I11
163	Hypertensive renal disease	I12
164	Hypertensive heart and renal disease	I13

Group	Cause of Death	ICD-10 Codes Included
165	Acute myocardial infarction	I21-I22
166	Other acute ischemic heart diseases	I24
167	Atherosclerotic cardiovascular disease, so described	I25.0
168	All other forms of chronic ischemic heart disease	I20, I25.1-I25.9
169	Pulmonary embolism	I26
170	Other pulmonary heart disease and diseases of pulmonary circulation	I27-I28
171	Acute and subacute endocarditis	I33
172	Diseases of pericardium and acute myocarditis	I30-I31, I40
173	Nonrheumatic mitral valve disorders	I34
174	Nonrheumatic aortic valve disorders	I35
175	All other diseases of endocardium	I36-I38
176	Cardiomyopathy	I42
177	Conduction disorders and cardiac dysrhythmias	I44-I49
178	Congestive heart failure	I50.0
179	Other and unspecified heart failure	I50.1-I50.9
180	Myocarditis, unspecified and myocardial degeneration	I51.4-I51.5
181	All other and ill-defined forms of heart disease	I51.0-I51.3, I51.6-I51.9
182	Subarachnoid hemorrhage	I60
183	Intracerebral and other intracranial hemorrhage	I61-I62
184	Cerebral infarction	I63
185	Stroke, not specified as hemorrhage or infarction	I64
186	Other cerebrovascular diseases and their sequelae	I67, I69
187	Atherosclerosis	I70
188	Aortic aneurysm and dissection	I71
189	Other diseases of arteries, arterioles and capillaries	I72-I78
190	Phlebitis, thrombophlebitis, venous embolism and thrombosis	I80-I82
191	All other and unspecified disorders of circulatory system	I83-I99
192	Acute pharyngitis and tonsillitis	J02-J03

Group	Cause of Death	ICD-10 Codes Included
193	Acute laryngitis and tracheitis	J04
194	Other and unspecified acute upper respiratory infections	J00-J01, J05-J06
195	Influenza	J10-J11
196	Viral pneumonia, not elsewhere classified	J12
197	Bacterial pneumonia	J13-J15
198	Pneumonia due to other or unspecified organisms	J16, J18
199	Acute bronchitis and bronchiolitis	J20-J21
200	Unspecified acute lower respiratory infection	J22
201	Other diseases of upper respiratory tract	J30-J39
202	Bronchitis, not specified as acute or chronic	J40
203	Chronic bronchitis	J41-J42
204	Emphysema	J43
205	Other chronic obstructive pulmonary disease	J44
206	Asthma	J45-J46
207	Bronchiectasis	J47
208	Pneumoconioses and chemical effects	J60-J66, J68
209	Pneumonitis due to food and vomit	J69.0
210	Other pneumonitis due to solids and liquids	J69.1-J69.8
211	Other lung diseases due to external agents	J67, J70
212	Suppurative and necrotic conditions of lower respiratory tract	J85-J86
213	Pleural effusion and plaque	J90, J92
214	All other diseases of respiratory system	J80-J84, J93-J98
215	Diseases of oral cavity, salivary glands and jaws	K00-K14
216	Diseases of esophagus	K20-K22
217	Gastric ulcer	K25
218	Duodenal ulcer	K26
219	Peptic ulcer, site unspecified	K27
220	Gastrojejunal ulcer	K28
221	Gastritis and duodenitis	K29
222	Dyspepsia and other diseases of stomach and duodenum	K30-K31
223	Diseases of appendix	K35-K38

Group	Cause of Death	ICD-10 Codes Included
224	Hernia	K40-K46
225	Crohn's disease and ulcerative colitis	K50-K51
226	Vascular disorders and obstruction of intestine without hernia	K55-K56
227	Diverticular disease of intestine	K57
228	Other diseases of intestines and peritoneum	K52, K58-K63
229	Diseases of peritoneum	K65-K66
230	Alcoholic liver disease	K70
231	Chronic hepatitis, not elsewhere classified	K73
232	Fibrosis and cirrhosis of liver	K74
233	Other diseases of liver	K71-K72, K75-K76
234	Cholelithiasis and other disorders of gallbladder	K80-K82
235	Pancreatitis	K85, K86.0-K86.1
236	Other disorders of biliary tract and pancreas	K83, K86.2-K86.9
237	All other diseases of digestive system	K90, K92
238	Infections of skin and subcutaneous tissue	L00-L08
239	Other and unspecified diseases of skin and subcutaneous tissue	L10-L98
240	Rheumatoid arthritis and related inflammatory polyarthropathies	M05-M08
241	Systemic lupus erythematosus	M32
242	Other arthropathies and related disorders	M00, M02, M10-M31, M33-M35
243	Dorsopathies	M40-M54
244	Soft tissue disorders	M60-M79
245	Osteoporosis	M80-M81
246	Other osteopathies, chondropathies and disorders of musculoskeletal system and connective tissue	M83-M99
247	Acute and rapidly progressive nephritic syndrome	N00-N01
248	Nephrotic syndrome	N04
249	Other and unspecified glomerular diseases	N02-N03, N05-N07
250	Renal tubulo-interstitial diseases	N10-N15
251	Renal failure	N17-N19
252	Urolithiasis	N20-N23
253	Other and unspecified disorders of kidney	N25-N27

Group	Cause of Death	ICD-10 Codes Included
254	Urinary tract infection, site not specified	N39.0
255	Other diseases of urinary system	N28-N36, N39.1-N39.9
256	Hyperplasia of prostate	N40
257	Other diseases of male genital organs	N41-N50
258	Disorders of breast	N60-N64
259	Inflammatory diseases of female pelvic organs	N70-N76
260	Noninflammatory disorders of female genital tract	N80-N98
261	Ectopic pregnancy	000
262	Spontaneous abortion	003
263	Medical abortion	004
264	Other abortion	005
265	Other and unspecified pregnancy with abortive outcome	001-002, 006-007
266	Eclampsia and pre-eclampsia	011, 013-016
267	Hemorrhage of pregnancy and childbirth and placenta previa	020, 044-046, 067, 072
268	Obstetric embolism	088
269	Other complications predominately related to the puerperium	085-087, 089-092
270	All other direct obstetric causes	010, 012, 021-043, 047-066, 068-071, 073-075
271	Obstetric death of unspecified cause	095
272	Other deaths related to pregnancy, childbirth and the puerperium	096-097
273	Indirect obstetric deaths	098-099
274	Newborn affected by maternal factors and by complications of pregnancy, labor and delivery	P00-P04
275	Disorders related to short gestation and low birth weight, not elsewhere classified	P07
276	Birth trauma	P10-P15
277	Intrauterine hypoxia and birth asphyxia	P20-P21
278	Respiratory distress of newborn	P22
279	Other respiratory conditions originating in the perinatal period	P23-P28
280	Infections specific to the perinatal period	P35-P39
281	Other and unspecified conditions originating in the perinatal period	P05, P08, P29, P50-P96

Group	Cause of Death	ICD-10 Codes Included
282	Anencephaly and similar malformations	Q00
283	Spina bifida	Q05
284	All other congenital malformations of nervous system	Q01-Q04, Q06-Q07
285	Congenital malformations of heart	Q20-Q24
286	Other congenital malformations of circulatory system	Q25-Q28
287	Congenital malformations of respiratory system	Q30-Q34
288	Other congenital malformations and deformations	Q10-Q18, Q35-Q89
289	Down's syndrome	Q90
290	All other chromosomal abnormalities, not elsewhere classified	Q91-Q99
291	Senility	R54
292	Sudden infant death syndrome	R95
293	Other ill-defined and unknown causes of mortality	R96-R99
294	All other symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified	R00-R53, R55-R94
295	Railway accidents	V05, V15, V80.6, V81.2-V81.9
296	Pedestrian involved in collision with motor vehicle	V02-V04
297	Pedal cyclist involved in collision with motor vehicle	V12-V14, V19.0-V19.2, V19.4-V19.6
298	Motorcyclist involved in any accident except collision with railway train	V20-V24, V26-V34, V36-V39
299	Motorcyclist involved in collision with railway train	V25, V35
300	Other motor vehicle accident involving collision with railway train	V45, V55, V65, V75, V81.0-V81.1, V87.6, V88.6
301	Occupant of motor vehicle involved in collision with other (non-motorized) road vehicle, streetcar, animal or pedestrian	V40-V41, V46-V47, V50-V51, V56-V57, V60-V61, V66-V67, V70-V71, V76-V77
302	Occupant of car, pickup truck or van involved in collision with other motor vehicle	V42-V44, V49, V52-V54, V59
303	Occupant of heavy transport vehicle or bus involved in collision with other motor vehicle	V62-V64, V69, V72-V74, V79
304	Occupant of motor vehicle involved in noncollision accident	V48, V58, V68, V78

Group	Cause of Death	ICD-10 Codes Included
305	Occupant of special-use motor vehicle involved in any accident	V83-V86
306	Other and unspecified motor vehicle accidents	V09.0, V09.2, V80.3-V80.5, V82.0-V82.1, V87.0-V87.5, V87.7-V87.8, V88.0-V88.5, V88.7-V88.8, V89.0, V89.2
307	Streetcar accidents	V82.2-V82.9
308	Other and unspecified land transport accidents	V01, V06, V09.1, V09.3, V09.9, V10-V11, V16-V18, V19.3, V19.8-V19.9, V80.0-V80.2, V80.7-V80.9, V87.9, V88.9, V89.1, V89.3, V89.9
309	Water transport accidents	V90-V94
310	Air and space transport accidents	V95-V97
311	Other and unspecified transport accidents and their sequelae	V98-V99, Y85
312	Fall on same level	W00-W09, W18
313	Fall from one level to another	W10-W17
314	Unspecified fall	W19
315	Accidental discharge of firearms	W32-W34
316	Accidental explosion	W39-W40
317	Accidental drowning and submersion	W65-W74
318	Accidental inhalation and ingestion of food or other objects causing obstruction of respiratory tract	W78-W80
319	Other accidental and unspecified threats to breathing	W75-W77, W81-W84
320	Accidental exposure to electric current	W85-W87
321	Accidental exposure to radiation	W88-W91
322	Accidental exposure to smoke, fire and flames	X00-X09
323	Accidental contact with heat and hot substances	X10-X19
324	Lightning	X33
325	Earthquake, volcanic eruption, avalanche, landslide and other earth movements	X34-X36
326	Cataclysmic storm and flood	X37-X38
327	Accidental poisoning by and exposure to drugs and other biological substances	X40-X44
328	Accidental poisoning by and exposure to other and unspecified solid or liquid substances	X45-X46, X48-X49

Group	Cause of Death	ICD-10 Codes Included
329	Accidental poisoning by and exposure to other gases and vapors	X47
330	All other and unspecified accidents and their sequelae	W20-W31, W35-W38, W41-W64, W92-W99, X20-X32, X39, X50-X59, Y86
331	Intentional self-poisoning (suicide) by and exposure to drugs and other biological substances	X60-X64
332	Intentional self-poisoning (suicide) by and exposure to other and unspecified solid or liquid substances and their vapors	X65-X66, X68-X69
333	Intentional self-poisoning (suicide) by and exposure to other gases and vapors	X67
334	Intentional self-harm (suicide) by hanging, strangulation and suffocation	X70
335	Intentional self-harm (suicide) by discharge of firearms	X72-X74
336	Intentional self-harm (suicide) by jumping from a high place	X80
337	Intentional self-harm (suicide) by all other and unspecified means and their sequelae	X71, X75-X79, X81-X84, Y87.0
338	Assault (homicide) by drugs, biological substances and other and unspecified noxious substances	X85-X90
339	Assault (homicide) by hanging, strangulation and suffocation	X91
340	Assault (homicide) by discharge of firearms	X93-X95
341	Assault (homicide) by sharp object	X99
342	Assault (homicide) by blunt object	Y00
343	Assault (homicide) by bodily force	Y04
344	Sexual assault (homicide) by bodily force	Y05
345	Neglect, abandonment and other maltreatment syndromes	Y06-Y07
346	Assault (homicide) by all other and unspecified means and their sequelae	X92, X96-X98, Y01-Y03, Y08-Y09, Y87.1
347	Poisoning by and exposure to drugs and biological substances, undetermined intent	Y10-Y14
348	Poisoning by and exposure to other and unspecified solid or liquid substance, undetermined intent	Y15-Y16, Y18-Y19
349	Poisoning by and exposure to other gases and vapors, undetermined intent	Y17
350	Discharge of firearms, undetermined intent	Y22-Y24

Group	Cause of Death	ICD-10 Codes Included
351	Falling, jumping or pushed from a high place, undetermined intent	Y30
352	All other and unspecified events of undetermined intent and their sequelae	Y20-Y21, Y25-Y29, Y31-Y34, Y87.2, Y89.9
353	Legal execution	Y35.5
354	Other legal intervention and their sequelae	Y35.0-Y35.4, Y35.6-Y35.7, Y89.0
355	Operations of war and their sequelae	Y36, Y89.1
356	Drugs, medicaments and biological substances causing adverse effects in therapeutic use, and their sequelae	Y40-Y59, Y88.0
357	Misadventures to patients during medical and surgical care and their sequelae	Y60-Y69, Y88.1
358	Other complications of medical and surgical care and their sequelae	Y70-Y84, Y88.2-Y88.3

**APPENDIX B.
LIST OF 50 SELECTED CATEGORIES OF CAUSES OF DEATH
USED FOR RANKING LEADING CAUSES,
SHOWING GROUP NUMBERS, CAUSES OF DEATH,
AND ICD-10 CODES INCLUDED IN EACH CATEGORY**

These cause-of-death categories were adapted from the National Center for Health Statistics List of 358 Selected Causes of Death (see Appendix A), and were constructed in part by combining certain titles from that list.

These categories are used for ranking leading causes of death.

Group Numbers Included*	Cause of Death	ICD-10 Codes Included
002, 003	Salmonella infections	A01-A02
004, 006	Shigellosis and amebiasis	A03, A06
009, 010	Tuberculosis	A16-A19
015	Whooping cough	A37
016	Scarlet fever and erysipelas	A38, A46
017	Meningococcal infection	A39
018	Septicemia	A40-A41
020-022	Syphilis	A50-A53
028	Acute poliomyelitis	A80
030	Arthropod-borne viral encephalitis	A83-A84, A85.2
036	Measles	B05
038	Viral hepatitis	B15-B19
039-043	Human immunodeficiency virus (HIV) disease	B20-B24
046	Malaria	B50-B54
056-108	Malignant neoplasms	C00-C97
110-115	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior	D00-D48
116-119	Anemias	D50-D64
124	Diabetes mellitus	E10-E14
129-131	Nutritional deficiencies	E40-E64
145	Meningitis	G00, G03
147	Parkinson's disease	G20-G21
148	Alzheimer's disease	G30
156-160, 162, 164-181	Diseases of heart	I00-I09, I11, I13, I20-I51
161, 163	Essential (primary) hypertension and hypertensive renal disease	I10, I12

Group Numbers Included*	Cause of Death	ICD-10 Codes Included
182-186	Cerebrovascular diseases	I60-I69
187	Atherosclerosis	I70
188	Aortic aneurysm and dissection	I71
195-198	Influenza and pneumonia	J10-J18
199	Acute bronchitis and bronchiolitis	J20-J21
202-207	Chronic lower respiratory diseases	J40-J47
208	Pneumoconioses and chemical effects	J60-J66, J68
209, 210	Pneumonitis due to solids and liquids	J69
217-220	Peptic ulcer	K25-K28
223	Diseases of appendix	K35-K38
224	Hernia	K40-K46
230-232	Chronic liver disease and cirrhosis	K70, K73-K74
234	Cholelithiasis and other disorders of gallbladder	K80-K82
247-249, 251, 253	Nephritis, nephrotic syndrome and nephrosis	N00-N07, N17-N19, N25-N27
**	Infections of kidney	N10-N12, N13.6, N15.1
256	Hyperplasia of prostate	N40
259	Inflammatory diseases of female pelvic organs	N70-N76
261-273	Pregnancy, childbirth and the puerperium	000-099
274-281	Certain conditions originating in the perinatal period	P00-P96
282-290	Congenital malformations, deformations and chromosomal abnormalities	Q00-Q99
295-330	Accidents	V01-X59, Y85, Y86
331-337	Intentional self-harm (suicide)	X60-X84, Y87.0
338-346	Assault (homicide)	X85-Y09, Y87.1
353-354	Legal intervention	Y35, Y89.0
335	Operations of war and their sequelae	Y36, Y89.1
356-358	Complications of medical and surgical care	Y40-Y84, Y88

* Refer to Appendix A for the cause(s) of death and ICD-10 codes included in each individual group number.

** The ICD-10 codes included in this category have no corresponding group number.

**APPENDIX C.
LIST OF 130 SELECTED CAUSES OF INFANT DEATH
USED FOR TABULATING INFANT MORTALITY STATISTICS,
SHOWING GROUP NUMBER, CAUSE OF DEATH, AND ICD-10 CODES INCLUDED**

This list of causes of death for the tabulation and dissemination of infant mortality data was prepared by the National Center for Health Statistics based on the Tenth Revision of the International Classification of Diseases (ICD-10) and recommendations by the World Health Organization (WHO).

This list is used for the analysis of infant mortality and for ranking leading causes of infant death, and contains more detailed titles for Certain conditions originating in the perinatal period and Congenital malformations, deformations and chromosomal abnormalities than the List of 358 Selected Causes of Death (see Appendix A). The categories used for ranking leading causes of infant death are marked with a #, and may include one or more group numbers.

Group	Cause of Death	ICD-10 Codes Included
	<u>Certain infectious and parasitic diseases</u>	<u>A00-B99</u>
001	Certain intestinal infectious diseases	A00-A08
002	# Diarrhea and gastroenteritis of presumed infectious origin	A09
003	# Tuberculosis	A16-A19
004	# Tetanus	A33, A35
005	# Diphtheria	A36
006	# Whooping cough	A37
007	# Meningococcal infection	A39
008	# Septicemia	A40-A41
009	# Congenital syphilis	A50
010	# Gonococcal infection	A54
	<u>Viral diseases</u>	<u>A80-B34</u>
011	# Acute poliomyelitis	A80
012	# Varicella (chickenpox)	B01
013	# Measles	B05
014	# Human immunodeficiency virus (HIV) disease	B20-B24
015	# Mumps	B26
016	Other and unspecified viral diseases	A81-B00, B02-B04, B06-B19, B25, B27-B34
017	# Candidiasis	B37
018	# Malaria	B50-B54
019	# Pneumocystosis	B59

Group	Cause of Death	ICD-10 Codes Included
020	Other and unspecified infectious and parasitic diseases and their sequelae	A20-A32, A38, A42-A49, A51-A53, A55-A79, B35-B36, B38-B49, B55-B58, B60-B99
	<u>Neoplasms</u>	<u>C00-D48</u>
	# <u>Malignant neoplasms</u>	<u>C00-C97</u>
021	Hodgkin's disease and non-Hodgkin's lymphomas	C81-C85
022	Leukemia	C91-C95
023	Other and unspecified malignant neoplasms	C00-C80, C88, C90, C96-C97
024	# In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior	D00-D48
	# <u>Diseases of the blood and blood-forming organs and certain disorders involving the immune mechanism</u>	<u>D50-D89</u>
025	Anemias	D50-D64
026	Hemorrhagic conditions and other diseases of blood and blood-forming organs	D65-D76
027	Certain disorders involving the immune mechanism	D80-D89
	<u>Endocrine, nutritional and metabolic diseases</u>	<u>E00-E88</u>
028	# Short stature, not elsewhere classified	E34.3
029	# Nutritional deficiencies	E40-E64
030	# Cystic fibrosis	E84
031	# Volume depletion, disorders of fluid, electrolyte and acid-base balance	E86-E87
032	All other endocrine, nutritional and metabolic diseases	E00-E32, E34.0-E34.2, E34.4-E34.9, E65-E83, E85, E88
	<u>Diseases of the nervous system</u>	<u>G00-G98</u>
033	# Meningitis	G00, G03
034	# Infantile spinal muscular atrophy, type I (Werdnig-Hoffman)	G12.0
035	# Infantile cerebral palsy	G80
036	# Anoxic brain damage, not elsewhere classified	G93.1
037	Other diseases of nervous system	G04, G06-G11, G12.1-G12.9, G20-G72, G81-G92, G93.0, G93.2-G93.9, G95-G98
038	# Diseases of the ear and mastoid process	H60-H93
	# <u>Diseases of the circulatory system</u>	<u>I00-I99</u>

Group	Cause of Death	ICD-10 Codes Included
039	Pulmonary heart disease and diseases of pulmonary circulation	I26-I28
040	Pericarditis, endocarditis and myocarditis	I30, I33, I40
041	Cardiomyopathy	I42
042	Cardiac arrest	I46
043	Cerebrovascular diseases	I60-I69
044	All other diseases of circulatory system	I00-I25, I31, I34-I38, I44-I45, I47-I51, I70-I99
	<u>Diseases of the respiratory system</u>	<u>J00-J98</u>
045	Acute upper respiratory infections	J00-J06
	# <u>Influenza and pneumonia</u>	<u>J10-J18</u>
046	Influenza	J10-J11
047	Pneumonia	J12-J18
048	# Acute bronchitis and acute bronchiolitis	J20-J21
049	# Bronchitis, chronic and unspecified	J40-J42
050	# Asthma	J45-J46
051	# Pneumonitis due to solids and liquids	J69
052	Other and unspecified diseases of respiratory system	J22, J30-J39, J43-J44, J47-J68, J70-J98
	<u>Diseases of the digestive system</u>	<u>K00-K92</u>
053	# Gastritis, duodenitis, and noninfective enteritis and colitis	K29, K50-K55
054	# Hernia of abdominal cavity and intestinal obstruction without hernia	K40-K46, K56
055	All other and unspecified diseases of digestive system	K00-K28, K30-K38, K57-K92
	<u>Diseases of the genitourinary system</u>	<u>N00-N98</u>
056	# Renal failure and other disorders of kidney	N17-N19, N25, N27
057	Other and unspecified diseases of genitourinary system	N00-N15, N20-N23, N26, N28-N98
	<u>Certain conditions originating in the perinatal period</u>	<u>P00-P96</u>
	<u>Newborn affected by maternal factors and by complications of pregnancy, labor and delivery</u>	<u>P00-P04</u>
058	# Newborn affected by maternal hypertensive disorders	P00.0

Group	Cause of Death	ICD-10 Codes Included
059	# Newborn affected by other maternal conditions which may be unrelated to present pregnancy	P00.1-P00.9
	<u># Newborn affected by maternal complications of pregnancy</u>	<u>P01</u>
060	Newborn affected by incompetent cervix	P01.0
061	Newborn affected by premature rupture of membranes	P01.1
062	Newborn affected by multiple pregnancy	P01.5
063	Newborn affected by other maternal complications of pregnancy	P01.2-P01.4, P01.6-P01.9
	<u># Newborn affected by complications of placenta, cord and membranes</u>	<u>P02</u>
064	Newborn affected by complications involving placenta	P02.0-P02.3
065	Newborn affected by complications involving cord	P02.4-P02.6
066	Newborn affected by chorioamnionitis	P02.7
067	Newborn affected by other and unspecified abnormalities of membranes	P02.8-P02.9
068	# Newborn affected by other complications of labor and delivery	P03
069	# Newborn affected by noxious influences transmitted via placenta or breast milk	P04
	<u>Disorders related to length of gestation and fetal malnutrition</u>	<u>P05-P08</u>
070	# Slow fetal growth and fetal malnutrition	P05
	<u># Disorders related to short gestation and low birth weight, not elsewhere classified</u>	<u>P07</u>
071	Extremely low birth weight or extreme immaturity	P07.0, P07.2
072	Other low birth weight or preterm	P07.1, P07.3
073	# Disorders related to long gestation and high birth weight	P08
074	# Birth trauma	P10-P15
	<u># Intrauterine hypoxia and birth asphyxia</u>	<u>P20-P21</u>
075	Intrauterine hypoxia	P20
076	Birth asphyxia	P21
077	# Respiratory distress of newborn	P22
	<u>Other respiratory conditions originating in the perinatal period</u>	<u>P23-P28</u>

Group	Cause of Death	ICD-10 Codes Included
078	# Congenital pneumonia	P23
079	# Neonatal aspiration syndromes	P24
080	# Interstitial emphysema and related conditions originating in the perinatal period	P25
081	# Pulmonary hemorrhage originating in the perinatal period	P26
082	# Chronic respiratory disease originating in the perinatal period	P27
083	# Atelectasis	P28.0-P28.1
084	All other respiratory conditions originating in the perinatal period	P28.2-P28.9
	<u>Infections specific to the perinatal period</u>	<u>P35-P39</u>
085	# Bacterial sepsis of newborn	P36
086	# Omphalitis of newborn with or without mild hemorrhage	P38
087	All other infections specific to the perinatal period	P35, P37, P39
	<u>Hemorrhagic and hematological disorders of newborn</u>	<u>P50-P61</u>
088	# Neonatal hemorrhage	P50-P52, P54
089	# Hemorrhagic disease of newborn	P53
090	# Hemolytic disease of newborn due to isoimmunization and other perinatal jaundice	P55-P59
091	# Hematological disorders	P60-P61
092	# Syndrome of infant of a diabetic mother and neonatal diabetes mellitus	P70.0-P70.2
093	# Necrotizing enterocolitis of newborn	P77
094	# Hydrops fetalis not due to hemolytic disease	P83.2
095	Other perinatal conditions	P29, P70.3-P70.9, P71-P76, P78-P81, P83.0-P83.1, P83.3-P83.9, P90-P96
	<u># Congenital malformations, deformations and chromosomal abnormalities</u>	<u>Q00-Q99</u>
096	Anencephaly and similar malformations	Q00
097	Congenital hydrocephalus	Q03
098	Spina bifida	Q05
099	Other congenital malformations of nervous system	Q01-Q02, Q04, Q06-Q07
100	Congenital malformations of heart	Q20-Q24

Group	Cause of Death	ICD-10 Codes Included
101	Other congenital malformations of circulatory system	Q25-Q28
102	Congenital malformations of respiratory system	Q30-Q34
103	Congenital malformations of digestive system	Q35-Q45
104	Congenital malformations of genitourinary system	Q50-Q64
105	Congenital malformations and deformations of musculoskeletal system, limbs and integument	Q65-Q85
106	Down's syndrome	Q90
107	Edward's syndrome	Q91.0-Q91.3
108	Patau's syndrome	Q91.4-Q91.7
109	Other congenital malformations and deformations	Q10-Q18, Q86-Q89
110	Other chromosomal abnormalities, not elsewhere classified	Q92-Q99
	<u>Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified</u>	<u>R00-R99</u>
111	# Sudden infant death syndrome	R95
112	Other symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified	R00-R53, R55-R94, R96-R99
113	All other diseases (Residual)	F01-F99, H00-H57, L00-M99
	<u>External causes of mortality</u>	<u>V01-Y89</u>
	# <u>Accidents</u>	<u>V01-X59, Y85-Y86</u>
	<u>Transport accidents</u>	<u>V01-V99, Y85</u>
114	Motor vehicle accidents	V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2
115	Other and unspecified transport accidents and their sequelae	V01, V05-V06, V09.1, V09.3-V09.9, V10-V11, V15-V18, V19.3, V19.8-V19.9, V80.0-V80.2, V80.6-V80.9, V81.2-V81.9, V82.2-V82.9, V87.9, V88.9, V89.1, V89.3, V89.9, V90-V99, Y85
116	Falls	W00-W19
117	Accidental discharge of firearms	W32-W34
118	Accidental drowning and submersion	W65-W74

Group	Cause of Death	ICD-10 Codes Included
119	Accidental suffocation and strangulation in bed	W75
120	Other accidental suffocation and strangulation	W76-W77, W81-W84
121	Accidental inhalation and ingestion of food or other objects causing obstruction of respiratory tract	W78-W80
122	Accidents caused by exposure to smoke, fire and flames	X00-X09
123	Accidental poisoning and exposure to noxious substances	X40-X49
124	Other and unspecified accidents and their sequelae	W20-W31, W35-W64, W85-W99, X10-X39, X50-X59, Y86
	<u># Assault (homicide)</u>	<u>X85-Y09, Y87.1</u>
125	Assault (homicide) by hanging, strangulation and suffocation	X91
126	Assault (homicide) by discharge of firearms	X93-X95
127	Neglect, abandonment and other maltreatment syndromes	Y06-Y07
128	Assault (homicide) by other and unspecified means and their sequelae	X85-X90, X92, X96-X99, Y00-Y05, Y08-Y09, Y87.1
129	<u># Complications of medical and surgical care</u>	<u>Y40-Y84, Y88</u>
130	Other external causes and their sequelae	X60-X84, Y10-Y36, Y87.0, Y87.2, Y89

Category is used for ranking leading causes of infant death.

Appendix D
Finalized Adoptions by Chancery Court District
as Reported to the Administrative Office of Courts by the Chancery Clerks
Fiscal Year 2006

District	Jul-05	Aug-05	Sep-05	Oct-05	Nov-05	Dec-05	Jan-06	Feb-06	Mar-06	Apr-06	May-06	Jun-06	TOTAL
1	4	18	13	9	12	7	4	11	8	13	9	8	116
2	1	2	3	2	1	2	1	3	6	4	2	2	29
3	4	8	11	4	5	14	0	6	5	5	5	6	73
4	0	2	1	4	0	1	2	1	2	0	2	0	15
5	3	11	14	6	0	2	1	1	4	21	2	3	68
6	0	0	0	2	0	0	2	0	1	0	1	1	7
7	1	1	3	1	0	6	1	0	0	2	1	0	16
8	2	4	1	1	1	1	2	2	0	2	6	1	23
9	6	6	6	2	2	4	0	6	2	0	2	2	38
10	12	8	1	6	7	10	14	9	9	5	8	5	94
11	0	0	1	0	1	0	1	0	1	0	0	0	4
12	10	5	4	8	4	1	2	2	2	2	5	3	48
13	0	0	0	0	2	0	0	1	4	1	1	3	12
14	3	3	3	7	3	0	2	1	4	1	1	2	30
15	0	2	2	0	2	1	0	2	0	1	1	3	14
16	0	5	0	0	0	0	0	0	0	0	0	0	5
17	2	6	0	1	3	0	3	1	0	0	0	0	16
18	0	1	2	2	2	3	3	0	3	3	1	1	21
19	0	3	2	1	4	1	5	7	3	3	3	3	35
20	4	6	2	9	0	1	1	2	0	1	0	1	27
TOTAL	52	91	69	65	49	54	44	55	54	64	50	44	691

Source: Administrative Office of Courts

Map of Chancery Court Districts: http://www.sos.state.ms.us/ed_pubs/ctcalendar/Chancery%20and%20Circuit%20Judges.pdf

Appendix E
Deaths Related to Hurricane Katrina

Characteristics	Category*			Total
	Direct	Indirect	Possibly related	
<u>Total</u>	<u>175</u>	<u>23</u>	<u>19</u>	<u>217</u>
Sex				
Male	100	16	8	124
Female	75	7	11	93
Race				
White	136	16	14	166
Nonwhite	39	7	5	51
Age Group				
< 1	0	0	0	0
1-4	1	0	0	1
5-9	0	0	0	0
10-14	1	0	0	1
15-24	3	0	0	3
25-34	8	1	0	9
35-44	11	3	0	14
45-54	34	5	1	40
55-64	29	7	3	39
65-74	29	3	4	36
75-84	41	4	6	51
85+	14	0	5	19
Unknown	4	0	0	4
County of Residence				
Forrest	1	3	1	5
George	1	0	0	1
Greene	0	1	0	1
Hancock	55	1	1	57
Harrison	99	4	3	106
Hinds	1	0	0	1
Jackson	12	2	0	14
Jasper	0	0	1	1
Jeff Davis	1	0	0	1
Jones	1	3	4	8
Lamar	0	1	0	1
Lauderdale	1	0	2	3
Leake	1	0	0	1
Newton	0	1	1	2
Perry	0	1	0	1
Smith	0	0	1	1
Stone	0	1	0	1
Walthall	0	1	1	2
Warren	1	0	0	1
Out of State	1	4	4	9

Note: Includes one death that occurred in 2006 and excludes 5 deaths from 2005 and 2 deaths from 2006 that mentioned Hurricane Katrina but were probably unrelated.

* **Direct** - Cause of death only listed as "Hurricane Katrina Related Fatality"; injuries where it was either stated or was apparent that the injuries occurred during the storm

Indirect - Disease conditions exacerbated by conditions during or soon after the hurricane (heat, lack of power, transportation, etc.); injuries sustained while cleaning up hurricane debris

Possibly related - Information on the certificate makes it difficult to determine a probable association between the cause of death and Hurricane Katrina