

(HSWWDTDS)

DISTRICT: I

SELECTED DEATH STATISTICS, RESIDENTS OF DISTRICT I , 1995

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	2,233	1,341	892	9.2	9.0	9.3
HEART DISEASES	727	450	277	298.1	303.4	289.8
MALIGNANT NEOPLASMS	492	311	181	201.7	209.7	189.4
CEREBROVASCULAR DISEASES	187	107	80	76.7	72.2	83.7
ACCIDENTS	157	83	74	64.4	56.0	77.4
EMPHYSEMA AND OTHER COPD	81	63	18	33.2	42.5	18.8
PNEUMONIA AND INFLUENZA	79	53	26	32.4	35.7	27.2
HYPERTENSION	59	30	29	24.2	20.2	30.3
HOMICIDE AND LEGAL INTERVENTION	41	13	28	16.8	8.8	29.3
NEPHRITIS, NEPH SYNDROME, NEPHROSIS	33	16	17	13.5	10.8	17.8
DIABETES MELLITUS	24	12	12	9.8	8.1	12.6
CONDITIONS ORIG IN PERINATAL PERIOD	24	7	17	6.3	3.6	9.2
SUICIDE	23	18	5	9.4	12.1	5.2
CHRONIC LIVER DISEASE AND CIRRHOSIS	14	14	0	5.7	9.4	0.0
HIV INFECTION	13	4	9	5.3	2.7	9.4
CONGENITAL ANOMALIES	10	3	7	4.1	2.0	7.3
ATHEROSCLEROSIS	6	5	1	2.5	3.4	1.0
TUBERCULOSIS	3	0	3	1.2	0.0	3.1
INFECTIONS OF KIDNEY	2	1	1	0.8	0.7	1.0
MATERNAL CAUSES	1	0	1	26.3	0.0	54.5
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	18	8	10	7.4	5.4	10.5
ALL OTHER	239	143	96	98.0	96.4	100.4

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1995 PROJECTIONS.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	2,233	1,341	892	1,208	712	496	1,025	629	396
UNDER 1	46	16	30	23	8	15	23	8	15
(NEONATAL)	31	9	22	15	6	9	16	3	13
(POSTNEONATAL)	15	7	8	8	2	6	7	5	2
1-4	5	1	4	5	1	4	0	0	0
5-9	1	1	0	0	0	0	1	1	0
10-14	4	1	3	4	1	3	0	0	0
15-24	52	23	29	38	14	24	14	9	5
25-34	81	39	42	51	24	27	30	15	15
35-44	118	50	68	73	33	40	45	17	28
45-54	179	91	88	108	59	49	71	32	39
55-64	290	175	115	181	115	66	109	60	49
65-74	440	285	155	259	176	83	181	109	72
75-84	564	365	199	292	178	114	272	187	85
85 AND OVER	453	294	159	174	103	71	279	191	88
UNKNOWN	0	0	0	0	0	0	0	0	0

MORTALITY RATES**

INFANT	12.1	8.2	16.3
NEONATAL	8.2	4.6	12.0
POSTNEONATAL	4.0	3.6	4.4

1995 POPULATION

TOTAL	243,891
WHITE	148,301
NONWHITE	95,590

** DEATHS PER 1,000 LIVE BIRTHS.

(HSWWDTDS)

DISTRICT: II

SELECTED DEATH STATISTICS, RESIDENTS OF DISTRICT II , 1995

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	3,132	2,566	566	10.1	10.5	8.6
HEART DISEASES	1,028	862	166	332.3	354.1	251.7
MALIGNANT NEOPLASMS	700	583	117	226.3	239.5	177.4
CEREBROVASCULAR DISEASES	226	174	52	73.0	71.5	78.8
ACCIDENTS	226	175	51	73.0	71.9	77.3
EMPHYSEMA AND OTHER COPD	157	144	13	50.7	59.2	19.7
PNEUMONIA AND INFLUENZA	135	116	19	43.6	47.6	28.8
DIABETES MELLITUS	48	37	11	15.5	15.2	16.7
NEPHRITIS, NEPH SYNDROME, NEPHROSIS	48	37	11	15.5	15.2	16.7
HOMICIDE AND LEGAL INTERVENTION	38	16	22	12.3	6.6	33.4
CHRONIC LIVER DISEASE AND CIRRHOSIS	31	24	7	10.0	9.9	10.6
SUICIDE	25	21	4	8.1	8.6	6.1
HYPERTENSION	24	18	6	7.8	7.4	9.1
CONGENITAL ANOMALIES	19	14	5	6.1	5.8	7.6
ATHEROSCLEROSIS	15	14	1	4.8	5.8	1.5
HIV INFECTION	14	11	3	4.5	4.5	4.5
CONDITIONS ORIG IN PERINATAL PERIOD	12	5	7	2.7	1.6	5.3
TUBERCULOSIS	1	1	0	0.3	0.4	0.0
INFECTIONS OF KIDNEY	1	1	0	0.3	0.4	0.0
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	49	38	11	15.8	15.6	16.7
ALL OTHER	335	275	60	108.3	113.0	91.0

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1995 PROJECTIONS.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	3,132	2,566	566	1,635	1,336	299	1,497	1,230	267
UNDER 1	50	28	22	32	16	16	18	12	6
(NEONATAL)	25	14	11	15	8	7	10	6	4
(POSTNEONATAL)	25	14	11	17	8	9	8	6	2
1-4	11	8	3	9	8	1	2	0	2
5-9	8	6	2	5	3	2	3	3	0
10-14	7	4	3	4	2	2	3	2	1
15-24	69	48	21	47	33	14	22	15	7
25-34	82	56	26	56	36	20	26	20	6
35-44	124	79	45	77	45	32	47	34	13
45-54	183	137	46	116	86	30	67	51	16
55-64	356	299	57	220	187	33	136	112	24
65-74	668	559	109	411	355	56	257	204	53
75-84	852	711	141	410	348	62	442	363	79
85 AND OVER	722	631	91	248	217	31	474	414	60
UNKNOWN	0	0	0	0	0	0	0	0	0

MORTALITY RATES**			
INFANT	11.4	9.2	16.6
NEONATAL	5.7	4.6	8.3
POSTNEONATAL	5.7	4.6	8.3

1995 POPULATION	
TOTAL	309,366
WHITE	243,417
NONWHITE	65,949

** DEATHS PER 1,000 LIVE BIRTHS.

(HSWWDTDS)

DISTRICT: III

SELECTED DEATH STATISTICS, RESIDENTS OF DISTRICT III , 1995

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	2,735	1,203	1,532	10.7	12.2	9.7
HEART DISEASES	1,065	494	571	415.4	503.0	361.1
MALIGNANT NEOPLASMS	525	235	290	204.8	239.3	183.4
CEREBROVASCULAR DISEASES	224	82	142	87.4	83.5	89.8
ACCIDENTS	159	62	97	62.0	63.1	61.3
PNEUMONIA AND INFLUENZA	89	53	36	34.7	54.0	22.8
EMPHYSEMA AND OTHER COPD	82	54	28	32.0	55.0	17.7
HOMICIDE AND LEGAL INTERVENTION	57	10	47	22.2	10.2	29.7
DIABETES MELLITUS	53	19	34	20.7	19.3	21.5
NEPHRITIS, NEPH SYNDROME, NEPHROSIS	39	16	23	15.2	16.3	14.5
SUICIDE	25	15	10	9.8	15.3	6.3
HIV INFECTION	21	4	17	8.2	4.1	10.8
HYPERTENSION	17	8	9	6.6	8.1	5.7
CHRONIC LIVER DISEASE AND CIRRHOSIS	16	6	10	6.2	6.1	6.3
CONGENITAL ANOMALIES	15	4	11	5.8	4.1	7.0
CONDITIONS ORIG IN PERINATAL PERIOD	13	0	13	3.1	0.0	4.1
ATHEROSCLEROSIS	11	4	7	4.3	4.1	4.4
TUBERCULOSIS	3	0	3	1.2	0.0	1.9
INFECTIONS OF KIDNEY	2	2	0	0.8	2.0	0.0
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	37	11	26	14.4	11.2	16.4
ALL OTHER	282	124	158	110.0	126.3	99.9

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1995 PROJECTIONS.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	2,735	1,203	1,532	1,436	614	822	1,299	589	710
UNDER 1	44	2	42	24	1	23	20	1	19
(NEONATAL)	25	2	23	14	1	13	11	1	10
(POSTNEONATAL)	19	0	19	10	0	10	9	0	9
1-4	16	3	13	12	3	9	4	0	4
5-9	4	0	4	2	0	2	2	0	2
10-14	14	2	12	10	2	8	4	0	4
15-24	61	22	39	46	14	32	15	8	7
25-34	92	28	64	64	21	43	28	7	21
35-44	122	32	90	92	27	65	30	5	25
45-54	191	64	127	126	40	86	65	24	41
55-64	314	127	187	184	79	105	130	48	82
65-74	522	244	278	312	161	151	210	83	127
75-84	715	353	362	345	166	179	370	187	183
85 AND OVER	640	326	314	219	100	119	421	226	195
UNKNOWN	0	0	0	0	0	0	0	0	0

MORTALITY RATES**			
INFANT	10.4	1.9	13.3
NEONATAL	5.9	1.9	7.3
POSTNEONATAL	4.5	0.0	6.0

1995 POPULATION	
TOTAL	256,349
WHITE	98,210
NONWHITE	158,139

** DEATHS PER 1,000 LIVE BIRTHS.

(HSWWDTDS)

DISTRICT: IV

SELECTED DEATH STATISTICS, RESIDENTS OF DISTRICT IV , 1995

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	2,419	1,601	818	10.0	11.0	8.4
HEART DISEASES	865	576	289	357.3	396.4	298.7
MALIGNANT NEOPLASMS	466	326	140	192.5	224.4	144.7
CEREBROVASCULAR DISEASES	200	134	66	82.6	92.2	68.2
ACCIDENTS	144	88	56	59.5	60.6	57.9
EMPHYSEMA AND OTHER COPD	87	77	10	35.9	53.0	10.3
PNEUMONIA AND INFLUENZA	64	47	17	26.4	32.3	17.6
DIABETES MELLITUS	57	35	22	23.5	24.1	22.7
HYPERTENSION	50	21	29	20.6	14.4	30.0
NEPHRITIS, NEPH SYNDROME, NEPHROSIS	46	26	20	19.0	17.9	20.7
SUICIDE	30	26	4	12.4	17.9	4.1
CONDITIONS ORIG IN PERINATAL PERIOD	22	7	15	6.1	3.9	8.3
CONGENITAL ANOMALIES	18	5	13	7.4	3.4	13.4
HOMICIDE AND LEGAL INTERVENTION	18	7	11	7.4	4.8	11.4
CHRONIC LIVER DISEASE AND CIRRHOSIS	17	9	8	7.0	6.2	8.3
HIV INFECTION	12	2	10	5.0	1.4	10.3
ATHEROSCLEROSIS	5	3	2	2.1	2.1	2.1
TUBERCULOSIS	2	2	0	0.8	1.4	0.0
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	47	26	21	19.4	17.9	21.7
ALL OTHER	269	184	85	111.1	126.6	87.8

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1995 PROJECTIONS.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	2,419	1,601	818	1,228	812	416	1,191	789	402
UNDER 1	52	16	36	28	10	18	24	6	18
(NEONATAL)	33	10	23	17	5	12	16	5	11
(POSTNEONATAL)	19	6	13	11	5	6	8	1	7
1-4	8	2	6	3	1	2	5	1	4
5-9	7	4	3	5	3	2	2	1	1
10-14	13	6	7	9	4	5	4	2	2
15-24	45	22	23	29	14	15	16	8	8
25-34	72	38	34	50	26	24	22	12	10
35-44	80	39	41	61	32	29	19	7	12
45-54	157	95	62	100	62	38	57	33	24
55-64	265	140	125	152	87	65	113	53	60
65-74	490	339	151	280	206	74	210	133	77
75-84	659	466	193	318	225	93	341	241	100
85 AND OVER	571	434	137	193	142	51	378	292	86
UNKNOWN	0	0	0	0	0	0	0	0	0

MORTALITY RATES**				1995 POPULATION	
	TOTAL	WHITE	NON-WHITE	TOTAL	NONWHITE
INFANT	14.4	8.9	19.9	242,066	
NEONATAL	9.1	5.6	12.7	145,308	
POSTNEONATAL	5.3	3.3	7.2	96,758	

** DEATHS PER 1,000 LIVE BIRTHS.

(HSWWDTDS)

DISTRICT: V

SELECTED DEATH STATISTICS, RESIDENTS OF DISTRICT V , 1995

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*--		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	5,301	2,999	2,302	9.3	9.5	9.0
HEART DISEASES	1,848	1,106	742	323.9	351.9	289.5
MALIGNANT NEOPLASMS	1,131	655	476	198.2	208.4	185.7
CEREBROVASCULAR DISEASES	338	192	146	59.2	61.1	57.0
ACCIDENTS	265	144	121	46.4	45.8	47.2
PNEUMONIA AND INFLUENZA	196	123	73	34.4	39.1	28.5
EMPHYSEMA AND OTHER COPD	175	130	45	30.7	41.4	17.6
HOMICIDE AND LEGAL INTERVENTION	139	22	117	24.4	7.0	45.6
HIV INFECTION	118	36	82	20.7	11.4	32.0
DIABETES MELLITUS	92	37	55	16.1	11.8	21.5
NEPHRITIS, NEPH SYNDROME, NEPHROSIS	65	28	37	11.4	8.9	14.4
SUICIDE	58	39	19	10.2	12.4	7.4
CHRONIC LIVER DISEASE AND CIRRHOSIS	41	27	14	7.2	8.6	5.5
HYPERTENSION	40	15	25	7.0	4.8	9.8
CONDITIONS ORIG IN PERINATAL PERIOD	34	7	27	3.7	1.8	5.2
CONGENITAL ANOMALIES	26	13	13	4.6	4.1	5.1
ATHEROSCLEROSIS	20	14	6	3.5	4.4	2.3
TUBERCULOSIS	4	0	4	0.7	0.0	1.6
INFECTIONS OF KIDNEY	2	2	0	0.4	0.6	0.0
MATERNAL CAUSES	1	0	1	10.9	0.0	19.2
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	55	21	34	9.6	6.7	13.3
ALL OTHER	653	388	265	114.4	123.5	103.4

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1995 PROJECTIONS.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	5,301	2,999	2,302	2,766	1,496	1,270	2,535	1,503	1,032
UNDER 1	89	24	65	52	13	39	37	11	26
(NEONATAL)	45	11	34	27	6	21	18	5	13
(POSTNEONATAL)	44	13	31	25	7	18	19	6	13
1-4	25	4	21	10	2	8	15	2	13
5-9	7	6	1	4	3	1	3	3	0
10-14	14	6	8	8	3	5	6	3	3
15-24	141	49	92	113	39	74	28	10	18
25-34	195	62	133	132	44	88	63	18	45
35-44	270	106	164	187	72	115	83	34	49
45-54	410	179	231	251	107	144	159	72	87
55-64	629	338	291	387	224	163	242	114	128
65-74	1,037	653	384	569	354	215	468	299	169
75-84	1,386	866	520	679	425	254	707	441	266
85 AND OVER	1,097	706	391	373	210	163	724	496	228
UNKNOWN	1	0	1	1	0	1	0	0	0

MORTALITY RATES**				1995 POPULATION	
	TOTAL	WHITE	NON-WHITE	TOTAL	NONWHITE
INFANT	9.7	6.1	12.5	570,535	
NEONATAL	4.9	2.8	6.5	314,256	
POSTNEONATAL	4.8	3.3	5.9	256,279	

** DEATHS PER 1,000 LIVE BIRTHS.

(HSWWDTDS)

DISTRICT: VI

SELECTED DEATH STATISTICS, RESIDENTS OF DISTRICT VI , 1995

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*--		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	2,554	1,686	868	11.2	11.9	10.0
HEART DISEASES	923	644	279	405.3	455.5	323.0
MALIGNANT NEOPLASMS	529	351	178	232.3	248.3	206.1
ACCIDENTS	168	103	65	73.8	72.8	75.3
CEREBROVASCULAR DISEASES	156	107	49	68.5	75.7	56.7
EMPHYSEMA AND OTHER COPD	107	80	27	47.0	56.6	31.3
PNEUMONIA AND INFLUENZA	105	72	33	46.1	50.9	38.2
DIABETES MELLITUS	50	27	23	22.0	19.1	26.6
HOMICIDE AND LEGAL INTERVENTION	38	14	24	16.7	9.9	27.8
CHRONIC LIVER DISEASE AND CIRRHOSIS	36	20	16	15.8	14.1	18.5
NEPHRITIS, NEPH SYNDROME, NEPHROSIS	32	10	22	14.0	7.1	25.5
SUICIDE	32	27	5	14.0	19.1	5.8
CONGENITAL ANOMALIES	18	8	10	7.9	5.6	11.6
HYPERTENSION	13	7	6	5.7	5.0	6.9
CONDITIONS ORIG IN PERINATAL PERIOD	11	3	8	3.1	1.7	4.5
HIV INFECTION	9	2	7	4.0	1.4	8.1
ATHEROSCLEROSIS	7	7	0	3.1	5.0	0.0
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	20	8	12	8.8	5.6	13.9
ALL OTHER	300	196	104	131.7	138.6	120.4

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1995 PROJECTIONS.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	2,554	1,686	868	1,318	852	466	1,236	834	402
UNDER 1	47	16	31	26	8	18	21	8	13
(NEONATAL)	26	9	17	16	5	11	10	4	6
(POSTNEONATAL)	21	7	14	10	3	7	11	4	7
1-4	16	6	10	10	2	8	6	4	2
5-9	8	6	2	5	3	2	3	3	0
10-14	10	4	6	8	3	5	2	1	1
15-24	56	29	27	43	20	23	13	9	4
25-34	61	26	35	46	20	26	15	6	9
35-44	109	54	55	72	37	35	37	17	20
45-54	146	77	69	97	52	45	49	25	24
55-64	273	159	114	167	99	68	106	60	46
65-74	511	347	164	291	212	79	220	135	85
75-84	716	517	199	346	251	95	370	266	104
85 AND OVER	601	445	156	207	145	62	394	300	94
UNKNOWN	0	0	0	0	0	0	0	0	0

MORTALITY RATES**	1995 POPULATION				
INFANT	13.4	9.2	17.5	TOTAL	227,735
NEONATAL	7.4	5.2	9.6	WHITE	141,369
POSTNEONATAL	6.0	4.0	7.9	NONWHITE	86,366

** DEATHS PER 1,000 LIVE BIRTHS.

DISTRICT: VII

SELECTED DEATH STATISTICS, RESIDENTS OF DISTRICT VII , 1995

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*--		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	1,986	1,151	835	11.6	12.6	10.5
HEART DISEASES	758	459	299	444.3	503.4	376.5
MALIGNANT NEOPLASMS	413	233	180	242.1	255.6	226.6
CEREBROVASCULAR DISEASES	136	76	60	79.7	83.4	75.6
ACCIDENTS	115	67	48	67.4	73.5	60.4
EMPHYSEMA AND OTHER COPD	63	45	18	36.9	49.4	22.7
PNEUMONIA AND INFLUENZA	53	41	12	31.1	45.0	15.1
DIABETES MELLITUS	52	26	26	30.5	28.5	32.7
NEPHRITIS, NEPH SYNDROME, NEPHROSIS	31	13	18	18.2	14.2	22.7
SUICIDE	24	19	5	14.1	20.8	6.3
HOMICIDE AND LEGAL INTERVENTION	20	3	17	11.7	3.3	21.4
CONDITIONS ORIG IN PERINATAL PERIOD	13	3	10	5.2	2.9	6.9
CHRONIC LIVER DISEASE AND CIRRHOSIS	12	6	6	7.0	6.6	7.6
ATHEROSCLEROSIS	11	10	1	6.4	11.0	1.2
HIV INFECTION	11	2	9	6.4	2.2	11.3
CONGENITAL ANOMALIES	6	2	4	3.5	2.2	5.0
HYPERTENSION	5	1	4	2.9	1.1	5.0
INFECTIONS OF KIDNEY	3	3	0	1.8	3.3	0.0
TUBERCULOSIS	2	2	0	1.2	2.2	0.0
MATERNAL CAUSES	1	0	1	40.2	0.0	69.2
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	14	2	12	8.2	2.2	15.1
ALL OTHER	243	138	105	142.4	151.4	132.2

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1995 PROJECTIONS.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	1,986	1,151	835	1,025	600	425	961	551	410
UNDER 1	23	5	18	11	4	7	12	1	11
(NEONATAL)	14	4	10	9	3	6	5	1	4
(POSTNEONATAL)	9	1	8	2	1	1	7	0	7
1-4	6	2	4	2	0	2	4	2	2
5-9	2	2	0	1	1	0	1	1	0
10-14	6	4	2	4	3	1	2	1	1
15-24	38	21	17	29	19	10	9	2	7
25-34	37	15	22	27	12	15	10	3	7
35-44	90	27	63	62	20	42	28	7	21
45-54	136	54	82	82	34	48	54	20	34
55-64	216	118	98	124	72	52	92	46	46
65-74	425	248	177	250	160	90	175	88	87
75-84	550	368	182	271	182	89	279	186	93
85 AND OVER	457	287	170	162	93	69	295	194	101
UNKNOWN	0	0	0	0	0	0	0	0	0

MORTALITY RATES**				1995 POPULATION	
	TOTAL	WHITE	NON-WHITE	TOTAL	NONWHITE
INFANT	9.2	4.8	12.4	170,590	
NEONATAL	5.6	3.8	6.9	91,175	
POSTNEONATAL	3.6	1.0	5.5	79,415	

** DEATHS PER 1,000 LIVE BIRTHS.

DISTRICT: VIII

SELECTED DEATH STATISTICS, RESIDENTS OF DISTRICT VIII , 1995

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*--		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	2,773	2,025	748	10.6	11.0	9.6
HEART DISEASES	972	746	226	370.3	404.5	289.4
MALIGNANT NEOPLASMS	580	431	149	221.0	233.7	190.8
CEREBROVASCULAR DISEASES	215	160	55	81.9	86.8	70.4
ACCIDENTS	154	110	44	58.7	59.6	56.3
PNEUMONIA AND INFLUENZA	117	92	25	44.6	49.9	32.0
EMPHYSEMA AND OTHER COPD	103	77	26	39.2	41.8	33.3
DIABETES MELLITUS	50	33	17	19.0	17.9	21.8
NEPHRITIS, NEPH SYNDROME, NEPHROSIS	49	28	21	18.7	15.2	26.9
HOMICIDE AND LEGAL INTERVENTION	38	21	17	14.5	11.4	21.8
SUICIDE	23	21	2	8.8	11.4	2.6
ATHEROSCLEROSIS	20	15	5	7.6	8.1	6.4
HYPERTENSION	19	9	10	7.2	4.9	12.8
CHRONIC LIVER DISEASE AND CIRRHOSIS	18	14	4	6.8	7.6	5.1
HIV INFECTION	18	11	7	6.8	6.0	9.0
CONDITIONS ORIG IN PERINATAL PERIOD	15	4	11	3.8	1.7	7.0
CONGENITAL ANOMALIES	12	9	3	4.6	4.9	3.8
INFECTIONS OF KIDNEY	3	2	1	1.1	1.1	1.3
TUBERCULOSIS	1	1	0	0.4	0.5	0.0
MATERNAL CAUSES	1	0	1	25.4	0.0	63.4
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	19	10	9	7.2	5.4	11.5
ALL OTHER	346	231	115	131.8	125.3	147.3

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1995 PROJECTIONS.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	2,773	2,025	748	1,382	1,013	369	1,391	1,012	379
UNDER 1	31	9	22	20	5	15	11	4	7
(NEONATAL)	21	8	13	13	5	8	8	3	5
(POSTNEONATAL)	10	1	9	7	0	7	3	1	2
1-4	12	9	3	8	6	2	4	3	1
5-9	3	1	2	0	0	0	3	1	2
10-14	9	2	7	5	1	4	4	1	3
15-24	43	27	16	25	16	9	18	11	7
25-34	66	32	34	44	23	21	22	9	13
35-44	99	65	34	64	40	24	35	25	10
45-54	184	129	55	112	76	36	72	53	19
55-64	342	238	104	206	155	51	136	83	53
65-74	605	433	172	349	260	89	256	173	83
75-84	733	589	144	338	274	64	395	315	80
85 AND OVER	646	491	155	211	157	54	435	334	101
UNKNOWN	0	0	0	0	0	0	0	0	0

MORTALITY RATES**			
INFANT	7.9	3.8	14.0
NEONATAL	5.3	3.4	8.2
POSTNEONATAL	2.5	0.4	5.7

1995 POPULATION	
TOTAL	262,501
WHITE	184,414
NONWHITE	78,087

** DEATHS PER 1,000 LIVE BIRTHS.

(HSWWDTDS)

DISTRICT: IX

SELECTED DEATH STATISTICS, RESIDENTS OF DISTRICT IX , 1995

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	3,777	3,157	620	9.2	9.6	7.3
HEART DISEASES	1,381	1,163	218	335.0	355.8	255.3
MALIGNANT NEOPLASMS	889	769	120	215.6	235.3	140.5
ACCIDENTS	217	165	52	52.6	50.5	60.9
CEREBROVASCULAR DISEASES	174	142	32	42.2	43.4	37.5
EMPHYSEMA AND OTHER COPD	164	150	14	39.8	45.9	16.4
PNEUMONIA AND INFLUENZA	108	93	15	26.2	28.4	17.6
SUICIDE	78	72	6	18.9	22.0	7.0
DIABETES MELLITUS	59	47	12	14.3	14.4	14.0
CHRONIC LIVER DISEASE AND CIRRHOSIS	46	38	8	11.2	11.6	9.4
NEPHRITIS, NEPH SYNDROME, NEPHROSIS	45	36	9	10.9	11.0	10.5
HOMICIDE AND LEGAL INTERVENTION	40	22	18	9.7	6.7	21.1
HIV INFECTION	39	31	8	9.5	9.5	9.4
CONGENITAL ANOMALIES	28	23	5	6.8	7.0	5.8
CONDITIONS ORIG IN PERINATAL PERIOD	18	9	9	2.9	2.0	5.5
ATHEROSCLEROSIS	15	15	0	3.6	4.6	0.0
HYPERTENSION	11	9	2	2.7	2.8	2.3
TUBERCULOSIS	1	1	0	0.2	0.3	0.0
INFECTIONS OF KIDNEY	1	1	0	0.2	0.3	0.0
MATERNAL CAUSES	1	0	1	16.0	0.0	61.5
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	15	10	5	3.6	3.1	5.8
ALL OTHER	447	361	86	108.4	110.4	100.7

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1995 PROJECTIONS.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	3,777	3,157	620	2,078	1,745	333	1,699	1,412	287
UNDER 1	53	33	20	33	24	9	20	9	11
(NEONATAL)	34	21	13	23	15	8	11	6	5
(POSTNEONATAL)	19	12	7	10	9	1	9	3	6
1-4	15	9	6	6	4	2	9	5	4
5-9	7	1	6	6	1	5	1	0	1
10-14	8	7	1	5	4	1	3	3	0
15-24	70	49	21	48	36	12	22	13	9
25-34	120	90	30	83	61	22	37	29	8
35-44	190	141	49	133	104	29	57	37	20
45-54	275	219	56	184	143	41	91	76	15
55-64	502	413	89	308	259	49	194	154	40
65-74	896	781	115	535	468	67	361	313	48
75-84	965	840	125	516	455	61	449	385	64
85 AND OVER	676	574	102	221	186	35	455	388	67
UNKNOWN	0	0	0	0	0	0	0	0	0

MORTALITY RATES**

INFANT	8.5	7.2	12.3
NEONATAL	5.4	4.6	8.0
POSTNEONATAL	3.0	2.6	4.3

1995 POPULATION

TOTAL	412,246
WHITE	326,850
NONWHITE	85,396

** DEATHS PER 1,000 LIVE BIRTHS.