

TABLE OF CONTENTS

	Page
INTRODUCTION	
Description of Bulletin	1
Definitions of Live Birth, Fetal Death, Induced Termination, and Death	1
Occurrence and Residence Allocation	2
Population	2
Race	2
Rates	3
Classification of Cause of Death	3
SUMMARY TABLES, 2006	
POPULATION	
Table P1. 2006 Estimated Population, by Age, Race, and Sex, Residents of Mississippi	7
LIVE BIRTHS	
Table A1. Live Births and Average per Day, by Month	8
Table A2. Percentage of Live Births in Hospitals or Clinics, by Year and Race, 1940, 1950, 1960, 1970-2006	8
Table A3. Live Births and Percentage Distribution, by Place of Delivery, Attendant, and Race of Mother	9
Table A4. Live Births, Percentage Distribution, and Fertility Rates, by Age and Race of Mother	10
Table A5. Live Births and Percentage Distribution, by Years of School Completed by Mother and Race of Mother	10
Table A6. Live Births to Unmarried Mothers and Percent of Total Live Births in Specified Group, by Age and Race of Mother	11
Table A7. Live Births, Percentage Distribution, Fertility Rates, and Median Age of Mother, by Total-Birth Order and Race of Mother	11
Table A8. Live Births and Percentage Distribution, by Whether Mother Received Prenatal Care, Time during Pregnancy Care Began, and Race of Mother	12
Table A9. Live Births and Percentage Distribution, by Maturity and Race of Mother	12
Table A10. Congenital Anomalies Reported on Live Birth Certificates, by Anomaly and Race of Mother	13
Table A11. Medical Risk Factors Reported on Live Birth Certificates, by Risk Factor and Race of Mother	14
Table A12. Other Risk Factors Reported on Live Birth Certificates and Percentage Distribution, by Risk Factor and Race of Mother	15
Table A13. Complications of Labor and Delivery Reported on Live Birth Certificates, by Complication and Race of Mother	16

Table A14.	Methods of Delivery Reported on Live Birth Certificates, by Method and Race of Mother	16
Table A15.	Obstetric Procedures Reported on Live Birth Certificates, by Procedure and Race of Mother	17
Table A16.	Abnormal Conditions of Newborn Reported on Live Birth Certificates, by Condition and Race of Mother	17

FETAL DEATHS

Table B1.	Reportable Fetal Deaths and Percentage Distribution, by Place of Delivery, Attendant, and Race of Mother	18
Table B2.	Reportable Fetal Deaths and Fetal Death Ratios, by Age and Race of Mother	19
Table B3.	Percentage Distribution of Live Births and Reportable Fetal Deaths, by Whether Mother Received Prenatal Care and Race of Mother . .	19
Table B4.	Reportable Fetal Deaths and Fetal Death Ratios, by Completed Weeks of Gestation and Race of Mother, 2004-2006	20

DEATHS

Table C1.	Deaths and Average per Day, by Month	21
Table C2.	Deaths, Percentage Distribution, and Rates, by Age and Race	21
Table C3A.	Deaths by Age, Race, and Sex, and Male/Female Ratios by Age and Race	22
Table C3B.	Death Rates, by Age, Race, and Sex	22
Table C4.	Deaths, Mortality Rates, and Percent of Total Deaths from Ten Leading Causes, by Cause and Race	23
Table C5.	Deaths, Percent of Total Deaths, and Rates for Five Leading Causes, by Age and Cause	24
Table C6.	Deaths and Rates from Malignant Neoplasms, by Primary Site, Sex, and Race	25
Table C7.	Deaths from Major Chronic Respiratory Diseases, 1981, 1986, 1991, 1996, 2001, 2006	25
Table C8.	Deaths and Percent of Total Accidental Deaths from Five Leading Causes of Accidental Death, by Cause and Race	26
Table C9.	Deaths from Selected Types of Accidents, by Sex, also by Age	27
Table C10.	Motor Vehicle Accident Deaths Occurring in Mississippi and Rates, also Motor Vehicle Accident Deaths of Mississippi Residents and Rates, by Year, 1950, 1955, 1960, 1965, 1970-2006	28
Table C11.	Infant Deaths, Percentage Distribution, and Mortality Rates by Age and Race	29
Table C12.	Deaths and Mortality Rates for Ten Leading Causes of Infant Death, by Cause and Race	30
Table C13A.	Years of Potential Life Lost Before Age 75, for Selected Causes of Death	31
Table C13B.	Years of Potential Life Lost Before Age 75, for Selected Causes of Death, White Males and Females	32

Table C13C. Years of Potential Life Lost Before Age 75, for Selected Causes of Death, Nonwhite Males and Females	33
--	----

MARRIAGES

Table D1. Marriages and Average per Day, by Month	34
Table D2. Brides and Grooms and Percentage Distribution, by Age and Race . . .	35
Table D3. Median Age of Bride and Groom, for All Marriages and First Marriages, by Race	36
Table D4. Brides and Grooms and Percentage Distribution, by Marriage Order and Race	37
Table D5. Brides and Grooms and Percentage Distribution, by Previous Marital Status and Race	38
Table D6. Marriages and Percentage Distribution, by Residence of Bride and Groom and Race of Bride	39

DIVORCES

Table E1. Divorces and Percentage Distribution, by Cause and Race	40
Table E2. Divorces and Percentage Distribution, by Number of Minor Children and Race	40
Table E3. Divorces and Percentage Distribution, by Number of Years Married and Race	41

INDUCED TERMINATIONS OF PREGNANCY

Table F1. Reported Induced Terminations of Pregnancy, Percentage Distribution, and Induced Termination Ratios, by Age and Race of Patient, Procedures Performed in Mississippi	42
Table F2. Reported Induced Terminations of Pregnancy and Percentage Distribution, by Characteristics of Patient and Race, Procedures Performed in Mississippi	43
Table F3. Reported Induced Terminations of Pregnancy and Percentage Distribution, by Medical Characteristics and Race, Procedures Performed in Mississippi	44
Table F4. Reported Complications Resulting from Induced Terminations of Pregnancy, Patients Treated in Mississippi	44

MAJOR TABLES, 2006

POPULATION

Table I. 2006 Estimated Population and Percent Change From 2000 Census Population, Mississippi	47
--	----

LIVE BIRTHS

Table 1A.	Live Births, by Place of Occurrence and Race of Mother, also Live Births and Rates, by Place of Residence and Race of Mother, (Place Includes Counties, Out of State, Towns of 10,000 or More), Mississippi, 2006	49
Table 1B.	Fertility Rates, by County of Residence and Race of Mother, Mississippi, 2006	52
Table 2.	Live Births, by County of Residence, Race of Mother, and Attendant, also by County of Residence and Sex, Mississippi, 2006	53
Table 3A.	Total Live Births, by County of Residence and Age of Mother, Mississippi, 2006	56
Table 3B.	Live Births to White Mothers, by County of Residence and Age of Mother, Mississippi, 2006	58
Table 3C.	Live Births to Nonwhite Mothers, by County of Residence and Age of Mother, Mississippi, 2006	60
Table 4.	Live Births to Unmarried Mothers and Percent of Total Live Births, by County of Residence and Race of Mother, Mississippi, 2006	62
Table 5A.	Total Live Births to Unmarried Mothers, by County of Residence and Age of Mother, Mississippi, 2006	64
Table 5B.	Live Births to Unmarried White Mothers, by County of Residence and Age of Mother, Mississippi, 2006	66
Table 5C.	Live Births to Unmarried Nonwhite Mothers, by County of Residence and Age of Mother, Mississippi, 2006	68
Table 6A.	Live Births Weighing Less Than 2,500 Grams at Birth and Percent of Total Live Births, by County of Residence and Race of Mother, Mississippi, 2006	70
Table 6B.	Live Births Weighing Less Than 1,500 Grams at Birth and Percent of Total Live Births, by County of Residence and Race of Mother, Mississippi, 2006	72
Table 7.	Premature Live Births and Percent of Total Live Births, by County of Residence and Race of Mother, Mississippi, 2006	74

FETAL DEATHS

Table 8.	Reportable Fetal Deaths, by County of Occurrence and Race of Mother, also Reportable Fetal Deaths and Fetal Death Ratios, by County of Residence and Race of Mother, Mississippi, 2006	76
----------	--	----

DEATHS

Table 9.	Deaths, by Place of Occurrence and Race, also Deaths and Rates, by Place of Residence and Race, (Place Includes Counties, Out of State, Towns of 10,000 or More), Mississippi, 2006	78
Table 10A.	Deaths, by Cause and Race, (Cause Groupings Based on NCHS List of 358 Selected Causes), Mississippi Residents, 2006	81
Table 10B.	Deaths, by Cause and Race, Mississippi Residents, 2006	91

	Page
Table 11. Deaths from Major Cause Groups and Certain Selected Causes, by Race, Sex, and Age, also Rates for Major Cause Groups and Certain Selected Causes, Mississippi Residents, 2006	114
Table 12A. Infant, Neonatal, and Postneonatal Deaths, by County of Residence and Race, Mississippi, 2006	121
Table 12B. Infant, Neonatal, and Postneonatal Mortality Rates, by County of Residence and Race, Mississippi, 2002-2006 (5-Year Average) . .	123
Table 13. Infant Deaths from Selected Causes, by Race and Age, also Mortality Rates for Selected Causes, Mississippi Residents, 2006	125
Table 14. Accidental Deaths, by County of Occurrence and Type of Accident, Mississippi, 2006	128
MARRIAGES	
Table 15. Marriages, by County of Licensure and Race of Bride, also by County of Occurrence and Race of Bride, also by County of Residence of Bride and Race of Bride, Mississippi, 2006	130
DIVORCES	
Table 16. Divorces, by County of Occurrence and Race, Mississippi, 2006	132
INDUCED TERMINATIONS	
Table 17. Reported Induced Terminations of Pregnancy Performed in Mississippi on Mississippi Residents, by County of Residence and Race, 2006	133
TEENAGE PREGNANCY	
Table 18A. Teenage Pregnancies, by County of Residence, Race, and Age Group of Mother, Mississippi, 2006	134
Table 18B. Teenage Pregnancy Rates, by County of Residence, Race, and Age Group of Mother, Mississippi Residents, 2006	136
DEATHS (COUNTY AND STATE SUMMARIES)	
Table 19. Deaths from Selected Causes Used for Ranking Leading Causes, by Race, Mississippi Residents	
The Counties (in alphabetical order)	139
The State	159

TIME SERIES TABLES

Table 20.	Live Births and Rates, by Year and Race, Mississippi, 1913-2006, (Occurrence Data 1913-1943, Residence Data 1944-2006)	163
Table 21.	Deaths and Rates, by Year and Race, Mississippi, 1913-2006, (Occurrence Data 1913-1943, Residence Data 1944-2006)	165
Table 22.	Maternal Deaths and Mortality Rates, by Year and Race, Mississippi, 1913-2006, (Occurrence Data 1913-1943, Residence Data 1944-2006)	167
Table 23.	Infant Deaths and Mortality Rates, by Year and Race, Mississippi, 1917-2006, (Occurrence Data 1917-1943, Residence Data 1944-2006)	169
Table 24.	Neonatal Deaths and Mortality Rates, by Year and Race, Mississippi, 1924-2006, (Occurrence Data 1924-1944, Residence Data 1945-2006)	171
Table 25.	Postneonatal Deaths and Mortality Rates, by Year and Race, Mississippi, 1924-2006, (Occurrence Data 1924-1943, Residence Data 1944-2006)	173
Table 26.	Marriages and Divorces, by Year and Race, Occurrence Data, Mississippi, 1926-2006	175
Table 27.	Reported Induced Terminations of Pregnancy and Induced Termination Ratios, by Year and Race, Procedures Performed in Mississippi, 1976-2006	177
Table 28.	Teenage Pregnancies and Pregnancy Rates, by Year and Race, Residence Data, Mississippi, 1979-2006	178

APPENDICES

Appendix A.	List of 358 Selected Causes of Death Used for Tabulating Mortality Statistics, Showing Group Number, Cause of Death, and ICD-10 Codes Included	181
Appendix B.	List of 50 Selected Categories of Causes of Death Used for Ranking Leading Causes, Showing Group Numbers, Causes of Death, and ICD-10 Codes Included in Each Category	195
Appendix C.	List of 130 Selected Causes of Infant Death Used for Tabulating Infant Mortality Statistics, Showing Group Number, Cause of Death, and ICD-10 Codes Included	197
Appendix D.	Finalized Adoptions by Chancery Court District as Reported to the Administrative Office of Courts by the Chancery Clerks, 2006	204

VITAL STATISTICS MISSISSIPPI, 2006

INTRODUCTION

Description of Bulletin

The information on live births, fetal deaths, induced terminations of pregnancy, deaths, marriages, and divorces which is presented in this bulletin was obtained from official records submitted to the Mississippi State Department of Health as required by statute and regulation. Live birth and fetal death records were prepared by hospitals, clinics, physicians, and midwives. Reports of induced terminations of pregnancy were prepared by hospitals, clinic staff, and physicians. Reports of complications from induced terminations of pregnancy were made by the clinic or physician who treated the patient for the complication. Responsibility for the preparation of death certificates was shared by hospitals, nursing homes and other institutions which provide care or custody, funeral homes, physicians, medical examiners, and medical examiner investigators. Marriage records were completed partly by brides and grooms, partly by persons who performed marriage ceremonies, and partly by circuit clerks. Chancery clerks prepared the statistical records of divorce.

This publication consists of three parts. The first part includes summary tables for the state as a whole for 2006; the second part contains major statistical tables for 2006. Time series tables numbered 20 through 28 are presented in the third part.

Definitions of Live Birth, Fetal Death, Induced Termination, and Death

The definitions of live birth, fetal death, and induced termination of pregnancy adopted by the Mississippi State Department of Health for use in Mississippi are those formulated by the World Health Organization and recommended by the National Center for Health Statistics. The definition of death was adopted by the Mississippi Legislature in 1982, statute number 41-36-3.

Live Birth - the complete expulsion or extraction from its mother of a product of human conception, irrespective of the duration of pregnancy, which, after such expulsion or extraction, breathes or shows any other evidence of life such as beating of the heart, pulsation of the umbilical cord, or definite movement of voluntary muscles, whether or not the umbilical cord has been cut or the placenta is attached.

Fetal Death - death prior to the complete expulsion or extraction from its mother of a product of human conception, irrespective of the duration of pregnancy; the death is indicated by the fact that after such expulsion or extraction the fetus does not breathe or show any other evidence of life such as beating of the heart, pulsation of the umbilical cord, or definite movement of voluntary muscles.

Induced Termination of Pregnancy - the intentional termination of pregnancy with the intention other than to produce a live-born infant or to remove a dead fetus.

Death - an individual who has sustained either (a) irreversible cessation of circulatory and respiratory functions or (b) irreversible cessation of all functions of

the entire brain, including the brain stem, is dead. A determination of death must be made in accordance with accepted medical standards.

Even though the definition of fetal death is all-inclusive, the State Department of Health does not require the reporting of all fetal deaths. Since January 1, 1976, fetal death reports have been required only for spontaneous fetal deaths of 20 weeks or more gestation or weight of 350 grams or more. There is a separate reporting system (with no names or addresses) for all induced terminations of pregnancy.

Occurrence and Residence Allocation

Live births, fetal deaths, and deaths were classified by place of occurrence and by place of residence. Some of the tables contain both occurrence and residence figures, but most of the tables are based on residence data only, as these data are considered more suitable for studying public health problems.

Occurrence data were obtained from certificates filed in Mississippi at the place of the event. Residence data include transcripts of records of events that occurred in other states to Mississippi residents and exclude records filed in this state for nonresidents. Residence assignment for live births and fetal deaths was determined by the usual residence of the mother. For deaths it was determined by the usual residence of the decedent except that deaths of inmates of institutions were reallocated to the location of the institution regardless of length of stay.

Figures on induced terminations of pregnancy in Tables F1, F2, F3, and 17 refer only to procedures performed in Mississippi, and do not include transcripts of records of events that occurred in other states to Mississippi residents. Residence assignment was determined by the usual residence of the patient. However, the teenage pregnancy figures in Tables 18A, 18B, and 28, which include induced termination figures, refer to induced terminations of all Mississippi resident teens, regardless of where the induced termination was actually performed.

Marriages were classified according to place of issuance of the marriage license, place of occurrence of marriage, and place of residence of the bride. However, the figures on brides who were Mississippi residents are incomplete since there is no exchange among the states of transcripts of marriage records for nonresidents and the out-of-state marriages of Mississippi brides could not be included. Divorces were classified only according to place where the decree was granted, as there is no information regarding place of residence on the record.

Population

The population figures used in this publication are 2006 population estimates which were prepared by the United States Census Bureau. Estimates for small counties and small categories such as age/race/sex groups should be used with caution. Any slight discrepancies in the figures are due to rounding.

Race

The two categories for race used in this publication are white and nonwhite. White includes such groups as Caucasian, Anglo-American, Canadian, Cuban, French, Greek, Hispanic, Latin American, Mexican, Puerto Rican, Swedish, etc. Nonwhite includes such groups as Black, African-American, American Indian, Chinese, Japanese, Hawaiian, Filipino, and all other groups not considered as white.

Prior to 1989, all statistics regarding live births and fetal deaths were broken down by race of the child or fetus; however, beginning with 1989 and continuing with subsequent years all statistics on live births and fetal deaths will be reported by race of the mother. This includes any rates or ratios that involve figures for live births or fetal deaths. For example, the infant mortality rate for white infants will now be calculated using the number of live births to white mothers as the denominator.

Rates

Population-based rates for the state include those for live births, total deaths, and deaths from specific causes, except maternal deaths and deaths from certain conditions originating in the perinatal period. Figures on live births were used as the base for calculating fetal death ratios as well as rates for maternal deaths, infant, neonatal, and postneonatal deaths, and deaths from certain conditions originating in the perinatal period, as the birth counts represent the groups at risk more accurately than do general population figures.

Classification of Cause of Death

Causes of death were assigned according to the Tenth Revision International Statistical Classification of Diseases and Related Health Problems (ICD-10). The Tenth Revision was used for the first time in 1999, and is markedly different from the Ninth Revision. Because of this, and also because periodic changes in the classification system occurring throughout the years have resulted in an unavoidable lack of comparability for some causes, caution should be used in analyzing trends which span classification revisions.

With the exception of Table 10B, all tables which show cause of death are based on the National Center for Health Statistics' List of 358 Selected Causes of Death (see Appendix A), and appear with group numbers instead of the actual ICD-10 codes. These groupings were developed to preserve traditional categories of causes of death not found in continuous ranges of codes in ICD-10 as they were in ICD-9, to maintain continuity with prior coding revisions to facilitate trend analysis, and to separately identify causes of death that are of public health and medical importance. In Table 10B, however, the cause-of-death titles shown do follow the actual coding structure of the Tenth revision, and the causes are shown with their corresponding ICD-10 codes.

Adoptions

In 2005, Section 93-17-205, MS Code 1972 was amended to require the number of adoptions finalized in each Chancery Court be reported to the Bureau by the Administrative Office of Courts. This law became effective on July 1, 2005. It is important to note that the birth

certificate is not automatically changed after the adoption process is complete, but requires the petitioner to present Vital Records with a copy of the adoption decree. This may not happen immediately and, in fact, may never happen. For this reason, birth records are a poor source for determining the number of adoptions that occur in a given year. Information on adoptions for calendar year 2006 is presented in Appendix D.

Internet site

The tables contained in this book can also be found on the Internet at:

www.msdh.state.ms.us/phs

SUMMARY TABLES

In this section, all tables on live births, fetal deaths, and deaths represent residence data unless otherwise specified; all information on induced terminations of pregnancy, marriages, and divorces is occurrence data.

TABLE P1. 2006 ESTIMATED POPULATION*, BY AGE, RACE, AND SEX
RESIDENTS OF MISSISSIPPI

AGE	TOTAL			WHITE			NONWHITE		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
TOTAL	2,910,540	1,409,348	1,501,192	1,771,596	872,022	899,574	1,138,944	537,326	601,618
0-4	209,457	106,868	102,589	111,814	57,309	54,505	97,643	49,559	48,084
(Under 1)	43,394	22,335	21,059	23,069	11,824	11,245	20,325	10,511	9,814
(1-4)	166,063	84,533	81,530	88,745	45,485	43,260	77,318	39,048	38,270
5-9	204,288	104,496	99,792	108,262	55,766	52,496	96,026	48,730	47,296
10-14	211,875	107,723	104,152	110,076	56,547	53,529	101,799	51,176	50,623
15-19	220,833	112,574	108,259	117,376	60,734	56,642	103,457	51,840	51,617
20-24	216,637	111,249	105,388	117,358	61,461	55,897	99,279	49,788	49,491
25-29	200,056	99,764	100,292	114,512	58,768	55,744	85,544	40,996	44,548
30-34	180,074	87,933	92,141	106,766	53,933	52,833	73,308	34,000	39,308
35-39	187,936	90,928	97,008	116,348	58,997	57,351	71,588	31,931	39,657
40-44	203,455	98,431	105,024	126,753	63,864	62,889	76,702	34,567	42,135
45-49	212,151	102,721	109,430	132,901	66,877	66,024	79,250	35,844	43,406
50-54	194,879	93,677	101,202	124,923	61,590	63,333	69,956	32,087	37,869
55-59	176,393	85,155	91,238	120,793	59,562	61,231	55,600	25,593	30,007
60-64	130,334	61,361	68,973	94,509	45,291	49,218	35,825	16,070	19,755
65-69	105,920	48,509	57,411	78,000	36,622	41,378	27,920	11,887	16,033
70-74	84,884	36,745	48,139	62,971	28,066	34,905	21,913	8,679	13,234
75-79	70,768	28,368	42,400	53,887	22,167	31,720	16,881	6,201	10,680
80-84	51,018	18,354	32,664	38,323	14,087	24,236	12,695	4,267	8,428
85+	49,582	14,492	35,090	36,024	10,381	25,643	13,558	4,111	9,447
UNDER 15	625,620	319,087	306,533	330,152	169,622	160,530	295,468	149,465	146,003
15-64	1,922,748	943,793	978,955	1,172,239	591,077	581,162	750,509	352,716	397,793
65 & OVER	362,172	146,468	215,704	269,205	111,323	157,882	92,967	35,145	57,822
MEDIAN AGE	35.3	33.5	37.0	39.3	37.7	40.9	29.2	27.1	31.2

* POPULATION ESTIMATE WAS OBTAINED FROM THE U.S. BUREAU OF THE CENSUS.

**TABLE A1. LIVE BIRTHS AND AVERAGE PER DAY, BY MONTH
MISSISSIPPI, 2006**

MONTH	BIRTHS	AVERAGE PER DAY	MONTH	BIRTHS	AVERAGE PER DAY
<u>TOTAL</u>	<u>46,046</u>	<u>126</u>			
JANUARY	3,676	118	JULY	3,834	124
FEBRUARY	3,400	121	AUGUST	4,351	140
MARCH	3,624	117	SEPTEMBER	4,273	142
APRIL	3,382	113	OCTOBER	4,106	132
MAY	3,630	117	NOVEMBER	4,009	134
JUNE	3,715	124	DECEMBER	4,046	130

**TABLE A2. PERCENTAGE OF LIVE BIRTHS IN HOSPITALS OR CLINICS,
BY YEAR AND RACE*
MISSISSIPPI, 1940, 1950, 1960, 1970-2006**

YEAR	TOTAL	WHITE	NON- WHITE	YEAR	TOTAL	WHITE	NON- WHITE
1940	14.1	27.1	3.9				
1950	46.1	83.3	18.9				
1960	73.2	99.0	51.3				
1970#	90.0	99.7	79.7	1990#	99.6	99.6	99.6
1971#	92.2	99.6	84.2	1991#	99.6	99.6	99.6
1972#	95.2	99.8	90.4	1992#	99.7	99.7	99.7
1973#	96.4	99.7	92.8	1993#	99.7	99.7	99.6
1974#	97.4	99.7	94.8	1994#	99.7	99.7	99.7
1975#	97.9	99.6	96.0	1995#	99.7	99.7	99.6
1976#	98.5	99.7	97.3	1996#	99.7	99.7	99.7
1977#	98.9	99.7	98.1	1997#	99.7	99.8	99.7
1978#	99.1	99.7	98.4	1998#	99.6	99.7	99.6
1979#	99.3	99.7	98.9	1999#	99.7	99.7	99.7
1980#	99.4	99.7	99.1	2000#	99.7	99.7	99.7
1981#	99.3	99.6	99.0	2001#	99.7	99.7	99.7
1982#	99.4	99.6	99.2	2002#	99.7	99.7	99.8
1983#	99.5	99.6	99.4	2003#	99.7	99.7	99.7
1984#	99.5	99.6	99.4	2004#	99.7	99.7	99.8
1985#	99.6	99.7	99.4	2005#	99.7	99.7	99.8
1986#	99.6	99.7	99.5	2006#	99.7	99.7	99.8
1987#	99.6	99.8	99.5				
1988#	99.6	99.7	99.6				
1989#	99.6	99.8	99.5				

* FIGURES FOR YEARS PRIOR TO 1989 ARE BY RACE OF CHILD;
BEGINNING IN 1989 FIGURES SHOWN ARE BY RACE OF MOTHER.

INCLUDES BIRTHS IN ANY FACILITY WHICH PROVIDES MEDICAL
CARE; PRIOR TO 1970 ONLY BIRTHS IN FACILITIES PROVIDING
INPATIENT CARE WERE INCLUDED.

**TABLE A3. LIVE BIRTHS AND PERCENTAGE DISTRIBUTION, BY PLACE OF DELIVERY, ATTENDANT, AND RACE OF MOTHER
MISSISSIPPI, 2006**

PLACE OF DELIVERY AND RACE	NUMBER						PERCENT					
	TOTAL	PHYSICIAN	CERTIFIED NURSE MIDWIFE	GRANNY MIDWIFE	OTHER NAMED PERSON	UNKNOWN	TOTAL	PHYSICIAN	CERTIFIED NURSE MIDWIFE	GRANNY MIDWIFE	OTHER NAMED PERSON	UNKNOWN
<u>TOTAL</u>	<u>46,046</u>	<u>44,925</u>	<u>913</u>	<u>47</u>	<u>124</u>	<u>37</u>	<u>100.0</u>	<u>97.6</u>	<u>2.0</u>	<u>0.1</u>	<u>0.3</u>	<u>0.1</u>
HOSPITAL CLINIC/DOCTOR'S OFFICE	45,924	44,912	912	3	65	32	99.7	97.5	2.0	*	0.1	0.1
HOME	1	1	0	0	0	0	*	*	-	-	-	-
OTHER PLACE	112	9	1	42	57	3	0.2	*	*	0.1	0.1	*
UNKNOWN PLACE	9	3	0	2	2	2	*	*	-	*	*	*
	0	0	0	0	0	0	-	-	-	-	-	-
<u>WHITE</u>	<u>24,195</u>	<u>23,641</u>	<u>439</u>	<u>46</u>	<u>45</u>	<u>24</u>	<u>100.0</u>	<u>97.7</u>	<u>1.8</u>	<u>0.2</u>	<u>0.2</u>	<u>0.1</u>
HOSPITAL CLINIC/DOCTOR'S OFFICE	24,121	23,639	438	2	19	23	99.7	97.7	1.8	*	0.1	0.1
HOME	1	1	0	0	0	0	*	*	-	-	-	-
OTHER PLACE	71	1	1	42	26	1	0.3	*	*	0.2	0.1	*
UNKNOWN PLACE	2	0	0	2	0	0	*	-	-	*	-	-
	0	0	0	0	0	0	-	-	-	-	-	-
<u>NONWHITE</u>	<u>21,851</u>	<u>21,284</u>	<u>474</u>	<u>1</u>	<u>79</u>	<u>13</u>	<u>100.0</u>	<u>97.4</u>	<u>2.2</u>	<u>-</u>	<u>0.4</u>	<u>*</u>
HOSPITAL CLINIC/DOCTOR'S OFFICE	21,803	21,273	474	1	46	9	99.8	97.4	2.2	*	0.2	*
HOME	0	0	0	0	0	0	-	-	-	-	-	-
OTHER PLACE	41	8	0	0	31	2	0.2	*	-	-	0.1	*
UNKNOWN PLACE	7	3	0	0	2	2	*	*	-	-	*	*
	0	0	0	0	0	0	-	-	-	-	-	-

* LESS THAN 0.06 PERCENT.

**TABLE A4. LIVE BIRTHS, PERCENTAGE DISTRIBUTION, AND FERTILITY RATES,
BY AGE AND RACE OF MOTHER
MISSISSIPPI, 2006**

AGE OF MOTHER	NUMBER			PERCENT			FERTILITY RATE*		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>TOTAL</u>	<u>46,046</u>	<u>24,195</u>	<u>21,851</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>	<u>75.7</u>	<u>70.9</u>	<u>81.9</u>
UNDER 15	173	33	140	0.4	0.1	0.6	1.7	0.6	2.8
15-19	7,403	3,014	4,389	16.1	12.4	20.1	68.4	53.2	85.0
20-24	15,959	7,458	8,501	34.6	30.8	38.9	151.4	133.4	171.8
25-29	12,374	7,154	5,220	26.9	29.6	23.9	123.4	128.3	117.2
30-34	6,745	4,386	2,359	14.6	18.1	10.8	73.2	83.0	60.0
35-39	2,810	1,798	1,012	6.1	7.4	4.6	29.0	31.4	25.5
40-44	542	325	217	1.2	1.3	1.0	5.2	5.2	5.2
45-49	34	24	10	0.1	0.1	**	0.3	0.4	0.2
UNKNOWN	6	3	3	**	**	**			

* FOR TOTAL GROUP- LIVE BIRTHS PER 1,000 FEMALES 15-44 YEARS OF AGE; FOR SPECIFIC AGE GROUPS - LIVE BIRTHS PER 1,000 FEMALES IN SPECIFIED GROUP.

** LESS THAN 0.06 PERCENT.

**TABLE A5. LIVE BIRTHS AND PERCENTAGE DISTRIBUTION,
BY YEARS OF SCHOOL COMPLETED BY MOTHER AND RACE OF MOTHER
MISSISSIPPI, 2006**

YEARS OF SCHOOL COMPLETED BY MOTHER	NUMBER			PERCENT*			CUMULATIVE PERCENT*		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>TOTAL BIRTHS</u>	<u>46,046</u>	<u>24,195</u>	<u>21,851</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>			
0-6 YEARS	738	601	137	1.6	2.5	0.6	1.6	2.5	0.6
7-9 YEARS	3,495	1,880	1,615	7.7	7.9	7.4	9.3	10.5	8.1
10,11 YEARS	7,135	2,809	4,326	15.7	11.9	20.0	25.1	22.3	28.1
12 YEARS	14,186	6,339	7,847	31.3	26.8	36.2	56.4	49.1	64.3
1-3 YEARS COLLEGE	11,472	5,985	5,487	25.3	25.3	25.3	81.6	74.4	89.6
4 OR MORE YEARS OF COLLEGE	8,320	6,071	2,249	18.3	25.6	10.4	100.0	100.0	100.0
UNKNOWN	700	510	190						
MEDIAN YEARS COMPLETED*	12	13	12						

* CALCULATIONS EXCLUDE BIRTHS TO MOTHERS WITH EDUCATION UNKNOWN.

**TABLE A6. LIVE BIRTHS TO UNMARRIED MOTHERS
AND PERCENT OF TOTAL LIVE BIRTHS IN SPECIFIED GROUP,
BY AGE AND RACE OF MOTHER
MISSISSIPPI, 2006**

AGE OF MOTHER	NUMBER			PERCENT		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>TOTAL</u>	<u>24,323</u>	<u>7,288</u>	<u>17,035</u>	<u>52.8</u>	<u>30.1</u>	<u>78.0</u>
UNDER 15	171	31	140	98.8	93.9	100.0
15-19	6,448	2,139	4,309	87.1	71.0	98.2
20-24	10,484	3,004	7,480	65.7	40.3	88.0
25-29	4,807	1,327	3,480	38.8	18.5	66.7
30-34	1,627	506	1,121	24.1	11.5	47.5
35-39	631	224	407	22.4	12.4	40.2
40-44	147	54	93	27.1	16.6	42.8
45-49	6	2	4	17.6	8.3	40.0
UNKNOWN	2	1	1			

**TABLE A7. LIVE BIRTHS, PERCENTAGE DISTRIBUTION, FERTILITY RATES, AND
MEDIAN AGE OF MOTHER, BY TOTAL-BIRTH ORDER AND RACE OF MOTHER
MISSISSIPPI, 2006**

TOTAL BIRTH ORDER*	NUMBER			PERCENT			FERTILITY RATE**			MEDIAN AGE OF MOTHER		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>TOTAL</u>	<u>46,046</u>	<u>24,195</u>	<u>21,851</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>	<u>75.7</u>	<u>70.9</u>	<u>81.9</u>	<u>24</u>	<u>26</u>	<u>23</u>
FIRST	15,862	8,765	7,097	34.4	36.2	32.5	26.1	25.7	26.6	21	23	20
SECOND	13,778	7,614	6,164	29.9	31.5	28.2	22.6	22.3	23.1	24	26	23
THIRD	8,685	4,371	4,314	18.9	18.1	19.7	14.3	12.8	16.2	26	28	25
FOURTH	4,289	1,985	2,304	9.3	8.2	10.5	7.0	5.8	8.6	27	29	26
FIFTH	1,890	824	1,066	4.1	3.4	4.9	3.1	2.4	4.0	28	30	27
SIXTH	804	330	474	1.7	1.4	2.2	1.3	1.0	1.8	29	31	29
SEVENTH	358	137	221	0.8	0.6	1.0	0.6	0.4	0.8	30	31	29
EIGHTH	155	60	95	0.3	0.2	0.4	0.2	0.2	0.4	32	34	32
NINTH	72	29	43	0.2	0.1	0.2	0.1	0.1	0.2	35	36	34
TENTH & OVER	100	44	56	0.2	0.2	0.2	0.2	0.1	0.2	33	34	33
UNKNOWN	53	36	17	0.1	0.1	0.1	0.1	0.1	0.1			

* INCLUDES ALL LIVE BIRTHS PLUS ALL FETAL DEATHS REGARDLESS OF LENGTH OF GESTATION.

** LIVE BIRTHS PER 1,000 FEMALES 15-44 YEARS OF AGE.

**TABLE A8. LIVE BIRTHS AND PERCENTAGE DISTRIBUTION,
BY WHETHER MOTHER RECEIVED PRENATAL CARE,
TIME DURING PREGNANCY CARE BEGAN, AND RACE OF MOTHER
MISSISSIPPI, 2006**

PRENATAL CARE AND TIME CARE BEGAN	NUMBER			PERCENT		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>TOTAL</u>	<u>46,046</u>	<u>24,195</u>	<u>21,851</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>
NO PRENATAL CARE	537	198	339	1.2	0.8	1.6
<u>SOME PRENATAL CARE</u>	<u>45,135</u>	<u>23,782</u>	<u>21,353</u>	<u>98.0</u>	<u>98.3</u>	<u>97.7</u>
FIRST TRIMESTER	37,461	20,797	16,664	81.4	86.0	76.3
SECOND TRIMESTER	6,125	2,208	3,917	13.3	9.1	17.9
THIRD TRIMESTER	928	324	604	2.0	1.3	2.8
UNKNOWN MONTH	621	453	168	1.3	1.9	0.8
UNKNOWN WHETHER ANY PRENATAL CARE	374	215	159	0.8	0.9	0.7

**TABLE A9. LIVE BIRTHS AND PERCENTAGE DISTRIBUTION,
BY MATURITY AND RACE OF MOTHER
MISSISSIPPI, 2006**

MATURITY*	NUMBER			PERCENT		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>TOTAL</u>	<u>46,046</u>	<u>24,195</u>	<u>21,851</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>
IMMATURE ONLY**	2,357	913	1,444	5.1	3.8	6.6
PREMATURE ONLY**	5,010	2,332	2,678	10.9	9.6	12.2
BOTH IMMATURE AND PREMATURE	3,356	1,204	2,152	7.3	5.0	9.8
TOTAL IMMATURE	5,713	2,117	3,596	12.4	8.8	16.4
TOTAL PREMATURE	8,366	3,536	4,830	18.2	14.6	22.1
TOTAL IMMATURE AND/OR PREMATURE	10,723	4,449	6,274	23.3	18.4	28.7
NEITHER IMMATURE NOR PREMATURE**	35,323	19,746	15,577	76.7	81.6	71.3

* IMMATURE - BIRTHWEIGHT LESS THAN 5 1/2 POUNDS (2,500 GRAMS); PREMATURE - GESTATION LESS THAN 37 WEEKS (CALCULATED BY SUBTRACTING THE DATE OF THE LAST NORMAL MENSTRUAL PERIOD PRIOR TO DELIVERY FROM THE DATE OF BIRTH).

** BIRTHS CLASSIFIED AS IMMATURE ONLY OR AS PREMATURE ONLY INCLUDE SOME FOR WHICH THE OTHER MEASUREMENT WAS UNKNOWN. THOSE CLASSIFIED AS NEITHER IMMATURE NOR PREMATURE INCLUDE SOME FOR WHICH ONE OR BOTH MEASUREMENTS WERE UNKNOWN.

**TABLE A10. CONGENITAL ANOMALIES REPORTED ON LIVE BIRTH CERTIFICATES,
BY ANOMALY AND RACE OF MOTHER
MISSISSIPPI, 2006**

CONGENITAL ANOMALY	TOTAL	WHITE	NON- WHITE
<u>TOTAL ANOMALIES REPORTED</u>	<u>506</u>	<u>242</u>	<u>264</u>
ANENCEPHALUS	5	4	1
SPINA BIFIDA / MENINGOCELE	8	6	2
HYDROCEPHALUS	14	7	7
MICROCEPHALUS	3	2	1
OTHER CENTRAL NERVOUS SYSTEM ANOMALIES	5	4	1
HEART MALFORMATIONS	45	21	24
OTHER CIRCULATORY / RESPIRATORY ANOMALIES	31	17	14
RECTAL ATRESIA / STENOSIS	5	4	1
TRACHEO-ESOPHAGEAL FISTULA / ESOPHAGEAL ATRESIA	0	0	0
OMPHALOCELE / GASTROSCHISIS	26	16	10
OTHER GASTROINTESTINAL ANOMALIES	6	4	2
MALFORMED GENITALIA	34	22	12
RENAL AGENESIS	5	4	1
OTHER UROGENITAL ANOMALIES	19	5	14
CLEFT LIP / PALATE	29	18	11
POLYDACTYLY / SYNDACTYLY / ADACTYLY	93	22	71
CLUB FOOT	30	18	12
DIAPHRAGMATIC HERNIA	13	7	6
OTHER MUSCULOSKELETAL / INTEGUMENTAL ANOMALIES	85	33	52
DOWNS SYNDROME	8	6	2
OTHER CHROMOSOMAL ANOMALIES	8	3	5
OTHER	34	19	15

**TABLE A11. MEDICAL RISK FACTORS REPORTED ON LIVE BIRTH CERTIFICATES,
BY RISK FACTOR AND RACE OF MOTHER
MISSISSIPPI, 2006**

MEDICAL RISK FACTOR	TOTAL	WHITE	NON- WHITE
<u>TOTAL RISK FACTORS REPORTED</u>	<u>14,360</u>	<u>6,470</u>	<u>7,890</u>
ANEMIA (HCT. < 30/HGB. < 10)	979	389	590
CARDIAC DISEASE	160	104	56
ACUTE OR CHRONIC LUNG DISEASE	459	227	232
DIABETES	1,450	779	671
GENITAL HERPES	294	161	133
HYDRAMNIOS/OLIGOHYDRAMNIOS	514	222	292
HEMOGLOBINOPATHY	171	4	167
HYPERTENSION, CHRONIC	977	304	673
HYPERTENSION, PREGNANCY-ASSOCIATED	2,420	1,207	1,213
ECLAMPSIA	158	84	74
INCOMPETENT CERVIX	123	44	79
PREVIOUS INFANT 4000+ GRAMS	137	91	46
PREVIOUS PRETERM OR SMALL-FOR-GESTATIONAL-AGE INFANT	532	205	327
RENAL DISEASE	81	57	24
RH SENSITIZATION	248	158	90
UTERINE BLEEDING	146	91	55
OTHER	5,511	2,343	3,168

**TABLE A12. OTHER RISK FACTORS REPORTED ON LIVE BIRTH CERTIFICATES
AND PERCENTAGE DISTRIBUTION, BY RISK FACTOR AND RACE OF MOTHER,
MISSISSIPPI, 2006**

RISK FACTOR	NUMBER			PERCENT		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>TOTAL LIVE BIRTHS</u>	<u>46,046</u>	<u>24,195</u>	<u>21,851</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>
TOBACCO USE DURING PREGNANCY						
NONE	40,186	19,841	20,345	87.3	82.0	93.1
<u>SOME</u>	<u>5,783</u>	<u>4,312</u>	<u>1,471</u>	<u>12.6</u>	<u>17.8</u>	<u>6.7</u>
1-9 CIGARETTES PER DAY	2,495	1,653	842	5.4	6.8	3.8
10-19 CIGARETTES PER DAY	2,211	1,810	401	4.8	7.5	1.8
20-29 CIGARETTES PER DAY	777	647	130	1.7	2.7	0.6
30-39 CIGARETTES PER DAY	38	32	6	0.1	0.1	*
40-49 CIGARETTES PER DAY	22	15	7	*	0.1	*
50-59 CIGARETTES PER DAY	1	0	1	*	-	*
60 OR MORE PER DAY	5	3	2	*	*	*
UNKNOWN AMOUNT	234	152	82	0.5	0.6	0.4
NOT STATED	77	42	35	0.2	0.2	0.2
ALCOHOL USE DURING PREGNANCY						
NONE	44,011	22,756	21,255	95.6	94.0	97.3
<u>SOME</u>	<u>217</u>	<u>82</u>	<u>135</u>	<u>0.5</u>	<u>0.3</u>	<u>0.6</u>
1 DRINK PER WEEK	77	37	40	0.2	0.2	0.2
2 DRINKS PER WEEK	43	18	25	0.1	0.1	0.1
3 DRINKS PER WEEK	9	3	6	*	*	*
4 DRINKS PER WEEK	5	1	4	*	*	*
5 DRINKS PER WEEK	3	0	3	*	-	*
6 OR MORE PER WEEK	17	3	14	*	*	0.1
UNKNOWN AMOUNT	63	20	43	0.1	0.1	0.2
NOT STATED	1,818	1,357	461	3.9	5.6	2.1
WEIGHT GAINED DURING PREGNANCY						
NONE OR LOST WEIGHT	1,531	515	1,016	3.3	2.1	4.6
1-4 POUNDS	724	357	367	1.6	1.5	1.7
5-9 POUNDS	1,340	533	807	2.9	2.2	3.7
10-14 POUNDS	2,645	1,061	1,584	5.7	4.4	7.2
15-19 POUNDS	3,267	1,438	1,829	7.1	5.9	8.4
20-24 POUNDS	6,512	3,219	3,293	14.1	13.3	15.1
25-29 POUNDS	5,098	2,778	2,320	11.1	11.5	10.6
30-34 POUNDS	6,441	3,536	2,905	14.0	14.6	13.3
35-39 POUNDS	4,084	2,412	1,672	8.9	10.0	7.6
40-44 POUNDS	4,036	2,370	1,666	8.8	9.8	7.6
45 OR MORE POUNDS	6,787	3,989	2,798	14.7	16.5	12.8
UNKNOWN AMOUNT	3,581	1,987	1,594	7.8	8.2	7.3
MEDIAN WEIGHT GAIN (LBS)**	30	30	26			

* LESS THAN 0.06 PERCENT.

** EXCLUDES MOTHERS WHOSE WEIGHT GAIN WAS UNKNOWN.

**TABLE A13. COMPLICATIONS OF LABOR AND DELIVERY
REPORTED ON LIVE BIRTH CERTIFICATES,
BY COMPLICATION AND RACE OF MOTHER
MISSISSIPPI, 2006**

COMPLICATION	TOTAL	WHITE	NON-WHITE
<u>TOTAL COMPLICATIONS REPORTED</u>	<u>11,301</u>	<u>5,974</u>	<u>5,327</u>
FEBRILE (> 100 DEGREES F. OR 38 DEGREES C.)	258	140	118
MECONIUM, MODERATE / HEAVY	1,125	474	651
PREMATURE RUPTURE OF MEMBRANE (> 12 HOURS)	582	239	343
ABRUPTIO PLACENTA	270	118	152
PLACENTA PREVIA	72	49	23
OTHER EXCESSIVE BLEEDING	90	52	38
SEIZURES DURING LABOR	21	7	14
PRECIPITOUS LABOR (< 3 HOURS)	497	207	290
PROLONGED LABOR (> 20 HOURS)	168	84	84
DYSFUNCTIONAL LABOR	1,215	653	562
BREECH / MALPRESENTATION	1,919	1,179	740
CEPHALOPELVIC DISPROPORTION	845	479	366
CORD PROLAPSE	92	50	42
ANESTHETIC COMPLICATIONS	22	16	6
FETAL DISTRESS	2,280	1,077	1,203
OTHER	1,845	1,150	695

**TABLE A14. METHOD OF DELIVERY REPORTED ON LIVE BIRTH CERTIFICATES,
BY METHOD AND RACE OF MOTHER
MISSISSIPPI, 2006**

METHOD OF DELIVERY	TOTAL	WHITE	NON-WHITE
<u>TOTAL METHODS OF DELIVERY REPORTED</u>	<u>48,218</u>	<u>25,399</u>	<u>22,819</u>
VAGINAL	29,354	15,388	13,966
VAGINAL BIRTH AFTER PREVIOUS C-SECTION	223	96	127
PRIMARY C-SECTION	9,559	5,205	4,354
REPEAT C-SECTION	6,900	3,498	3,402
FORCEPS	531	331	200
VACUUM	1,651	881	770

**TABLE A15. OBSTETRIC PROCEDURES REPORTED ON LIVE BIRTH CERTIFICATES,
BY PROCEDURE AND RACE OF MOTHER
MISSISSIPPI, 2006**

OBSTETRIC PROCEDURE	TOTAL	WHITE	NON- WHITE
<u>TOTAL OBSTETRIC PROCEDURES REPORTED</u>	<u>77,176</u>	<u>41,680</u>	<u>35,496</u>
AMNIOCENTESIS	135	87	48
ELECTRONIC FETAL MONITORING	36,913	19,424	17,489
INDUCTION OF LABOR	8,947	5,670	3,277
STIMULATION OF LABOR	4,188	2,045	2,143
TOCOLYSIS	414	208	206
ULTRASOUND	26,492	14,202	12,290
OTHER	87	44	43

**TABLE A16. ABNORMAL CONDITIONS OF NEWBORN
REPORTED ON LIVE BIRTH CERTIFICATES,
BY CONDITION AND RACE OF MOTHER
MISSISSIPPI, 2006**

ABNORMAL CONDITION OF NEWBORN	TOTAL	WHITE	NON- WHITE
<u>TOTAL ABNORMAL CONDITIONS REPORTED</u>	<u>3,115</u>	<u>1,481</u>	<u>1,634</u>
ANEMIA (HCT. < 39 / HGB. < 13)	60	25	35
BIRTH INJURY	159	104	55
FETAL ALCOHOL SYNDROME	0	0	0
HYALINE MEMBRANE DISEASE / RDS	445	226	219
MECONIUM ASPIRATION SYNDROME	47	15	32
ASSISTED VENTILATION < 30 MINUTES	367	144	223
ASSISTED VENTILATION 30 MINUTES OR MORE	603	227	376
SEIZURES	9	3	6
OTHER	1,425	737	688

FETAL DEATHS

TABLE B1. REPORTABLE* FETAL DEATHS AND PERCENTAGE DISTRIBUTION,
BY PLACE OF DELIVERY, ATTENDANT, AND RACE OF MOTHER
MISSISSIPPI, 2006

PLACE OF DELIVERY AND RACE	NUMBER						PERCENT					
	TOTAL	PHYSICIAN	CERTIFIED NURSE MIDWIFE	GRANNY MIDWIFE	OTHER NAMED PERSON	UNKNOWN	TOTAL	PHYSICIAN	CERTIFIED NURSE MIDWIFE	GRANNY MIDWIFE	OTHER NAMED PERSON	UNKNOWN
<u>TOTAL</u>	<u>444</u>	<u>418</u>	<u>4</u>	<u>0</u>	<u>22</u>	<u>0</u>	<u>100.0</u>	<u>94.1</u>	<u>0.9</u>	-	<u>5.0</u>	-
HOSPITAL CLINIC / DOCTOR'S OFFICE	435	416	4	0	15	0	98.0	93.7	0.9	-	3.4	-
HOME	0	0	0	0	0	0	-	-	-	-	-	-
OTHER PLACE	8	2	0	0	6	0	1.8	0.4	-	-	1.4	-
	1	0	0	0	1	0	0.2	-	-	-	0.2	-
<u>WHITE</u>	<u>120</u>	<u>114</u>	<u>2</u>	<u>0</u>	<u>4</u>	<u>0</u>	<u>100.0</u>	<u>95.0</u>	<u>1.7</u>	-	<u>3.3</u>	-
HOSPITAL CLINIC / DOCTOR'S OFFICE	119	114	2	0	3	0	99.2	95.0	1.7	-	2.5	-
HOME	0	0	0	0	0	0	-	-	-	-	-	-
OTHER PLACE	0	0	0	0	0	0	-	-	-	-	-	-
	1	0	0	0	1	0	0.8	-	-	-	0.8	-
<u>NONWHITE</u>	<u>324</u>	<u>304</u>	<u>2</u>	<u>0</u>	<u>18</u>	<u>0</u>	<u>100.0</u>	<u>93.8</u>	<u>0.6</u>	-	<u>5.6</u>	-
HOSPITAL CLINIC / DOCTOR'S OFFICE	316	302	2	0	12	0	97.5	93.2	0.6	-	3.7	-
HOME	0	0	0	0	0	0	-	-	-	-	-	-
OTHER PLACE	8	2	0	0	6	0	2.5	0.6	-	-	1.8	-
	0	0	0	0	0	0	-	-	-	-	-	-

* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

**TABLE B2. REPORTABLE* FETAL DEATHS AND FETAL DEATH RATIOS,
BY AGE AND RACE OF MOTHER
MISSISSIPPI, 2006**

AGE OF MOTHER	NUMBER			RATIO**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>TOTAL</u>	<u>444</u>	<u>120</u>	<u>324</u>	<u>9.6</u>	<u>5.0</u>	<u>14.8</u>
UNDER 15	3	0	3	17.3	#	21.4
15-19	82	17	65	11.1	5.6	14.8
20-24	157	40	117	9.8	5.4	13.8
25-29	109	34	75	8.8	4.8	14.4
30-34	60	20	40	8.9	4.6	17.0
35-39	23	6	17	8.2	3.3	16.8
40-44	8	3	5	14.8	9.2	23.0
45-49	0	0	0	#	#	#
50 & OVER	0	0	0	#	#	#
UNKNOWN	2	0	2	#	#	#

* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

** REPORTABLE FETAL DEATHS PER 1,000 LIVE BIRTHS TO MOTHERS IN SPECIFIED GROUP.

RATIO NOT CALCULATED ON LESS THAN 100 LIVE BIRTHS.

**TABLE B3. PERCENTAGE DISTRIBUTION OF LIVE BIRTHS
AND REPORTABLE* FETAL DEATHS,
BY WHETHER MOTHER RECEIVED PRENATAL CARE AND RACE OF MOTHER
MISSISSIPPI, 2006**

PRENATAL CARE	LIVE BIRTHS			REPORTABLE* FETAL DEATHS		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>TOTAL</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>
NO CARE	1.2	0.8	1.6	7.0	5.8	7.4
SOME CARE	96.7	96.4	97.0	78.8	85.0	76.5
UNKNOWN WHETHER ANY CARE	2.2	2.8	1.5	14.2	9.2	16.0

* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

**TABLE B4. REPORTABLE* FETAL DEATHS AND FETAL DEATH RATIOS,
BY COMPLETED WEEKS OF GESTATION AND RACE OF MOTHER,
MISSISSIPPI, 2004-2006**

COMPLETED WEEKS OF GESTATION **	TOTAL			WHITE			NONWHITE		
	2004	2005	2006	2004	2005	2006	2004	2005	2006
REPORTABLE* FETAL DEATHS									
<u>TOTAL</u>	<u>419</u>	<u>426</u>	<u>444</u>	<u>143</u>	<u>131</u>	<u>120</u>	<u>276</u>	<u>295</u>	<u>324</u>
UNDER 20	17	11	13	6	3	1	11	8	12
<u>20 AND OVER</u>	<u>300</u>	<u>297</u>	<u>291</u>	<u>109</u>	<u>91</u>	<u>81</u>	<u>191</u>	<u>206</u>	<u>210</u>
20-22	62	86	79	22	20	17	40	66	62
23-27	72	71	71	20	24	22	52	47	49
28-36	120	97	99	46	26	25	74	71	74
37 AND OVER	46	43	42	21	21	17	25	22	25
UNKNOWN	102	118	140	28	37	38	74	81	102
FETAL DEATH RATIOS#									
<u>TOTAL</u>	<u>9.8</u>	<u>10.1</u>	<u>9.6</u>	<u>6.1</u>	<u>5.7</u>	<u>5.0</u>	<u>14.3</u>	<u>15.3</u>	<u>14.8</u>
UNDER 20	0.4	0.3	0.3	0.2	0.1	##	0.6	0.4	0.5
<u>20 AND OVER</u>	<u>7.0</u>	<u>7.0</u>	<u>6.3</u>	<u>4.6</u>	<u>4.0</u>	<u>3.3</u>	<u>9.9</u>	<u>10.7</u>	<u>9.6</u>
20-22	1.4	2.0	1.7	0.9	0.9	0.7	2.1	3.4	2.8
23-27	1.7	1.7	1.5	0.8	1.0	0.9	2.7	2.4	2.2
28-36	2.8	2.3	2.2	2.0	1.1	1.0	3.8	3.7	3.4
37 AND OVER	1.1	1.0	0.9	0.9	0.9	0.7	1.3	1.1	1.1
UNKNOWN	2.4	2.8	3.0	1.2	1.6	1.6	3.8	4.2	4.7

* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

** CALCULATED BY SUBTRACTING THE DATE OF THE LAST NORMAL MENSTRUAL PERIOD PRIOR TO DELIVERY FROM THE DATE OF DELIVERY.

REPORTABLE FETAL DEATHS PER 1,000 LIVE BIRTHS.

LESS THAN 0.06.

DEATHS

**TABLE C1. DEATHS AND AVERAGE PER DAY, BY MONTH
MISSISSIPPI, 2006**

MONTH	DEATHS	AVERAGE PER DAY	MONTH	DEATHS	AVERAGE PER DAY
<u>TOTAL</u>	<u>28,343</u>	<u>78</u>			
JANUARY	2,598	84	JULY	2,305	74
FEBRUARY	2,268	81	AUGUST	2,231	72
MARCH	2,554	82	SEPTEMBER	2,243	75
APRIL	2,318	77	OCTOBER	2,336	75
MAY	2,355	76	NOVEMBER	2,330	78
JUNE	2,234	74	DECEMBER	2,571	83

**TABLE C2. DEATHS, PERCENTAGE DISTRIBUTION, AND RATES, BY AGE AND RACE
MISSISSIPPI, 2006**

AGE	NUMBER			PERCENT			RATE*		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>TOTAL</u>	<u>28,343</u>	<u>18,859</u>	<u>9,484</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>	<u>9.7</u>	<u>10.6</u>	<u>8.3</u>
UNDER 1	483	168	315	1.7	0.9	3.3	11.1	7.3	15.5
1-4	73	30	43	0.2	0.2	0.4	0.4	0.3	0.6
5-9	39	23	16	0.1	0.1	0.2	0.2	0.2	0.2
10-14	55	22	33	0.2	0.1	0.3	0.3	0.2	0.3
15-24	540	290	250	1.9	1.5	2.6	1.2	1.2	1.2
25-34	726	369	357	2.6	2.0	3.8	1.9	1.7	2.2
35-44	1,250	651	599	4.4	3.4	6.3	3.2	2.7	4.0
45-54	2,657	1,440	1,217	9.4	7.6	12.8	6.5	5.6	8.2
55-64	3,756	2,267	1,489	13.2	12.0	15.7	12.2	10.5	16.3
65-74	5,019	3,450	1,569	17.7	18.3	16.5	26.3	24.5	31.5
75 AND OVER	13,739	10,144	3,595	48.5	53.8	37.9	80.2	79.1	83.3
UNKNOWN	6	5	1	**	**	**			

* DEATHS PER 1,000 POPULATION IN SPECIFIED GROUP.

** LESS THAN 0.06 PERCENT.

**TABLE C3A. DEATHS BY AGE, RACE, AND SEX,
AND MALE/FEMALE RATIOS BY AGE AND RACE
MISSISSIPPI, 2006**

AGE	TOTAL			WHITE			NONWHITE		
	MALE	FEMALE	MALES PER FEMALE	MALE	FEMALE	MALES PER FEMALE	MALE	FEMALE	MALES PER FEMALE
<u>TOTAL</u>	<u>14,366</u>	<u>13,977</u>	<u>1.03</u>	<u>9,470</u>	<u>9,389</u>	<u>1.01</u>	<u>4,896</u>	<u>4,588</u>	<u>1.07</u>
UNDER 1	286	197	1.45	100	68	1.47	186	129	1.44
1-4	40	33	1.21	20	10	2.00	20	23	0.87
5-9	20	19	1.05	13	10	1.30	7	9	0.78
10-14	35	20	1.75	17	5	3.40	18	15	1.20
15-24	391	149	2.62	213	77	2.77	178	72	2.47
25-34	474	252	1.88	255	114	2.24	219	138	1.59
35-44	775	475	1.63	404	247	1.64	371	228	1.63
45-54	1,666	991	1.68	903	537	1.68	763	454	1.68
55-64	2,291	1,465	1.56	1,368	899	1.52	923	566	1.63
65-74	2,871	2,148	1.34	2,058	1,392	1.48	813	756	1.08
75-84	3,422	3,681	0.93	2,626	2,657	0.99	796	1,024	0.78
85 AND OVER	2,089	4,547	0.46	1,488	3,373	0.44	601	1,174	0.51
UNKNOWN	6	0		5	0		1	0	
MEDIAN AGE	69	78		72	80		62	73	

**TABLE C3B. DEATH RATES* BY AGE, RACE, AND SEX
MISSISSIPPI, 2006**

AGE	TOTAL		WHITE		NONWHITE	
	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE
<u>TOTAL</u>	<u>10.2</u>	<u>9.3</u>	<u>10.9</u>	<u>10.4</u>	<u>9.1</u>	<u>7.6</u>
UNDER 1	12.8	9.4	8.4	6.0	17.7	13.1
1-4	0.5	0.4	0.4	0.2	0.5	0.6
5-9	0.2	0.2	0.2	0.2	0.1	0.2
10-14	0.3	0.2	0.3	0.1	0.4	0.3
15-24	1.7	0.7	1.7	0.7	1.8	0.7
25-34	2.5	1.3	2.3	1.0	2.9	1.6
35-44	4.1	2.4	3.3	2.0	5.6	2.8
45-54	8.5	4.7	7.0	4.2	11.2	5.6
55-64	15.6	9.1	13.0	8.1	22.2	11.4
65-74	33.7	20.4	31.8	18.2	39.5	25.8
75 AND OVER	90.0	74.7	88.2	73.9	95.8	77.0

* DEATHS PER 1,000 POPULATION IN SPECIFIED GROUP.

**TABLE C4. DEATHS, MORTALITY RATES, AND PERCENT OF TOTAL DEATHS FROM TEN LEADING CAUSES,
BY CAUSE AND RACE
MISSISSIPPI, 2006**

CAUSE AND GROUP NUMBER**	NUMBER			RATE*			PERCENT		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>TOTAL OF TEN LEADING CAUSES</u>	<u>22,253</u>	<u>15,065</u>	<u>7,188</u>	<u>7.6</u>	<u>8.5</u>	<u>6.3</u>	<u>78.5</u>	<u>79.9</u>	<u>75.8</u>
1. HEART DISEASES (156-160,162,164-181)	8,043	5,479	2,564	276.3	309.3	225.1	28.4	29.0	27.0
2. MALIGNANT NEOPLASMS (056-108)	6,189	4,154	2,035	212.6	234.5	178.7	21.8	22.0	21.4
3. ACCIDENTS (295-330)	1,831	1,277	554	62.9	72.1	48.6	6.5	6.8	5.8
4. CEREBROVASCULAR DISEASE (182-186)	1,570	1,010	560	53.9	57.0	49.2	5.5	5.4	5.9
5. EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	1,372	1,116	256	47.1	63.0	22.5	4.8	5.9	2.7
6. ALZHEIMERS DISEASE (148)	735	587	148	25.2	33.1	13.0	2.6	3.1	1.6
7. DIABETES MELLITUS (124)	700	373	327	24.0	21.0	28.7	2.5	2.0	3.4
8. NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (247-249,251,253)	662	342	320	22.7	19.3	28.1	2.3	1.8	3.4
9. INFLUENZA AND PNEUMONIA (195-198)	617	416	201	21.2	23.5	17.6	2.2	2.2	2.1
10. SEPTICEMIA (018)	534	311	223	18.3	17.6	19.6	1.9	1.6	2.4

* TOTAL DEATHS ARE PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION.

** SEE APPENDIX B FOR EXPLANATION OF GROUP NUMBERS.

**TABLE C5. DEATHS, PERCENT OF TOTAL DEATHS, AND RATES
FOR FIVE LEADING CAUSES, BY AGE AND CAUSE
MISSISSIPPI, 2006**

AGE	CAUSES AND GROUP NUMBER*	NUMBER	PERCENT	RATE**
1-4	<u>ALL CAUSES</u>	<u>73</u>	<u>100.0</u>	<u>0.4</u>
	1. ACCIDENTS (295-330)	42	57.5	25.3
	2. CONGENITAL MALFORMATIONS AND DEFORMATIONS (282-290)	7	9.6	4.2
	T3. SEPTICEMIA (018)	2	2.7	1.2
	T3. MALIGNANT NEOPLASMS (056-108)	2	2.7	1.2
	T3. HOMICIDE (338-346)	2	2.7	1.2
5-14	<u>ALL CAUSES</u>	<u>94</u>	<u>100.0</u>	<u>0.2</u>
	1. ACCIDENTS (295-330)	40	42.6	9.6
	2. MALIGNANT NEOPLASMS (056-108)	9	9.6	2.2
	3. HEART DISEASES (156-160,162,164-181)	6	6.4	1.4
	4. CONGENITAL MALFORMATIONS AND DEFORMATIONS (282-290)	5	5.3	1.2
	5. SEPTICEMIA (018)	3	3.2	0.7
15-24	<u>ALL CAUSES</u>	<u>540</u>	<u>100.0</u>	<u>1.2</u>
	1. ACCIDENTS (295-330)	290	53.7	66.3
	2. HOMICIDE (338-346)	79	14.6	18.0
	3. SUICIDE (331-337)	37	6.8	8.4
	4. HEART DISEASES (156-160,162,164-181)	22	4.1	5.0
	5. MALIGNANT NEOPLASMS (056-108)	18	3.3	4.1
25-44	<u>ALL CAUSES</u>	<u>1,976</u>	<u>100.0</u>	<u>2.6</u>
	1. ACCIDENTS (295-330)	544	27.5	70.5
	2. HEART DISEASES (156-160,162,164-181)	295	14.9	38.2
	3. MALIGNANT NEOPLASMS (056-108)	221	11.2	28.6
	4. HOMICIDE (338-346)	137	6.9	17.8
	5. SUICIDE (331-337)	123	6.2	15.9
45-64	<u>ALL CAUSES</u>	<u>6,413</u>	<u>100.0</u>	<u>9.0</u>
	1. MALIGNANT NEOPLASMS (056-108)	1,955	30.5	273.9
	2. HEART DISEASES (156-160,162,164-181)	1,652	25.8	231.4
	3. ACCIDENTS (295-330)	455	7.1	63.7
	4. CEREBROVASCULAR DISEASE (182-186)	292	4.6	40.9
	5. EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	229	3.6	32.1
65 & OVER	<u>ALL CAUSES</u>	<u>18,758</u>	<u>100.0</u>	<u>51.8</u>
	1. HEART DISEASES (156-160,162,164-181)	6,063	32.3	1,674.1
	2. MALIGNANT NEOPLASMS (056-108)	3,984	21.2	1,100.0
	3. CEREBROVASCULAR DISEASE (182-186)	1,226	6.5	338.5
	4. EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	1,113	5.9	307.3
	5. ALZHEIMER'S DISEASE (148)	729	3.9	201.3

* SEE APPENDIX B FOR EXPLANATION OF CAUSE CATEGORIES AND GROUP NUMBERS.

** DEATHS FROM ALL CAUSES PER 1,000 POPULATION IN SPECIFIED GROUP AND DEATHS FROM SPECIFIC CAUSES PER 100,000 POPULATION IN SPECIFIED GROUP.

**TABLE C6. DEATHS AND RATES FROM MALIGNANT NEOPLASMS,
BY PRIMARY SITE, SEX, AND RACE
MISSISSIPPI, 2006**

PRIMARY SITE (RANKED ACCORDING TO NUMBER OF DEATHS AMONG TOTAL POPULATION) AND GROUP NUMBER*	NUMBER				RATE**			
	MALE		FEMALE		MALE		FEMALE	
	WHITE	NON-WHITE	WHITE	NON-WHITE	WHITE	NON-WHITE	WHITE	NON-WHITE
TOTAL	<u>2,317</u>	<u>1,134</u>	<u>1,837</u>	<u>901</u>	<u>265.7</u>	<u>211.0</u>	<u>204.2</u>	<u>149.8</u>
1. RESPIRATORY AND INTRA-THORACIC ORGANS (071-075)	895	407	549	198	102.6	75.7	61.0	32.9
2. DIGESTIVE ORGANS (060-070)	540	297	403	232	61.9	55.3	44.8	38.6
3. GENITAL ORGANS (083-091)	175	181	173	114	20.1	33.7	19.2	18.9
4. LYMPHOID, HEMATOPOIETIC AND RELATED TISSUE (100-108)	228	80	161	72	26.1	14.9	17.9	12.0
5. BREAST (082)	2	1	254	167	0.2	0.2	28.2	27.8
6. URINARY TRACT (092-094)	127	35	67	21	14.6	6.5	7.4	3.5
7. BRAIN (096)	50	15	50	8	5.7	2.8	5.6	1.3
8. LIP, ORAL CAVITY, AND PHARYNX (056-059)	48	30	13	6	5.5	5.6	1.4	1.0
9. SKIN (077,078)	58	4	22	3	6.7	0.7	2.4	0.5
10. BONE AND ARTICULAR CARTILAGE (076)	8	8	7	4	0.9	1.5	0.8	0.7
OTHER AND UNSPECIFIED SITES (079-081,095,097-099)	186	76	138	76	21.3	14.1	15.3	12.6

* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

** DEATHS PER 100,000 POPULATION IN SPECIFIED GROUP.

**TABLE C7. DEATHS FROM MAJOR CHRONIC RESPIRATORY DISEASES,
1981, 1986, 1991, 1996, 2001, 2006**

DISEASE*	1981	1986	1991	1996	2001	2006
TUBERCULOSIS OF RESPIRATORY SYSTEM	21	24	8	19	9	4
MALIGNANT NEOPLASMS OF RESPIRATORY SYSTEM	1,307	1,458	1,635	1,790	1,951	2,049
MALIGNANT NEOPLASMS OF TRACHEA, BRONCHUS, AND LUNG	1,263	1,404	1,586	1,736	1,901	1,992
CHRONIC AND UNQUALIFIED BRONCHITIS	28	29	50	40	13	10
EMPHYSEMA	102	92	125	135	132	86
ASTHMA	34	45	45	60	50	46

* PERIODIC CHANGES IN THE CLASSIFICATION SYSTEM WHICH HAVE OCCURRED THROUGH THE YEARS HAVE RESULTED IN AN UNAVOIDABLE LACK OF COMPARABILITY FOR SOME CAUSES. CAUTION SHOULD BE USED WHEN ANALYZING LONG-TERM TRENDS.

**TABLE C8. DEATHS AND PERCENT OF TOTAL ACCIDENTAL DEATHS FROM
FIVE LEADING CAUSES OF ACCIDENTAL DEATH, BY CAUSE AND RACE
MISSISSIPPI, 2006**

TYPE OF ACCIDENT AND GROUP NUMBER*	NUMBER			PERCENT		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>TOTAL OF FIVE LEADING CAUSES</u>	<u>1,577</u>	<u>1,118</u>	<u>459</u>	<u>86.1</u>	<u>87.5</u>	<u>82.8</u>
1. MOTOR VEHICLE (296-306)	960	611	349	52.4	47.8	63.0
2. POISONING AND EXPO- SURE TO NOXIOUS SUBSTANCES (327-329)	274	246	28	15.0	19.3	5.0
3. FALLS (312-314)	190	172	18	10.4	13.5	3.2
4. EXPOSURE TO SMOKE, FIRE AND FLAMES (322)	78	43	35	4.3	3.4	6.3
5. INHALATION AND INGESTION OF FOOD OR OTHER OBJECTS CAUSING OBSTRUCTION OF RESPIRATORY TRACT (318)	75	46	29	4.1	3.6	5.2

* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

**TABLE C9. DEATHS FROM SELECTED TYPES OF ACCIDENTS, BY SEX, ALSO BY AGE
MISSISSIPPI, 2006**

TYPE OF ACCIDENT AND GROUP NUMBER*	TOTAL	SEX		AGE								
		MALE	FEMALE	UNDER 1	1-4	5-14	15-24	25-34	35-44	45-64	65 & OVER	UNK.
<u>ALL ACCIDENTS</u>	<u>1,831</u>	<u>1,228</u>	<u>603</u>	<u>26</u>	<u>42</u>	<u>40</u>	<u>290</u>	<u>271</u>	<u>273</u>	<u>455</u>	<u>432</u>	<u>2</u>
MOTOR VEHICLE (296-306)	960	676	284	3	16	31	224	183	149	235	118	1
OTHER LAND TRANSPORT (295,307-308)	7	6	1	0	0	0	0	0	3	3	1	0
WATER TRANSPORT (309)	14	14	0	0	0	0	0	2	5	6	1	0
AIR AND SPACE TRANSPORT (310)	8	7	1	0	0	0	1	1	1	4	1	0
FALLS (312-314)	190	97	93	1	0	0	4	2	6	26	150	1
DISCHARGE OF FIREARMS (315)	20	16	4	0	1	1	11	3	2	2	0	0
EXPLOSION (316)	4	4	0	0	0	0	2	1	0	1	0	0
DROWNING AND SUBMERSION (EXCEPT IN TRANSPORT ACCIDENTS) (317)	52	46	6	1	9	1	6	10	6	15	4	0
INHALATION AND INGESTION OF FOOD OR OTHER OBJECTS CAUSING OBSTRUC- TION OF RESPIRATORY TRACT (318)	75	31	44	1	1	0	2	1	3	13	54	0
OTHER AND UNSPECIFIED THREATS TO BREATHING (319)	24	19	5	19	1	2	0	0	1	1	0	0
EXPOSURE TO ELECTRIC CURRENT (320)	7	7	0	0	0	0	0	2	2	1	2	0
EXPOSURE TO SMOKE, FIRE AND FLAMES (322)	78	46	32	1	9	3	4	6	9	17	29	0
CONTACT WITH HEAT AND HOT SUBSTANCES (323)	1	0	1	0	0	0	0	0	0	0	1	0
<u>POISONING (327-329)</u>	<u>274</u>	<u>181</u>	<u>93</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>29</u>	<u>54</u>	<u>78</u>	<u>93</u>	<u>20</u>	<u>0</u>
BY DRUGS AND OTHER BIOLOGICAL SUBSTANCES (327)	257	171	86	0	0	0	27	53	72	87	18	0
BY OTHER SOLID AND LIQUID SUB- STANCES, GASES AND VAPORS (328,329)	17	10	7	0	0	0	2	1	6	6	2	0
ALL OTHER ACCIDENTS (311,321,324-326,330)	117	78	39	0	5	2	7	6	8	38	51	0

* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

TABLE C10. MOTOR VEHICLE ACCIDENT DEATHS OCCURRING IN MISSISSIPPI AND RATES, ALSO MOTOR VEHICLE ACCIDENT DEATHS OF MISSISSIPPI RESIDENTS AND RATES, BY YEAR, 1950,1955, 1960, 1965, 1970-2006

YEAR	OCCURRENCE DATA		RESIDENCE DATA	
	NUMBER	RATE*	NUMBER	RATE*
1950	530	**	515	23.6
1955	568	**	541	24.8
1960	676	9.3	620	28.5
1965	748	8.4	742	31.8
1970	960	8.2	937	42.3
1971	1,011	8.2	984	44.4
1972	1,019	7.8	989	43.8
1973	956	7.0	954	41.2
1974	711	5.2	717	30.7
1975	671	4.7	681	29.1
1976	725	4.7	696	29.4
1977	763	4.8	771	32.3
1978	884	5.2	877	36.5
1979	801	4.7	783	32.5
1980	796	4.8	743	29.5
1981	792	4.7	793	31.5
1982	777	4.5	755	29.6
1983	744	4.2	725	28.0
1984	707	3.8	697	26.9
1985	691	4.0	683	25.7
1986	785	5.7	782	29.4
1987	802	4.0	804	29.6
1988	791	3.6	776	28.2
1989	806	3.5	797	28.7
1990	863	3.5	854	33.2
1991	811	3.3	810	31.5
1992	838	3.2	826	32.1
1993	897	3.3	868	33.7
1994	854	3.0	844	32.8
1995	904	3.0	898	33.3
1996	851	2.8	868	32.2
1997	896	2.9	868	32.2
1998	983	2.9	957	34.8
1999	943	2.7	954	34.4
2000	948	2.7	935	32.9
2001	804	2.2	816	28.7
2002	898	2.5	875	30.5
2003	895	2.4	890	30.9
2004	932	2.4	907	31.2
2005	956	2.3	956	32.7
2006	969	#	960	33.0

* DEATHS IN MISSISSIPPI PER 100,000,000 MILES OF VEHICLE TRAVEL; DEATHS OF RESIDENTS PER 100,000 POPULATION.

** NOT AVAILABLE.

MILES OF VEHICLE TRAVEL FOR 2006 NOT AVAILABLE AT THE TIME OF PUBLICATION.

**TABLE C11. INFANT DEATHS, PERCENTAGE DISTRIBUTION, AND MORTALITY RATES
BY AGE AND RACE
MISSISSIPPI, 2006**

AGE	NUMBER			PERCENT			RATE*		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>TOTAL UNDER 1 YEAR</u>	<u>483</u>	<u>168</u>	<u>315</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>	<u>10.5</u>	<u>6.9</u>	<u>14.4</u>
<u>NEONATAL (UNDER 28 DAYS)</u>	<u>300</u>	<u>102</u>	<u>198</u>	<u>62.1</u>	<u>60.7</u>	<u>62.8</u>	<u>6.5</u>	<u>4.2</u>	<u>9.1</u>
<u>HEBDOMADAL (UNDER 7 DAYS)</u>	<u>225</u>	<u>79</u>	<u>146</u>	<u>46.6</u>	<u>47.0</u>	<u>46.3</u>	<u>4.9</u>	<u>3.3</u>	<u>6.7</u>
UNDER 1 DAY	168	56	112	34.8	33.3	35.6	3.6	2.3	5.1
1-6 DAYS	57	23	34	11.8	13.7	10.8	1.2	1.0	1.6
7-27 DAYS	75	23	52	15.5	13.7	16.5	1.6	1.0	2.4
<u>POSTNEONATAL (28 DAYS TO 1 YEAR)</u>	<u>183</u>	<u>66</u>	<u>117</u>	<u>37.9</u>	<u>39.3</u>	<u>37.1</u>	<u>4.0</u>	<u>2.7</u>	<u>5.4</u>

* DEATHS PER 1,000 LIVE BIRTHS.

**TABLE C12. DEATHS AND MORTALITY RATES FOR TEN LEADING CAUSES
OF INFANT DEATHS, BY CAUSE AND RACE
MISSISSIPPI, 2006**

CAUSE AND GROUP NUMBER**	NUMBER			RATE*		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>ALL CAUSES</u>	<u>483</u>	<u>168</u>	<u>315</u>	<u>10.5</u>	<u>6.9</u>	<u>14.4</u>
1. CONGENITAL MALFORMATIONS, DEFORMATIONS AND CHROMOSOMAL ABNORMALITIES (096-110)	92	37	55	2.0	1.5	2.5
2. DISORDERS RELATED TO SHORT GESTATION AND LOW BIRTH WEIGHT, NOT ELSEWHERE CLASSIFIED (071,072)	84	25	59	1.8	1.0	2.7
3. SUDDEN INFANT DEATH SYNDROME (111)	68	26	42	1.5	1.1	1.9
4. ACCIDENTS (114-124)	26	9	17	0.6	0.4	0.8
5. BACTERIAL SEPSIS OF NEWBORN (085)	23	5	18	0.5	0.2	0.8
6. NEWBORN AFFECTED BY MATERNAL COMPLICATIONS OF PREGNANCY (060-063)	12	4	8	0.3	0.2	0.4
7. NECROTIZING ENTEROCOLITIS OF THE NEWBORN (093)	12	1	11	0.3	#	0.5
8. NEWBORN AFFECTED BY COMPLICATIONS OF PLACENTA, CORD AND MEMBRANES (064-067)	11	2	9	0.2	0.1	0.4
9. RESPIRATORY DISTRESS OF NEWBORN (077)	9	5	4	0.2	0.2	0.2
T10. GASTRITIS, DUODENITIS, AND NONINFECTIVE ENTERITIS AND COLITIS (053)	8	2	6	0.2	0.1	0.3
T10. CHRONIC RESPIRATORY DISEASE ORIGINATING IN THE PERINATAL PERIOD (082)	8	1	7	0.2	#	0.3

* DEATHS PER 1,000 LIVE BIRTHS.

** SEE APPENDIX C FOR EXPLANATION OF CAUSE CATEGORIES AND GROUP NUMBERS.

LESS THAN 0.06 PERCENT.

**TABLE C13A. YEARS OF POTENTIAL LIFE LOST BEFORE AGE 75
FOR SELECTED CAUSES OF DEATH
MISSISSIPPI, 2006**

CAUSE AND GROUP NUMBER*	YEARS	RATE **
<u>ALL RACES - ALL CAUSES</u>	<u>303,500</u>	<u>11,080.0</u>
HEART DISEASES (156-160,162,164-181)	51,681	1,886.7
ISCHEMIC HEART DISEASE (165-168)	30,488	1,113.0
CEREBROVASCULAR DISEASES (182-186)	9,025	329.5
MALIGNANT NEOPLASMS (056-108)	54,377	1,985.2
RESPIRATORY SYSTEM (071-075)	17,268	630.4
COLORECTAL (063,064)	5,140	187.6
PROSTATE (089)#	1,128	83.7
BREAST (082)##	4,935	354.8
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (202-206)	6,655	243.0
PNEMONIA AND INFLUENZA (195-198)	3,070	112.1
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	4,532	165.4
DIABETES MELLITUS (124)	6,130	223.8
HIV INFECTION (039-043)	5,740	209.6
UNINTENTIONAL INJURIES (295-330)	56,122	2,048.9
MOTOR VEHICLE CRASHES (296-306)	34,845	1,272.1
SUICIDE (331-337)	9,278	338.7
HOMICIDE AND LEGAL INTERVENTION (338-346, 353,354)	12,328	450.1

* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

** YEARS OF POTENTIAL LIFE LOST BEFORE AGE 75 PER 100,000
POPULATION UNDER AGE 75.

MALES ONLY.

FEMALES ONLY.

**TABLE C13B. YEARS OF POTENTIAL LIFE LOST BEFORE AGE 75
FOR SELECTED CAUSES OF DEATH
WHITE MALES AND FEMALES
MISSISSIPPI, 2006**

CAUSE AND GROUP NUMBER*	YEARS	RATE **
<u>WHITE MALES - ALL CAUSES</u>	<u>102,042</u>	<u>12,362.9</u>
HEART DISEASES (156-160,162,164-181)	18,616	2,255.4
ISCHEMIC HEART DISEASE (165-168)	12,993	1,574.2
CEREBROVASCULAR DISEASES (182-186)	2,219	268.8
MALIGNANT NEOPLASMS (056-108)	18,178	2,202.4
RESPIRATORY SYSTEM (071-075)	6,606	800.4
COLORECTAL (063,064)	1,838	222.7
PROSTATE (089)	422	51.1
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (202-206)	2,243	271.8
PNEMONIA AND INFLUENZA (195-198)	844	102.2
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	2,080	252.0
DIABETES MELLITUS (124)	1,967	238.3
HIV INFECTION (039-043)	661	80.1
UNINTENTIONAL INJURIES (295-330)	25,968	3,146.2
MOTOR VEHICLE CRASHES (296-306)	15,253	1,848.0
SUICIDE (331-337)	5,474	663.2
HOMICIDE AND LEGAL INTERVENTION (338-346, 353,354)	1,927	233.5
<u>WHITE FEMALES - ALL CAUSES</u>	<u>58,997</u>	<u>7,212.6</u>
HEART DISEASES (156-160,162,164-181)	9,252	1,131.1
ISCHEMIC HEART DISEASE (165-168)	5,701	697.0
CEREBROVASCULAR DISEASES (182-186)	1,597	195.2
MALIGNANT NEOPLASMS (056-108)	14,075	1,720.7
RESPIRATORY SYSTEM (071-075)	3,926	480.0
COLORECTAL (063,064)	817	99.9
BREAST (082)	2,707	330.9
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (202-206)	2,216	270.9
PNEMONIA AND INFLUENZA (195-198)	789	96.4
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	1,265	154.6
DIABETES MELLITUS (124)	922	112.7
HIV INFECTION (039-043)	219	26.8
UNINTENTIONAL INJURIES (295-330)	10,383	1,269.4
MOTOR VEHICLE CRASHES (296-306)	6,285	768.4
SUICIDE (331-337)	1,830	223.7
HOMICIDE AND LEGAL INTERVENTION (338-346, 353,354)	541	66.1

* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMERS.

** YEARS OF POTENTIAL LIFE LOST BEFORE AGE 75 PER 100,000
POPULATION UNDER AGE 75.

**TABLE C13C. YEARS OF POTENTIAL LIFE LOST BEFORE AGE 75
FOR SELECTED CAUSES OF DEATH
NONWHITE MALES AND FEMALES
MISSISSIPPI, 2006**

CAUSE AND GROUP NUMBER*	YEARS	RATE **
<u>NONWHITE MALES - ALL CAUSES</u>	<u>87,337</u>	<u>16,707.3</u>
HEART DISEASES (156-160,162,164-181)	14,794	2,830.0
ISCHEMIC HEART DISEASE (165-168)	7,918	1,514.7
CEREBROVASCULAR DISEASES (182-186)	2,842	543.7
MALIGNANT NEOPLASMS (056-108)	12,780	2,444.8
RESPIRATORY SYSTEM (071-075)	4,868	931.2
COLORECTAL (063,064)	1,411	269.9
PROSTATE (089)	706	135.0
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (202-206)	1,270	242.9
PNEMONIA AND INFLUENZA (195-198)	876	167.6
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	913	174.6
DIABETES MELLITUS (124)	1,763	337.2
HIV INFECTION (039-043)	3,036	580.8
UNINTENTIONAL INJURIES (295-330)	14,033	2,684.5
MOTOR VEHICLE CRASHES (296-306)	9,109	1,742.5
SUICIDE (331-337)	1,701	325.4
HOMICIDE AND LEGAL INTERVENTION (338-346, 353,354)	7,866	1,504.7
<u>NONWHITE FEMALES - ALL CAUSES</u>	<u>55,124</u>	<u>9,619.2</u>
HEART DISEASES (156-160,162,164-181)	9,019	1,573.8
ISCHEMIC HEART DISEASE (165-168)	3,876	676.4
CEREBROVASCULAR DISEASES (182-186)	2,367	413.0
MALIGNANT NEOPLASMS (056-108)	9,344	1,630.5
RESPIRATORY SYSTEM (071-075)	1,868	326.0
COLORECTAL (063,064)	1,074	187.4
BREAST (082)	2,228	388.8
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (202-206)	926	161.6
PNEMONIA AND INFLUENZA (195-198)	561	97.9
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	274	47.8
DIABETES MELLITUS (124)	1,478	257.9
HIV INFECTION (039-043)	1,824	318.3
UNINTENTIONAL INJURIES (295-330)	5,738	1,001.3
MOTOR VEHICLE CRASHES (296-306)	4,198	732.6
SUICIDE (331-337)	273	47.6
HOMICIDE AND LEGAL INTERVENTION (338-346, 353,354)	1,994	348.0

* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMERS.

** YEARS OF POTENTIAL LIFE LOST BEFORE AGE 75 PER 100,000
POPULATION UNDER AGE 75.

MARRIAGES

**TABLE D1. MARRIAGES AND AVERAGE PER DAY, BY MONTH
MISSISSIPPI, 2006**

MONTH	MARRIAGES	AVERAGE PER DAY	MONTH	MARRIAGES	AVERAGE PER DAY
<u>TOTAL</u>	<u>16,559</u>	<u>45</u>			
JANUARY	762	24	JULY	1,684	54
FEBRUARY	1,097	39	AUGUST	1,211	39
MARCH	1,399	45	SEPTEMBER	1,386	46
APRIL	1,564	52	OCTOBER	1,259	41
MAY	1,741	56	NOVEMBER	1,200	40
JUNE	1,984	66	DECEMBER	1,272	41

NOTE: DUE TO INCONSISTENT REPORTING BY COUNTIES, STATISTICS ON MARRIAGES
MAY BE INCOMPLETE.

**TABLE D2. BRIDES AND GROOMS AND PERCENTAGE DISTRIBUTION, BY AGE AND RACE
MISSISSIPPI, 2006**

AGE	NUMBER						PERCENT					
	BRIDE			GROOM			BRIDE			GROOM		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>TOTAL</u>	<u>16,550</u>	<u>11,071</u>	<u>5,479</u>	<u>16,555</u>	<u>10,962</u>	<u>5,593</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>
<u>UNDER 20</u>	<u>1,307</u>	<u>1,186</u>	<u>121</u>	<u>507</u>	<u>465</u>	<u>42</u>	<u>7.9</u>	<u>10.7</u>	<u>2.2</u>	<u>3.1</u>	<u>4.2</u>	<u>0.8</u>
< 13	0	0	0	0	0	0	-	-	-	-	-	-
13	0	0	0	0	0	0	-	-	-	-	-	-
14	5	5	0	1	1	0	*	*	-	*	*	-
15	41	40	1	1	1	0	0.2	0.4	*	*	*	-
16	75	72	3	6	6	0	0.4	0.6	*	*	*	-
17	198	190	8	49	47	2	1.2	1.7	0.1	0.3	0.4	*
18	420	385	35	158	147	11	2.5	3.5	0.6	1.0	1.3	0.2
19	568	494	74	292	263	29	3.4	4.5	1.4	1.8	2.4	0.5
20-24	4,732	3,621	1,111	3,802	2,959	843	28.6	32.7	20.3	23.0	27.0	15.1
25-34	5,476	3,205	2,271	6,213	3,877	2,336	33.1	29.0	41.4	37.5	35.4	41.8
35-44	2,795	1,590	1,205	3,071	1,762	1,309	16.9	14.4	22.0	18.6	16.1	23.4
45-54	1,466	884	582	1,723	1,050	673	8.8	8.0	10.6	10.4	9.6	12.0
55-64	521	376	145	765	506	259	3.1	3.4	2.6	4.6	4.6	4.6
65-74	188	149	39	337	229	108	1.1	1.3	0.7	2.0	2.1	1.9
75 & OVER	65	60	5	137	114	23	0.4	0.5	0.1	0.8	1.0	0.4
UNKNOWN	0	0	0	0	0	0	-	-	-	-	-	-

* LESS THAN 0.06 PERCENT.

NOTE: DUE TO INCONSISTENT REPORTING BY COUNTIES, STATISTICS ON MARRIAGES MAY BE INCOMPLETE.

**TABLE D3. MEDIAN AGE OF BRIDE AND GROOM
FOR ALL MARRIAGES AND FIRST MARRIAGES, BY RACE
MISSISSIPPI, 2006**

ALL AND FIRST MARRIAGES	BRIDE			GROOM		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
ALL MARRIAGES	27	26	30	30	28	32
FIRST MARRIAGES	24	23	27	25	24	28

NOTE: DUE TO INCONSISTENT REPORTING BY COUNTIES, STATISTICS ON MARRIAGES
MAY BE INCOMPLETE.

**TABLE D4. BRIDES AND GROOMS AND PERCENTAGE DISTRIBUTION,
BY MARRIAGE ORDER AND RACE
MISSISSIPPI, 2006**

MARRIAGE ORDER	NUMBER						PERCENT					
	BRIDE			GROOM			BRIDE			GROOM		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	<u>16,550</u>	<u>11,071</u>	<u>5,479</u>	<u>16,555</u>	<u>10,962</u>	<u>5,593</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>
FIRST	10,300	6,470	3,830	10,063	6,396	3,667	62.2	58.4	69.9	60.8	58.3	65.6
REMARRIAGE	<u>6,250</u>	<u>4,601</u>	<u>1,649</u>	<u>6,492</u>	<u>4,566</u>	<u>1,926</u>	<u>37.8</u>	<u>41.6</u>	<u>30.1</u>	<u>39.2</u>	<u>41.6</u>	<u>34.4</u>
SECOND	4,152	2,866	1,286	4,418	2,936	1,482	25.1	25.9	23.5	26.7	26.8	26.5
OVER TWO	<u>2,098</u>	<u>1,735</u>	<u>363</u>	<u>2,074</u>	<u>1,630</u>	<u>444</u>	<u>12.7</u>	<u>15.7</u>	<u>6.6</u>	<u>12.5</u>	<u>14.9</u>	<u>7.9</u>
THIRD	1,495	1,187	308	1,556	1,190	366	9.0	10.7	5.6	9.4	10.8	6.5
FOURTH	432	390	42	372	309	63	2.6	3.5	0.8	2.2	2.8	1.1
FIFTH	130	119	11	107	95	12	0.8	1.1	0.2	0.6	0.9	0.2
SIXTH	31	30	1	31	30	1	0.2	0.3	#	0.2	0.3	#
SEVENTH	9	8	1	5	4	1	#	0.1	#	#	#	#
EIGHTH	1	1	0	2	2	0	#	#	-	#	#	-
NINTH	0	0	0	0	0	0	-	-	-	-	-	-
TENTH	0	0	0	1	0	1	-	-	-	#	-	#
OVER TEN	0	0	0	0	0	0	-	-	-	-	-	-
UNKNOWN*	0	0	0	0	0	0	-	-	-	-	-	-
UNKNOWN**	0	0	0	0	0	0	-	-	-	-	-	-

* PREVIOUSLY MARRIED BUT NUMBER OF PREVIOUS MARRIAGES UNKNOWN.

** UNKNOWN WHETHER PREVIOUSLY MARRIED.

LESS THAN 0.06 PERCENT.

NOTE: DUE TO INCONSISTENT REPORTING BY COUNTIES, STATISTICS ON MARRIAGES MAY BE INCOMPLETE.

**TABLE D5. BRIDES AND GROOMS AND PERCENTAGE DISTRIBUTION,
BY PREVIOUS MARITAL STATUS AND RACE
MISSISSIPPI, 2006**

PREVIOUS MARITAL STATUS	BRIDE			GROOM		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
NUMBER						
<u>TOTAL</u>	<u>16,550</u>	<u>11,071</u>	<u>5,479</u>	<u>16,555</u>	<u>10,962</u>	<u>5,593</u>
NOT PREVIOUSLY MARRIED	10,300	6,470	3,830	10,063	6,396	3,667
<u>REMARRIAGES</u>	<u>6,250</u>	<u>4,601</u>	<u>1,649</u>	<u>6,492</u>	<u>4,566</u>	<u>1,926</u>
WIDOWED	676	497	179	638	438	200
DIVORCED*	5,574	4,104	1,470	5,854	4,128	1,726
UNKNOWN**	0	0	0	0	0	0
UNKNOWN#	0	0	0	0	0	0
PERCENT						
<u>TOTAL</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>
NOT PREVIOUSLY MARRIED	62.2	58.4	69.9	60.8	58.3	65.6
<u>REMARRIAGES</u>	<u>37.8</u>	<u>41.6</u>	<u>30.1</u>	<u>39.2</u>	<u>41.6</u>	<u>34.4</u>
WIDOWED	4.1	4.5	3.3	3.8	4.0	3.6
DIVORCED*	33.7	37.1	26.8	35.4	37.6	30.9
UNKNOWN**	-	-	-	-	-	-
UNKNOWN#	-	-	-	-	-	-

* INCLUDES THOSE WHOSE LAST MARRIAGE WAS ANNULLED.

** UNKNOWN WHETHER WIDOWED OR DIVORCED.

UNKNOWN WHETHER ANY PREVIOUS MARRIAGE.

NOTE: DUE TO INCONSISTENT REPORTING BY COUNTIES, STATISTICS ON MARRIAGES
MAY BE INCOMPLETE.

**TABLE D6. MARRIAGES AND PERCENTAGE DISTRIBUTION,
BY RESIDENCE OF BRIDE AND GROOM AND RACE OF BRIDE
MISSISSIPPI, 2006**

RESIDENCE OF GROOM	RACE AND RESIDENCE OF BRIDE											
	TOTAL				WHITE				NONWHITE			
	TOTAL	MISSIS- SIPPI	OTHER	UN- KNOWN	TOTAL	MISSIS- SIPPI	OTHER	UN- KNOWN	TOTAL	MISSIS- SIPPI	OTHER	UN- KNOWN
NUMBER												
<u>TOTAL</u>	<u>16,550</u>	<u>15,504</u>	<u>1,042</u>	<u>4</u>	<u>11,071</u>	<u>10,288</u>	<u>780</u>	<u>3</u>	<u>5,479</u>	<u>5,216</u>	<u>262</u>	<u>1</u>
MISSISSIPPI	15,251	15,005	245	1	10,101	9,930	171	0	5,150	5,075	74	1
OTHER	1,299	499	797	3	970	358	609	3	329	141	188	0
UNKNOWN	0	0	0	0	0	0	0	0	0	0	0	0
PERCENT												
<u>TOTAL</u>	<u>100.0</u>	<u>93.7</u>	<u>6.3</u>	<u>*</u>	<u>100.0</u>	<u>92.9</u>	<u>7.0</u>	<u>*</u>	<u>100.0</u>	<u>95.2</u>	<u>4.8</u>	<u>*</u>
MISSISSIPPI	92.2	90.7	1.5	*	91.2	89.7	1.5	-	94.0	92.6	1.4	*
OTHER	7.8	3.0	4.8	*	8.8	3.2	5.5	*	6.0	2.6	3.4	-
UNKNOWN	-	-	-	-	-	-	-	-	-	-	-	-

* LESS THAN 0.06 PERCENT.

NOTE: DUE TO INCONSISTENT REPORTING BY COUNTIES, STATISTICS ON MARRIAGES MAY BE INCOMPLETE.

DIVORCES

**TABLE E1. DIVORCES AND PERCENTAGE DISTRIBUTION, BY CAUSE AND RACE*
MISSISSIPPI, 2006**

CAUSE	NUMBER				PERCENT			
	TOTAL	WHITE	NON-WHITE	UN-KNOWN	TOTAL	WHITE	NON-WHITE	UN-KNOWN
<u>TOTAL</u>	<u>13,891</u>	<u>8,858</u>	<u>3,138</u>	<u>1,895</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>
IRRECONCILABLE DIFFERENCES	12,461	8,183	2,668	1,610	89.7	92.4	85.0	85.0
CRUEL AND INHUMAN TREATMENT	602	288	193	121	4.3	3.2	6.2	6.4
DESERTION	393	147	157	89	2.8	1.7	5.0	4.7
ADULTERY	254	152	61	41	1.8	1.7	1.9	2.2
DRUNKENNESS	67	34	17	16	0.5	0.4	0.5	0.8
PENITENTIARY	79	30	36	13	0.6	0.3	1.1	0.7
ANNULMENT	27	21	3	3	0.2	0.2	0.1	0.2
BIGAMY	4	1	1	2	#	#	#	0.1
MISCELLANEOUS AND OTHER	3	2	1	0	#	#	#	-
UNKNOWN	1	0	1	0	#	-	#	-

* DIVORCES OF MIXED-RACE COUPLES ARE INCLUDED IN FIGURES FOR NONWHITES.

LESS THAN 0.06 PERCENT.

NOTE: DUE TO INCONSISTENT REPORTING BY COUNTIES, STATISTICS ON DIVORCES MAY BE INCOMPLETE.

**TABLE E2. DIVORCES AND PERCENTAGE DISTRIBUTION,
BY NUMBER OF MINOR CHILDREN AND RACE*
MISSISSIPPI, 2006**

NUMBER OF MINOR CHILDREN	NUMBER				PERCENT			
	TOTAL	WHITE	NON-WHITE	UN-KNOWN	TOTAL	WHITE	NON-WHITE	UN-KNOWN
<u>TOTAL DIVORCES</u>	<u>13,891</u>	<u>8,858</u>	<u>3,138</u>	<u>1,895</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>
NONE	7,352	4,592	1,665	1,095	52.9	51.8	53.0	57.8
ONE	3,347	2,179	732	436	24.1	24.6	23.3	23.0
TWO	2,370	1,594	514	262	17.1	18.0	16.4	13.8
THREE OR MORE	822	493	227	102	5.9	5.6	7.2	5.4
UNKNOWN	0	0	0	0	-	-	-	-

* DIVORCES OF MIXED-RACE COUPLES ARE INCLUDED IN FIGURES FOR NONWHITES.

NOTE: DUE TO INCONSISTENT REPORTING BY COUNTIES, STATISTICS ON DIVORCES MAY BE INCOMPLETE.

**TABLE E3. DIVORCES AND PERCENTAGE DISTRIBUTION,
BY NUMBER OF YEARS MARRIED AND RACE*
MISSISSIPPI, 2006**

NUMBER OF YEARS MARRIED	NUMBER				PERCENT			
	TOTAL	WHITE	NON- WHITE	UN- KNOWN	TOTAL	WHITE	NON- WHITE	UN- KNOWN
<u>TOTAL DIVORCES</u>	<u>13,891</u>	<u>8,858</u>	<u>3,138</u>	<u>1,895</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>
<u>UNDER FIVE</u>	<u>5,041</u>	<u>3,346</u>	<u>955</u>	<u>740</u>	<u>36.3</u>	<u>37.8</u>	<u>30.4</u>	<u>39.0</u>
<u>UNDER ONE</u>	573	428	64	81	4.1	4.8	2.0	4.3
<u>ONE</u>	1,139	776	191	172	8.2	8.8	6.1	9.1
<u>TWO</u>	1,144	747	231	166	8.2	8.4	7.4	8.8
<u>THREE</u>	1,133	738	223	172	8.2	8.3	7.1	9.1
<u>FOUR</u>	1,052	657	246	149	7.6	7.4	7.8	7.9
<u>FIVE-NINE</u>	<u>3,880</u>	<u>2,385</u>	<u>961</u>	<u>534</u>	<u>27.9</u>	<u>26.9</u>	<u>30.6</u>	<u>28.2</u>
<u>TEN-NINETEEN</u>	<u>3,204</u>	<u>2,042</u>	<u>787</u>	<u>375</u>	<u>23.1</u>	<u>23.0</u>	<u>25.1</u>	<u>19.8</u>
<u>TWENTY AND OVER</u>	<u>1,706</u>	<u>1,065</u>	<u>422</u>	<u>219</u>	<u>12.3</u>	<u>12.0</u>	<u>13.4</u>	<u>11.6</u>
<u>UNKNOWN</u>	<u>60</u>	<u>20</u>	<u>13</u>	<u>27</u>	<u>0.4</u>	<u>0.2</u>	<u>0.4</u>	<u>1.4</u>

* DIVORCES OF MIXED-RACE COUPLES ARE INCLUDED IN FIGURES FOR NONWHITES.

NOTE: DUE TO INCONSISTENT REPORTING BY COUNTIES, STATISTICS ON DIVORCES MAY BE INCOMPLETE.

INDUCED TERMINATIONS OF PREGNANCY

**TABLE F1. REPORTED INDUCED TERMINATIONS OF PREGNANCY,
PERCENTAGE DISTRIBUTION, AND INDUCED TERMINATION RATIOS,
BY AGE AND RACE OF PATIENT
PROCEDURES PERFORMED IN MISSISSIPPI, 2006**

AGE OF PATIENT	NUMBER				PERCENT			INDUCED TERMINATION RATIO*		
	TOTAL	WHITE	NON-WHITE	UNK. RACE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>TOTAL</u>	<u>2,949</u>	<u>665</u>	<u>2,278</u>	<u>6</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>	<u>64.0</u>	<u>27.5</u>	<u>104.2</u>
UNDER 15	17	1	16	0	0.6	0.2	0.7	98.3	30.3	114.3
15-19	450	110	339	1	15.2	16.5	14.9	60.8	36.5	77.2
20-24	1,115	253	862	0	37.8	38.0	37.8	69.9	33.9	101.4
25-29	735	140	593	2	24.9	21.0	26.0	59.4	19.6	113.6
30-34	381	86	294	1	12.9	12.9	12.9	56.5	19.6	124.6
35-39	192	50	140	2	6.5	7.5	6.1	68.3	27.8	138.3
40-44	52	23	29	0	1.8	3.4	1.3	95.9	70.8	133.6
45-49	5	2	3	0	0.2	0.3	0.1	147.0	83.3	300.0
UNKNOWN	2	0	2	0	0.1	-	0.1			

* INDUCED TERMINATIONS PER 1,000 LIVE BIRTHS IN SPECIFIED GROUP.

**TABLE F2. REPORTED INDUCED TERMINATIONS OF PREGNANCY
AND PERCENTAGE DISTRIBUTION.
BY CHARACTERISTICS OF PATIENT AND RACE
PROCEDURES PERFORMED IN MISSISSIPPI, 2006**

CHARACTERISTICS OF PATIENT	NUMBER				PERCENT		
	TOTAL	WHITE	NON- WHITE	UNK. RACE	TOTAL	WHITE	NON- WHITE
<u>TOTAL</u>	<u>2,949</u>	<u>665</u>	<u>2,278</u>	<u>6</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>
MISSISSIPPI RESIDENT	2,874	624	2,244	6	97.4	93.8	98.5
<u>NONRESIDENT</u>	<u>75</u>	<u>41</u>	<u>34</u>	<u>0</u>	<u>2.5</u>	<u>6.2</u>	<u>1.5</u>
BORDER STATE	67	36	31	0	2.3	5.4	1.4
OTHER STATE	8	5	3	0	0.3	0.8	0.1
<u>MARITAL STATUS</u>							
MARRIED	232	86	144	2	7.9	12.9	6.3
NOT MARRIED	2,714	576	2,134	4	92.0	86.6	93.7
UNKNOWN	3	3	0	0	0.1	0.4	-
<u>EDUCATION (COMPLETED YEARS)</u>							
0-6 YEARS	5	2	3	0	0.2	0.3	0.1
7-9 YEARS	64	17	47	0	2.2	2.6	2.1
10, 11 YEARS	246	61	184	1	8.3	9.2	8.1
12 YEARS	990	236	752	2	33.6	35.5	33.0
1-3 YEARS COLLEGE	1,182	240	942	0	40.1	36.1	41.4
4 OR MORE YEARS COLLEGE	449	103	343	3	15.2	15.5	15.0
UNKNOWN	13	6	7	0	0.4	0.9	0.3
<u>NUMBER OF LIVING CHILDREN</u>							
NONE	970	319	649	2	32.9	48.0	28.5
ONE	989	188	799	2	33.5	28.3	35.1
TWO	672	123	548	1	22.8	18.5	24.0
THREE	227	29	197	1	7.7	4.4	8.6
FOUR	60	6	54	0	2.0	0.9	2.4
FIVE OR MORE	31	0	31	0	1.0	-	1.4
UNKNOWN	0	0	0	0	-	-	-
<u>NUMBER OF PREVIOUS INDUCED TERMINATIONS</u>							
NONE	1,854	459	1,392	3	62.9	69.0	61.1
ONE	806	152	653	1	27.3	22.8	28.7
TWO	228	43	183	2	7.7	6.5	8.0
THREE OR MORE	60	11	49	0	2.0	1.6	2.2
UNKNOWN	1	0	1	0	*	-	*

* LESS THAN 0.06 PERCENT.

**TABLE F3. REPORTED INDUCED TERMINATIONS OF PREGNANCY AND PERCENTAGE DISTRIBUTION
BY MEDICAL CHARACTERISTICS AND RACE, PROCEDURES PERFORMED IN MISSISSIPPI, 2006**

MEDICAL CHARACTERISTICS	NUMBER				PERCENT		
	TOTAL	WHITE	NON- WHITE	UNK. RACE	TOTAL	WHITE	NON- WHITE
<u>TOTAL</u>	<u>2,949</u>	<u>665</u>	<u>2,278</u>	<u>6</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>
<u>COMPLETED WEEKS OF GESTATION*</u>							
UNDER 9	1,542	360	1,179	3	52.3	54.1	51.8
9, 10	585	109	475	1	19.8	16.4	20.8
11, 12	236	50	184	2	8.0	7.5	8.1
13-15	67	16	51	0	2.3	2.4	2.2
16-20	15	3	12	0	0.5	0.4	0.5
21 OR MORE	1	0	1	0	**	-	**
UNKNOWN	503	127	376	0	17.0	19.1	16.5
<u>PRIMARY PROCEDURE</u>							
SUCTION CURRETTAGE	2,948	665	2,277	6	100.0	100.0	100.0
MEDICAL (NONSURGICAL)	0	0	0	0	-	-	-
DILATION AND EVACUATION	1	0	1	0	**	-	**
INTRA-UTERINE INSTILLATION	0	0	0	0	-	-	-
SHARP CURRETAGE	0	0	0	0	-	-	-
HYSTEROTOMY OR HYSTERECTOMY	0	0	0	0	-	-	-
OTHER	0	0	0	0	-	-	-
UNKNOWN	0	0	0	0	-	-	-

* CALCULATED BY SUBTRACTING DATE OF LAST NORMAL MENSTRUAL PERIOD PRIOR TO TERMINATION FROM DATE OF TERMINATION.

** LESS THAN 0.06 PERCENT.

**TABLE F4. REPORTED COMPLICATIONS RESULTING FROM INDUCED TERMINATIONS OF PREGNANCY
PATIENTS TREATED IN MISSISSIPPI, 2006**

DEMOGRAPHIC/MEDICAL CHARACTERISTICS	TOTAL	WHITE	NON- WHITE	UNK. RACE
<u>TOTAL</u>	<u>2</u>	<u>0</u>	<u>2</u>	<u>0</u>
<u>AGE</u>				
UNDER 20	0	0	0	0
20-29	2	0	2	0
30-39	0	0	0	0
40-49	0	0	0	0
50+	0	0	0	0
UNKNOWN	0	0	0	0
<u>MARITAL STATUS</u>				
MARRIED	0	0	0	0
NOT MARRIED	2	0	2	0
UNKNOWN	0	0	0	0
<u>CONDITION(S) REQUIRING TREATMENT</u>				
PELVIC INFECTION	1	0	1	0
HEMORRHAGE	0	0	0	0
DAMAGE TO PELVIC ORGANS	0	0	0	0
RENAL FAILURE	0	0	0	0
METABOLIC DISORDER	0	0	0	0
SHOCK	0	0	0	0
EMBOLISM	0	0	0	0
COMA	0	0	0	0
DEATH	0	0	0	0
OTHER	1	0	1	0
UNKNOWN	0	0	0	0

NOTE: PATIENTS TREATED MULTIPLE TIMES MAY RESULT IN MULTIPLE REPORTS. THESE REPORTS ARE COUNTED SEPARATELY.

COMPLICATIONS TABULATED HERE MAY BE THE RESULT OF INDUCED TERMINATIONS THAT OCCURRED OUTSIDE OF THE STATE.

MAJOR TABLES

TABLE i
2006 ESTIMATED POPULATION AND PERCENT CHANGE FROM 2000 CENSUS POPULATION
MISSISSIPPI

COUNTY	POPULATION			PERCENT CHANGE SINCE 2000		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>STATE</u>	<u>2,910,540</u>	<u>1,771,596</u>	<u>1,138,944</u>	<u>2.3</u>	<u>1.5</u>	<u>3.7</u>
ADAMS	32,626	14,015	18,611	-5.0	-11.4	0.4
ALCORN	35,589	31,189	4,400	3.0	3.3	0.8
AMITE	13,466	7,626	5,840	-1.0	-0.6	-1.5
ATTALA	19,644	11,520	8,124	-0.1	0.4	-0.8
BENTON	7,873	5,119	2,754	-1.9	3.3	-10.4
BOLIVAR	38,352	12,823	25,529	-5.6	-5.1	-5.9
CALHOUN	14,647	10,265	4,382	-2.8	-1.9	-4.9
CARROLL	10,326	6,729	3,597	-4.1	-0.3	-10.5
CHICKASAW	18,998	10,921	8,077	-2.3	-1.3	-3.6
CHOCTAW	9,401	6,442	2,959	-3.7	-3.0	-5.2
CLAIBORNE	11,487	1,675	9,812	-2.9	-6.7	-2.2
CLARKE	17,631	11,553	6,078	-1.8	-0.2	-4.7
CLAY	21,210	9,005	12,205	-3.5	-4.3	-2.9
COAHOMA	28,420	7,200	21,220	-7.2	-19.7	-2.0
COPIAH	29,223	14,154	15,069	1.6	3.0	0.4
COVINGTON	20,447	12,923	7,524	5.4	5.0	6.0
DESOTO	144,706	113,982	30,724	35.0	24.0	101.5
FORREST	76,372	47,707	28,665	5.2	2.1	10.7
FRANKLIN	8,269	5,228	3,041	-2.1	-1.5	-3.3
GEORGE	21,828	19,669	2,159	14.0	15.0	6.2
GREENE	13,103	9,500	3,603	-1.5	-1.9	-0.4
GRENADA	22,861	13,116	9,745	-1.7	-2.7	-0.5
HANCOCK	40,421	36,535	3,886	-5.9	-5.7	-7.8
HARRISON	171,875	123,452	48,423	-9.4	-11.0	-4.9
HINDS	249,012	80,756	168,256	-0.7	-13.7	7.0
HOLMES	20,866	3,790	17,076	-3.4	-14.3	-0.6
HUMPHREYS	10,393	2,662	7,731	-7.3	-12.6	-5.3
ISSAQUENA	1,805	709	1,096	-20.6	-14.2	-24.3
ITAWAMBA	23,352	21,610	1,742	2.6	2.6	1.6
JACKSON	130,577	97,500	33,077	-0.6	-1.5	2.1
JASPER	18,197	8,536	9,661	0.3	1.2	-0.6
JEFFERSON	9,194	1,241	7,953	-5.6	-2.4	-6.1
JEFF DAVIS	13,184	5,497	7,687	-5.6	-5.5	-5.6
JONES	66,715	47,735	18,980	2.7	3.3	1.1
KEMPER	10,108	3,828	6,280	-3.3	-6.2	-1.5
LAFAYETTE	40,865	29,560	11,305	5.5	6.2	3.7
LAMAR	46,240	38,633	7,607	18.4	15.9	32.8
LAUDERDALE	76,724	44,296	32,428	-1.8	-5.8	4.1
LAWRENCE	13,457	9,101	4,356	1.5	2.6	-0.6
LEAKE	22,769	12,653	10,116	8.7	7.6	10.1
LEE	79,714	57,632	22,082	5.2	3.3	10.7
LEFLORE	35,752	10,083	25,669	-5.8	-11.4	-3.4

TABLE i - PAGE 2
 2006 ESTIMATED POPULATION - MISSISSIPPI

COUNTY	POPULATION			PERCENT CHANGE SINCE 2000		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
LINCOLN	34,404	23,695	10,709	3.7	3.0	5.5
LOWNDES	59,773	32,637	27,136	-2.9	-6.2	1.2
MADISON	87,419	52,941	34,478	17.1	17.6	16.3
MARION	25,730	17,030	8,700	0.5	-0.6	2.9
MARSHALL	35,853	18,029	17,824	2.5	6.5	-1.4
MONROE	37,572	25,693	11,879	-1.2	-1.2	-1.2
MONTGOMERY	11,754	6,319	5,435	-3.6	-4.5	-2.5
NESHOBA	30,125	19,327	10,798	5.0	2.9	9.1
NEWTON	22,413	14,603	7,810	2.6	2.9	2.2
NOXUBEE	12,051	3,511	8,540	-4.0	-5.1	-3.5
OKTIBBEHA	41,633	24,232	17,401	-3.0	-3.7	-1.9
PANOLA	35,427	18,196	17,231	3.4	5.2	1.5
PEARL RIVER	57,099	49,271	7,828	17.4	18.5	11.4
PERRY	12,132	9,252	2,880	*	0.1	-0.5
PIKE	40,240	19,832	20,408	3.3	-0.6	7.5
PONTOTOC	28,887	24,418	4,469	8.1	8.3	7.2
PRENTISS	25,615	21,745	3,870	0.2	-0.9	7.0
QUITMAN	9,289	2,789	6,500	-8.2	-9.5	-7.6
RANKIN	135,830	107,874	27,956	17.8	15.4	27.8
SCOTT	28,790	17,169	11,621	1.3	5.6	-4.5
SHARKEY	5,851	1,788	4,063	-11.1	-7.5	-12.6
SIMPSON	27,972	18,060	9,912	1.2	1.5	0.7
SMITH	15,970	12,109	3,861	-1.3	-1.7	-0.1
STONE	15,608	12,413	3,195	14.6	14.7	13.9
SUNFLOWER	31,833	8,625	23,208	-7.4	-13.1	-5.1
TALLAHATCHIE	13,798	5,378	8,420	-7.4	-8.9	-6.4
TATE	26,723	18,288	8,435	5.3	6.3	3.4
TIPPAH	21,248	17,271	3,977	2.0	1.3	5.2
TISHOMINGO	19,112	18,224	888	-0.3	0.2	-8.6
TUNICA	10,419	2,772	7,647	12.9	9.1	14.4
UNION	27,008	22,685	4,323	6.5	7.2	2.8
WALTHALL	15,543	8,496	7,047	2.6	2.7	2.4
WARREN	49,308	25,586	23,722	-0.7	-6.2	6.1
WASHINGTON	58,007	18,130	39,877	-7.9	-15.3	-4.1
WAYNE	21,087	12,963	8,124	-0.6	-0.3	-1.1
WEBSTER	10,041	7,842	2,199	-2.5	-1.8	-4.9
WILKINSON	10,239	3,080	7,159	-0.7	-4.3	0.9
WINSTON	19,708	10,764	8,944	-2.2	-3.4	-0.8
YALOBUSHA	13,401	8,070	5,331	2.7	2.3	3.3
YAZOO	27,929	12,319	15,610	-0.8	-2.2	0.4

* LESS THAN 0.06 PERCENT CHANGE.

NOTE: POPULATION ESTIMATE WAS OBTAINED FROM THE U.S. BUREAU OF THE CENSUS.

TABLE 1A
LIVE BIRTHS, BY PLACE OF OCCURRENCE AND RACE OF MOTHER,
ALSO LIVE BIRTHS AND RATES, BY PLACE OF RESIDENCE AND RACE OF MOTHER,
(PLACE INCLUDES COUNTIES, OUT OF STATE, TOWNS OF 10,000 OR MORE),
MISSISSIPPI, 2006

COUNTY	OCCURRENCE DATA			RESIDENCE DATA					
	NUMBER			NUMBER			RATE*		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>STATE</u>	<u>44,863</u>	<u>22,907</u>	<u>21,956</u>	<u>46,046</u>	<u>24,195</u>	<u>21,851</u>	<u>15.8</u>	<u>13.6</u>	<u>19.2</u>
ADAMS	1,127	398	729	460	160	300	14.1	11.4	16.1
ALCORN	569	475	94	526	445	81	14.8	14.3	18.4
AMITE	0	0	0	181	78	103	13.4	10.2	17.6
ATTALA	10	0	10	314	142	172	16.0	12.3	21.2
BENTON	0	0	0	127	68	59	16.1	13.3	21.4
BOLIVAR	715	157	558	678	182	496	17.7	14.2	19.4
CALHOUN	0	0	0	198	122	76	13.5	11.9	17.3
CARROLL	0	0	0	114	68	46	11.0	10.1	12.8
CHICKASAW	2	2	0	304	145	159	16.0	13.3	19.7
CHOCTAW	0	0	0	125	69	56	13.3	10.7	18.9
CLAIBORNE	0	0	0	166	12	154	14.4	7.2	15.7
CLARKE	1	1	0	254	116	138	14.4	10.0	22.7
CLAY	535	191	344	297	97	200	14.0	10.8	16.4
COAHOMA	941	145	796	515	65	450	18.1	9.0	21.2
COPIAH	14	2	12	527	192	335	18.0	13.6	22.2
COVINGTON	77	19	58	327	172	155	16.0	13.3	20.6
DESOTO	1,880	1,082	798	2,194	1,717	477	15.2	15.1	15.5
FORREST	2,623	1,687	936	1,251	670	581	16.4	14.0	20.3
FRANKLIN	1	0	1	114	60	54	13.8	11.5	17.8
GEORGE	176	148	28	376	342	34	17.2	17.4	15.7
GREENE	0	0	0	147	113	34	11.2	11.9	9.4
GRENADA	659	261	398	333	160	173	14.6	12.2	17.8
HANCOCK	241	209	32	482	442	40	11.9	12.1	10.3
HARRISON	3,014	2,133	881	2,656	1,822	834	15.4	14.8	17.2
HINDS	7,627	2,703	4,924	4,142	987	3,155	16.6	12.2	18.8
HOLMES	9	0	9	433	33	400	20.8	8.7	23.4
HUMPHREYS	3	0	3	238	36	202	22.9	13.5	26.1
ISSAQUENA	0	0	0	24	3	21	13.3	4.2	19.2
ITAWAMBA	0	0	0	289	256	33	12.4	11.8	18.9
JACKSON	1,681	1,198	483	1,922	1,360	562	14.7	13.9	17.0
JASPER	1	1	0	279	107	172	15.3	12.5	17.8
JEFFERSON	1	0	1	131	9	122	14.2	7.2	15.3
JEFF DAVIS	2	1	1	206	52	154	15.6	9.5	20.0
JONES	1,290	678	612	1,156	765	391	17.3	16.0	20.6
KEMPER	0	0	0	142	29	113	14.0	7.6	18.0
LAFAYETTE	1,004	599	405	544	349	195	13.3	11.8	17.2
LAMAR	1,553	1,052	501	789	620	169	17.1	16.0	22.2
LAUDERDALE	2,721	1,258	1,463	1,213	553	660	15.8	12.5	20.4
LAWRENCE	2	1	1	186	113	73	13.8	12.4	16.8
LEAKE	7	3	4	430	212	218	18.9	16.8	21.6
LEE	2,498	1,866	632	1,258	833	425	15.8	14.4	19.2
LEFLORE	847	151	696	631	124	507	17.6	12.3	19.8

TABLE 1A - Page 2
LIVE BIRTHS - MISSISSIPPI -2006

COUNTY	OCCURRENCE DATA			RESIDENCE DATA					
	NUMBER			NUMBER			RATE*		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
LINCOLN	636	356	280	523	314	209	15.2	13.2	19.5
LOWNDES	985	386	599	925	433	492	15.5	13.3	18.1
MADISON	418	10	408	1,448	787	661	16.6	14.9	19.2
MARION	7	5	2	431	247	184	16.8	14.5	21.1
MARSHALL	32	6	26	521	248	273	14.5	13.8	15.3
MONROE	685	484	201	511	291	220	13.6	11.3	18.5
MONTGOMERY	1	0	1	188	67	121	16.0	10.6	22.3
NESHOBA	5	1	4	550	250	300	18.2	12.9	27.8
NEWTON	0	0	0	351	195	156	15.7	13.4	20.0
NOXUBEE	1	1	0	216	57	159	17.9	16.2	18.6
OKTIBBEHA	1,130	483	647	584	249	335	14.0	10.3	19.2
PANOLA	216	56	160	581	220	361	16.4	12.1	21.0
PEARL RIVER	355	276	79	818	703	115	14.3	14.3	14.7
PERRY	0	0	0	198	137	61	16.3	14.8	21.2
PIKE	1,109	485	624	758	298	460	18.8	15.0	22.5
PONTOTOC	13	13	0	441	369	72	15.3	15.1	16.1
PRENTISS	0	0	0	349	287	62	13.6	13.2	16.0
QUITMAN	1	0	1	157	24	133	16.9	8.6	20.5
RANKIN	3,317	2,303	1,014	2,090	1,668	422	15.4	15.5	15.1
SCOTT	11	5	6	554	315	239	19.2	18.3	20.6
SHARKEY	3	0	3	110	19	91	18.8	10.6	22.4
SIMPSON	129	58	71	419	224	195	15.0	12.4	19.7
SMITH	1	1	0	215	138	77	13.5	11.4	19.9
STONE	0	0	0	210	162	48	13.4	13.0	15.0
SUNFLOWER	432	77	355	553	100	453	17.4	11.6	19.5
TALLAHATCHIE	1	0	1	241	45	196	17.5	8.4	23.3
TATE	2	1	1	416	241	175	15.6	13.2	20.7
TIPPAH	1	1	0	328	275	53	15.4	15.9	13.3
TISHOMINGO	0	0	0	235	229	6	12.3	12.6	6.8
TUNICA	0	0	0	252	29	223	24.2	10.5	29.2
UNION	1,070	821	249	445	370	75	16.5	16.3	17.3
WALTHALL	0	0	0	261	115	146	16.8	13.5	20.7
WARREN	1,121	292	829	814	318	496	16.5	12.4	20.9
WASHINGTON	1,034	237	797	1,001	216	785	17.2	11.9	19.7
WAYNE	301	126	175	388	188	200	18.4	14.5	24.6
WEBSTER	0	0	0	156	107	49	15.5	13.6	22.3
WILKINSON	2	0	2	144	18	126	14.1	5.8	17.6
WINSTON	1	1	0	285	94	191	14.5	8.7	21.4
YALOBUSHA	1	1	0	223	120	103	16.6	14.9	19.3
YAZOO	11	0	11	477	128	349	17.1	10.4	22.4
OUT OF STATE	2,514	1,982	532	1,331	694	637			

* LIVE BIRTHS PER 1,000 POPULATION.

TABLE 1A - PAGE 3
LIVE BIRTHS - MISSISSIPPI - 2006

TOWN**	NUMBER		
	TOTAL	WHITE	NON-WHITE
BILOXI	641	457	184
BRANDON	450	340	110
BROOKHAVEN	181	57	124
CANTON	301	69	232
CLARKSDALE	387	45	342
CLEVELAND	233	81	152
CLINTON	339	211	128
COLUMBUS	448	129	319
CORINTH	228	156	72
GAUTIER	264	159	105
GREENVILLE	693	114	579
GREENWOOD	347	69	278
GRENADA	221	82	139
GULFPORT	1,089	606	483
HATTIESBURG	882	316	566
INDIANOLA	253	29	224
JACKSON	3,131	448	2,683
LAUREL	466	210	256
LONG BEACH	179	145	34
MCCOMB	317	77	240
MERIDIAN	718	188	530
MOSS POINT	337	152	185
NATCHEZ	235	66	169
OCEAN SPRINGS	318	270	48
PASCAGOULA	320	174	146
PEARL	424	308	116
PICAYUNE	189	122	67
RIDGELAND	367	225	142
SOUTHAVEN	626	519	107
STARKVILLE	432	176	256
TUPELO	587	315	272
VICKSBURG	494	118	376
YAZOO CITY	283	24	259

** TOWNS OF 10,000 POPULATION OR MORE.

TABLE 1B
FERTILITY RATES*, BY COUNTY OF RESIDENCE AND RACE OF MOTHER,
MISSISSIPPI, 2006

COUNTY	TOTAL	WHITE	NON- WHITE	COUNTY	TOTAL	WHITE	NON- WHITE
<u>STATE</u>	<u>75.7</u>	<u>70.9</u>	<u>81.9</u>				
ADAMS	74.5	76.2	73.7	LINCOLN	74.8	69.6	84.3
ALCORN	75.2	74.0	82.8	LOWNDES	73.4	72.7	73.9
AMITE	70.9	59.6	82.8	MADISON	73.6	71.8	75.8
ATTALA	81.8	71.8	92.4	MARION	85.0	77.3	98.1
BENTON	83.0	70.8	103.5	MARSHALL	71.6	75.3	68.5
BOLIVAR	78.6	70.1	82.2	MONROE	68.0	60.4	81.5
CALHOUN	72.0	69.3	76.9	MONTGOMERY	79.1	61.2	94.4
CARROLL	57.7	53.8	64.6	NESHOBA	91.2	70.1	121.6
CHICKASAW	82.4	76.4	88.9	NEWTON	76.8	71.1	85.5
CHOCTAW	67.3	59.2	81.2	NOXUBEE	88.7	111.1	82.8
CLAIBORNE	56.6	58.5	56.5	OKTIBBEHA	55.1	41.2	73.3
CLARKE	75.1	56.0	105.3	PANOLA	76.8	64.1	87.4
CLAY	68.9	64.6	71.3	PEARL RIVER	69.0	70.0	63.3
COAHOMA	87.4	65.5	91.8	PERRY	76.5	72.8	86.5
COPIAH	86.4	73.7	95.7	PIKE	94.1	85.8	100.4
COVINGTON	76.8	70.4	85.4	PONTOTOC	73.3	75.6	63.5
DESOTO	67.4	69.8	59.9	PRENTISS	65.5	66.0	63.4
FORREST	66.5	60.7	74.6	QUITMAN	82.0	58.1	88.6
FRANKLIN	68.6	64.6	73.5	RANKIN	69.1	72.1	59.4
GEORGE	84.1	84.1	84.6	SCOTT	97.1	103.3	90.0
GREENE	66.9	64.4	76.9	SHARKEY	98.1	75.7	104.6
GRENADA	68.7	64.2	73.4	SIMPSON	74.3	65.2	88.6
HANCOCK	65.5	66.5	55.8	SMITH	67.1	59.9	85.8
HARRISON	80.7	80.1	82.2	STONE	61.9	62.7	59.1
HINDS	76.6	75.3	77.0	SUNFLOWER	91.4	80.4	94.3
HOLMES	96.0	55.5	102.2	TALLAHATCHIE	84.3	51.6	98.7
HUMPHREYS	110.8	90.0	115.6	TATE	72.5	65.0	86.2
ISSAQUENA	75.5	27.0	101.4	TIPPAH	75.3	79.9	57.9
ITAWAMBA	58.8	57.0	77.5	TISHOMINGO	65.0	66.3	37.7
JACKSON	73.7	72.7	76.0	TUNICA	106.4	60.9	117.9
JASPER	76.9	70.9	81.2	UNION	79.8	80.6	76.3
JEFFERSON	71.5	50.6	73.8	WALTHALL	81.0	71.9	90.0
JEFF DAVIS	79.1	59.5	89.1	WARREN	81.2	71.7	88.6
JONES	88.2	87.2	90.0	WASHINGTON	85.2	80.1	86.7
KEMPER	69.6	46.7	79.6	WAYNE	87.2	74.2	104.4
LAFAYETTE	49.9	44.1	65.6	WEBSTER	80.2	72.7	103.8
LAMAR	74.5	72.1	85.1	WILKINSON	83.0	42.4	96.2
LAUDERDALE	79.8	72.1	87.7	WINSTON	76.3	52.8	97.6
LAWRENCE	67.6	65.0	72.1	YALOBUSHA	83.4	83.4	83.3
LEAKE	98.4	96.3	100.6	YAZOO	91.2	68.5	103.7
LEE	75.7	74.1	79.2				
LEFLORE	82.6	79.3	83.4				

* LIVE BIRTHS PER 1,000 FEMALE POPULATION 15-44 YEARS OF AGE.

TABLE 2
LIVE BIRTHS, BY COUNTY OF RESIDENCE, RACE OF MOTHER, AND ATTENDANT,
ALSO BY COUNTY OF RESIDENCE AND SEX,
MISSISSIPPI, 2006

COUNTY	TOTAL	WHITE				NONWHITE				SEX	
		TOTAL	HOSP. OR CLINIC	PHYS., OTHER PLACE	OTHER	TOTAL	HOSP. OR CLINIC	PHYS., OTHER PLACE	OTHER	MALE	FEMALE
<u>STATE</u>	<u>46,046</u>	<u>24,195</u>	<u>24,121</u>	<u>2</u>	<u>72</u>	<u>21,851</u>	<u>21,803</u>	<u>11</u>	<u>37</u>	<u>23,685</u>	<u>22,361</u>
ADAMS	460	160	160	0	0	300	299	0	1	229	231
ALCORN	526	445	445	0	0	81	81	0	0	272	254
AMITE	181	78	78	0	0	103	103	0	0	85	96
ATTALA	314	142	142	0	0	172	172	0	0	151	163
BENTON	127	68	68	0	0	59	59	0	0	68	59
BOLIVAR	678	182	182	0	0	496	492	0	4	327	351
CALHOUN	198	122	122	0	0	76	76	0	0	111	87
CARROLL	114	68	68	0	0	46	46	0	0	65	49
CHICKASAW	304	145	143	1	1	159	159	0	0	164	140
CHOCTAW	125	69	69	0	0	56	56	0	0	59	66
CLAIBORNE	166	12	12	0	0	154	154	0	0	86	80
CLARKE	254	116	116	0	0	138	138	0	0	136	118
CLAY	297	97	97	0	0	200	200	0	0	146	151
COAHOMA	515	65	65	0	0	450	450	0	0	290	225
COPIAH	527	192	191	0	1	335	335	0	0	239	288
COVINGTON	327	172	171	0	1	155	155	0	0	162	165
DESOTO	2,194	1,717	1,713	0	4	477	476	0	1	1,085	1,109
FORREST	1,251	670	665	0	5	581	580	0	1	627	624
FRANKLIN	114	60	60	0	0	54	53	0	1	52	62
GEORGE	376	342	341	0	1	34	34	0	0	182	194
GREENE	147	113	113	0	0	34	34	0	0	74	73
GRENADA	333	160	160	0	0	173	173	0	0	195	138
HANCOCK	482	442	442	0	0	40	40	0	0	241	241
HARRISON	2,656	1,822	1,820	0	2	834	833	0	1	1,364	1,292

TABLE 2 - PAGE 2
LIVE BIRTHS - MISSISSIPPI - 2006

COUNTY	TOTAL	WHITE				NONWHITE				SEX	
		TOTAL	HOSP. OR CLINIC	PHYS., OTHER PLACE	OTHER	TOTAL	HOSP. OR CLINIC	PHYS., OTHER PLACE	OTHER	MALE	FEMALE
HINDS	4,142	987	985	0	2	3,155	3,147	2	6	2,178	1,964
HOLMES	433	33	33	0	0	400	399	0	1	208	225
HUMPHREYS	238	36	36	0	0	202	200	1	1	121	117
ISSAQUENA	24	3	3	0	0	21	21	0	0	12	12
ITAWAMBA	289	256	256	0	0	33	33	0	0	153	136
JACKSON	1,922	1,360	1,356	0	4	562	559	0	3	1,000	922
JASPER	279	107	106	0	1	172	172	0	0	146	133
JEFFERSON	131	9	9	0	0	122	121	0	1	73	58
JEFF DAVIS	206	52	51	0	1	154	153	0	1	116	90
JONES	1156	765	764	0	1	391	391	0	0	589	567
KEMPER	142	29	29	0	0	113	112	0	1	71	71
LAFAYETTE	544	349	344	0	5	195	195	0	0	285	259
LAMAR	789	620	619	0	1	169	169	0	0	411	378
LAUDERDALE	1,213	553	553	0	0	660	660	0	0	644	569
LAWRENCE	186	113	113	0	0	73	73	0	0	89	97
LEAKE	430	212	212	0	0	218	217	0	1	206	224
LEE	1,258	833	831	0	2	425	422	3	0	663	595
LEFLORE	631	124	124	0	0	507	507	0	0	348	283
LINCOLN	523	314	314	0	0	209	209	0	0	272	251
LOWNDES	925	433	432	0	1	492	491	0	1	474	451
MADISON	1,448	787	787	0	0	661	660	1	0	760	688
MARION	431	247	242	0	5	184	183	0	1	205	226
MARSHALL	521	248	247	1	0	273	272	0	1	251	270
MONROE	511	291	291	0	0	220	220	0	0	242	269
MONTGOMERY	188	67	67	0	0	121	121	0	0	111	77
NESHOBA	550	250	250	0	0	300	299	0	1	285	265
NEWTON	351	195	194	0	1	156	156	0	0	178	173
NOXUBEE	216	57	56	0	1	159	159	0	0	117	99
OKTIBBEHA	584	249	248	0	1	335	334	0	1	310	274
PANOLA	581	220	219	0	1	361	360	0	1	318	263

TABLE 2 - PAGE 3
LIVE BIRTHS - MISSISSIPPI - 2006

COUNTY	TOTAL	WHITE				NONWHITE				SEX	
		TOTAL	HOSP. OR CLINIC	PHYS., OTHER PLACE	OTHER	TOTAL	HOSP. OR CLINIC	PHYS., OTHER PLACE	OTHER	MALE	FEMALE
PEARL RIVER	818	703	702	0	1	115	115	0	0	414	404
PERRY	198	137	137	0	0	61	61	0	0	107	91
PIKE	758	298	295	0	3	460	459	0	1	382	376
PONTOTOC	441	369	356	0	13	72	72	0	0	220	221
PRENTISS	349	287	287	0	0	62	62	0	0	172	177
QUITMAN	157	24	24	0	0	133	132	1	0	87	70
RANKIN	2,090	1,668	1,665	0	3	422	421	0	1	1,040	1,050
SCOTT	554	315	313	0	2	239	236	1	2	296	258
SHARKEY	110	19	19	0	0	91	91	0	0	58	52
SIMPSON	419	224	224	0	0	195	195	0	0	212	207
SMITH	215	138	137	0	1	77	77	0	0	107	108
STONE	210	162	162	0	0	48	48	0	0	109	101
SUNFLOWER	553	100	100	0	0	453	453	0	0	278	275
TALLAHATCHIE	241	45	45	0	0	196	196	0	0	123	118
TATE	416	241	240	0	1	175	174	0	1	206	210
TIPPAH	328	275	274	0	1	53	53	0	0	176	152
TISHOMINGO	235	229	229	0	0	6	6	0	0	115	120
TUNICA	252	29	29	0	0	223	223	0	0	127	125
UNION	445	370	370	0	0	75	75	0	0	237	208
WALTHALL	261	115	114	0	1	146	145	1	0	130	131
WARREN	814	318	317	0	1	496	496	0	0	423	391
WASHINGTON	1001	216	216	0	0	785	785	0	0	550	451
WAYNE	388	188	187	0	1	200	199	0	1	205	183
WEBSTER	156	107	107	0	0	49	49	0	0	77	79
WILKINSON	144	18	17	0	1	126	126	0	0	69	75
WINSTON	285	94	93	0	1	191	191	0	0	147	138
YALOBUSHA	223	120	120	0	0	103	103	0	0	108	115
YAZOO	477	128	128	0	0	349	347	1	1	264	213

NOTE: "HOSP. OR CLINIC" INCLUDES DELIVERY BY PHYSICIAN, CNM, OR ANY OTHER NAMED PERSON. "OTHER" INCLUDES DELIVERY BY ANY PERSON OTHER THAN A PHYSICIAN, AT ANY PLACE OTHER THAN A HOSPITAL OR CLINIC.

**TABLE 3A
TOTAL LIVE BIRTHS, BY COUNTY OF RESIDENCE AND AGE OF MOTHER,
MISSISSIPPI, 2006**

COUNTY	TOTAL	AGE OF MOTHER								UN- KNOWN
		UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	
<u>STATE</u>	<u>46,046</u>	<u>173</u>	<u>7,403</u>	<u>15,959</u>	<u>12,374</u>	<u>6,745</u>	<u>2,810</u>	<u>542</u>	<u>34</u>	<u>6</u>
ADAMS	460	3	72	179	122	50	30	4	0	0
ALCORN	526	1	91	183	146	73	32	0	0	0
AMITE	181	0	31	65	53	26	5	1	0	0
ATTALA	314	0	64	115	71	46	15	2	1	0
BENTON	127	0	26	47	29	22	3	0	0	0
BOLIVAR	678	3	138	242	152	96	42	3	2	0
CALHOUN	198	1	31	70	52	26	15	3	0	0
CARROLL	114	0	16	45	33	13	5	1	1	0
CHICKASAW	304	0	76	104	69	34	16	3	2	0
CHOCTAW	125	0	20	49	33	15	7	1	0	0
CLAIBORNE	166	0	27	73	44	16	5	1	0	0
CLARKE	254	1	34	112	52	34	18	2	0	1
CLAY	297	0	48	127	60	41	15	6	0	0
COAHOMA	515	2	102	206	124	58	18	5	0	0
COPIAH	527	3	97	186	148	65	27	1	0	0
COVINGTON	327	1	63	134	79	30	12	6	2	0
DESOTO	2,194	3	238	529	683	492	211	36	2	0
FORREST	1,251	6	208	442	338	179	62	16	0	0
FRANKLIN	114	0	17	39	36	11	10	1	0	0
GEORGE	376	2	74	130	101	44	20	5	0	0
GREENE	147	0	22	59	50	11	5	0	0	0
GRENADA	333	0	54	115	103	41	16	4	0	0
HANCOCK	482	2	79	153	111	84	47	6	0	0
HARRISON	2,656	4	375	948	704	397	180	42	3	3
HINDS	4,142	22	653	1,423	1114	593	268	64	5	0
HOLMES	433	3	97	150	107	49	22	5	0	0
HUMPHREYS	238	2	66	97	44	21	7	1	0	0
ISSAQUENA	24	0	5	10	4	5	0	0	0	0
ITAWAMBA	289	1	46	106	69	40	25	2	0	0
JACKSON	1,922	5	302	586	543	312	139	34	1	0
JASPER	279	2	41	97	84	38	15	2	0	0
JEFFERSON	131	2	38	48	28	10	3	2	0	0
JEFF DAVIS	206	3	44	69	63	13	12	2	0	0
JONES	1156	1	210	441	307	140	49	8	0	0
KEMPER	142	1	15	46	53	19	8	0	0	0
LAFAYETTE	544	1	48	165	158	110	55	6	0	1
LAMAR	789	2	79	240	238	151	66	13	0	0
LAUDERDALE	1,213	7	196	433	309	183	70	15	0	0
LAWRENCE	186	0	29	70	55	22	8	1	1	0
LEAKE	430	2	69	155	124	50	28	2	0	0
LEE	1,258	7	164	432	340	211	87	17	0	0
LEFLORE	631	3	130	253	138	80	19	7	1	0

TABLE 3A - PAGE 2
TOTAL LIVE BIRTHS - MISSISSIPPI - 2006

COUNTY	TOTAL	AGE OF MOTHER								
		UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	UN-KNOWN
LINCOLN	523	2	73	191	139	85	30	3	0	0
LOWNDES	925	6	151	321	243	143	51	9	1	0
MADISON	1,448	3	155	336	417	334	168	33	2	0
MARION	431	3	77	162	106	55	25	3	0	0
MARSHALL	521	2	88	191	148	70	17	4	0	1
MONROE	511	1	91	196	123	62	31	7	0	0
MONTGOMERY	188	1	39	60	48	26	13	1	0	0
NESHOBA	550	2	88	223	134	74	25	4	0	0
NEWTON	351	1	60	125	91	53	20	1	0	0
NOXUBEE	216	0	41	77	72	20	5	1	0	0
OKTIBBEHA	584	8	65	197	155	104	44	8	3	0
PANOLA	581	2	122	225	139	56	33	4	0	0
PEARL RIVER	818	1	128	314	203	111	50	11	0	0
PERRY	198	0	33	75	57	25	7	1	0	0
PIKE	758	3	113	275	201	107	47	11	1	0
PONTOTOC	441	1	70	167	106	65	27	5	0	0
PRENTISS	349	1	62	139	85	45	14	3	0	0
QUITMAN	157	2	30	60	38	20	7	0	0	0
RANKIN	2,090	2	224	547	693	442	154	27	1	0
SCOTT	554	5	103	207	140	75	19	5	0	0
SHARKEY	110	0	22	32	30	12	11	2	1	0
SIMPSON	419	0	82	160	105	46	24	2	0	0
SMITH	215	1	36	81	51	30	12	3	1	0
STONE	210	0	39	64	74	22	9	2	0	0
SUNFLOWER	553	4	120	227	123	51	23	4	1	0
TALLAHATCHIE	241	1	57	90	52	30	7	4	0	0
TATE	416	0	83	131	119	57	21	5	0	0
TIPPAH	328	1	51	126	102	34	12	2	0	0
TISHOMINGO	235	0	31	88	68	38	8	2	0	0
TUNICA	252	3	51	106	61	25	5	1	0	0
UNION	445	0	74	168	123	55	22	3	0	0
WALTHALL	261	0	43	95	79	28	14	2	0	0
WARREN	814	6	129	274	228	111	52	13	1	0
WASHINGTON	1,001	7	222	394	231	102	36	9	0	0
WAYNE	388	2	66	169	94	40	10	6	1	0
WEBSTER	156	0	29	60	48	10	8	1	0	0
WILKINSON	144	1	24	57	38	15	7	2	0	0
WINSTON	285	0	45	108	76	37	18	1	0	0
YALOBUSHA	223	2	56	84	43	28	9	1	0	0
YAZOO	477	3	95	184	120	51	18	6	0	0

**TABLE 3B
LIVE BIRTHS TO WHITE MOTHERS, BY COUNTY OF RESIDENCE AND AGE OF MOTHER,
MISSISSIPPI, 2006**

COUNTY	TOTAL	AGE OF MOTHER								UN- KNOWN
		UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	
<u>STATE</u>	<u>24,195</u>	<u>33</u>	<u>3,014</u>	<u>7,458</u>	<u>7,154</u>	<u>4,386</u>	<u>1,798</u>	<u>325</u>	<u>24</u>	<u>3</u>
ADAMS	160	1	15	44	55	25	16	4	0	0
ALCORN	445	0	71	149	128	66	31	0	0	0
AMITE	78	0	9	22	30	14	3	0	0	0
ATTALA	142	0	21	48	36	29	6	1	1	0
BENTON	68	0	13	24	16	13	2	0	0	0
BOLIVAR	182	0	19	45	51	44	20	1	2	0
CALHOUN	122	0	9	39	39	21	12	2	0	0
CARROLL	68	0	7	25	20	11	5	0	0	0
CHICKASAW	145	0	30	48	35	21	8	1	2	0
CHOCTAW	69	0	6	26	21	10	6	0	0	0
CLAIBORNE	12	0	0	2	6	3	1	0	0	0
CLARKE	116	0	19	39	26	17	12	2	0	1
CLAY	97	0	10	34	25	21	7	0	0	0
COAHOMA	65	0	5	28	16	11	4	1	0	0
COPIAH	192	2	22	67	61	29	11	0	0	0
COVINGTON	172	0	22	66	49	19	10	5	1	0
DESOTO	1,717	0	171	415	545	387	170	27	2	0
FORREST	670	1	88	207	198	123	41	12	0	0
FRANKLIN	60	0	7	17	22	8	6	0	0	0
GEORGE	342	1	66	117	94	42	18	4	0	0
GREENE	113	0	16	47	36	10	4	0	0	0
GRENADA	160	0	16	49	61	24	7	3	0	0
HANCOCK	442	1	72	139	104	78	43	5	0	0
HARRISON	1,822	2	234	638	498	282	133	31	3	1
HINDS	987	0	86	222	339	230	85	24	1	0
HOLMES	33	0	2	10	8	6	6	1	0	0
HUMPHREYS	36	0	8	9	6	10	3	0	0	0
ISSAQUENA	3	0	1	1	0	1	0	0	0	0
ITAWAMBA	256	1	39	89	67	36	23	1	0	0
JACKSON	1,360	3	199	391	392	233	115	26	1	0
JASPER	107	0	11	28	37	21	9	1	0	0
JEFFERSON	9	0	1	1	3	4	0	0	0	0
JEFF DAVIS	52	0	6	21	17	3	5	0	0	0
JONES	765	0	113	280	224	110	34	4	0	0
KEMPER	29	0	4	8	13	3	1	0	0	0
LAFAYETTE	349	1	25	73	112	89	45	3	0	1
LAMAR	620	1	52	175	190	134	56	12	0	0
LAUDERDALE	553	2	61	169	158	118	38	7	0	0
LAWRENCE	113	0	18	36	35	15	7	1	1	0
LEAKE	212	0	27	83	61	27	13	1	0	0
LEE	833	1	93	246	247	164	66	16	0	0
LEFLORE	124	0	8	42	36	31	7	0	0	0

TABLE 3B - PAGE 2
LIVE BIRTHS TO WHITE MOTHERS - MISSISSIPPI - 2006

COUNTY	TOTAL	AGE OF MOTHER								UN- KNOWN
		UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	
LINCOLN	314	1	36	106	92	54	22	3	0	0
LOWNDES	433	0	36	137	134	85	32	8	1	0
MADISON	787	0	44	132	247	224	119	19	2	0
MARION	247	1	36	88	70	37	14	1	0	0
MARSHALL	248	0	34	94	73	37	9	1	0	0
MONROE	291	1	51	98	74	45	18	4	0	0
MONTGOMERY	67	0	10	18	18	14	7	0	0	0
NESHOBA	250	0	30	100	64	39	15	2	0	0
NEWTON	195	0	27	58	61	38	11	0	0	0
NOXUBEE	57	0	3	19	27	5	3	0	0	0
OKTIBBEHA	249	2	20	51	77	71	23	2	3	0
PANOLA	220	2	38	82	57	28	12	1	0	0
PEARL RIVER	703	1	110	260	178	103	41	10	0	0
PERRY	137	0	22	43	45	21	5	1	0	0
PIKE	298	0	24	93	86	65	22	7	1	0
PONTOTOC	369	1	56	135	93	59	22	3	0	0
PRENTISS	287	1	49	111	74	37	12	3	0	0
QUITMAN	24	0	1	6	7	6	4	0	0	0
RANKIN	1,668	1	166	440	562	353	124	21	1	0
SCOTT	315	2	61	117	69	52	11	3	0	0
SHARKEY	19	0	1	3	10	3	1	1	0	0
SIMPSON	224	0	43	74	61	29	16	1	0	0
SMITH	138	1	20	48	36	20	11	1	1	0
STONE	162	0	30	49	61	13	8	1	0	0
SUNFLOWER	100	0	12	24	36	21	7	0	0	0
TALLAHATCHIE	45	0	5	12	11	13	3	1	0	0
TATE	241	0	38	66	74	44	17	2	0	0
TIPPAH	275	1	43	100	89	30	10	2	0	0
TISHOMINGO	229	0	30	87	66	37	7	2	0	0
TUNICA	29	0	3	11	9	5	1	0	0	0
UNION	370	0	54	140	105	49	19	3	0	0
WALTHALL	115	0	18	48	31	14	3	1	0	0
WARREN	318	1	35	77	97	65	31	11	1	0
WASHINGTON	216	0	24	74	59	39	16	4	0	0
WAYNE	188	0	32	74	53	20	5	4	0	0
WEBSTER	107	0	19	34	38	8	7	1	0	0
WILKINSON	18	0	1	6	3	6	1	1	0	0
WINSTON	94	0	10	32	24	20	8	0	0	0
YALOBUSHA	120	0	27	47	27	14	5	0	0	0
YAZOO	128	0	13	45	39	20	7	4	0	0

TABLE 3C
LIVE BIRTHS TO NONWHITE MOTHERS, BY COUNTY OF RESIDENCE AND AGE OF MOTHER,
MISSISSIPPI, 2006

COUNTY	TOTAL	AGE OF MOTHER								UN- KNOWN
		UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	
<u>STATE</u>	<u>21,851</u>	<u>140</u>	<u>4,389</u>	<u>8,501</u>	<u>5,220</u>	<u>2,359</u>	<u>1,012</u>	<u>217</u>	<u>10</u>	<u>3</u>
ADAMS	300	2	57	135	67	25	14	0	0	0
ALCORN	81	1	20	34	18	7	1	0	0	0
AMITE	103	0	22	43	23	12	2	1	0	0
ATTALA	172	0	43	67	35	17	9	1	0	0
BENTON	59	0	13	23	13	9	1	0	0	0
BOLIVAR	496	3	119	197	101	52	22	2	0	0
CALHOUN	76	1	22	31	13	5	3	1	0	0
CARROLL	46	0	9	20	13	2	0	1	1	0
CHICKASAW	159	0	46	56	34	13	8	2	0	0
CHOCTAW	56	0	14	23	12	5	1	1	0	0
CLAIBORNE	154	0	27	71	38	13	4	1	0	0
CLARKE	138	1	15	73	26	17	6	0	0	0
CLAY	200	0	38	93	35	20	8	6	0	0
COAHOMA	450	2	97	178	108	47	14	4	0	0
COPIAH	335	1	75	119	87	36	16	1	0	0
COVINGTON	155	1	41	68	30	11	2	1	1	0
DESOTO	477	3	67	114	138	105	41	9	0	0
FORREST	581	5	120	235	140	56	21	4	0	0
FRANKLIN	54	0	10	22	14	3	4	1	0	0
GEORGE	34	1	8	13	7	2	2	1	0	0
GREENE	34	0	6	12	14	1	1	0	0	0
GRENADA	173	0	38	66	42	17	9	1	0	0
HANCOCK	40	1	7	14	7	6	4	1	0	0
HARRISON	834	2	141	310	206	115	47	11	0	2
HINDS	3,155	22	567	1,201	775	363	183	40	4	0
HOLMES	400	3	95	140	99	43	16	4	0	0
HUMPHREYS	202	2	58	88	38	11	4	1	0	0
ISSAQUENA	21	0	4	9	4	4	0	0	0	0
ITAWAMBA	33	0	7	17	2	4	2	1	0	0
JACKSON	562	2	103	195	151	79	24	8	0	0
JASPER	172	2	30	69	47	17	6	1	0	0
JEFFERSON	122	2	37	47	25	6	3	2	0	0
JEFF DAVIS	154	3	38	48	46	10	7	2	0	0
JONES	391	1	97	161	83	30	15	4	0	0
KEMPER	113	1	11	38	40	16	7	0	0	0
LAFAYETTE	195	0	23	92	46	21	10	3	0	0
LAMAR	169	1	27	65	48	17	10	1	0	0
LAUDERDALE	660	5	135	264	151	65	32	8	0	0
LAWRENCE	73	0	11	34	20	7	1	0	0	0
LEAKE	218	2	42	72	63	23	15	1	0	0
LEE	425	6	71	186	93	47	21	1	0	0
LEFLORE	507	3	122	211	102	49	12	7	1	0

TABLE 3C - PAGE 2
LIVE BIRTHS TO NONWHITE MOTHERS - MISSISSIPPI - 2006

COUNTY	TOTAL	AGE OF MOTHER								UN- KNOWN
		UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	
LINCOLN	209	1	37	85	47	31	8	0	0	0
LOWNDES	492	6	115	184	109	58	19	1	0	0
MADISON	661	3	111	204	170	110	49	14	0	0
MARION	184	2	41	74	36	18	11	2	0	0
MARSHALL	273	2	54	97	75	33	8	3	0	1
MONROE	220	0	40	98	49	17	13	3	0	0
MONTGOMERY	121	1	29	42	30	12	6	1	0	0
NESHOBA	300	2	58	123	70	35	10	2	0	0
NEWTON	156	1	33	67	30	15	9	1	0	0
NOXUBEE	159	0	38	58	45	15	2	1	0	0
OKTIBBEHA	335	6	45	146	78	33	21	6	0	0
PANOLA	361	0	84	143	82	28	21	3	0	0
PEARL RIVER	115	0	18	54	25	8	9	1	0	0
PERRY	61	0	11	32	12	4	2	0	0	0
PIKE	460	3	89	182	115	42	25	4	0	0
PONTOTOC	72	0	14	32	13	6	5	2	0	0
PRENTISS	62	0	13	28	11	8	2	0	0	0
QUITMAN	133	2	29	54	31	14	3	0	0	0
RANKIN	422	1	58	107	131	89	30	6	0	0
SCOTT	239	3	42	90	71	23	8	2	0	0
SHARKEY	91	0	21	29	20	9	10	1	1	0
SIMPSON	195	0	39	86	44	17	8	1	0	0
SMITH	77	0	16	33	15	10	1	2	0	0
STONE	48	0	9	15	13	9	1	1	0	0
SUNFLOWER	453	4	108	203	87	30	16	4	1	0
TALLAHATCHIE	196	1	52	78	41	17	4	3	0	0
TATE	175	0	45	65	45	13	4	3	0	0
TIPPAH	53	0	8	26	13	4	2	0	0	0
TISHOMINGO	6	0	1	1	2	1	1	0	0	0
TUNICA	223	3	48	95	52	20	4	1	0	0
UNION	75	0	20	28	18	6	3	0	0	0
WALTHALL	146	0	25	47	48	14	11	1	0	0
WARREN	496	5	94	197	131	46	21	2	0	0
WASHINGTON	785	7	198	320	172	63	20	5	0	0
WAYNE	200	2	34	95	41	20	5	2	1	0
WEBSTER	49	0	10	26	10	2	1	0	0	0
WILKINSON	126	1	23	51	35	9	6	1	0	0
WINSTON	191	0	35	76	52	17	10	1	0	0
YALOBUSHA	103	2	29	37	16	14	4	1	0	0
YAZOO	349	3	82	139	81	31	11	2	0	0

TABLE 4
LIVE BIRTHS TO UNMARRIED MOTHERS AND PERCENT OF TOTAL LIVE BIRTHS,
BY COUNTY OF RESIDENCE AND RACE OF MOTHER,
MISSISSIPPI, 2006

COUNTY	NUMBER			PERCENT		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>STATE</u>	<u>24,323</u>	<u>7,288</u>	<u>17,035</u>	<u>52.8</u>	<u>30.1</u>	<u>78.0</u>
ADAMS	303	51	252	65.9	31.9	84.0
ALCORN	199	131	68	37.8	29.4	84.0
AMITE	93	13	80	51.4	16.7	77.7
ATTALA	182	44	138	58.0	31.0	80.2
BENTON	63	17	46	49.6	25.0	78.0
BOLIVAR	477	55	422	70.4	30.2	85.1
CALHOUN	96	28	68	48.5	23.0	89.5
CARROLL	50	15	35	43.9	22.0	76.1
CHICKASAW	175	48	127	57.6	33.1	79.9
CHOCTAW	61	18	43	48.8	26.1	76.8
CLAIBORNE	132	2	130	79.5	16.7	84.4
CLARKE	146	34	112	57.5	29.3	81.2
CLAY	177	23	154	59.6	23.7	77.0
COAHOMA	389	21	368	75.5	32.3	81.8
COPIAH	329	66	263	62.4	34.4	78.5
COVINGTON	192	62	130	58.7	36.0	83.9
DESOTO	726	472	254	33.1	27.5	53.2
FORREST	712	241	471	56.9	36.0	81.1
FRANKLIN	56	12	44	49.1	20.0	81.5
GEORGE	127	101	26	33.8	29.5	76.5
GREENE	52	28	24	35.4	24.8	70.6
GRENADA	167	39	128	50.2	24.4	74.0
HANCOCK	212	183	29	44.0	41.4	72.5
HARRISON	1,310	739	571	49.3	40.6	68.5
HINDS	2,643	236	2,407	63.8	23.9	76.3
HOLMES	350	8	342	80.8	24.2	85.5
HUMPHREYS	201	14	187	84.4	38.9	92.6
ISSAQUENA	20	0	20	83.3	-	95.2
ITAWAMBA	87	67	20	30.1	26.2	60.6
JACKSON	932	505	427	48.5	37.1	76.0
JASPER	151	26	125	54.1	24.3	72.7
JEFFERSON	106	1	105	80.9	11.1	86.1
JEFF DAVIS	138	14	124	67.0	26.9	80.5
JONES	633	313	320	54.8	40.9	81.8
KEMPER	93	8	85	65.5	27.6	75.2
LAFAYETTE	215	69	146	39.5	19.8	74.9
LAMAR	248	137	111	31.4	22.1	65.7
LAUDERDALE	693	157	536	57.1	28.4	81.2
LAWRENCE	83	28	55	44.6	24.8	75.3
LEAKE	246	90	156	57.2	42.4	71.6
LEE	562	247	315	44.7	29.6	74.1
LEFLORE	455	32	423	72.1	25.8	83.4

TABLE 4 - PAGE 2
LIVE BIRTHS TO UNMARRIED MOTHERS - MISSISSIPPI - 2006

COUNTY	NUMBER			PERCENT		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
LINCOLN	244	82	162	46.6	26.1	77.5
LOWNDES	478	110	368	51.7	25.4	74.8
MADISON	582	131	451	40.2	16.6	68.2
MARION	209	66	143	48.5	26.7	77.7
MARSHALL	309	99	210	59.3	39.9	76.9
MONROE	263	98	165	51.5	33.7	75.0
MONTGOMERY	114	19	95	60.6	28.4	78.5
NESHOPA	311	72	239	56.5	28.8	79.7
NEWTON	172	44	128	49.0	22.6	82.0
NOXUBEE	136	5	131	63.0	8.8	82.4
OKTIBBEHA	283	38	245	48.4	15.3	73.1
PANOLA	364	65	299	62.6	29.5	82.8
PEARL RIVER	341	248	93	41.7	35.3	80.9
PERRY	101	48	53	51.0	35.0	86.9
PIKE	408	63	345	53.8	21.1	75.0
PONTOTOC	163	109	54	37.0	29.5	75.0
PRENTISS	128	82	46	36.7	28.6	74.2
QUITMAN	113	5	108	72.0	20.8	81.2
RANKIN	660	413	247	31.6	24.8	58.5
SCOTT	340	144	196	61.4	45.7	82.0
SHARKEY	87	3	84	79.1	15.8	92.3
SIMPSON	216	60	156	51.6	26.8	80.0
SMITH	98	36	62	45.6	26.1	80.5
STONE	80	47	33	38.1	29.0	68.8
SUNFLOWER	426	26	400	77.0	26.0	88.3
TALLAHATCHIE	187	13	174	77.6	28.9	88.8
TATE	217	72	145	52.2	29.9	82.8
TIPPAH	121	86	35	36.9	31.3	66.0
TISHOMINGO	81	76	5	34.5	33.2	83.3
TUNICA	196	8	188	77.8	27.6	84.3
UNION	166	121	45	37.3	32.7	60.0
WALTHALL	142	42	100	54.4	36.5	68.5
WARREN	506	96	410	62.2	30.2	82.7
WASHINGTON	747	74	673	74.6	34.2	85.7
WAYNE	217	50	167	55.9	26.6	83.5
WEBSTER	64	25	39	41.0	23.4	79.6
WILKINSON	114	5	109	79.2	27.8	86.5
WINSTON	181	20	161	63.5	21.3	84.3
YALOBUSHA	134	51	83	60.1	42.5	80.6
YAZOO	342	41	301	71.7	32.0	86.2

TABLE 5A
TOTAL LIVE BIRTHS TO UNMARRIED MOTHERS,
BY COUNTY OF RESIDENCE AND AGE OF MOTHER,
MISSISSIPPI, 2006

COUNTY	TOTAL	AGE OF MOTHER								UN- KNOWN
		UNDER 15	15-19	20-24	25-29	30-24	35-39	40-44	45-49	
STATE	24,323	171	6,448	10,484	4,807	1,627	631	147	6	2
ADAMS	303	3	68	147	62	16	7	0	0	0
ALCORN	199	1	65	80	38	13	2	0	0	0
AMITE	93	0	25	46	17	4	1	0	0	0
ATTALA	182	0	56	81	31	11	3	0	0	0
BENTON	63	0	18	28	11	6	0	0	0	0
BOLIVAR	477	3	131	211	86	35	10	1	0	0
CALHOUN	96	1	25	41	14	9	6	0	0	0
CARROLL	50	0	13	24	10	1	1	1	0	0
CHICKASAW	175	0	62	64	35	8	4	2	0	0
CHOCTAW	61	0	17	30	9	5	0	0	0	0
CLAIBORNE	132	0	27	66	24	11	3	1	0	0
CLARKE	146	1	28	72	25	13	6	0	0	1
CLAY	177	0	45	93	26	9	2	2	0	0
COAHOMA	389	2	100	171	84	24	6	2	0	0
COPIAH	329	3	88	127	77	27	7	0	0	0
COVINGTON	192	1	57	83	30	12	4	4	1	0
DESOTO	726	3	201	271	151	68	26	6	0	0
FORREST	712	6	188	297	159	40	16	6	0	0
FRANKLIN	56	0	14	22	14	2	3	1	0	0
GEORGE	127	2	54	44	14	9	4	0	0	0
GREENE	52	0	16	21	12	1	2	0	0	0
GRENADA	167	0	50	69	36	8	4	0	0	0
HANCOCK	212	2	68	85	36	13	7	1	0	0
HARRISON	1,310	4	322	581	241	96	54	11	0	1
HINDS	2,643	22	617	1,163	554	182	82	22	1	0
HOLMES	350	3	93	133	78	30	11	2	0	0
HUMPHREYS	201	2	65	87	36	8	2	1	0	0
ISSAQUENA	20	0	4	9	4	3	0	0	0	0
ITAWAMBA	87	1	33	34	11	4	4	0	0	0
JACKSON	932	5	259	355	199	71	32	11	0	0
JASPER	151	2	34	69	34	8	3	1	0	0
JEFFERSON	106	2	37	43	18	2	2	2	0	0
JEFF DAVIS	138	3	42	51	32	4	5	1	0	0
JONES	633	1	174	265	139	33	18	3	0	0
KEMPER	93	1	15	35	27	10	5	0	0	0
LAFAYETTE	215	1	38	104	48	15	9	0	0	0
LAMAR	248	1	59	116	48	16	6	2	0	0
LAUDERDALE	693	7	185	287	134	54	21	5	0	0
LAWRENCE	83	0	24	43	14	2	0	0	0	0
LEAKE	246	2	53	104	59	17	10	1	0	0
LEE	562	7	143	266	101	31	11	3	0	0
LEFLORE	455	3	124	215	83	19	6	4	1	0

TABLE 5A - PAGE 2
TOTAL LIVE BIRTHS TO UNMARRIED MOTHERS - MISSISSIPPI - 2006

COUNTY	TOTAL	AGE OF MOTHER								UN- KNOWN
		UNDER 15	15-19	20-24	25-29	30-24	35-39	40-44	45-49	
LINCOLN	244	2	61	114	41	21	4	1	0	0
LOWNDES	478	6	138	207	83	31	10	3	0	0
MADISON	582	3	138	228	133	56	17	7	0	0
MARION	209	3	58	95	30	17	6	0	0	0
MARSHALL	309	2	76	133	73	16	7	2	0	0
MONROE	263	1	72	125	48	12	4	1	0	0
MONTGOMERY	114	1	33	47	22	7	4	0	0	0
NESHOBA	311	2	80	139	60	23	7	0	0	0
NEWTON	172	1	49	81	25	13	2	1	0	0
NOXUBEE	136	0	41	55	33	7	0	0	0	0
OKTIBBEHA	283	8	53	142	58	16	4	2	0	0
PANOLA	364	1	110	153	68	17	14	1	0	0
PEARL RIVER	341	1	93	158	52	21	13	3	0	0
PERRY	101	0	22	47	22	8	2	0	0	0
PIKE	408	3	97	179	83	31	12	3	0	0
PONTOTOC	163	1	52	73	23	11	3	0	0	0
PRENTISS	128	1	47	57	14	5	4	0	0	0
QUITMAN	113	2	30	49	20	10	2	0	0	0
RANKIN	660	2	179	257	142	60	18	2	0	0
SCOTT	340	5	81	146	69	30	5	4	0	0
SHARKEY	87	0	21	28	20	9	7	1	1	0
SIMPSON	216	0	62	96	39	12	7	0	0	0
SMITH	98	1	25	48	13	8	1	2	0	0
STONE	80	0	29	23	20	8	0	0	0	0
SUNFLOWER	426	4	116	198	78	18	9	2	1	0
TALLAHATCHIE	187	1	56	78	35	12	3	2	0	0
TATE	217	0	73	81	45	13	3	2	0	0
TIPPAH	121	1	36	47	29	6	1	1	0	0
TISHOMINGO	81	0	21	38	16	6	0	0	0	0
TUNICA	196	3	49	91	35	15	3	0	0	0
UNION	166	0	55	72	23	13	3	0	0	0
WALTHALL	142	0	37	55	34	11	4	1	0	0
WARREN	506	6	123	206	120	35	13	2	1	0
WASHINGTON	747	7	216	333	141	35	11	4	0	0
WAYNE	217	2	55	105	35	14	4	2	0	0
WEBSTER	64	0	16	31	15	2	0	0	0	0
WILKINSON	114	1	24	52	30	4	2	1	0	0
WINSTON	181	0	43	80	39	14	5	0	0	0
YALOBUSHA	134	2	50	56	15	5	5	1	0	0
YAZOO	342	3	94	148	65	25	7	0	0	0

TABLE 5B
LIVE BIRTHS TO UNMARRIED WHITE MOTHERS,
BY COUNTY OF RESIDENCE AND AGE OF MOTHER,
MISSISSIPPI, 2006

COUNTY	TOTAL	AGE OF MOTHER								UN- KNOWN
		UNDER 15	15-19	20-24	25-29	30-24	35-39	40-44	45-49	
<u>STATE</u>	<u>7,288</u>	<u>31</u>	<u>2,139</u>	<u>3,004</u>	<u>1,327</u>	<u>506</u>	<u>224</u>	<u>54</u>	<u>2</u>	<u>1</u>
ADAMS	51	1	11	20	15	2	2	0	0	0
ALCORN	131	0	45	52	25	8	1	0	0	0
AMITE	13	0	4	7	2	0	0	0	0	0
ATTALA	44	0	14	19	6	4	1	0	0	0
BENTON	17	0	5	9	2	1	0	0	0	0
BOLIVAR	55	0	14	26	8	4	3	0	0	0
CALHOUN	28	0	3	13	4	5	3	0	0	0
CARROLL	15	0	4	6	3	1	1	0	0	0
CHICKASAW	48	0	18	16	11	1	1	1	0	0
CHOCTAW	18	0	4	8	3	3	0	0	0	0
CLAIBORNE	2	0	0	1	1	0	0	0	0	0
CLARKE	34	0	14	12	2	3	2	0	0	1
CLAY	23	0	8	11	2	2	0	0	0	0
COAHOMA	21	0	3	13	3	2	0	0	0	0
COPIAH	66	2	15	25	14	7	3	0	0	0
COVINGTON	62	0	16	27	11	2	2	3	1	0
DESOTO	472	0	136	185	87	44	18	2	0	0
FORREST	241	1	69	93	61	9	5	3	0	0
FRANKLIN	12	0	4	3	4	1	0	0	0	0
GEORGE	101	1	46	33	10	7	4	0	0	0
GREENE	28	0	10	14	3	0	1	0	0	0
GRENADA	39	0	12	14	11	2	0	0	0	0
HANCOCK	183	1	61	73	31	10	7	0	0	0
HARRISON	739	2	186	327	140	44	33	7	0	0
HINDS	236	0	62	98	50	17	6	3	0	0
HOLMES	8	0	0	4	2	1	1	0	0	0
HUMPHREYS	14	0	7	2	3	1	1	0	0	0
ISSAQUENA	0	0	0	0	0	0	0	0	0	0
ITAWAMBA	67	1	26	25	9	3	3	0	0	0
JACKSON	505	3	158	183	94	36	25	6	0	0
JASPER	26	0	5	10	7	3	1	0	0	0
JEFFERSON	1	0	0	0	0	1	0	0	0	0
JEFF DAVIS	14	0	4	7	2	0	1	0	0	0
JONES	313	0	81	120	75	21	14	2	0	0
KEMPER	8	0	4	2	1	1	0	0	0	0
LAFAYETTE	69	1	16	27	17	5	3	0	0	0
LAMAR	137	0	32	63	24	11	5	2	0	0
LAUDERDALE	157	2	51	57	30	14	2	1	0	0
LAWRENCE	28	0	13	12	3	0	0	0	0	0
LEAKE	90	0	15	43	21	6	4	1	0	0
LEE	247	1	72	105	44	15	7	3	0	0
LEFLORE	32	0	4	20	5	1	2	0	0	0

TABLE 5B - PAGE 2
LIVE BIRTHS TO UNMARRIED WHITE MOTHERS - MISSISSIPPI - 2006

COUNTY	TOTAL	AGE OF MOTHER								UN- KNOWN
		UNDER 15	15-19	20-24	25-29	30-24	35-39	40-44	45-49	
LINCOLN	82	1	24	36	12	6	2	1	0	0
LOWNDES	110	0	27	53	16	9	2	3	0	0
MADISON	131	0	30	45	34	18	1	3	0	0
MARION	66	1	18	30	8	7	2	0	0	0
MARSHALL	99	0	24	47	22	3	3	0	0	0
MONROE	98	1	33	45	13	6	0	0	0	0
MONTGOMERY	19	0	6	9	2	0	2	0	0	0
NESHOBA	72	0	23	35	10	3	1	0	0	0
NEWTON	44	0	16	17	6	5	0	0	0	0
NOXUBEE	5	0	3	1	1	0	0	0	0	0
OKTIBBEHA	38	2	11	17	5	3	0	0	0	0
PANOLA	65	1	26	26	9	1	2	0	0	0
PEARL RIVER	248	1	75	112	31	19	8	2	0	0
PERRY	48	0	12	18	12	5	1	0	0	0
PIKE	63	0	10	30	10	10	1	2	0	0
PONTOTOC	109	1	38	45	15	9	1	0	0	0
PRENTISS	82	1	34	34	10	0	3	0	0	0
QUITMAN	5	0	1	3	0	0	1	0	0	0
RANKIN	413	1	123	165	77	33	13	1	0	0
SCOTT	144	2	40	64	18	17	1	2	0	0
SHARKEY	3	0	0	1	1	1	0	0	0	0
SIMPSON	60	0	25	25	7	1	2	0	0	0
SMITH	36	1	9	18	3	3	1	1	0	0
STONE	47	0	20	14	13	0	0	0	0	0
SUNFLOWER	26	0	9	8	6	1	2	0	0	0
TALLAHATCHIE	13	0	4	5	3	0	1	0	0	0
TATE	72	0	29	22	12	6	2	1	0	0
TIPPAH	86	1	28	31	20	4	1	1	0	0
TISHOMINGO	76	0	20	37	14	5	0	0	0	0
TUNICA	8	0	1	5	1	1	0	0	0	0
UNION	121	0	37	51	20	11	2	0	0	0
WALTHALL	42	0	13	20	6	3	0	0	0	0
WARREN	96	1	30	34	21	7	1	1	1	0
WASHINGTON	74	0	18	34	13	5	3	1	0	0
WAYNE	50	0	22	18	6	3	0	1	0	0
WEBSTER	25	0	6	10	8	1	0	0	0	0
WILKINSON	5	0	1	3	1	0	0	0	0	0
WINSTON	20	0	8	10	1	1	0	0	0	0
YALOBUSHA	51	0	21	22	6	0	2	0	0	0
YAZOO	41	0	12	19	8	1	1	0	0	0

TABLE 5C
LIVE BIRTHS TO UNMARRIED NONWHITE MOTHERS,
BY COUNTY OF RESIDENCE AND AGE OF MOTHER,
MISSISSIPPI, 2006

COUNTY	TOTAL	AGE OF MOTHER								UN- KNOWN
		UNDER 15	15-19	20-24	25-29	30-24	35-39	40-44	45-49	
<u>STATE</u>	<u>17,035</u>	<u>140</u>	<u>4,309</u>	<u>7,480</u>	<u>3,480</u>	<u>1,121</u>	<u>407</u>	<u>93</u>	<u>4</u>	<u>1</u>
ADAMS	252	2	57	127	47	14	5	0	0	0
ALCORN	68	1	20	28	13	5	1	0	0	0
AMITE	80	0	21	39	15	4	1	0	0	0
ATTALA	138	0	42	62	25	7	2	0	0	0
BENTON	46	0	13	19	9	5	0	0	0	0
BOLIVAR	422	3	117	185	78	31	7	1	0	0
CALHOUN	68	1	22	28	10	4	3	0	0	0
CARROLL	35	0	9	18	7	0	0	1	0	0
CHICKASAW	127	0	44	48	24	7	3	1	0	0
CHOCTAW	43	0	13	22	6	2	0	0	0	0
CLAIBORNE	130	0	27	65	23	11	3	1	0	0
CLARKE	112	1	14	60	23	10	4	0	0	0
CLAY	154	0	37	82	24	7	2	2	0	0
COAHOMA	368	2	97	158	81	22	6	2	0	0
COPIAH	263	1	73	102	63	20	4	0	0	0
COVINGTON	130	1	41	56	19	10	2	1	0	0
DESOTO	254	3	65	86	64	24	8	4	0	0
FORREST	471	5	119	204	98	31	11	3	0	0
FRANKLIN	44	0	10	19	10	1	3	1	0	0
GEORGE	26	1	8	11	4	2	0	0	0	0
GREENE	24	0	6	7	9	1	1	0	0	0
GRENADA	128	0	38	55	25	6	4	0	0	0
HANCOCK	29	1	7	12	5	3	0	1	0	0
HARRISON	571	2	136	254	101	52	21	4	0	1
HINDS	2,407	22	555	1,065	504	165	76	19	1	0
HOLMES	342	3	93	129	76	29	10	2	0	0
HUMPHREYS	187	2	58	85	33	7	1	1	0	0
ISSAQUENA	20	0	4	9	4	3	0	0	0	0
ITAWAMBA	20	0	7	9	2	1	1	0	0	0
JACKSON	427	2	101	172	105	35	7	5	0	0
JASPER	125	2	29	59	27	5	2	1	0	0
JEFFERSON	105	2	37	43	18	1	2	2	0	0
JEFF DAVIS	124	3	38	44	30	4	4	1	0	0
JONES	320	1	93	145	64	12	4	1	0	0
KEMPER	85	1	11	33	26	9	5	0	0	0
LAFAYETTE	146	0	22	77	31	10	6	0	0	0
LAMAR	111	1	27	53	24	5	1	0	0	0
LAUDERDALE	536	5	134	230	104	40	19	4	0	0
LAWRENCE	55	0	11	31	11	2	0	0	0	0
LEAKE	156	2	38	61	38	11	6	0	0	0
LEE	315	6	71	161	57	16	4	0	0	0
LEFLORE	423	3	120	195	78	18	4	4	1	0

TABLE 5C - PAGE 2
LIVE BIRTHS TO UNMARRIED NONWHITE MOTHERS - MISSISSIPPI - 2006

COUNTY	TOTAL	AGE OF MOTHER								UN- KNOWN
		UNDER 15	15-19	20-24	25-29	30-24	35-39	40-44	45-49	
LINCOLN	162	1	37	78	29	15	2	0	0	0
LOWNDES	368	6	111	154	67	22	8	0	0	0
MADISON	451	3	108	183	99	38	16	4	0	0
MARION	143	2	40	65	22	10	4	0	0	0
MARSHALL	210	2	52	86	51	13	4	2	0	0
MONROE	165	0	39	80	35	6	4	1	0	0
MONTGOMERY	95	1	27	38	20	7	2	0	0	0
NESHOBA	239	2	57	104	50	20	6	0	0	0
NEWTON	128	1	33	64	19	8	2	1	0	0
NOXUBEE	131	0	38	54	32	7	0	0	0	0
OKTIBBEHA	245	6	42	125	53	13	4	2	0	0
PANOLA	299	0	84	127	59	16	12	1	0	0
PEARL RIVER	93	0	18	46	21	2	5	1	0	0
PERRY	53	0	10	29	10	3	1	0	0	0
PIKE	345	3	87	149	73	21	11	1	0	0
PONTOTOC	54	0	14	28	8	2	2	0	0	0
PRENTISS	46	0	13	23	4	5	1	0	0	0
QUITMAN	108	2	29	46	20	10	1	0	0	0
RANKIN	247	1	56	92	65	27	5	1	0	0
SCOTT	196	3	41	82	51	13	4	2	0	0
SHARKEY	84	0	21	27	19	8	7	1	1	0
SIMPSON	156	0	37	71	32	11	5	0	0	0
SMITH	62	0	16	30	10	5	0	1	0	0
STONE	33	0	9	9	7	8	0	0	0	0
SUNFLOWER	400	4	107	190	72	17	7	2	1	0
TALLAHATCHIE	174	1	52	73	32	12	2	2	0	0
TATE	145	0	44	59	33	7	1	1	0	0
TIPPAH	35	0	8	16	9	2	0	0	0	0
TISHOMINGO	5	0	1	1	2	1	0	0	0	0
TUNICA	188	3	48	86	34	14	3	0	0	0
UNION	45	0	18	21	3	2	1	0	0	0
WALTHALL	100	0	24	35	28	8	4	1	0	0
WARREN	410	5	93	172	99	28	12	1	0	0
WASHINGTON	673	7	198	299	128	30	8	3	0	0
WAYNE	167	2	33	87	29	11	4	1	0	0
WEBSTER	39	0	10	21	7	1	0	0	0	0
WILKINSON	109	1	23	49	29	4	2	1	0	0
WINSTON	161	0	35	70	38	13	5	0	0	0
YALOBUSHA	83	2	29	34	9	5	3	1	0	0
YAZOO	301	3	82	129	57	24	6	0	0	0

TABLE 6A
LIVE BIRTHS WEIGHING LESS THAN 2,500 GRAMS AT BIRTH
AND PERCENT OF TOTAL LIVE BIRTHS,
BY COUNTY OF RESIDENCE AND RACE OF MOTHER,
MISSISSIPPI, 2006

COUNTY	NUMBER			PERCENT		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>STATE</u>	<u>5,713</u>	<u>2,117</u>	<u>3,596</u>	<u>12.4</u>	<u>8.8</u>	<u>16.4</u>
ADAMS	73	16	57	15.9	10.0	19.0
ALCORN	57	43	14	10.8	9.7	17.3
AMITE	23	9	14	12.7	11.5	13.6
ATTALA	54	17	37	17.2	12.0	21.5
BENTON	23	8	15	18.1	11.8	25.4
BOLIVAR	82	16	66	12.1	8.8	13.3
CALHOUN	21	12	9	10.6	9.8	11.8
CARROLL	15	8	7	13.2	11.8	15.2
CHICKASAW	36	12	24	11.8	8.3	15.1
CHOCTAW	13	4	9	10.4	5.8	16.1
CLAIBORNE	25	3	22	15.1	25.0	14.3
CLARKE	31	11	20	12.2	9.5	14.5
CLAY	42	5	37	14.1	5.2	18.5
COAHOMA	66	6	60	12.8	9.2	13.3
COPIAH	88	16	72	16.7	8.3	21.5
COVINGTON	45	19	26	13.8	11.0	16.8
DESOTO	210	130	80	9.6	7.6	16.8
FORREST	155	65	90	12.4	9.7	15.5
FRANKLIN	14	4	10	12.3	6.7	18.5
GEORGE	37	30	7	9.8	8.8	20.6
GREENE	14	6	8	9.5	5.3	23.5
GRENADA	36	14	22	10.8	8.8	12.7
HANCOCK	40	38	2	8.3	8.6	5.0
HARRISON	307	160	147	11.6	8.8	17.6
HINDS	662	84	578	16.0	8.5	18.3
HOLMES	64	2	62	14.8	6.1	15.5
HUMPHREYS	26	2	24	10.9	5.6	11.9
ISSAQUENA	5	0	5	20.8	-	23.8
ITAWAMBA	20	15	5	6.9	5.8	15.2
JACKSON	194	111	83	10.1	8.2	14.8
JASPER	44	15	29	15.8	14.0	16.9
JEFFERSON	24	0	24	18.3	-	19.7
JEFF DAVIS	33	6	27	16.0	11.5	17.5
JONES	114	60	54	9.9	7.8	13.8
KEMPER	23	2	21	16.2	6.9	18.6
LAFAYETTE	47	20	27	8.6	5.7	13.8
LAMAR	83	62	21	10.5	10.0	12.4
LAUDERDALE	152	48	104	12.5	8.7	15.8
LAWRENCE	20	11	9	10.8	9.7	12.3
LEAKE	49	14	35	11.4	6.6	16.0
LEE	133	68	65	10.6	8.2	15.3
LEFLORE	100	12	88	15.8	9.7	17.4

TABLE 6A - PAGE 2
LIVE BIRTHS LESS THAN 2,500 GRAMS - MISSISSIPPI - 2006

COUNTY	NUMBER			PERCENT		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
LINCOLN	75	25	50	14.3	8.0	23.9
LOWNDES	128	36	92	13.8	8.3	18.7
MADISON	159	55	104	11.0	7.0	15.7
MARION	59	34	25	13.7	13.8	13.6
MARSHALL	68	23	45	13.0	9.3	16.5
MONROE	54	24	30	10.6	8.2	13.6
MONTGOMERY	31	5	26	16.5	7.5	21.5
NESHOBA	68	34	34	12.4	13.6	11.3
NEWTON	46	22	24	13.1	11.3	15.4
NOXUBEE	35	3	32	16.2	5.3	20.1
OKTIBBEHA	80	22	58	13.7	8.8	17.3
PANOLA	92	20	72	15.8	9.1	19.9
PEARL RIVER	88	72	16	10.8	10.2	13.9
PERRY	23	10	13	11.6	7.3	21.3
PIKE	97	29	68	12.8	9.7	14.8
PONTOTOC	44	29	15	10.0	7.8	20.8
PRENTISS	25	14	11	7.2	4.9	17.7
QUITMAN	13	0	13	8.3	-	9.8
RANKIN	213	153	60	10.2	9.2	14.2
SCOTT	73	28	45	13.2	8.9	18.8
SHARKEY	14	1	13	12.7	5.3	14.3
SIMPSON	56	20	36	13.4	8.9	18.5
SMITH	22	7	15	10.2	5.1	19.5
STONE	26	18	8	12.4	11.1	16.7
SUNFLOWER	92	15	77	16.6	15.0	17.0
TALLAHATCHIE	41	5	36	17.0	11.1	18.4
TATE	30	16	14	7.2	6.6	8.0
TIPPAH	43	31	12	13.1	11.3	22.6
TISHOMINGO	23	23	0	9.8	10.0	-
TUNICA	30	1	29	11.9	3.4	13.0
UNION	60	41	19	13.5	11.1	25.3
WALTHALL	35	13	22	13.4	11.3	15.1
WARREN	118	39	79	14.5	12.3	15.9
WASHINGTON	128	13	115	12.8	6.0	14.6
WAYNE	51	17	34	13.1	9.0	17.0
WEBSTER	16	6	10	10.2	5.6	20.4
WILKINSON	31	1	30	21.5	5.6	23.8
WINSTON	40	6	34	14.0	6.4	17.8
YALOBUSHA	25	11	14	11.2	9.2	13.6
YAZOO	61	11	50	12.8	8.6	14.3

TABLE 6B
LIVE BIRTHS WEIGHING LESS THAN 1,500 GRAMS AT BIRTH
AND PERCENT OF TOTAL LIVE BIRTHS,
BY COUNTY OF RESIDENCE AND RACE OF MOTHER,
MISSISSIPPI, 2006

COUNTY	NUMBER			PERCENT		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>STATE</u>	<u>1,083</u>	<u>349</u>	<u>734</u>	<u>2.4</u>	<u>1.4</u>	<u>3.4</u>
ADAMS	14	4	10	3.0	2.5	3.3
ALCORN	12	4	8	2.3	0.9	9.9
AMITE	7	2	5	3.9	2.6	4.8
ATTALA	9	3	6	2.9	2.1	3.5
BENTON	3	0	3	2.4	-	5.1
BOLIVAR	15	2	13	2.2	1.1	2.6
CALHOUN	2	0	2	1.0	-	2.6
CARROLL	5	3	2	4.4	4.4	4.3
CHICKASAW	12	5	7	3.9	3.4	4.4
CHOCTAW	1	1	0	0.8	1.4	-
CLAIBORNE	3	0	3	1.8	-	1.9
CLARKE	5	0	5	2.0	-	3.6
CLAY	12	0	12	4.0	-	6.0
COAHOMA	13	3	10	2.5	4.6	2.2
COPIAH	8	2	6	1.5	1.0	1.8
COVINGTON	9	3	6	2.8	1.7	3.9
DESOTO	36	17	19	1.6	1.0	4.0
FORREST	27	12	15	2.2	1.8	2.6
FRANKLIN	4	1	3	3.5	1.7	5.6
GEORGE	9	8	1	2.4	2.3	2.9
GREENE	2	1	1	1.4	0.9	2.9
GRENADA	7	2	5	2.1	1.2	2.9
HANCOCK	5	4	1	1.0	0.9	2.5
HARRISON	60	31	29	2.2	1.7	3.5
HINDS	131	11	120	3.2	1.1	3.8
HOLMES	16	0	16	3.7	-	4.0
HUMPHREYS	4	0	4	1.7	-	2.0
ISSAQUENA	0	0	0	-	-	-
ITAWAMBA	3	3	0	1.0	1.2	-
JACKSON	35	16	19	1.8	1.2	3.4
JASPER	9	4	5	3.2	3.7	2.9
JEFFERSON	7	0	7	5.3	-	5.7
JEFF DAVIS	7	3	4	3.4	5.8	2.6
JONES	19	13	6	1.6	1.7	1.5
KEMPER	1	0	1	0.7	-	0.9
LAFAYETTE	9	3	6	1.6	0.9	3.1
LAMAR	8	6	2	1.0	1.0	1.2
LAUDERDALE	27	9	18	2.2	1.6	2.7
LAWRENCE	3	1	2	1.6	0.9	2.7
LEAKE	8	2	6	1.9	0.9	2.8
LEE	35	14	21	2.8	1.7	4.9
LEFLORE	17	0	17	2.7	-	3.4

TABLE 6B - PAGE 2
LIVE BIRTHS LESS THAN 1,500 GRAMS - MISSISSIPPI - 2006

COUNTY	NUMBER			PERCENT		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
LINCOLN	21	6	15	4.0	1.9	7.2
LOWNDES	30	9	21	3.2	2.1	4.3
MADISON	37	8	29	2.6	1.0	4.4
MARION	15	10	5	3.5	4.0	2.7
MARSHALL	15	4	11	2.9	1.6	4.0
MONROE	15	4	11	2.9	1.4	5.0
MONTGOMERY	5	1	4	2.7	1.5	3.3
NESHOBA	15	7	8	2.7	2.8	2.7
NEWTON	7	2	5	2.0	1.0	3.2
NOXUBEE	7	0	7	3.2	-	4.4
OKTIBBEHA	17	6	11	2.9	2.4	3.3
PANOLA	12	1	11	2.1	0.4	3.0
PEARL RIVER	20	16	4	2.4	2.3	3.5
PERRY	5	0	5	2.5	-	8.2
PIKE	17	3	14	2.2	1.0	3.0
PONTOTOC	9	4	5	2.0	1.1	6.9
PRENTISS	3	2	1	0.9	0.7	1.6
QUITMAN	4	0	4	2.5	-	3.0
RANKIN	27	19	8	1.3	1.1	1.9
SCOTT	17	5	12	3.1	1.6	5.0
SHARKEY	0	0	0	-	-	-
SIMPSON	8	3	5	1.9	1.3	2.6
SMITH	1	1	0	0.5	0.7	-
STONE	3	1	2	1.4	0.6	4.2
SUNFLOWER	16	2	14	2.9	2.0	3.1
TALLAHATCHIE	11	3	8	4.6	6.7	4.1
TATE	4	3	1	1.0	1.2	0.6
TIPPAH	6	6	0	1.8	2.2	-
TISHOMINGO	5	5	0	2.1	2.2	-
TUNICA	13	0	13	5.2	-	5.8
UNION	6	5	1	1.3	1.4	1.3
WALTHALL	5	0	5	1.9	-	3.4
WARREN	19	7	12	2.3	2.2	2.4
WASHINGTON	29	5	24	2.9	2.3	3.0
WAYNE	13	2	11	3.4	1.1	5.5
WEBSTER	2	2	0	1.3	1.9	-
WILKINSON	5	0	5	3.5	-	4.0
WINSTON	5	0	5	1.8	-	2.6
YALOBUSHA	7	3	4	3.1	2.5	3.9
YAZOO	8	1	7	1.7	0.8	2.0

TABLE 7
PREMATURE* LIVE BIRTHS AND PERCENT OF TOTAL LIVE BIRTHS,
BY COUNTY OF RESIDENCE AND RACE OF MOTHER,
MISSISSIPPI, 2006

COUNTY	NUMBER			PERCENT		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>STATE</u>	<u>8,366</u>	<u>3,536</u>	<u>4,830</u>	<u>18.2</u>	<u>14.6</u>	<u>22.1</u>
ADAMS	82	21	61	17.8	13.1	20.3
ALCORN	93	71	22	17.7	16.0	27.2
AMITE	22	8	14	12.2	10.2	13.6
ATTALA	69	29	40	22.0	20.4	23.2
BENTON	16	5	11	12.6	7.4	18.6
BOLIVAR	136	32	104	20.0	17.6	21.0
CALHOUN	24	15	9	12.1	12.3	11.8
CARROLL	18	11	7	15.8	16.2	15.2
CHICKASAW	52	17	35	17.1	11.7	22.0
CHOCTAW	20	11	9	16.0	15.9	16.1
CLAIBORNE	39	4	35	23.5	33.3	22.7
CLARKE	43	16	27	16.9	13.8	19.6
CLAY	59	6	53	19.9	6.2	26.5
COAHOMA	112	10	102	21.7	15.4	22.7
COPIAH	127	30	97	24.1	15.6	29.0
COVINGTON	54	29	25	16.5	16.9	16.1
DESOTO	259	169	90	11.8	9.8	18.9
FORREST	256	122	134	20.5	18.2	23.1
FRANKLIN	19	5	14	16.7	8.3	25.9
GEORGE	54	49	5	14.4	14.3	14.7
GREENE	20	11	9	13.6	9.7	26.5
GRENADA	51	18	33	15.3	11.2	19.1
HANCOCK	66	61	5	13.7	13.8	12.5
HARRISON	450	266	184	16.9	14.6	22.1
HINDS	1018	194	824	24.6	19.6	26.1
HOLMES	104	6	98	24.0	18.2	24.5
HUMPHREYS	50	9	41	21.0	25.0	20.3
ISSAQUENA	5	0	5	20.8	-	23.8
ITAWAMBA	33	26	7	11.4	10.2	21.2
JACKSON	279	185	94	14.5	13.6	16.7
JASPER	45	19	26	16.1	17.8	15.1
JEFFERSON	26	2	24	19.8	22.2	19.7
JEFF DAVIS	43	12	31	20.9	23.1	20.1
JONES	141	94	47	12.2	12.3	12.0
KEMPER	29	4	25	20.4	13.8	22.1
LAFAYETTE	72	36	36	13.2	10.3	18.5
LAMAR	124	96	28	15.7	15.5	16.6
LAUDERDALE	238	91	147	19.6	16.4	22.3
LAWRENCE	33	15	18	17.7	13.3	24.6
LEAKE	100	46	54	23.2	21.7	24.8
LEE	183	102	81	14.5	12.2	19.0
LEFLORE	120	20	100	19.0	16.1	19.7

TABLE 7 - PAGE 2
 PREMATURE LIVE BIRTHS - MISSISSIPPI - 2006

COUNTY	NUMBER			PERCENT		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
LINCOLN	94	44	50	18.0	14.0	23.9
LOWNDES	201	64	137	21.7	14.8	27.8
MADISON	328	156	172	22.6	19.8	26.0
MARION	66	40	26	15.3	16.2	14.1
MARSHALL	82	32	50	15.7	12.9	18.3
MONROE	73	29	44	14.3	10.0	20.0
MONTGOMERY	40	9	31	21.3	13.4	25.6
NESHOBA	100	44	56	18.2	17.6	18.7
NEWTON	62	27	35	17.7	13.8	22.4
NOXUBEE	52	10	42	24.1	17.5	26.4
OKTIBBEHA	89	31	58	15.2	12.4	17.3
PANOLA	109	27	82	18.8	12.3	22.7
PEARL RIVER	137	116	21	16.7	16.5	18.3
PERRY	33	13	20	16.7	9.5	32.8
PIKE	126	36	90	16.6	12.1	19.6
PONTOTOC	37	27	10	8.4	7.3	13.9
PRENTISS	44	30	14	12.6	10.4	22.6
QUITMAN	34	4	30	21.6	16.7	22.6
RANKIN	416	322	94	19.9	19.3	22.3
SCOTT	116	54	62	20.9	17.1	25.9
SHARKEY	20	3	17	18.2	15.8	18.7
SIMPSON	101	46	55	24.1	20.5	28.2
SMITH	28	13	15	13.0	9.4	19.5
STONE	35	21	14	16.7	13.0	29.2
SUNFLOWER	135	20	115	24.4	20.0	25.4
TALLAHATCHIE	48	6	42	19.9	13.3	21.4
TATE	57	28	29	13.7	11.6	16.6
TIPPAH	39	31	8	11.9	11.3	15.1
TISHOMINGO	40	39	1	17.0	17.0	16.7
TUNICA	44	1	43	17.5	3.4	19.3
UNION	52	42	10	11.7	11.4	13.3
WALTHALL	44	14	30	16.8	12.2	20.5
WARREN	166	63	103	20.4	19.8	20.8
WASHINGTON	203	30	173	20.3	13.9	22.0
WAYNE	77	28	49	19.8	14.9	24.5
WEBSTER	20	9	11	12.8	8.4	22.4
WILKINSON	31	2	29	21.5	11.1	23.0
WINSTON	55	15	40	19.3	16.0	20.9
YALOBUSHA	40	16	24	17.9	13.3	23.3
YAZOO	108	21	87	22.6	16.4	24.9

* GESTATION LESS THAN 37 WEEKS.

TABLE 8
REPORTABLE * FETAL DEATHS, BY COUNTY OF OCCURRENCE AND RACE OF MOTHER,
ALSO REPORTABLE* FETAL DEATHS AND FETAL DEATH RATIOS,
BY COUNTY OF RESIDENCE AND RACE OF MOTHER,
MISSISSIPPI, 2006

COUNTY	OCCURRENCE DATA			RESIDENCE DATA					
	NUMBER			NUMBER			RATIO**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>STATE</u>	<u>445</u>	<u>116</u>	<u>329</u>	<u>444</u>	<u>120</u>	<u>324</u>	<u>9.6</u>	<u>5.0</u>	<u>14.8</u>
ADAMS	19	2	17	8	1	7	17.4	6.2	23.3
ALCORN	5	0	5	7	2	5	13.3	4.5	61.7
AMITE	0	0	0	1	0	1	5.5	-	9.7
ATTALA	0	0	0	5	2	3	15.9	14.1	17.4
BENTON	0	0	0	1	0	1	7.9	-	16.9
BOLIVAR	2	0	2	5	0	5	7.4	-	10.1
CALHOUN	0	0	0	0	0	0	-	-	-
CARROLL	0	0	0	2	0	2	17.5	-	43.5
CHICKASAW	1	0	1	2	0	2	6.6	-	12.6
CHOCTAW	0	0	0	0	0	0	-	-	-
CLAIBORNE	0	0	0	0	0	0	-	-	-
CLARKE	0	0	0	2	1	1	7.9	8.6	7.2
CLAY	14	4	10	10	3	7	33.7	30.9	35.0
COAHOMA	7	0	7	8	0	8	15.5	-	17.8
COPIAH	0	0	0	4	0	4	7.6	-	11.9
COVINGTON	1	0	1	5	1	4	15.3	5.8	25.8
DESOTO	19	6	13	11	7	4	5.0	4.1	8.4
FORREST	19	9	10	8	2	6	6.4	3.0	10.3
FRANKLIN	0	0	0	0	0	0	-	-	-
GEORGE	0	0	0	2	1	1	5.3	2.9	29.4
GREENE	1	1	0	2	1	1	13.6	8.8	29.4
GRENADA	8	3	5	4	1	3	12.0	6.2	17.3
HANCOCK	1	1	0	2	2	0	4.1	4.5	-
HARRISON	12	10	2	13	11	2	4.9	6.0	2.4
HINDS	134	18	116	56	2	54	13.5	2.0	17.1
HOLMES	0	0	0	9	0	9	20.8	-	22.5
HUMPHREYS	0	0	0	0	0	0	-	-	-
ISSAQUENA	0	0	0	0	0	0	-	-	-
ITAWAMBA	0	0	0	1	1	0	3.5	3.9	-
JACKSON	8	4	4	9	4	5	4.7	2.9	8.9
JASPER	0	0	0	4	1	3	14.3	9.3	17.4
JEFFERSON	0	0	0	3	0	3	22.9	-	24.6
JEFF DAVIS	0	0	0	1	0	1	4.8	-	6.5
JONES	25	8	17	20	7	13	17.3	9.2	33.2
KEMPER	0	0	0	0	0	0	-	-	-
LAFAYETTE	21	7	14	9	4	5	16.5	11.5	25.6
LAMAR	6	4	2	7	5	2	8.9	8.1	11.8
LAUDERDALE	15	4	11	9	1	8	7.4	1.8	12.1
LAWRENCE	0	0	0	1	0	1	5.4	-	13.7
LEAKE	1	0	1	8	2	6	18.6	9.4	27.5
LEE	13	7	6	7	2	5	5.6	2.4	11.8
LEFLORE	9	0	9	11	2	9	17.4	16.1	17.8

TABLE 8 - PAGE 2
 FETAL DEATHS - MISSISSIPPI - 2006

COUNTY	OCCURRENCE DATA			RESIDENCE DATA					
	NUMBER			NUMBER			RATIO**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
LINCOLN	3	2	1	6	3	3	11.5	9.6	14.4
LOWNDES	9	2	7	11	2	9	11.9	4.6	18.3
MADISON	6	0	6	15	7	8	10.4	8.9	12.1
MARION	0	0	0	4	1	3	9.3	4.0	16.3
MARSHALL	0	0	0	6	0	6	11.5	-	22.0
MONROE	0	0	0	3	0	3	5.9	-	13.6
MONTGOMERY	1	0	1	4	1	3	21.3	14.9	24.8
NESHOBA	0	0	0	4	0	4	7.3	-	13.3
NEWTON	0	0	0	2	2	0	5.7	10.2	-
NOXUBEE	0	0	0	1	0	1	4.6	-	6.3
OKTIBBEHA	13	5	8	7	1	6	12.0	4.0	17.9
PANOLA	3	1	2	10	3	7	17.2	13.6	19.4
PEARL RIVER	1	0	1	4	2	2	4.9	2.8	17.4
PERRY	1	0	1	2	1	1	10.1	7.3	16.4
PIKE	8	2	6	5	2	3	6.6	6.7	6.5
PONTOTOC	0	0	0	5	3	2	11.3	8.1	27.8
PRENTISS	0	0	0	0	0	0	-	-	-
QUITMAN	0	0	0	2	0	2	12.7	-	15.0
RANKIN	19	8	11	15	7	8	7.2	4.2	19.0
SCOTT	0	0	0	8	5	3	14.4	15.9	12.6
SHARKEY	0	0	0	1	0	1	9.1	-	11.0
SIMPSON	0	0	0	1	0	1	2.4	-	5.1
SMITH	0	0	0	1	0	1	4.6	-	13.0
STONE	0	0	0	0	0	0	-	-	-
SUNFLOWER	3	1	2	5	2	3	9.0	20.0	6.6
TALLAHATCHIE	0	0	0	2	0	2	8.3	-	10.2
TATE	1	0	1	9	3	6	21.6	12.4	34.3
TIPPAH	0	0	0	2	1	1	6.1	3.6	18.9
TISHOMINGO	0	0	0	1	1	0	4.2	4.4	-
TUNICA	0	0	0	1	0	1	4.0	-	4.5
UNION	8	3	5	1	0	1	2.2	-	13.3
WALTHALL	0	0	0	3	0	3	11.5	-	20.5
WARREN	13	2	11	8	2	6	9.8	6.3	12.1
WASHINGTON	12	1	11	11	0	11	11.0	-	14.0
WAYNE	3	1	2	3	1	2	7.7	5.3	10.0
WEBSTER	0	0	0	6	4	2	38.5	37.4	40.8
WILKINSON	0	0	0	4	0	4	27.8	-	31.7
WINSTON	0	0	0	2	0	2	7.0	-	10.5
YALOBUSHA	0	0	0	7	0	7	31.4	-	68.0
YAZOO	0	0	0	5	0	5	10.5	-	14.3
OUT OF STATE	14	6	8	20	7	13			

* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

** REPORTABLE FETAL DEATHS PER 1,000 LIVE BIRTHS.

TABLE 9
DEATHS, BY PLACE OF OCCURRENCE AND RACE,
ALSO DEATHS AND RATES, BY PLACE OF RESIDENCE AND RACE,
(PLACE INCLUDES COUNTIES, OUT OF STATE, TOWNS OF 10,000 OR MORE),
MISSISSIPPI, 2006

COUNTY	OCCURRENCE DATA			RESIDENCE DATA					
	NUMBER			NUMBER			RATE*		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>STATE</u>	<u>27,989</u>	<u>18,523</u>	<u>9,466</u>	<u>28,343</u>	<u>18,859</u>	<u>9,484</u>	<u>9.7</u>	<u>10.6</u>	<u>8.3</u>
ADAMS	425	216	209	399	202	197	12.2	14.4	10.6
ALCORN	391	363	28	406	374	32	11.4	12.0	7.3
AMITE	92	64	28	169	109	60	12.6	14.3	10.3
ATTALA	226	156	70	261	173	88	13.3	15.0	10.8
BENTON	56	38	18	92	62	30	11.7	12.1	10.9
BOLIVAR	391	159	232	457	174	283	11.9	13.6	11.1
CALHOUN	112	91	21	167	128	39	11.4	12.5	8.9
CARROLL	48	32	16	104	65	39	10.1	9.7	10.8
CHICKASAW	117	80	37	185	114	71	9.7	10.4	8.8
CHOCTAW	57	38	19	89	64	25	9.5	9.9	8.4
CLAIBORNE	71	15	56	112	23	89	9.8	13.7	9.1
CLARKE	125	85	40	185	124	61	10.5	10.7	10.0
CLAY	160	93	67	201	109	92	9.5	12.1	7.5
COAHOMA	301	96	205	301	105	196	10.6	14.6	9.2
COPIAH	176	95	81	274	149	125	9.4	10.5	8.3
COVINGTON	178	134	44	238	173	65	11.6	13.4	8.6
DESOTO	819	647	172	895	769	126	6.2	6.7	4.1
FORREST	1,134	804	330	696	487	209	9.1	10.2	7.3
FRANKLIN	57	43	14	69	43	26	8.3	8.2	8.6
GEORGE	190	164	26	209	185	24	9.6	9.4	11.1
GREENE	81	71	10	132	113	19	10.1	11.9	5.3
GRENADA	279	180	99	280	175	105	12.2	13.3	10.8
HANCOCK	222	211	11	329	309	20	8.1	8.4	5.1
HARRISON	1,715	1,389	326	1,617	1,304	313	9.4	10.6	6.5
HINDS	3,554	1,779	1,775	2,022	853	1,169	8.1	10.6	6.9
HOLMES	146	42	104	226	50	176	10.8	13.2	10.3
HUMPHREYS	92	28	64	137	36	101	13.2	13.5	13.1
ISSAQUENA	7	4	3	18	7	11	10.0	9.9	10.0
ITAWAMBA	172	164	8	256	245	11	11.0	11.3	6.3
JACKSON	1,164	934	230	1,197	959	238	9.2	9.8	7.2
JASPER	100	70	30	201	109	92	11.0	12.8	9.5
JEFFERSON	48	8	40	78	9	69	8.5	7.2	8.7
JEFF DAVIS	101	51	50	150	74	76	11.4	13.5	9.9
JONES	695	521	174	742	578	164	11.1	12.1	8.6
KEMPER	45	25	20	101	49	52	10.0	12.8	8.3
LAFAYETTE	551	405	146	333	266	67	8.1	9.0	5.9
LAMAR	427	355	72	344	304	40	7.4	7.9	5.2
LAUDERDALE	1,312	813	499	893	583	310	11.6	13.2	9.6
LAWRENCE	91	67	24	137	103	34	10.2	11.3	7.8
LEAKE	219	145	74	282	189	93	12.4	14.9	9.2
LEE	1,526	1,188	338	923	724	199	11.6	12.6	9.0
LEFLORE	459	175	284	349	160	189	9.8	15.9	7.4

TABLE 9 - PAGE 2
DEATHS - MISSISSIPPI - 2006

COUNTY	OCCURRENCE DATA			RESIDENCE DATA					
	NUMBER			NUMBER			RATE*		
	TOTAL	WHITE	NON WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
LINCOLN	336	248	88	400	300	100	11.6	12.7	9.3
LOWNDES	591	345	246	516	308	208	8.6	9.4	7.7
MADISON	816	540	276	1,052	677	375	12.0	12.8	10.9
MARION	270	189	81	342	238	104	13.3	14.0	12.0
MARSHALL	257	156	101	406	238	168	11.3	13.2	9.4
MONROE	294	223	71	382	290	92	10.2	11.3	7.7
MONTGOMERY	89	58	31	132	83	49	11.2	13.1	9.0
NESHOBA	210	147	63	318	223	95	10.6	11.5	8.8
NEWTON	164	108	56	211	138	73	9.4	9.4	9.3
NOXUBEE	67	27	40	102	30	72	8.5	8.5	8.4
OKTIBBEHA	225	118	107	282	147	135	6.8	6.1	7.8
PANOLA	311	192	119	431	267	164	12.2	14.7	9.5
PEARL RIVER	423	376	47	555	494	61	9.7	10.0	7.8
PERRY	97	80	17	130	106	24	10.7	11.4	8.3
PIKE	542	316	226	492	280	212	12.2	14.1	10.4
PONTOTOC	130	111	19	209	184	25	7.2	7.5	5.6
PRENTISS	189	169	20	258	226	32	10.1	10.4	8.3
QUITMAN	84	42	42	109	49	60	11.7	17.6	9.2
RANKIN	673	512	161	849	693	156	6.2	6.4	5.6
SCOTT	175	122	53	244	165	79	8.5	9.6	6.8
SHARKEY	44	17	27	60	27	33	10.2	15.1	8.1
SIMPSON	246	185	61	269	199	70	9.6	11.0	7.1
SMITH	144	109	35	227	179	48	14.2	14.8	12.4
STONE	123	103	20	155	128	27	9.9	10.3	8.4
SUNFLOWER	258	100	158	337	122	215	10.6	14.1	9.3
TALLAHATCHIE	81	38	43	140	63	77	10.1	11.7	9.1
TATE	174	122	52	246	165	81	9.2	9.0	9.6
TIPPAH	169	150	19	233	204	29	11.0	11.8	7.3
TISHOMINGO	186	183	3	251	247	4	13.1	13.6	4.5
TUNICA	66	32	34	113	43	70	10.8	15.5	9.2
UNION	251	220	31	277	241	36	10.2	10.6	8.3
WALTHALL	122	69	53	164	97	67	10.6	11.4	9.5
WARREN	561	289	272	473	258	215	9.6	10.1	9.1
WASHINGTON	632	260	372	613	259	354	10.6	14.3	8.9
WAYNE	180	126	54	204	136	68	9.7	10.5	8.4
WEBSTER	107	90	17	127	104	23	12.6	13.3	10.4
WILKINSON	143	59	84	128	44	84	12.5	14.3	11.7
WINSTON	139	91	48	195	118	77	9.9	11.0	8.6
YALOBUSHA	96	69	27	166	116	50	12.4	14.4	9.4
YAZOO	192	94	98	289	142	147	10.3	11.5	9.4
OUT OF STATE	1,337	966	371	983	630	353			

* DEATHS PER 1,000 POPULATION.

TABLE 9 - PAGE 3
DEATHS - MISSISSIPPI - 2006

TOWN**	NUMBER		
	TOTAL	WHITE	NON-WHITE
BILOXI	477	398	79
BRANDON	210	188	22
BROOKHAVEN	219	146	73
CANTON	120	31	89
CLARKSDALE	223	77	146
CLEVELAND	195	100	95
CLINTON	185	136	49
COLUMBUS	318	168	150
CORINTH	242	213	29
GAUTIER	145	119	26
GREENVILLE	440	174	266
GREENWOOD	192	87	105
GRENADA	210	124	86
GULFPORT	621	439	182
HATTIESBURG	451	261	190
INDIANOLA	107	36	71
JACKSON	1,489	506	983
LAUREL	261	157	104
LONG BEACH	122	116	6
MCCOMB	246	139	107
MERIDIAN	571	334	237
MOSS POINT	242	108	134
NATCHEZ	260	131	129
OCEAN SPRINGS	243	221	22
PASCAGOULA	225	178	47
PEARL	150	133	17
PICAYUNE	171	127	44
RIDGELAND	624	461	163
SOUTHAVEN	293	263	30
STARKVILLE	178	91	87
TUPELO	570	453	117
VICKSBURG	325	147	178
YAZOO CITY	166	65	101

** TOWNS OF 10,000 POPULATION OR MORE.

TABLE 10A
DEATHS, BY CAUSE AND RACE,
(CAUSE GROUPINGS BASED ON NCHS LIST OF 358 SELECTED CAUSES)
MISSISSIPPI RESIDENTS, 2006

GROUP NUMBER*	CAUSE OF DEATH	TOTAL	WHITE	NON-WHITE
<u>001-358</u>	<u>ALL CAUSES</u>	<u>28,343</u>	<u>18,859</u>	<u>9,484</u>
<u>001-055</u>	<u>CERTAIN INFECTIOUS AND PARASITIC DISEASES</u>	<u>870</u>	<u>450</u>	<u>420</u>
<u>001-008</u>	<u>Intestinal infectious diseases</u>	<u>19</u>	<u>14</u>	<u>5</u>
<u>002-007</u>	<u>Other intestinal infectious diseases</u>	<u>19</u>	<u>14</u>	<u>5</u>
003	Paratyphoid fevers and other salmonella infections	1	0	1
007	Intestinal infections due to other specified organisms	18	14	4
<u>009-010</u>	<u>Tuberculosis</u>	<u>4</u>	<u>1</u>	<u>3</u>
009	Respiratory tuberculosis	4	1	3
<u>011-019</u>	<u>Zoonotic and other bacterial diseases</u>	<u>552</u>	<u>324</u>	<u>228</u>
018	Septicemia	534	311	223
019	Other zoonotic and bacterial diseases	18	13	5
<u>020-024</u>	<u>Infections with a predominantly sexual mode of transmission</u>	<u>1</u>	<u>0</u>	<u>1</u>
022	Other and unspecified syphilis	1	0	1
<u>028-044</u>	<u>Viral diseases</u>	<u>256</u>	<u>86</u>	<u>170</u>
030	Arthropod-borne viral encephalitis	1	0	1
032	Other and unspecified arthropod-borne viral and hemorrhagic fevers	9	8	1
033	Herpesviral (herpes simplex) infections	1	0	1
034	Zoster (herpes zoster)	4	1	3
038	Viral hepatitis	46	37	9
<u>039-043</u>	<u>Human immunodeficiency virus [HIV] disease</u>	<u>185</u>	<u>32</u>	<u>153</u>
039	Human immunodeficiency virus (HIV) disease resulting in infectious and parasitic diseases	57	14	43
040	Human immunodeficiency virus (HIV) disease resulting in malignant neoplasms	13	2	11
041	Human immunodeficiency virus (HIV) disease resulting in other specified diseases	8	0	8
042	Human immunodeficiency virus (HIV) disease resulting in other conditions	45	6	39
043	Unspecified human immunodeficiency virus (HIV) disease	62	10	52
044	All other and unspecified viral diseases	10	8	2
<u>045-055</u>	<u>Other and unspecified infectious and parasitic diseases and their sequelae</u>	<u>38</u>	<u>25</u>	<u>13</u>
045	Mycoses	14	7	7
052	Other and unspecified helminthiases	2	2	0
054	Sequelae of poliomyelitis	4	4	0
055	All other and unspecified infectious and parasitic diseases and their sequelae	18	12	6
<u>056-115</u>	<u>NEOPLASMS</u>	<u>6,275</u>	<u>4,215</u>	<u>2,060</u>
<u>056-108</u>	<u>Malignant neoplasms</u>	<u>6,189</u>	<u>4,154</u>	<u>2,035</u>
<u>056-059</u>	<u>Malignant neoplasms of lip, oral cavity and pharynx</u>	<u>97</u>	<u>61</u>	<u>36</u>
056	Malignant neoplasms of lip	1	1	0
057	Malignant neoplasms of tongue	7	5	2
058	Malignant neoplasms of pharynx	72	41	31

Table 10A - Page 2
Deaths - Mississippi - 2006

GROUP NUMBER*	CAUSE OF DEATH	TOTAL	WHITE	NON-WHITE
059	Malignant neoplasms of other and unspecified sites within the lip, oral cavity and pharynx	17	14	3
<u>060-070</u>	<u>Malignant neoplasms of digestive organs</u>	<u>1,472</u>	<u>943</u>	<u>529</u>
060	Malignant neoplasms of esophagus	144	99	45
061	Malignant neoplasms of stomach	125	77	48
062	Malignant neoplasms of small intestine	4	2	2
063	Malignant neoplasms of colon	518	318	200
064	Malignant neoplasms of rectosigmoid junction and rectum	66	42	24
065	Malignant neoplasms of anus and anal canal	4	2	2
066	Malignant neoplasms of liver	163	106	57
067	Intrahepatic bile duct carcinoma	28	17	11
068	Malignant neoplasms of gallbladder and extrahepatic bile ducts	30	25	5
069	Malignant neoplasms of pancreas	370	244	126
070	Malignant neoplasms of other and ill-defined digestive organs	20	11	9
<u>071-075</u>	<u>Malignant neoplasms of respiratory and intrathoracic organs</u>	<u>2,049</u>	<u>1,444</u>	<u>605</u>
071	Malignant neoplasms of nasal cavity, middle ear and accessory sinuses	9	8	1
072	Malignant neoplasms of larynx	46	22	24
073	Malignant neoplasms of trachea, bronchus and lung	1,992	1,413	579
074	Malignant neoplasms of thymus, heart, mediastinum and pleura	1	0	1
075	Malignant neoplasms of other and ill-defined sites in respiratory system and intrathoracic organs	1	1	0
076	Malignant neoplasms of bone and articular cartilage	27	15	12
<u>077-078</u>	<u>Melanoma and other malignant neoplasms of skin</u>	<u>87</u>	<u>80</u>	<u>7</u>
077	Malignant melanoma of skin	71	67	4
078	Other malignant neoplasms of skin	16	13	3
<u>079-081</u>	<u>Malignant neoplasms of mesothelial and soft tissue</u>	<u>55</u>	<u>40</u>	<u>15</u>
079	Mesothelioma	16	14	2
080	Kaposi's sarcoma	1	1	0
081	Malignant neoplasms of other mesothelial and soft tissue	38	25	13
082	Malignant neoplasm of breast	424	256	168
<u>083-088</u>	<u>Malignant neoplasms of female genital organs</u>	<u>287</u>	<u>173</u>	<u>114</u>
083	Malignant neoplasms of vulva and vagina	9	7	2
084	Malignant neoplasms of cervix uteri	72	31	41
085	Malignant neoplasms of corpus uteri and uterus, part unspecified	67	32	35
086	Malignant neoplasms of ovary	136	102	34
087	Malignant neoplasms of other and unspecified female genital organs	3	1	2
<u>089-091</u>	<u>Malignant neoplasms of male genital organs</u>	<u>356</u>	<u>175</u>	<u>181</u>
089	Malignant neoplasms of prostate	353	174	179
090	Malignant neoplasms of testis	2	1	1
091	Malignant neoplasms of penis and other and unspecified male genital organs	1	0	1
<u>092-094</u>	<u>Malignant neoplasms of urinary tract</u>	<u>250</u>	<u>194</u>	<u>56</u>
092	Malignant neoplasms of kidney and renal pelvis	132	97	35
093	Malignant neoplasms of bladder	113	94	19
094	Malignant neoplasms of other and unspecified sites within the urinary tract	5	3	2
095	Malignant neoplasm of eye and adnexa	3	3	0

Table 10A - Page 3
Deaths - Mississippi - 2006

GROUP NUMBER*	CAUSE OF DEATH	TOTAL	WHITE	NON-WHITE
<u>096-097</u>	<u>Malignant neoplasms of meninges, brain and other parts of central nervous system</u>	<u>124</u>	<u>101</u>	<u>23</u>
096	Malignant neoplasms of brain	123	100	23
097	Malignant neoplasms of other parts of central nervous system	1	1	0
098	Malignant neoplasms of thyroid and other endocrine glands	21	13	8
099	Other malignant neoplasms of other and unspecified sites	396	267	129
<u>100-108</u>	<u>Malignant neoplasms of lymphoid, hematopoietic and related tissue</u>	<u>541</u>	<u>389</u>	<u>152</u>
100	Hodgkin's disease	13	8	5
101	Non-Hodgkin's lymphoma	182	137	45
102	Malignant neoplasms of other and unspecified lymphoid, hematopoietic and related tissue	3	2	1
103	Malignant immunoproliferative diseases	3	3	0
104	Multiple myeloma and malignant plasma cell neoplasms	114	67	47
<u>105-108</u>	<u>Leukemia</u>	<u>226</u>	<u>172</u>	<u>54</u>
105	Lymphoid leukemia	53	39	14
106	Myeloid leukemia	92	68	24
107	Monocytic leukemia	2	2	0
108	Other and unspecified leukemia	79	63	16
<u>111-113</u>	<u>Benign neoplasms</u>	<u>4</u>	<u>3</u>	<u>1</u>
112	Benign neoplasms of eye, brain and other parts of central nervous system	2	2	0
113	Benign neoplasms of other and unspecified sites	2	1	1
114	Neoplasms of uncertain or unknown behavior of specified sites	80	56	24
115	Neoplasm of uncertain or unknown behavior of unspecified sites	2	2	0
<u>116-122</u>	<u>DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS AND CERTAIN DISORDERS INVOLVING THE IMMUNE MECHANISM</u>	<u>113</u>	<u>69</u>	<u>44</u>
<u>116-119</u>	<u>Anemias</u>	<u>51</u>	<u>34</u>	<u>17</u>
116	Nutritional anemias	3	2	1
117	Hemolytic anemias	12	3	9
118	Aplastic anemias	9	9	0
119	Acute posthemorrhagic and other anemias	27	20	7
120	Coagulation defects, purpura and other hemorrhagic conditions	28	20	8
121	Other diseases of blood and blood-forming organs	13	10	3
122	Certain disorders involving the immune mechanism	21	5	16
<u>123-135</u>	<u>ENDOCRINE, NUTRITIONAL AND METABOLIC DISEASES</u>	<u>942</u>	<u>517</u>	<u>425</u>
<u>123-128</u>	<u>Endocrine diseases</u>	<u>726</u>	<u>388</u>	<u>338</u>
123	Disorders of thyroid gland	10	7	3
124	Diabetes mellitus	700	373	327
126	Disorders of adrenal glands	3	3	0
128	Other endocrine diseases	13	5	8
<u>129-131</u>	<u>Malnutrition and other nutritional deficiencies</u>	<u>19</u>	<u>11</u>	<u>8</u>
<u>129-130</u>	<u>Malnutrition</u>	<u>18</u>	<u>11</u>	<u>7</u>
130	Other and unspecified malnutrition	18	11	7

Table 10A - Page 4
Deaths - Mississippi - 2006

GROUP NUMBER*	CAUSE OF DEATH	TOTAL	WHITE	NON-WHITE
131	Other nutritional deficiencies	1	0	1
132	Obesity and other hyperalimentation	52	25	27
<u>133-135</u>	<u>Metabolic disorders</u>	<u>145</u>	<u>93</u>	<u>52</u>
133	Cystic fibrosis	7	6	1
134	Volume depletion, disorders of fluid, electrolyte and acid-base balance	102	58	44
135	Other metabolic disorders	36	29	7
<u>136-144</u>	<u>MENTAL AND BEHAVIORAL DISORDERS</u>	<u>712</u>	<u>532</u>	<u>180</u>
136	Organic dementia	581	444	137
137	Other and unspecified organic mental disorders	20	15	5
<u>138-139</u>	<u>Mental and behavioral disorders due to psychoactive substance abuse</u>	<u>88</u>	<u>55</u>	<u>33</u>
138	Mental and behavioral disorders due to use of alcohol	49	29	20
139	Mental and behavioral disorders due to other psychoactive substance use	39	26	13
140	Schizophrenia, schizotypal and delusional disorders	4	2	2
141	Mood (affective) disorders	3	3	0
142	Neurotic, stress-related and somatoform disorders	3	2	1
143	Mental retardation	9	7	2
144	Other and unspecified mental and behavioral disorders	4	4	0
<u>145-153</u>	<u>DISEASES OF THE NERVOUS SYSTEM</u>	<u>1,215</u>	<u>938</u>	<u>277</u>
145	Meningitis	11	7	4
146	Other inflammatory diseases of central nervous system	10	6	4
147	Parkinson's disease	137	124	13
148	Alzheimer's disease	735	587	148
149	Multiple sclerosis	25	19	6
150	Epilepsy	20	8	12
151	Transient cerebral ischemic attacks and related syndromes	3	2	1
152	Infantile cerebral palsy	16	6	10
153	All other diseases of nervous system	258	179	79
<u>154</u>	<u>DISEASES OF THE EYE AND ADNEXA</u>	<u>0</u>	<u>0</u>	<u>0</u>
<u>155</u>	<u>DISEASES OF THE EAR AND MASTOID PROCESS</u>	<u>0</u>	<u>0</u>	<u>0</u>
<u>156-191</u>	<u>DISEASES OF THE CIRCULATORY SYSTEM</u>	<u>10,272</u>	<u>6,847</u>	<u>3,425</u>
<u>156-189</u>	<u>Major cardiovascular diseases</u>	<u>10,223</u>	<u>6,820</u>	<u>3,403</u>
<u>157-160</u>	<u>Chronic rheumatic heart diseases</u>	<u>20</u>	<u>12</u>	<u>8</u>
157	Rheumatic mitral valve diseases	11	7	4
159	Disorders of both mitral and aortic valves	4	3	1
160	Other chronic rheumatic heart diseases	5	2	3
<u>161-164</u>	<u>Hypertensive diseases</u>	<u>1,125</u>	<u>555</u>	<u>570</u>
161	Essential (primary) hypertension	245	124	121
162	Hypertensive heart disease	683	358	325
163	Hypertensive renal disease	138	44	94
164	Hypertensive heart and renal disease	59	29	30
<u>165-168</u>	<u>Ischemic heart diseases</u>	<u>4,315</u>	<u>3,069</u>	<u>1,246</u>

Table 10A - Page 5
Deaths - Mississippi - 2006

GROUP NUMBER*	CAUSE OF DEATH	TOTAL	WHITE	NON-WHITE
165	Acute myocardial infarction	1,915	1,280	635
166	Other acute ischemic heart diseases	15	10	5
167	Atherosclerotic cardiovascular disease, so described	596	448	148
168	All other forms of chronic ischemic heart disease	1,789	1,331	458
<u>169-170</u>	<u>Pulmonary heart disease and diseases of pulmonary circulation</u>	<u>163</u>	<u>87</u>	<u>76</u>
169	Pulmonary embolism	110	51	59
170	Other pulmonary heart disease and diseases of pulmonary circulation	53	36	17
<u>171-181</u>	<u>Other forms of heart disease</u>	<u>2,803</u>	<u>1,924</u>	<u>879</u>
171	Acute and subacute endocarditis	18	12	6
172	Diseases of pericardium and acute myocarditis	6	4	2
173	Nonrheumatic mitral valve disorders	14	13	1
174	Nonrheumatic aortic valve disorders	73	57	16
175	All other diseases of endocardium	29	22	7
176	Cardiomyopathy	225	123	102
177	Conduction disorders and cardiac dysrhythmias	708	455	253
178	Congestive heart failure	1,308	955	353
179	Other and unspecified heart failure	126	86	40
180	Myocarditis, unspecified and myocardial degeneration	2	0	2
181	All other and ill-defined forms of heart disease	294	197	97
<u>182-186</u>	<u>Cerebrovascular diseases</u>	<u>1,570</u>	<u>1,010</u>	<u>560</u>
182	Subarachnoid hemorrhage	61	37	24
183	Intracerebral and other intracranial hemorrhage	271	165	106
184	Cerebral infarction	84	62	22
185	Stroke, not specified as hemorrhage or infarction	990	638	352
186	Other cerebrovascular diseases and their sequelae	164	108	56
<u>187-189</u>	<u>Diseases of arteries, arterioles and capillaries</u>	<u>227</u>	<u>163</u>	<u>64</u>
187	Atherosclerosis	20	16	4
188	Aortic aneurysm and dissection	131	100	31
189	Other diseases of arteries, arterioles and capillaries	76	47	29
<u>190-191</u>	<u>Other disorders of circulatory system</u>	<u>49</u>	<u>27</u>	<u>22</u>
190	Phlebitis, thrombophlebitis, venous embolism and thrombosis	31	16	15
191	All other and unspecified disorders of circulatory system	18	11	7
<u>192-214</u>	<u>DISEASES OF THE RESPIRATORY SYSTEM</u>	<u>2,571</u>	<u>1,958</u>	<u>613</u>
<u>192-194</u>	<u>Acute upper respiratory infections</u>	<u>1</u>	<u>0</u>	<u>1</u>
194	Other and unspecified acute upper respiratory infections	1	0	1
<u>195-214</u>	<u>Other diseases of the respiratory system</u>	<u>2,570</u>	<u>1,958</u>	<u>612</u>
195	Influenza	6	6	0
<u>196-198</u>	<u>Pneumonia</u>	<u>611</u>	<u>410</u>	<u>201</u>
196	Viral pneumonia, not elsewhere classified	4	2	2
197	Bacterial pneumonia	40	24	16
198	Pneumonia due to other or unspecified organisms	567	384	183
<u>199-200</u>	<u>Other acute lower respiratory infections</u>	<u>2</u>	<u>1</u>	<u>1</u>
199	Acute bronchitis and bronchiolitis	1	0	1
200	Unspecified acute lower respiratory infection	1	1	0
201	Other diseases of upper respiratory tract	7	3	4
<u>202-207</u>	<u>Chronic lower respiratory diseases</u>	<u>1,372</u>	<u>1,116</u>	<u>256</u>
202	Bronchitis, not specified as acute or chronic	6	3	3
203	Chronic bronchitis	4	2	2

Table 10A - Page 6
Deaths - Mississippi - 2006

GROUP NUMBER*	CAUSE OF DEATH	TOTAL	WHITE	NON-WHITE
204	Emphysema	86	78	8
205	Other chronic obstructive pulmonary disease	1,224	1,011	213
206	Asthma	46	16	30
207	Bronchiectasis	6	6	0
<u>208-211</u>	<u>Lung diseases due to external agents</u>	<u>205</u>	<u>158</u>	<u>47</u>
208	Pneumoconioses and chemical effects	18	14	4
209	Pneumonitis due to food and vomit	185	143	42
211	Other lung diseases due to external agents	2	1	1
212	Suppurative and necrotic conditions of lower respiratory tract	8	4	4
213	Pleural effusion and plaque	18	12	6
214	All other diseases of respiratory system	341	248	93
<u>215-237</u>	<u>DISEASES OF THE DIGESTIVE SYSTEM</u>	<u>928</u>	<u>638</u>	<u>290</u>
<u>216-237</u>	<u>Diseases of other parts of digestive system</u>	<u>928</u>	<u>638</u>	<u>290</u>
216	Diseases of esophagus	19	9	10
<u>217-220</u>	<u>Peptic ulcer</u>	<u>29</u>	<u>17</u>	<u>12</u>
217	Gastric ulcer	13	8	5
218	Duodenal ulcer	6	3	3
219	Peptic ulcer, site unspecified	9	5	4
220	Gastrojejunal ulcer	1	1	0
221	Gastritis and duodenitis	5	3	2
222	Dyspepsia and other diseases of stomach and duodenum	11	8	3
223	Diseases of appendix	1	0	1
224	Hernia	18	10	8
225	Crohn's disease and ulcerative colitis	6	5	1
226	Vascular disorders and obstruction of intestine without hernia	131	84	47
227	Diverticular disease of intestine	20	18	2
228	Other diseases of intestines and peritoneum	56	37	19
229	Diseases of peritoneum	22	19	3
<u>230-233</u>	<u>Diseases of liver</u>	<u>391</u>	<u>295</u>	<u>96</u>
230	Alcoholic liver disease	92	65	27
231	Chronic hepatitis, not elsewhere classified	1	1	0
232	Fibrosis and cirrhosis of liver	173	138	35
233	Other diseases of liver	125	91	34
234	Cholelithiasis and other disorders of gallbladder	42	27	15
<u>235-236</u>	<u>Disorders of biliary tract and pancreas</u>	<u>66</u>	<u>38</u>	<u>28</u>
235	Pancreatitis	48	30	18
236	Other disorders of biliary tract and pancreas	18	8	10
237	All other diseases of digestive system	111	68	43
<u>238-239</u>	<u>DISEASES OF THE SKIN AND SUBCUTANEOUS TISSUE</u>	<u>48</u>	<u>23</u>	<u>25</u>
238	Infections of skin and subcutaneous tissue	20	14	6
239	Other and unspecified diseases of skin and subcutaneous tissue	28	9	19
<u>240-246</u>	<u>DISEASES OF THE MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE</u>	<u>114</u>	<u>67</u>	<u>47</u>
240	Rheumatoid arthritis and related inflammatory polyarthropathies	13	11	2

Table 10A - Page 7
Deaths - Mississippi - 2006

GROUP NUMBER*	CAUSE OF DEATH	TOTAL	WHITE	NON-WHITE
241	Systemic lupus erythematosus	18	4	14
242	Other arthropathies and related disorders	36	28	8
243	Dorsopathies	12	4	8
244	Soft tissue disorders	16	9	7
<u>245-246</u>	<u>Osteopathies, chondropathies and other disorders of musculoskeletal system and connective tissue</u>	<u>19</u>	<u>11</u>	<u>8</u>
245	Osteoporosis	4	4	0
246	Other osteopathies, chondropathies and disorders of musculoskeletal system and connective tissue	15	7	8
<u>247-260</u>	<u>DISEASES OF THE GENITOURINARY SYSTEM</u>	<u>880</u>	<u>490</u>	<u>390</u>
<u>247-255</u>	<u>Diseases of urinary system</u>	<u>870</u>	<u>482</u>	<u>388</u>
<u>247-249</u>	<u>Glomerular diseases</u>	<u>19</u>	<u>7</u>	<u>12</u>
247	Acute and rapidly progressive nephritic syndrome	1	0	1
248	Nephrotic syndrome	2	1	1
249	Other and unspecified glomerular diseases	16	6	10
250	Renal tubulo-interstitial diseases	10	6	4
251	Renal failure	643	335	308
252	Urolithiasis	5	2	3
254	Urinary tract infection, site not specified	171	123	48
255	Other diseases of urinary system	22	9	13
<u>256-257</u>	<u>Diseases of male genital organs</u>	<u>7</u>	<u>5</u>	<u>2</u>
256	Hyperplasia of prostate	2	1	1
257	Other diseases of male genital organs	5	4	1
258	Disorders of breast	1	1	0
<u>259-260</u>	<u>Disorders of female genital organs</u>	<u>2</u>	<u>2</u>	<u>0</u>
259	Inflammatory diseases of female pelvic organs	1	1	0
260	Noninflammatory disorders of female genital tract	1	1	0
<u>261-273</u>	<u>PREGNANCY, CHILDBIRTH AND THE PUERPERIUM</u>	<u>14</u>	<u>3</u>	<u>11</u>
<u>266-269</u>	<u>Other direct obstetric deaths</u>	<u>5</u>	<u>1</u>	<u>4</u>
<u>268-269</u>	<u>Complications predominantly related to the puerperium</u>	<u>5</u>	<u>1</u>	<u>4</u>
268	Obstetric embolism	4	1	3
269	Other complications predominately related to the puerperium	1	0	1
270	All other direct obstetric causes	7	2	5
272	Other deaths related to pregnancy, childbirth and the puerperium	1	0	1
273	Indirect obstetric deaths	1	0	1
<u>274-281</u>	<u>CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD</u>	<u>215</u>	<u>67</u>	<u>148</u>
274	Newborn affected by maternal factors and by complications of pregnancy, labor and delivery	24	7	17
275	Disorders related to short gestation and low birth weight, not elsewhere classified	84	25	59
277	Intrauterine hypoxia and birth asphyxia	4	4	0
278	Respiratory distress of newborn	9	5	4
279	Other respiratory conditions originating in the perinatal period	26	7	19

Table 10A - Page 8
Deaths - Mississippi - 2006

GROUP NUMBER*	CAUSE OF DEATH	TOTAL	WHITE	NON-WHITE
280	Infections specific to the perinatal period	25	5	20
281	Other and unspecified conditions originating in the perinatal period	43	14	29
<u>282-290</u>	<u>CONGENITAL MALFORMATIONS, DEFORMATIONS AND CHROMOSOMAL ABNORMALITIES</u>	<u>133</u>	<u>63</u>	<u>70</u>
282	Anencephaly and similar malformations	3	2	1
283	Spina bifida	1	1	0
284	All other congenital malformations of nervous system	10	7	3
285	Congenital malformations of heart	32	16	16
286	Other congenital malformations of circulatory system	7	4	3
287	Congenital malformations of respiratory system	7	3	4
288	Other congenital malformations and deformations	45	20	25
289	Down's syndrome	11	6	5
290	All other chromosomal abnormalities, not elsewhere classified	17	4	13
<u>291-294</u>	<u>SYMPTOMS, SIGNS AND ABNORMAL CLINICAL AND LABORATORY FINDINGS, NOT ELSEWHERE CLASSIFIED</u>	<u>445</u>	<u>275</u>	<u>170</u>
291	Senility	14	11	3
<u>292-293</u>	<u>Ill-defined and unknown causes of mortality</u>	<u>162</u>	<u>82</u>	<u>80</u>
292	Sudden infant death syndrome	68	26	42
293	Other ill-defined and unknown causes of mortality	94	56	38
294	All other symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified	269	182	87
<u>295-358</u>	<u>EXTERNAL CAUSES OF MORTALITY</u>	<u>2,596</u>	<u>1,707</u>	<u>889</u>
<u>295-330</u>	<u>Accidents</u>	<u>1,831</u>	<u>1,277</u>	<u>554</u>
295	Railway accidents	6	4	2
<u>296-306</u>	<u>Motor vehicle accidents</u>	<u>960</u>	<u>611</u>	<u>349</u>
296	Pedestrian involved in collision with motor vehicle	48	23	25
297	Pedal cyclist involved in collision with motor vehicle	5	3	2
298	Motorcyclist involved in any accident except collision with railway train	59	46	13
300	Other motor vehicle accident involving collision with railway train	8	5	3
301	Occupant of motor vehicle involved in collision with other (non-motorized) road vehicle, streetcar, animal or pedestrian	192	130	62
302	Occupant of car, pickup truck or van involved in collision with other motor vehicle	298	177	121
303	Occupant of heavy transport vehicle or bus involved in collision with other motor vehicle	4	2	2
304	Occupant of motor vehicle involved in noncollision accident	194	122	72
305	Occupant of special-use motor vehicle involved in any accident	42	31	11
306	Other and unspecified motor vehicle accidents	110	72	38
308	Other and unspecified land transport accidents	1	1	0

Table 10A - Page 9
Deaths - Mississippi - 2006

GROUP NUMBER*	CAUSE OF DEATH	TOTAL	WHITE	NON-WHITE
309	Water transport accidents	14	8	6
310	Air and space transport accidents	8	8	0
311	Other and unspecified transport accidents and their sequelae	12	8	4
<u>312-314</u>	<u>Falls</u>	<u>190</u>	<u>172</u>	<u>18</u>
312	Fall on same level	92	81	11
313	Fall from one level to another	29	27	2
314	Unspecified fall	69	64	5
315	Accidental discharge of firearms	20	11	9
316	Accidental explosion	4	3	1
317	Accidental drowning and submersion	52	34	18
318	Accidental inhalation and ingestion of food or other objects causing obstruction of respiratory tract	75	46	29
319	Other accidental and unspecified threats to breathing	24	8	16
320	Accidental exposure to electric current	7	7	0
322	Accidental exposure to smoke, fire and flames	78	43	35
323	Accidental contact with heat and hot substances	1	0	1
324	Lightning	2	2	0
<u>327-329</u>	<u>Accidental poisoning by and exposure to noxious substances</u>	<u>274</u>	<u>246</u>	<u>28</u>
327	Accidental poisoning by and exposure to drugs and other biological substances	257	233	24
328	Accidental poisoning by and exposure to other and unspecified solid or liquid substances	8	7	1
329	Accidental poisoning by and exposure to other gases and vapors	9	6	3
330	All other and unspecified accidents and their sequelae	103	65	38
<u>331-337</u>	<u>Intentional self-harm (suicide)</u>	<u>322</u>	<u>267</u>	<u>55</u>
331	Intentional self-poisoning (suicide) by and exposure to drugs and other biological substances	31	29	2
332	Intentional self-poisoning (suicide) by and exposure to other and unspecified solid or liquid substances and their vapors	4	4	0
333	Intentional self-poisoning (suicide) by and exposure to other gases and vapors	5	5	0
334	Intentional self-harm (suicide) by hanging, strangulation and suffocation	51	37	14
335	Intentional self-harm (suicide) by discharge of firearms	217	183	34
336	Intentional self-harm (suicide) by jumping from a high place	2	0	2
337	Intentional self-harm (suicide) by all other and unspecified means and their sequelae	12	9	3
<u>338-346</u>	<u>Assault (homicide)</u>	<u>310</u>	<u>85</u>	<u>225</u>
338	Assault (homicide) by drugs, biological substances and other and unspecified noxious substances	3	1	2
339	Assault (homicide) by hanging, strangulation and suffocation	9	6	3
340	Assault (homicide) by discharge of firearms	215	47	168
341	Assault (homicide) by sharp object	35	9	26
342	Assault (homicide) by blunt object	9	3	6
343	Assault (homicide) by bodily force	1	1	0
345	Neglect, abandonment and other maltreatment syndromes	2	0	2
346	Assault (homicide) by all other and unspecified means and their sequelae	36	18	18
<u>347-352</u>	<u>Event of undetermined intent</u>	<u>63</u>	<u>43</u>	<u>20</u>
347	Poisoning by and exposure to drugs and biological substances, undetermined intent	43	35	8

Table 10A - Page 10
 Deaths - Mississippi - 2006

GROUP NUMBER*	CAUSE OF DEATH	TOTAL	WHITE	NON-WHITE
350	Discharge of firearms, undetermined intent	8	4	4
351	Falling, jumping or pushed from a high place, undetermined intent	1	0	1
352	All other and unspecified events of undetermined intent and their sequelae	11	4	7
<u>353-354</u>	<u>Legal intervention</u>	<u>8</u>	<u>2</u>	<u>6</u>
353	Legal execution	2	2	0
354	Other legal intervention and their sequelae	6	0	6
<u>356-358</u>	<u>Complications of medical and surgical care</u>	<u>62</u>	<u>33</u>	<u>29</u>
356	Drugs, medicaments and biological substances causing adverse effects in therapeutic use, and their sequelae	5	4	1
357	Misadventures to patients during medical and surgical care and their sequelae	4	1	3
358	Other complications of medical and surgical care and their sequelae	53	28	25
358	Other complications of medical and surgical care and their sequelae	53	28	25

* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

**TABLE 10B
DEATHS, BY CAUSE AND RACE,
MISSISSIPPI RESIDENTS, 2006**

INTERNATIONAL CLASSIFICATION NUMBER*	CAUSE OF DEATH*	TOTAL	WHITE	NON-WHITE
<u>A00-Y89</u>	<u>ALL CAUSES</u>	<u>28,343</u>	<u>18,859</u>	<u>9,484</u>
<u>A00-B99</u>	<u>CERTAIN INFECTIOUS AND PARASITIC DISEASES</u>	<u>870</u>	<u>450</u>	<u>420</u>
<u>A00-A09</u>	<u>Intestinal infectious diseases</u>	<u>19</u>	<u>14</u>	<u>5</u>
A02	Other salmonella infections	1	0	1
A04	Other bacterial intestinal infections	17	13	4
A08	Viral and other specified intestinal infections	1	1	0
<u>A16-A19</u>	<u>Tuberculosis</u>	<u>4</u>	<u>1</u>	<u>3</u>
A16	Respiratory tuberculosis, not confirmed bacteriologically or histologically	4	1	3
<u>A30-A49</u>	<u>Other bacterial diseases</u>	<u>552</u>	<u>324</u>	<u>228</u>
A31	Infection due to other mycobacteria	3	2	1
A40	Streptococcal septicemia	6	3	3
A41	Other septicemia	528	308	220
A43	Nocardiosis	1	0	1
A49	Bacterial infection of unspecified site	14	11	3
<u>A50-A64</u>	<u>Infections with a predominantly sexual mode of transmission</u>	<u>1</u>	<u>0</u>	<u>1</u>
<u>A50-A53</u>	<u>Syphilis</u>	<u>1</u>	<u>0</u>	<u>1</u>
A52	Late syphilis	1	0	1
<u>A80-A89</u>	<u>Viral infections of the central nervous system</u>	<u>7</u>	<u>5</u>	<u>2</u>
A81	Atypical virus infections of central nervous system	3	2	1
A83	Mosquito-borne viral encephalitis	1	0	1
A86	Unspecified viral encephalitis	1	1	0
A87	Viral meningitis	1	1	0
A89	Unspecified viral infection of central nervous system	1	1	0
<u>A90-A99</u>	<u>Arthropod-borne viral fevers and viral hemorrhagic fevers</u>	<u>9</u>	<u>8</u>	<u>1</u>
A92	Other mosquito-borne viral fevers	9	8	1
<u>B00-B09</u>	<u>Viral infections characterized by skin and mucous membrane lesions</u>	<u>5</u>	<u>1</u>	<u>4</u>
B00	Herpes-viral [herpes simplex] infections	1	0	1
B02	Zoster [herpes zoster]	4	1	3
<u>B15-B19</u>	<u>Viral hepatitis</u>	<u>46</u>	<u>37</u>	<u>9</u>
B16	Acute hepatitis B	4	3	1
B18	Chronic viral hepatitis	42	34	8
<u>B20-B24</u>	<u>Human immunodeficiency virus [HIV] disease</u>	<u>185</u>	<u>32</u>	<u>153</u>
B20	Human immunodeficiency virus [HIV] disease resulting in infectious and parasitic diseases	57	14	43
B21	Human immunodeficiency virus [HIV] disease resulting in malignant neoplasms	13	2	11
B22	Human immunodeficiency virus [HIV] disease resulting in other specified diseases	8	0	8
B23	Human immunodeficiency virus [HIV] disease resulting in other conditions	45	6	39
B24	Unspecified human immunodeficiency virus [HIV] disease	62	10	52
<u>B25-B34</u>	<u>Other viral diseases</u>	<u>4</u>	<u>3</u>	<u>1</u>

Table 10B - Page 2
Deaths - Mississippi - 2006

INTERNATIONAL CLASSIFICATION NUMBER*	CAUSE OF DEATH*	TOTAL	WHITE	NON-WHITE
B25	Cytomegaloviral disease	1	1	0
B34	Viral infection of unspecified site	3	2	1
<u>B35-B49</u>	<u>Mycoses</u>	<u>14</u>	<u>7</u>	<u>7</u>
B37	Candidiasis	7	5	2
B38	Coccidioidomycosis	1	0	1
B44	Aspergillosis	2	1	1
B45	Cryptococcosis	2	0	2
B49	Unspecified mycosis	2	1	1
<u>B65-B83</u>	<u>Helminthiases</u>	<u>2</u>	<u>2</u>	<u>0</u>
B78	Strongyloidiasis	2	2	0
<u>B85-B89</u>	<u>Pediculosis, acariasis and other infestations</u>	<u>2</u>	<u>1</u>	<u>1</u>
B87	Myiasis	1	1	0
B89	Unspecified parasitic disease	1	0	1
<u>B90-B94</u>	<u>Sequela of infectious and parasitic diseases</u>	<u>17</u>	<u>13</u>	<u>4</u>
B91	Sequelae of poliomyelitis	4	4	0
B94	Sequelae of other and unspecified infectious and parasitic diseases	13	9	4
B99	Other and unspecified infectious diseases	3	2	1
<u>C00-D48</u>	<u>NEOPLASMS</u>	<u>6,275</u>	<u>4,215</u>	<u>2,060</u>
<u>C00-C97</u>	<u>Malignant neoplasms</u>	<u>6,189</u>	<u>4,154</u>	<u>2,035</u>
<u>C00-C14</u>	<u>Malignant neoplasms of lip, oral cavity and pharynx</u>	<u>97</u>	<u>61</u>	<u>36</u>
C00	Malignant neoplasm of lip	1	1	0
C01	Malignant neoplasm of base of tongue	2	1	1
C02	Malignant neoplasm of other and unspecified parts of tongue	5	4	1
C04	Malignant neoplasm of floor of mouth	1	0	1
C06	Malignant neoplasm of other and unspecified parts of mouth	10	9	1
C07	Malignant neoplasm of parotid gland	2	2	0
C08	Malignant neoplasm of other and unspecified major salivary glands	2	2	0
C09	Malignant neoplasm of tonsil	2	1	1
C10	Malignant neoplasm of oropharynx	11	8	3
C11	Malignant neoplasm of nasopharynx	4	2	2
C12	Malignant neoplasm of pyriform sinus	2	1	1
C13	Malignant neoplasm of hypopharynx	2	0	2
C14	Malignant neoplasm of other and ill-defined sites in the lip, oral cavity, and pharynx	53	30	23
<u>C15-C26</u>	<u>Malignant neoplasms of digestive organs</u>	<u>1,472</u>	<u>943</u>	<u>529</u>
C15	Malignant neoplasm of esophagus	144	99	45
C16	Malignant neoplasm of stomach	125	77	48
C17	Malignant neoplasm of small intestine	4	2	2
C18	Malignant neoplasm of colon	518	318	200
C19	Malignant neoplasm of rectosigmoid junction	19	13	6
C20	Malignant neoplasm of rectum	47	29	18
C21	Malignant neoplasm of anus and anal canal	4	2	2
C22	Malignant neoplasm of liver and intrahepatic bile ducts	191	123	68
C23	Malignant neoplasm of gallbladder	13	11	2

Table 10B - Page 3
Deaths - Mississippi - 2006

INTERNATIONAL CLASSIFICATION NUMBER*	CAUSE OF DEATH*	TOTAL	WHITE	NON-WHITE
C24	Malignant neoplasm of other and unspecified parts of biliary tract	17	14	3
C25	Malignant neoplasm of pancreas	370	244	126
C26	Malignant neoplasm of other and ill-defined digestive organs	20	11	9
<u>C30-C39</u>	<u>Malignant neoplasms of respiratory and intrathoracic organs</u>	<u>2,049</u>	<u>1,444</u>	<u>605</u>
C30	Malignant neoplasm of nasal cavity and middle ear	1	1	0
C31	Malignant neoplasm of accessory sinuses	8	7	1
C32	Malignant neoplasm of larynx	46	22	24
C33	Malignant neoplasm of trachea	1	1	0
C34	Malignant neoplasm of bronchus and lung	1,991	1,412	579
C38	Malignant neoplasm of heart, mediastinum, and pleura	1	0	1
C39	Malignant neoplasm of other and ill-defined sites in the respiratory system and intrathoracic organs	1	1	0
<u>C40-C41</u>	<u>Malignant neoplasms of bone and articular cartilage</u>	<u>27</u>	<u>15</u>	<u>12</u>
C41	Malignant neoplasm of bone and articular cartilage of other and unspecified sites	27	15	12
<u>C43-C44</u>	<u>Melanoma and other malignant neoplasms of skin</u>	<u>87</u>	<u>80</u>	<u>7</u>
C43	Malignant melanoma of skin	71	67	4
C44	Other malignant neoplasms of skin	16	13	3
<u>C45-C49</u>	<u>Malignant neoplasms of mesothelial and soft tissue</u>	<u>55</u>	<u>40</u>	<u>15</u>
C45	Mesothelioma	16	14	2
C46	Kaposi's sarcoma	1	1	0
C48	Malignant neoplasm of retroperitoneum and peritoneum	5	5	0
C49	Malignant neoplasm of other connective and soft tissue	33	20	13
C50	Malignant neoplasm of breast	424	256	168
<u>C51-C58</u>	<u>Malignant neoplasms of female genital organs</u>	<u>287</u>	<u>173</u>	<u>114</u>
C51	Malignant neoplasm of vulva	6	6	0
C52	Malignant neoplasm of vagina	3	1	2
C53	Malignant neoplasm of cervix uteri	72	31	41
C54	Malignant neoplasm of corpus uteri	34	13	21
C55	Malignant neoplasm of uterus, part unspecified	33	19	14
C56	Malignant neoplasm of ovary	136	102	34
C57	Malignant neoplasm of other and unspecified female genital organs	3	1	2
<u>C60-C63</u>	<u>Malignant neoplasms of male genital organs</u>	<u>356</u>	<u>175</u>	<u>181</u>
C60	Malignant neoplasm of penis	1	0	1
C61	Malignant neoplasm of prostate	353	174	179
C62	Malignant neoplasm of testis	2	1	1
<u>C64-C68</u>	<u>Malignant neoplasms of urinary tract</u>	<u>250</u>	<u>194</u>	<u>56</u>
C64	Malignant neoplasm of kidney, except renal pelvis	130	95	35
C65	Malignant neoplasm of renal pelvis	2	2	0
C66	Malignant neoplasm of ureter	1	1	0
C67	Malignant neoplasm of bladder	113	94	19
C68	Malignant neoplasm of other and unspecified urinary organs	4	2	2
<u>C69-C72</u>	<u>Malignant neoplasms of eye, brain and other parts of central nervous system</u>	<u>127</u>	<u>104</u>	<u>23</u>
C69	Malignant neoplasm of eye and adnexa	3	3	0
C70	Malignant neoplasm of meninges	1	1	0

Table 10B - Page 4
Deaths - Mississippi - 2006

INTERNATIONAL CLASSIFICATION NUMBER*	CAUSE OF DEATH*	TOTAL	WHITE	NON-WHITE
C71	Malignant neoplasm of brain	123	100	23
<u>C73-C75</u>	<u>Malignant neoplasms of thyroid and other endocrine glands</u>	<u>21</u>	<u>13</u>	<u>8</u>
C73	Malignant neoplasm of thyroid gland	17	11	6
C74	Malignant neoplasm of adrenal gland	3	2	1
C75	Malignant neoplasm of other endocrine glands and related structures	1	0	1
<u>C76-C80</u>	<u>Malignant neoplasms of ill-defined, secondary and unspecified sites</u>	<u>337</u>	<u>225</u>	<u>112</u>
C76	Malignant neoplasm of other and ill-defined sites	25	17	8
C77	Secondary and unspecified malignant neoplasm of lymph nodes	1	1	0
C78	Secondary malignant neoplasm of respiratory and digestive organs	31	23	8
C79	Secondary malignant neoplasm of other sites	56	37	19
C80	Malignant neoplasm without specification of site	224	147	77
<u>C81-C96</u>	<u>Malignant neoplasms of lymphoid, hematopoietic and related tissue</u>	<u>541</u>	<u>389</u>	<u>152</u>
C81	Hodgkin's disease	13	8	5
C82	Follicular [nodular] non-Hodgkin's lymphoma	1	0	1
C83	Diffuse non-Hodgkin's lymphoma	16	13	3
C84	Peripheral and cutaneous T-cell lymphomas	9	3	6
C85	Other and unspecified types of non-Hodgkin's lymphoma	156	121	35
C88	Malignant immunoproliferative diseases	3	3	0
C90	Multiple myeloma and malignant plasma cell neoplasms	114	67	47
C91	Lymphoid leukemia	53	39	14
C92	Myeloid leukemia	92	68	24
C93	Monocytic leukemia	2	2	0
C95	Leukemia of unspecified cell type	79	63	16
C96	Other and unspecified malignant neoplasms of lymphoid, hematopoietic, and related tissue	3	2	1
C97	Malignant neoplasms of independent (primary) multiple sites	59	42	17
<u>D10-D36</u>	<u>Benign neoplasms</u>	<u>4</u>	<u>3</u>	<u>1</u>
D16	Benign neoplasm of bone and articular cartilage	1	1	0
D17	Benign lipomatous neoplasm	1	0	1
D32	Benign neoplasm of meninges	2	2	0
<u>D37-D48</u>	<u>Neoplasms of uncertain or unknown behavior</u>	<u>82</u>	<u>58</u>	<u>24</u>
D37	Neoplasm of uncertain or unknown behavior of oral cavity and digestive organs	4	0	4
D38	Neoplasm of uncertain or unknown behavior of middle ear and respiratory and intrathoracic organs	6	4	2
D39	Neoplasm of uncertain or unknown behavior of female genital organs	1	0	1
D41	Neoplasm of uncertain or unknown behavior of urinary organs	1	1	0
D43	Neoplasm of uncertain or unknown behavior of brain and central nervous system	31	24	7
D44	Neoplasm of uncertain or unknown behavior of endocrine glands	2	1	1
D45	Polycythemia vera	4	4	0
D46	Myelodysplastic syndromes	26	20	6

Table 10B - Page 5
Deaths - Mississippi - 2006

INTERNATIONAL CLASSIFICATION NUMBER*	CAUSE OF DEATH*	TOTAL	WHITE	NON-WHITE
D47	Other neoplasms of uncertain or unknown behavior of lymphoid, hematopoietic, and related tissue	5	2	3
D48	Neoplasm of uncertain or unknown behavior of other and unspecified sites	2	2	0
<u>D50-D89</u>	<u>DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS AND CERTAIN DISORDERS INVOLVING THE IMMUNE MECHANISM</u>	<u>113</u>	<u>69</u>	<u>44</u>
<u>D50-D53</u>	<u>Nutritional anemias</u>	<u>3</u>	<u>2</u>	<u>1</u>
D50	Iron deficiency anemia	2	1	1
D51	Vitamin B-12 deficiency anemia	1	1	0
<u>D55-D59</u>	<u>Hemolytic anemias</u>	<u>12</u>	<u>3</u>	<u>9</u>
D57	Sickle-cell disorders	9	0	9
D58	Other hereditary hemolytic anemias	2	2	0
D59	Acquired hemolytic anemia	1	1	0
<u>D60-D64</u>	<u>Aplastic and other anemias</u>	<u>36</u>	<u>29</u>	<u>7</u>
D61	Other aplastic anemias	9	9	0
D64	Other anemias	27	20	7
<u>D65-D69</u>	<u>Coagulation defects, purpura and other hemorrhagic conditions</u>	<u>28</u>	<u>20</u>	<u>8</u>
D65	Disseminated intravascular coagulation [defibrination syndrome]	7	5	2
D68	Other coagulation defects	8	6	2
D69	Purpura and other hemorrhagic conditions	13	9	4
<u>D70-D77</u>	<u>Other diseases of blood and blood-forming organs</u>	<u>13</u>	<u>10</u>	<u>3</u>
D70	Agranulocytosis	7	6	1
D72	Other disorders of white blood cells	3	2	1
D73	Diseases of spleen	2	2	0
D76	Certain diseases involving lymphoreticular tissue and reticulohistiocytic system	1	0	1
<u>D80-D89</u>	<u>Certain disorders involving the immune mechanism</u>	<u>21</u>	<u>5</u>	<u>16</u>
D84	Other immunodeficiencies	4	1	3
D86	Sarcoidosis	15	2	13
D89	Other disorders involving the immune mechanism, not elsewhere classified	2	2	0
<u>E00-E88</u>	<u>ENDOCRINE, NUTRITIONAL AND METABOLIC DISEASES</u>	<u>942</u>	<u>517</u>	<u>425</u>
<u>E00-E07</u>	<u>Disorders of thyroid gland</u>	<u>10</u>	<u>7</u>	<u>3</u>
E03	Other hypothyroidism	8	6	2
E05	Thyrotoxicosis [hyperthyroidism]	2	1	1
<u>E10-E14</u>	<u>Diabetes mellitus</u>	<u>700</u>	<u>373</u>	<u>327</u>
E10	Insulin-dependent diabetes mellitus	40	18	22
E11	Noninsulin-dependent diabetes mellitus	58	30	28
E14	Unspecified diabetes mellitus	602	325	277
<u>E15-E16</u>	<u>Other disorders of glucose regulation and pancreatic internal secretion</u>	<u>13</u>	<u>5</u>	<u>8</u>

Table 10B - Page 6
Deaths - Mississippi - 2006

INTERNATIONAL CLASSIFICATION NUMBER*	CAUSE OF DEATH*	TOTAL	WHITE	NON-WHITE
E15	Nondiabetic hypoglycemic coma	1	0	1
E16	Other disorders of pancreatic internal secretion	12	5	7
<u>E20-E35</u>	<u>Disorders of other endocrine glands</u>	<u>3</u>	<u>3</u>	<u>0</u>
E24	Cushing's syndrome	1	1	0
E25	Adrenogenital disorders	1	1	0
E27	Other disorders of adrenal gland	1	1	0
<u>E40-E46</u>	<u>Malnutrition</u>	<u>18</u>	<u>11</u>	<u>7</u>
E43	Unspecified severe protein-energy malnutrition	1	0	1
E46	Unspecified protein-energy malnutrition	17	11	6
<u>E50-E64</u>	<u>Other nutritional deficiencies</u>	<u>1</u>	<u>0</u>	<u>1</u>
E63	Other nutritional deficiencies	1	0	1
<u>E65-E68</u>	<u>Obesity and other hyperalimentation</u>	<u>52</u>	<u>25</u>	<u>27</u>
E66	Obesity	52	25	27
<u>E70-E88</u>	<u>Metabolic disorders</u>	<u>145</u>	<u>93</u>	<u>52</u>
E71	Disorders of branched-chain amino-acid metabolism and fatty-acid metabolism	1	1	0
E75	Disorders of sphingolipid metabolism and other lipid storage disorders	4	4	0
E77	Disorders of glycoprotein metabolism	1	1	0
E78	Disorders of lipoprotein metabolism and other lipidemias	14	9	5
E83	Disorders of mineral metabolism	4	4	0
E84	Cystic fibrosis	7	6	1
E85	Amyloidosis	8	6	2
E86	Volume depletion	60	40	20
E87	Other disorders of fluid, electrolyte, and acid-base balance	42	18	24
E88	Other metabolic disorders	4	4	0
<u>F00-F99</u>	<u>MENTAL AND BEHAVIORAL DISORDERS</u>	<u>712</u>	<u>532</u>	<u>180</u>
<u>F00-F09</u>	<u>Organic, including symptomatic, mental disorders</u>	<u>601</u>	<u>459</u>	<u>142</u>
F01	Vascular dementia	52	35	17
F03	Unspecified dementia	529	409	120
F05	Delirium, not induced by alcohol and other psychoactive substances	1	1	0
F06	Other mental disorders due to brain damage and dysfunction and to physical disease	19	14	5
<u>F10-F19</u>	<u>Mental and behavioral disorders due to psychoactive substance use</u>	<u>88</u>	<u>55</u>	<u>33</u>
F10	Mental and behavioral disorders due to use of alcohol	49	29	20
F14	Mental and behavioral disorders due to use of cocaine	10	1	9
F17	Mental and behavioral disorders due to use of tobacco	13	12	1
F19	Mental and behavioral disorders due to multiple-drug use and use of other psychoactive substances	16	13	3
<u>F20-F29</u>	<u>Schizophrenia, schizotypal and delusional disorders</u>	<u>4</u>	<u>2</u>	<u>2</u>
F20	Schizophrenia	4	2	2
<u>F30-F39</u>	<u>Mood [affective] disorders</u>	<u>3</u>	<u>3</u>	<u>0</u>
F32	Depressive episode	3	3	0
<u>F40-F48</u>	<u>Neurotic, stress-related and somatoform disorders</u>	<u>3</u>	<u>2</u>	<u>1</u>

Table 10B - Page 7
Deaths - Mississippi - 2006

INTERNATIONAL CLASSIFICATION NUMBER*	CAUSE OF DEATH*	TOTAL	WHITE	NON-WHITE
F41	Other anxiety disorders	2	1	1
F43	Reaction to severe stress, and adjustment disorders	1	1	0
<u>F50-F59</u>	<u>Behavioral syndromes associated with physiological disturbances and physical factors</u>	<u>4</u>	<u>4</u>	<u>0</u>
F54	Psychological and behavioral factors associated with disorders or diseases classified elsewhere	4	4	0
<u>F70-F79</u>	<u>Mental retardation</u>	<u>9</u>	<u>7</u>	<u>2</u>
F73	Profound mental retardation	2	2	0
F79	Unspecified mental retardation	7	5	2
<u>G00-G98</u>	<u>DISEASES OF THE NERVOUS SYSTEM</u>	<u>1,215</u>	<u>938</u>	<u>277</u>
<u>G00-G09</u>	<u>Inflammatory diseases of the central nervous system</u>	<u>21</u>	<u>13</u>	<u>8</u>
G00	Bacterial meningitis, not elsewhere classified	5	3	2
G03	Meningitis due to other and unspecified causes	6	4	2
G04	Encephalitis, myelitis, and encephalomyelitis	3	3	0
G06	Intracranial and intraspinal abscess and granuloma	6	3	3
G09	Sequelae of inflammatory diseases of central nervous system	1	0	1
<u>G10-G13</u>	<u>Systemic atrophies primarily affecting the central nervous system</u>	<u>61</u>	<u>51</u>	<u>10</u>
G10	Huntington's disease	12	10	2
G11	Hereditary ataxia	1	0	1
G12	Spinal muscular atrophy and related syndromes	48	41	7
<u>G20-G26</u>	<u>Extrapyramidal and movement disorders</u>	<u>142</u>	<u>128</u>	<u>14</u>
G20	Parkinson's disease	137	124	13
G23	Other degenerative diseases of basal ganglia	3	2	1
G25	Other extrapyramidal and movement disorders	2	2	0
<u>G30-G32</u>	<u>Other degenerative diseases of the nervous system</u>	<u>748</u>	<u>596</u>	<u>152</u>
G30	Alzheimer's disease	735	587	148
G31	Other degenerative diseases of nervous system, not elsewhere classified	13	9	4
<u>G35-G37</u>	<u>Demyelinating diseases of the central nervous system</u>	<u>27</u>	<u>20</u>	<u>7</u>
G35	Multiple sclerosis	25	19	6
G36	Other acute disseminated demyelination	1	1	0
G37	Other demyelinating diseases of central nervous system	1	0	1
<u>G40-G47</u>	<u>Episodic and paroxysmal disorders</u>	<u>35</u>	<u>18</u>	<u>17</u>
G40	Epilepsy	13	5	8
G41	Status epilepticus	7	3	4
G45	Transient cerebral ischemic attacks and related syndromes	3	2	1
G47	Sleep disorders	12	8	4
<u>G60-G64</u>	<u>Polyneuropathies and other disorders of the peripheral nervous system</u>	<u>9</u>	<u>8</u>	<u>1</u>
G60	Hereditary and idiopathic neuropathy	2	2	0
G61	Inflammatory polyneuropathy	5	4	1
G62	Other polyneuropathies	2	2	0
<u>G70-G73</u>	<u>Diseases of myoneural junction and muscle</u>	<u>20</u>	<u>16</u>	<u>4</u>
G70	Myasthenia gravis and other myoneural disorders	5	4	1
G71	Primary disorders of muscles	14	11	3

Table 10B - Page 8
Deaths - Mississippi - 2006

INTERNATIONAL CLASSIFICATION NUMBER*	CAUSE OF DEATH*	TOTAL	WHITE	NON-WHITE
G72	Other myopathies	1	1	0
<u>G80-G83</u>	<u>Cerebral palsy and other paralytic syndromes</u>	<u>34</u>	<u>20</u>	<u>14</u>
G80	Infantile cerebral palsy	16	6	10
G81	Hemiplegia	1	0	1
G82	Paraplegia and tetraplegia	14	11	3
G83	Other paralytic syndromes	3	3	0
<u>G90-G99</u>	<u>Other disorders of the nervous system</u>	<u>118</u>	<u>68</u>	<u>50</u>
G91	Hydrocephalus	10	6	4
G92	Toxic encephalopathy	3	3	0
G93	Other disorders of brain	102	57	45
G95	Other diseases of spinal cord	1	0	1
G96	Other disorders of central nervous system	2	2	0
<u>H00-H59</u>	<u>DISEASES OF THE EYE AND ADNEXA</u>	<u>0</u>	<u>0</u>	<u>0</u>
<u>H60-H95</u>	<u>DISEASES OF THE EAR AND MASTOID PROCESS</u>	<u>0</u>	<u>0</u>	<u>0</u>
<u>I00-I99</u>	<u>DISEASES OF THE CIRCULATORY SYSTEM</u>	<u>10,272</u>	<u>6,847</u>	<u>3,425</u>
<u>I05-I09</u>	<u>Chronic rheumatic heart diseases</u>	<u>20</u>	<u>12</u>	<u>8</u>
I05	Rheumatic mitral valve diseases	11	7	4
I07	Rheumatic tricuspid valve diseases	3	1	2
I08	Multiple valve diseases	5	3	2
I09	Other rheumatic heart diseases	1	1	0
<u>I10-I13</u>	<u>Hypertensive diseases</u>	<u>1,125</u>	<u>555</u>	<u>570</u>
I10	Essential (primary) hypertension	245	124	121
I11	Hypertensive heart disease	683	358	325
I12	Hypertensive renal disease	138	44	94
I13	Hypertensive heart and renal disease	59	29	30
<u>I20-I25</u>	<u>Ischemic heart diseases</u>	<u>4,315</u>	<u>3,069</u>	<u>1,246</u>
I20	Angina pectoris	8	8	0
I21	Acute myocardial infarction	1,913	1,278	635
I22	Subsequent myocardial infarction	2	2	0
I24	Other acute ischemic heart diseases	15	10	5
I25	Chronic ischemic heart disease	2,377	1,771	606
<u>I26-I28</u>	<u>Pulmonary heart disease and diseases of pulmonary circulation</u>	<u>163</u>	<u>87</u>	<u>76</u>
I26	Pulmonary embolism	110	51	59
I27	Other pulmonary heart diseases	49	32	17
I28	Other diseases of pulmonary vessels	4	4	0
<u>I30-I51</u>	<u>Other forms of heart disease</u>	<u>2,803</u>	<u>1,924</u>	<u>879</u>
I31	Other diseases of pericardium	3	2	1
I33	Acute and subacute endocarditis	18	12	6
I34	Nonrheumatic mitral valve disorders	14	13	1
I35	Nonrheumatic aortic valve disorders	73	57	16
I37	Pulmonary valve disorders	1	1	0

Table 10B - Page 9
Deaths - Mississippi - 2006

INTERNATIONAL CLASSIFICATION NUMBER*	CAUSE OF DEATH*	TOTAL	WHITE	NON-WHITE
I38	Endocarditis, valve unspecified	28	21	7
I40	Acute myocarditis	3	2	1
I42	Cardiomyopathy	225	123	102
I44	Atrioventricular and left bundle-branch block	7	4	3
I45	Other conduction disorders	4	3	1
I46	Cardiac arrest	533	325	208
I47	Paroxysmal tachycardia	11	8	3
I48	Atrial fibrillation and flutter	91	74	17
I49	Other cardiac arrhythmias	62	41	21
I50	Heart failure	1,434	1,041	393
I51	Complications and ill-defined descriptions of heart disease	296	197	99
<u>I60-I69</u>	<u>Cerebrovascular diseases</u>	<u>1,570</u>	<u>1,010</u>	<u>560</u>
I60	Subarachnoid hemorrhage	61	37	24
I61	Intracerebral hemorrhage	160	89	71
I62	Other nontraumatic intracranial hemorrhage	111	76	35
I63	Cerebral infarction	84	62	22
I64	Stroke, not specified as hemorrhage or infarction	990	638	352
I67	Other cerebrovascular diseases	63	37	26
I69	Sequelae of cerebrovascular disease	101	71	30
<u>I70-I78</u>	<u>Diseases of arteries, arterioles and capillaries</u>	<u>227</u>	<u>163</u>	<u>64</u>
I70	Atherosclerosis	20	16	4
I71	Aortic aneurysm and dissection	131	100	31
I72	Other aneurysm	15	5	10
I73	Other peripheral vascular diseases	45	32	13
I74	Arterial embolism and thrombosis	7	4	3
I77	Other disorders of arteries and arterioles	9	6	3
<u>I80-I89</u>	<u>Diseases of veins, lymphatic vessels and lymph nodes, not elsewhere classified</u>	<u>39</u>	<u>22</u>	<u>17</u>
I80	Phlebitis and thrombophlebitis	27	13	14
I81	Portal vein thrombosis	1	1	0
I82	Other venous embolism and thrombosis	3	2	1
I83	Varicose veins of lower extremities	1	1	0
I85	Esophageal varices	4	3	1
I87	Other disorders of veins	2	1	1
I89	Other noninfective disorders of lymphatic vessels and lymph nodes	1	1	0
<u>I95-I99</u>	<u>Other and unspecified disorders of the circulatory system</u>	<u>10</u>	<u>5</u>	<u>5</u>
I95	Hypotension	4	2	2
I99	Other and unspecified disorders of circulatory system	6	3	3
<u>J00-J98</u>	<u>DISEASES OF THE RESPIRATORY SYSTEM</u>	<u>2,571</u>	<u>1,958</u>	<u>613</u>
<u>J00-J06</u>	<u>Acute upper respiratory infections</u>	<u>1</u>	<u>0</u>	<u>1</u>
J06	Acute upper respiratory infections of multiple and unspecified sites	1	0	1
<u>J10-J18</u>	<u>Influenza and pneumonia</u>	<u>617</u>	<u>416</u>	<u>201</u>
J10	Influenza due to identified influenza virus	1	1	0
J11	Influenza, virus not identified	5	5	0

Table 10B - Page 10
Deaths - Mississippi - 2006

INTERNATIONAL CLASSIFICATION NUMBER*	CAUSE OF DEATH*	TOTAL	WHITE	NON-WHITE
J12	Viral pneumonia, not elsewhere classified	4	2	2
J13	Pneumonia due to Streptococcus pneumoniae	6	6	0
J15	Bacterial pneumonia, not elsewhere classified	34	18	16
J18	Pneumonia, organism unspecified	567	384	183
<u>J20-J22</u>	<u>Other acute lower respiratory infections</u>	<u>2</u>	<u>1</u>	<u>1</u>
J20	Acute bronchitis	1	0	1
J22	Unspecified acute lower respiratory infection	1	1	0
<u>J30-J39</u>	<u>Other diseases of upper respiratory tract</u>	<u>7</u>	<u>3</u>	<u>4</u>
J38	Diseases of vocal cords and larynx, not elsewhere classified	1	1	0
J39	Other diseases of upper respiratory tract	6	2	4
<u>J40-J47</u>	<u>Chronic lower respiratory diseases</u>	<u>1,372</u>	<u>1,116</u>	<u>256</u>
J40	Bronchitis, not specified as acute or chronic	6	3	3
J42	Unspecified chronic bronchitis	4	2	2
J43	Emphysema	86	78	8
J44	Other chronic obstructive pulmonary disease	1,224	1,011	213
J45	Asthma	46	16	30
J47	Bronchiectasis	6	6	0
<u>J60-J70</u>	<u>Lung diseases due to external agents</u>	<u>205</u>	<u>158</u>	<u>47</u>
J61	Pneumoconiosis due to asbestos and other mineral fibers	16	14	2
J62	Pneumoconiosis due to dust containing silica	1	0	1
J67	Hypersensitivity pneumonitis due to organic dust	2	1	1
J68	Respiratory conditions due to inhalation of chemicals, gases, fumes, and vapors	1	0	1
J69	Pneumonitis due to solids and liquids	185	143	42
<u>J80-J84</u>	<u>Other respiratory diseases principally affecting the interstitium</u>	<u>161</u>	<u>137</u>	<u>24</u>
J80	Adult respiratory distress syndrome	30	23	7
J81	Pulmonary edema	8	5	3
J82	Pulmonary eosinophilia, not elsewhere classified	4	4	0
J84	Other interstitial pulmonary diseases	119	105	14
<u>J85-J86</u>	<u>Suppurative and necrotic conditions of lower respiratory tract</u>	<u>8</u>	<u>4</u>	<u>4</u>
J85	Abscess of lung and mediastinum	2	0	2
J86	Pyothorax	6	4	2
<u>J90-J94</u>	<u>Other diseases of pleura</u>	<u>24</u>	<u>16</u>	<u>8</u>
J90	Pleural effusion, not elsewhere classified	18	12	6
J93	Pneumothorax	5	3	2
J94	Other pleural conditions	1	1	0
<u>J95-J99</u>	<u>Other diseases of the respiratory system</u>	<u>174</u>	<u>107</u>	<u>67</u>
J96	Respiratory failure, not elsewhere classified	114	71	43
J98	Other respiratory disorders	60	36	24
<u>K00-K92</u>	<u>DISEASES OF THE DIGESTIVE SYSTEM</u>	<u>928</u>	<u>638</u>	<u>290</u>
<u>K20-K31</u>	<u>Diseases of esophagus, stomach and duodenum</u>	<u>64</u>	<u>37</u>	<u>27</u>
K20	Esophagitis	1	1	0
K21	Gastroesophageal reflux disease	4	2	2
K22	Other diseases of esophagus	14	6	8

Table 10B - Page 11
Deaths - Mississippi - 2006

INTERNATIONAL CLASSIFICATION NUMBER*	CAUSE OF DEATH*	TOTAL	WHITE	NON-WHITE
K25	Gastric ulcer	13	8	5
K26	Duodenal ulcer	6	3	3
K27	Peptic ulcer, site unspecified	9	5	4
K28	Gastrojejunal ulcer	1	1	0
K29	Gastritis and duodenitis	5	3	2
K31	Other diseases of stomach and duodenum	11	8	3
<u>K35-K38</u>	<u>Diseases of appendix</u>	<u>1</u>	<u>0</u>	<u>1</u>
K35	Acute appendicitis	1	0	1
<u>K40-K46</u>	<u>Hernia</u>	<u>18</u>	<u>10</u>	<u>8</u>
K40	Inguinal hernia	1	0	1
K42	Umbilical hernia	1	0	1
K43	Ventral hernia	2	1	1
K44	Diaphragmatic hernia	4	3	1
K46	Unspecified abdominal hernia	10	6	4
<u>K50-K52</u>	<u>Noninfective enteritis and colitis</u>	<u>32</u>	<u>19</u>	<u>13</u>
K50	Crohn's disease [regional enteritis]	5	4	1
K51	Ulcerative colitis	1	1	0
K52	Other noninfective gastroenteritis and colitis	26	14	12
<u>K55-K63</u>	<u>Other diseases of intestines</u>	<u>181</u>	<u>125</u>	<u>56</u>
K55	Vascular disorders of intestine	63	45	18
K56	Paralytic ileus and intestinal obstruction without hernia	68	39	29
K57	Diverticular disease of intestine	20	18	2
K59	Other functional intestinal disorders	3	3	0
K61	Abscess of anal and rectal regions	1	0	1
K62	Other diseases of anus and rectum	2	2	0
K63	Other diseases of intestine	24	18	6
<u>K65-K67</u>	<u>Diseases of peritoneum</u>	<u>22</u>	<u>19</u>	<u>3</u>
K65	Peritonitis	18	16	2
K66	Other disorders of peritoneum	4	3	1
<u>K70-K76</u>	<u>Diseases of liver</u>	<u>391</u>	<u>295</u>	<u>96</u>
K70	Alcoholic liver disease	92	65	27
K72	Hepatic failure, not elsewhere classified	52	37	15
K73	Chronic hepatitis, not elsewhere classified	1	1	0
K74	Fibrosis and cirrhosis of liver	173	138	35
K75	Other inflammatory liver diseases	13	8	5
K76	Other diseases of liver	60	46	14
<u>K80-K87</u>	<u>Disorders of gallbladder, biliary tract and pancreas</u>	<u>108</u>	<u>65</u>	<u>43</u>
K80	Cholelithiasis	9	6	3
K81	Cholecystitis	26	16	10
K82	Other diseases of gallbladder	7	5	2
K83	Other diseases of biliary tract	10	3	7
K85	Acute pancreatitis	41	26	15
K86	Other diseases of pancreas	15	9	6
<u>K90-K93</u>	<u>Other diseases of the digestive system</u>	<u>111</u>	<u>68</u>	<u>43</u>
K90	Intestinal malabsorption	1	0	1
K92	Other diseases of the digestive system	110	68	42
<u>L00-L98</u>	<u>DISEASES OF THE SKIN AND SUBCUTANEOUS TISSUE</u>	<u>48</u>	<u>23</u>	<u>25</u>

Table 10B - Page 12
Deaths - Mississippi - 2006

INTERNATIONAL CLASSIFICATION NUMBER*	CAUSE OF DEATH*	TOTAL	WHITE	NON-WHITE
<u>L00-L08</u>	<u>Infections of the skin and subcutaneous tissue</u>	<u>20</u>	<u>14</u>	<u>6</u>
L02	Cutaneous abscess, furuncle, and carbuncle	4	2	2
L03	Cellulitis	11	8	3
L08	Other local infections of skin and subcutaneous tissue	5	4	1
<u>L10-L14</u>	<u>Bullous disorders</u>	<u>1</u>	<u>1</u>	<u>0</u>
L11	Other acantholytic disorders	1	1	0
<u>L80-L99</u>	<u>Other disorders of the skin and subcutaneous tissue</u>	<u>27</u>	<u>8</u>	<u>19</u>
L89	Decubitus ulcer	24	7	17
L93	Lupus erythematosus	1	1	0
L98	Other disorders of skin and subcutaneous tissue, not elsewhere classified	2	0	2
<u>M00-M99</u>	<u>DISEASES OF THE MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE</u>	<u>114</u>	<u>67</u>	<u>47</u>
<u>M00-M25</u>	<u>Arthropathies</u>	<u>19</u>	<u>16</u>	<u>3</u>
<u>M00-M03</u>	<u>Infectious arthropathies</u>	<u>1</u>	<u>1</u>	<u>0</u>
M00	Pyogenic arthritis	1	1	0
<u>M05-M14</u>	<u>Inflammatory polyarthropathies</u>	<u>17</u>	<u>14</u>	<u>3</u>
M05	Seropositive rheumatoid arthritis	1	1	0
M06	Other rheumatoid arthritis	12	10	2
M13	Other arthritis	4	3	1
<u>M15-M19</u>	<u>Arthrosis</u>	<u>1</u>	<u>1</u>	<u>0</u>
M19	Other arthrosis	1	1	0
<u>M30-M36</u>	<u>Systemic connective tissue disorders</u>	<u>48</u>	<u>27</u>	<u>21</u>
M31	Other necrotizing vasculopathies	10	6	4
M32	Systemic lupus erythematosus	18	4	14
M33	Dermatopolymyositis	4	2	2
M34	Systemic sclerosis	12	11	1
M35	Other systemic involvement of connective tissue	4	4	0
<u>M40-M54</u>	<u>Dorsopathies</u>	<u>12</u>	<u>4</u>	<u>8</u>
<u>M40-M43</u>	<u>Deforming dorsopathies</u>	<u>5</u>	<u>1</u>	<u>4</u>
M41	Scoliosis	5	1	4
<u>M45-M49</u>	<u>Spondylopathies</u>	<u>5</u>	<u>1</u>	<u>4</u>
M46	Other inflammatory spondylopathies	3	0	3
M47	Spondylosis	1	1	0
M48	Other spondylopathies	1	0	1
<u>M50-M54</u>	<u>Other dorsopathies</u>	<u>2</u>	<u>2</u>	<u>0</u>
M51	Other intervertebral disc disorders	1	1	0
M54	Dorsalgia	1	1	0
<u>M60-M79</u>	<u>Soft tissue disorders</u>	<u>16</u>	<u>9</u>	<u>7</u>
<u>M60-M63</u>	<u>Disorders of muscles</u>	<u>5</u>	<u>3</u>	<u>2</u>
M62	Other disorders of muscle	5	3	2
<u>M70-M79</u>	<u>Other soft tissue disorders</u>	<u>11</u>	<u>6</u>	<u>5</u>
M72	Fibroblastic disorders	9	4	5
M79	Other soft tissue disorders, not elsewhere classified	2	2	0
<u>M80-M94</u>	<u>Osteopathies and chondropathies</u>	<u>19</u>	<u>11</u>	<u>8</u>

Table 10B - Page 13
Deaths - Mississippi - 2006

INTERNATIONAL CLASSIFICATION NUMBER*	CAUSE OF DEATH*	TOTAL	WHITE	NON-WHITE
<u>M80-M85</u>	<u>Disorders of bone density and structure</u>	<u>5</u>	<u>5</u>	<u>0</u>
M80	Osteoporosis with pathological fracture	2	2	0
M81	Osteoporosis without pathological fracture	2	2	0
M84	Disorders of continuity of bone	1	1	0
<u>M86-M90</u>	<u>Other osteopathies</u>	<u>12</u>	<u>6</u>	<u>6</u>
M86	Osteomyelitis	10	4	6
M88	Paget's disease of bone [osteitis deformans]	2	2	0
<u>M91-M94</u>	<u>Chondropathies</u>	<u>2</u>	<u>0</u>	<u>2</u>
M94	Other disorders of cartilage	2	0	2
<u>N00-N98</u>	<u>DISEASES OF THE GENITOURINARY SYSTEM</u>	<u>880</u>	<u>490</u>	<u>390</u>
<u>N00-N07</u>	<u>Glomerular diseases</u>	<u>19</u>	<u>7</u>	<u>12</u>
N00	Acute nephritic syndrome	1	0	1
N03	Chronic nephritic syndrome	16	6	10
N04	Nephrotic syndrome	2	1	1
<u>N10-N16</u>	<u>Renal tubulo-interstitial diseases</u>	<u>10</u>	<u>6</u>	<u>4</u>
N12	Tubulo-interstitial nephritis, not specified as acute or chronic	8	5	3
N13	Obstructive and reflux uropathy	2	1	1
<u>N17-N19</u>	<u>Renal failure</u>	<u>643</u>	<u>335</u>	<u>308</u>
N17	Acute renal failure	101	68	33
N18	Chronic renal failure	306	140	166
N19	Unspecified renal failure	236	127	109
<u>N20-N23</u>	<u>Urolithiasis</u>	<u>5</u>	<u>2</u>	<u>3</u>
N20	Calculus of kidney and ureter	4	2	2
N21	Calculus of lower urinary tract	1	0	1
<u>N25-N29</u>	<u>Other disorders of kidney and ureter</u>	<u>17</u>	<u>6</u>	<u>11</u>
N28	Other disorders of kidney and ureter, not elsewhere classified	17	6	11
<u>N30-N39</u>	<u>Other diseases of urinary system</u>	<u>176</u>	<u>126</u>	<u>50</u>
N31	Neuromuscular dysfunction of bladder, not elsewhere classified	2	2	0
N32	Other disorders of bladder	2	1	1
N36	Other disorders of urethra	1	0	1
N39	Other disorders of urinary system	171	123	48
<u>N40-N50</u>	<u>Diseases of male genital organs</u>	<u>7</u>	<u>5</u>	<u>2</u>
N40	Hyperplasia of prostate	2	1	1
N41	Inflammatory diseases of prostate	1	1	0
N42	Other disorders of prostate	2	2	0
N48	Other disorders of penis	1	1	0
N49	Inflammatory disorders of male genital organs, not elsewhere classified	1	0	1
<u>N60-N64</u>	<u>Disorders of breast</u>	<u>1</u>	<u>1</u>	<u>0</u>
N64	Other disorders of breast	1	1	0
<u>N70-N77</u>	<u>Inflammatory diseases of female pelvic organs</u>	<u>1</u>	<u>1</u>	<u>0</u>
N73	Other female pelvic inflammatory diseases	1	1	0
<u>N80-N98</u>	<u>Noninflammatory disorders of female genital tract</u>	<u>1</u>	<u>1</u>	<u>0</u>

Table 10B - Page 14
Deaths - Mississippi - 2006

INTERNATIONAL CLASSIFICATION NUMBER*	CAUSE OF DEATH*	TOTAL	WHITE	NON-WHITE
N83	Noninflammatory disorders of ovary, fallopian tube, and broad ligament	1	1	0
<u>O00-O99</u>	<u>PREGNANCY, CHILDBIRTH AND THE PUERPERIUM</u>	<u>14</u>	<u>3</u>	<u>11</u>
<u>O10-O92</u>	<u>Other direct obstetric deaths</u>	<u>12</u>	<u>3</u>	<u>9</u>
<u>O20-O29</u>	<u>Other maternal disorders predominantly related to pregnancy</u>	<u>5</u>	<u>2</u>	<u>3</u>
O26	Maternal care for other conditions predominantly related to pregnancy	5	2	3
<u>O60-O75</u>	<u>Complications of labor and delivery</u>	<u>2</u>	<u>0</u>	<u>2</u>
O75	Other complications of labor and delivery, not elsewhere classified	2	0	2
<u>O85-O92</u>	<u>Complications predominantly related to the puerperium</u>	<u>5</u>	<u>1</u>	<u>4</u>
O88	Obstetric embolism	4	1	3
O90	Complications of the puerperium, not elsewhere classified	1	0	1
<u>O95-O99</u>	<u>Other obstetric conditions, not elsewhere classified</u>	<u>2</u>	<u>0</u>	<u>2</u>
O96	Death from any obstetric cause occurring more than 42 days but less than 1 year after delivery	1	0	1
O99	Other maternal diseases classifiable elsewhere but complicating pregnancy, childbirth, and the puerperium	1	0	1
<u>P00-P96</u>	<u>CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD</u>	<u>215</u>	<u>67</u>	<u>148</u>
<u>P00-P04</u>	<u>Fetus and newborn affected by maternal factors and by complications of pregnancy, labor and delivery</u>	<u>24</u>	<u>7</u>	<u>17</u>
P00	Newborn affected by maternal conditions that may be unrelated to present pregnancy	1	1	0
P01	Newborn affected by maternal complications of pregnancy	12	4	8
P02	Newborn affected by complications of placenta, cord, and membranes	11	2	9
<u>P05-P08</u>	<u>Disorders related to length of gestation and fetal growth</u>	<u>85</u>	<u>26</u>	<u>59</u>
P05	Slow fetal growth and fetal malnutrition	1	1	0
P07	Disorders related to short gestation and low birthweight, not elsewhere classified	84	25	59
<u>P20-P29</u>	<u>Respiratory and cardiovascular disorders specific to the perinatal period</u>	<u>57</u>	<u>24</u>	<u>33</u>
P20	Intrauterine hypoxia	1	1	0
P21	Birth asphyxia	3	3	0
P22	Respiratory distress of newborn	9	5	4
P23	Congenital pneumonia	1	0	1
P24	Neonatal aspiration syndromes	1	1	0
P25	Interstitial emphysema and related conditions originating in the perinatal period	1	0	1
P26	Pulmonary hemorrhage originating in the perinatal period	5	1	4
P27	Chronic respiratory disease originating in the perinatal period	8	1	7
P28	Other respiratory conditions originating in the perinatal period	10	4	6

Table 10B - Page 15
Deaths - Mississippi - 2006

INTERNATIONAL CLASSIFICATION NUMBER*	CAUSE OF DEATH*	TOTAL	WHITE	NON-WHITE
P29	Cardiovascular disorders originating in the perinatal period	18	8	10
<u>P35-P39</u>	<u>Infections specific to the perinatal period</u>	<u>25</u>	<u>5</u>	<u>20</u>
P35	Congenital viral diseases	1	0	1
P36	Bacterial sepsis of newborn	23	5	18
P37	Other congenital infectious and parasitic diseases	1	0	1
<u>P50-P61</u>	<u>Hemorrhagic and hematological disorders of fetus and newborn</u>	<u>6</u>	<u>2</u>	<u>4</u>
P52	Intracranial nontraumatic hemorrhage of fetus and newborn	4	1	3
P54	Other neonatal hemorrhages	1	1	0
P61	Other perinatal hematological disorders	1	0	1
<u>P75-P78</u>	<u>Digestive system disorders of fetus and newborn</u>	<u>14</u>	<u>2</u>	<u>12</u>
P77	Necrotizing enterocolitis of newborn	12	1	11
P78	Other perinatal digestive system disorders	2	1	1
<u>P80-P83</u>	<u>Conditions involving the integument and temperature regulation of fetus and newborn</u>	<u>1</u>	<u>0</u>	<u>1</u>
P83	Other conditions of integument specific to newborn	1	0	1
<u>P90-P96</u>	<u>Other disorders originating in the perinatal period</u>	<u>3</u>	<u>1</u>	<u>2</u>
P91	Other disturbances of cerebral status of newborn	2	1	1
P96	Other conditions originating in the perinatal period	1	0	1
<u>Q00-Q99</u>	<u>CONGENITAL MALFORMATIONS, DEFORMATIONS AND CHROMOSOMAL ABNORMALITIES</u>	<u>133</u>	<u>63</u>	<u>70</u>
<u>Q00-Q07</u>	<u>Congenital malformations of the nervous system</u>	<u>14</u>	<u>10</u>	<u>4</u>
Q00	Anencephaly and similar malformations	3	2	1
Q03	Congenital hydrocephalus	1	1	0
Q04	Other congenital malformations of brain	8	5	3
Q05	Spina bifida	1	1	0
Q07	Other congenital malformations of nervous system	1	1	0
<u>Q20-Q28</u>	<u>Congenital malformations of the circulatory system</u>	<u>39</u>	<u>20</u>	<u>19</u>
Q20	Congenital malformations of cardiac chambers and connections	1	1	0
Q21	Congenital malformations of cardiac septa	10	4	6
Q22	Congenital malformations of pulmonary and tricuspid valves	1	1	0
Q23	Congenital malformations of aortic and mitral valves	5	4	1
Q24	Other congenital malformations of heart	15	6	9
Q25	Congenital malformations of great arteries	5	2	3
Q27	Other congenital malformations of peripheral vascular system	2	2	0
<u>Q30-Q34</u>	<u>Congenital malformations of the respiratory system</u>	<u>7</u>	<u>3</u>	<u>4</u>
Q33	Congenital malformations of lung	7	3	4
<u>Q38-Q45</u>	<u>Other congenital malformations of the digestive system</u>	<u>4</u>	<u>3</u>	<u>1</u>
Q39	Congenital malformations of esophagus	2	1	1
Q43	Other congenital malformations of intestine	1	1	0
Q44	Congenital malformations of gallbladder, bile ducts, and liver	1	1	0
<u>Q60-Q64</u>	<u>Congenital malformations of the urinary system</u>	<u>6</u>	<u>2</u>	<u>4</u>
Q60	Renal agenesis and other reduction defects of kidney	3	1	2
Q61	Cystic kidney disease	3	1	2
<u>Q65-Q79</u>	<u>Congenital malformations and deformations of the musculoskeletal system</u>	<u>16</u>	<u>6</u>	<u>10</u>

Table 10B - Page 16
Deaths - Mississippi - 2006

INTERNATIONAL CLASSIFICATION NUMBER*	CAUSE OF DEATH*	TOTAL	WHITE	NON-WHITE
Q67	Congenital musculoskeletal deformities of head, face, spine, and chest	2	1	1
Q77	Osteochondrodysplasia with defects of growth of tubular bones and spine	3	1	2
Q78	Other osteochondrodysplasias	3	3	0
Q79	Congenital malformations of musculoskeletal system, not elsewhere classified	8	1	7
<u>Q80-Q89</u>	<u>Other congenital malformations</u>	<u>19</u>	<u>9</u>	<u>10</u>
Q85	Phakomatoses, not elsewhere classified	1	0	1
Q87	Other specified congenital malformation syndromes affecting multiple systems	5	3	2
Q89	Other congenital malformations, not elsewhere classified	13	6	7
<u>Q90-Q99</u>	<u>Chromosomal abnormalities, not elsewhere classified</u>	<u>28</u>	<u>10</u>	<u>18</u>
Q90	Down's syndrome	11	6	5
Q91	Edwards' syndrome and Patau's syndrome	13	3	10
Q92	Other trisomies and partial trisomies of autosomes, not elsewhere classified	1	0	1
Q93	Monosomies and deletions from the autosomes, not elsewhere classified	1	1	0
Q96	Turner's syndrome	1	0	1
Q99	Other chromosome abnormalities, not elsewhere classified	1	0	1
<u>R00-R99</u>	<u>SYMPTOMS, SIGNS AND ABNORMAL CLINICAL AND LABORATORY FINDINGS NOT ELSEWHERE CLASSIFIED</u>	<u>445</u>	<u>275</u>	<u>170</u>
<u>R00-R09</u>	<u>Symptoms and signs involving the circulatory and respiratory systems</u>	<u>58</u>	<u>41</u>	<u>17</u>
R00	Abnormalities of heart beat	1	1	0
R02	Gangrene, not elsewhere classified	3	1	2
R04	Hemorrhage from respiratory passages	2	2	0
R06	Abnormalities of breathing	7	5	2
R09	Other symptoms and signs involving the circulatory and respiratory systems	45	32	13
<u>R10-R19</u>	<u>Symptoms and signs involving the digestive system and abdomen</u>	<u>4</u>	<u>3</u>	<u>1</u>
R16	Hepatomegaly and splenomegaly, not elsewhere classified	1	1	0
R19	Other symptoms and signs involving the digestive system and abdomen	3	2	1
<u>R50-R69</u>	<u>General symptoms and signs</u>	<u>216</u>	<u>147</u>	<u>69</u>
R50	Fever of unknown origin	1	0	1
R53	Malaise and fatigue	44	27	17
R54	Senility	14	11	3
R55	Syncope and collapse	2	2	0
R56	Convulsions, not elsewhere classified	31	16	15
R57	Shock, not elsewhere classified	7	1	6
R62	Lack of expected normal physiological development	98	75	23
R64	Cachexia	1	1	0

Table 10B - Page 17
Deaths - Mississippi - 2006

INTERNATIONAL CLASSIFICATION NUMBER*	CAUSE OF DEATH*	TOTAL	WHITE	NON-WHITE
R68	Other general symptoms and signs	18	14	4
<u>R70-R79</u>	<u>Abnormal findings on examination of blood, without diagnosis</u>	<u>2</u>	<u>0</u>	<u>2</u>
R75	Laboratory evidence of human immunodeficiency virus [HIV]	2	0	2
<u>R90-R94</u>	<u>Abnormal findings on diagnostic imaging and in function studies, without diagnosis</u>	<u>3</u>	<u>2</u>	<u>1</u>
R91	Abnormal findings on diagnostic imaging of lung	3	2	1
<u>R95-R99</u>	<u>Ill-defined and unknown causes of mortality</u>	<u>162</u>	<u>82</u>	<u>80</u>
R95	Sudden infant death syndrome	68	26	42
R98	Unattended death	1	1	0
R99	Other ill-defined and unspecified causes of mortality	93	55	38
<u>V01-Y89</u>	<u>EXTERNAL CAUSES OF MORTALITY</u>	<u>2,596</u>	<u>1,707</u>	<u>889</u>
<u>V01-V09</u>	<u>Pedestrian injured in transport accident</u>	<u>73</u>	<u>40</u>	<u>33</u>
V03	Pedestrian injured in collision with car, pickup truck, or van	44	23	21
V04	Pedestrian injured in collision with heavy transport vehicle or bus	4	0	4
V05	Pedestrian injured in collision with railway train or railway vehicle	6	4	2
V09	Pedestrian injured in other and unspecified transport accidents	19	13	6
<u>V10-V19</u>	<u>Pedal cyclist injured in transport accident</u>	<u>5</u>	<u>3</u>	<u>2</u>
V13	Pedal cyclist injured in collision with car, pickup truck, or van	5	3	2
<u>V20-V29</u>	<u>Motorcycle rider injured in transport accident</u>	<u>59</u>	<u>46</u>	<u>13</u>
V23	Motorcycle rider injured in collision with car, pickup truck, or van	21	19	2
V24	Motorcycle rider injured in collision with heavy transport vehicle or bus	3	1	2
V27	Motorcycle rider injured in collision with fixed or stationary object	10	8	2
V28	Motorcycle rider injured in noncollision transport accident	13	10	3
V29	Motorcycle rider injured in other and unspecified transport accidents	12	8	4
<u>V40-V49</u>	<u>Car occupant injured in transport accident</u>	<u>490</u>	<u>270</u>	<u>220</u>
V40	Car occupant injured in collision with pedestrian or animal	1	0	1
V43	Car occupant injured in collision with car, pickup truck, or van	173	94	79
V44	Car occupant injured in collision with heavy transport vehicle or bus	41	23	18
V45	Car occupant injured in collision with railway train or railway vehicle	3	2	1
V47	Car occupant injured in collision with fixed or stationary object	138	84	54
V48	Car occupant injured in noncollision transport accident	121	63	58
V49	Car occupant injured in other and unspecified transport accidents	13	4	9

Table 10B - Page 18
Deaths - Mississippi - 2006

INTERNATIONAL CLASSIFICATION NUMBER*	CAUSE OF DEATH*	TOTAL	WHITE	NON-WHITE
<u>V50-V59</u>	<u>Occupant of pick-up truck or van injured in transport accident</u>	<u>191</u>	<u>158</u>	<u>33</u>
V53	Occupant of pickup truck or van injured in collision with car, pickup truck, or van	39	29	10
V54	Occupant of pickup truck or van injured in collision with heavy transport vehicle or bus	30	26	4
V55	Occupant of pickup truck or van injured in collision with railway train or railway vehicle	3	1	2
V57	Occupant of pickup truck or van injured in collision with fixed or stationary object	50	44	6
V58	Occupant of pickup truck or van injured in noncollision transport accident	67	57	10
V59	Occupant of pickup truck or van injured in other and unspecified transport accidents	2	1	1
<u>V60-V69</u>	<u>Occupant of heavy transport vehicle injured in transport accident</u>	<u>15</u>	<u>8</u>	<u>7</u>
V64	Occupant of heavy transport vehicle injured in collision with heavy transport vehicle or bus	4	2	2
V65	Occupant of heavy transport vehicle injured in collision with railway train or railway vehicle	2	2	0
V67	Occupant of heavy transport vehicle injured in collision with fixed or stationary object	3	2	1
V68	Occupant of heavy transport vehicle injured in noncollision transport accident	6	2	4
<u>V80-V89</u>	<u>Other land transport accidents</u>	<u>134</u>	<u>91</u>	<u>43</u>
V80	Animal-rider or occupant of animal-drawn vehicle injured in transport accident	1	0	1
V83	Occupant of special vehicle mainly used on industrial premises injured in transport accident	1	0	1
V84	Occupant of special vehicle mainly used in agriculture injured in transport accident	14	13	1
V85	Occupant of special construction vehicle injured in transport accident	1	1	0
V86	Occupant of special all-terrain or other motor vehicle designed primarily for off-road use, injured in transport accident	26	17	9
V87	Traffic accident of specified type but victim's mode of transport unknown	14	9	5
V89	Motor- or nonmotor-vehicle accident, type of vehicle unspecified	77	51	26
<u>V90-V94</u>	<u>Water transport accidents</u>	<u>14</u>	<u>8</u>	<u>6</u>
V90	Accident to watercraft causing drowning and submersion	2	0	2
V91	Accident to watercraft causing other injury	1	1	0
V92	Water-transport-related drowning and submersion without accident to watercraft	10	6	4
V93	Accident onboard watercraft without accident to watercraft, not causing drowning and submersion	1	1	0
<u>V95-V97</u>	<u>Air and space transport accidents</u>	<u>8</u>	<u>8</u>	<u>0</u>

Table 10B - Page 19
Deaths - Mississippi - 2006

INTERNATIONAL CLASSIFICATION NUMBER*	CAUSE OF DEATH*	TOTAL	WHITE	NON-WHITE
V95	Accident to powered aircraft causing injury to occupant	8	8	0
<u>W00-W19</u>	<u>Falls</u>	<u>190</u>	<u>172</u>	<u>18</u>
W01	Fall on same level from slipping, tripping, and stumbling	20	18	2
W04	Fall while being carried or supported by other persons	1	1	0
W05	Fall involving wheelchair	2	2	0
W06	Fall involving bed	12	9	3
W07	Fall involving chair	3	3	0
W08	Fall involving other furniture	1	1	0
W10	Fall on and from stairs and steps	10	10	0
W11	Fall on and from ladder	4	4	0
W12	Fall on and from scaffolding	2	2	0
W13	Fall from, out of, or through building or structure	9	9	0
W14	Fall from tree	1	0	1
W17	Other fall from one level to another	3	2	1
W18	Other fall on same level	53	47	6
W19	Unspecified fall	69	64	5
<u>W20-W49</u>	<u>Exposure to inanimate mechanical forces</u>	<u>62</u>	<u>38</u>	<u>24</u>
W20	Struck by thrown, projected, or falling object	18	8	10
W22	Striking against or struck by other objects	1	1	0
W23	Caught, crushed, jammed, or pinched in or between objects	3	1	2
W24	Contact with lifting and transmission devices, not elsewhere classified	4	4	0
W28	Contact with powered lawn mower	1	1	0
W30	Contact with agricultural machinery	2	2	0
W31	Contact with other and unspecified machinery	8	7	1
W32	Handgun discharge	8	3	5
W33	Rifle, shotgun, and larger firearm discharge	2	2	0
W34	Discharge from other and unspecified firearms	10	6	4
W40	Explosion of other materials	4	3	1
W45	Foreign body or object entering through skin	1	0	1
<u>W50-W64</u>	<u>Exposure to animate mechanical forces</u>	<u>3</u>	<u>1</u>	<u>2</u>
W54	Bitten or struck by dog	1	0	1
W55	Bitten or struck by other mammals	2	1	1
<u>W65-W74</u>	<u>Accidental drowning and submersion</u>	<u>52</u>	<u>34</u>	<u>18</u>
W65	Drowning and submersion while in bathtub	2	1	1
W66	Drowning and submersion following fall into bathtub	1	0	1
W67	Drowning and submersion while in swimming pool	11	5	6
W68	Drowning and submersion following fall into swimming pool	6	4	2
W69	Drowning and submersion while in natural water	24	18	6
W70	Drowning and submersion following fall into natural water	3	2	1
W73	Other specified drowning and submersion	2	2	0
W74	Unspecified drowning and submersion	3	2	1
<u>W75-W84</u>	<u>Other accidental threats to breathing</u>	<u>99</u>	<u>54</u>	<u>45</u>
W75	Accidental suffocation and strangulation in bed	17	3	14
W76	Other accidental hanging and strangulation	3	1	2
W78	Inhalation of gastric contents	8	6	2
W79	Inhalation and ingestion of food causing obstruction of respiratory tract	2	1	1

Table 10B - Page 20
Deaths - Mississippi - 2006

INTERNATIONAL CLASSIFICATION NUMBER*	CAUSE OF DEATH*	TOTAL	WHITE	NON-WHITE
W80	Inhalation and ingestion of other objects causing obstruction of respiratory tract	65	39	26
W83	Other specified threats to breathing	2	2	0
W84	Unspecified threat to breathing	2	2	0
<u>W85-W99</u>	<u>Exposure to electric current, radiation and extreme ambient air temperature and pressure</u>	<u>7</u>	<u>7</u>	<u>0</u>
W85	Exposure to electric transmission lines	2	2	0
W86	Exposure to other specified electric current	4	4	0
W87	Exposure to unspecified electric current	1	1	0
<u>X00-X09</u>	<u>Exposure to smoke, fire and flames</u>	<u>78</u>	<u>43</u>	<u>35</u>
X00	Exposure to uncontrolled fire in building or structure	62	32	30
X01	Exposure to uncontrolled fire, not in building or structure	4	3	1
X03	Exposure to controlled fire, not in building or structure	1	1	0
X04	Exposure to ignition of highly flammable material	2	2	0
X06	Exposure to ignition or melting of other clothing and apparel	3	2	1
X09	Exposure to unspecified smoke, fire, and flames	6	3	3
<u>X10-X19</u>	<u>Contact with heat and hot substances</u>	<u>1</u>	<u>0</u>	<u>1</u>
X11	Contact with hot tap water	1	0	1
<u>X20-X29</u>	<u>Contact with venomous animals and plants</u>	<u>2</u>	<u>2</u>	<u>0</u>
X23	Contact with hornets, wasps, and bees	2	2	0
<u>X30-X39</u>	<u>Exposure to forces of nature</u>	<u>14</u>	<u>7</u>	<u>7</u>
X30	Exposure to excessive natural heat	9	4	5
X31	Exposure to excessive natural cold	3	1	2
X33	Victim of lightning	2	2	0
<u>X40-X49</u>	<u>Accidental poisoning by and exposure to noxious substances</u>	<u>274</u>	<u>246</u>	<u>28</u>
X40	Accidental poisoning by and exposure to nonopioid analgesics, antipyretics, and antirheumatics	8	7	1
X41	Accidental poisoning by and exposure to antiepileptic, sedative-hypnotic, antiparkinsonism, and psychotropic drugs, not elsewhere classified	4	4	0
X42	Accidental poisoning by and exposure to narcotics and psychodysleptics [hallucinogens], not elsewhere classified	56	42	14
X44	Accidental poisoning by and exposure to other and unspecified drugs, medicaments, and biological substances	189	180	9
X45	Accidental poisoning by and exposure to alcohol	7	6	1
X46	Accidental poisoning by and exposure to organic solvents and halogenated hydrocarbons and their vapors	1	1	0
X47	Accidental poisoning by and exposure to other gases and vapors	9	6	3
<u>X50-X57</u>	<u>Overexertion, travel and privation</u>	<u>2</u>	<u>1</u>	<u>1</u>
X50	Overexertion and strenuous or repetitive movements	2	1	1
<u>X58-X59</u>	<u>Accidental exposure to other and unspecified factors</u>	<u>38</u>	<u>27</u>	<u>11</u>
X59	Exposure to unspecified factor	38	27	11
<u>X60-X84</u>	<u>Intentional self-harm</u>	<u>322</u>	<u>267</u>	<u>55</u>
X60	Intentional self-poisoning (suicide) by and exposure to nonopioid analgesics, antipyretics, and antirheumatics	2	2	0

Table 10B - Page 21
 Deaths - Mississippi - 2006

INTERNATIONAL CLASSIFICATION NUMBER*	CAUSE OF DEATH*	TOTAL	WHITE	NON-WHITE
X62	Intentional self-poisoning (suicide) by and exposure to narcotics and psychodysleptics [hallucinogens], not elsewhere classified	3	3	0
X64	Intentional self-poisoning (suicide) by and exposure to other and unspecified drugs, medicaments, and biological substances	26	24	2
X65	Intentional self-poisoning (suicide) by and exposure to alcohol	1	1	0
X66	Intentional self-poisoning (suicide) by and exposure to organic solvents and halogenated hydrocarbons and their vapors	2	2	0
X67	Intentional self-poisoning (suicide) by and exposure to other gases and vapors	5	5	0
X69	Intentional self-poisoning (suicide) by and exposure to other and unspecified chemicals and noxious substances	1	1	0
X70	Intentional self harm (suicide) by hanging, strangulation, and suffocation	51	37	14
X72	Intentional self harm (suicide) by handgun discharge	71	60	11
X73	Intentional self harm (suicide) by rifle, shotgun, and larger firearm discharge	38	32	6
X74	Intentional self harm (suicide) by other and unspecified firearm discharge	108	91	17
X78	Intentional self harm (suicide) by sharp object	7	5	2
X80	Intentional self harm (suicide) by jumping from a high place	2	0	2
X81	Intentional self harm (suicide) by jumping or lying before moving object	3	2	1
X82	Intentional self harm (suicide) by crashing of motor vehicle	1	1	0
X84	Intentional self harm (suicide) by unspecified means	1	1	0
<u>X85-Y09</u>	<u>Assault</u>	<u>309</u>	<u>85</u>	<u>224</u>
X85	Assault (homicide) by drugs, medicaments, and biological substances	1	0	1
X89	Assault (homicide) by other specified chemicals and noxious substances	2	1	1
X91	Assault (homicide) by hanging, strangulation, and suffocation	9	6	3
X92	Assault (homicide) by drowning and submersion	1	0	1
X93	Assault (homicide) by handgun discharge	54	10	44
X94	Assault (homicide) by rifle, shotgun, and larger firearm discharge	14	6	8
X95	Assault (homicide) by other and unspecified firearm discharge	147	31	116
X97	Assault (homicide) by smoke, fire, and flames	4	1	3
X99	Assault (homicide) by sharp object	35	9	26
Y00	Assault (homicide) by blunt object	9	3	6
Y04	Assault (homicide) by bodily force	1	1	0
Y07	Other maltreatment syndromes	2	0	2
Y08	Assault (homicide) by other specified means	8	6	2
Y09	Assault (homicide) by unspecified means	22	11	11

Table 10B - Page 22
Deaths - Mississippi - 2006

INTERNATIONAL CLASSIFICATION NUMBER*	CAUSE OF DEATH*	TOTAL	WHITE	NON-WHITE
<u>Y10-Y34</u>	<u>Event of undetermined intent</u>	<u>61</u>	<u>42</u>	<u>19</u>
Y10	Poisoning by and exposure to nonopioid analgesics, antipyretics, and antirheumatics, undetermined intent	1	1	0
Y11	Poisoning by and exposure to antiepileptic, sedative-hypnotic, antiparkinsonism, and psychotropic drugs, not elsewhere classified, undetermined intent	2	1	1
Y12	Poisoning by and exposure to narcotics and psychodysleptics [hallucinogens], not elsewhere classified, undetermined intent	18	13	5
Y14	Poisoning by and exposure to other and unspecified drugs, medicaments, and biological substances, undetermined intent	22	20	2
Y20	Hanging, strangulation, and suffocation, undetermined intent	1	0	1
Y22	Handgun discharge, undetermined intent	1	0	1
Y23	Rifle, shotgun, and larger firearm discharge, undetermined intent	2	1	1
Y24	Other and unspecified firearm discharge, undetermined intent	5	3	2
Y26	Exposure to smoke, fire, and flames, undetermined intent	1	1	0
Y30	Falling, jumping, or pushed from a high place, undetermined intent	1	0	1
Y32	Crashing of motor vehicle, undetermined intent	1	0	1
Y33	Other specified events, undetermined intent	3	1	2
Y34	Unspecified event, undetermined intent	3	1	2
<u>Y35-Y36</u>	<u>Legal intervention and operations of war</u>	<u>8</u>	<u>2</u>	<u>6</u>
Y35	Legal intervention	8	2	6
<u>Y40-Y59</u>	<u>Drugs, medicaments and biological substances causing adverse effects in therapeutic use</u>	<u>5</u>	<u>4</u>	<u>1</u>
Y43	Primarily systemic agents	1	1	0
Y44	Agents primarily affecting blood constituents	1	1	0
Y45	Analgesics, antipyretics, and anti-inflammatory drugs	1	1	0
Y57	Other and unspecified drugs and medicaments	2	1	1
<u>Y60-Y69</u>	<u>Misadventures to patients during surgical and medical care</u>	<u>4</u>	<u>1</u>	<u>3</u>
Y60	Unintentional cut, puncture, perforation, or hemorrhage during surgical and medical care	1	0	1
Y65	Other misadventures during surgical and medical care	3	1	2
<u>Y83-Y84</u>	<u>Surgical and other medical procedures as the cause of abnormal reaction of the patient, or of later complication, without mention of misadventure at the time of the procedure</u>	<u>50</u>	<u>25</u>	<u>25</u>
Y83	Surgical operation and other surgical procedures as the cause of abnormal reaction of the patient, or of later complication, without mention of misadventure at the time of the procedure	37	20	17
Y84	Other medical procedures as the cause of abnormal reaction of the patient, or of later complication, without mention of misadventure at the time of the procedure	13	5	8
<u>Y85-Y89</u>	<u>Sequelae of external causes of mortality</u>	<u>26</u>	<u>17</u>	<u>9</u>
Y85	Sequelae of transport accidents	12	8	4

Table 10B - Page 23
 Deaths - Mississippi - 2006

INTERNATIONAL CLASSIFICATION NUMBER*	CAUSE OF DEATH*	TOTAL	WHITE	NON-WHITE
Y86	Sequelae of other accidents	8	5	3
Y87	Sequelae of intentional self harm, assault, and events of undetermined intent	3	1	2
Y88	Sequelae with surgical and medical care as external cause	3	3	0
Y88	Sequelae with surgical and medical care as external cause	3	3	0

* NUMBERS AND CAUSES ARE FROM THE TENTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES AND RELATED HEALTH PROBLEMS.

**TABLE 11
DEATHS FROM MAJOR CAUSE GROUPS AND CERTAIN SELECTED CAUSES, BY RACE, SEX, AND AGE,
ALSO RATES FOR MAJOR CAUSE GROUPS AND CERTAIN SELECTED CAUSES,
MISSISSIPPI RESIDENTS, 2006**

GROUP NUMBER*	CAUSE OF DEATH	TOTAL		RACE	TOTAL BY RACE	SEX	TOTAL BY RACE AND SEX	AGE										65 AND OVER	UNKNOWN
		NO.	RATE#					UNDER 1	1-4	5-9	10-14	15-24	25-34	35-44	45-54	55-64			
001-358	ALL CAUSES	28,343	9.7	W	M	9,470	100	20	13	17	213	255	404	903	1,368	6,172	5		
					F	9,389	68	10	10	5	77	114	247	537	899	7,422	0		
				NW	M	4,896	186	20	7	18	178	219	371	763	923	2,210	1		
					F	4,588	129	23	9	15	72	138	228	454	566	2,954	0		
001-055	INFECTIOUS AND PARASITIC DISEASES	870	29.9	W	M	217	2	2	1	0	0	7	10	36	32	127	0		
					F	233	2	1	1	0	3	4	10	19	16	177	0		
				NW	M	209	3	0	0	0	5	14	43	46	37	61	0		
					F	211	1	3	0	2	4	19	32	19	21	110	0		
009,010	TUBERCULOSIS	4	0.1	W	M	0	0	0	0	0	0	0	0	0	0	0	0		
					F	1	0	0	0	0	0	0	0	0	0	1	0		
				NW	M	1	0	0	0	0	0	0	0	0	1	0	0		
					F	2	0	0	0	0	0	0	0	1	0	1	0		
039-043	HUMAN IMMUNODEFICIENCY VIRUS (HIV) DISEASE	185	6.4	W	M	25	0	0	0	0	4	4	10	5	2	0			
					F	7	0	0	0	0	1	3	2	1	0	0			
				NW	M	99	0	0	0	4	10	38	34	10	3	0			
					F	54	0	0	0	3	16	20	7	4	4	0			
056-108	MALIGNANT NEOPLASMS	6,189	212.6	W	M	2,317	0	1	1	0	5	10	48	205	461	1,586	0		
					F	1,837	0	0	1	1	3	10	46	167	342	1,267	0		
				NW	M	1,134	0	1	2	1	6	7	51	180	280	606	0		
					F	901	0	0	2	1	4	10	39	133	187	525	0		
109-115	IN SITU NEOPLASMS, BENIGN NEOPLASMS, AND NEOPLASMS OF UNDETERMINED NATURE	86	3.0	W	M	34	0	1	0	0	0	1	1	1	10	20	0		
					F	27	0	0	0	0	0	1	0	2	2	22	0		
				NW	M	11	0	0	0	1	0	0	0	0	0	0	10	0	
					F	14	0	0	0	1	0	2	2	1	2	6	0		

TABLE 11 - PAGE 2
DEATHS - MISSISSIPPI - 2006

GROUP NUMBER*	CAUSE OF DEATH	TOTAL		RACE	TOTAL BY RACE	SEX	TOTAL BY RACE AND SEX	AGE										
		NO.	RATE#					UNDER 1	1-4	5-9	10-14	15-24	25-34	35-44	45-54	55-64	65 AND OVER	UNKNOWN
116-122	DISEASES OF BLOOD AND BLOOD-FORMING ORGANS	113	3.9	W	M	34	1	0	0	0	0	0	1	2	2	28	0	
					F	35	0	0	0	0	1	1	0	2	4	27	0	
				NW	M	44	18	0	0	1	0	0	2	3	3	4	5	0
					F	26	26	0	1	0	0	1	3	3	8	1	9	0
116-119	ANEMIAS	51	1.8	W	M	15	0	0	0	0	0	0	0	0	1	14	0	
					F	19	0	0	0	0	0	0	1	3	15	0		
				NW	M	17	8	0	0	1	0	0	1	1	1	2	2	0
					F	9	9	0	0	0	0	1	2	1	3	0	2	0
123-135	ENDOCRINE, NUTRITIONAL AND METABOLIC DISEASES	942	32.4	W	M	263	2	0	0	4	1	4	15	34	45	158	0	
					F	254	0	0	0	0	2	3	7	20	25	197	0	
				NW	M	425	183	1	0	0	1	1	4	17	27	48	84	0
					F	242	242	0	0	0	0	2	8	8	20	42	162	0
124	DIABETES MELLITUS	700	24.0	W	M	204	1	0	0	2	0	1	12	23	35	130	0	
					F	169	0	0	0	0	0	4	13	17	135	0		
				NW	M	327	140	0	0	0	0	0	2	11	22	38	67	0
					F	187	187	0	0	0	0	0	3	6	15	38	125	0
129-131	MALNUTRITION AND OTHER NUTRITIONAL DEFICIENCIES	19	0.6	W	M	11	1	0	0	0	0	0	0	0	0	1	0	
					F	10	0	0	0	0	0	0	1	0	9	0		
				NW	M	8	4	0	0	0	0	0	0	1	0	1	2	0
					F	4	4	0	0	0	0	0	0	0	0	0	4	0
136-144	MENTAL AND BEHAVIORAL DISORDERS	712	24.5	W	M	532	174	0	0	0	1	3	7	12	18	132	1	
					F	358	358	0	0	0	0	0	4	5	3	3	343	0
				NW	M	180	72	0	0	0	0	0	1	8	10	10	43	0
					F	108	108	0	0	0	0	0	2	3	1	6	96	0
138	MENTAL AND BEHAVIORAL DISORDERS DUE TO USE OF ALCOHOL	49	1.7	W	M	29	25	0	0	0	1	0	5	7	9	2	1	
					F	4	4	0	0	0	0	1	0	2	0	1	0	
				NW	M	20	15	0	0	0	0	0	0	4	4	5	2	0
					F	5	5	0	0	0	0	0	1	1	1	2	0	0

TABLE 11 - PAGE 3
DEATHS - MISSISSIPPI - 2006

GROUP NUMBER*	CAUSE OF DEATH	TOTAL		RACE	TOTAL BY RACE	SEX	TOTAL BY RACE AND SEX	AGE											
								NO.	RATE#	UNDER 1	1-4	5-9	10-14	15-24	25-34	35-44	45-54	55-64	65 AND OVER
<u>145-153</u>	<u>DISEASES OF THE NERVOUS SYSTEM</u>	<u>1,215</u>	<u>41.7</u>	W	938	M	368	<u>2</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>2</u>	<u>6</u>	<u>5</u>	<u>23</u>	<u>22</u>	<u>308</u>	<u>0</u>	
						F	570	<u>1</u>	<u>1</u>	<u>0</u>	<u>0</u>	<u>4</u>	<u>4</u>	<u>8</u>	<u>15</u>	<u>24</u>	<u>513</u>	<u>0</u>	
				NW	277	M	117	<u>3</u>	<u>2</u>	<u>0</u>	<u>3</u>	<u>3</u>	<u>4</u>	<u>7</u>	<u>16</u>	<u>13</u>	<u>66</u>	<u>0</u>	
						F	160	<u>2</u>	<u>1</u>	<u>0</u>	<u>2</u>	<u>2</u>	<u>3</u>	<u>6</u>	<u>10</u>	<u>3</u>	<u>131</u>	<u>0</u>	
145	MENINGITIS	11	0.4	W	7	M	4	1	0	0	0	0	1	0	0	0	2	0	
						F	3	0	0	0	0	0	1	0	0	1	1	0	
				NW	4	M	1	1	0	0	0	0	0	0	0	0	0	0	0
						F	3	0	0	0	0	0	0	0	1	0	0	2	0
147	PARKINSONS DISEASE	137	4.7	W	124	M	72	0	0	0	0	0	0	0	0	1	71	0	
						F	52	0	0	0	0	0	0	0	0	1	51	0	
				NW	13	M	7	0	0	0	0	0	0	0	0	0	0	7	0
						F	6	0	0	0	0	0	0	0	0	0	0	6	0
148	ALZHEIMERS DISEASE	735	25.2	W	587	M	175	0	0	0	0	0	0	0	1	0	174	0	
						F	412	0	0	0	0	0	0	0	0	4	408	0	
				NW	148	M	45	0	0	0	0	0	0	0	0	1	44	0	
						F	103	0	0	0	0	0	0	0	0	0	103	0	
150	EPILEPSY	20	0.7	W	8	M	3	0	0	0	0	0	1	1	1	0	0	0	
						F	5	0	0	0	0	1	2	1	0	0	1	0	
				NW	12	M	9	0	0	0	0	0	1	0	4	4	0	0	0
						F	3	0	0	0	0	0	0	0	1	0	0	2	0
<u>154</u>	<u>DISEASES OF THE EYE AND ADNEXA</u>	<u>0</u>	<u>:</u>	W	0	M	0	0	0	0	0	0	0	0	0	0	0	0	
						F	0	0	0	0	0	0	0	0	0	0	0	0	0
				NW	0	M	0	0	0	0	0	0	0	0	0	0	0	0	0
						F	0	0	0	0	0	0	0	0	0	0	0	0	0
<u>155</u>	<u>DISEASES OF THE EAR AND MASTOID PROCESS</u>	<u>0</u>	<u>:</u>	W	0	M	0	0	0	0	0	0	0	0	0	0	0	0	
						F	0	0	0	0	0	0	0	0	0	0	0	0	
				NW	0	M	0	0	0	0	0	0	0	0	0	0	0	0	
						F	0	0	0	0	0	0	0	0	0	0	0	0	

TABLE 11 - PAGE 4
DEATHS - MISSISSIPPI - 2006

GROUP NUMBER*	CAUSE OF DEATH	TOTAL		RACE	TOTAL BY RACE	SEX	TOTAL BY RACE AND SEX	AGE													
								NO.	RATE#	UNDER 1	1-4	5-9	10-14	15-24	25-34	35-44	45-54	55-64	65 AND OVER	UNKNOWN	
156-191	DISEASES OF THE CIRCULATORY SYSTEM	10,272	352.9	W	6,847	M	3,165	3	0	1	1	7	28	85	269	446	2,324	1			
							F	3,682	2	0	0	0	2	11	44	131	255	3,237	0		
							NW	M	1,634	1	0	0	3	10	26	90	283	352	869	0	
								F	1,791	0	0	3	0	9	25	56	165	201	1,332	0	
156-189	MAJOR CARDIO-VASCULAR DISEASES	10,223	351.2	W	6,820	M	3,157	3	0	0	1	7	28	83	268	446	2,320	1			
							F	3,663	2	0	0	0	2	11	44	130	253	3,221	0		
							NW	M	1,625	1	0	0	3	9	26	90	280	349	867	0	
								F	1,778	0	0	3	0	9	25	53	163	200	1,325	0	
156-160, 162, 164-181	HEART DISEASES	8,043	276.3	W	5,479	M	2,597	2	0	0	1	4	24	75	230	384	1,876	1			
							F	2,882	2	0	0	0	2	8	39	99	202	2,530	0		
							NW	M	1,274	0	0	0	3	8	22	69	221	253	698	0	
								F	1,290	0	0	2	0	8	21	37	115	148	959	0	
161,163	HYPERTENSION	383	13.2	W	168	M	64	0	0	0	0	0	0	1	8	8	47	0			
							F	104	0	0	0	0	0	1	1	5	7	90	0		
							NW	M	82	0	0	0	0	0	3	4	16	20	39	0	
								F	133	0	0	0	0	0	2	1	12	15	103	0	
182-186	CEREBROVASCULAR DISEASES	1,570	53.9	W	1,010	M	406	1	0	0	0	2	4	6	23	40	330	0			
							F	604	0	0	0	0	0	1	3	24	37	539	0		
							NW	M	236	1	0	0	0	1	1	13	37	66	117	0	
								F	324	0	0	1	0	1	2	15	32	33	240	0	
187	ATHEROSCLEROSIS	20	0.7	W	16	M	7	0	0	0	0	0	0	0	0	0	7	0			
							F	9	0	0	0	0	0	0	0	0	1	8	0		
							NW	M	4	1	0	0	0	0	0	0	0	0	0	1	0
								F	3	0	0	0	0	0	0	0	0	0	0	3	0
192-214	DISEASES OF THE RESPIRATORY SYSTEM	2,571	88.3	W	1,958	M	972	2	2	1	0	0	6	6	25	109	819	2			
							F	986	0	0	0	0	2	4	11	37	94	838	0		
							NW	M	326	12	1	1	2	3	6	10	28	52	211	0	
								F	287	4	0	0	1	2	7	13	24	27	209	0	

TABLE 11 - PAGE 5
DEATHS - MISSISSIPPI - 2006

GROUP NUMBER*	CAUSE OF DEATH	TOTAL		RACE	TOTAL BY RACE	SEX	TOTAL BY RACE AND SEX	AGE											65 AND OVER	UNKNOWN
								NO.	RATE#	UNDER 1	1-4	5-9	10-14	15-24	25-34	35-44	45-54	55-64		
195	INFLUENZA	6	0.2	W	6	M	4	0	0	0	0	0	0	0	0	1	0	3	0	
						F	2	0	0	0	0	0	0	0	0	0	0	2	0	
				NW	0	M	0	0	0	0	0	0	0	0	0	0	0	0	0	
						F	0	0	0	0	0	0	0	0	0	0	0	0	0	
196-198	PNEUMONIA	611	21.0	W	410	M	168	2	1	1	0	0	2	1	6	11	143	1		
						F	242	0	0	0	0	2	1	3	10	11	215	0		
				NW	201	M	92	2	0	0	0	0	2	1	12	13	62	0		
						F	109	0	0	0	0	1	2	3	5	4	94	0		
204	EMPHYSEMA	86	3.0	W	78	M	45	0	0	0	0	0	1	1	1	5	36	1		
						F	33	0	0	0	0	0	0	2	2	5	24	0		
				NW	8	M	3	0	0	0	0	0	0	0	0	2	1	0		
						F	5	0	0	0	0	0	0	0	0	1	4	0		
<u>215-237</u>	<u>DISEASES OF THE DIGESTIVE SYSTEM</u>	<u>928</u>	<u>31.9</u>	<u>W</u>	<u>638</u>	<u>M</u>	<u>334</u>	<u>2</u>	<u>1</u>	<u>0</u>	<u>0</u>	<u>2</u>	<u>4</u>	<u>24</u>	<u>67</u>	<u>71</u>	<u>163</u>	<u>0</u>		
						F	<u>304</u>	<u>1</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>1</u>	<u>4</u>	<u>10</u>	<u>42</u>	<u>34</u>	<u>212</u>	<u>0</u>		
				NW	<u>290</u>	M	<u>146</u>	<u>6</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>8</u>	<u>15</u>	<u>28</u>	<u>28</u>	<u>61</u>	<u>0</u>		
						F	<u>144</u>	<u>3</u>	<u>1</u>	<u>0</u>	<u>1</u>	<u>2</u>	<u>5</u>	<u>10</u>	<u>13</u>	<u>22</u>	<u>87</u>	<u>0</u>		
217-220	PEPTIC ULCER	29	1.0	W	17	M	7	0	0	0	0	0	0	0	1	2	4	0		
						F	10	0	0	0	0	0	0	0	1	2	7	0		
				NW	12	M	7	0	0	0	0	0	1	0	1	0	5	0		
						F	5	0	0	0	0	0	0	0	0	1	4	0		
230-232	CHRONIC LIVER DISEASE AND CIRRHOSIS	266	9.1	W	204	M	121	0	0	0	0	0	3	9	40	34	35	0		
						F	83	0	0	0	0	0	2	8	24	10	39	0		
				NW	62	M	42	0	0	0	0	0	0	10	16	9	7	0		
						F	20	0	0	0	0	0	0	4	1	5	10	0		
<u>238-239</u>	<u>DISEASES OF THE SKIN AND SUBCUTANEOUS TISSUE</u>	<u>48</u>	<u>1.6</u>	<u>W</u>	<u>23</u>	<u>M</u>	<u>10</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>2</u>	<u>0</u>	<u>8</u>	<u>0</u>		
						F	<u>13</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>2</u>	<u>11</u>	<u>0</u>		
				NW	<u>25</u>	M	<u>11</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>1</u>	<u>4</u>	<u>2</u>	<u>4</u>	<u>0</u>		
						F	<u>14</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>2</u>	<u>1</u>	<u>0</u>	<u>11</u>	<u>0</u>		

TABLE 11 - PAGE 6
DEATHS - MISSISSIPPI - 2006

GROUP NUMBER*	CAUSE OF DEATH	TOTAL		RACE	TOTAL BY RACE	SEX	TOTAL BY RACE AND SEX	AGE										65 AND OVER	UNKNOWN		
								NO.	RATE#	UNDER 1	1-4	5-9	10-14	15-24	25-34	35-44	45-54			55-64	
<u>240-246</u>	<u>DISEASES OF THE MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE</u>	<u>114</u>	<u>3.9</u>	W	<u>67</u>	M	<u>20</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>1</u>	<u>4</u>	<u>2</u>	<u>13</u>	<u>0</u>			
							F	<u>47</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>1</u>	<u>1</u>	<u>2</u>	<u>7</u>	<u>6</u>	<u>30</u>	<u>0</u>		
							NW	M	<u>47</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>1</u>	<u>1</u>	<u>4</u>	<u>1</u>	<u>3</u>	<u>4</u>	<u>4</u>	<u>0</u>	
								F	<u>29</u>	<u>0</u>	<u>0</u>	<u>1</u>	<u>0</u>	<u>2</u>	<u>1</u>	<u>4</u>	<u>7</u>	<u>2</u>	<u>12</u>	<u>0</u>	
<u>247-260</u>	<u>DISEASES OF THE GENITOURINARY SYSTEM</u>	<u>880</u>	<u>30.2</u>	W	<u>490</u>	M	<u>214</u>	<u>3</u>	<u>0</u>	<u>1</u>	<u>1</u>	<u>0</u>	<u>0</u>	<u>6</u>	<u>16</u>	<u>23</u>	<u>164</u>	<u>0</u>			
							F	<u>276</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>1</u>	<u>2</u>	<u>7</u>	<u>21</u>	<u>245</u>	<u>0</u>			
							NW	M	<u>390</u>	<u>1</u>	<u>0</u>	<u>0</u>	<u>1</u>	<u>0</u>	<u>4</u>	<u>9</u>	<u>20</u>	<u>31</u>	<u>104</u>	<u>0</u>	
								F	<u>220</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>1</u>	<u>3</u>	<u>8</u>	<u>14</u>	<u>24</u>	<u>170</u>	<u>0</u>	
<u>247-249</u>	<u>NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS</u>	<u>662</u>	<u>22.7</u>	W	<u>342</u>	M	<u>167</u>	<u>3</u>	<u>0</u>	<u>1</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>1</u>	<u>14</u>	<u>21</u>	<u>127</u>	<u>0</u>			
							F	<u>175</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>1</u>	<u>1</u>	<u>4</u>	<u>14</u>	<u>155</u>	<u>0</u>			
							NW	M	<u>320</u>	<u>1</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>3</u>	<u>7</u>	<u>19</u>	<u>26</u>	<u>76</u>	<u>0</u>	
								F	<u>188</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>1</u>	<u>3</u>	<u>7</u>	<u>10</u>	<u>21</u>	<u>146</u>	<u>0</u>	
<u>261-273</u>	<u>PREGNANCY, CHILDBIRTH AND THE PUERPERIUM</u>	<u>14</u>	<u>30.4</u>	W	<u>3</u>	M	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>			
							F	<u>3</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>2</u>	<u>1</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>		
							NW	M	<u>11</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>
								F	<u>11</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>6</u>	<u>4</u>	<u>1</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	
<u>274-281</u>	<u>CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD</u>	<u>215</u>	<u>4.7</u>	W	<u>67</u>	M	<u>43</u>	<u>43</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>			
							F	<u>24</u>	<u>24</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>		
							NW	M	<u>148</u>	<u>88</u>	<u>88</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	
								F	<u>60</u>	<u>60</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	
<u>282-290</u>	<u>CONGENITAL MALFORMATIONS, DEFORMATIONS, AND CHROMOSOMAL ABNORMALITIES</u>	<u>133</u>	<u>4.6</u>	W	<u>63</u>	M	<u>35</u>	<u>19</u>	<u>2</u>	<u>2</u>	<u>0</u>	<u>2</u>	<u>1</u>	<u>1</u>	<u>3</u>	<u>3</u>	<u>2</u>	<u>0</u>			
							F	<u>28</u>	<u>18</u>	<u>2</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>1</u>	<u>2</u>	<u>1</u>	<u>4</u>	<u>0</u>		
							NW	M	<u>70</u>	<u>35</u>	<u>30</u>	<u>2</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>2</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>1</u>	<u>0</u>
								F	<u>35</u>	<u>25</u>	<u>1</u>	<u>0</u>	<u>3</u>	<u>1</u>	<u>0</u>	<u>2</u>	<u>0</u>	<u>3</u>	<u>0</u>	<u>0</u>	
<u>291-294</u>	<u>SYMPTOMS, SIGNS AND ABNORMAL CLINICAL AND LABORATORY FINDINGS, NEC</u>	<u>445</u>	<u>15.3</u>	W	<u>275</u>	M	<u>112</u>	<u>15</u>	<u>1</u>	<u>0</u>	<u>0</u>	<u>6</u>	<u>5</u>	<u>8</u>	<u>15</u>	<u>4</u>	<u>58</u>	<u>0</u>			
							F	<u>163</u>	<u>16</u>	<u>1</u>	<u>1</u>	<u>0</u>	<u>2</u>	<u>7</u>	<u>8</u>	<u>5</u>	<u>11</u>	<u>112</u>	<u>0</u>		
							NW	M	<u>170</u>	<u>87</u>	<u>27</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>6</u>	<u>4</u>	<u>5</u>	<u>12</u>	<u>6</u>	<u>27</u>	<u>0</u>
								F	<u>83</u>	<u>26</u>	<u>1</u>	<u>0</u>	<u>0</u>	<u>2</u>	<u>1</u>	<u>6</u>	<u>8</u>	<u>3</u>	<u>36</u>	<u>0</u>	

TABLE 11 - PAGE 7
DEATHS - MISSISSIPPI - 2006

GROUP NUMBER*	CAUSE OF DEATH	TOTAL		RACE	TOTAL BY RACE	SEX	TOTAL BY RACE AND SEX	AGE										UNKNOWN
		NO.	RATE#					UNDER 1	1-4	5-9	10-14	15-24	25-34	35-44	45-54	55-64	65 AND OVER	
295-358	ALL EXTERNAL CAUSES	2.596	89.2	W	1,707	M	1,158	6	10	6	11	187	180	186	189	120	262	1
					F	549	4	5	7	4	56	57	92	78	59	187	0	
				NW	889	M	637	14	14	3	5	143	133	111	103	56	54	1
					F	252	8	15	3	4	34	45	33	30	22	58	0	
296-306	MOTOR VEHICLE ACCIDENTS	960	33.0	W	611	M	432	1	3	3	10	113	80	53	64	36	69	0
					F	179	1	2	4	3	39	28	33	23	21	25	0	
				NW	349	M	244	0	5	2	3	54	50	44	42	28	15	1
					F	105	1	6	2	4	18	25	19	13	8	9	0	
295, 307-330	ALL OTHER ACCIDENTS	871	29.9	W	666	M	414	5	7	3	0	36	59	68	70	45	120	1
					F	252	2	3	3	1	11	14	28	31	22	137	0	
				NW	205	M	138	13	7	1	1	16	14	23	28	13	22	0
					F	67	3	9	0	0	3	1	5	6	5	35	0	
331-337	SUICIDE	322	11.1	W	267	M	204	0	0	0	0	21	28	43	35	27	50	0
					F	63	0	0	0	0	5	6	21	14	9	8	0	
				NW	55	M	47	0	0	0	1	9	12	10	9	2	4	0
					F	8	0	0	0	0	2	1	2	2	0	1	0	
338-346	HOMICIDE	310	10.6	W	85	M	61	0	0	0	1	10	8	12	13	7	10	0
					F	24	0	0	0	0	0	4	7	2	2	9	0	
				NW	225	M	181	1	2	0	0	59	54	29	21	9	6	0
					F	44	3	0	1	0	10	17	6	4	2	1	0	
353,354	LEGAL INTERVENTION	8	0.3	W	2	M	2	0	0	0	0	0	0	2	0	0	0	0
					F	0	0	0	0	0	0	0	0	0	0	0	0	
				NW	6	M	6	0	0	0	0	1	2	1	1	1	0	
					F	0	0	0	0	0	0	0	0	0	0	0	0	

* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

** LESS THAN 0.06.

TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES PER 100,000 POPULATION, EXCEPT DEATHS FROM PREGNANCY, CHILDBIRTH AND THE PUERPERIUM (GROUP NUMBERS 261-273) ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (GROUP NUMBERS 274-281) ARE PER 1,000 LIVE BIRTHS.

TABLE 12A
INFANT, NEONATAL, AND POSTNEONATAL DEATHS*,
BY COUNTY OF RESIDENCE AND RACE,
MISSISSIPPI, 2006

COUNTY	INFANT DEATHS			NEONATAL DEATHS			POSTNEONATAL DEATHS		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>STATE</u>	<u>483</u>	<u>168</u>	<u>315</u>	<u>300</u>	<u>102</u>	<u>198</u>	<u>183</u>	<u>66</u>	<u>117</u>
ADAMS	6	2	4	2	0	2	4	2	2
ALCORN	3	1	2	1	0	1	2	1	1
AMITE	0	0	0	0	0	0	0	0	0
ATTALA	3	1	2	0	0	0	3	1	2
BENTON	1	0	1	0	0	0	1	0	1
BOLIVAR	9	1	8	5	0	5	4	1	3
CALHOUN	2	1	1	1	0	1	1	1	0
CARROLL	0	0	0	0	0	0	0	0	0
CHICKASAW	10	3	7	9	3	6	1	0	1
CHOCTAW	1	1	0	1	1	0	0	0	0
CLAIBORNE	2	0	2	2	0	2	0	0	0
CLARKE	2	1	1	0	0	0	2	1	1
CLAY	4	1	3	3	0	3	1	1	0
COAHOMA	5	2	3	4	2	2	1	0	1
COPIAH	5	2	3	2	0	2	3	2	1
COVINGTON	7	4	3	5	2	3	2	2	0
DESOTO	24	12	12	15	7	8	9	5	4
FORREST	10	5	5	7	3	4	3	2	1
FRANKLIN	1	0	1	1	0	1	0	0	0
GEORGE	3	3	0	0	0	0	3	3	0
GREENE	1	1	0	1	1	0	0	0	0
GRENADA	6	1	5	6	1	5	0	0	0
HANCOCK	4	4	0	2	2	0	2	2	0
HARRISON	30	16	14	17	10	7	13	6	7
HINDS	53	7	46	36	5	31	17	2	15
HOLMES	8	0	8	7	0	7	1	0	1
HUMPHREYS	4	0	4	2	0	2	2	0	2
ISSAQUENA	0	0	0	0	0	0	0	0	0
ITAWAMBA	3	3	0	1	1	0	2	2	0
JACKSON	14	8	6	9	4	5	5	4	1
JASPER	6	1	5	2	1	1	4	0	4
JEFFERSON	1	0	1	1	0	1	0	0	0
JEFF DAVIS	5	3	2	3	2	1	2	1	1
JONES	7	4	3	5	3	2	2	1	1
KEMPER	2	1	1	1	0	1	1	1	0
LAFAYETTE	5	2	3	2	2	0	3	0	3
LAMAR	3	2	1	1	1	0	2	1	1
LAUDERDALE	15	6	9	11	5	6	4	1	3
LAWRENCE	4	2	2	3	1	2	1	1	0
LEAKE	5	0	5	0	0	0	5	0	5
LEE	17	7	10	15	5	10	2	2	0
LEFLORE	6	1	5	4	1	3	2	0	2

INFANT, NEONATAL, AND POSTNEONATAL DEATHS - MISSISSIPPI - 2006

COUNTY	INFANT DEATHS			NEONATAL DEATHS			POSTNEONATAL DEATHS		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
LINCOLN	6	4	2	3	3	0	3	1	2
LOWNDES	7	2	5	4	1	3	3	1	2
MADISON	19	4	15	12	3	9	7	1	6
MARION	5	2	3	4	1	3	1	1	0
MARSHALL	4	1	3	2	0	2	2	1	1
MONROE	6	4	2	3	2	1	3	2	1
MONTGOMERY	0	0	0	0	0	0	0	0	0
NESHOBA	6	3	3	5	3	2	1	0	1
NEWTON	3	0	3	3	0	3	0	0	0
NOXUBEE	4	0	4	3	0	3	1	0	1
OKTIBBEHA	6	1	5	3	1	2	3	0	3
PANOLA	8	0	8	5	0	5	3	0	3
PEARL RIVER	5	2	3	4	2	2	1	0	1
PERRY	1	0	1	1	0	1	0	0	0
PIKE	3	0	3	1	0	1	2	0	2
PONTOTOC	4	4	0	3	3	0	1	1	0
PRENTISS	2	0	2	1	0	1	1	0	1
QUITMAN	0	0	0	0	0	0	0	0	0
RANKIN	13	10	3	8	5	3	5	5	0
SCOTT	7	0	7	5	0	5	2	0	2
SHARKEY	1	0	1	0	0	0	1	0	1
SIMPSON	3	3	0	1	1	0	2	2	0
SMITH	2	1	1	1	1	0	1	0	1
STONE	2	0	2	1	0	1	1	0	1
SUNFLOWER	4	1	3	3	1	2	1	0	1
TALLAHATCHIE	6	1	5	6	1	5	0	0	0
TATE	4	2	2	2	1	1	2	1	1
TIPPAH	4	3	1	2	2	0	2	1	1
TISHOMINGO	0	0	0	0	0	0	0	0	0
TUNICA	4	0	4	2	0	2	2	0	2
UNION	4	3	1	2	2	0	2	1	1
WALTHALL	2	1	1	0	0	0	2	1	1
WARREN	7	3	4	2	2	0	5	1	4
WASHINGTON	15	4	11	8	4	4	7	0	7
WAYNE	7	0	7	5	0	5	2	0	2
WEBSTER	1	0	1	1	0	1	0	0	0
WILKINSON	1	0	1	0	0	0	1	0	1
WINSTON	4	0	4	3	0	3	1	0	1
YALOBUSHA	2	0	2	2	0	2	0	0	0
YAZOO	4	0	4	2	0	2	2	0	2

* INFANT DEATHS ARE THOSE OF CHILDREN UNDER ONE YEAR OF AGE; NEONATAL DEATHS ARE THOSE OF INFANTS UNDER 28 DAYS OF AGE; POSTNEONATAL DEATHS ARE THOSE OF INFANTS AGES 28 DAYS TO ONE YEAR.

**TABLE 12B
 INFANT, NEONATAL, AND POSTNEONATAL MORTALITY RATES*,
 BY COUNTY OF RESIDENCE AND RACE,
 MISSISSIPPI, 2002-2006 (5-YEAR AVERAGE)**

COUNTY	INFANT **			NEONATAL**			POSTNEONATAL**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>STATE</u>	<u>10.5</u>	<u>6.7</u>	<u>15.1</u>	<u>6.4</u>	<u>3.7</u>	<u>9.5</u>	<u>4.2</u>	<u>3.0</u>	<u>5.6</u>
ADAMS	11.0	6.6	13.3	6.0	1.3	8.4	5.0	5.3	4.9
ALCORN	8.1	6.0	20.4	4.7	3.5	11.7	3.4	2.5	8.7
AMITE	7.5	2.7	11.8	6.2	2.7	9.4	1.2	-	2.4
ATTALA	12.0	1.4	21.9	5.6	-	10.9	6.3	1.4	10.9
BENTON	15.4	14.4	16.8	6.8	5.8	8.4	8.6	8.7	8.4
BOLIVAR	13.0	3.8	16.2	6.5	1.3	8.3	6.5	2.5	7.9
CALHOUN	12.0	9.3	17.1	8.0	4.6	14.3	4.0	4.6	2.8
CARROLL	9.2	12.2	4.7	3.7	6.1	-	5.6	6.1	4.7
CHICKASAW	13.0	11.2	14.8	9.6	7.0	12.1	3.4	4.2	2.7
CHOCTAW	9.5	6.2	14.6	7.6	6.2	9.8	1.9	-	4.9
CLAIBORNE	16.9	-	18.2	11.7	-	12.6	5.2	-	5.6
CLARKE	6.9	6.3	7.5	4.3	3.2	5.6	2.6	3.2	1.9
CLAY	15.1	3.7	21.3	9.8	-	15.2	5.2	3.7	6.1
COAHOMA	21.2	12.8	22.8	15.3	10.2	16.3	5.9	2.6	6.5
COPIAH	11.4	5.6	15.0	7.4	3.4	10.0	3.9	2.2	5.0
COVINGTON	14.0	12.3	15.9	6.6	2.4	11.6	7.3	9.8	4.3
DESOTO	7.2	5.0	16.8	4.9	3.1	12.5	2.3	1.9	4.3
FORREST	12.0	8.4	16.4	6.7	3.9	10.2	5.3	4.5	6.3
FRANKLIN	7.5	3.5	12.0	3.8	-	8.0	3.8	3.5	4.0
GEORGE	7.5	7.0	11.8	2.9	1.9	11.8	4.6	5.1	-
GREENE	5.3	5.1	6.4	2.7	3.4	-	2.7	1.7	6.4
GRENADA	16.2	7.7	24.9	12.3	3.8	21.0	3.9	3.8	3.9
HANCOCK	8.3	7.8	13.3	3.9	3.5	8.8	4.3	4.3	4.4
HARRISON	9.4	7.6	13.4	4.9	4.2	6.6	4.5	3.4	6.8
HINDS	13.1	5.4	15.6	8.4	3.5	10.0	4.7	1.8	5.6
HOLMES	11.4	-	12.8	6.2	-	7.0	5.2	-	5.8
HUMPHREYS	18.6	6.8	20.6	12.8	-	14.9	5.9	6.8	5.7
ISSAQUENA	10.8	37.0	-	10.8	37.0	-	-	-	-
ITAWAMBA	12.1	10.2	31.0	7.1	5.5	23.2	5.0	4.7	7.8
JACKSON	8.0	7.1	10.3	4.5	3.7	6.5	3.5	3.4	3.8
JASPER	13.8	8.1	17.7	9.0	4.0	12.2	4.9	4.0	5.4
JEFFERSON	9.2	-	9.8	6.1	-	6.5	3.0	-	3.2
JEFF DAVIS	10.6	15.0	8.6	7.0	11.2	5.1	3.5	3.7	3.4
JONES	8.6	5.4	14.6	4.8	3.0	8.1	3.8	2.4	6.5
KEMPER	13.7	16.3	12.7	10.7	10.9	10.6	3.0	5.4	2.1
LAFAYETTE	10.9	6.5	18.2	8.1	5.2	12.8	2.8	1.3	5.3
LAMAR	7.8	7.2	10.3	4.9	4.7	5.9	2.9	2.5	4.4
LAUDERDALE	11.9	8.1	15.6	8.1	6.4	9.8	3.7	1.7	5.8
LAWRENCE	12.5	7.4	20.5	9.1	5.6	14.6	3.4	1.8	5.8
LEAKE	12.0	12.2	11.9	4.2	4.0	4.3	7.8	8.1	7.6
LEE	11.9	8.8	18.3	6.8	3.2	14.3	5.1	5.6	4.1
LEFLORE	14.9	4.8	17.6	10.1	4.8	11.6	4.7	-	6.0

TABLE 12B - PAGE 2

INFANT, NEONATAL, AND POSTNEONATAL MORTALITY RATES - MISSISSIPPI - 2002-2006 AVERAGE

COUNTY	INFANT **			NEONATAL**			POSTNEONATAL**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
LINCOLN	9.8	7.2	14.7	5.5	3.9	8.6	4.2	3.3	6.1
LOWNDES	9.9	5.9	13.7	7.0	4.6	9.3	2.9	1.4	4.4
MADISON	10.9	4.7	18.1	6.8	3.0	11.3	4.1	1.8	6.8
MARION	9.5	8.1	11.8	5.5	4.1	7.8	4.0	4.1	3.9
MARSHALL	8.8	6.6	10.9	4.8	3.3	6.2	4.0	3.3	4.7
MONROE	8.6	7.5	10.3	5.4	3.8	8.2	3.1	3.8	2.0
MONTGOMERY	4.8	5.9	4.0	2.4	3.0	2.0	2.4	3.0	2.0
NESHOPA	10.1	4.0	15.8	8.2	4.0	12.1	1.9	-	3.8
NEWTON	9.8	5.3	15.2	5.2	2.1	8.9	4.6	3.2	6.3
NOXUBEE	19.3	4.6	23.4	13.2	-	16.9	6.1	4.6	6.5
OKTIBBEHA	8.8	3.7	13.2	6.6	2.2	10.5	2.1	1.5	2.6
PANOLA	8.6	-	14.4	5.7	-	9.6	2.9	-	4.8
PEARL RIVER	7.2	5.1	18.6	4.0	3.0	9.3	3.2	2.0	9.3
PERRY	3.5	1.5	9.8	1.2	-	4.9	2.3	1.5	4.9
PIKE	5.2	3.9	6.0	2.1	0.8	3.0	3.0	3.1	3.0
PONTOTOC	5.7	5.5	6.8	3.8	4.4	-	1.9	1.1	6.8
PRENTISS	11.3	9.7	19.3	4.4	3.0	11.6	6.9	6.7	7.7
QUITMAN	10.1	-	12.3	4.3	-	5.3	5.8	-	7.0
RANKIN	8.2	6.9	13.3	4.7	3.8	8.5	3.4	3.1	4.8
SCOTT	13.5	6.2	24.2	8.2	2.8	16.1	5.3	3.4	8.1
SHARKEY	6.0	-	7.6	2.0	-	2.5	4.0	-	5.0
SIMPSON	12.3	9.3	16.4	6.9	2.5	12.8	5.4	6.8	3.5
SMITH	13.3	11.1	18.0	8.6	8.4	9.0	4.8	2.8	9.0
STONE	13.2	6.6	34.5	8.1	2.6	25.9	5.1	4.0	8.6
SUNFLOWER	16.5	11.9	17.5	11.6	9.5	12.0	5.0	2.4	5.5
TALLAHATCHIE	15.1	4.0	18.8	13.1	4.0	16.2	2.0	-	2.7
TATE	9.6	8.2	11.8	6.1	4.9	7.9	3.5	3.3	4.0
TIPPAH	10.4	11.3	6.3	6.1	6.8	3.2	4.3	4.5	3.2
TISHOMINGO	6.1	6.2	-	5.2	5.3	-	0.9	0.9	-
TUNICA	15.0	11.6	15.6	9.4	11.6	8.9	5.6	-	6.7
UNION	8.6	6.3	20.8	3.7	3.2	6.9	4.8	3.2	13.9
WALTHALL	9.8	5.8	13.3	4.5	3.9	5.0	5.4	1.9	8.3
WARREN	7.3	3.7	10.0	3.9	2.5	5.0	3.4	1.2	5.0
WASHINGTON	13.0	8.1	14.5	5.8	8.1	5.1	7.2	-	9.4
WAYNE	10.4	3.8	17.0	5.2	1.3	9.1	5.2	2.6	7.8
WEBSTER	7.2	4.3	13.4	7.2	4.3	13.4	-	-	-
WILKINSON	5.7	-	7.0	2.8	-	3.5	2.8	-	3.5
WINSTON	11.9	5.6	16.1	8.2	3.8	11.1	3.7	1.9	4.9
YALOBUSHA	8.9	5.4	13.0	6.9	1.8	13.0	2.0	3.6	-
YAZOO	11.4	4.6	14.4	5.0	3.1	5.9	6.4	1.5	8.5

* DEATHS PER 1,000 LIVE BIRTHS.

** INFANT - AGE LESS THAN ONE YEAR; NEONATAL - AGE LESS THAN 28 DAYS; POSTNEONATAL - AGE 28 DAYS TO ONE YEAR.

TABLE 13
INFANT DEATHS* FROM SELECTED CAUSES, BY RACE AND AGE,
ALSO MORTALITY RATES FOR SELECTED CAUSES,
MISSISSIPPI RESIDENTS, 2006

CAUSE OF DEATH AND GROUP NUMBER**	TOTAL		RACE	TOTAL BY RACE	UNDER 28 DAYS OF AGE						28 DAYS AND OVER
	NUMBER	RATE#			TOT- AL	< 1 DAY	1- 6	7- 13	14- 20	21- 27	
<u>ALL CAUSES</u>	<u>483</u>	<u>10.5</u>	W	<u>168</u>	<u>102</u>	<u>56</u>	<u>23</u>	<u>14</u>	<u>5</u>	<u>4</u>	<u>66</u>
			NW	<u>315</u>	<u>198</u>	<u>112</u>	<u>34</u>	<u>16</u>	<u>17</u>	<u>19</u>	<u>117</u>
SEPTICEMIA (008)	5	0.1	W	3	0	0	0	0	0	0	3
			NW	2	0	0	0	0	0	0	2
DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS AND CERTAIN DISORDERS INVOLVING THE IMMUNE MECHANISM (025-027)	1	##	W	1	0	0	0	0	0	0	1
			NW	0	0	0	0	0	0	0	0
VOLUME DEPLETION, DISORDERS OF FLUID, ELECTROLYTE AND ACID-BASE BALANCE (031)	1	##	W	0	0	0	0	0	0	0	0
			NW	1	1	0	1	0	0	0	0
MENINGITIS (033)	2	##	W	1	1	0	0	1	0	0	0
			NW	1	0	0	0	0	0	0	1
ANOXIC BRAIN DAMAGE, NOT ELSEWHERE CLASSIFIED (036)	1	##	W	1	0	0	0	0	0	0	1
			NW	0	0	0	0	0	0	0	0
DISEASES OF THE CIRCULATORY SYSTEM (039-044)	6	0.1	W	5	3	1	2	0	0	0	2
			NW	1	0	0	0	0	0	0	1
INFLUENZA AND PNEUMONIA (046,047)	4	0.1	W	2	0	0	0	0	0	0	2
			NW	2	0	0	0	0	0	0	2
PNEUMONITIS DUE TO SOLIDS AND LIQUIDS (051)	2	##	W	0	0	0	0	0	0	0	0
			NW	2	0	0	0	0	0	0	2
GASTRITIS, DUODENITIS, AND NONINFECTIVE ENTERITIS AND COLITIS (053)	8	0.2	W	2	0	0	0	0	0	0	2
			NW	6	0	0	0	0	0	0	6
HERNIA OF ABDOMINAL CAVITY AND INTESTINAL OBSTRUCTION WITHOUT HERNIA (054)	3	0.1	W	1	1	0	1	0	0	0	0
			NW	2	0	0	0	0	0	0	2
RENAL FAILURE AND OTHER DISORDERS OF KIDNEY (056)	4	0.1	W	3	2	0	2	0	0	0	1
			NW	1	0	0	0	0	0	0	1
NEWBORN AFFECTED BY OTHER MATERNAL CONDITIONS WHICH MAY BE UNRELATED TO PRESENT PREGNANCY (059)	1	##	W	1	1	0	1	0	0	0	0
			NW	0	0	0	0	0	0	0	0

TABLE 13 - PAGE 2
 INFANT DEATHS - MISSISSIPPI - 2006

CAUSE OF DEATH AND GROUP NUMBER**	TOTAL		RACE	TOTAL BY RACE	UNDER 28 DAYS OF AGE					28 DAYS AND OVER	
	NUMBER	RATE#			TOT-AL	< 1 DAY	1-6	7-13	14-20		21-27
NEWBORN AFFECTED BY MATERNAL COMPLICATIONS OF PREGNANCY (060-063)	12	0.3	W	4	4	4	0	0	0	0	0
			NW	8	8	8	0	0	0	0	0
NEWBORN AFFECTED BY COMPLICATIONS OF PLACENTA, CORD AND MEMBRANES (064-067)	11	0.2	W	2	2	2	0	0	0	0	0
			NW	9	9	9	0	0	0	0	0
SLOW FETAL GROWTH AND FETAL MALNUTRITION (070)	1	##	W	1	1	0	0	1	0	0	0
			NW	0	0	0	0	0	0	0	0
DISORDERS RELATED TO SHORT GESTATION AND LOW BIRTH WEIGHT, NOT ELSE-WHERE CLASSIFIED (071,072)	84	1.8	W	25	25	22	2	1	0	0	0
			NW	59	59	53	5	1	0	0	0
INTRAUTERINE HYPOXIA AND BIRTH ASPHYXIA (075,076)	4	0.1	W	4	4	1	1	0	1	1	0
			NW	0	0	0	0	0	0	0	0
RESPIRATORY DISTRESS OF NEWBORN (077)	9	0.2	W	5	5	2	2	0	1	0	0
			NW	4	4	0	3	1	0	0	0
CONGENITAL PNEUMONIA (078)	1	##	W	0	0	0	0	0	0	0	0
			NW	1	1	0	0	0	0	1	0
NEONATAL ASPIRATION SYNDROME (079)	1	##	W	1	0	0	0	0	0	0	1
			NW	0	0	0	0	0	0	0	0
INTERSTITIAL EMPHYSEMA AND RELATED CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (080)	1	##	W	0	0	0	0	0	0	0	0
			NW	1	1	0	1	0	0	0	0
PULMONARY HEMORRHAGE ORIGINATING IN THE PERINATAL PERIOD (081)	5	0.1	W	1	1	0	1	0	0	0	0
			NW	4	4	1	3	0	0	0	0
CHRONIC RESPIRATORY DISEASE ORIGINATING IN THE PERINATAL PERIOD (082)	8	0.2	W	1	0	0	0	0	0	0	1
			NW	7	1	0	0	0	0	1	6
ATELECTASIS (083)	7	0.2	W	3	3	3	0	0	0	0	0
			NW	4	4	4	0	0	0	0	0
BACTERIAL SEPSIS OF NEWBORN (085)	23	0.5	W	5	5	0	2	2	1	0	0
			NW	18	18	3	5	4	3	3	0

TABLE 13 - PAGE 3
 INFANT DEATHS - MISSISSIPPI - 2006

CAUSE OF DEATH AND GROUP NUMBER**	TOTAL		RACE	TOTAL BY RACE	UNDER 28 DAYS OF AGE					28 DAYS AND OVER	
	NUMBER	RATE#			TOT- AL	< 1 DAY	1- 6	7- 13	14- 20		21- 27
NEONATAL HEMORRHAGE (088)	5	0.1	W	2	2	1	0	0	1	0	0
			NW	3	3	0	3	0	0	0	0
HEMATOLOGICAL DISORDERS (091)	1	##	W	0	0	0	0	0	0	0	0
			NW	1	1	0	1	0	0	0	0
NECROTIZING ENTEROCOLITIS OF NEWBORN (093)	12	0.3	W	1	1	0	0	0	0	1	0
			NW	11	10	0	0	4	3	3	1
HYDROPS FETALIS NOT DUE TO HEMOLYTIC DISEASE (094)	1	##	W	0	0	0	0	0	0	0	0
			NW	1	1	0	0	0	1	0	0
CONGENITAL MALFORMATIONS, DEFORMATIONS AND CHROMOSO- MAL ABNORMALITIES (096-110)	92	2.0	W	37	22	11	5	5	0	1	15
			NW	55	44	22	8	4	5	5	11
SUDDEN INFANT DEATH SYNDROME (111)	68	1.5	W	26	2	0	0	2	0	0	24
			NW	42	7	0	0	0	4	3	35
ACCIDENTS (114-124)	26	0.6	W	9	2	0	1	0	1	0	7
			NW	17	1	0	1	0	0	0	16
ASSAULT (HOMICIDE) (125-128)	4	0.1	W	0	0	0	0	0	0	0	0
			NW	4	0	0	0	0	0	0	4
ALL OTHER CAUSES	69	1.5	W	21	15	9	3	2	0	1	6
			NW	48	21	12	3	2	1	3	27

* DEATHS OF CHILDREN UNDER 1 YEAR OF AGE.

** SEE APPENDIX C FOR EXPLANATION OF GROUP NUMBERS.

DEATHS PER 1,000 LIVE BIRTHS.

LESS THAN 0.06.

**TABLE 14
ACCIDENTAL DEATHS, BY COUNTY OF OCCURRENCE AND TYPE OF ACCIDENT,
MISSISSIPPI, 2006**

COUNTY	TOTAL	MOTOR VEHICLE	OTHER TRANS- PORT	POISON- ING	FALLS	SMOKE, FIRE, FLAMES	DROWNING AND SUB- MERSION	FIRE- ARMS	ALL OTHER
<u>STATE</u>	<u>1,801</u>	<u>969</u>	<u>37</u>	<u>268</u>	<u>188</u>	<u>67</u>	<u>54</u>	<u>18</u>	<u>200</u>
ADAMS	15	2	0	5	4	0	1	0	3
ALCORN	19	6	1	4	6	0	0	0	2
AMITE	4	3	0	1	0	0	0	0	0
ATTALA	8	6	0	0	0	0	0	0	2
BENTON	4	2	0	1	0	0	0	0	1
BOLIVAR	12	9	1	0	0	0	0	0	2
CALHOUN	9	7	0	0	0	0	1	0	1
CARROLL	4	3	0	0	1	0	0	0	0
CHICKASAW	14	8	0	0	0	4	1	0	1
CHOCTAW	2	2	0	0	0	0	0	0	0
CLAIBORNE	5	4	0	0	0	0	0	0	1
CLARKE	16	13	0	1	1	0	0	0	1
CLAY	7	5	0	0	1	1	0	0	0
COAHOMA	21	12	1	0	1	1	1	0	5
COPIAH	16	11	0	1	2	1	0	0	1
COVINGTON	12	10	0	0	0	2	0	0	0
DESOTO	45	24	0	12	3	1	1	0	4
FORREST	96	58	2	8	23	1	1	0	3
FRANKLIN	6	5	0	0	0	0	0	0	1
GEORGE	13	7	1	2	0	2	0	0	1
GREENE	4	1	0	0	0	1	0	0	2
GRENADA	14	8	0	1	1	0	2	1	1
HANCOCK	35	8	0	20	1	2	2	0	2
HARRISON	117	43	3	44	8	1	6	2	10
HINDS	190	100	4	18	30	5	4	4	25
HOLMES	13	11	0	0	0	1	0	0	1
HUMPHREYS	6	5	0	0	0	0	1	0	0
ISSAQUENA	3	3	0	0	0	0	0	0	0
ITAWAMBA	6	4	0	0	0	0	0	1	1
JACKSON	125	57	3	40	9	3	6	0	7
JASPER	9	9	0	0	0	0	0	0	0
JEFFERSON	7	4	0	0	0	0	1	0	2
JEFF DAVIS	9	8	0	0	1	0	0	0	0
JONES	49	23	2	5	5	3	2	1	8
KEMPER	7	3	1	1	1	0	0	0	1
LAFAYETTE	33	10	1	5	12	0	1	0	4
LAMAR	22	11	0	4	2	0	3	1	1
LAUDERDALE	54	26	1	5	9	6	0	0	7
LAWRENCE	10	8	0	1	0	1	0	0	0
LEAKE	15	11	0	1	2	1	0	0	0
LEE	81	47	0	2	18	1	0	0	13
LEFLORE	16	6	0	2	2	2	0	0	4

TABLE 14 - PAGE 2
 ACCIDENTAL DEATHS - MISSISSIPPI - 2006

COUNTY	TOTAL	MOTOR VEHICLE	OTHER TRANS- PORT	POISON- ING	FALLS	SMOKE, FIRE, FLAMES	DROWNING AND SUB- MERSION	FIRE- ARMS	ALL OTHER
LINCOLN	13	10	0	0	0	0	0	1	2
LOWNDES	26	10	1	5	1	4	1	0	4
MADISON	35	21	0	8	2	0	0	0	4
MARION	24	16	1	3	1	1	0	0	2
MARSHALL	19	16	0	1	0	1	1	0	0
MONROE	12	9	0	1	1	0	0	0	1
MONTGOMERY	3	0	0	1	0	0	0	0	2
NESHOBA	32	20	0	5	3	4	0	0	0
NEWTON	15	13	0	0	1	0	0	0	1
NOXUBEE	8	7	0	0	0	0	1	0	0
OKTIBBEHA	18	8	1	0	4	0	1	1	3
PANOLA	22	11	0	2	3	2	0	0	4
PEARL RIVER	41	18	1	19	0	0	0	0	3
PERRY	7	7	0	0	0	0	0	0	0
PIKE	20	9	0	3	1	1	0	1	5
PONTOTOC	12	2	1	5	0	0	0	0	4
PRENTISS	8	3	0	3	2	0	0	0	0
QUITMAN	7	2	0	2	0	0	0	0	3
RANKIN	49	18	2	7	11	2	4	0	5
SCOTT	23	15	1	1	1	1	0	0	4
SHARKEY	3	1	0	0	0	0	0	1	1
SIMPSON	20	10	0	4	3	0	0	0	3
SMITH	9	5	0	1	0	0	0	1	2
STONE	20	13	2	1	1	0	0	0	3
SUNFLOWER	11	5	1	0	1	1	1	0	2
TALLAHATCHIE	8	2	0	1	0	4	0	0	1
TATE	21	15	0	2	1	0	0	0	3
TIPPAH	5	4	0	0	0	0	0	0	1
TISHOMINGO	15	10	0	2	0	0	2	0	1
TUNICA	7	7	0	0	0	0	0	0	0
UNION	11	6	0	1	1	2	0	0	1
WALTHALL	4	4	0	0	0	0	0	0	0
WARREN	30	17	2	3	2	1	1	0	4
WASHINGTON	33	19	3	0	1	1	2	0	7
WAYNE	13	8	0	1	1	1	2	0	0
WEBSTER	4	1	0	0	1	0	0	0	2
WILKINSON	11	6	0	1	0	0	0	2	2
WINSTON	14	10	0	0	1	0	1	1	1
YALOBUSHA	7	5	0	0	0	1	1	0	0
YAZOO	8	3	0	1	1	0	2	0	1

**TABLE 15
MARRIAGES, BY COUNTY OF LICENSURE AND RACE OF BRIDE,
ALSO BY COUNTY OF RESIDENCE OF BRIDE AND RACE OF BRIDE,
MISSISSIPPI, 2006**

COUNTY	LICENSURE DATA			OCCURRENCE DATA			RESIDENCE DATA		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>STATE</u>	<u>16,550</u>	<u>11,071</u>	<u>5,479</u>	<u>16,550</u>	<u>11,071</u>	<u>5,479</u>	<u>15,504</u>	<u>10,288</u>	<u>5,216</u>
ADAMS	255	162	93	297	204	93	162	76	86
ALCORN	157	147	10	159	148	11	124	119	5
AMITE	91	55	36	99	57	42	84	51	33
ATTALA	124	77	47	118	82	36	115	75	40
BENTON	27	21	6	32	28	4	32	27	5
BOLIVAR	121	53	68	125	52	73	122	54	68
CALHOUN	79	55	24	82	57	25	78	54	24
CARROLL	42	31	11	48	35	13	45	35	10
CHICKASAW	102	59	43	93	58	35	95	56	39
CHOCTAW	66	46	20	63	45	18	61	44	17
CLAIBORNE	61	9	52	62	14	48	58	7	51
CLARKE	83	66	17	90	70	20	86	64	22
CLAY	125	60	65	135	61	74	115	53	62
COAHOMA	78	39	39	80	34	46	70	29	41
COPIAH	152	81	71	175	97	78	159	85	74
COVINGTON	150	113	37	156	114	42	156	116	40
DESOTO	798	661	137	658	542	116	610	511	99
FORREST	617	402	215	594	405	189	448	289	159
FRANKLIN	45	30	15	57	38	19	50	33	17
GEORGE	168	157	11	169	154	15	142	135	7
GREENE	72	54	18	69	53	16	65	55	10
GRENADA	160	105	55	154	100	54	145	94	51
HANCOCK	187	177	10	214	203	11	198	187	11
HARRISON	1,173	896	277	1,077	813	264	1,017	768	249
HINDS	1,519	552	967	1,566	624	942	1,363	449	914
HOLMES	107	18	89	128	25	103	114	17	97
HUMPHREYS	40	9	31	43	9	34	42	10	32
ISSAQUENA	10	1	9	15	2	13	0	0	0
ITAWAMBA	109	103	6	119	114	5	97	91	6
JACKSON	705	552	153	771	615	156	716	559	157
JASPER	81	47	34	84	40	44	91	49	42
JEFFERSON	41	5	36	53	12	41	34	8	26
JEFF DAVIS	71	30	41	75	37	38	73	33	40
JONES	485	345	140	482	347	135	455	323	132
KEMPER	52	23	29	53	26	27	46	20	26
LAFAYETTE	253	188	65	264	205	59	235	171	64
LAMAR	255	233	22	237	218	19	349	291	58
LAUDERDALE	192	118	74	209	130	79	191	116	75
LAWRENCE	113	77	36	121	85	36	116	76	40
LEAKE	0	0	0	38	28	10	26	19	7
LEE	455	349	106	424	316	108	433	330	103
LEFLORE	110	52	58	111	50	61	94	39	55

TABLE 15 - PAGE 2
MARRIAGES - MISSISSIPPI - 2006

COUNTY	LICENSURE DATA			OCCURRENCE DATA			RESIDENCE DATA		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
LINCOLN	290	221	69	270	198	72	282	212	70
LOWNDES	251	157	94	260	153	107	225	134	91
MADISON	427	261	166	427	245	182	464	277	187
MARION	239	164	75	244	161	83	217	153	64
MARSHALL	149	82	67	163	92	71	138	77	61
MONROE	172	119	53	194	137	57	181	122	59
MONTGOMERY	70	34	36	76	40	36	62	31	31
NESHOBA	205	133	72	207	135	72	205	135	70
NEWTON	152	107	45	141	97	44	139	96	43
NOXUBEE	47	18	29	52	20	32	44	17	27
OKTIBBEHA	317	200	117	249	150	99	280	174	106
PANOLA	173	110	63	183	119	64	174	109	65
PEARL RIVER	336	296	40	325	285	40	316	274	42
PERRY	82	69	13	82	63	19	83	69	14
PIKE	314	154	160	327	171	156	271	131	140
PONTOTOC	147	132	15	144	131	13	164	144	20
PRENTISS	116	106	10	110	104	6	109	101	8
QUITMAN	28	9	19	35	14	21	33	9	24
RANKIN	1,045	873	172	781	652	129	1,065	896	169
SCOTT	181	122	59	209	144	65	164	107	57
SHARKEY	14	4	10	14	4	10	15	3	12
SIMPSON	185	134	51	200	147	53	183	131	52
SMITH	102	83	19	124	104	20	121	102	19
STONE	144	117	27	129	104	25	122	100	22
SUNFLOWER	82	21	61	95	29	66	73	23	50
TALLAHATCHIE	48	19	29	60	30	30	48	20	28
TATE	123	89	34	178	147	31	128	98	30
TIPPAH	103	86	17	106	90	16	93	78	15
TISHOMINGO	87	82	5	93	88	5	73	70	3
TUNICA	57	18	39	60	22	38	35	5	30
UNION	139	122	17	135	114	21	142	125	17
WALTHALL	102	56	46	95	43	52	111	58	53
WARREN	370	213	157	402	251	151	330	188	142
WASHINGTON	165	75	90	187	88	99	150	71	79
WAYNE	113	81	32	108	78	30	108	76	32
WEBSTER	73	60	13	75	63	12	83	68	15
WILKINSON	66	24	42	62	19	43	53	17	36
WINSTON	102	54	48	115	59	56	98	53	45
YALOBUSHA	68	38	30	76	43	33	72	42	30
YAZOO	135	70	65	158	90	68	138	74	64
OUT OF STATE	*	*	*	*	*	*	1,042	780	262

* INFORMATION ON MISSISSIPPI BRIDES WHO OBTAINED LICENSES AND/OR MARRIED IN OTHER STATES IS NOT AVAILABLE.

NOTE: DUE TO INCONSISTENT REPORTING BY COUNTIES, STATISTICS ON MARRIAGES MAY BE INCOMPLETE.

TABLE 16
DIVORCES, BY COUNTY OF OCCURRENCE AND RACE*,
MISSISSIPPI, 2006

COUNTY	TOTAL	WHITE	NON-WHITE	UN-KNOWN	COUNTY	TOTAL	WHITE	NON-WHITE	UN-KNOWN
<u>STATE</u>	<u>13,891</u>	<u>8,858</u>	<u>3,138</u>	<u>1,895</u>					
ADAMS	150	81	65	4	LINCOLN	175	127	28	20
ALCORN	235	214	9	12	LOWNDES	284	160	110	14
AMITE	62	42	18	2	MADISON	293	209	84	0
ATTALA	72	40	15	17	MARION	171	118	43	10
BENTON	34	23	10	1	MARSHALL	137	76	50	11
BOLIVAR	128	56	63	9	MONROE	197	154	40	3
CALHOUN	81	52	25	4	MONTGOMERY	32	19	13	0
CARROLL	28	21	7	0	NESHOBA	132	118	14	0
CHICKASAW	59	30	18	11	NEWTON	118	93	25	0
CHOCTAW	33	20	7	6	NOXUBEE	35	5	30	0
CLAIBORNE	31	5	26	0	OKTIBBEHA	118	85	33	0
CLARKE	98	65	29	4	PANOLA	162	110	51	1
CLAY	46	22	21	3	PEARL RIVER	251	234	17	0
COAHOMA	99	41	54	4	PERRY	66	48	13	5
COPIAH	99	48	37	14	PIKE	211	107	88	16
COVINGTON	105	67	18	20	PONTOTOC	0	0	0	0
DESOTO	775	578	75	122	PRENTISS	141	107	8	26
FORREST	352	197	84	71	QUITMAN	26	12	14	0
FRANKLIN	36	27	9	0	RANKIN	812	733	79	0
GEORGE	115	97	4	14	SCOTT	157	107	49	1
GREENE	64	19	4	41	SHARKEY	9	5	4	0
GRENADA	130	94	36	0	SIMPSON	123	98	24	1
HANCOCK	242	149	9	84	SMITH	80	67	13	0
HARRISON	1,253	290	84	879	STONE	100	83	8	9
HINDS	947	298	526	123	SUNFLOWER	84	34	45	5
HOLMES	47	16	31	0	TALLAHATCHIE	49	32	17	0
HUMPHREYS	23	6	17	0	TATE	147	119	27	1
ISSAQUENA	6	4	2	0	TIPPAH	154	112	21	21
ITAWAMBA	147	123	6	18	TISHOMINGO	144	142	0	2
JACKSON	831	736	94	1	TUNICA	36	11	24	1
JASPER	74	38	36	0	UNION	156	119	17	20
JEFFERSON	22	3	17	2	WALTHALL	83	58	25	0
JEFF DAVIS	39	20	17	2	WARREN	264	166	64	34
JONES	363	290	63	10	WASHINGTON	160	88	66	6
KEMPER	24	15	9	0	WAYNE	123	80	32	11
LAFAYETTE	134	88	26	20	WEBSTER	54	46	7	1
LAMAR	255	210	22	23	WILKINSON	0	0	0	0
LAUDERDALE	381	249	118	14	WINSTON	59	43	16	0
LAWRENCE	73	56	17	0	YALOBUSHA	79	54	25	0
LEAKE	94	62	25	7	YAZOO	64	40	22	2
LEE	508	298	84	126					
LEFLORE	110	49	55	6					

* DIVORCES OF MIXED-RACE COUPLES ARE INCLUDED IN FIGURES FOR NONWHITES.

NOTE: DUE TO INCONSISTENT REPORTING BY COUNTIES, STATISTICS ON DIVORCES MAY BE INCOMPLETE.

**TABLE 17
 REPORTED INDUCED TERMINATIONS OF PREGNANCY PERFORMED IN MISSISSIPPI
 ON MISSISSIPPI RESIDENTS, BY COUNTY OF RESIDENCE AND RACE, 2006**

COUNTY	TOTAL	WHITE	NON- WHITE	UN- KNOWN	COUNTY	TOTAL	WHITE	NON- WHITE	UN- KNOWN
<u>STATE</u>	<u>2,874</u>	<u>624</u>	<u>2,244</u>	<u>6</u>					
ADAMS	47	9	38	0	LINCOLN	43	15	28	0
ALCORN	0	0	0	0	LOWNDES	2	1	1	0
AMITE	11	1	10	0	MADISON	236	52	181	3
ATTALA	22	3	19	0	MARION	15	7	8	0
BENTON	1	0	1	0	MARSHALL	0	0	0	0
BOLIVAR	8	5	3	0	MONROE	0	0	0	0
CALHOUN	1	0	1	0	MONTGOMERY	9	4	5	0
CARROLL	8	4	4	0	NESHOPA	20	7	13	0
CHICKASAW	3	3	0	0	NEWTON	16	8	8	0
CHOCTAW	1	1	0	0	NOXUBEE	1	0	1	0
CLAIBORNE	43	2	41	0	OKTIBBEHA	14	8	6	0
CLARKE	6	1	5	0	PANOLA	3	1	2	0
CLAY	0	0	0	0	PEARL RIVER	7	5	2	0
COAHOMA	1	0	1	0	PERRY	4	2	2	0
COPIAH	68	9	59	0	PIKE	79	10	69	0
COVINGTON	15	3	12	0	PONTOTOC	0	0	0	0
DESOTO	2	1	1	0	PRENTISS	0	0	0	0
FORREST	137	45	92	0	QUITMAN	1	0	1	0
FRANKLIN	10	2	8	0	RANKIN	247	130	117	0
GEORGE	0	0	0	0	SCOTT	39	7	32	0
GREENE	2	0	2	0	SHARKEY	9	3	6	0
GRENADA	0	0	0	0	SIMPSON	30	12	18	0
HANCOCK	3	2	1	0	SMITH	10	6	4	0
HARRISON	29	19	10	0	STONE	7	3	4	0
HINDS	995	89	906	0	SUNFLOWER	15	1	14	0
HOLMES	64	4	60	0	TALLAHATCHIE	4	1	3	0
HUMPHREYS	22	1	21	0	TATE	1	0	1	0
ISSAQUENA	2	2	0	0	TIPPAH	0	0	0	0
ITAWAMBA	0	0	0	0	TISHOMINGO	0	0	0	0
JACKSON	4	3	1	0	TUNICA	0	0	0	0
JASPER	16	6	10	0	UNION	0	0	0	0
JEFFERSON	16	0	16	0	WALTHALL	11	2	9	0
JEFF DAVIS	13	0	13	0	WARREN	157	23	134	0
JONES	40	16	23	1	WASHINGTON	36	11	24	1
KEMPER	2	0	2	0	WAYNE	10	2	8	0
LAFAYETTE	5	2	3	0	WEBSTER	0	0	0	0
LAMAR	43	23	19	1	WILKINSON	2	0	2	0
LAUDERDALE	34	15	19	0	WINSTON	8	3	5	0
LAWRENCE	18	7	11	0	YALOBUSHA	1	1	0	0
LEAKE	38	5	33	0	YAZOO	73	13	60	0
LEE	3	2	1	0					
LEFLORE	31	1	30	0					

**TABLE 18A
TEENAGE PREGNANCIES*, BY COUNTY OF RESIDENCE,
RACE, AND AGE GROUP OF MOTHER,
MISSISSIPPI, 2006**

COUNTY	TOTAL**			WHITE			NONWHITE		
	TOTAL	UNDER 15	15 - 19	TOTAL	UNDER 15	15 - 19	TOTAL	UNDER 15	15 - 19
<u>STATE</u>	<u>8,701</u>	<u>230</u>	<u>8,471</u>	<u>3,382</u>	<u>47</u>	<u>3,335</u>	<u>5,312</u>	<u>183</u>	<u>5,129</u>
ADAMS	87	3	84	17	1	16	70	2	68
ALCORN	95	1	94	73	0	73	22	1	21
AMITE	33	0	33	9	0	9	24	0	24
ATTALA	70	0	70	23	0	23	47	0	47
BENTON	27	0	27	13	0	13	14	0	14
BOLIVAR	166	4	162	23	0	23	143	4	139
CALHOUN	38	1	37	10	0	10	28	1	27
CARROLL	21	0	21	9	0	9	12	0	12
CHICKASAW	85	0	85	32	0	32	53	0	53
CHOCTAW	20	0	20	6	0	6	14	0	14
CLAIBORNE	35	0	35	1	0	1	34	0	34
CLARKE	41	1	40	21	0	21	20	1	19
CLAY	57	0	57	12	0	12	45	0	45
COAHOMA	125	6	119	5	0	5	120	6	114
COPIAH	114	3	111	26	2	24	88	1	87
COVINGTON	69	1	68	23	0	23	46	1	45
DESOTO	302	5	297	206	1	205	96	4	92
FORREST	239	7	232	96	1	95	143	6	137
FRANKLIN	19	0	19	9	0	9	10	0	10
GEORGE	80	3	77	71	2	69	9	1	8
GREENE	22	0	22	16	0	16	6	0	6
GRENADA	59	0	59	18	0	18	41	0	41
HANCOCK	88	2	86	75	1	74	13	1	12
HARRISON	409	5	404	258	3	255	151	2	149
HINDS	841	30	811	101	0	101	740	30	710
HOLMES	118	4	114	4	0	4	114	4	110
HUMPHREYS	74	2	72	8	0	8	66	2	64
ISSAQUENA	6	0	6	2	0	2	4	0	4
ITAWAMBA	50	2	48	43	2	41	7	0	7
JACKSON	342	6	336	222	4	218	120	2	118
JASPER	50	2	48	11	0	11	39	2	37
JEFFERSON	45	2	43	1	0	1	44	2	42
JEFF DAVIS	50	3	47	6	0	6	44	3	41
JONES	228	2	226	118	0	118	109	2	107
KEMPER	18	1	17	5	0	5	13	1	12
LAFAYETTE	65	1	64	37	1	36	27	0	27
LAMAR	89	3	86	60	2	58	29	1	28
LAUDERDALE	235	10	225	74	3	71	161	7	154
LAWRENCE	32	0	32	19	0	19	13	0	13
LEAKE	77	3	74	28	0	28	49	3	46
LEE	197	8	189	104	1	103	92	7	85
LEFLORE	153	6	147	9	0	9	144	6	138

TABLE 18A - PAGE 2
TEENAGE PREGNANCIES - MISSISSIPPI - 2006

COUNTY	TOTAL**			WHITE			NONWHITE		
	TOTAL	UNDER 15	15 - 19	TOTAL	UNDER 15	15 - 19	TOTAL	UNDER 15	15 - 19
LINCOLN	87	2	85	42	1	41	45	1	44
LOWNDES	195	7	188	42	0	42	153	7	146
MADISON	194	6	188	52	0	52	142	6	136
MARION	84	3	81	38	1	37	46	2	44
MARSHALL	108	3	105	37	0	37	71	3	68
MONROE	104	3	101	55	3	52	49	0	49
MONTGOMERY	45	2	43	11	0	11	34	2	32
NESHOBA	96	3	93	32	1	31	64	2	62
NEWTON	68	1	67	29	0	29	39	1	38
NOXUBEE	50	1	49	3	0	3	46	1	45
OKTIBBEHA	103	8	95	37	2	35	66	6	60
PANOLA	145	3	142	44	2	42	100	1	99
PEARL RIVER	136	1	135	117	1	116	19	0	19
PERRY	34	0	34	22	0	22	12	0	12
PIKE	136	5	131	29	1	28	107	4	103
PONTOTOC	78	2	76	62	1	61	16	1	15
PRENTISS	68	2	66	54	2	52	14	0	14
QUITMAN	38	4	34	1	0	1	37	4	33
RANKIN	274	2	272	194	1	193	80	1	79
SCOTT	120	5	115	66	2	64	54	3	51
SHARKEY	23	0	23	1	0	1	22	0	22
SIMPSON	87	0	87	46	0	46	41	0	41
SMITH	39	1	38	22	1	21	17	0	17
STONE	41	0	41	32	0	32	9	0	9
SUNFLOWER	143	6	137	14	0	14	129	6	123
TALLAHATCHIE	68	2	66	6	0	6	61	2	59
TATE	102	1	101	42	1	41	59	0	59
TIPPAH	61	1	60	53	1	52	8	0	8
TISHOMINGO	33	0	33	32	0	32	1	0	1
TUNICA	68	3	65	5	0	5	63	3	60
UNION	79	0	79	58	0	58	21	0	21
WALTHALL	48	0	48	19	0	19	29	0	29
WARREN	165	7	158	39	1	38	126	6	120
WASHINGTON	264	10	254	32	1	31	232	9	223
WAYNE	71	2	69	33	0	33	38	2	36
WEBSTER	33	0	33	21	0	21	12	0	12
WILKINSON	25	1	24	1	0	1	24	1	23
WINSTON	49	0	49	12	0	12	37	0	37
YALOBUSHA	59	2	57	27	0	27	32	2	30
YAZOO	109	4	105	16	0	16	93	4	89

* LIVE BIRTHS PLUS REPORTABLE SPONTANEOUS FETAL DEATHS PLUS INDUCED TERMINATIONS TO MOTHERS UNDER AGE 20.

** TOTAL FIGURES INCLUDE SOME FOR WHICH THE RACE OF THE MOTHER WAS UNKNOWN.

TABLE 18B
TEENAGE PREGNANCY RATES*, BY COUNTY OF RESIDENCE,
RACE, AND AGE GROUP OF MOTHER,
MISSISSIPPI, 2006

COUNTY	TOTAL**			WHITE			NONWHITE		
	TOTAL	UNDER 15	15 - 19	TOTAL	UNDER 15	15 - 19	TOTAL	UNDER 15	15 - 19
<u>STATE</u>	<u>41.0</u>	<u>2.2</u>	<u>78.2</u>	<u>30.7</u>	<u>0.9</u>	<u>58.9</u>	<u>52.0</u>	<u>3.6</u>	<u>99.4</u>
ADAMS	36.8	2.5	70.9	22.4	2.7	41.4	43.7	2.5	85.1
ALCORN	44.4	0.9	89.1	40.7	-	81.9	63.6	5.5	128.0
AMITE	35.9	-	72.8	20.6	-	43.3	49.7	-	98.0
ATTALA	50.6	-	96.4	34.5	-	67.8	65.6	-	121.4
BENTON	49.3	-	111.1	46.4	-	111.1	52.2	-	111.1
BOLIVAR	52.6	2.8	93.5	29.7	-	47.0	60.1	3.5	111.7
CALHOUN	41.2	2.1	83.1	18.1	-	39.1	75.7	5.5	142.8
CARROLL	32.4	-	61.6	26.0	-	50.6	39.9	-	73.6
CHICKASAW	61.6	-	129.6	50.9	-	125.0	70.6	-	132.5
CHOCTAW	26.8	-	50.2	12.8	-	23.3	50.0	-	99.3
CLAIBORNE	31.2	-	46.8	14.9	-	27.8	32.2	-	47.8
CLARKE	32.8	1.6	63.8	27.8	-	56.3	40.6	4.2	74.8
CLAY	36.2	-	74.2	26.1	-	60.3	40.4	-	79.1
COAHOMA	50.3	4.8	96.4	12.3	-	23.7	57.7	5.7	111.4
COPIAH	50.0	3.0	85.8	30.8	5.4	51.1	61.2	1.6	105.7
COVINGTON	44.4	1.3	88.6	26.8	-	53.0	66.2	2.8	135.1
DESOTO	29.8	0.9	61.1	27.4	0.2	56.6	36.8	2.9	74.4
FORREST	41.4	2.9	68.7	31.5	0.8	51.2	52.3	5.0	90.1
FRANKLIN	34.7	-	67.4	32.1	-	68.2	37.3	-	66.7
GEORGE	53.5	3.8	110.0	53.8	2.9	111.1	51.7	10.5	101.3
GREENE	27.5	-	58.8	25.2	-	55.7	36.1	-	69.0
GRENADA	33.9	-	66.4	20.9	-	41.4	46.8	-	90.5
HANCOCK	32.0	1.4	62.7	30.9	0.8	61.2	39.9	6.1	73.6
HARRISON	33.7	0.8	68.7	33.5	0.8	67.6	34.1	0.9	70.8
HINDS	42.9	3.2	79.0	22.2	-	39.1	49.2	4.1	92.5
HOLMES	64.5	4.5	121.0	18.3	-	25.3	70.8	4.8	140.3
HUMPHREYS	84.3	4.5	166.7	52.3	-	97.6	91.0	5.3	182.8
ISSAQUENA	45.8	-	92.3	60.6	-	95.2	40.8	-	90.9
ITAWAMBA	28.2	2.6	48.1	27.2	2.8	47.9	35.9	-	49.6
JACKSON	35.8	1.2	70.8	33.7	1.2	65.9	40.6	1.3	82.0
JASPER	37.4	3.0	71.3	23.2	-	47.4	45.2	4.7	83.9
JEFFERSON	63.5	5.8	118.4	20.0	-	37.0	66.8	6.2	125.0
JEFF DAVIS	51.1	5.8	101.5	19.9	-	37.7	65.0	8.0	134.9
JONES	50.6	0.9	96.2	42.1	-	78.7	63.8	2.3	125.7
KEMPER	24.1	3.0	41.3	24.2	-	41.3	24.1	4.0	41.2
LAFAYETTE	20.7	1.0	30.2	16.5	1.6	22.1	30.0	-	55.3
LAMAR	27.2	1.8	53.6	23.4	1.5	45.8	40.9	2.7	82.6
LAUDERDALE	42.1	3.7	77.8	28.3	2.4	51.1	54.3	4.8	102.5
LAWRENCE	32.8	-	70.3	33.3	-	71.4	32.0	-	68.8
LEAKE	44.6	3.6	84.0	35.8	-	70.9	51.9	6.6	94.6
LEE	35.3	2.8	70.2	29.7	0.6	61.3	44.1	6.5	83.9
LEFLORE	53.2	4.4	97.7	16.1	-	28.9	62.1	5.3	115.7

TABLE 18B - PAGE 2
TEENAGE PREGNANCY RATES - MISSISSIPPI - 2006

COUNTY	TOTAL**			WHITE			NONWHITE		
	TOTAL	UNDER 15	15 - 19	TOTAL	UNDER 15	15 - 19	TOTAL	UNDER 15	15 - 19
LINCOLN	37.4	1.7	74.7	29.0	1.4	56.4	51.3	2.1	107.0
LOWNDES	42.7	3.2	79.7	20.8	-	39.5	60.0	5.6	112.6
MADISON	29.6	1.8	58.9	15.3	-	32.7	44.8	3.8	84.8
MARION	45.3	3.2	88.5	36.1	1.9	69.0	57.4	4.7	116.1
MARSHALL	41.7	2.4	76.6	36.3	-	73.0	45.2	4.2	78.8
MONROE	39.4	2.1	81.2	33.7	3.6	65.6	48.6	-	108.4
MONTGOMERY	53.2	5.0	95.6	30.8	-	56.7	69.5	8.6	125.0
NESHOBA	43.3	2.5	89.9	27.3	1.6	56.3	61.2	3.6	128.4
NEWTON	40.0	1.3	73.3	30.3	-	54.3	52.3	2.7	100.0
NOXUBEE	53.2	2.2	103.4	17.1	-	36.1	60.2	2.7	115.1
OKTIBBEHA	32.0	7.6	43.7	22.1	4.4	28.6	42.6	10.1	63.0
PANOLA	56.6	2.4	110.5	45.7	4.2	86.8	62.6	1.2	123.6
PEARL RIVER	34.9	0.5	69.4	36.7	0.6	72.5	26.8	-	55.1
PERRY	38.8	-	78.2	37.4	-	74.8	41.7	-	85.1
PIKE	45.0	3.3	87.8	23.5	1.7	42.4	59.9	4.2	123.8
PONTOTOC	40.0	2.0	80.9	38.9	1.2	81.3	45.1	6.0	79.4
PRENTISS	36.6	2.5	62.2	35.7	3.0	60.5	40.8	-	69.6
QUITMAN	48.7	9.9	90.4	6.9	-	15.4	58.2	12.3	106.1
RANKIN	31.9	0.4	65.0	29.7	0.3	61.3	38.9	1.0	76.3
SCOTT	58.1	4.9	110.8	65.5	4.0	124.8	51.0	5.6	97.1
SHARKEY	47.2	-	102.7	10.6	-	23.8	56.0	-	120.9
SIMPSON	43.2	-	90.1	41.2	-	84.7	45.5	-	96.9
SMITH	34.6	1.7	71.0	28.7	2.5	56.9	47.0	-	102.4
STONE	34.4	-	61.4	36.2	-	65.3	29.2	-	50.6
SUNFLOWER	58.5	5.2	106.4	29.0	-	51.1	65.7	6.3	121.3
TALLAHATCHIE	55.2	3.0	115.2	17.6	-	37.0	68.5	4.2	143.6
TATE	47.7	1.1	81.8	31.6	1.7	55.8	72.6	-	117.8
TIPPAH	45.4	1.5	90.2	51.2	1.9	99.6	26.1	-	55.9
TISHOMINGO	28.4	-	59.9	28.8	-	60.4	19.6	-	47.6
TUNICA	82.7	7.5	153.7	41.7	-	90.9	89.7	9.0	163.0
UNION	43.4	-	90.8	39.8	-	81.0	58.5	-	136.4
WALTHALL	43.0	-	84.8	41.6	-	81.2	44.0	-	87.3
WARREN	44.2	3.6	88.7	24.1	1.2	49.5	59.5	5.4	118.5
WASHINGTON	56.7	4.1	114.8	32.9	2.1	63.1	63.0	4.6	129.5
WAYNE	46.4	2.4	96.4	40.3	-	83.1	53.3	5.1	112.8
WEBSTER	51.3	-	99.4	46.7	-	89.0	62.2	-	125.0
WILKINSON	37.6	2.9	74.3	6.7	-	13.3	46.6	3.7	92.7
WINSTON	37.3	-	73.9	19.8	-	39.1	52.3	-	103.9
YALOBUSHA	67.6	4.5	133.2	65.4	-	135.0	69.6	8.6	131.6
YAZOO	53.8	3.8	108.4	25.6	-	52.1	66.5	5.4	134.4

* LIVE BIRTHS PLUS REPORTABLE SPONTANEOUS FETAL DEATHS PLUS INDUCED TERMINATIONS PER 1,000 FEMALES IN SPECIFIED AGE/RACE GROUP.

** TOTAL FIGURES INCLUDE SOME FOR WHICH ARE RACE OF THE MOTHER WAS UNKNOWN.

NOTE:

Table 19 extends from page 139 through 159 with identical data for each county as well as for the state.

**TABLE 19
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE
RESIDENTS OF ADAMS, ALCORN, AMITE, AND ATTALA COUNTIES, MISSISSIPPI, 2006**

CAUSE AND GROUP NUMBER*	ADAMS COUNTY						ALCORN COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
ALL CAUSES	399	202	197	12.2	14.4	10.6	406	374	32	11.4	12.0	7.3
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	14	5	9	42.9	35.7	48.4	10	9	1	28.1	28.8	22.7
HIV DISEASE (039-043)	2	0	2	6.1	-	10.7	0	0	0	-	-	-
MALIGNANT NEOPLASMS (056-108)	95	45	50	291.2	321.1	268.6	87	81	6	244.4	259.7	136.4
DIABETES MELLITUS (124)	1	0	1	3.1	-	5.4	3	2	1	8.4	6.4	22.7
ALZHEIMERS DISEASE (148)	9	6	3	27.6	42.8	16.1	10	10	0	28.1	32.1	-
MAJOR CARDIOVASCULAR DISEASES# (156-189)	144	74	70	441.4	528.0	376.1	151	141	10	424.3	452.1	227.3
HEART DISEASES (156-160,162, 164-181)	110	61	49	337.2	435.2	263.3	113	104	9	317.5	333.4	204.5
HYPERTENSION (161,163)	7	2	5	21.4	14.3	26.9	5	5	0	14.0	16.0	-
CEREBROVASCULAR DISEASES (182-186)	26	10	16	79.7	71.4	86.0	26	25	1	73.0	80.2	22.7
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	5	5	0	14.0	16.0	-
INFLUENZA AND PNEUMONIA (195-198)	14	7	7	42.9	49.9	37.6	8	6	2	22.5	19.2	45.4
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	10	8	2	30.6	57.1	10.7	32	29	3	89.9	93.0	68.2
PEPTIC ULCER (217-220)	1	0	1	3.1	-	5.4	2	2	0	5.6	6.4	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	1	1	0	3.1	7.1	-	3	3	0	8.4	9.6	-
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	7	2	5	21.4	14.3	26.9	6	6	0	16.8	19.2	-
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	1	0	1	2.2	-	3.3	1	0	1	1.9	-	12.3
CONGENITAL MALFORMATIONS (282-290)	2	1	1	6.1	7.1	5.4	0	0	0	-	-	-
SUDDEN INFANT DEATH SYNDROME# (292)	2	1	1	4.3	6.2	3.3	1	1	0	1.9	2.2	-
ACCIDENTS (295-330)	21	15	6	64.4	107.0	32.2	24	21	3	67.4	67.3	68.2
MOTOR VEHICLE ACCIDENTS# (296-306)	6	4	2	18.4	28.5	10.7	13	11	2	36.5	35.3	45.4
SUICIDE (331-337)	4	3	1	12.3	21.4	5.4	4	4	0	11.2	12.8	-
HOMICIDE (338-346)	5	1	4	15.3	7.1	21.5	1	1	0	2.8	3.2	-

CAUSE AND GROUP NUMBER*	AMITE COUNTY						ATTALA COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
ALL CAUSES	169	109	60	12.6	14.3	10.3	261	173	88	13.3	15.0	10.8
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	1	0	1	7.4	-	17.1	7	7	0	35.6	60.8	-
HIV DISEASE (039-043)	1	0	1	7.4	-	17.1	0	0	0	-	-	-
MALIGNANT NEOPLASMS (056-108)	45	26	19	334.2	340.9	325.3	53	32	21	269.8	277.8	258.5
DIABETES MELLITUS (124)	3	2	1	22.3	26.2	17.1	3	2	1	15.3	17.4	12.3
ALZHEIMERS DISEASE (148)	8	7	1	59.4	91.8	17.1	13	11	2	66.2	95.5	24.6
MAJOR CARDIOVASCULAR DISEASES# (156-189)	67	41	26	497.5	537.6	445.2	96	57	39	488.7	494.8	480.0
HEART DISEASES (156-160,162, 164-181)	61	37	24	453.0	485.2	411.0	54	37	17	274.9	321.2	209.2
HYPERTENSION (161,163)	0	0	0	-	-	-	14	3	11	71.3	26.0	135.4
CEREBROVASCULAR DISEASES (182-186)	6	4	2	44.6	52.4	34.2	27	16	11	137.4	138.9	135.4
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	1	0	1	7.4	-	17.1	5	5	0	25.4	43.4	-
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	8	4	4	59.4	52.4	68.5	14	11	3	71.3	95.5	36.9
PEPTIC ULCER (217-220)	0	0	0	-	-	-	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	1	1	0	7.4	13.1	-	0	0	0	-	-	-
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	3	3	0	22.3	39.3	-	8	4	4	40.7	34.7	49.2
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	1	0	1	318.5	-	581.4
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL MALFORMATIONS (282-290)	1	1	0	7.4	13.1	-	1	0	1	5.1	-	12.3
SUDDEN INFANT DEATH SYNDROME# (292)	0	0	0	-	-	-	0	0	0	-	-	-
ACCIDENTS (295-330)	5	5	0	37.1	65.6	-	10	5	5	50.9	43.4	61.5
MOTOR VEHICLE ACCIDENTS# (296-306)	2	2	0	14.8	26.2	-	5	3	2	25.4	26.0	24.6
SUICIDE (331-337)	4	4	0	29.7	52.4	-	1	1	0	5.1	8.7	-
HOMICIDE (338-346)	5	2	3	37.1	26.2	51.4	4	0	4	20.4	-	49.2

* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

** TOTAL DEATHS ARE PER 1,000 POPULATION; DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD AND DEATHS FROM SUDDEN INFANT DEATH SYNDROME ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

**TABLE 19
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE
RESIDENTS OF BENTON, BOLIVAR, CALHOUN, AND CARROLL COUNTIES, MISSISSIPPI, 2006**

CAUSE AND GROUP NUMBER*	BENTON COUNTY						BOLIVAR COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
ALL CAUSES	92	62	30	11.7	12.1	10.9	457	174	283	11.9	13.6	11.1
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	1	0	1	12.7	-	36.3	17	3	14	44.3	23.4	54.8
HIV DISEASE (039-043)	0	0	0	-	-	-	5	0	5	13.0	-	19.6
MALIGNANT NEOPLASMS (056-108)	25	17	8	317.5	332.1	290.5	77	32	45	200.8	249.6	176.3
DIABETES MELLITUS (124)	5	3	2	63.5	58.6	72.6	15	2	13	39.1	15.6	50.9
ALZHEIMERS DISEASE (148)	0	0	0	-	-	-	18	7	11	46.9	54.6	43.1
MAJOR CARDIOVASCULAR DISEASES# (156-189)	43	29	14	546.2	566.5	508.4	174	71	103	453.7	553.7	403.5
HEART DISEASES (156-160,162, 164-181)	37	25	12	470.0	488.4	435.7	128	57	71	333.8	444.5	278.1
HYPERTENSION (161,163)	1	0	1	12.7	-	36.3	5	1	4	13.0	7.8	15.7
CEREBROVASCULAR DISEASES (182-186)	5	4	1	63.5	78.1	36.3	37	11	26	96.5	85.8	101.8
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	1	1	0	2.6	7.8	-
INFLUENZA AND PNEUMONIA (195-198)	3	3	0	38.1	58.6	-	15	5	10	39.1	39.0	39.2
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	1	1	0	12.7	19.5	-	17	14	3	44.3	109.2	11.8
PEPTIC ULCER (217-220)	0	0	0	-	-	-	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	0	0	0	-	-	-	4	3	1	10.4	23.4	3.9
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	0	0	0	-	-	-	14	3	11	36.5	23.4	43.1
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	1	0	1	147.5	-	201.6
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	0	0	0	-	-	-	4	0	4	5.9	-	8.1
CONGENITAL MALFORMATIONS (282-290)	0	0	0	-	-	-	0	0	0	-	-	-
SUDDEN INFANT DEATH SYNDROME# (292)	0	0	0	-	-	-	3	0	3	4.4	-	6.0
ACCIDENTS (295-330)	6	3	3	76.2	58.6	108.9	18	5	13	46.9	39.0	50.9
MOTOR VEHICLE ACCIDENTS# (296-306)	2	1	1	25.4	19.5	36.3	10	2	8	26.1	15.6	31.3
SUICIDE (331-337)	2	2	0	25.4	39.1	-	4	3	1	10.4	23.4	3.9
HOMICIDE (338-346)	0	0	0	-	-	-	12	0	12	31.3	-	47.0

CAUSE AND GROUP NUMBER*	CALHOUN COUNTY						CARROLL COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
ALL CAUSES	167	128	39	11.4	12.5	8.9	104	65	39	10.1	9.7	10.8
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	2	1	1	13.6	9.7	22.8	2	1	1	19.4	14.9	27.8
HIV DISEASE (039-043)	1	0	1	6.8	-	22.8	1	0	1	9.7	-	27.8
MALIGNANT NEOPLASMS (056-108)	32	24	8	218.5	233.8	182.6	21	13	8	203.4	193.2	222.4
DIABETES MELLITUS (124)	3	1	2	20.5	9.7	45.6	3	3	0	29.0	44.6	-
ALZHEIMERS DISEASE (148)	3	3	0	20.5	29.2	-	0	0	0	-	-	-
MAJOR CARDIOVASCULAR DISEASES# (156-189)	69	60	9	471.1	584.5	205.4	39	22	17	377.7	326.9	472.6
HEART DISEASES (156-160,162, 164-181)	54	46	8	368.7	448.1	182.6	30	19	11	290.5	282.4	305.8
HYPERTENSION (161,163)	1	1	0	6.8	9.7	-	2	0	2	19.4	-	55.6
CEREBROVASCULAR DISEASES (182-186)	14	13	1	95.6	126.6	22.8	6	2	4	58.1	29.7	111.2
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	1	1	0	6.8	9.7	-	8	5	3	77.5	74.3	83.4
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	10	7	3	68.3	68.2	68.5	8	6	2	77.5	89.2	55.6
PEPTIC ULCER (217-220)	0	0	0	-	-	-	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	3	3	0	20.5	29.2	-	0	0	0	-	-	-
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	9	7	2	61.4	68.2	45.6	5	2	3	48.4	29.7	83.4
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	1	0	1	5.0	-	13.2	0	0	0	-	-	-
CONGENITAL MALFORMATIONS (282-290)	1	1	0	6.8	9.7	-	0	0	0	-	-	-
SUDDEN INFANT DEATH SYNDROME# (292)	0	0	0	-	-	-	0	0	0	-	-	-
ACCIDENTS (295-330)	12	8	4	81.9	77.9	91.3	5	4	1	48.4	59.4	27.8
MOTOR VEHICLE ACCIDENTS# (296-306)	7	4	3	47.8	39.0	68.5	3	2	1	29.0	29.7	27.8
SUICIDE (331-337)	0	0	0	-	-	-	4	4	0	38.7	59.4	-
HOMICIDE (338-346)	2	1	1	13.6	9.7	22.8	0	0	0	-	-	-

* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

** TOTAL DEATHS ARE PER 1,000 POPULATION; DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD AND DEATHS FROM SUDDEN INFANT DEATH SYNDROME ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

**TABLE 19
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE
RESIDENTS OF CHICKASAW, CHOCTAW, CLAIBORNE, AND CLARKE COUNTIES, MISSISSIPPI, 2006**

CAUSE AND GROUP NUMBER*	CHICKASAW COUNTY						CHOCTAW COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
ALL CAUSES	185	114	71	9.7	10.4	8.8	89	64	25	9.5	9.9	8.4
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	3	1	2	15.8	9.2	24.8	1	1	0	10.6	15.5	-
HIV DISEASE (039-043)	0	0	0	-	-	-	0	0	0	-	-	-
MALIGNANT NEOPLASMS (056-108)	32	20	12	168.4	183.1	148.6	17	13	4	180.8	201.8	135.2
DIABETES MELLITUS (124)	2	2	0	10.5	18.3	-	1	0	1	10.6	-	33.8
ALZHEIMERS DISEASE (148)	5	3	2	26.3	27.5	24.8	1	1	0	10.6	15.5	-
MAJOR CARDIOVASCULAR DISEASES# (156-189)	72	48	24	379.0	439.5	297.1	45	32	13	478.7	496.7	439.3
HEART DISEASES (156-160,162, 164-181)	63	43	20	331.6	393.7	247.6	39	29	10	414.8	450.2	338.0
HYPERTENSION (161,163)	0	0	0	-	-	-	0	0	0	-	-	-
CEREBROVASCULAR DISEASES (182-186)	8	5	3	42.1	45.8	37.1	6	3	3	63.8	46.6	101.4
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	4	2	2	21.0	18.3	24.8	3	3	0	31.9	46.6	-
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	12	8	4	63.2	73.2	49.5	5	4	1	53.2	62.1	33.8
PEPTIC ULCER (217-220)	0	0	0	-	-	-	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	2	2	0	10.5	18.3	-	0	0	0	-	-	-
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	3	2	1	15.8	18.3	12.4	2	1	1	21.3	15.5	33.8
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	1	0	1	800.0	-	1,785.7
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	7	3	4	23.0	20.7	25.2	1	1	0	8.0	14.5	-
CONGENITAL MALFORMATIONS (282-290)	1	1	0	5.3	9.2	-	0	0	0	-	-	-
SUDDEN INFANT DEATH SYNDROME# (292)	2	0	2	6.6	-	12.6	0	0	0	-	-	-
ACCIDENTS (295-330)	16	9	7	84.2	82.4	86.7	5	2	3	53.2	31.0	101.4
MOTOR VEHICLE ACCIDENTS# (296-306)	8	4	4	42.1	36.6	49.5	4	1	3	42.5	15.5	101.4
SUICIDE (331-337)	1	1	0	5.3	9.2	-	0	0	0	-	-	-
HOMICIDE (338-346)	1	1	0	5.3	9.2	-	0	0	0	-	-	-

CAUSE AND GROUP NUMBER*	CLAIBORNE COUNTY						CLARKE COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
ALL CAUSES	112	23	89	9.8	13.7	9.1	185	124	61	10.5	10.7	10.0
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	4	1	3	34.8	59.7	30.6	4	3	1	22.7	26.0	16.4
HIV DISEASE (039-043)	0	0	0	-	-	-	0	0	0	-	-	-
MALIGNANT NEOPLASMS (056-108)	25	8	17	217.6	477.6	173.2	37	23	14	209.8	199.1	230.3
DIABETES MELLITUS (124)	2	0	2	17.4	-	20.4	2	2	0	11.3	17.3	-
ALZHEIMERS DISEASE (148)	0	0	0	-	-	-	4	4	0	22.7	34.6	-
MAJOR CARDIOVASCULAR DISEASES# (156-189)	56	8	48	487.5	477.6	489.2	69	46	23	391.4	398.2	378.4
HEART DISEASES (156-160,162, 164-181)	48	8	40	417.9	477.6	407.7	60	38	22	340.3	328.9	362.0
HYPERTENSION (161,163)	0	0	0	-	-	-	0	0	0	-	-	-
CEREBROVASCULAR DISEASES (182-186)	7	0	7	60.9	-	71.3	6	6	0	34.0	51.9	-
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	4	1	3	34.8	59.7	30.6	5	2	3	28.4	17.3	49.4
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	3	1	2	26.1	59.7	20.4	11	7	4	62.4	60.6	65.8
PEPTIC ULCER (217-220)	0	0	0	-	-	-	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	0	0	0	-	-	-	4	3	1	22.7	26.0	16.4
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	1	0	1	8.7	-	10.2	4	2	2	22.7	17.3	32.9
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	2	0	2	12.0	-	13.0	0	0	0	-	-	-
CONGENITAL MALFORMATIONS (282-290)	1	0	1	8.7	-	10.2	0	0	0	-	-	-
SUDDEN INFANT DEATH SYNDROME# (292)	0	0	0	-	-	-	1	0	1	3.9	-	7.2
ACCIDENTS (295-330)	2	0	2	17.4	-	20.4	17	14	3	96.4	121.2	49.4
MOTOR VEHICLE ACCIDENTS# (296-306)	2	0	2	17.4	-	20.4	12	10	2	68.1	86.6	32.9
SUICIDE (331-337)	1	0	1	8.7	-	10.2	2	2	0	11.3	17.3	-
HOMICIDE (338-346)	3	1	2	26.1	59.7	20.4	0	0	0	-	-	-

* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

** TOTAL DEATHS ARE PER 1,000 POPULATION; DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD AND DEATHS FROM SUDDEN INFANT DEATH SYNDROME ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

**TABLE 19
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE
RESIDENTS OF CLAY, COAHOMA, COPIAH, AND COVINGTON COUNTIES, MISSISSIPPI, 2006**

CAUSE AND GROUP NUMBER*	CLAY COUNTY						COAHOMA COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
ALL CAUSES	201	109	92	9.5	12.1	7.5	301	105	196	10.6	14.6	9.2
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	5	3	2	23.6	33.3	16.4	5	2	3	17.6	27.8	14.1
HIV DISEASE (039-043)	3	0	3	14.1	-	24.6	5	0	5	17.6	-	23.6
MALIGNANT NEOPLASMS (056-108)	48	23	25	226.3	255.4	204.8	66	21	45	232.2	291.7	212.1
DIABETES MELLITUS (124)	7	3	4	33.0	33.3	32.8	15	4	11	52.8	55.6	51.8
ALZHEIMERS DISEASE (148)	2	0	2	9.4	-	16.4	2	1	1	7.0	13.9	4.7
MAJOR CARDIOVASCULAR DISEASES# (156-189)	82	50	32	386.6	555.2	262.2	106	34	72	373.0	472.2	339.3
HEART DISEASES (156-160,162, 164-181)	63	41	22	297.0	455.3	180.2	82	27	55	288.5	375.0	259.2
HYPERTENSION (161,163)	5	1	4	23.6	11.1	32.8	8	1	7	28.1	13.9	33.0
CEREBROVASCULAR DISEASES (182-186)	14	8	6	66.0	88.8	49.2	14	5	9	49.3	69.4	42.4
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	4	3	1	18.8	33.3	8.2	8	2	6	28.1	27.8	28.3
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	6	6	0	28.3	66.6	-	15	12	3	52.8	166.7	14.1
PEPTIC ULCER (217-220)	0	0	0	-	-	-	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	2	1	1	9.4	11.1	8.2	1	0	1	3.5	-	4.7
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	3	0	3	14.1	-	24.6	3	0	3	10.6	-	14.1
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	2	0	2	6.7	-	10.0	4	2	2	7.8	30.8	4.4
CONGENITAL MALFORMATIONS (282-290)	2	1	1	9.4	11.1	8.2	1	0	1	3.5	-	4.7
SUDDEN INFANT DEATH SYNDROME# (292)	0	0	0	-	-	-	0	0	0	-	-	-
ACCIDENTS (295-330)	10	7	3	47.1	77.7	24.6	18	4	14	63.3	55.6	66.0
MOTOR VEHICLE ACCIDENTS# (296-306)	4	3	1	18.8	33.3	8.2	10	0	10	35.2	-	47.1
SUICIDE (331-337)	1	1	0	4.7	11.1	-	2	1	1	7.0	13.9	4.7
HOMICIDE (338-346)	3	0	3	14.1	-	24.6	8	1	7	28.1	13.9	33.0

CAUSE AND GROUP NUMBER*	COPIAH COUNTY						COVINGTON COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
ALL CAUSES	274	149	125	9.4	10.5	8.3	238	173	65	11.6	13.4	8.6
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	7	3	4	24.0	21.2	26.5	5	2	3	24.4	15.5	39.9
HIV DISEASE (039-043)	2	0	2	6.8	-	13.3	0	0	0	-	-	-
MALIGNANT NEOPLASMS (056-108)	57	29	28	195.0	204.9	185.8	42	34	8	205.4	263.1	106.3
DIABETES MELLITUS (124)	5	0	5	17.1	-	33.2	3	1	2	14.7	7.7	26.6
ALZHEIMERS DISEASE (148)	6	4	2	20.5	28.3	13.3	6	6	0	29.3	46.4	-
MAJOR CARDIOVASCULAR DISEASES# (156-189)	92	57	35	314.8	402.7	232.3	100	79	21	489.1	611.3	279.1
HEART DISEASES (156-160,162, 164-181)	75	47	28	256.6	332.1	185.8	80	63	17	391.2	487.5	225.9
HYPERTENSION (161,163)	1	1	0	3.4	7.1	-	0	0	0	-	-	-
CEREBROVASCULAR DISEASES (182-186)	15	9	6	51.3	63.6	39.8	19	16	3	92.9	123.8	39.9
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	9	5	4	30.8	35.3	26.5	4	4	0	19.6	31.0	-
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	10	6	4	34.2	42.4	26.5	16	14	2	78.2	108.3	26.6
PEPTIC ULCER (217-220)	1	1	0	3.4	7.1	-	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	0	0	0	-	-	-	2	1	1	9.8	7.7	13.3
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	8	3	5	27.4	21.2	33.2	3	0	3	14.7	-	39.9
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	1	0	1	1.9	-	3.0	5	3	2	15.3	17.4	12.9
CONGENITAL MALFORMATIONS (282-290)	2	1	1	6.8	7.1	6.6	2	0	2	9.8	-	26.6
SUDDEN INFANT DEATH SYNDROME# (292)	0	0	0	-	-	-	1	1	0	3.0	5.8	-
ACCIDENTS (295-330)	23	14	9	78.7	98.9	59.7	15	8	7	73.4	61.9	93.0
MOTOR VEHICLE ACCIDENTS# (296-306)	14	7	7	47.9	49.4	46.4	9	4	5	44.0	31.0	66.4
SUICIDE (331-337)	2	1	1	6.8	7.1	6.6	1	1	0	4.9	7.7	-
HOMICIDE (338-346)	4	2	2	13.7	14.1	13.3	4	2	2	19.6	15.5	26.6

* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

** TOTAL DEATHS ARE PER 1,000 POPULATION; DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD AND DEATHS FROM SUDDEN INFANT DEATH SYNDROME ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

**TABLE 19
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE
RESIDENTS OF DESOTO, FORREST, FRANKLIN, AND GEORGE COUNTIES, MISSISSIPPI, 2006**

CAUSE AND GROUP NUMBER*	DESOTO COUNTY						FORREST COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
ALL CAUSES	895	769	126	6.2	6.7	4.1	696	487	209	9.1	10.2	7.3
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	10	8	2	6.9	7.0	6.5	18	8	10	23.6	16.8	34.9
HIV DISEASE (039-043)	5	3	2	3.4	2.6	6.5	8	3	5	10.5	6.3	17.4
MALIGNANT NEOPLASMS (056-108)	239	215	24	165.2	188.6	78.1	137	90	47	179.4	188.6	164.0
DIABETES MELLITUS (124)	50	38	12	34.6	33.3	39.0	23	9	14	30.1	18.9	48.8
ALZHEIMERS DISEASE (148)	22	20	2	15.2	17.5	6.5	28	25	3	36.7	52.4	10.5
MAJOR CARDIOVASCULAR DISEASES# (156-189)	289	247	42	199.7	216.7	136.7	226	167	59	295.9	350.0	205.8
HEART DISEASES (156-160,162, 164-181)	238	206	32	164.5	180.7	104.2	174	132	42	227.8	276.7	146.5
HYPERTENSION (161,163)	4	3	1	2.8	2.6	3.2	11	7	4	14.4	14.7	14.0
CEREBROVASCULAR DISEASES (182-186)	41	33	8	28.3	29.0	26.0	36	24	12	47.1	50.3	41.9
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	11	11	0	7.6	9.6	-	20	13	7	26.2	27.2	24.4
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	40	34	6	27.6	29.8	19.5	47	34	13	61.5	71.3	45.4
PEPTIC ULCER (217-220)	0	0	0	-	-	-	2	0	2	2.6	-	7.0
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	17	14	3	11.7	12.3	9.8	5	3	2	6.5	6.3	7.0
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	6	5	1	4.1	4.4	3.2	16	11	5	21.0	23.0	17.4
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	11	4	7	5.0	2.3	14.7	6	3	3	4.8	4.5	5.2
CONGENITAL MALFORMATIONS (282-290)	9	6	3	6.2	5.3	9.8	2	1	1	2.6	2.1	3.5
SUDDEN INFANT DEATH SYNDROME# (292)	3	1	2	1.4	0.6	4.2	1	0	1	0.8	-	1.7
ACCIDENTS (295-330)	64	61	3	44.2	53.5	9.8	45	39	6	58.9	81.7	20.9
MOTOR VEHICLE ACCIDENTS# (296-306)	38	36	2	26.3	31.6	6.5	25	22	3	32.7	46.1	10.5
SUICIDE (331-337)	12	11	1	8.3	9.6	3.2	10	6	4	13.1	12.6	14.0
HOMICIDE (338-346)	7	3	4	4.8	2.6	13.0	9	4	5	11.8	8.4	17.4

CAUSE AND GROUP NUMBER*	FRANKLIN COUNTY						GEORGE COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
ALL CAUSES	69	43	26	8.3	8.2	8.6	209	185	24	9.6	9.4	11.1
TUBERCULOSIS (009,010)	0	0	0	-	-	-	1	1	0	4.6	5.1	-
SEPTICEMIA (018)	0	0	0	-	-	-	4	3	1	18.3	15.2	46.3
HIV DISEASE (039-043)	2	0	2	24.2	-	65.8	1	1	0	4.6	5.1	-
MALIGNANT NEOPLASMS (056-108)	13	10	3	157.2	191.3	98.6	44	41	3	201.6	208.4	139.0
DIABETES MELLITUS (124)	3	1	2	36.3	19.1	65.8	23	17	6	105.4	86.4	277.9
ALZHEIMERS DISEASE (148)	1	1	0	12.1	19.1	-	4	2	2	18.3	10.2	92.6
MAJOR CARDIOVASCULAR DISEASES# (156-189)	32	22	10	387.0	420.8	328.8	58	52	6	265.7	264.4	277.9
HEART DISEASES (156-160,162, 164-181)	28	19	9	338.6	363.4	296.0	43	38	5	197.0	193.2	231.6
HYPERTENSION (161,163)	0	0	0	-	-	-	4	4	0	18.3	20.3	-
CEREBROVASCULAR DISEASES (182-186)	2	1	1	24.2	19.1	32.9	11	10	1	50.4	50.8	46.3
ATHEROSCLEROSIS (187)	1	1	0	12.1	19.1	-	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	3	2	1	36.3	38.2	32.9	4	3	1	18.3	15.2	46.3
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	0	0	0	-	-	-	8	8	0	36.6	40.7	-
PEPTIC ULCER (217-220)	0	0	0	-	-	-	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	0	0	0	-	-	-	0	0	0	-	-	-
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	0	0	0	-	-	-	1	1	0	4.6	5.1	-
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	1	0	1	8.8	-	18.5	0	0	0	-	-	-
CONGENITAL MALFORMATIONS (282-290)	0	0	0	-	-	-	0	0	0	-	-	-
SUDDEN INFANT DEATH SYNDROME# (292)	0	0	0	-	-	-	0	0	0	-	-	-
ACCIDENTS (295-330)	6	1	5	72.6	19.1	164.4	22	22	0	100.8	111.8	-
MOTOR VEHICLE ACCIDENTS# (296-306)	5	1	4	60.5	19.1	131.5	12	12	0	55.0	61.0	-
SUICIDE (331-337)	1	1	0	12.1	19.1	-	5	5	0	22.9	25.4	-
HOMICIDE (338-346)	0	0	0	-	-	-	2	2	0	9.2	10.2	-

* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

** TOTAL DEATHS ARE PER 1,000 POPULATION; DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD AND DEATHS FROM SUDDEN INFANT DEATH SYNDROME ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

**TABLE 19
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE
RESIDENTS OF GREENE, GRENADA, HANCOCK, AND HARRISON COUNTIES, MISSISSIPPI, 2006**

CAUSE AND GROUP NUMBER	GREENE COUNTY						GRENADA COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
ALL CAUSES	132	113	19	10.1	11.9	5.3	280	175	105	12.2	13.3	10.8
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	1	0	1	7.6	-	27.8	14	7	7	61.2	53.4	71.8
HIV DISEASE (039-043)	0	0	0	-	-	-	2	1	1	8.7	7.6	10.3
MALIGNANT NEOPLASMS (056-108)	34	28	6	259.5	294.7	166.5	57	35	22	249.3	266.8	225.8
DIABETES MELLITUS (124)	4	3	1	30.5	31.6	27.8	7	5	2	30.6	38.1	20.5
ALZHEIMERS DISEASE (148)	2	2	0	15.3	21.0	-	1	0	1	4.4	-	10.3
MAJOR CARDIOVASCULAR DISEASES# (156-189)	56	51	5	427.4	536.8	138.8	111	75	36	485.5	571.8	369.4
HEART DISEASES (156-160,162, 164-181)	40	37	3	305.3	389.5	83.3	75	56	19	328.1	427.0	195.0
HYPERTENSION (161,163)	3	1	2	22.9	10.5	55.5	12	4	8	52.5	30.5	82.1
CEREBROVASCULAR DISEASES (182-186)	12	12	0	91.6	126.3	-	21	12	9	91.8	91.5	92.4
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	1	1	0	4.4	7.6	-
INFLUENZA AND PNEUMONIA (195-198)	1	1	0	7.6	10.5	-	9	6	3	39.4	45.7	30.8
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	9	7	2	68.7	73.7	55.5	11	10	1	48.1	76.2	10.3
PEPTIC ULCER (217-220)	1	1	0	7.6	10.5	-	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	1	1	0	7.6	10.5	-	1	0	1	4.4	-	10.3
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	1	1	0	7.6	10.5	-	11	7	4	48.1	53.4	41.0
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	0	0	0	-	-	-	4	1	3	12.0	6.2	17.3
CONGENITAL MALFORMATIONS (282-290)	0	0	0	-	-	-	2	0	2	8.7	-	20.5
SUDDEN INFANT DEATH SYNDROME# (292)	0	0	0	-	-	-	0	0	0	-	-	-
ACCIDENTS (295-330)	8	5	3	61.0	52.6	83.3	16	12	4	70.0	91.5	41.0
MOTOR VEHICLE ACCIDENTS# (296-306)	5	3	2	38.2	31.6	55.5	5	3	2	21.9	22.9	20.5
SUICIDE (331-337)	0	0	0	-	-	-	0	0	0	-	-	-
HOMICIDE (338-346)	0	0	0	-	-	-	3	1	2	13.1	7.6	20.5

CAUSE AND GROUP NUMBER	HANCOCK COUNTY						HARRISON COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
ALL CAUSES	329	309	20	8.1	8.4	5.1	1,617	1,304	313	9.4	10.6	6.5
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	8	6	2	19.8	16.4	51.5	35	31	4	20.4	25.1	8.3
HIV DISEASE (039-043)	2	2	0	4.9	5.5	-	6	5	1	3.5	4.0	2.1
MALIGNANT NEOPLASMS (056-108)	94	89	5	232.6	243.6	128.7	366	288	78	212.9	233.3	161.1
DIABETES MELLITUS (124)	5	5	0	12.4	13.7	-	18	14	4	10.5	11.3	8.3
ALZHEIMERS DISEASE (148)	1	1	0	2.5	2.7	-	35	34	1	20.4	27.5	2.1
MAJOR CARDIOVASCULAR DISEASES# (156-189)	106	100	6	262.2	273.7	154.4	549	433	116	319.4	350.7	239.6
HEART DISEASES (156-160,162, 164-181)	87	83	4	215.2	227.2	102.9	445	357	88	258.9	289.2	181.7
HYPERTENSION (161,163)	4	2	2	9.9	5.5	51.5	5	2	3	2.9	1.6	6.2
CEREBROVASCULAR DISEASES (182-186)	11	11	0	27.2	30.1	-	89	66	23	51.8	53.5	47.5
ATHEROSCLEROSIS (187)	1	1	0	2.5	2.7	-	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	4	4	0	9.9	10.9	-	28	23	5	16.3	18.6	10.3
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	23	21	2	56.9	57.5	51.5	58	54	4	33.7	43.7	8.3
PEPTIC ULCER (217-220)	0	0	0	-	-	-	1	1	0	0.6	0.8	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	6	6	0	14.8	16.4	-	29	26	3	16.9	21.1	6.2
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	5	4	1	12.4	10.9	25.7	29	20	9	16.9	16.2	18.6
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	1	1	0	2.1	2.3	-	12	7	5	4.5	3.8	6.0
CONGENITAL MALFORMATIONS (282-290)	3	3	0	7.4	8.2	-	10	7	3	5.8	5.7	6.2
SUDDEN INFANT DEATH SYNDROME# (292)	1	1	0	2.1	2.3	-	4	3	1	1.5	1.6	1.2
ACCIDENTS (295-330)	35	32	3	86.6	87.6	77.2	125	105	20	72.7	85.0	41.3
MOTOR VEHICLE ACCIDENTS# (296-306)	5	4	1	12.4	10.9	25.7	56	46	10	32.6	37.3	20.6
SUICIDE (331-337)	3	3	0	7.4	8.2	-	33	30	3	19.2	24.3	6.2
HOMICIDE (338-346)	0	0	0	-	-	-	24	14	10	14.0	11.3	20.6

* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

** TOTAL DEATHS ARE PER 1,000 POPULATION; DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD AND DEATHS FROM SUDDEN INFANT DEATH SYNDROME ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

**TABLE 19
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE
RESIDENTS OF HINDS, HOLMES, HUMPHREYS, AND ISSAQUENA COUNTIES, MISSISSIPPI, 2006**

CAUSE AND GROUP NUMBER	HINDS COUNTY						HOLMES COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
ALL CAUSES	2,022	853	1,169	8.1	10.6	6.9	226	50	176	10.8	13.2	10.3
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	56	29	27	22.5	35.9	16.0	4	0	4	19.2	-	23.4
HIV DISEASE (039-043)	43	3	40	17.3	3.7	23.8	4	0	4	19.2	-	23.4
MALIGNANT NEOPLASMS (056-108)	394	163	231	158.2	201.8	137.3	40	9	31	191.7	237.5	181.5
DIABETES MELLITUS (124)	43	8	35	17.3	9.9	20.8	5	1	4	24.0	26.4	23.4
ALZHEIMERS DISEASE (148)	32	23	9	12.8	28.5	5.3	4	2	2	19.2	52.8	11.7
MAJOR CARDIOVASCULAR DISEASES# (156-189)	735	314	421	295.2	388.8	250.2	85	20	65	407.4	527.7	380.6
HEART DISEASES (156-160,162, 164-181)	585	260	325	234.9	322.0	193.2	55	12	43	263.6	316.6	251.8
HYPERTENSION (161,163)	39	9	30	15.7	11.1	17.8	14	3	11	67.1	79.2	64.4
CEREBROVASCULAR DISEASES (182-186)	94	39	55	37.7	48.3	32.7	14	3	11	67.1	79.2	64.4
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	33	22	11	13.2	27.2	6.5	6	1	5	28.8	26.4	29.3
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	86	56	30	34.5	69.3	17.8	7	3	4	33.5	79.2	23.4
PEPTIC ULCER (217-220)	3	2	1	1.2	2.5	0.6	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	21	13	8	8.4	16.1	4.8	1	0	1	4.8	-	5.8
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	46	13	33	18.5	16.1	19.6	17	2	15	81.5	52.8	87.8
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	29	3	26	7.0	3.0	8.2	6	0	6	13.8	-	15.0
CONGENITAL MALFORMATIONS (282-290)	8	3	5	3.2	3.7	3.0	1	0	1	4.8	-	5.8
SUDDEN INFANT DEATH SYNDROME# (292)	5	0	5	1.2	-	1.6	0	0	0	-	-	-
ACCIDENTS (295-330)	89	35	54	35.7	43.3	32.1	11	2	9	52.7	52.8	52.7
MOTOR VEHICLE ACCIDENTS# (296-306)	47	15	32	18.9	18.6	19.0	8	0	8	38.3	-	46.8
SUICIDE (331-337)	23	17	6	9.2	21.0	3.6	3	2	1	14.4	52.8	5.8
HOMICIDE (338-346)	48	5	43	19.3	6.2	25.6	4	0	4	19.2	-	23.4

CAUSE AND GROUP NUMBER	HUMPHREYS COUNTY						ISSAQUENA COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
ALL CAUSES	137	36	101	13.2	13.5	13.1	18	7	11	10.0	9.9	10.0
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	4	0	4	38.5	-	51.7	0	0	0	-	-	-
HIV DISEASE (039-043)	2	1	1	19.2	37.6	12.9	0	0	0	-	-	-
MALIGNANT NEOPLASMS (056-108)	29	9	20	279.0	338.1	258.7	2	1	1	110.8	141.0	91.2
DIABETES MELLITUS (124)	2	1	1	19.2	37.6	12.9	3	1	2	166.2	141.0	182.5
ALZHEIMERS DISEASE (148)	5	3	2	48.1	112.7	25.9	0	0	0	-	-	-
MAJOR CARDIOVASCULAR DISEASES# (156-189)	52	7	45	500.3	263.0	582.1	4	3	1	221.6	423.1	91.2
HEART DISEASES (156-160,162, 164-181)	44	6	38	423.4	225.4	491.5	4	3	1	221.6	423.1	91.2
HYPERTENSION (161,163)	2	0	2	19.2	-	25.9	0	0	0	-	-	-
CEREBROVASCULAR DISEASES (182-186)	6	1	5	57.7	37.6	64.7	0	0	0	-	-	-
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	2	1	1	19.2	37.6	12.9	0	0	0	-	-	-
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	4	2	2	38.5	75.1	25.9	2	0	2	110.8	-	182.5
PEPTIC ULCER (217-220)	0	0	0	-	-	-	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	0	0	0	-	-	-	0	0	0	-	-	-
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	5	3	2	48.1	112.7	25.9	0	0	0	-	-	-
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	2	0	2	8.4	-	9.9	0	0	0	-	-	-
CONGENITAL MALFORMATIONS (282-290)	1	0	1	9.6	-	12.9	1	0	1	55.4	-	91.2
SUDDEN INFANT DEATH SYNDROME# (292)	1	0	1	4.2	-	5.0	0	0	0	-	-	-
ACCIDENTS (295-330)	8	2	6	77.0	75.1	77.6	4	1	3	221.6	141.0	273.7
MOTOR VEHICLE ACCIDENTS# (296-306)	6	1	5	57.7	37.6	64.7	4	1	3	221.6	141.0	273.7
SUICIDE (331-337)	1	1	0	9.6	37.6	-	0	0	0	-	-	-
HOMICIDE (338-346)	2	0	2	19.2	-	25.9	0	0	0	-	-	-

* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

** TOTAL DEATHS ARE PER 1,000 POPULATION; DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD AND DEATHS FROM SUDDEN INFANT DEATH SYNDROME ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

**TABLE 19
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE
RESIDENTS OF ITAWAMBA, JACKSON, JASPER, AND JEFFERSON COUNTIES, MISSISSIPPI, 2006**

CAUSE AND GROUP NUMBER	ITAWAMBA COUNTY						JACKSON COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
ALL CAUSES	256	245	11	11.0	11.3	6.3	1,197	959	238	9.2	9.8	7.2
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	4	3	1	17.1	13.9	57.4	25	16	9	19.1	16.4	27.2
HIV DISEASE (039-043)	0	0	0	-	-	-	7	2	5	5.4	2.0	15.1
MALIGNANT NEOPLASMS (056-108)	52	49	3	222.7	226.7	172.2	245	208	37	187.6	213.3	111.9
DIABETES MELLITUS (124)	8	8	0	34.2	37.0	-	12	6	6	9.2	6.2	18.1
ALZHEIMERS DISEASE (148)	14	14	0	60.0	64.8	-	36	29	7	27.6	29.7	21.2
MAJOR CARDIOVASCULAR DISEASES# (156-189)	94	90	4	402.5	416.5	229.6	364	287	77	278.8	294.4	232.8
HEART DISEASES (156-160,162, 164-181)	75	71	4	321.2	328.6	229.6	281	225	56	215.2	230.8	169.3
HYPERTENSION (161,163)	0	0	0	-	-	-	12	7	5	9.2	7.2	15.1
CEREBROVASCULAR DISEASES (182-186)	18	18	0	77.1	83.3	-	61	47	14	46.7	48.2	42.3
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	1	1	0	4.3	4.6	-	26	19	7	19.9	19.5	21.2
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	16	16	0	68.5	74.0	-	68	61	7	52.1	62.6	21.2
PEPTIC ULCER (217-220)	0	0	0	-	-	-	1	1	0	0.8	1.0	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	3	3	0	12.8	13.9	-	14	13	1	10.7	13.3	3.0
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	5	5	0	21.4	23.1	-	32	21	11	24.5	21.5	33.2
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	1	1	0	3.5	3.9	-	4	1	3	2.1	0.7	5.3
CONGENITAL MALFORMATIONS (282-290)	1	1	0	4.3	4.6	-	8	6	2	6.1	6.2	6.0
SUDDEN INFANT DEATH SYNDROME# (292)	1	1	0	3.5	3.9	-	1	1	0	0.5	0.7	-
ACCIDENTS (295-330)	12	12	0	51.4	55.5	-	120	102	18	91.9	104.6	54.4
MOTOR VEHICLE ACCIDENTS# (296-306)	8	8	0	34.2	37.0	-	52	39	13	39.8	40.0	39.3
SUICIDE (331-337)	2	2	0	8.6	9.2	-	26	22	4	19.9	22.6	12.1
HOMICIDE (338-346)	1	1	0	4.3	4.6	-	12	4	8	9.2	4.1	24.2

CAUSE AND GROUP NUMBER	JASPER COUNTY						JEFFERSON COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
ALL CAUSES	201	109	92	11.0	12.8	9.5	78	9	69	8.5	7.2	8.7
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	2	0	2	11.0	-	20.7	1	0	1	10.9	-	12.6
HIV DISEASE (039-043)	0	0	0	-	-	-	0	0	0	-	-	-
MALIGNANT NEOPLASMS (056-108)	48	30	18	263.8	351.4	186.3	21	2	19	228.4	161.2	238.9
DIABETES MELLITUS (124)	4	2	2	22.0	23.4	20.7	6	1	5	65.3	80.6	62.9
ALZHEIMERS DISEASE (148)	2	1	1	11.0	11.7	10.4	0	0	0	-	-	-
MAJOR CARDIOVASCULAR DISEASES# (156-189)	80	44	36	439.6	515.5	372.6	31	3	28	337.2	241.7	352.1
HEART DISEASES (156-160,162, 164-181)	63	37	26	346.2	433.4	269.1	28	3	25	304.5	241.7	314.3
HYPERTENSION (161,163)	1	0	1	5.5	-	10.4	1	0	1	10.9	-	12.6
CEREBROVASCULAR DISEASES (182-186)	16	7	9	87.9	82.0	93.2	2	0	2	21.8	-	25.1
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	5	2	3	27.5	23.4	31.0	2	0	2	21.8	-	25.1
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	11	9	2	60.4	105.4	20.7	1	0	1	10.9	-	12.6
PEPTIC ULCER (217-220)	0	0	0	-	-	-	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	1	1	0	5.5	11.7	-	1	0	1	10.9	-	12.6
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	3	2	1	16.5	23.4	10.4	1	0	1	10.9	-	12.6
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	0	0	0	-	-	-	1	0	1	7.6	-	8.2
CONGENITAL MALFORMATIONS (282-290)	3	1	2	16.5	11.7	20.7	1	0	1	10.9	-	12.6
SUDDEN INFANT DEATH SYNDROME# (292)	1	0	1	3.6	-	5.8	0	0	0	-	-	-
ACCIDENTS (295-330)	15	9	6	82.4	105.4	62.1	4	0	4	43.5	-	50.3
MOTOR VEHICLE ACCIDENTS# (296-306)	11	8	3	60.4	93.7	31.0	2	0	2	21.8	-	25.1
SUICIDE (331-337)	1	1	0	5.5	11.7	-	0	0	0	-	-	-
HOMICIDE (338-346)	4	0	4	22.0	-	41.4	1	0	1	10.9	-	12.6

* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

** TOTAL DEATHS ARE PER 1,000 POPULATION; DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD AND DEATHS FROM SUDDEN INFANT DEATH SYNDROME ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

**TABLE 19
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE
RESIDENTS OF JEFF DAVIS, JONES, KEMPER, AND LAFAYETTE COUNTIES, MISSISSIPPI, 2006**

CAUSE AND GROUP NUMBER	JEFF DAVIS COUNTY						JONES COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
ALL CAUSES	150	74	76	11.4	13.5	9.9	742	578	164	11.1	12.1	8.6
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	3	1	2	22.8	18.2	26.0	11	6	5	16.5	12.6	26.3
HIV DISEASE (039-043)	0	0	0	-	-	-	1	0	1	1.5	-	5.3
MALIGNANT NEOPLASMS (056-108)	31	19	12	235.1	345.6	156.1	137	111	26	205.4	232.5	137.0
DIABETES MELLITUS (124)	2	0	2	15.2	-	26.0	17	11	6	25.5	23.0	31.6
ALZHEIMERS DISEASE (148)	2	1	1	15.2	18.2	13.0	18	17	1	27.0	35.6	5.3
MAJOR CARDIOVASCULAR DISEASES# (156-189)	57	26	31	432.3	473.0	403.3	254	199	55	380.7	416.9	289.8
HEART DISEASES (156-160,162, 164-181)	48	25	23	364.1	454.8	299.2	205	162	43	307.3	339.4	226.6
HYPERTENSION (161,163)	4	1	3	30.3	18.2	39.0	6	4	2	9.0	8.4	10.5
CEREBROVASCULAR DISEASES (182-186)	5	0	5	37.9	-	65.0	36	28	8	54.0	58.6	42.2
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	1	0	1	1.5	-	5.3
INFLUENZA AND PNEUMONIA (195-198)	1	1	0	7.6	18.2	-	26	20	6	39.0	41.9	31.6
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	3	3	0	22.8	54.6	-	38	32	6	57.0	67.0	31.6
PEPTIC ULCER (217-220)	0	0	0	-	-	-	1	1	0	1.5	2.1	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	1	0	1	7.6	-	13.0	10	9	1	15.0	18.8	5.3
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	3	0	3	22.8	-	39.0	23	12	11	34.5	25.1	58.0
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	4	2	2	19.4	38.5	13.0	2	1	1	1.7	1.3	2.6
CONGENITAL MALFORMATIONS (282-290)	0	0	0	-	-	-	3	2	1	4.5	4.2	5.3
SUDDEN INFANT DEATH SYNDROME# (292)	1	1	0	4.8	19.2	-	1	1	0	0.9	1.3	-
ACCIDENTS (295-330)	12	5	7	91.0	91.0	91.1	64	49	15	95.9	102.6	79.0
MOTOR VEHICLE ACCIDENTS# (296-306)	12	5	7	91.0	91.0	91.1	32	25	7	48.0	52.4	36.9
SUICIDE (331-337)	2	1	1	15.2	18.2	13.0	8	8	0	12.0	16.8	-
HOMICIDE (338-346)	8	2	6	60.7	36.4	78.0	10	6	4	15.0	12.6	21.1

CAUSE AND GROUP NUMBER	KEMPER COUNTY						LAFAYETTE COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
ALL CAUSES	101	49	52	10.0	12.8	8.3	333	266	67	8.1	9.0	5.9
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	2	0	2	19.8	-	31.8	2	2	0	4.9	6.8	-
HIV DISEASE (039-043)	0	0	0	-	-	-	1	0	1	2.4	-	8.8
MALIGNANT NEOPLASMS (056-108)	15	8	7	148.4	209.0	111.5	68	56	12	166.4	189.4	106.1
DIABETES MELLITUS (124)	1	0	1	9.9	-	15.9	8	6	2	19.6	20.3	17.7
ALZHEIMERS DISEASE (148)	1	0	1	9.9	-	15.9	29	25	4	71.0	84.6	35.4
MAJOR CARDIOVASCULAR DISEASES# (156-189)	46	20	26	455.1	522.5	414.0	101	80	21	247.2	270.6	185.8
HEART DISEASES (156-160,162, 164-181)	33	15	18	326.5	391.8	286.6	79	64	15	193.3	216.5	132.7
HYPERTENSION (161,163)	0	0	0	-	-	-	4	2	2	9.8	6.8	17.7
CEREBROVASCULAR DISEASES (182-186)	12	4	8	118.7	104.5	127.4	16	12	4	39.2	40.6	35.4
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	2	1	1	19.8	26.1	15.9	7	5	2	17.1	16.9	17.7
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	9	8	1	89.0	209.0	15.9	19	16	3	46.5	54.1	26.5
PEPTIC ULCER (217-220)	0	0	0	-	-	-	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	1	0	1	9.9	-	15.9	4	4	0	9.8	13.5	-
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	6	3	3	59.4	78.4	47.8	9	4	5	22.0	13.5	44.2
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	0	0	0	-	-	-	3	2	1	5.5	5.7	5.1
CONGENITAL MALFORMATIONS (282-290)	1	0	1	9.9	-	15.9	3	1	2	7.3	3.4	17.7
SUDDEN INFANT DEATH SYNDROME# (292)	0	0	0	-	-	-	1	0	1	1.8	-	5.1
ACCIDENTS (295-330)	6	5	1	59.4	130.6	15.9	25	20	5	61.2	67.6	44.2
MOTOR VEHICLE ACCIDENTS# (296-306)	3	2	1	29.7	52.2	15.9	13	10	3	31.8	33.8	26.5
SUICIDE (331-337)	2	1	1	19.8	26.1	15.9	3	3	0	7.3	10.1	-
HOMICIDE (338-346)	1	0	1	9.9	-	15.9	1	0	1	2.4	-	8.8

* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

** TOTAL DEATHS ARE PER 1,000 POPULATION; DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD AND DEATHS FROM SUDDEN INFANT DEATH SYNDROME ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

**TABLE 19
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE
RESIDENTS OF LAMAR, LAUDERDALE, LAWRENCE, AND LEAKE COUNTIES, MISSISSIPPI, 2006**

CAUSE AND GROUP NUMBER	LAMAR COUNTY						LAUDERDALE COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
ALL CAUSES	344	304	40	7.4	7.9	5.2	893	583	310	11.6	13.2	9.6
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	6	5	1	13.0	12.9	13.1	10	8	2	13.0	18.1	6.2
HIV DISEASE (039-043)	0	0	0	-	-	-	11	4	7	14.3	9.0	21.6
MALIGNANT NEOPLASMS (056-108)	80	73	7	173.0	189.0	92.0	179	113	66	233.3	255.1	203.5
DIABETES MELLITUS (124)	3	2	1	6.5	5.2	13.1	9	4	5	11.7	9.0	15.4
ALZHEIMERS DISEASE (148)	27	26	1	58.4	67.3	13.1	33	25	8	43.0	56.4	24.7
MAJOR CARDIOVASCULAR DISEASES# (156-189)	105	94	11	227.1	243.3	144.6	343	227	116	447.0	512.5	357.7
HEART DISEASES (156-160,162, 164-181)	82	75	7	177.3	194.1	92.0	273	188	85	355.8	424.4	262.1
HYPERTENSION (161,163)	2	2	0	4.3	5.2	-	3	0	3	3.9	-	9.2
CEREBROVASCULAR DISEASES (182-186)	17	14	3	36.8	36.2	39.4	60	37	23	78.2	83.5	70.9
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	3	3	0	6.5	7.8	-	21	13	8	27.4	29.3	24.7
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	23	21	2	49.7	54.4	26.3	39	30	9	50.8	67.7	27.8
PEPTIC ULCER (217-220)	0	0	0	-	-	-	2	2	0	2.6	4.5	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	5	5	0	10.8	12.9	-	6	4	2	7.8	9.0	6.2
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	5	5	0	10.8	12.9	-	33	16	17	43.0	36.1	52.4
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	0	0	0	-	-	-	9	4	5	7.4	7.2	7.6
CONGENITAL MALFORMATIONS (282-290)	0	0	0	-	-	-	4	2	2	5.2	4.5	6.2
SUDDEN INFANT DEATH SYNDROME# (292)	2	1	1	2.5	1.6	5.9	1	0	1	0.8	-	1.5
ACCIDENTS (295-330)	22	19	3	47.6	49.2	39.4	37	23	14	48.2	51.9	43.2
MOTOR VEHICLE ACCIDENTS# (296-306)	13	10	3	28.1	25.9	39.4	17	9	8	22.2	20.3	24.7
SUICIDE (331-337)	5	3	2	10.8	7.8	26.3	11	6	5	14.3	13.5	15.4
HOMICIDE (338-346)	3	1	2	6.5	2.6	26.3	2	1	1	2.6	2.2	3.1

CAUSE AND GROUP NUMBER	LAWRENCE COUNTY						LEAKE COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
ALL CAUSES	137	103	34	10.2	11.3	7.8	282	189	93	12.4	14.9	9.2
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	2	2	0	14.9	22.0	-	3	2	1	13.2	15.8	9.9
HIV DISEASE (039-043)	0	0	0	-	-	-	0	0	0	-	-	-
MALIGNANT NEOPLASMS (056-108)	29	22	7	215.5	241.7	160.7	63	40	23	276.7	316.1	227.4
DIABETES MELLITUS (124)	5	4	1	37.2	44.0	23.0	8	3	5	35.1	23.7	49.4
ALZHEIMERS DISEASE (148)	3	1	2	22.3	11.0	45.9	9	6	3	39.5	47.4	29.6
MAJOR CARDIOVASCULAR DISEASES# (156-189)	59	44	15	438.4	483.5	344.4	114	78	36	500.7	616.4	355.9
HEART DISEASES (156-160,162, 164-181)	45	33	12	334.4	362.6	275.5	80	59	21	351.4	466.3	207.6
HYPERTENSION (161,163)	0	0	0	-	-	-	15	7	8	65.9	55.3	79.1
CEREBROVASCULAR DISEASES (182-186)	12	9	3	89.2	98.9	68.9	17	10	7	74.7	79.0	69.2
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	1	1	0	4.4	7.9	-
INFLUENZA AND PNEUMONIA (195-198)	2	2	0	14.9	22.0	-	5	5	0	22.0	39.5	-
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	5	4	1	37.2	44.0	23.0	18	14	4	79.0	110.6	39.5
PEPTIC ULCER (217-220)	0	0	0	-	-	-	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	0	0	0	-	-	-	0	0	0	-	-	-
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	1	1	0	7.4	11.0	-	6	3	3	26.4	23.7	29.6
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	3	1	2	16.1	8.8	27.4	0	0	0	-	-	-
CONGENITAL MALFORMATIONS (282-290)	0	0	0	-	-	-	1	0	1	4.4	-	9.9
SUDDEN INFANT DEATH SYNDROME# (292)	0	0	0	-	-	-	2	0	2	4.6	-	9.2
ACCIDENTS (295-330)	13	11	2	96.6	120.9	45.9	21	14	7	92.2	110.6	69.2
MOTOR VEHICLE ACCIDENTS# (296-306)	9	8	1	66.9	87.9	23.0	11	6	5	48.3	47.4	49.4
SUICIDE (331-337)	1	1	0	7.4	11.0	-	2	2	0	8.8	15.8	-
HOMICIDE (338-346)	0	0	0	-	-	-	1	0	1	4.4	-	9.9

* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

** TOTAL DEATHS ARE PER 1,000 POPULATION; DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD AND DEATHS FROM SUDDEN INFANT DEATH SYNDROME ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

**TABLE 19
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE
RESIDENTS OF LEE, LEFLORE, LINCOLN, AND LOWNDES COUNTIES, MISSISSIPPI, 2006**

CAUSE AND GROUP NUMBER	LEE COUNTY						LEFLORE COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
ALL CAUSES	923	724	199	11.6	12.6	9.0	349	160	189	9.8	15.9	7.4
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	10	8	2	12.5	13.9	9.0	8	1	7	22.4	9.9	27.3
HIV DISEASE (039-043)	5	2	3	6.3	3.5	13.6	4	1	3	11.2	9.9	11.7
MALIGNANT NEOPLASMS (056-108)	246	193	53	308.6	334.9	240.0	71	37	34	198.6	367.0	132.4
DIABETES MELLITUS (124)	20	13	7	25.1	22.6	31.7	5	1	4	14.0	9.9	15.6
ALZHEIMERS DISEASE (148)	13	10	3	16.3	17.4	13.6	1	1	0	2.8	9.9	-
MAJOR CARDIOVASCULAR DISEASES# (156-189)	341	273	68	427.8	473.7	307.9	163	76	87	455.9	753.7	338.9
HEART DISEASES (156-160,162, 164-181)	269	212	57	337.4	367.8	258.1	129	65	64	360.8	644.6	249.3
HYPERTENSION (161,163)	10	9	1	12.5	15.6	4.5	7	2	5	19.6	19.8	19.5
CEREBROVASCULAR DISEASES (182-186)	54	44	10	67.7	76.3	45.3	25	8	17	69.9	79.3	66.2
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	19	14	5	23.8	24.3	22.6	10	3	7	28.0	29.8	27.3
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	37	33	4	46.4	57.3	18.1	18	14	4	50.3	138.8	15.6
PEPTIC ULCER (217-220)	0	0	0	-	-	-	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	8	6	2	10.0	10.4	9.0	1	0	1	2.8	-	3.9
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	14	9	5	17.6	15.6	22.6	4	1	3	11.2	9.9	11.7
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	11	3	8	8.7	3.6	18.8	1	0	1	1.6	-	2.0
CONGENITAL MALFORMATIONS (282-290)	9	6	3	11.3	10.4	13.6	3	1	2	8.4	9.9	7.8
SUDDEN INFANT DEATH SYNDROME# (292)	1	1	0	0.8	1.2	-	0	0	0	-	-	-
ACCIDENTS (295-330)	37	31	6	46.4	53.8	27.2	14	6	8	39.2	59.5	31.2
MOTOR VEHICLE ACCIDENTS# (296-306)	25	21	4	31.4	36.4	18.1	8	6	2	22.4	59.5	7.8
SUICIDE (331-337)	8	6	2	10.0	10.4	9.0	1	1	0	2.8	9.9	-
HOMICIDE (338-346)	5	1	4	6.3	1.7	18.1	9	2	7	25.2	19.8	27.3

CAUSE AND GROUP NUMBER	LINCOLN COUNTY						LOWNDES COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
ALL CAUSES	400	300	100	11.6	12.7	9.3	516	308	208	8.6	9.4	7.7
TUBERCULOSIS (009,010)	0	0	0	-	-	-	1	0	1	1.7	-	3.7
SEPTICEMIA (018)	6	5	1	17.4	21.1	9.3	12	7	5	20.1	21.4	18.4
HIV DISEASE (039-043)	0	0	0	-	-	-	2	0	2	3.3	-	7.4
MALIGNANT NEOPLASMS (056-108)	87	66	21	252.9	278.5	196.1	116	66	50	194.1	202.2	184.2
DIABETES MELLITUS (124)	19	14	5	55.2	59.1	46.7	7	3	4	11.7	9.2	14.7
ALZHEIMERS DISEASE (148)	7	6	1	20.3	25.3	9.3	23	18	5	38.5	55.2	18.4
MAJOR CARDIOVASCULAR DISEASES# (156-189)	128	93	35	372.0	392.5	326.8	187	111	76	312.8	340.1	280.1
HEART DISEASES (156-160,162, 164-181)	87	68	19	252.9	287.0	177.4	144	83	61	240.9	254.3	224.8
HYPERTENSION (161,163)	8	4	4	23.2	16.9	37.4	3	1	2	5.0	3.1	7.4
CEREBROVASCULAR DISEASES (182-186)	28	19	9	81.4	80.2	84.0	32	21	11	53.5	64.3	40.5
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	18	13	5	52.3	54.9	46.7	13	11	2	21.7	33.7	7.4
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	28	23	5	81.4	97.1	46.7	21	14	7	35.1	42.9	25.8
PEPTIC ULCER (217-220)	1	0	1	2.9	-	9.3	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	3	2	1	8.7	8.4	9.3	5	4	1	8.4	12.2	3.7
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	14	9	5	40.7	38.0	46.7	11	3	8	18.4	9.2	29.5
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	1	1	0	108.1	230.9	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	3	3	0	5.7	9.6	-	2	1	1	2.2	2.3	2.0
CONGENITAL MALFORMATIONS (282-290)	0	0	0	-	-	-	3	0	3	5.0	-	11.0
SUDDEN INFANT DEATH SYNDROME# (292)	2	1	1	3.8	3.2	4.8	0	0	0	-	-	-
ACCIDENTS (295-330)	22	16	6	63.9	67.5	56.0	28	15	13	46.8	46.0	47.9
MOTOR VEHICLE ACCIDENTS# (296-306)	14	9	5	40.7	38.0	46.7	11	7	4	18.4	21.4	14.7
SUICIDE (331-337)	3	3	0	8.7	12.7	-	5	3	2	8.4	9.2	7.4
HOMICIDE (338-346)	2	2	0	5.8	8.4	-	3	0	3	5.0	-	11.0

* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

** TOTAL DEATHS ARE PER 1,000 POPULATION; DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD AND DEATHS FROM SUDDEN INFANT DEATH SYNDROME ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

**TABLE 19
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE
RESIDENTS OF MADISON, MARION, MARSHALL, AND MONROE COUNTIES, MISSISSIPPI, 2006**

CAUSE AND GROUP NUMBER	MADISON COUNTY						MARION COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
ALL CAUSES	1,052	677	375	12.0	12.8	10.9	342	238	104	13.3	14.0	12.0
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	10	5	5	11.4	9.4	14.5	12	5	7	46.6	29.4	80.5
HIV DISEASE (039-043)	16	1	15	18.3	1.9	43.5	2	0	2	7.8	-	23.0
MALIGNANT NEOPLASMS (056-108)	337	194	143	385.5	366.4	414.8	64	53	11	248.7	311.2	126.4
DIABETES MELLITUS (124)	20	10	10	22.9	18.9	29.0	5	4	1	19.4	23.5	11.5
ALZHEIMERS DISEASE (148)	31	26	5	35.5	49.1	14.5	16	10	6	62.2	58.7	69.0
MAJOR CARDIOVASCULAR DISEASES# (156-189)	286	196	90	327.2	370.2	261.0	120	82	38	466.4	481.5	436.8
HEART DISEASES (156-160,162, 164-181)	226	153	73	258.5	289.0	211.7	88	63	25	342.0	369.9	287.4
HYPERTENSION (161,163)	6	3	3	6.9	5.7	8.7	0	0	0	-	-	-
CEREBROVASCULAR DISEASES (182-186)	50	38	12	57.2	71.8	34.8	29	17	12	112.7	99.8	137.9
ATHEROSCLEROSIS (187)	1	0	1	1.1	-	2.9	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	13	10	3	14.9	18.9	8.7	10	6	4	38.9	35.2	46.0
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	46	35	11	52.6	66.1	31.9	7	7	0	27.2	41.1	-
PEPTIC ULCER (217-220)	1	1	0	1.1	1.9	-	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	16	12	4	18.3	22.7	11.6	1	1	0	3.9	5.9	-
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	23	11	12	26.3	20.8	34.8	15	8	7	58.3	47.0	80.5
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	6	0	6	4.1	-	9.1	2	1	1	4.6	4.0	5.4
CONGENITAL MALFORMATIONS (282-290)	6	2	4	6.9	3.8	11.6	1	0	1	3.9	-	11.5
SUDDEN INFANT DEATH SYNDROME# (292)	3	0	3	2.1	-	4.5	1	1	0	2.3	4.0	-
ACCIDENTS (295-330)	49	32	17	56.0	60.4	49.3	31	20	11	120.5	117.4	126.4
MOTOR VEHICLE ACCIDENTS# (296-306)	26	16	10	29.7	30.2	29.0	18	10	8	70.0	58.7	92.0
SUICIDE (331-337)	10	7	3	11.4	13.2	8.7	2	2	0	7.8	11.7	-
HOMICIDE (338-346)	7	1	6	8.0	1.9	17.4	3	2	1	11.7	11.7	11.5

CAUSE AND GROUP NUMBER	MARSHALL COUNTY						MONROE COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
ALL CAUSES	406	238	168	11.3	13.2	9.4	382	290	92	10.2	11.3	7.7
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	7	4	3	19.5	22.2	16.8	1	1	0	2.7	3.9	-
HIV DISEASE (039-043)	1	0	1	2.8	-	5.6	0	0	0	-	-	-
MALIGNANT NEOPLASMS (056-108)	83	47	36	231.5	260.7	202.0	80	60	20	212.9	233.5	168.4
DIABETES MELLITUS (124)	11	4	7	30.7	22.2	39.3	8	6	2	21.3	23.4	16.8
ALZHEIMERS DISEASE (148)	3	3	0	8.4	16.6	-	16	10	6	42.6	38.9	50.5
MAJOR CARDIOVASCULAR DISEASES# (156-189)	161	96	65	449.0	532.5	364.7	164	123	41	436.5	478.7	345.1
HEART DISEASES (156-160,162, 164-181)	114	73	41	318.0	404.9	230.0	120	92	28	319.4	358.1	235.7
HYPERTENSION (161,163)	27	13	14	75.3	72.1	78.5	13	8	5	34.6	31.1	42.1
CEREBROVASCULAR DISEASES (182-186)	17	7	10	47.4	38.8	56.1	28	20	8	74.5	77.8	67.3
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	5	1	4	13.9	5.5	22.4	11	11	0	29.3	42.8	-
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	37	32	5	103.2	177.5	28.0	26	22	4	69.2	85.6	33.7
PEPTIC ULCER (217-220)	1	1	0	2.8	5.5	-	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	3	2	1	8.4	11.1	5.6	4	4	0	10.6	15.6	-
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	11	4	7	30.7	22.2	39.3	9	4	5	24.0	15.6	42.1
MATERNAL CAUSES (261-273)	1	0	1	191.9	-	366.3	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	2	0	2	3.8	-	7.3	3	2	1	5.9	6.9	4.5
CONGENITAL MALFORMATIONS (282-290)	0	0	0	-	-	-	1	1	0	2.7	3.9	-
SUDDEN INFANT DEATH SYNDROME# (292)	1	1	0	1.9	4.0	-	1	1	0	2.0	3.4	-
ACCIDENTS (295-330)	24	13	11	66.9	72.1	61.7	18	15	3	47.9	58.4	25.2
MOTOR VEHICLE ACCIDENTS# (296-306)	17	8	9	47.4	44.4	50.5	12	10	2	31.9	38.9	16.8
SUICIDE (331-337)	4	1	3	11.2	5.5	16.8	4	4	0	10.6	15.6	-
HOMICIDE (338-346)	3	0	3	8.4	-	16.8	0	0	0	-	-	-

* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

** TOTAL DEATHS ARE PER 1,000 POPULATION; DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD AND DEATHS FROM SUDDEN INFANT DEATH SYNDROME ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

**TABLE 19
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE
RESIDENTS OF MONTGOMERY, NESHOPA, NEWTON, AND NOXUBEE COUNTIES, MISSISSIPPI, 2006**

CAUSE AND GROUP NUMBER	MONTGOMERY COUNTY						NESHOPA COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
ALL CAUSES	132	83	49	11.2	13.1	9.0	318	223	95	10.6	11.5	8.8
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	1	1	0	8.5	15.8	-	4	3	1	13.3	15.5	9.3
HIV DISEASE (039-043)	0	0	0	-	-	-	0	0	0	-	-	-
MALIGNANT NEOPLASMS (056-108)	29	17	12	246.7	269.0	220.8	41	31	10	136.1	160.4	92.6
DIABETES MELLITUS (124)	1	0	1	8.5	-	18.4	10	1	9	33.2	5.2	83.3
ALZHEIMERS DISEASE (148)	1	1	0	8.5	15.8	-	17	15	2	56.4	77.6	18.5
MAJOR CARDIOVASCULAR DISEASES# (156-189)	55	35	20	467.9	553.9	368.0	115	96	19	381.7	496.7	176.0
HEART DISEASES (156-160,162, 164-181)	41	26	15	348.8	411.4	276.0	90	75	15	298.8	388.0	138.9
HYPERTENSION (161,163)	3	1	2	25.5	15.8	36.8	3	2	1	10.0	10.3	9.3
CEREBROVASCULAR DISEASES (182-186)	10	8	2	85.1	126.6	36.8	21	18	3	69.7	93.1	27.8
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	1	1	0	3.3	5.2	-
INFLUENZA AND PNEUMONIA (195-198)	7	5	2	59.6	79.1	36.8	6	5	1	19.9	25.9	9.3
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	4	3	1	34.0	47.5	18.4	9	9	0	29.9	46.6	-
PEPTIC ULCER (217-220)	0	0	0	-	-	-	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	1	1	0	8.5	15.8	-	7	1	6	23.2	5.2	55.6
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	5	3	2	42.5	47.5	36.8	7	3	4	23.2	15.5	37.0
MATERNAL CAUSES (261-273)	1	0	1	531.9	-	826.4	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	0	0	0	-	-	-	3	2	1	5.4	8.0	3.3
CONGENITAL MALFORMATIONS (282-290)	0	0	0	-	-	-	2	1	1	6.6	5.2	9.3
SUDDEN INFANT DEATH SYNDROME# (292)	0	0	0	-	-	-	0	0	0	-	-	-
ACCIDENTS (295-330)	6	4	2	51.0	63.3	36.8	35	21	14	116.2	108.6	129.6
MOTOR VEHICLE ACCIDENTS# (296-306)	1	0	1	8.5	-	18.4	20	8	12	66.4	41.4	111.1
SUICIDE (331-337)	1	1	0	8.5	15.8	-	4	4	0	13.3	20.7	-
HOMICIDE (338-346)	1	0	1	8.5	-	18.4	2	0	2	6.6	-	18.5

CAUSE AND GROUP NUMBER	NEWTON COUNTY						NOXUBEE COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
ALL CAUSES	211	138	73	9.4	9.4	9.3	102	30	72	8.5	8.5	8.4
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	5	2	3	22.3	13.7	38.4	1	0	1	8.3	-	11.7
HIV DISEASE (039-043)	0	0	0	-	-	-	0	0	0	-	-	-
MALIGNANT NEOPLASMS (056-108)	30	19	11	133.8	130.1	140.8	28	10	18	232.3	284.8	210.8
DIABETES MELLITUS (124)	2	1	1	8.9	6.8	12.8	2	2	0	16.6	57.0	-
ALZHEIMERS DISEASE (148)	8	6	2	35.7	41.1	25.6	0	0	0	-	-	-
MAJOR CARDIOVASCULAR DISEASES# (156-189)	100	68	32	446.2	465.6	409.7	37	10	27	307.0	284.8	316.2
HEART DISEASES (156-160,162, 164-181)	87	60	27	388.2	410.9	345.7	34	10	24	282.1	284.8	281.0
HYPERTENSION (161,163)	4	1	3	17.8	6.8	38.4	0	0	0	-	-	-
CEREBROVASCULAR DISEASES (182-186)	7	5	2	31.2	34.2	25.6	3	0	3	24.9	-	35.1
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	2	1	1	8.9	6.8	12.8	3	1	2	24.9	28.5	23.4
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	13	12	1	58.0	82.2	12.8	3	1	2	24.9	28.5	23.4
PEPTIC ULCER (217-220)	0	0	0	-	-	-	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	3	2	1	13.4	13.7	12.8	1	1	0	8.3	28.5	-
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	5	3	2	22.3	20.5	25.6	2	0	2	16.6	-	23.4
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	1	0	1	2.8	-	6.4	3	0	3	13.9	-	18.9
CONGENITAL MALFORMATIONS (282-290)	2	0	2	8.9	-	25.6	0	0	0	-	-	-
SUDDEN INFANT DEATH SYNDROME# (292)	1	0	1	2.8	-	6.4	0	0	0	-	-	-
ACCIDENTS (295-330)	18	11	7	80.3	75.3	89.6	7	0	7	58.1	-	82.0
MOTOR VEHICLE ACCIDENTS# (296-306)	11	6	5	49.1	41.1	64.0	7	0	7	58.1	-	82.0
SUICIDE (331-337)	2	2	0	8.9	13.7	-	0	0	0	-	-	-
HOMICIDE (338-346)	2	0	2	8.9	-	25.6	1	0	1	8.3	-	11.7

* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

** TOTAL DEATHS ARE PER 1,000 POPULATION; DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD AND DEATHS FROM SUDDEN INFANT DEATH SYNDROME ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

**TABLE 19
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE
RESIDENTS OF OKTIBBEHA, PANOLA, PEARL RIVER, AND PERRY COUNTIES, MISSISSIPPI, 2006**

CAUSE AND GROUP NUMBER	OKTIBBEHA COUNTY						PANOLA COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
ALL CAUSES	282	147	135	6.8	6.1	7.8	431	267	164	12.2	14.7	9.5
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	6	2	4	14.4	8.2	23.0	7	4	3	19.8	22.0	17.4
HIV DISEASE (039-043)	1	0	1	2.4	-	5.7	0	0	0	-	-	-
MALIGNANT NEOPLASMS (056-108)	51	22	29	122.5	90.8	166.6	101	67	34	285.1	368.2	197.3
DIABETES MELLITUS (124)	3	3	0	7.2	12.4	-	12	7	5	33.9	38.5	29.0
ALZHEIMERS DISEASE (148)	11	8	3	26.4	33.0	17.2	25	22	3	70.6	120.9	17.4
MAJOR CARDIOVASCULAR DISEASES# (156-189)	97	52	45	233.0	214.6	258.6	154	92	62	434.7	505.6	359.8
HEART DISEASES (156-160,162, 164-181)	74	38	36	177.7	156.8	206.9	133	81	52	375.4	445.2	301.8
HYPERTENSION (161,163)	2	1	1	4.8	4.1	5.7	6	2	4	16.9	11.0	23.2
CEREBROVASCULAR DISEASES (182-186)	19	12	7	45.6	49.5	40.2	12	7	5	33.9	38.5	29.0
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	16	8	8	38.4	33.0	46.0	4	0	4	11.3	-	23.2
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	12	8	4	28.8	33.0	23.0	20	17	3	56.4	93.4	17.4
PEPTIC ULCER (217-220)	2	0	2	4.8	-	11.5	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	4	2	2	9.6	8.2	11.5	5	4	1	14.1	22.0	5.8
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	4	1	3	9.6	4.1	17.2	7	3	4	19.8	16.5	23.2
MATERNAL CAUSES (261-273)	1	0	1	171.2	-	298.5	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	2	0	2	3.4	-	6.0	4	0	4	6.9	-	11.1
CONGENITAL MALFORMATIONS (282-290)	1	1	0	2.4	4.1	-	2	1	1	5.6	5.5	5.8
SUDDEN INFANT DEATH SYNDROME# (292)	3	0	3	5.1	-	9.0	0	0	0	-	-	-
ACCIDENTS (295-330)	25	11	14	60.0	45.4	80.4	31	20	11	87.5	109.9	63.8
MOTOR VEHICLE ACCIDENTS# (296-306)	16	5	11	38.4	20.6	63.2	13	9	4	36.7	49.5	23.2
SUICIDE (331-337)	4	4	0	9.6	16.5	-	3	2	1	8.5	11.0	5.8
HOMICIDE (338-346)	0	0	0	-	-	-	2	0	2	5.6	-	11.6

CAUSE AND GROUP NUMBER	PEARL RIVER COUNTY						PERRY COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
ALL CAUSES	555	494	61	9.7	10.0	7.8	130	106	24	10.7	11.4	8.3
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	7	5	2	12.2	10.1	25.5	4	4	0	33.0	43.2	-
HIV DISEASE (039-043)	2	1	1	3.5	2.0	12.8	1	0	1	8.2	-	34.7
MALIGNANT NEOPLASMS (056-108)	143	129	14	250.4	261.8	178.8	37	33	4	305.0	356.7	138.9
DIABETES MELLITUS (124)	8	8	0	14.0	16.2	-	1	1	0	8.2	10.8	-
ALZHEIMERS DISEASE (148)	14	13	1	24.5	26.4	12.8	6	5	1	49.4	54.0	34.7
MAJOR CARDIOVASCULAR DISEASES# (156-189)	184	168	16	322.2	341.0	204.4	41	31	10	337.9	335.1	347.2
HEART DISEASES (156-160,162, 164-181)	147	135	12	257.4	274.0	153.3	33	25	8	272.0	270.2	277.8
HYPERTENSION (161,163)	7	5	2	12.2	10.1	25.5	3	1	2	24.7	10.8	69.4
CEREBROVASCULAR DISEASES (182-186)	26	24	2	45.5	48.7	25.5	3	3	0	24.7	32.4	-
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	11	10	1	19.3	20.3	12.8	3	3	0	24.7	32.4	-
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	20	19	1	35.0	38.6	12.8	5	5	0	41.2	54.0	-
PEPTIC ULCER (217-220)	1	1	0	1.8	2.0	-	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	5	5	0	8.8	10.1	-	1	1	0	8.2	10.8	-
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	12	10	2	21.0	20.3	25.5	5	5	0	41.2	54.0	-
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	3	2	1	3.7	2.8	8.7	1	0	1	5.0	-	16.4
CONGENITAL MALFORMATIONS (282-290)	1	0	1	1.8	-	12.8	0	0	0	-	-	-
SUDDEN INFANT DEATH SYNDROME# (292)	0	0	0	-	-	-	0	0	0	-	-	-
ACCIDENTS (295-330)	47	44	3	82.3	89.3	38.3	7	6	1	57.7	64.8	34.7
MOTOR VEHICLE ACCIDENTS# (296-306)	22	20	2	38.5	40.6	25.5	4	3	1	33.0	32.4	34.7
SUICIDE (331-337)	8	7	1	14.0	14.2	12.8	0	0	0	-	-	-
HOMICIDE (338-346)	5	4	1	8.8	8.1	12.8	3	2	1	24.7	21.6	34.7

* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

** TOTAL DEATHS ARE PER 1,000 POPULATION; DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD AND DEATHS FROM SUDDEN INFANT DEATH SYNDROME ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

**TABLE 19
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE
RESIDENTS OF PIKE, PONTOTOC, PRENTISS, AND QUITMAN COUNTIES, MISSISSIPPI, 2006**

CAUSE AND GROUP NUMBER	PIKE COUNTY						PONTOTOC COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
ALL CAUSES	492	280	212	12.2	14.1	10.4	209	184	25	7.2	7.5	5.6
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	10	5	5	24.8	25.2	24.5	2	2	0	6.9	8.2	-
HIV DISEASE (039-043)	2	0	2	5.0	-	9.8	0	0	0	-	-	-
MALIGNANT NEOPLASMS (056-108)	120	73	47	298.2	368.1	230.3	41	35	6	141.9	143.3	134.2
DIABETES MELLITUS (124)	31	15	16	77.0	75.6	78.4	2	1	1	6.9	4.1	22.4
ALZHEIMERS DISEASE (148)	5	5	0	12.4	25.2	-	4	2	2	13.8	8.2	44.8
MAJOR CARDIOVASCULAR DISEASES# (156-189)	175	104	71	434.9	524.4	347.9	81	70	11	280.4	286.7	246.1
HEART DISEASES (156-160,162, 164-181)	124	75	49	308.2	378.2	240.1	63	54	9	218.1	221.1	201.4
HYPERTENSION (161,163)	12	7	5	29.8	35.3	24.5	2	1	1	6.9	4.1	22.4
CEREBROVASCULAR DISEASES (182-186)	35	21	14	87.0	105.9	68.6	13	12	1	45.0	49.1	22.4
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	6	4	2	14.9	20.2	9.8	3	3	0	10.4	12.3	-
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	30	19	11	74.6	95.8	53.9	17	16	1	58.8	65.5	22.4
PEPTIC ULCER (217-220)	1	0	1	2.5	-	4.9	1	1	0	3.5	4.1	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	3	0	3	7.4	-	14.7	0	0	0	-	-	-
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	22	7	15	54.7	35.3	73.5	4	4	0	13.8	16.4	-
MATERNAL CAUSES (261-273)	1	0	1	131.9	-	217.4	1	1	0	226.8	271.0	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	0	0	0	-	-	-	2	2	0	4.5	5.4	-
CONGENITAL MALFORMATIONS (282-290)	1	0	1	2.5	-	4.9	1	1	0	3.5	4.1	-
SUDDEN INFANT DEATH SYNDROME# (292)	1	0	1	1.3	-	2.2	1	1	0	2.3	2.7	-
ACCIDENTS (295-330)	22	13	9	54.7	65.6	44.1	17	15	2	58.8	61.4	44.8
MOTOR VEHICLE ACCIDENTS# (296-306)	9	3	6	22.4	15.1	29.4	7	6	1	24.2	24.6	22.4
SUICIDE (331-337)	2	1	1	5.0	5.0	4.9	4	3	1	13.8	12.3	22.4
HOMICIDE (338-346)	3	0	3	7.4	-	14.7	0	0	0	-	-	-

CAUSE AND GROUP NUMBER	PRENTISS COUNTY						QUITMAN COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
ALL CAUSES	258	226	32	10.1	10.4	8.3	109	49	60	11.7	17.6	9.2
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	1	1	0	3.9	4.6	-	1	1	0	10.8	35.8	-
HIV DISEASE (039-043)	0	0	0	-	-	-	0	0	0	-	-	-
MALIGNANT NEOPLASMS (056-108)	61	54	7	238.1	248.3	180.9	23	7	16	247.6	251.0	246.2
DIABETES MELLITUS (124)	6	6	0	23.4	27.6	-	7	2	5	75.4	71.7	76.9
ALZHEIMERS DISEASE (148)	10	9	1	39.0	41.4	25.8	4	2	2	43.1	71.7	30.8
MAJOR CARDIOVASCULAR DISEASES# (156-189)	96	85	11	374.8	390.9	284.2	38	18	20	409.1	645.4	307.7
HEART DISEASES (156-160,162, 164-181)	78	69	9	304.5	317.3	232.6	29	15	14	312.2	537.8	215.4
HYPERTENSION (161,163)	3	2	1	11.7	9.2	25.8	1	1	0	10.8	35.8	-
CEREBROVASCULAR DISEASES (182-186)	13	12	1	50.8	55.2	25.8	7	1	6	75.4	35.8	92.3
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	1	0	1	3.9	-	25.8	2	1	1	21.5	35.8	15.4
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	17	15	2	66.4	69.0	51.7	4	3	1	43.1	107.6	15.4
PEPTIC ULCER (217-220)	0	0	0	-	-	-	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	2	2	0	7.8	9.2	-	0	0	0	-	-	-
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	7	6	1	27.3	27.6	25.8	0	0	0	-	-	-
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL MALFORMATIONS (282-290)	1	0	1	3.9	-	25.8	0	0	0	-	-	-
SUDDEN INFANT DEATH SYNDROME# (292)	0	0	0	-	-	-	0	0	0	-	-	-
ACCIDENTS (295-330)	11	11	0	42.9	50.6	-	8	5	3	86.1	179.3	46.2
MOTOR VEHICLE ACCIDENTS# (296-306)	7	7	0	27.3	32.2	-	1	0	1	10.8	-	15.4
SUICIDE (331-337)	4	4	0	15.6	18.4	-	2	1	1	21.5	35.8	15.4
HOMICIDE (338-346)	2	1	1	7.8	4.6	25.8	4	0	4	43.1	-	61.5

* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

** TOTAL DEATHS ARE PER 1,000 POPULATION; DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD AND DEATHS FROM SUDDEN INFANT DEATH SYNDROME ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

**TABLE 19
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE
RESIDENTS OF RANKIN, SCOTT, SHARKEY, AND SIMPSON COUNTIES, MISSISSIPPI, 2006**

CAUSE AND GROUP NUMBER	RANKIN COUNTY						SCOTT COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
ALL CAUSES	849	693	156	6.2	6.4	5.6	244	165	79	8.5	9.6	6.8
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	16	15	1	11.8	13.9	3.6	3	2	1	10.4	11.6	8.6
HIV DISEASE (039-043)	4	1	3	2.9	0.9	10.7	1	0	1	3.5	-	8.6
MALIGNANT NEOPLASMS (056-108)	163	137	26	120.0	127.0	93.0	51	39	12	177.1	227.2	103.3
DIABETES MELLITUS (124)	18	14	4	13.2	13.0	14.3	0	0	0	-	-	-
ALZHEIMERS DISEASE (148)	9	7	2	6.6	6.5	7.2	1	1	0	3.5	5.8	-
MAJOR CARDIOVASCULAR DISEASES# (156-189)	333	276	57	245.2	255.8	203.9	88	59	29	305.7	343.6	249.5
HEART DISEASES (156-160,162, 164-181)	278	230	48	204.7	213.2	171.7	72	48	24	250.1	279.6	206.5
HYPERTENSION (161,163)	10	9	1	7.4	8.3	3.6	4	2	2	13.9	11.6	17.2
CEREBROVASCULAR DISEASES (182-186)	38	30	8	28.0	27.8	28.6	10	7	3	34.7	40.8	25.8
ATHEROSCLEROSIS (187)	2	2	0	1.5	1.8	-	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	13	9	4	9.6	8.3	14.3	6	4	2	20.8	23.3	17.2
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	44	40	4	32.4	37.1	14.3	14	10	4	48.6	58.2	34.4
PEPTIC ULCER (217-220)	1	1	0	0.7	0.9	-	1	1	0	3.5	5.8	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	8	8	0	5.9	7.4	-	3	2	1	10.4	11.6	8.6
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	15	11	4	11.0	10.2	14.3	10	7	3	34.7	40.8	25.8
MATERNAL CAUSES (261-273)	2	1	1	95.7	60.0	237.0	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	4	1	3	1.9	0.6	7.1	4	0	4	7.2	-	16.7
CONGENITAL MALFORMATIONS (282-290)	3	3	0	2.2	2.8	-	1	0	1	3.5	-	8.6
SUDDEN INFANT DEATH SYNDROME# (292)	2	2	0	1.0	1.2	-	1	0	1	1.8	-	4.2
ACCIDENTS (295-330)	68	57	11	50.1	52.8	39.3	28	15	13	97.2	87.4	111.9
MOTOR VEHICLE ACCIDENTS# (296-306)	29	25	4	21.4	23.2	14.3	20	10	10	69.5	58.2	86.0
SUICIDE (331-337)	13	11	2	9.6	10.2	7.2	4	4	0	13.9	23.3	-
HOMICIDE (338-346)	5	3	2	3.7	2.8	7.2	5	1	4	17.4	5.8	34.4

CAUSE AND GROUP NUMBER	SHARKEY COUNTY						SIMPSON COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
ALL CAUSES	60	27	33	10.2	15.1	8.1	269	199	70	9.6	11.0	7.1
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	1	0	1	17.1	-	24.6	3	1	2	10.7	5.5	20.2
HIV DISEASE (039-043)	0	0	0	-	-	-	1	0	1	3.6	-	10.1
MALIGNANT NEOPLASMS (056-108)	13	6	7	222.2	335.6	172.3	57	45	12	203.8	249.2	121.1
DIABETES MELLITUS (124)	6	1	5	102.5	55.9	123.1	11	7	4	39.3	38.8	40.4
ALZHEIMERS DISEASE (148)	1	1	0	17.1	55.9	-	2	2	0	7.2	11.1	-
MAJOR CARDIOVASCULAR DISEASES# (156-189)	14	5	9	239.3	279.6	221.5	96	69	27	343.2	382.1	272.4
HEART DISEASES (156-160,162, 164-181)	12	4	8	205.1	223.7	196.9	75	52	23	268.1	287.9	232.0
HYPERTENSION (161,163)	0	0	0	-	-	-	0	0	0	-	-	-
CEREBROVASCULAR DISEASES (182-186)	2	1	1	34.2	55.9	24.6	19	16	3	67.9	88.6	30.3
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	0	0	0	-	-	-	9	7	2	32.2	38.8	20.2
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	8	5	3	136.7	279.6	73.8	13	13	0	46.5	72.0	-
PEPTIC ULCER (217-220)	0	0	0	-	-	-	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	1	1	0	17.1	55.9	-	3	3	0	10.7	16.6	-
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	1	1	0	17.1	55.9	-	9	4	5	32.2	22.1	50.4
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	0	0	0	-	-	-	1	1	0	2.4	4.5	-
CONGENITAL MALFORMATIONS (282-290)	0	0	0	-	-	-	1	1	0	3.6	5.5	-
SUDDEN INFANT DEATH SYNDROME# (292)	0	0	0	-	-	-	1	1	0	2.4	4.5	-
ACCIDENTS (295-330)	4	1	3	68.4	55.9	73.8	22	18	4	78.6	99.7	40.4
MOTOR VEHICLE ACCIDENTS# (296-306)	1	0	1	17.1	-	24.6	11	8	3	39.3	44.3	30.3
SUICIDE (331-337)	0	0	0	-	-	-	2	2	0	7.2	11.1	-
HOMICIDE (338-346)	0	0	0	-	-	-	5	1	4	17.9	5.5	40.4

* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

** TOTAL DEATHS ARE PER 1,000 POPULATION; DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD AND DEATHS FROM SUDDEN INFANT DEATH SYNDROME ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

**TABLE 19
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE
RESIDENTS OF SMITH, STONE, SUNFLOWER, AND TALLAHATCHIE COUNTIES, MISSISSIPPI, 2006**

CAUSE AND GROUP NUMBER	SMITH COUNTY						STONE COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
ALL CAUSES	227	179	48	14.2	14.8	12.4	155	128	27	9.9	10.3	8.4
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	2	1	1	12.5	8.2	25.9	4	4	0	25.6	32.2	-
HIV DISEASE (039-043)	5	0	5	31.3	-	129.5	0	0	0	-	-	-
MALIGNANT NEOPLASMS (056-108)	66	48	18	413.3	396.4	466.2	30	24	6	192.2	193.3	187.8
DIABETES MELLITUS (124)	2	2	0	12.5	16.5	-	3	3	0	19.2	24.2	-
ALZHEIMERS DISEASE (148)	7	7	0	43.8	57.8	-	4	4	0	25.6	32.2	-
MAJOR CARDIOVASCULAR DISEASES# (156-189)	71	58	13	444.6	479.0	336.7	44	37	7	281.9	298.1	219.1
HEART DISEASES (156-160,162, 164-181)	56	45	11	350.6	371.6	284.9	35	29	6	224.2	233.6	187.8
HYPERTENSION (161,163)	2	2	0	12.5	16.5	-	0	0	0	-	-	-
CEREBROVASCULAR DISEASES (182-186)	11	10	1	68.9	82.6	25.9	9	8	1	57.7	64.4	31.3
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	8	8	0	50.1	66.1	-	2	2	0	12.8	16.1	-
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	16	15	1	100.2	123.9	25.9	13	13	0	83.3	104.7	-
PEPTIC ULCER (217-220)	0	0	0	-	-	-	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	6	5	1	37.6	41.3	25.9	5	4	1	32.0	32.2	31.3
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	5	3	2	31.3	24.8	51.8	6	4	2	38.4	32.2	62.6
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	1	1	0	4.6	7.2	-	1	0	1	4.8	-	20.8
CONGENITAL MALFORMATIONS (282-290)	1	0	1	6.3	-	25.9	1	1	0	6.4	8.0	-
SUDDEN INFANT DEATH SYNDROME# (292)	1	0	1	4.6	-	13.0	0	0	0	-	-	-
ACCIDENTS (295-330)	11	10	1	68.9	82.6	25.9	15	13	2	96.1	104.7	62.6
MOTOR VEHICLE ACCIDENTS# (296-306)	6	5	1	37.6	41.3	25.9	7	7	0	44.8	56.4	-
SUICIDE (331-337)	4	4	0	25.0	33.0	-	3	2	1	19.2	16.1	31.3
HOMICIDE (338-346)	0	0	0	-	-	-	1	1	0	6.4	8.0	-

CAUSE AND GROUP NUMBER	SUNFLOWER COUNTY						TALLAHATCHIE COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
ALL CAUSES	337	122	215	10.6	14.1	9.3	140	63	77	10.1	11.7	9.1
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	8	2	6	25.1	23.2	25.8	3	0	3	21.7	-	35.6
HIV DISEASE (039-043)	4	1	3	12.6	11.6	12.9	2	0	2	14.5	-	23.8
MALIGNANT NEOPLASMS (056-108)	59	23	36	185.3	266.7	155.1	31	17	14	224.7	316.1	166.3
DIABETES MELLITUS (124)	28	11	17	88.0	127.5	73.2	4	1	3	29.0	18.6	35.6
ALZHEIMERS DISEASE (148)	7	2	5	22.0	23.2	21.5	4	2	2	29.0	37.2	23.8
MAJOR CARDIOVASCULAR DISEASES# (156-189)	133	47	86	417.8	544.9	370.6	38	16	22	275.4	297.5	261.3
HEART DISEASES (156-160,162, 164-181)	109	42	67	342.4	487.0	288.7	29	13	16	210.2	241.7	190.0
HYPERTENSION (161,163)	4	1	3	12.6	11.6	12.9	3	1	2	21.7	18.6	23.8
CEREBROVASCULAR DISEASES (182-186)	17	3	14	53.4	34.8	60.3	6	2	4	43.5	37.2	47.5
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	9	3	6	28.3	34.8	25.8	5	3	2	36.2	55.8	23.8
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	11	7	4	34.6	81.2	17.2	10	8	2	72.5	148.8	23.8
PEPTIC ULCER (217-220)	0	0	0	-	-	-	1	0	1	7.2	-	11.9
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	3	0	3	9.4	-	12.9	0	0	0	-	-	-
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	3	0	3	9.4	-	12.9	2	0	2	14.5	-	23.8
MATERNAL CAUSES (261-273)	1	0	1	180.8	-	220.8	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	2	0	2	3.6	-	4.4	5	1	4	20.7	22.2	20.4
CONGENITAL MALFORMATIONS (282-290)	0	0	0	-	-	-	1	0	1	7.2	-	11.9
SUDDEN INFANT DEATH SYNDROME# (292)	1	1	0	1.8	10.0	-	0	0	0	-	-	-
ACCIDENTS (295-330)	15	5	10	47.1	58.0	43.1	10	3	7	72.5	55.8	83.1
MOTOR VEHICLE ACCIDENTS# (296-306)	7	3	4	22.0	34.8	17.2	3	0	3	21.7	-	35.6
SUICIDE (331-337)	5	3	2	15.7	34.8	8.6	1	1	0	7.2	18.6	-
HOMICIDE (338-346)	4	0	4	12.6	-	17.2	4	3	1	29.0	55.8	11.9

* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

** TOTAL DEATHS ARE PER 1,000 POPULATION; DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD AND DEATHS FROM SUDDEN INFANT DEATH SYNDROME ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

**TABLE 19
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE
RESIDENTS OF TATE, TIPPAAH, TISHOMINGO, AND TUNICA COUNTIES, MISSISSIPPI, 2006**

CAUSE AND GROUP NUMBER	TATE COUNTY						TIPPAAH COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
ALL CAUSES	246	165	81	9.2	9.0	9.6	233	204	29	11.0	11.8	7.3
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	2	1	1	7.5	5.5	11.8	9	8	1	42.4	46.3	25.1
HIV DISEASE (039-043)	1	0	1	3.7	-	11.8	0	0	0	-	-	-
MALIGNANT NEOPLASMS (056-108)	59	37	22	220.8	202.3	260.8	38	31	7	178.8	179.5	176.0
DIABETES MELLITUS (124)	5	2	3	18.7	10.9	35.6	4	3	1	18.8	17.4	25.1
ALZHEIMERS DISEASE (148)	8	7	1	29.9	38.3	11.8	8	8	0	37.6	46.3	-
MAJOR CARDIOVASCULAR DISEASES# (156-189)	93	61	32	348.0	333.6	379.4	99	88	11	465.9	509.5	276.6
HEART DISEASES (156-160,162, 164-181)	84	58	26	314.3	317.1	308.2	76	68	8	357.7	393.7	201.2
HYPERTENSION (161,163)	1	1	0	3.7	5.5	-	2	2	0	9.4	11.6	-
CEREBROVASCULAR DISEASES (182-186)	7	2	5	26.2	10.9	59.3	19	16	3	89.4	92.6	75.4
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	4	4	0	15.0	21.9	-	5	5	0	23.5	29.0	-
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	10	10	0	37.4	54.7	-	9	9	0	42.4	52.1	-
PEPTIC ULCER (217-220)	1	0	1	3.7	-	11.8	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	1	1	0	3.7	5.5	-	0	0	0	-	-	-
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	6	2	4	22.4	10.9	47.4	9	7	2	42.4	40.5	50.3
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	1	0	1	304.9	-	1,886.8
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	0	0	0	-	-	-	2	2	0	6.1	7.3	-
CONGENITAL MALFORMATIONS (282-290)	2	1	1	7.5	5.5	11.8	0	0	0	-	-	-
SUDDEN INFANT DEATH SYNDROME# (292)	1	1	0	2.4	4.1	-	1	1	0	3.0	3.6	-
ACCIDENTS (295-330)	26	15	11	97.3	82.0	130.4	15	15	0	70.6	86.8	-
MOTOR VEHICLE ACCIDENTS# (296-306)	16	7	9	59.9	38.3	106.7	8	8	0	37.6	46.3	-
SUICIDE (331-337)	3	3	0	11.2	16.4	-	1	1	0	4.7	5.8	-
HOMICIDE (338-346)	2	1	1	7.5	5.5	11.8	2	0	2	9.4	-	50.3

CAUSE AND GROUP NUMBER	TISHOMINGO COUNTY						TUNICA COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
ALL CAUSES	251	247	4	13.1	13.6	4.5	113	43	70	10.8	15.5	9.2
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	8	8	0	41.8	43.9	-	0	0	0	-	-	-
HIV DISEASE (039-043)	0	0	0	-	-	-	0	0	0	-	-	-
MALIGNANT NEOPLASMS (056-108)	54	53	1	282.5	290.8	112.6	20	7	13	192.0	252.5	170.0
DIABETES MELLITUS (124)	8	8	0	41.8	43.9	-	9	2	7	86.4	72.2	91.5
ALZHEIMERS DISEASE (148)	13	13	0	68.0	71.3	-	5	2	3	48.0	72.2	39.2
MAJOR CARDIOVASCULAR DISEASES# (156-189)	92	91	1	481.4	499.3	112.6	44	20	24	422.3	721.5	313.8
HEART DISEASES (156-160,162, 164-181)	75	74	1	392.4	406.0	112.6	38	17	21	364.7	613.3	274.6
HYPERTENSION (161,163)	1	1	0	5.2	5.5	-	1	0	1	9.6	-	13.1
CEREBROVASCULAR DISEASES (182-186)	12	12	0	62.8	65.8	-	4	2	2	38.4	72.2	26.2
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	1	1	0	9.6	36.1	-
INFLUENZA AND PNEUMONIA (195-198)	6	5	1	31.4	27.4	112.6	2	2	0	19.2	72.2	-
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	13	13	0	68.0	71.3	-	6	3	3	57.6	108.2	39.2
PEPTIC ULCER (217-220)	0	0	0	-	-	-	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	2	2	0	10.5	11.0	-	0	0	0	-	-	-
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	6	6	0	31.4	32.9	-	3	2	1	28.8	72.2	13.1
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	0	0	0	-	-	-	1	0	1	4.0	-	4.5
CONGENITAL MALFORMATIONS (282-290)	0	0	0	-	-	-	1	0	1	9.6	-	13.1
SUDDEN INFANT DEATH SYNDROME# (292)	0	0	0	-	-	-	1	0	1	4.0	-	4.5
ACCIDENTS (295-330)	17	16	1	88.9	87.8	112.6	7	0	7	67.2	-	91.5
MOTOR VEHICLE ACCIDENTS# (296-306)	9	8	1	47.1	43.9	112.6	5	0	5	48.0	-	65.4
SUICIDE (331-337)	4	4	0	20.9	21.9	-	0	0	0	-	-	-
HOMICIDE (338-346)	0	0	0	-	-	-	3	0	3	28.8	-	39.2

* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

** TOTAL DEATHS ARE PER 1,000 POPULATION; DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD AND DEATHS FROM SUDDEN INFANT DEATH SYNDROME ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

**TABLE 19
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE
RESIDENTS OF UNION, WALTHALL, WARREN, AND WASHINGTON COUNTIES, MISSISSIPPI, 2006**

CAUSE AND GROUP NUMBER	UNION COUNTY						WALTHALL COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
ALL CAUSES	277	241	36	10.2	10.6	8.3	164	97	67	10.6	11.4	9.5
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	3	3	0	11.1	13.2	-	4	2	2	25.7	23.5	28.4
HIV DISEASE (039-043)	0	0	0	-	-	-	2	0	2	12.9	-	28.4
MALIGNANT NEOPLASMS (056-108)	51	41	10	188.8	180.7	231.3	42	22	20	270.2	258.9	283.8
DIABETES MELLITUS (124)	2	2	0	7.4	8.8	-	4	1	3	25.7	11.8	42.6
ALZHEIMERS DISEASE (148)	7	7	0	25.9	30.8	-	1	1	0	6.4	11.8	-
MAJOR CARDIOVASCULAR DISEASES# (156-189)	131	115	16	485.0	506.9	370.1	61	42	19	392.5	494.4	269.6
HEART DISEASES (156-160,162, 164-181)	110	97	13	407.3	427.6	300.7	51	36	15	328.1	423.7	212.8
HYPERTENSION (161,163)	2	1	1	7.4	4.4	23.1	3	2	1	19.3	23.5	14.2
CEREBROVASCULAR DISEASES (182-186)	16	14	2	59.2	61.7	46.3	5	3	2	32.2	35.3	28.4
ATHEROSCLEROSIS (187)	1	1	0	3.7	4.4	-	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	3	3	0	11.1	13.2	-	8	5	3	51.5	58.8	42.6
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	10	9	1	37.0	39.7	23.1	6	6	0	38.6	70.6	-
PEPTIC ULCER (217-220)	0	0	0	-	-	-	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	4	3	1	14.8	13.2	23.1	0	0	0	-	-	-
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	5	5	0	18.5	22.0	-	6	1	5	38.6	11.8	71.0
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL MALFORMATIONS (282-290)	1	1	0	3.7	4.4	-	1	1	0	6.4	11.8	-
SUDDEN INFANT DEATH SYNDROME# (292)	0	0	0	-	-	-	1	0	1	3.8	-	6.8
ACCIDENTS (295-330)	15	12	3	55.5	52.9	69.4	5	3	2	32.2	35.3	28.4
MOTOR VEHICLE ACCIDENTS# (296-306)	7	5	2	25.9	22.0	46.3	5	3	2	32.2	35.3	28.4
SUICIDE (331-337)	2	2	0	7.4	8.8	-	1	1	0	6.4	11.8	-
HOMICIDE (338-346)	1	1	0	3.7	4.4	-	3	1	2	19.3	11.8	28.4

CAUSE AND GROUP NUMBER	WARREN COUNTY						WASHINGTON COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
ALL CAUSES	473	258	215	9.6	10.1	9.1	613	259	354	10.6	14.3	8.9
TUBERCULOSIS (009,010)	0	0	0	-	-	-	1	0	1	1.7	-	2.5
SEPTICEMIA (018)	6	1	5	12.2	3.9	21.1	15	9	6	25.8	49.6	15.0
HIV DISEASE (039-043)	6	0	6	12.2	-	25.3	6	0	6	10.3	-	15.0
MALIGNANT NEOPLASMS (056-108)	106	65	41	215.0	254.0	172.8	140	50	90	241.4	275.8	225.7
DIABETES MELLITUS (124)	7	4	3	14.2	15.6	12.6	22	10	12	37.9	55.2	30.1
ALZHEIMERS DISEASE (148)	8	6	2	16.2	23.4	8.4	8	4	4	13.8	22.1	10.0
MAJOR CARDIOVASCULAR DISEASES# (156-189)	179	90	89	363.0	351.8	375.2	225	98	127	387.9	540.5	318.5
HEART DISEASES (156-160,162, 164-181)	142	74	68	288.0	289.2	286.6	173	83	90	298.2	457.8	225.7
HYPERTENSION (161,163)	6	1	5	12.2	3.9	21.1	16	2	14	27.6	11.0	35.1
CEREBROVASCULAR DISEASES (182-186)	22	8	14	44.6	31.3	59.0	29	10	19	50.0	55.2	47.6
ATHEROSCLEROSIS (187)	1	0	1	2.0	-	4.2	1	1	0	1.7	5.5	-
INFLUENZA AND PNEUMONIA (195-198)	9	6	3	18.2	23.4	12.6	18	8	10	31.0	44.1	25.1
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	24	15	9	48.7	58.6	37.9	25	20	5	43.1	110.3	12.5
PEPTIC ULCER (217-220)	0	0	0	-	-	-	1	0	1	1.7	-	2.5
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	1	1	0	2.0	3.9	-	3	1	2	5.2	5.5	5.0
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	14	4	10	28.4	15.6	42.2	12	4	8	20.7	22.1	20.1
MATERNAL CAUSES (261-273)	1	0	1	122.8	-	201.6	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	1	1	0	1.2	3.1	-	7	4	3	7.0	18.5	3.8
CONGENITAL MALFORMATIONS (282-290)	0	0	0	-	-	-	3	0	3	5.2	-	7.5
SUDDEN INFANT DEATH SYNDROME# (292)	3	1	2	3.7	3.1	4.0	1	0	1	1.0	-	1.3
ACCIDENTS (295-330)	24	17	7	48.7	66.4	29.5	36	18	18	62.1	99.3	45.1
MOTOR VEHICLE ACCIDENTS# (296-306)	13	10	3	26.4	39.1	12.6	19	6	13	32.8	33.1	32.6
SUICIDE (331-337)	4	4	0	8.1	15.6	-	2	2	0	3.4	11.0	-
HOMICIDE (338-346)	5	1	4	10.1	3.9	16.9	9	1	8	15.5	5.5	20.1

* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

** TOTAL DEATHS ARE PER 1,000 POPULATION; DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD AND DEATHS FROM SUDDEN INFANT DEATH SYNDROME ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

**TABLE 19
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE
RESIDENTS OF WAYNE, WEBSTER, WILKINSON, AND WINSTON COUNTIES, MISSISSIPPI, 2006**

CAUSE AND GROUP NUMBER	WAYNE COUNTY						WEBSTER COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
ALL CAUSES	204	136	68	9.7	10.5	8.4	127	104	23	12.6	13.3	10.4
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	3	1	2	14.2	7.7	24.6	5	4	1	49.8	51.0	45.5
HIV DISEASE (039-043)	1	0	1	4.7	-	12.3	0	0	0	-	-	-
MALIGNANT NEOPLASMS (056-108)	39	29	10	184.9	223.7	123.1	28	24	4	278.8	306.0	181.9
DIABETES MELLITUS (124)	6	1	5	28.4	7.7	61.5	3	3	0	29.9	38.2	-
ALZHEIMERS DISEASE (148)	0	0	0	-	-	-	3	3	0	29.9	38.2	-
MAJOR CARDIOVASCULAR DISEASES# (156-189)	77	51	26	365.2	393.4	320.0	47	38	9	468.1	484.6	409.3
HEART DISEASES (156-160,162, 164-181)	61	41	20	289.3	316.3	246.2	39	32	7	388.4	408.0	318.3
HYPERTENSION (161,163)	0	0	0	-	-	-	0	0	0	-	-	-
CEREBROVASCULAR DISEASES (182-186)	12	7	5	56.9	54.0	61.5	8	6	2	79.7	76.5	91.0
ATHEROSCLEROSIS (187)	1	0	1	4.7	-	12.3	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	5	4	1	23.7	30.8	12.3	6	3	3	59.8	38.2	136.4
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	8	8	0	37.9	61.7	-	5	4	1	49.8	51.0	45.5
PEPTIC ULCER (217-220)	0	0	0	-	-	-	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	1	1	0	4.7	7.7	-	0	0	0	-	-	-
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	7	4	3	33.2	30.8	36.9	2	2	0	19.9	25.5	-
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	2	0	2	5.2	-	10.0	0	0	0	-	-	-
CONGENITAL MALFORMATIONS (282-290)	4	0	4	19.0	-	49.2	0	0	0	-	-	-
SUDDEN INFANT DEATH SYNDROME# (292)	1	0	1	2.6	-	5.0	1	0	1	6.4	-	20.4
ACCIDENTS (295-330)	12	8	4	56.9	61.7	49.2	8	8	0	79.7	102.0	-
MOTOR VEHICLE ACCIDENTS# (296-306)	7	5	2	33.2	38.6	24.6	3	3	0	29.9	38.2	-
SUICIDE (331-337)	4	4	0	19.0	30.8	-	1	1	0	10.0	12.8	-
HOMICIDE (338-346)	1	0	1	4.7	-	12.3	0	0	0	-	-	-

CAUSE AND GROUP NUMBER	WILKINSON COUNTY						WINSTON COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
ALL CAUSES	128	44	84	12.5	14.3	11.7	195	118	77	9.9	11.0	8.6
TUBERCULOSIS (009,010)	1	0	1	9.8	-	14.0	0	0	0	-	-	-
SEPTICEMIA (018)	3	1	2	29.3	32.5	27.9	0	0	0	-	-	-
HIV DISEASE (039-043)	0	0	0	-	-	-	0	0	0	-	-	-
MALIGNANT NEOPLASMS (056-108)	23	4	19	224.6	129.9	265.4	39	21	18	197.9	195.1	201.2
DIABETES MELLITUS (124)	4	0	4	39.1	-	55.9	9	6	3	45.7	55.7	33.5
ALZHEIMERS DISEASE (148)	7	3	4	68.4	97.4	55.9	11	8	3	55.8	74.3	33.5
MAJOR CARDIOVASCULAR DISEASES# (156-189)	47	13	34	459.0	422.1	474.9	74	49	25	375.5	455.2	279.5
HEART DISEASES (156-160,162, 164-181)	35	9	26	341.8	292.2	363.2	59	42	17	299.4	390.2	190.1
HYPERTENSION (161,163)	2	0	2	19.5	-	27.9	4	2	2	20.3	18.6	22.4
CEREBROVASCULAR DISEASES (182-186)	9	3	6	87.9	97.4	83.8	8	3	5	40.6	27.9	55.9
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	3	3	0	29.3	97.4	-	6	4	2	30.4	37.2	22.4
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	0	0	0	-	-	-	6	3	3	30.4	27.9	33.5
PEPTIC ULCER (217-220)	0	0	0	-	-	-	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	0	0	0	-	-	-	0	0	0	-	-	-
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	3	2	1	29.3	64.9	14.0	6	2	4	30.4	18.6	44.7
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	0	0	0	-	-	-	3	0	3	10.5	-	15.7
CONGENITAL MALFORMATIONS (282-290)	0	0	0	-	-	-	2	1	1	10.1	9.3	11.2
SUDDEN INFANT DEATH SYNDROME# (292)	1	0	1	6.9	-	7.9	0	0	0	-	-	-
ACCIDENTS (295-330)	9	1	8	87.9	32.5	111.7	14	9	5	71.0	83.6	55.9
MOTOR VEHICLE ACCIDENTS# (296-306)	6	1	5	58.6	32.5	69.8	9	7	2	45.7	65.0	22.4
SUICIDE (331-337)	1	1	0	9.8	32.5	-	1	1	0	5.1	9.3	-
HOMICIDE (338-346)	1	0	1	9.8	-	14.0	1	0	1	5.1	-	11.2

* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

** TOTAL DEATHS ARE PER 1,000 POPULATION; DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD AND DEATHS FROM SUDDEN INFANT DEATH SYNDROME ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

**TABLE 19
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE
RESIDENTS OF YALOBUSHA AND YAZOO COUNTIES AND THE STATE OF MISSISSIPPI, 2006**

CAUSE AND GROUP NUMBER	YALOBUSHA COUNTY						YAZOO COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
ALL CAUSES	166	116	50	12.4	14.4	9.4	289	142	147	10.3	11.5	9.4
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	3	1	2	22.4	12.4	37.5	5	2	3	17.9	16.2	19.2
HIV DISEASE (039-043)	0	0	0	-	-	-	1	0	1	3.6	-	6.4
MALIGNANT NEOPLASMS (056-108)	46	33	13	343.2	408.9	243.8	69	35	34	247.0	284.1	217.8
DIABETES MELLITUS (124)	10	9	1	74.6	111.5	18.8	13	4	9	46.5	32.5	57.6
ALZHEIMERS DISEASE (148)	2	2	0	14.9	24.8	-	8	4	4	28.6	32.5	25.6
MAJOR CARDIOVASCULAR DISEASES# (156-189)	60	40	20	447.7	495.7	375.2	98	46	52	350.9	373.4	333.1
HEART DISEASES (156-160,162, 164-181)	44	30	14	328.3	371.7	262.6	73	35	38	261.4	284.1	243.4
HYPERTENSION (161,163)	2	2	0	14.9	24.8	-	5	2	3	17.9	16.2	19.2
CEREBROVASCULAR DISEASES (182-186)	13	7	6	97.0	86.7	112.5	17	8	9	60.9	64.9	57.6
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	2	0	2	14.9	-	37.5	7	5	2	25.1	40.6	12.8
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	7	7	0	52.2	86.7	-	17	10	7	60.9	81.2	44.8
PEPTIC ULCER (217-220)	0	0	0	-	-	-	1	0	1	3.6	-	6.4
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	0	0	0	-	-	-	2	2	0	7.2	16.2	-
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	3	2	1	22.4	24.8	18.8	5	1	4	17.9	8.1	25.6
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	2	0	2	9.0	-	19.4	2	0	2	4.2	-	5.7
CONGENITAL MALFORMATIONS (282-290)	0	0	0	-	-	-	1	1	0	3.6	8.1	-
SUDDEN INFANT DEATH SYNDROME# (292)	0	0	0	-	-	-	0	0	0	-	-	-
ACCIDENTS (295-330)	7	4	3	52.2	49.6	56.3	15	10	5	53.7	81.2	32.0
MOTOR VEHICLE ACCIDENTS# (296-306)	2	1	1	14.9	12.4	18.8	8	3	5	28.6	24.4	32.0
SUICIDE (331-337)	4	3	1	29.8	37.2	18.8	4	3	1	14.3	24.4	6.4
HOMICIDE (338-346)	2	0	2	14.9	-	37.5	4	0	4	14.3	-	25.6

CAUSE AND GROUP NUMBER	STATE OF MISSISSIPPI					
	NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
ALL CAUSES	28,343	18,859	9,484	9.7	10.6	8.3
TUBERCULOSIS (009,010)	4	1	3	0.1	-	0.3
SEPTICEMIA (018)	534	311	223	18.3	17.6	19.6
HIV DISEASE (039-043)	185	32	153	6.4	1.8	13.4
MALIGNANT NEOPLASMS (056-108)	6,189	4,154	2,035	212.6	234.5	178.7
DIABETES MELLITUS (124)	700	373	327	24.0	21.0	28.7
ALZHEIMERS DISEASE (148)	735	587	148	25.2	33.1	13.0
MAJOR CARDIOVASCULAR DISEASES# (156-189)	10,223	6,820	3,403	351.2	385.0	298.8
HEART DISEASES (156-160,162, 164-181)	8,043	5,479	2,564	276.3	309.3	225.1
HYPERTENSION (161,163)	383	168	215	13.2	9.5	18.9
CEREBROVASCULAR DISEASES (182-186)	1,570	1,010	560	53.9	57.0	49.2
ATHEROSCLEROSIS (187)	20	16	4	0.7	0.9	0.4
INFLUENZA AND PNEUMONIA (195-198)	617	416	201	21.2	23.5	17.6
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	1,372	1,116	256	47.1	63.0	22.5
PEPTIC ULCER (217-220)	29	17	12	1.0	1.0	1.0
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	266	204	62	9.1	11.5	5.4
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	662	342	320	22.7	19.3	28.1
MATERNAL CAUSES (261-273)	14	3	11	30.4	12.4	50.3
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	215	67	148	4.7	2.8	6.8
CONGENITAL MALFORMATIONS (282-290)	133	63	70	4.6	3.6	6.1
SUDDEN INFANT DEATH SYNDROME# (292)	68	26	42	1.5	1.1	1.9
ACCIDENTS (295-330)	1,831	1,277	554	62.9	72.1	48.6
MOTOR VEHICLE ACCIDENTS# (296-306)	960	611	349	33.0	34.5	30.6
SUICIDE (331-337)	322	267	55	11.1	15.1	4.8
HOMICIDE (338-346)	310	85	225	10.6	4.8	19.8

* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

** TOTAL DEATHS ARE PER 1,000 POPULATION; DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD AND DEATHS FROM SUDDEN INFANT DEATH SYNDROME ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

TIME SERIES TABLES

TABLE 20
LIVE BIRTHS AND RATES, BY YEAR AND RACE
MISSISSIPPI, 1913-2006
(OCCURRENCE DATA 1913-1943, RESIDENCE DATA 1944-2006)

YEAR	NUMBER			RATE*		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
1913	41,103	21,874	19,229	21.9	26.6	18.2
1914	40,623	21,360	19,263	21.4	25.7	18.0
1915	39,484	20,999	18,485	20.5	23.8	17.1
1916	39,033	20,130	18,903	20.0	23.6	17.2
1917	37,141	19,056	18,085	18.8	22.0	16.3
1918	39,391	20,005	19,386	19.7	22.8	17.2
1919	42,491	22,028	20,463	21.0	24.9	18.0
1920	43,743	22,438	21,305	24.4	26.3	22.7
1921	46,482	23,703	22,779	25.6	27.3	24.1
1922	43,723	21,286	22,437	23.8	24.1	23.6
1923	43,266	21,140	22,126	23.3	23.6	23.1
1924	43,960	22,180	21,780	23.4	24.3	22.5
1925	45,563	22,265	23,298	24.0	24.1	23.9
1926	50,449	24,600	25,849	26.2	26.2	26.3
1927	49,204	24,163	25,041	25.3	25.3	25.3
1928	48,126	23,642	24,484	24.5	24.4	24.5
1929	45,570	22,105	23,465	22.9	22.5	23.3
1930	47,982	23,192	24,790	23.8	23.2	24.0
1931	45,123	21,637	23,486	22.2	21.4	22.9
1932	46,481	21,883	24,598	22.6	21.4	23.9
1933	44,184	20,407	23,777	21.3	19.7	22.9
1934	47,905	22,342	25,563	23.0	21.4	24.6
1935	48,291	21,972	26,319	23.0	20.8	25.1
1936	49,261	22,194	27,067	23.3	20.8	25.7
1937	52,170	23,285	28,885	24.4	21.6	27.3
1938	53,729	24,046	29,683	25.0	22.1	27.8
1939	52,288	23,505	28,783	24.1	21.4	26.8
1940	52,526	23,084	29,442	24.0	20.9	27.3
1941	54,561	24,167	30,394	24.7	21.6	28.0
1942	56,521	25,306	31,215	25.4	22.4	28.6
1943	59,408	27,611	31,797	28.9	26.4	31.6
1944	56,586	25,647	30,939	28.3	25.2	31.6
1945	53,540	23,426	30,114	26.9	23.1	30.9
1946	61,430	29,715	31,715	26.8	25.4	28.2
1947	66,291	32,423	33,868	28.6	27.5	29.9
1948	65,291	29,666	35,625	28.0	24.9	31.2
1949	66,128	28,786	37,342	28.1	24.0	32.5
1950	64,427	27,188	37,239	29.6	22.9	37.6
1951	65,512	27,798	37,714	30.1	23.4	38.1
1952	64,509	28,073	36,436	29.6	23.6	36.8
1953	64,061	28,312	35,749	29.4	23.8	36.1
1954	64,748	28,781	35,967	29.7	24.2	36.3
1955	63,244	27,546	35,698	29.0	23.2	36.0
1956	62,178	27,278	34,900	29.5	23.8	36.2
1957	60,712	26,804	33,908	28.8	23.4	35.2
1958	59,189	26,812	32,377	27.1	20.9	35.9
1959	60,562	27,979	32,583	27.2	20.9	36.6

TABLE 20 - PAGE 2
LIVE BIRTHS - MISSISSIPPI - 1913-2006

YEAR	NUMBER			RATE*		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
1960	59,210	27,198	32,012	27.2	21.6	34.8
1961	59,523	27,435	32,088	27.3	21.8	34.8
1962	58,921	27,512	31,409	26.1	20.8	33.5
1963	57,316	26,823	30,493	25.0	19.9	32.4
1964	56,650	25,942	30,708	24.5	18.9	32.5
1965	51,171	23,369	27,802	22.0	17.4	28.2
1966	48,230	22,736	25,494	20.4	16.5	25.9
1967	46,594	22,675	23,919	19.7	15.9	25.6
1968	45,719	22,807	22,912	19.4	15.7	25.4
1969	47,120	24,025	23,095	21.2	17.2	28.0
1970	48,141	24,893	23,248	21.7	17.9	28.2
1971	48,601	25,199	23,402	21.9	18.1	28.4
1972	45,907	23,745	22,162	20.3	NOT AVAILABLE	
1973	44,638	23,119	21,519	19.3	NOT AVAILABLE	
1974	44,032	23,023	21,009	18.9	NOT AVAILABLE	
1975	43,336	22,559	20,777	18.5	NOT AVAILABLE	
1976	42,983	22,605	20,378	18.2	NOT AVAILABLE	
1977	45,532	23,369	22,163	19.1	NOT AVAILABLE	
1978	44,373	22,632	21,741	18.5	NOT AVAILABLE	
1979	45,919	23,487	22,432	19.1	NOT AVAILABLE	
1980	47,821	24,687	23,134	19.0	15.3	25.5
1981	46,228	23,777	22,451	18.3	14.7	24.8
1982	45,926	24,028	21,898	18.0	NOT AVAILABLE	
1983	43,992	22,659	21,333	17.0	NOT AVAILABLE	
1984	43,742	22,672	21,070	16.9	NOT AVAILABLE	
1985	43,432	22,943	20,489	16.3	13.5	21.5
1986	41,868	22,060	19,808	15.8	13.0	20.8
1987	41,279	21,576	19,703	15.2	12.4	20.2
1988	42,040	21,685	20,355	15.3	12.3	20.6
1989**	43,026	22,069	20,957	15.5	12.4	20.9
1990**	43,547	22,280	21,267	16.9	13.6	22.6
1991**	43,184	21,908	21,276	16.8	13.4	22.6
1992**	42,676	21,700	20,976	16.6	13.3	22.3
1993**	42,134	21,246	20,888	16.4	13.0	22.2
1994**	41,938	21,536	20,402	16.3	13.2	21.7
1995**	41,332	21,571	19,761	15.3	12.7	19.8
1996**	40,978	21,447	19,531	15.2	12.7	19.5
1997**	41,527	22,021	19,506	15.4	13.0	19.5
1998**	42,917	22,950	19,967	15.6	13.3	19.3
1999**	42,678	22,652	20,026	15.4	13.1	19.2
2000**	44,075	23,540	20,535	15.5	13.5	18.7
2001**	42,277	22,798	19,479	14.9	13.0	17.7
2002**	41,511	22,620	18,891	14.4	12.8	17.0
2003**	42,321	23,118	19,203	14.7	13.1	17.2
2004**	42,809	23,524	19,285	14.8	13.2	17.2
2005**	42,327	23,015	19,312	14.5	12.9	17.0
2006**	46,046	24,195	21,851	15.8	13.7	19.2

* BIRTHS PER 1,000 POPULATION.

** FIGURES SHOWN ARE BY RACE OF MOTHER; FIGURES FOR YEARS PRIOR TO 1989 ARE BY RACE OF CHILD.

TABLE 21
DEATHS AND RATES, BY YEAR AND RACE,
MISSISSIPPI, 1913-2006
(OCCURRENCE DATA 1913-1943, RESIDENCE DATA 1944-2006)

YEAR	NUMBER			RATE*		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
1913	21,305	7,643	13,662	11.4	9.3	13.0
1914	21,485	7,442	14,043	11.3	8.9	13.1
1915	24,001	8,088	15,913	12.5	9.6	14.7
1916	21,794	7,588	14,206	11.2	8.9	13.0
1917	23,579	8,048	15,531	11.9	9.3	14.0
1918	30,437	10,177	20,260	15.2	11.6	18.0
1919	22,667	8,142	14,525	12.7	9.5	15.5
1920	22,072	7,916	14,156	12.3	9.3	15.1
1921	19,991	7,308	12,683	11.0	8.4	13.4
1922	19,278	7,312	11,966	10.5	8.3	12.6
1923	20,363	7,688	12,675	11.0	8.6	13.2
1924	21,155	7,809	13,346	11.3	8.6	13.8
1925	22,229	8,143	14,086	11.7	8.8	14.4
1926	23,929	9,133	14,796	12.5	9.7	15.1
1927	23,257	8,765	14,492	12.0	9.2	14.6
1928	25,965	10,111	15,854	13.2	10.4	15.9
1929	25,868	10,048	15,820	13.0	10.2	15.7
1930	24,098	9,072	15,026	11.9	9.0	14.8
1931	22,007	8,641	13,366	10.8	8.5	13.0
1932	20,322	8,295	12,027	9.9	8.1	11.6
1933	21,617	8,898	12,719	10.4	8.6	12.2
1934	21,786	9,350	12,436	10.5	9.0	12.0
1935	21,285	9,186	12,099	10.1	8.7	11.6
1936	24,127	10,367	13,760	11.4	9.7	13.1
1937	24,005	10,055	13,950	11.2	9.3	13.2
1938	22,814	9,471	13,343	10.6	8.7	12.5
1939	22,701	9,464	13,237	10.5	8.6	12.3
1940	23,185	9,565	13,620	10.6	8.6	12.6
1941	22,573	9,442	13,131	10.2	8.4	12.1
1942	20,693	8,750	11,943	9.3	7.7	10.9
1943	20,850	9,139	11,711	10.2	8.7	11.6
1944	20,199	8,830	11,369	10.1	8.7	11.6
1945	19,024	8,452	10,572	9.6	8.3	10.8
1946	19,321	8,995	10,326	8.4	7.7	9.2
1947	20,007	9,238	10,769	8.6	7.8	9.5
1948	20,183	9,216	10,967	8.6	7.7	9.6
1949	20,489	9,233	11,256	8.7	7.7	9.8
1950	20,567	9,466	11,101	9.4	8.0	11.2
1951	21,007	9,593	11,414	9.6	8.1	11.5
1952	20,657	9,387	11,270	9.5	7.9	11.4
1953	20,492	9,495	10,997	9.4	8.0	11.1
1954	19,353	9,453	9,900	8.9	8.0	10.0
1955	19,403	9,501	9,902	8.9	8.0	10.0
1956	19,780	9,969	9,811	9.4	8.7	10.2
1957	20,476	10,339	10,137	9.7	9.0	10.5
1958	21,541	10,811	10,730	9.9	8.4	11.9
1959	20,890	10,742	10,148	9.4	8.0	11.4

TABLE 21 - PAGE 2
DEATHS - MISSISSIPPI - 1913-2006

YEAR	NUMBER			RATE*		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
1960	21,713	11,204	10,509	10.0	8.9	11.4
1961	21,232	11,063	10,169	9.7	8.8	11.0
1962	22,713	11,868	10,845	10.0	9.0	11.6
1963	23,339	12,118	11,221	10.2	9.0	11.9
1964	22,559	12,039	10,520	9.7	8.8	11.1
1965	22,652	12,376	10,276	9.7	9.2	10.4
1966	23,350	12,976	10,374	9.9	9.4	10.5
1967	22,609	12,816	9,793	9.6	9.0	10.5
1968	23,986	13,468	10,518	10.2	9.3	11.7
1969	23,865	13,873	9,992	10.8	10.0	12.1
1970	23,305	13,623	9,682	10.5	9.8	11.8
1971	23,426	13,980	9,446	10.6	10.0	11.5
1972	23,663	14,077	9,586	10.5	NOT AVAILABLE	
1973	24,007	14,461	9,546	10.4	NOT AVAILABLE	
1974	23,153	14,268	8,885	9.9	NOT AVAILABLE	
1975	22,768	13,790	8,978	9.7	NOT AVAILABLE	
1976	23,124	14,307	8,817	9.8	NOT AVAILABLE	
1977	23,022	14,318	8,704	9.6	NOT AVAILABLE	
1978	23,363	14,631	8,732	9.7	NOT AVAILABLE	
1979	22,932	14,348	8,584	9.5	NOT AVAILABLE	
1980	23,576	14,531	9,045	9.4	9.0	10.0
1981	23,405	14,876	8,529	9.3	9.2	9.4
1982	23,173	14,863	8,310	9.1	NOT AVAILABLE	
1983	23,831	15,250	8,581	9.2	NOT AVAILABLE	
1984	23,781	15,225	8,556	9.2	NOT AVAILABLE	
1985	24,568	15,803	8,765	9.2	9.3	9.2
1986	24,341	15,694	8,647	9.2	9.2	9.1
1987	24,525	15,835	8,690	9.0	9.1	8.9
1988	24,706	16,034	8,672	9.0	9.1	8.8
1989	25,273	16,386	8,887	9.1	9.2	8.9
1990	24,994	16,088	8,906	9.7	9.8	9.5
1991	25,503	16,393	9,110	9.9	10.0	9.7
1992	25,163	16,417	8,746	9.8	10.0	9.3
1993	26,271	17,003	9,268	10.2	10.4	9.9
1994	26,657	17,210	9,447	10.4	10.5	10.0
1995	26,910	17,729	9,181	10.0	10.5	9.2
1996	26,566	17,488	9,078	9.9	10.3	9.1
1997	27,380	18,034	9,346	10.2	10.6	9.3
1998	27,737	18,343	9,394	10.1	10.7	9.1
1999	28,090	18,693	9,397	10.1	10.8	9.0
2000	28,529	19,189	9,340	10.0	11.0	8.5
2001	28,134	18,774	9,360	9.9	10.8	8.5
2002	28,765	19,168	9,597	10.0	10.9	8.6
2003	28,333	19,013	9,320	9.8	10.8	8.3
2004	27,748	18,689	9,059	9.6	10.5	8.1
2005	29,047	19,524	9,523	9.9	10.9	8.4
2006	28,343	18,859	9,484	9.7	10.6	8.3

* DEATHS PER 1,000 POPULATION.

TABLE 22
MATERNAL DEATHS* AND MORTALITY RATES, BY YEAR AND RACE,
MISSISSIPPI, 1913-2006
(OCCURRENCE DATA 1913-1943, RESIDENCE DATA 1944-2006)

YEAR	NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
1913	447	162	285	1,087.5	740.6	1,482.1
1914	413	124	289	1,016.7	580.5	1,500.3
1915	289	88	201	731.9	419.1	1,087.4
1916	326	102	224	835.2	506.7	1,185.0
1917	297	105	192	799.6	551.0	1,061.6
1918	302	82	220	766.7	409.9	1,134.8
1919	407	173	234	957.8	785.4	1,143.5
1920	393	127	266	898.4	566.0	1,248.5
1921	391	145	246	841.2	611.7	1,079.9
1922	313	110	203	715.9	516.8	904.8
1923	321	108	213	741.9	510.9	962.7
1924	413	137	276	939.5	617.7	1,267.2
1925	435	143	292	954.7	642.3	1,253.3
1926	388	153	235	769.1	622.0	909.1
1927	409	134	275	831.2	554.6	1,098.2
1928	421	161	260	874.8	681.0	1,061.9
1929	410	152	258	899.7	687.6	1,099.5
1930	489	171	318	1,019.1	737.3	1,282.8
1931	352	131	221	780.1	605.4	941.0
1932	279	103	176	600.2	470.7	715.5
1933	315	116	199	712.9	568.4	836.9
1934	306	116	190	638.8	519.2	743.3
1935	334	137	197	691.6	623.5	748.5
1936	358	134	224	726.7	603.8	827.6
1937	370	150	220	709.2	644.2	761.6
1938	333	116	217	619.8	482.4	731.0
1939	311	97	214	594.8	412.7	743.5
1940	327	106	221	622.5	459.2	750.6
1941	293	93	200	537.0	384.8	658.0
1942	248	77	171	438.8	304.3	547.8
1943	233	66	167	392.2	239.0	525.2
1944	225	72	153	397.6	280.7	494.5
1945	216	64	152	403.4	273.2	504.7
1946	199	67	132	323.9	225.5	416.2
1947	175	50	125	264.0	154.2	369.1
1948	177	38	139	271.1	128.1	390.2
1949	147	32	115	222.3	111.2	308.0
1950	165	30	135	256.1	110.3	362.5
1951	143	28	115	218.3	100.7	304.9
1952	119	15	104	184.5	53.4	285.4
1953	119	24	95	185.8	84.8	265.7
1954	104	11	93	160.6	38.2	258.6
1955	76	12	64	120.2	43.6	179.3
1956	74	12	62	119.0	44.0	177.6
1957	75	14	61	123.5	52.2	179.9
1958	53	10	43	89.5	37.3	132.8
1959	55	9	46	90.8	32.2	141.2

TABLE 22 - PAGE 2
 MATERNAL DEATHS - MISSISSIPPI - 1913-2006

YEAR	NUMBER			RATE**		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
1960	59	8	51	99.6	29.4	159.3
1961	49	9	40	82.3	32.8	124.6
1962	55	7	48	93.3	25.4	152.8
1963	44	9	35	76.8	33.6	114.8
1964	57	9	48	100.6	34.7	156.3
1965	40	3	37	78.2	12.8	133.1
1966	27	6	21	56.0	26.4	82.4
1967	36	10	26	77.3	44.1	108.7
1968	21	3	18	45.9	13.2	78.6
1969	23	3	20	48.8	12.5	86.6
1970	34	5	29	70.6	20.1	124.7
1971	21	5	16	43.2	19.8	68.4
1972	24	5	19	52.3	21.0	85.7
1973	12	4	8	26.9	17.3	37.2
1974	12	4	8	27.2	17.4	38.1
1975	6	0	6	13.8	-	28.9
1976	8	4	4	18.6	17.7	19.6
1977	10	2	8	22.0	8.6	36.1
1978	6	1	5	13.5	4.4	23.0
1979	10	3	7	21.8	12.8	31.2
1980	2	1	1	4.2	4.0	4.3
1981	7	5	2	15.1	21.0	8.9
1982	1	1	0	2.2	4.2	-
1983	1	0	1	2.3	-	4.7
1984	3	1	2	6.8	4.4	9.5
1985	3	2	1	6.9	8.7	4.9
1986	3	0	3	7.2	-	15.1
1987	4	2	2	9.7	9.3	10.2
1988	7	2	5	16.6	9.2	24.6
1989	6	1	5	13.9	4.5	23.8
1990	6	0	6	13.8	-	28.2
1991	3	2	1	6.9	9.1	4.7
1992	4	1	3	9.4	4.6	14.3
1993	11	2	9	26.1	9.4	43.1
1994	4	1	3	9.5	4.6	14.7
1995	5	0	5	12.1	-	25.3
1996	1	0	1	2.4	-	5.1
1997	11	4	7	26.5	18.2	35.9
1998	4	2	2	9.3	8.7	10.0
1999	6	2	4	14.0	8.8	20.0
2000	8	2	6	18.2	8.5	29.2
2001	12	4	8	28.4	17.5	41.1
2002	9	2	7	21.7	8.8	37.0
2003	7	3	4	16.5	13.0	20.8
2004	11	4	7	25.7	17.0	36.3
2005	12	2	10	28.4	8.7	51.8
2006	14	3	11	30.4	12.4	50.3

* DEATHS RESULTING FROM DELIVERIES AND COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM.

** DEATHS PER 100,000 LIVE BIRTHS.

TABLE 23
INFANT DEATHS* AND MORTALITY RATES, BY YEAR AND RACE,
MISSISSIPPI, 1917-2006
(OCCURRENCE DATA 1917-1944, RESIDENCE DATA 1945-2006)

YEAR	NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
1917	3,689	1,296	2,393	99.3	68.0	132.3
1918	#	#	#	#	#	#
1919	3,554	#	#	83.6	#	#
1920	3,499	1,344	2,155	80.0	59.9	101.1
1921	3,157	1,243	1,914	67.9	52.4	84.0
1922	2,826	1,067	1,759	64.6	50.1	78.4
1923	2,908	1,104	1,804	67.2	52.2	81.5
1924	3,137	1,188	1,949	71.4	53.6	89.5
1925	3,176	1,179	1,997	69.7	53.0	85.7
1926	3,578	1,447	2,131	70.9	58.8	82.4
1927	3,291	1,303	1,988	66.9	54.0	79.4
1928	3,567	1,416	2,151	74.1	59.9	87.9
1929	3,275	1,268	2,007	71.9	57.4	85.5
1930	3,276	1,182	2,094	68.3	51.0	84.5
1931	2,547	961	1,586	56.4	44.4	67.5
1932	2,482	965	1,517	53.4	44.1	61.7
1933	2,800	1,035	1,765	63.4	50.7	74.2
1934	3,070	1,199	1,871	64.1	53.7	73.2
1935	2,587	1,044	1,543	53.6	47.5	58.6
1936	2,883	1,105	1,778	58.5	49.8	65.7
1937	3,098	1,174	1,924	59.4	50.4	66.6
1938	3,051	1,205	1,846	56.8	50.1	62.2
1939	2,908	1,135	1,773	55.6	48.3	61.6
1940	2,864	1,070	1,794	54.5	46.4	60.9
1941	2,969	1,113	1,856	54.4	46.1	61.1
1942	2,654	957	1,697	47.0	37.8	54.4
1943	2,774	1,137	1,637	46.7	41.2	51.5
1944	2,481	965	1,516	43.6	37.1	49.0
1945	2,192	846	1,346	40.9	36.1	44.7
1946	2,298	1,005	1,293	37.4	33.8	40.8
1947	2,428	1,009	1,419	36.6	31.1	41.9
1948	2,470	988	1,482	37.8	33.3	41.6
1949	2,612	900	1,712	39.5	31.3	45.8
1950	2,348	763	1,585	36.4	28.1	42.6
1951	2,589	814	1,775	39.5	29.3	47.1
1952	2,592	760	1,832	40.2	27.1	50.3
1953	2,534	807	1,727	39.6	28.5	48.3
1954	2,360	744	1,616	36.4	25.8	44.9
1955	2,338	680	1,658	37.0	24.7	46.4
1956	2,353	734	1,619	37.8	26.9	46.4
1957	2,257	694	1,563	37.2	25.9	46.1
1958	2,424	706	1,718	41.0	26.3	53.1
1959	2,355	677	1,678	38.9	24.2	51.5
1960	2,457	714	1,743	41.5	26.2	54.4
1961	2,250	645	1,605	37.8	23.5	50.0
1962	2,353	705	1,648	39.9	25.6	52.5
1963	2,372	610	1,762	41.4	22.7	57.8
1964	2,230	599	1,631	39.4	23.1	53.1

TABLE 23 - PAGE 2
 INFANT DEATHS - MISSISSIPPI - 1917-2006

YEAR	NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
1965	2,126	593	1,533	41.5	25.4	55.1
1966	1,856	520	1,336	38.5	22.9	52.4
1967	1,645	512	1,133	35.3	22.6	47.4
1968	1,613	517	1,096	35.3	22.7	47.8
1969	1,513	530	983	32.1	22.1	42.6
1970	1,403	480	923	29.1	19.3	39.7
1971	1,311	460	851	27.0	18.2	36.4
1972	1,187	459	728	25.8	19.3	32.8
1973	1,154	392	762	25.8	17.0	35.4
1974	1,024	356	668	23.2	15.5	31.8
1975	975	356	619	22.5	15.8	29.8
1976	927	331	596	21.6	14.6	29.2
1977	834	285	549	18.3	12.2	24.8
1978	846	266	580	19.1	11.8	26.7
1979	809	280	529	17.6	11.9	23.6
1980	812	272	540	17.0	11.0	23.3
1981	711	248	463	15.4	10.4	20.6
1982	706	249	457	15.4	10.4	20.9
1983	664	240	424	15.1	10.6	19.9
1984	629	224	405	14.4	9.9	19.2
1985	596	213	383	13.7	9.3	18.7
1986	517	197	320	12.3	8.9	16.2
1987	565	212	353	13.7	9.8	17.9
1988	516	189	327	12.3	8.7	16.1
1989	498	190	308	11.6	8.6	14.7
1990	528	189	339	12.1	8.5	15.9
1991	493	163	330	11.4	7.4	15.5
1992	508	170	338	11.9	7.8	16.1
1993	482	178	304	11.4	8.4	14.6
1994	459	158	301	10.9	7.3	14.8
1995	435	149	286	10.5	6.9	14.5
1996	451	169	282	11.0	7.9	14.4
1997	440	156	284	10.6	7.1	14.6
1998	436	146	290	10.2	6.4	14.5
1999	435	152	283	10.2	6.7	14.1
2000	468	157	311	10.6	6.7	15.1
2001	443	157	286	10.5	6.9	14.7
2002	428	155	273	10.3	6.8	14.4
2003	453	158	295	10.7	6.8	15.4
2004	417	144	273	9.7	6.1	14.2
2005	481	153	328	11.4	6.6	17.0
2006	483	168	315	10.5	6.9	14.4

* DEATHS OF CHILDREN UNDER 1 YEAR OF AGE.

** DEATHS PER 1,000 LIVE BIRTHS.

NOT AVAILABLE.

TABLE 24
NEONATAL DEATHS* AND MORTALITY RATES, BY YEAR AND RACE,
MISSISSIPPI, 1924-2006
(OCCURRENCE DATA 1924-1944, RESIDENCE DATA 1945-2006)

YEAR	NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
1924	1,598	730	868	36.4	32.9	39.8
1925	1,639	701	938	36.0	31.5	40.3
1926	1,731	823	908	34.3	33.4	35.1
1927	1,644	786	858	33.4	32.5	34.3
1928	1,788	804	984	37.2	34.0	40.2
1929	1,662	773	889	36.5	35.0	37.9
1930	1,692	715	977	35.3	30.8	39.4
1931	1,339	590	749	29.7	27.3	31.9
1932	1,361	572	789	29.3	26.1	32.1
1933	1,540	636	904	34.8	31.2	38.0
1934	1,505	644	861	31.4	28.8	33.7
1935	1,446	642	804	29.9	29.2	30.5
1936	1,494	676	818	30.3	30.4	30.2
1937	1,678	755	923	32.2	32.4	32.0
1938	1,688	747	941	31.4	31.1	31.7
1939	1,637	735	902	31.3	31.3	31.3
1940	1,613	680	933	30.7	29.4	31.7
1941	1,663	734	929	30.5	30.4	30.6
1942	1,544	638	906	27.3	25.2	29.0
1943	1,652	791	861	27.8	28.6	27.1
1944	1,436	661	775	25.2	25.4	25.1
1945	1,351	624	727	25.2	26.6	24.1
1946	1,561	794	767	25.4	26.7	24.2
1947	1,595	750	845	24.1	23.1	24.9
1948	1,674	773	901	25.6	26.0	25.3
1949	1,594	661	933	24.1	23.0	25.0
1950	1,446	560	886	22.4	20.6	23.8
1951	1,679	626	1,053	25.6	22.5	27.9
1952	1,658	581	1,077	25.7	20.7	29.6
1953	1,630	635	995	25.4	22.4	27.8
1954	1,521	601	920	23.5	20.9	25.6
1955	1,440	527	913	22.8	19.1	25.6
1956	1,451	581	870	23.3	21.3	24.9
1957	1,425	540	885	23.5	20.1	26.1
1958	1,475	540	935	24.9	20.1	28.9
1959	1,450	515	935	23.9	18.4	28.7
1960	1,497	550	947	25.3	20.2	29.6
1961	1,401	509	892	23.5	18.6	27.8
1962	1,456	550	906	24.7	20.0	28.8
1963	1,449	470	979	25.3	17.5	32.1
1964	1,372	460	912	24.2	17.7	29.7
1965	1,283	470	813	25.1	20.1	29.2
1966	1,123	386	737	23.3	17.0	28.9
1967	1,053	388	665	22.6	17.1	27.8
1968	1,116	424	692	24.4	18.6	30.2
1969	1,066	441	625	22.6	18.4	27.1

TABLE 24 - PAGE 2
 NEONATAL DEATHS - MISSISSIPPI - 1924-2006

YEAR	NUMBER			RATE**		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
1970	976	391	585	20.3	15.7	25.2
1971	940	382	558	19.3	15.2	23.8
1972	837	362	475	18.2	15.2	21.4
1973	793	301	492	17.8	13.0	22.9
1974	710	276	434	16.1	12.0	20.6
1975	677	257	420	15.6	11.4	20.2
1976	626	243	383	14.6	10.7	18.8
1977	588	222	366	12.9	9.5	16.5
1978	559	191	368	12.6	8.4	16.9
1979	514	191	323	11.2	8.1	14.4
1980	523	189	334	10.9	7.6	14.4
1981	486	166	320	10.5	7.0	14.2
1982	467	166	301	10.2	6.9	13.7
1983	410	160	250	9.3	7.1	11.7
1984	395	158	237	9.0	7.0	11.2
1985	368	127	241	8.5	5.5	11.8
1986	323	133	190	7.7	6.0	9.6
1987	363	128	235	8.8	5.9	11.9
1988	318	118	200	7.6	5.4	9.8
1989	309	132	177	7.2	6.0	8.4
1990	332	111	221	7.6	5.0	10.4
1991	303	95	208	7.0	4.3	9.8
1992	320	97	223	7.5	4.5	10.6
1993	298	111	187	7.1	5.2	9.0
1994	273	93	180	6.5	4.3	8.8
1995	254	88	166	6.1	4.1	8.4
1996	294	103	191	7.2	4.8	9.8
1997	269	96	173	6.5	4.4	8.9
1998	265	76	189	6.2	3.3	9.5
1999	267	91	176	6.2	4.0	8.8
2000	289	91	198	6.6	3.9	9.6
2001	277	96	181	6.6	4.2	9.3
2002	281	100	181	6.8	4.4	9.6
2003	246	78	168	5.8	3.4	8.7
2004	256	82	174	6.0	3.5	9.0
2005	283	70	213	6.7	3.0	11.0
2006	300	102	198	6.5	4.2	9.1

* DEATHS OF INFANTS UNDER 28 DAYS OF AGE, BUT FIGURES FOR 1924-1948 INCLUDE DEATHS OF INFANTS UNDER ONE MONTH OF AGE.

** DEATHS PER 1,000 LIVE BIRTHS.

TABLE 25
POSTNEONATAL DEATHS* AND MORTALITY RATES, BY YEAR AND RACE,
MISSISSIPPI, 1924-2006
(OCCURRENCE DATA 1924-1944, RESIDENCE DATA 1945-2006)

YEAR	NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
1924	1,539	458	1,081	35.0	20.6	49.6
1925	1,537	478	1,059	33.7	21.5	45.4
1926	1,847	624	1,223	36.6	25.4	47.3
1927	1,647	517	1,130	33.5	21.4	45.1
1928	1,779	612	1,167	37.0	25.9	47.7
1929	1,613	495	1,118	35.4	22.4	47.6
1930	1,584	467	1,117	33.0	20.1	45.0
1931	1,208	371	837	26.8	17.1	35.6
1932	1,121	393	728	24.1	18.0	29.6
1933	1,260	399	861	28.5	19.6	36.2
1934	1,565	555	1,010	32.7	24.8	39.5
1935	1,141	402	739	23.6	18.3	28.1
1936	1,389	429	960	28.2	19.3	35.5
1937	1,420	419	1,001	27.2	18.0	34.6
1938	1,363	458	905	25.4	19.0	30.5
1939	1,271	400	871	24.3	17.0	30.3
1940	1,251	390	861	23.8	16.9	29.2
1941	1,306	379	927	23.9	15.7	30.5
1942	1,110	319	791	19.6	12.6	25.3
1943	1,122	346	776	18.9	12.5	24.4
1944	1,045	304	741	18.4	11.7	24.0
1945	841	222	619	15.7	9.5	20.6
1946	737	211	526	12.0	7.1	16.6
1947	833	259	574	12.6	8.0	16.9
1948	796	215	581	12.2	7.2	16.3
1949	1,018	239	779	15.4	8.3	20.9
1950	902	203	699	14.0	7.5	18.8
1951	910	188	722	13.9	6.8	19.1
1952	934	179	755	14.5	6.4	20.7
1953	904	172	732	14.1	6.1	20.5
1954	839	143	696	13.0	5.0	19.4
1955	898	153	745	14.2	5.6	20.9
1956	902	153	749	14.5	5.6	21.5
1957	832	154	678	13.7	5.7	20.0
1958	949	166	783	16.0	6.2	24.2
1959	905	162	743	14.9	5.8	22.8
1960	960	164	796	16.2	6.0	24.9
1961	849	136	713	14.3	5.0	22.2
1962	897	155	742	15.2	5.6	23.6
1963	923	140	783	16.1	5.2	25.7
1964	858	139	719	15.1	5.4	23.4
1965	843	123	720	16.5	5.3	25.9
1966	733	134	599	15.2	5.9	23.5
1967	592	124	468	12.7	5.5	19.6
1968	497	93	404	10.9	4.1	17.6
1969	447	89	358	9.5	3.7	15.5

TABLE 25 - PAGE 2
 POSTNEONATAL DEATHS - MISSISSIPPI - 1924 - 2006

YEAR	NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
1970	427	89	338	8.9	3.6	14.5
1971	371	78	293	7.6	3.1	12.5
1972	350	97	253	7.6	4.1	11.4
1973	361	91	270	8.1	3.9	12.5
1974	314	80	234	7.1	3.5	11.1
1975	298	99	199	6.9	4.4	9.6
1976	301	88	213	7.0	3.9	10.4
1977	246	63	183	5.4	2.7	8.2
1978	287	75	212	6.5	3.3	9.8
1979	295	89	206	6.4	3.8	9.2
1980	289	83	206	6.0	3.4	8.9
1981	225	82	143	4.9	3.4	6.4
1982	239	83	156	5.2	3.4	7.1
1983	254	80	174	5.8	3.5	8.2
1984	234	66	168	5.4	2.9	8.0
1985	228	86	142	5.2	3.7	6.9
1986	194	64	130	4.6	2.9	6.6
1987	202	84	118	4.9	3.9	6.0
1988	198	71	127	4.7	3.3	6.2
1989	189	58	131	4.4	2.6	6.2
1990	196	78	118	4.5	3.5	5.5
1991	190	68	122	4.4	3.1	5.7
1992	188	73	115	4.4	3.4	5.5
1993	184	67	117	4.4	3.2	5.6
1994	186	65	121	4.4	3.0	5.9
1995	181	61	120	4.4	2.8	6.1
1996	157	66	91	3.8	3.1	4.6
1997	171	60	111	4.1	2.7	5.7
1998	171	70	101	4.0	3.0	5.0
1999	168	61	107	3.9	2.7	5.3
2000	179	66	113	4.1	2.8	5.5
2001	166	61	105	3.9	2.7	5.4
2002	147	55	92	3.5	2.4	4.9
2003	207	80	127	4.9	3.5	6.6
2004	161	62	99	3.8	2.6	5.1
2005	198	83	115	4.7	3.6	6.0
2006	183	66	117	4.0	2.7	5.4

* DEATHS OF INFANTS 28 DAYS OF AGE OR OLDER, BUT FIGURES FOR 1924-1948 ONLY INCLUDE DEATHS OF INFANTS ONE MONTH OF AGE OR OLDER.

** DEATHS PER 1,000 LIVE BIRTHS.

TABLE 26
MARRIAGES AND DIVORCES, BY YEAR AND RACE, OCCURRENCE DATA,
MISSISSIPPI, 1926-2006

YEAR	MARRIAGES			DIVORCES		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
1926*	28,712			2,766		
1927*	29,048**	11,402	17,383	2,895		
1928	30,231**	11,662	18,257	3,009	1,435	1,574
1929	31,495**	12,864	18,388	3,172	1,598	1,574
1930	25,728**	10,815	14,751	2,743	1,487	1,256
1931	21,589**	9,952	11,629	2,015	1,308	707
1932	22,688**	10,147	12,453	1,918	1,308	610
1933	27,567**	12,201	15,300	1,955	1,396	559
1934	30,149**	13,497	16,541	2,446	1,704	742
1935	28,722**	12,955	15,635	2,425	1,681	744
1936	32,480**	14,120	18,196	2,520	1,690	830
1937	32,055**	14,802	17,246	2,977	1,984	993
1938	31,495	14,224	17,271	2,916	2,069	847
1939	31,956	15,370	16,586	3,034	2,166	868
1940	34,088	16,834	17,254	3,251	2,295	956
1941	42,142	21,611	20,531	3,831	2,444	1,387
1942	49,565	27,227	22,338	4,326	2,606	1,720
1943	46,030	23,445	22,585	5,851	3,062	2,789
1944	41,559	21,173	20,386	6,742	3,425	3,317
1945	44,871	24,738	20,133	6,727	3,919	2,808
1946	64,204	37,099	27,105	9,495	5,867	3,628
1947	53,584	30,514	23,070	7,004	4,323	2,681
1948	53,645	31,504	22,141	6,697	3,864	2,833
1949	52,765	32,191	20,574	6,285	3,621	2,664
1950	56,738	37,871	18,867	6,065	3,711	2,354
1951	57,321	37,857	19,464	5,464	3,601	1,863
1952	58,116	39,162	18,954	5,419	3,607	1,812
1953	61,751	42,961	18,790	5,204	3,515	1,689
1954	61,381	43,268	18,113	5,001	3,424	1,577
1955	66,423	47,618	18,805	4,845	3,372	1,473
1956	66,223	48,140	18,083	5,027	3,452	1,575
1957	62,495	46,868	15,627	4,974	3,350	1,624
1958	36,402	26,998	9,404	5,016	3,485	1,531
1959	20,447	13,547	6,900	5,108	3,557	1,551
1960	21,233	14,029	7,204	5,260	3,553	1,707
1961	21,610	14,438	7,172	5,213	3,545	1,668
1962	22,007	14,432	7,575	5,467	3,827	1,640
1963	22,140	14,508	7,632	5,452	3,930	1,522
1964	22,784	15,159	7,625	5,631	4,077	1,554
1965	23,343	15,613	7,730	5,730	4,220	1,510
1966	23,476	15,860	7,616	6,306	4,650	1,656
1967	23,535	15,752	7,783	6,455	4,704	1,751
1968	25,355	17,142	8,213	7,020	5,202	1,818
1969	25,956	17,582	8,374	7,506	5,616	1,890

TABLE 26 - PAGE 2
MARRIAGES AND DIVORCES - MISSISSIPPI - 1926-2006

YEAR	MARRIAGES			DIVORCES		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
1970	26,328	17,883	8,445	8,211	6,227	1,984
1971	27,597	18,668	8,929	8,936	6,705	2,231
1972	28,703	19,178	9,525	10,097	7,510	2,587
1973	28,513	19,276	9,237	10,787	8,138	2,649
1974	27,613	19,236	8,377	11,866	9,203	2,663
1975	26,279	18,602	7,677	12,303	9,570	2,733
1976	26,772	18,969	7,803	12,243	9,399	2,844
1977	26,843	19,200	7,643	12,759	9,921	2,838
1978	27,280	19,762	7,518	13,313	10,339	2,974
1979	27,279	19,843	7,436	13,628	10,402	3,226
1980	27,908	20,620	7,288	13,846	10,760	3,086
1981	28,002	20,877	7,125	14,182**	10,403	2,795
1982	27,584	20,547	7,037	12,861**	10,239	2,570
1983	26,921	19,950	6,971	13,436**	10,709	2,674
1984	26,025	19,255	6,770	12,911**	10,205	2,664
1985	24,750	18,241	6,509	12,535**	9,766	2,662
1986	24,283	17,729	6,554	12,871**	10,155	2,630
1987	23,729	17,286	6,443	12,142**	9,542	2,420
1988	24,919	18,335	6,584	12,097**	9,454	2,473
1989	24,240	17,735	6,505	12,945**	9,823	2,755
1990	24,348	17,766	6,582	12,735**	9,498	2,804
1991	23,446	17,235	6,211	13,027**	9,926	2,689
1992	22,995	16,776	6,219	12,758**	9,785	2,667
1993	23,271	17,066	6,205	13,860**	10,513	2,940
1994	22,872	16,479	6,393	13,302**	10,110	2,890
1995	22,150	15,714	6,436	13,182**	10,073	2,850
1996	21,550	15,219	6,331	14,263**	10,658	3,180
1997	21,338	14,630	6,708	13,860**	10,376	3,101
1998	20,911	14,222	6,689	13,748**	10,310	3,004
1999	21,828	14,436	7,392	14,056**	10,625	3,221
2000	19,879	13,232	6,647	14,177**	10,666	3,312
2001	18,605	12,483	6,122	14,198**	10,683	3,370
2002	18,447	12,451	5,996	14,196**	10,548	3,466
2003	17,827	12,081	5,746	13,330**	9,737	3,325
2004	17,705	12,055	5,650	13,003**	8,876	3,123
2005	16,862	11,318	5,544	12,798**	8,305	3,053
2006	16,550	11,071	5,479	13,891**	8,858	3,138

* TOTAL NUMBER OF MARRIAGES FOR 1926 AND TOTAL NUMBER OF DIVORCES FOR 1926 AND 1927 FURNISHED BY U.S. BUREAU OF CENSUS; DISTRIBUTION BY RACE NOT AVAILABLE.

** INCLUDES SOME RECORDS ON WHICH THE RACE OF THE COUPLE WAS NOT STATED.

NOTE: DUE TO INCONSISTENT REPORTING BY COUNTIES, STATISTICS ON MARRIAGES AND DIVORCES MAY BE INCOMPLETE.

TABLE 27
REPORTED INDUCED TERMINATIONS OF PREGNANCY
AND INDUCED TERMINATION RATIOS, BY YEAR AND RACE,
PROCEDURES PERFORMED IN MISSISSIPPI, 1976-2006

YEAR	NUMBER				RATIO*		
	TOTAL	WHITE	NON- WHITE	UNK. RACE	TOTAL	WHITE	NON- WHITE
1976	1,510	976	515	19	35.1	43.2	25.3
1977	2,446	1,531	907	8	53.7	65.5	40.9
1978	3,280	1,998	1,270	12	73.9	88.3	58.4
1979	4,411	2,765	1,636	10	96.1	117.7	72.9
1980	5,543	3,283	2,250	10	115.9	133.0	97.2
1981	5,561	3,236	2,263	62	120.3	136.1	100.8
1982	5,145	2,954	2,174	17	112.0	122.9	99.3
1983	4,560	2,473	2,084	3	103.6	109.1	97.7
1984	4,585	2,633	1,945	7	104.8	116.1	92.3
1985	5,288	2,922	2,359	7	121.8	127.4	115.1
1986	4,521	2,505	2,013	3	108.0	113.6	101.6
1987	5,469	2,950	2,517	2	132.5	136.7	127.7
1988	5,170	2,561	2,588	21	123.0	118.1	127.1
1989	5,490	2,674	2,802	14	127.6	121.2	133.7
1990	6,842	3,334	3,485	23	157.1	149.6	163.9
1991	8,184	3,910	4,244	30	189.5	178.5	199.5
1992	7,555	3,425	4,127	3	177.0	157.8	196.7
1993	6,002	2,425	3,551	26	142.4	114.1	170.0
1994	3,979	1,414	2,558	7	94.9	65.6	125.4
1995	3,563	1,288	2,274	1	86.2	59.7	115.1
1996	4,206	1,340	2,859	7	102.6	62.5	146.4
1997	4,325	1,418	2,906	1	104.1	64.4	149.0
1998	3,955	1,215	2,737	3	92.2	52.9	137.1
1999	3,878	1,060	2,810	8	90.9	46.8	140.3
2000	3,758	1,039	2,711	8	85.3	44.1	132.0
2001	3,566	960	2,598	8	84.3	42.1	133.4
2002	3,605	970	2,633	2	85.3	42.5	135.2
2003	3,753	957	2,769	27	88.7	41.4	144.2
2004	3,493	837	2,655	1	81.6	35.6	137.7
2005	3,041	672	2,356	13	71.8	29.2	122.0
2006	2,949	665	2,278	6	64.0	27.5	104.2

* INDUCED TERMINATIONS OF PREGNANCY PER 1,000 LIVE BIRTHS.

TABLE 28
TEENAGE PREGNANCIES AND PREGNANCY RATES,
BY YEAR AND RACE, RESIDENCE DATA,
MISSISSIPPI, 1979-2006

YEAR	NUMBER			RATE*		
	TOTAL**	WHITE	NON-WHITE	TOTAL**	WHITE	NON-WHITE
1979	13,347	5,401	7,895	55.9	40.4	75.2
1980	13,544	5,712	7,808	56.8	42.7	74.4
1981	12,804	5,399	7,365	53.7	40.4	70.2
1982	12,217	5,125	7,080	51.2	38.4	67.4
1983	11,435	4,708	6,727	52.6	38.1	71.4
1984	11,091	4,382	6,709	51.0	35.5	71.3
1985	10,998	4,455	6,543	50.5	36.1	69.5
1986	10,231	4,077	6,154	47.0	33.0	65.4
1987	10,244	4,057	6,187	47.6	33.2	66.4
1988	10,565	4,174	6,391	49.3	34.3	69.0
1989#	11,267	4,403	6,855	52.9	36.4	74.4
1990#	11,379	4,457	6,916	53.1	39.0	69.3
1991#	11,545	4,485	7,056	53.9	39.2	70.7
1992#	11,089	4,119	6,969	51.8	36.0	69.8
1993#	10,962	3,911	7,046	51.2	34.2	70.6
1994#	10,802	3,889	6,911	50.4	34.0	69.3
1995#	10,778	3,984	6,789	49.9	34.5	67.5
1996#	10,401	3,787	6,612	48.1	32.8	65.7
1997#	9,989	3,681	6,305	46.2	31.9	62.7
1998#	9,891	3,748	6,143	45.9	32.8	60.5
1999#	9,675	3,646	6,027	45.2	32.1	59.8
2000#	9,508	3,618	5,889	42.9	31.1	55.9
2001#	8,624	3,309	5,314	38.9	28.4	50.4
2002#	8,192	3,266	4,925	38.2	29.1	48.3
2003#	7,743	3,070	4,666	36.3	27.6	45.8
2004#	7,673	3,131	4,538	36.4	28.3	45.3
2005#	7,405	2,900	4,502	35.5	26.6	45.3
2006#	8,701	3,382	5,312	41.0	30.7	52.0

* NUMBER OF LIVE BIRTHS PLUS REPORTABLE SPONTANEOUS FETAL DEATHS PLUS INDUCED TERMINATIONS PER 1,000 FEMALES AGES 10-19 IN SPECIFIED RACE GROUP.

** TOTAL FIGURES INCLUDE SOME FOR WHICH THE RACE WAS UNKNOWN.

FIGURES SHOWN ARE BY RACE OF MOTHER; FIGURES FOR YEARS PRIOR TO 1989 ARE BY RACE OF CHILD.

APPENDICES

APPENDIX A.
LIST OF 358 SELECTED CAUSES OF DEATH USED FOR TABULATING MORTALITY STATISTICS,
SHOWING GROUP NUMBER, CAUSE OF DEATH, AND ICD-10 CODES INCLUDED

This list of causes of death for the tabulation and dissemination of mortality data was prepared by the National Center for Health Statistics based on the Tenth Revision of the International Classification of Diseases (ICD-10) and recommendations by the World Health Organization (WHO).

The purpose of this list of 358 selected causes is threefold: (1) to separately identify causes of death specified by the WHO in its recommended mortality tabulation lists, (2) to the greatest extent possible, to maintain continuity with past lists (ie, NCHS's List of 282 Selected Causes of Death used with ICD-9) for historic continuity and to facilitate trend analysis, and (3) to separately identify causes of death that are of public health and medical importance.

Group	Cause of Death	ICD-10 Codes Included
001	Cholera	A00
002	Typhoid fever	A01.0
003	Paratyphoid fevers and other salmonella infections	A01.1-A01.4, A02
004	Shigellosis	A03
005	Other bacterial food-borne intoxications	A05
006	Amebiasis	A06
007	Intestinal infections due to other specified organisms	A04, A07-A08
008	Diarrhea and gastroenteritis of presumed infectious origin	A09
009	Respiratory tuberculosis	A16
010	Other tuberculosis	A17-A19
011	Plague	A20
012	Brucellosis	A23
013	Tetanus	A33-A35
014	Diphtheria	A36
015	Whooping cough	A37
016	Scarlet fever and erysipelas	A38, A46
017	Meningococcal infection	A39
018	Septicemia	A40-A41
019	Other zoonotic and bacterial diseases	A21-A22, A24-A32, A42-A44, A48-A49
020	Cardiovascular syphilis	A52.0
021	Neurosyphilis	A52.1-A52.3
022	Other and unspecified syphilis	A50-A51, A52.7-A52.9, A53
023	Gonococcal infection	A54

Group	Cause of Death	ICD-10 Codes Included
024	Other infections with a predominately sexual mode of transmission	A55-A64
025	Lyme disease	A69.2
026	Typhus fever	A75
027	All other infections caused by spirochetes, chlamydia or rickettsia	A65-A68, A69.0-A69.1, A69.8-A69.9, A70-A74, A77-A79
028	Acute poliomyelitis	A80
029	Rabies	A82
030	Arthropod-borne viral encephalitis	A83-A84, A85.2
031	Yellow fever	A95
032	Other and unspecified arthropod-borne viral and hemorrhagic fevers	A90-A94, A96-A99
033	Herpesviral (herpes simplex) infections	B00
034	Zoster (herpes zoster)	B02
035	Smallpox	B03
036	Measles	B05
037	Rubella (German measles)	B06
038	Viral hepatitis	B15-B19
039	Human immunodeficiency virus (HIV) disease resulting in infectious and parasitic diseases	B20
040	Human immunodeficiency virus (HIV) disease resulting in malignant neoplasms	B21
041	Human immunodeficiency virus (HIV) disease resulting in other specified diseases	B22
042	Human immunodeficiency virus (HIV) disease resulting in other conditions	B23
043	Unspecified human immunodeficiency virus (HIV) disease	B24
044	All other and unspecified viral diseases	A85.0-A85.1, A85.8, A86-A89, B01, B04, B07-B09, B25-B34
045	Mycoses	B35-B49
046	Malaria	B50-B54
047	Leishmaniasis	B55
048	Trypanosomiasis	B56-B57
049	Pneumocystosis	B59
050	Other and unspecified protozoal diseases	B58, B60-B64
051	Schistosomiasis (bilharziasis)	B65

Group	Cause of Death	ICD-10 Codes Included
052	Other and unspecified helminthiases	B66-B83
053	Sequelae of tuberculosis	B90
054	Sequelae of poliomyelitis	B91
055	All other and unspecified infectious and parasitic diseases and their sequela	B85-B89, B92-B99
056	Malignant neoplasms of lip	C00
057	Malignant neoplasms of tongue	C01-C02
058	Malignant neoplasms of pharynx	C10-C13, C14.0
059	Malignant neoplasms of other and unspecified sites within the lip, oral cavity and pharynx	C03-C09, C14.2-C14.8
060	Malignant neoplasms of esophagus	C15
061	Malignant neoplasms of stomach	C16
062	Malignant neoplasms of small intestine	C17
063	Malignant neoplasms of colon	C18
064	Malignant neoplasms of rectosigmoid junction and rectum	C19-C20
065	Malignant neoplasms of anus and anal canal	C21
066	Malignant neoplasms of liver	C22.0, C22.2-C22.9
067	Intrahepatic bile duct carcinoma	C22.1
068	Malignant neoplasms of gallbladder and extrahepatic bile ducts	C23-C24
069	Malignant neoplasms of pancreas	C25
070	Malignant neoplasms of other and ill-defined digestive organs	C26
071	Malignant neoplasms of nasal cavity, middle ear and accessory sinuses	C30-C31
072	Malignant neoplasms of larynx	C32
073	Malignant neoplasms of trachea, bronchus and lung	C33-C34
074	Malignant neoplasms of thymus, heart, mediastinum and pleura	C37-C38
075	Malignant neoplasms of other and ill-defined sites in respiratory system and intrathoracic organs	C39
076	Malignant neoplasms of bone and articular cartilage	C40-C41
077	Malignant melanoma of skin	C43
078	Other malignant neoplasms of skin	C44
079	Mesothelioma	C45

Group	Cause of Death	ICD-10 Codes Included
080	Kaposi's sarcoma	C46
081	Malignant neoplasms of other mesothelial and soft tissue	C47-C49
082	Malignant neoplasm of breast	C50
083	Malignant neoplasms of vulva and vagina	C51-C52
084	Malignant neoplasms of cervix uteri	C53
085	Malignant neoplasms of corpus uteri and uterus, part unspecified	C54-C55
086	Malignant neoplasms of ovary	C56
087	Malignant neoplasms of other and unspecified female genital organs	C57
088	Malignant neoplasms of placenta	C58
089	Malignant neoplasms of prostate	C61
090	Malignant neoplasms of testis	C62
091	Malignant neoplasms of penis and other and unspecified male genital organs	C60, C63
092	Malignant neoplasms of kidney and renal pelvis	C64-C65
093	Malignant neoplasms of bladder	C67
094	Malignant neoplasms of other and unspecified sites within the urinary tract	C66, C68
095	Malignant neoplasm of eye and adnexa	C69
096	Malignant neoplasms of brain	C71
097	Malignant neoplasms of other parts of central nervous system	C70, C72
098	Malignant neoplasms of thyroid and other endocrine glands	C73-C75
099	Other malignant neoplasms of other and unspecified sites	C76-C80, C97
100	Hodgkin's disease	C81
101	Non-Hodgkin's lymphoma	C82-C85
102	Malignant neoplasms of other and unspecified lymphoid, hematopoietic and related tissue	C96
103	Malignant immunoproliferative diseases	C88
104	Multiple myeloma and malignant plasma cell neoplasms	C90
105	Lymphoid leukemia	C91
106	Myeloid leukemia	C92
107	Monocytic leukemia	C93

Group	Cause of Death	ICD-10 Codes Included
108	Other and unspecified leukemia	C94-C95
109	Carcinoma in situ of breast and genitourinary system	D05-D07
110	Carcinoma in situ of other and unspecified sites	D00-D04, D09
111	Benign neoplasms of female genital organs	D25-D28
112	Benign neoplasms of eye, brain and other parts of central nervous system	D31-D33
113	Benign neoplasms of other and unspecified sites	D10-D24, D29-D30, D34-D36
114	Neoplasms of uncertain or unknown behavior of specified sites	D37-D47
115	Neoplasm of uncertain or unknown behavior of unspecified sites	D48
116	Nutritional anemias	D50-D53
117	Hemolytic anemias	D55-D59
118	Aplastic anemias	D60-D61
119	Acute posthemorrhagic and other anemias	D62, D64
120	Coagulation defects, purpura and other hemorrhagic conditions	D65-D69
121	Other diseases of blood and blood-forming organs	D70-D76
122	Certain disorders involving the immune mechanism	D80-D89
123	Disorders of thyroid gland	E00-E07
124	Diabetes mellitus	E10-E14
125	Disorders of pituitary gland	E22-E23
126	Disorders of adrenal glands	E24-E27
127	Diseases of thymus	E32
128	Other endocrine diseases	E15-E21, E28-E31, E34
129	Nutritional marasmus	E41
130	Other and unspecified malnutrition	E40, E42-E46
131	Other nutritional deficiencies	E50-E64
132	Obesity and other hyperalimentation	E65-E68
133	Cystic fibrosis	E84
134	Volume depletion, disorders of fluid, electrolyte and acid-base balance	E86-E87
135	Other metabolic disorders	E70-E83, E85, E88

Group	Cause of Death	ICD-10 Codes Included
136	Organic dementia	F01, F03
137	Other and unspecified organic mental disorders	F04-F09
138	Mental and behavioral disorders due to use of alcohol	F10
139	Mental and behavioral disorders due to other psychoactive substance use	F11-F19
140	Schizophrenia, schizotypal and delusional disorders	F20-F29
141	Mood (affective) disorders	F30-F39
142	Neurotic, stress-related and somatoform disorders	F40-F48
143	Mental retardation	F70-F79
144	Other and unspecified mental and behavioral disorders	F50-F69, F80-F99
145	Meningitis	G00, G03
146	Other inflammatory diseases of central nervous system	G04-G09
147	Parkinson's disease	G20-G21
148	Alzheimer's disease	G30
149	Multiple sclerosis	G35
150	Epilepsy	G40-G41
151	Transient cerebral ischemic attacks and related syndromes	G45
152	Infantile cerebral palsy	G80
153	All other diseases of nervous system	G10-G12, G23-G25, G31, G36-G37, G43-G44, G47-G72, G81-G98
154	Diseases of the eye and adnexa	H00-H57
155	Diseases of the ear and mastoid process	H60-H93
156	Acute rheumatic fever	I00-I02
157	Rheumatic mitral valve diseases	I05
158	Rheumatic aortic valve diseases	I06
159	Disorders of both mitral and aortic valves	I08.0
160	Other chronic rheumatic heart diseases	I07, I08.1-I08.9, I09
161	Essential (primary) hypertension	I10
162	Hypertensive heart disease	I11
163	Hypertensive renal disease	I12
164	Hypertensive heart and renal disease	I13

Group	Cause of Death	ICD-10 Codes Included
165	Acute myocardial infarction	I21-I22
166	Other acute ischemic heart diseases	I24
167	Atherosclerotic cardiovascular disease, so described	I25.0
168	All other forms of chronic ischemic heart disease	I20, I25.1-I25.9
169	Pulmonary embolism	I26
170	Other pulmonary heart disease and diseases of pulmonary circulation	I27-I28
171	Acute and subacute endocarditis	I33
172	Diseases of pericardium and acute myocarditis	I30-I31, I40
173	Nonrheumatic mitral valve disorders	I34
174	Nonrheumatic aortic valve disorders	I35
175	All other diseases of endocardium	I36-I38
176	Cardiomyopathy	I42
177	Conduction disorders and cardiac dysrhythmias	I44-I49
178	Congestive heart failure	I50.0
179	Other and unspecified heart failure	I50.1-I50.9
180	Myocarditis, unspecified and myocardial degeneration	I51.4-I51.5
181	All other and ill-defined forms of heart disease	I51.0-I51.3, I51.6-I51.9
182	Subarachnoid hemorrhage	I60
183	Intracerebral and other intracranial hemorrhage	I61-I62
184	Cerebral infarction	I63
185	Stroke, not specified as hemorrhage or infarction	I64
186	Other cerebrovascular diseases and their sequelae	I67, I69
187	Atherosclerosis	I70
188	Aortic aneurysm and dissection	I71
189	Other diseases of arteries, arterioles and capillaries	I72-I78
190	Phlebitis, thrombophlebitis, venous embolism and thrombosis	I80-I82
191	All other and unspecified disorders of circulatory system	I83-I99
192	Acute pharyngitis and tonsillitis	J02-J03

Group	Cause of Death	ICD-10 Codes Included
193	Acute laryngitis and tracheitis	J04
194	Other and unspecified acute upper respiratory infections	J00-J01, J05-J06
195	Influenza	J10-J11
196	Viral pneumonia, not elsewhere classified	J12
197	Bacterial pneumonia	J13-J15
198	Pneumonia due to other or unspecified organisms	J16, J18
199	Acute bronchitis and bronchiolitis	J20-J21
200	Unspecified acute lower respiratory infection	J22
201	Other diseases of upper respiratory tract	J30-J39
202	Bronchitis, not specified as acute or chronic	J40
203	Chronic bronchitis	J41-J42
204	Emphysema	J43
205	Other chronic obstructive pulmonary disease	J44
206	Asthma	J45-J46
207	Bronchiectasis	J47
208	Pneumoconioses and chemical effects	J60-J66, J68
209	Pneumonitis due to food and vomit	J69.0
210	Other pneumonitis due to solids and liquids	J69.1-J69.8
211	Other lung diseases due to external agents	J67, J70
212	Suppurative and necrotic conditions of lower respiratory tract	J85-J86
213	Pleural effusion and plaque	J90, J92
214	All other diseases of respiratory system	J80-J84, J93-J98
215	Diseases of oral cavity, salivary glands and jaws	K00-K14
216	Diseases of esophagus	K20-K22
217	Gastric ulcer	K25
218	Duodenal ulcer	K26
219	Peptic ulcer, site unspecified	K27
220	Gastrojejunal ulcer	K28
221	Gastritis and duodenitis	K29
222	Dyspepsia and other diseases of stomach and duodenum	K30-K31
223	Diseases of appendix	K35-K38

Group	Cause of Death	ICD-10 Codes Included
224	Hernia	K40-K46
225	Crohn's disease and ulcerative colitis	K50-K51
226	Vascular disorders and obstruction of intestine without hernia	K55-K56
227	Diverticular disease of intestine	K57
228	Other diseases of intestines and peritoneum	K52, K58-K63
229	Diseases of peritoneum	K65-K66
230	Alcoholic liver disease	K70
231	Chronic hepatitis, not elsewhere classified	K73
232	Fibrosis and cirrhosis of liver	K74
233	Other diseases of liver	K71-K72, K75-K76
234	Cholelithiasis and other disorders of gallbladder	K80-K82
235	Pancreatitis	K85, K86.0-K86.1
236	Other disorders of biliary tract and pancreas	K83, K86.2-K86.9
237	All other diseases of digestive system	K90, K92
238	Infections of skin and subcutaneous tissue	L00-L08
239	Other and unspecified diseases of skin and subcutaneous tissue	L10-L98
240	Rheumatoid arthritis and related inflammatory polyarthropathies	M05-M08
241	Systemic lupus erythematosus	M32
242	Other arthropathies and related disorders	M00, M02, M10-M31, M33-M35
243	Dorsopathies	M40-M54
244	Soft tissue disorders	M60-M79
245	Osteoporosis	M80-M81
246	Other osteopathies, chondropathies and disorders of musculoskeletal system and connective tissue	M83-M99
247	Acute and rapidly progressive nephritic syndrome	N00-N01
248	Nephrotic syndrome	N04
249	Other and unspecified glomerular diseases	N02-N03, N05-N07
250	Renal tubulo-interstitial diseases	N10-N15
251	Renal failure	N17-N19
252	Urolithiasis	N20-N23
253	Other and unspecified disorders of kidney	N25-N27

Group	Cause of Death	ICD-10 Codes Included
254	Urinary tract infection, site not specified	N39.0
255	Other diseases of urinary system	N28-N36, N39.1-N39.9
256	Hyperplasia of prostate	N40
257	Other diseases of male genital organs	N41-N50
258	Disorders of breast	N60-N64
259	Inflammatory diseases of female pelvic organs	N70-N76
260	Noninflammatory disorders of female genital tract	N80-N98
261	Ectopic pregnancy	000
262	Spontaneous abortion	003
263	Medical abortion	004
264	Other abortion	005
265	Other and unspecified pregnancy with abortive outcome	001-002, 006-007
266	Eclampsia and pre-eclampsia	011, 013-016
267	Hemorrhage of pregnancy and childbirth and placenta previa	020, 044-046, 067, 072
268	Obstetric embolism	088
269	Other complications predominately related to the puerperium	085-087, 089-092
270	All other direct obstetric causes	010, 012, 021-043, 047-066, 068-071, 073-075
271	Obstetric death of unspecified cause	095
272	Other deaths related to pregnancy, childbirth and the puerperium	096-097
273	Indirect obstetric deaths	098-099
274	Newborn affected by maternal factors and by complications of pregnancy, labor and delivery	P00-P04
275	Disorders related to short gestation and low birth weight, not elsewhere classified	P07
276	Birth trauma	P10-P15
277	Intrauterine hypoxia and birth asphyxia	P20-P21
278	Respiratory distress of newborn	P22
279	Other respiratory conditions originating in the perinatal period	P23-P28
280	Infections specific to the perinatal period	P35-P39
281	Other and unspecified conditions originating in the perinatal period	P05, P08, P29, P50-P96

Group	Cause of Death	ICD-10 Codes Included
282	Anencephaly and similar malformations	Q00
283	Spina bifida	Q05
284	All other congenital malformations of nervous system	Q01-Q04, Q06-Q07
285	Congenital malformations of heart	Q20-Q24
286	Other congenital malformations of circulatory system	Q25-Q28
287	Congenital malformations of respiratory system	Q30-Q34
288	Other congenital malformations and deformations	Q10-Q18, Q35-Q89
289	Down's syndrome	Q90
290	All other chromosomal abnormalities, not elsewhere classified	Q91-Q99
291	Senility	R54
292	Sudden infant death syndrome	R95
293	Other ill-defined and unknown causes of mortality	R96-R99
294	All other symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified	R00-R53, R55-R94
295	Railway accidents	V05, V15, V80.6, V81.2-V81.9
296	Pedestrian involved in collision with motor vehicle	V02-V04
297	Pedal cyclist involved in collision with motor vehicle	V12-V14, V19.0-V19.2, V19.4-V19.6
298	Motorcyclist involved in any accident except collision with railway train	V20-V24, V26-V34, V36-V39
299	Motorcyclist involved in collision with railway train	V25, V35
300	Other motor vehicle accident involving collision with railway train	V45, V55, V65, V75, V81.0-V81.1, V87.6, V88.6
301	Occupant of motor vehicle involved in collision with other (non-motorized) road vehicle, streetcar, animal or pedestrian	V40-V41, V46-V47, V50-V51, V56-V57, V60-V61, V66-V67, V70-V71, V76-V77
302	Occupant of car, pickup truck or van involved in collision with other motor vehicle	V42-V44, V49, V52-V54, V59
303	Occupant of heavy transport vehicle or bus involved in collision with other motor vehicle	V62-V64, V69, V72-V74, V79
304	Occupant of motor vehicle involved in noncollision accident	V48, V58, V68, V78

Group	Cause of Death	ICD-10 Codes Included
305	Occupant of special-use motor vehicle involved in any accident	V83-V86
306	Other and unspecified motor vehicle accidents	V09.0, V09.2, V80.3-V80.5, V82.0-V82.1, V87.0-V87.5, V87.7-V87.8, V88.0-V88.5, V88.7-V88.8, V89.0, V89.2
307	Streetcar accidents	V82.2-V82.9
308	Other and unspecified land transport accidents	V01, V06, V09.1, V09.3, V09.9, V10-V11, V16-V18, V19.3, V19.8-V19.9, V80.0-V80.2, V80.7-V80.9, V87.9, V88.9, V89.1, V89.3, V89.9
309	Water transport accidents	V90-V94
310	Air and space transport accidents	V95-V97
311	Other and unspecified transport accidents and their sequelae	V98-V99, Y85
312	Fall on same level	W00-W09, W18
313	Fall from one level to another	W10-W17
314	Unspecified fall	W19
315	Accidental discharge of firearms	W32-W34
316	Accidental explosion	W39-W40
317	Accidental drowning and submersion	W65-W74
318	Accidental inhalation and ingestion of food or other objects causing obstruction of respiratory tract	W78-W80
319	Other accidental and unspecified threats to breathing	W75-W77, W81-W84
320	Accidental exposure to electric current	W85-W87
321	Accidental exposure to radiation	W88-W91
322	Accidental exposure to smoke, fire and flames	X00-X09
323	Accidental contact with heat and hot substances	X10-X19
324	Lightning	X33
325	Earthquake, volcanic eruption, avalanche, landslide and other earth movements	X34-X36
326	Cataclysmic storm and flood	X37-X38
327	Accidental poisoning by and exposure to drugs and other biological substances	X40-X44
328	Accidental poisoning by and exposure to other and unspecified solid or liquid substances	X45-X46, X48-X49

Group	Cause of Death	ICD-10 Codes Included
329	Accidental poisoning by and exposure to other gases and vapors	X47
330	All other and unspecified accidents and their sequelae	W20-W31, W35-W38, W41-W64, W92-W99, X20-X32, X39, X50-X59, Y86
331	Intentional self-poisoning (suicide) by and exposure to drugs and other biological substances	X60-X64
332	Intentional self-poisoning (suicide) by and exposure to other and unspecified solid or liquid substances and their vapors	X65-X66, X68-X69
333	Intentional self-poisoning (suicide) by and exposure to other gases and vapors	X67
334	Intentional self-harm (suicide) by hanging, strangulation and suffocation	X70
335	Intentional self-harm (suicide) by discharge of firearms	X72-X74
336	Intentional self-harm (suicide) by jumping from a high place	X80
337	Intentional self-harm (suicide) by all other and unspecified means and their sequelae	X71, X75-X79, X81-X84, Y87.0
338	Assault (homicide) by drugs, biological substances and other and unspecified noxious substances	X85-X90
339	Assault (homicide) by hanging, strangulation and suffocation	X91
340	Assault (homicide) by discharge of firearms	X93-X95
341	Assault (homicide) by sharp object	X99
342	Assault (homicide) by blunt object	Y00
343	Assault (homicide) by bodily force	Y04
344	Sexual assault (homicide) by bodily force	Y05
345	Neglect, abandonment and other maltreatment syndromes	Y06-Y07
346	Assault (homicide) by all other and unspecified means and their sequelae	X92, X96-X98, Y01-Y03, Y08-Y09, Y87.1
347	Poisoning by and exposure to drugs and biological substances, undetermined intent	Y10-Y14
348	Poisoning by and exposure to other and unspecified solid or liquid substance, undetermined intent	Y15-Y16, Y18-Y19
349	Poisoning by and exposure to other gases and vapors, undetermined intent	Y17
350	Discharge of firearms, undetermined intent	Y22-Y24

Group	Cause of Death	ICD-10 Codes Included
351	Falling, jumping or pushed from a high place, undetermined intent	Y30
352	All other and unspecified events of undetermined intent and their sequelae	Y20-Y21, Y25-Y29, Y31-Y34, Y87.2, Y89.9
353	Legal execution	Y35.5
354	Other legal intervention and their sequelae	Y35.0-Y35.4, Y35.6-Y35.7, Y89.0
355	Operations of war and their sequelae	Y36, Y89.1
356	Drugs, medicaments and biological substances causing adverse effects in therapeutic use, and their sequelae	Y40-Y59, Y88.0
357	Misadventures to patients during medical and surgical care and their sequelae	Y60-Y69, Y88.1
358	Other complications of medical and surgical care and their sequelae	Y70-Y84, Y88.2-Y88.3

**APPENDIX B.
LIST OF 50 SELECTED CATEGORIES OF CAUSES OF DEATH
USED FOR RANKING LEADING CAUSES,
SHOWING GROUP NUMBERS, CAUSES OF DEATH,
AND ICD-10 CODES INCLUDED IN EACH CATEGORY**

These cause-of-death categories were adapted from the National Center for Health Statistics List of 358 Selected Causes of Death (see Appendix A), and were constructed in part by combining certain titles from that list.

These categories are used for ranking leading causes of death.

Group Numbers Included*	Cause of Death	ICD-10 Codes Included
002, 003	Salmonella infections	A01-A02
004, 006	Shigellosis and amebiasis	A03, A06
009, 010	Tuberculosis	A16-A19
015	Whooping cough	A37
016	Scarlet fever and erysipelas	A38, A46
017	Meningococcal infection	A39
018	Septicemia	A40-A41
020-022	Syphilis	A50-A53
028	Acute poliomyelitis	A80
030	Arthropod-borne viral encephalitis	A83-A84, A85.2
036	Measles	B05
038	Viral hepatitis	B15-B19
039-043	Human immunodeficiency virus (HIV) disease	B20-B24
046	Malaria	B50-B54
056-108	Malignant neoplasms	C00-C97
110-115	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior	D00-D48
116-119	Anemias	D50-D64
124	Diabetes mellitus	E10-E14
129-131	Nutritional deficiencies	E40-E64
145	Meningitis	G00, G03
147	Parkinson's disease	G20-G21
148	Alzheimer's disease	G30
156-160, 162, 164-181	Diseases of heart	I00-I09, I11, I13, I20-I51
161, 163	Essential (primary) hypertension and hypertensive renal disease	I10, I12

Group Numbers Included*	Cause of Death	ICD-10 Codes Included
182-186	Cerebrovascular diseases	I60-I69
187	Atherosclerosis	I70
188	Aortic aneurysm and dissection	I71
195-198	Influenza and pneumonia	J10-J18
199	Acute bronchitis and bronchiolitis	J20-J21
202-207	Chronic lower respiratory diseases	J40-J47
208	Pneumoconioses and chemical effects	J60-J66, J68
209, 210	Pneumonitis due to solids and liquids	J69
217-220	Peptic ulcer	K25-K28
223	Diseases of appendix	K35-K38
224	Hernia	K40-K46
230-232	Chronic liver disease and cirrhosis	K70, K73-K74
234	Cholelithiasis and other disorders of gallbladder	K80-K82
247-249, 251, 253	Nephritis, nephrotic syndrome and nephrosis	N00-N07, N17-N19, N25-N27
**	Infections of kidney	N10-N12, N13.6, N15.1
256	Hyperplasia of prostate	N40
259	Inflammatory diseases of female pelvic organs	N70-N76
261-273	Pregnancy, childbirth and the puerperium	000-099
274-281	Certain conditions originating in the perinatal period	P00-P96
282-290	Congenital malformations, deformations and chromosomal abnormalities	Q00-Q99
295-330	Accidents	V01-X59, Y85, Y86
331-337	Intentional self-harm (suicide)	X60-X84, Y87.0
338-346	Assault (homicide)	X85-Y09, Y87.1
353-354	Legal intervention	Y35, Y89.0
335	Operations of war and their sequelae	Y36, Y89.1
356-358	Complications of medical and surgical care	Y40-Y84, Y88

* Refer to Appendix A for the cause(s) of death and ICD-10 codes included in each individual group number.

** The ICD-10 codes included in this category have no corresponding group number.

**APPENDIX C.
LIST OF 130 SELECTED CAUSES OF INFANT DEATH
USED FOR TABULATING INFANT MORTALITY STATISTICS,
SHOWING GROUP NUMBER, CAUSE OF DEATH, AND ICD-10 CODES INCLUDED**

This list of causes of death for the tabulation and dissemination of infant mortality data was prepared by the National Center for Health Statistics based on the Tenth Revision of the International Classification of Diseases (ICD-10) and recommendations by the World Health Organization (WHO).

This list is used for the analysis of infant mortality and for ranking leading causes of infant death, and contains more detailed titles for Certain conditions originating in the perinatal period and Congenital malformations, deformations and chromosomal abnormalities than the List of 358 Selected Causes of Death (see Appendix A). The categories used for ranking leading causes of infant death are marked with a #, and may include one or more group numbers.

Group	Cause of Death	ICD-10 Codes Included
	<u>Certain infectious and parasitic diseases</u>	<u>A00-B99</u>
001	Certain intestinal infectious diseases	A00-A08
002	# Diarrhea and gastroenteritis of presumed infectious origin	A09
003	# Tuberculosis	A16-A19
004	# Tetanus	A33, A35
005	# Diphtheria	A36
006	# Whooping cough	A37
007	# Meningococcal infection	A39
008	# Septicemia	A40-A41
009	# Congenital syphilis	A50
010	# Gonococcal infection	A54
	<u>Viral diseases</u>	<u>A80-B34</u>
011	# Acute poliomyelitis	A80
012	# Varicella (chickenpox)	B01
013	# Measles	B05
014	# Human immunodeficiency virus (HIV) disease	B20-B24
015	# Mumps	B26
016	Other and unspecified viral diseases	A81-B00, B02-B04, B06-B19, B25, B27-B34
017	# Candidiasis	B37
018	# Malaria	B50-B54
019	# Pneumocystosis	B59

Group	Cause of Death	ICD-10 Codes Included
020	Other and unspecified infectious and parasitic diseases and their sequelae	A20-A32, A38, A42-A49, A51-A53, A55-A79, B35-B36, B38-B49, B55-B58, B60-B99
	<u>Neoplasms</u>	<u>C00-D48</u>
	# <u>Malignant neoplasms</u>	<u>C00-C97</u>
021	Hodgkin's disease and non-Hodgkin's lymphomas	C81-C85
022	Leukemia	C91-C95
023	Other and unspecified malignant neoplasms	C00-C80, C88, C90, C96-C97
024	# In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior	D00-D48
	# <u>Diseases of the blood and blood-forming organs and certain disorders involving the immune mechanism</u>	<u>D50-D89</u>
025	Anemias	D50-D64
026	Hemorrhagic conditions and other diseases of blood and blood-forming organs	D65-D76
027	Certain disorders involving the immune mechanism	D80-D89
	<u>Endocrine, nutritional and metabolic diseases</u>	<u>E00-E88</u>
028	# Short stature, not elsewhere classified	E34.3
029	# Nutritional deficiencies	E40-E64
030	# Cystic fibrosis	E84
031	# Volume depletion, disorders of fluid, electrolyte and acid-base balance	E86-E87
032	All other endocrine, nutritional and metabolic diseases	E00-E32, E34.0-E34.2, E34.4-E34.9, E65-E83, E85, E88
	<u>Diseases of the nervous system</u>	<u>G00-G98</u>
033	# Meningitis	G00, G03
034	# Infantile spinal muscular atrophy, type I (Werdnig-Hoffman)	G12.0
035	# Infantile cerebral palsy	G80
036	# Anoxic brain damage, not elsewhere classified	G93.1
037	Other diseases of nervous system	G04, G06-G11, G12.1-G12.9, G20-G72, G81-G92, G93.0, G93.2-G93.9, G95-G98
038	# Diseases of the ear and mastoid process	H60-H93
	# <u>Diseases of the circulatory system</u>	<u>I00-I99</u>

Group	Cause of Death	ICD-10 Codes Included
039	Pulmonary heart disease and diseases of pulmonary circulation	I26-I28
040	Pericarditis, endocarditis and myocarditis	I30, I33, I40
041	Cardiomyopathy	I42
042	Cardiac arrest	I46
043	Cerebrovascular diseases	I60-I69
044	All other diseases of circulatory system	I00-I25, I31, I34-I38, I44-I45, I47-I51, I70-I99
	<u>Diseases of the respiratory system</u>	<u>J00-J98</u>
045	Acute upper respiratory infections	J00-J06
	# <u>Influenza and pneumonia</u>	<u>J10-J18</u>
046	Influenza	J10-J11
047	Pneumonia	J12-J18
048	# Acute bronchitis and acute bronchiolitis	J20-J21
049	# Bronchitis, chronic and unspecified	J40-J42
050	# Asthma	J45-J46
051	# Pneumonitis due to solids and liquids	J69
052	Other and unspecified diseases of respiratory system	J22, J30-J39, J43-J44, J47-J68, J70-J98
	<u>Diseases of the digestive system</u>	<u>K00-K92</u>
053	# Gastritis, duodenitis, and noninfective enteritis and colitis	K29, K50-K55
054	# Hernia of abdominal cavity and intestinal obstruction without hernia	K40-K46, K56
055	All other and unspecified diseases of digestive system	K00-K28, K30-K38, K57-K92
	<u>Diseases of the genitourinary system</u>	<u>N00-N98</u>
056	# Renal failure and other disorders of kidney	N17-N19, N25, N27
057	Other and unspecified diseases of genitourinary system	N00-N15, N20-N23, N26, N28-N98
	<u>Certain conditions originating in the perinatal period</u>	<u>P00-P96</u>
	<u>Newborn affected by maternal factors and by complications of pregnancy, labor and delivery</u>	<u>P00-P04</u>
058	# Newborn affected by maternal hypertensive disorders	P00.0

Group	Cause of Death	ICD-10 Codes Included
059	# Newborn affected by other maternal conditions which may be unrelated to present pregnancy	P00.1-P00.9
	<u># Newborn affected by maternal complications of pregnancy</u>	<u>P01</u>
060	Newborn affected by incompetent cervix	P01.0
061	Newborn affected by premature rupture of membranes	P01.1
062	Newborn affected by multiple pregnancy	P01.5
063	Newborn affected by other maternal complications of pregnancy	P01.2-P01.4, P01.6-P01.9
	<u># Newborn affected by complications of placenta, cord and membranes</u>	<u>P02</u>
064	Newborn affected by complications involving placenta	P02.0-P02.3
065	Newborn affected by complications involving cord	P02.4-P02.6
066	Newborn affected by chorioamnionitis	P02.7
067	Newborn affected by other and unspecified abnormalities of membranes	P02.8-P02.9
068	# Newborn affected by other complications of labor and delivery	P03
069	# Newborn affected by noxious influences transmitted via placenta or breast milk	P04
	<u>Disorders related to length of gestation and fetal malnutrition</u>	<u>P05-P08</u>
070	# Slow fetal growth and fetal malnutrition	P05
	<u># Disorders related to short gestation and low birth weight, not elsewhere classified</u>	<u>P07</u>
071	Extremely low birth weight or extreme immaturity	P07.0, P07.2
072	Other low birth weight or preterm	P07.1, P07.3
073	# Disorders related to long gestation and high birth weight	P08
074	# Birth trauma	P10-P15
	<u># Intrauterine hypoxia and birth asphyxia</u>	<u>P20-P21</u>
075	Intrauterine hypoxia	P20
076	Birth asphyxia	P21
077	# Respiratory distress of newborn	P22
	<u>Other respiratory conditions originating in the perinatal period</u>	<u>P23-P28</u>

Group	Cause of Death	ICD-10 Codes Included
078	# Congenital pneumonia	P23
079	# Neonatal aspiration syndromes	P24
080	# Interstitial emphysema and related conditions originating in the perinatal period	P25
081	# Pulmonary hemorrhage originating in the perinatal period	P26
082	# Chronic respiratory disease originating in the perinatal period	P27
083	# Atelectasis	P28.0-P28.1
084	All other respiratory conditions originating in the perinatal period	P28.2-P28.9
	<u>Infections specific to the perinatal period</u>	<u>P35-P39</u>
085	# Bacterial sepsis of newborn	P36
086	# Omphalitis of newborn with or without mild hemorrhage	P38
087	All other infections specific to the perinatal period	P35, P37, P39
	<u>Hemorrhagic and hematological disorders of newborn</u>	<u>P50-P61</u>
088	# Neonatal hemorrhage	P50-P52, P54
089	# Hemorrhagic disease of newborn	P53
090	# Hemolytic disease of newborn due to isoimmunization and other perinatal jaundice	P55-P59
091	# Hematological disorders	P60-P61
092	# Syndrome of infant of a diabetic mother and neonatal diabetes mellitus	P70.0-P70.2
093	# Necrotizing enterocolitis of newborn	P77
094	# Hydrops fetalis not due to hemolytic disease	P83.2
095	Other perinatal conditions	P29, P70.3-P70.9, P71-P76, P78-P81, P83.0-P83.1, P83.3-P83.9, P90-P96
	<u># Congenital malformations, deformations and chromosomal abnormalities</u>	<u>Q00-Q99</u>
096	Anencephaly and similar malformations	Q00
097	Congenital hydrocephalus	Q03
098	Spina bifida	Q05
099	Other congenital malformations of nervous system	Q01-Q02, Q04, Q06-Q07
100	Congenital malformations of heart	Q20-Q24

Group	Cause of Death	ICD-10 Codes Included
101	Other congenital malformations of circulatory system	Q25-Q28
102	Congenital malformations of respiratory system	Q30-Q34
103	Congenital malformations of digestive system	Q35-Q45
104	Congenital malformations of genitourinary system	Q50-Q64
105	Congenital malformations and deformations of musculoskeletal system, limbs and integument	Q65-Q85
106	Down's syndrome	Q90
107	Edward's syndrome	Q91.0-Q91.3
108	Patau's syndrome	Q91.4-Q91.7
109	Other congenital malformations and deformations	Q10-Q18, Q86-Q89
110	Other chromosomal abnormalities, not elsewhere classified	Q92-Q99
	<u>Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified</u>	<u>R00-R99</u>
111	# Sudden infant death syndrome	R95
112	Other symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified	R00-R53, R55-R94, R96-R99
113	All other diseases (Residual)	F01-F99, H00-H57, L00-M99
	<u>External causes of mortality</u>	<u>V01-Y89</u>
	# <u>Accidents</u>	<u>V01-X59, Y85-Y86</u>
	<u>Transport accidents</u>	<u>V01-V99, Y85</u>
114	Motor vehicle accidents	V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2
115	Other and unspecified transport accidents and their sequelae	V01, V05-V06, V09.1, V09.3-V09.9, V10-V11, V15-V18, V19.3, V19.8-V19.9, V80.0-V80.2, V80.6-V80.9, V81.2-V81.9, V82.2-V82.9, V87.9, V88.9, V89.1, V89.3, V89.9, V90-V99, Y85
116	Falls	W00-W19
117	Accidental discharge of firearms	W32-W34
118	Accidental drowning and submersion	W65-W74

Group	Cause of Death	ICD-10 Codes Included
119	Accidental suffocation and strangulation in bed	W75
120	Other accidental suffocation and strangulation	W76-W77, W81-W84
121	Accidental inhalation and ingestion of food or other objects causing obstruction of respiratory tract	W78-W80
122	Accidents caused by exposure to smoke, fire and flames	X00-X09
123	Accidental poisoning and exposure to noxious substances	X40-X49
124	Other and unspecified accidents and their sequelae	W20-W31, W35-W64, W85-W99, X10-X39, X50-X59, Y86
	<u># Assault (homicide)</u>	<u>X85-Y09, Y87.1</u>
125	Assault (homicide) by hanging, strangulation and suffocation	X91
126	Assault (homicide) by discharge of firearms	X93-X95
127	Neglect, abandonment and other maltreatment syndromes	Y06-Y07
128	Assault (homicide) by other and unspecified means and their sequelae	X85-X90, X92, X96-X99, Y00-Y05, Y08-Y09, Y87.1
129	<u># Complications of medical and surgical care</u>	<u>Y40-Y84, Y88</u>
130	Other external causes and their sequelae	X60-X84, Y10-Y36, Y87.0, Y87.2, Y89

Category is used for ranking leading causes of infant death.

Appendix D
Finalized Adoptions by Chancery Court District
as Reported to the Administrative Office of Courts by the Chancery Clerks, 2006

District	Jan-06	Feb-06	Mar-06	Apr-06	May-06	Jun-06	Jul-06	Aug-06	Sep-06	Oct-06	Nov-06	Dec-06	TOTAL
1	4	11	8	13	9	8	9	6	7	10	6	14	105
2	1	3	6	4	2	2	1	7	1	4	2	3	36
3	0	6	5	5	5	6	4	3	8	8	4	10	64
4	2	1	2	0	2	0	2	4	2	0	0	3	18
5	1	1	4	21	2	3	1	1	12	2	2	0	50
6	2	0	1	0	1	1	0	1	0	2	1	1	10
7	1	0	0	2	1	0	1	3	3	4	0	2	17
8	2	2	0	2	6	1	5	5	9	3	6	8	49
9	0	6	2	0	2	2	2	4	2	2	5	3	30
10	14	9	9	5	8	5	9	14	10	12	6	6	107
11	1	0	1	0	0	0	0	4	1	2	4	3	16
12	2	2	2	2	5	3	0	6	1	3	2	2	30
13	0	1	4	1	1	3	0	1	0	1	0	2	14
14	2	1	4	1	1	2	4	2	4	2	2	5	30
15	0	2	0	1	1	3	4	1	2	1	0	1	16
16	0	0	0	0	0	0	5	7	3	4	5	1	25
17	3	1	0	0	0	0	4	1	4	1	3	3	20
18	3	0	3	3	1	1	0	4	3	1	0	0	19
19	5	7	3	3	3	3	3	3	1	4	1	1	37
20	1	2	0	1	0	1	6	11	6	4	2	3	37
TOTAL	44	55	54	64	50	44	60	88	79	70	51	71	730

Source: Administrative Office of Courts

Map of Chancery Court Districts: http://www.sos.state.ms.us/ed_pubs/ctcalendar/Chancery%20and%20Circuit%20Judges.pdf