

TABLE OF CONTENTS

	Page
INTRODUCTION	
Description of Bulletin	1
Definitions of Live Birth, Fetal Death, Induced Termination, and Death	1
Occurrence and Residence Allocation	2
Population	2
Race	2
Rates	3
Classification of Cause of Death	3
 SUMMARY TABLES, 2007	
 POPULATION	
Table P1. 2007 Estimated Population, by Age, Race, and Sex, Residents of Mississippi	7
 LIVE BIRTHS	
Table A1. Live Births and Average per Day, by Month	8
Table A2. Percentage of Live Births in Hospitals or Clinics, by Year and Race, 1940, 1950, 1960, 1970-2007	8
Table A3. Live Births and Percentage Distribution, by Place of Delivery, Attendant, and Race of Mother	9
Table A4. Live Births, Percentage Distribution, and Fertility Rates, by Age and Race of Mother	10
Table A5. Live Births and Percentage Distribution, by Years of School Completed by Mother and Race of Mother	10
Table A6. Live Births to Unmarried Mothers and Percent of Total Live Births in Specified Group, by Age and Race of Mother	11
Table A7. Live Births, Percentage Distribution, Fertility Rates, and Median Age of Mother, by Total-Birth Order and Race of Mother	11
Table A8. Live Births and Percentage Distribution, by Whether Mother Received Prenatal Care, Time during Pregnancy Care Began, and Race of Mother	12
Table A9. Live Births and Percentage Distribution, by Maturity and Race of Mother	12
Table A10. Congenital Anomalies Reported on Live Birth Certificates, by Anomaly and Race of Mother	13
Table A11. Medical Risk Factors Reported on Live Birth Certificates, by Risk Factor and Race of Mother	14
Table A12. Other Risk Factors Reported on Live Birth Certificates and Percentage Distribution, by Risk Factor and Race of Mother	15
Table A13. Complications of Labor and Delivery Reported on Live Birth Certificates, by Complication and Race of Mother	16

Table A14.	Methods of Delivery Reported on Live Birth Certificates, by Method and Race of Mother	16
Table A15.	Obstetric Procedures Reported on Live Birth Certificates, by Procedure and Race of Mother	17
Table A16.	Abnormal Conditions of Newborn Reported on Live Birth Certificates, by Condition and Race of Mother	17

FETAL DEATHS

Table B1.	Reportable Fetal Deaths and Percentage Distribution, by Place of Delivery, Attendant, and Race of Mother	18
Table B2.	Reportable Fetal Deaths and Fetal Death Ratios, by Age and Race of Mother	19
Table B3.	Percentage Distribution of Live Births and Reportable Fetal Deaths, by Whether Mother Received Prenatal Care and Race of Mother . .	19
Table B4.	Reportable Fetal Deaths and Fetal Death Ratios, by Completed Weeks of Gestation and Race of Mother, 2005-2007	20

DEATHS

Table C1.	Deaths and Average per Day, by Month	21
Table C2.	Deaths, Percentage Distribution, and Rates, by Age and Race	21
Table C3A.	Deaths by Age, Race, and Sex, and Male/Female Ratios by Age and Race	22
Table C3B.	Death Rates, by Age, Race, and Sex	22
Table C4.	Deaths, Mortality Rates, and Percent of Total Deaths from Ten Leading Causes, by Cause and Race	23
Table C5.	Deaths, Percent of Total Deaths, and Rates for Five Leading Causes, by Age and Cause	24
Table C6.	Deaths and Rates from Malignant Neoplasms, by Primary Site, Sex, and Race	25
Table C7.	Deaths from Major Chronic Respiratory Diseases, 1982, 1987, 1992, 1997, 2002, 2007	25
Table C8.	Deaths and Percent of Total Accidental Deaths from Five Leading Causes of Accidental Death, by Cause and Race	26
Table C9.	Deaths from Selected Types of Accidents, by Sex, also by Age	27
Table C10.	Motor Vehicle Accident Deaths Occurring in Mississippi and Rates, also Motor Vehicle Accident Deaths of Mississippi Residents and Rates, by Year, 1950, 1955, 1960, 1965, 1970-2007	28
Table C11.	Infant Deaths, Percentage Distribution, and Mortality Rates by Age and Race	29
Table C12.	Deaths and Mortality Rates for Ten Leading Causes of Infant Death, by Cause and Race	30
Table C13A.	Years of Potential Life Lost Before Age 75, for Selected Causes of Death	31
Table C13B.	Years of Potential Life Lost Before Age 75, for Selected Causes of Death, White Males and Females	32

Table C13C. Years of Potential Life Lost Before Age 75, for Selected Causes of Death, Nonwhite Males and Females	33
--	----

MARRIAGES

Table D1. Marriages and Average per Day, by Month	34
Table D2. Brides and Grooms and Percentage Distribution, by Age and Race . . .	35
Table D3. Median Age of Bride and Groom, for All Marriages and First Marriages, by Race	36
Table D4. Brides and Grooms and Percentage Distribution, by Marriage Order and Race	37
Table D5. Brides and Grooms and Percentage Distribution, by Previous Marital Status and Race	38
Table D6. Marriages and Percentage Distribution, by Residence of Bride and Groom and Race of Bride	39

DIVORCES

Table E1. Divorces and Percentage Distribution, by Cause and Race	40
Table E2. Divorces and Percentage Distribution, by Number of Minor Children and Race	40
Table E3. Divorces and Percentage Distribution, by Number of Years Married and Race	41

INDUCED TERMINATIONS OF PREGNANCY

Table F1. Reported Induced Terminations of Pregnancy, Percentage Distribution, and Induced Termination Ratios, by Age and Race of Patient, Procedures Performed in Mississippi	42
Table F2. Reported Induced Terminations of Pregnancy and Percentage Distribution, by Characteristics of Patient and Race, Procedures Performed in Mississippi	43
Table F3. Reported Induced Terminations of Pregnancy and Percentage Distribution, by Medical Characteristics and Race, Procedures Performed in Mississippi	44
Table F4. Reported Complications Resulting from Induced Terminations of Pregnancy, Patients Treated in Mississippi	44

MAJOR TABLES, 2007**POPULATION**

Table I. 2007 Estimated Population and Percent Change From 2000 Census Population, Mississippi	47
--	----

LIVE BIRTHS

Table 1A.	Live Births, by Place of Occurrence and Race of Mother, also Live Births and Rates, by Place of Residence and Race of Mother, (Place Includes Counties, Out of State, Towns of 10,000 or More), Mississippi, 2007	49
Table 1B.	Fertility Rates, by County of Residence and Race of Mother, Mississippi, 2007	52
Table 2.	Live Births, by County of Residence, Race of Mother, and Attendant, also by County of Residence and Sex, Mississippi, 2007	53
Table 3A.	Total Live Births, by County of Residence and Age of Mother, Mississippi, 2007	56
Table 3B.	Live Births to White Mothers, by County of Residence and Age of Mother, Mississippi, 2007	58
Table 3C.	Live Births to Nonwhite Mothers, by County of Residence and Age of Mother, Mississippi, 2007	60
Table 4.	Live Births to Unmarried Mothers and Percent of Total Live Births, by County of Residence and Race of Mother, Mississippi, 2007	62
Table 5A.	Total Live Births to Unmarried Mothers, by County of Residence and Age of Mother, Mississippi, 2007	64
Table 5B.	Live Births to Unmarried White Mothers, by County of Residence and Age of Mother, Mississippi, 2007	66
Table 5C.	Live Births to Unmarried Nonwhite Mothers, by County of Residence and Age of Mother, Mississippi, 2007	68
Table 6A.	Live Births Weighing Less Than 2,500 Grams at Birth and Percent of Total Live Births, by County of Residence and Race of Mother, Mississippi, 2007	70
Table 6B.	Live Births Weighing Less Than 1,500 Grams at Birth and Percent of Total Live Births, by County of Residence and Race of Mother, Mississippi, 2007	72
Table 7.	Premature Live Births and Percent of Total Live Births, by County of Residence and Race of Mother, Mississippi, 2007	74

FETAL DEATHS

Table 8.	Reportable Fetal Deaths, by County of Occurrence and Race of Mother, also Reportable Fetal Deaths and Fetal Death Ratios, by County of Residence and Race of Mother, Mississippi, 2007	76
----------	--	----

DEATHS

Table 9.	Deaths, by Place of Occurrence and Race, also Deaths and Rates, by Place of Residence and Race, (Place Includes Counties, Out of State, Towns of 10,000 or More), Mississippi, 2007	78
Table 10A.	Deaths, by Cause and Race, (Cause Groupings Based on NCHS List of 358 Selected Causes), Mississippi Residents, 2007	81
Table 10B.	Deaths, by Cause and Race, Mississippi Residents, 2007	91

	Page
Table 11. Deaths from Major Cause Groups and Certain Selected Causes, by Race, Sex, and Age, also Rates for Major Cause Groups and Certain Selected Causes, Mississippi Residents, 2007	113
Table 12A. Infant, Neonatal, and Postneonatal Deaths, by County of Residence and Race, Mississippi, 2007	120
Table 12B. Infant, Neonatal, and Postneonatal Mortality Rates, by County of Residence and Race, Mississippi, 2003-2007 (5-Year Average) . .	122
Table 13. Infant Deaths from Selected Causes, by Race and Age, also Mortality Rates for Selected Causes, Mississippi Residents, 2007	124
Table 14. Accidental Deaths, by County of Occurrence and Type of Accident, Mississippi, 2007	127
MARRIAGES	
Table 15. Marriages, by County of Licensure and Race of Bride, also by County of Occurrence and Race of Bride, also by County of Residence of Bride and Race of Bride, Mississippi, 2007	129
DIVORCES	
Table 16. Divorces, by County of Occurrence and Race, Mississippi, 2007	131
INDUCED TERMINATIONS	
Table 17. Reported Induced Terminations of Pregnancy Performed in Mississippi on Mississippi Residents, by County of Residence and Race, 2007	132
TEENAGE PREGNANCY	
Table 18A. Teenage Pregnancies, by County of Residence, Race, and Age Group of Mother, Mississippi, 2007	133
Table 18B. Teenage Pregnancy Rates, by County of Residence, Race, and Age Group of Mother, Mississippi Residents, 2007	135
DEATHS (COUNTY AND STATE SUMMARIES)	
Table 19. Deaths from Selected Causes Used for Ranking Leading Causes, by Race, Mississippi Residents	
The Counties (in alphabetical order)	138
The State	158

TIME SERIES TABLES

Table 20.	Live Births and Rates, by Year and Race, Mississippi, 1913-2007, (Occurrence Data 1913-1943, Residence Data 1944-2007)	161
Table 21.	Deaths and Rates, by Year and Race, Mississippi, 1913-2007, (Occurrence Data 1913-1943, Residence Data 1944-2007)	163
Table 22.	Maternal Deaths and Mortality Rates, by Year and Race, Mississippi, 1913-2007, (Occurrence Data 1913-1943, Residence Data 1944-2007)	165
Table 23.	Infant Deaths and Mortality Rates, by Year and Race, Mississippi, 1917-2007, (Occurrence Data 1917-1943, Residence Data 1944-2007)	167
Table 24.	Neonatal Deaths and Mortality Rates, by Year and Race, Mississippi, 1924-2007, (Occurrence Data 1924-1944, Residence Data 1945-2007)	169
Table 25.	Postneonatal Deaths and Mortality Rates, by Year and Race, Mississippi, 1924-2007, (Occurrence Data 1924-1943, Residence Data 1944-2007)	171
Table 26.	Marriages and Divorces, by Year and Race, Occurrence Data, Mississippi, 1926-2007	173
Table 27.	Reported Induced Terminations of Pregnancy and Induced Termination Ratios, by Year and Race, Procedures Performed in Mississippi, 1976-2007	175
Table 28.	Teenage Pregnancies and Pregnancy Rates, by Year and Race, Residence Data, Mississippi, 1979-2007	176

APPENDICES

Appendix A.	List of 358 Selected Causes of Death Used for Tabulating Mortality Statistics, Showing Group Number, Cause of Death, and ICD-10 Codes Included	179
Appendix B.	List of 50 Selected Categories of Causes of Death Used for Ranking Leading Causes, Showing Group Numbers, Causes of Death, and ICD-10 Codes Included in Each Category	193
Appendix C.	List of 130 Selected Causes of Infant Death Used for Tabulating Infant Mortality Statistics, Showing Group Number, Cause of Death, and ICD-10 Codes Included	195
Appendix D.	Finalized Adoptions by Chancery Court District as Reported to the Administrative Office of Courts by the Chancery Clerks, 2007	202

VITAL STATISTICS MISSISSIPPI, 2007

INTRODUCTION

Description of Bulletin

The information on live births, fetal deaths, induced terminations of pregnancy, deaths, marriages, and divorces which is presented in this bulletin was obtained from official records submitted to the Mississippi State Department of Health as required by statute and regulation. Live birth and fetal death records were prepared by hospitals, clinics, physicians, and midwives. Reports of induced terminations of pregnancy were prepared by hospitals, clinic staff, and physicians. Reports of complications from induced terminations of pregnancy were made by the clinic or physician who treated the patient for the complication. Responsibility for the preparation of death certificates was shared by hospitals, nursing homes and other institutions which provide care or custody, funeral homes, physicians, medical examiners, and medical examiner investigators. Marriage records were completed partly by brides and grooms, partly by persons who performed marriage ceremonies, and partly by circuit clerks. Chancery clerks prepared the statistical records of divorce.

This publication consists of three parts. The first part includes summary tables for the state as a whole for 2007; the second part contains major statistical tables for 2007. Time series tables numbered 20 through 28 are presented in the third part.

Definitions of Live Birth, Fetal Death, Induced Termination, and Death

The definitions of live birth, fetal death, and induced termination of pregnancy adopted by the Mississippi State Department of Health for use in Mississippi are those formulated by the World Health Organization and recommended by the National Center for Health Statistics. The definition of death was adopted by the Mississippi Legislature in 1982, statute number 41-36-3.

Live Birth - the complete expulsion or extraction from its mother of a product of human conception, irrespective of the duration of pregnancy, which, after such expulsion or extraction, breathes or shows any other evidence of life such as beating of the heart, pulsation of the umbilical cord, or definite movement of voluntary muscles, whether or not the umbilical cord has been cut or the placenta is attached.

Fetal Death - death prior to the complete expulsion or extraction from its mother of a product of human conception, irrespective of the duration of pregnancy; the death is indicated by the fact that after such expulsion or extraction the fetus does not breathe or show any other evidence of life such as beating of the heart, pulsation of the umbilical cord, or definite movement of voluntary muscles.

Induced Termination of Pregnancy - the intentional termination of pregnancy with the intention other than to produce a live-born infant or to remove a dead fetus.

Death - an individual who has sustained either (a) irreversible cessation of circulatory and respiratory functions or (b) irreversible cessation of all functions of

the entire brain, including the brain stem, is dead. A determination of death must be made in accordance with accepted medical standards.

Even though the definition of fetal death is all-inclusive, the State Department of Health does not require the reporting of all fetal deaths. Since January 1, 1976, fetal death reports have been required only for spontaneous fetal deaths of 20 weeks or more gestation or weight of 350 grams or more. There is a separate reporting system (with no names or addresses) for all induced terminations of pregnancy.

Occurrence and Residence Allocation

Live births, fetal deaths, and deaths were classified by place of occurrence and by place of residence. Some of the tables contain both occurrence and residence figures, but most of the tables are based on residence data only, as these data are considered more suitable for studying public health problems.

Occurrence data were obtained from certificates filed in Mississippi at the place of the event. Residence data include transcripts of records of events that occurred in other states to Mississippi residents and exclude records filed in this state for nonresidents. Residence assignment for live births and fetal deaths was determined by the usual residence of the mother. For deaths it was determined by the usual residence of the decedent except that deaths of inmates of institutions were reallocated to the location of the institution regardless of length of stay.

Figures on induced terminations of pregnancy in Tables F1, F2, F3, and 17 refer only to procedures performed in Mississippi, and do not include transcripts of records of events that occurred in other states to Mississippi residents. Residence assignment was determined by the usual residence of the patient. However, the teenage pregnancy figures in Tables 18A, 18B, and 28, which include induced termination figures, refer to induced terminations of all Mississippi resident teens, regardless of where the induced termination was actually performed.

Marriages were classified according to place of issuance of the marriage license, place of occurrence of marriage, and place of residence of the bride. However, the figures on brides who were Mississippi residents are incomplete since there is no exchange among the states of transcripts of marriage records for nonresidents and the out-of-state marriages of Mississippi brides could not be included. Divorces were classified only according to place where the decree was granted, as there is no information regarding place of residence on the record.

Population

The population figures used in this publication are 2007 population estimates which were prepared by the United States Census Bureau. Estimates for small counties and small categories such as age/race/sex groups should be used with caution. Any slight discrepancies in the figures are due to rounding.

Race

The two categories for race used in this publication are white and nonwhite. White includes such groups as Caucasian, Anglo-American, Canadian, Cuban, French, Greek, Hispanic, Latin American, Mexican, Puerto Rican, Swedish, etc. Nonwhite includes such groups as Black, African-American, American Indian, Chinese, Japanese, Hawaiian, Filipino, and all other groups not considered as white.

Prior to 1989, all statistics regarding live births and fetal deaths were broken down by race of the child or fetus; however, beginning with 1989 and continuing with subsequent years all statistics on live births and fetal deaths will be reported by race of the mother. This includes any rates or ratios that involve figures for live births or fetal deaths. For example, the infant mortality rate for white infants will now be calculated using the number of live births to white mothers as the denominator.

Rates

Population-based rates for the state include those for live births, total deaths, and deaths from specific causes, except maternal deaths and deaths from certain conditions originating in the perinatal period. Figures on live births were used as the base for calculating fetal death ratios as well as rates for maternal deaths, infant, neonatal, and postneonatal deaths, and deaths from certain conditions originating in the perinatal period, as the birth counts represent the groups at risk more accurately than do general population figures.

Classification of Cause of Death

Causes of death were assigned according to the Tenth Revision International Statistical Classification of Diseases and Related Health Problems (ICD-10). The Tenth Revision was used for the first time in 1999, and is markedly different from the Ninth Revision. Because of this, and also because periodic changes in the classification system occurring throughout the years have resulted in an unavoidable lack of comparability for some causes, caution should be used in analyzing trends which span classification revisions.

With the exception of Table 10B, all tables which show cause of death are based on the National Center for Health Statistics' List of 358 Selected Causes of Death (see Appendix A), and appear with group numbers instead of the actual ICD-10 codes. These groupings were developed to preserve traditional categories of causes of death not found in continuous ranges of codes in ICD-10 as they were in ICD-9, to maintain continuity with prior coding revisions to facilitate trend analysis, and to separately identify causes of death that are of public health and medical importance. In Table 10B, however, the cause-of-death titles shown do follow the actual coding structure of the Tenth revision, and the causes are shown with their corresponding ICD-10 codes.

Adoptions

In 2005, Section 93-17-205, MS Code 1972 was amended to require the number of adoptions finalized in each Chancery Court be reported to the Bureau by the Administrative Office of Courts. This law became effective on July 1, 2005. It is important to note that the birth

certificate is not automatically changed after the adoption process is complete, but requires the petitioner to present Vital Records with a copy of the adoption decree. This may not happen immediately and, in fact, may never happen. For this reason, birth records are a poor source for determining the number of adoptions that occur in a given year. Information on adoptions for calendar year 2007 is presented in Appendix D.

Internet site

The tables contained in this book can also be found on the Internet at:

www.msdh.state.ms.us/phs

SUMMARY TABLES

In this section, all tables on live births, fetal deaths, and deaths represent residence data unless otherwise specified; all information on induced terminations of pregnancy, marriages, and divorces is occurrence data.

TABLE P1. 2007 ESTIMATED POPULATION*, BY AGE, RACE, AND SEX
RESIDENTS OF MISSISSIPPI

AGE	TOTAL			WHITE			NONWHITE		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
TOTAL	2,918,785	1,413,709	1,505,076	1,770,596	871,574	899,022	1,148,189	542,135	606,054
0-4	219,282	112,153	107,129	114,878	58,967	55,911	104,404	53,186	51,218
(Under 1)	45,433	23,224	22,209	23,092	11,783	11,309	22,341	11,441	10,900
(1-4)	173,849	88,929	84,920	91,786	47,184	44,602	82,063	41,745	40,318
5-9	207,138	106,011	101,127	110,835	57,100	53,735	96,303	48,911	47,392
10-14	208,775	106,745	102,030	109,327	56,454	52,873	99,448	50,291	49,157
15-19	221,505	112,916	108,589	117,353	60,667	56,686	104,152	52,249	51,903
20-24	214,411	110,376	104,035	117,366	61,777	55,589	97,045	48,599	48,446
25-29	203,615	101,517	102,098	116,186	59,146	57,040	87,429	42,371	45,058
30-34	178,034	86,463	91,571	104,294	52,517	51,777	73,740	33,946	39,794
35-39	188,219	90,910	97,309	116,014	58,619	57,395	72,205	32,291	39,914
40-44	195,526	94,393	101,133	121,105	61,007	60,098	74,421	33,386	41,035
45-49	208,695	100,762	107,933	130,697	65,541	65,156	77,998	35,221	42,777
50-54	197,418	94,879	102,539	125,575	62,023	63,552	71,843	32,856	38,987
55-59	173,130	83,024	90,106	115,883	56,903	58,980	57,247	26,121	31,126
60-64	138,423	65,461	72,962	100,381	48,303	52,078	38,042	17,158	20,884
65-69	107,307	49,085	58,222	79,048	37,114	41,934	28,259	11,971	16,288
70-74	85,405	37,259	48,146	63,113	28,380	34,733	22,292	8,879	13,413
75-79	69,305	27,839	41,466	52,672	21,796	30,876	16,633	6,043	10,590
80-84	51,921	18,796	33,125	39,067	14,427	24,640	12,854	4,369	8,485
85+	50,676	15,120	35,556	36,802	10,833	25,969	13,874	4,287	9,587
UNDER 15	635,195	324,909	310,286	335,040	172,521	162,519	300,155	152,388	147,767
15-64	1,918,976	940,701	978,275	1,164,854	586,503	578,351	754,122	354,198	399,924
65 & OVER	364,614	148,099	216,515	270,702	112,550	158,152	93,912	35,549	58,363
MEDIAN AGE	35.2	33.3	36.8	39.1	37.5	40.7	29.2	27.1	31.2

* POPULATION ESTIMATE WAS OBTAINED FROM THE U.S. BUREAU OF THE CENSUS.

**TABLE A1. LIVE BIRTHS AND AVERAGE PER DAY, BY MONTH
MISSISSIPPI, 2007**

MONTH	BIRTHS	AVERAGE PER DAY	MONTH	BIRTHS	AVERAGE PER DAY
<u>TOTAL</u>	<u>46,455</u>	<u>127</u>			
JANUARY	3,986	128	JULY	3,963	128
FEBRUARY	3,558	127	AUGUST	4,223	136
MARCH	3,917	126	SEPTEMBER	3,930	131
APRIL	3,431	114	OCTOBER	4,039	130
MAY	3,700	119	NOVEMBER	3,912	130
JUNE	3,756	125	DECEMBER	4,040	130

**TABLE A2. PERCENTAGE OF LIVE BIRTHS IN HOSPITALS OR CLINICS,
BY YEAR AND RACE*
MISSISSIPPI, 1940, 1950, 1960, 1970-2007**

YEAR	TOTAL	WHITE	NON- WHITE	YEAR	TOTAL	WHITE	NON- WHITE
1940	14.1	27.1	3.9				
1950	46.1	83.3	18.9				
1960	73.2	99.0	51.3				
1970#	90.0	99.7	79.7	1990#	99.6	99.6	99.6
1971#	92.2	99.6	84.2	1991#	99.6	99.6	99.6
1972#	95.2	99.8	90.4	1992#	99.7	99.7	99.7
1973#	96.4	99.7	92.8	1993#	99.7	99.7	99.6
1974#	97.4	99.7	94.8	1994#	99.7	99.7	99.7
1975#	97.9	99.6	96.0	1995#	99.7	99.7	99.6
1976#	98.5	99.7	97.3	1996#	99.7	99.7	99.7
1977#	98.9	99.7	98.1	1997#	99.7	99.8	99.7
1978#	99.1	99.7	98.4	1998#	99.6	99.7	99.6
1979#	99.3	99.7	98.9	1999#	99.7	99.7	99.7
1980#	99.4	99.7	99.1	2000#	99.7	99.7	99.7
1981#	99.3	99.6	99.0	2001#	99.7	99.7	99.7
1982#	99.4	99.6	99.2	2002#	99.7	99.7	99.8
1983#	99.5	99.6	99.4	2003#	99.7	99.7	99.7
1984#	99.5	99.6	99.4	2004#	99.7	99.7	99.8
1985#	99.6	99.7	99.4	2005#	99.7	99.7	99.8
1986#	99.6	99.7	99.5	2006#	99.7	99.7	99.8
1987#	99.6	99.8	99.5	2007#	99.7	99.7	99.8
1988#	99.6	99.7	99.6				
1989#	99.6	99.8	99.5				

* FIGURES FOR YEARS PRIOR TO 1989 ARE BY RACE OF CHILD;
BEGINNING IN 1989 FIGURES SHOWN ARE BY RACE OF MOTHER.

INCLUDES BIRTHS IN ANY FACILITY WHICH PROVIDES MEDICAL
CARE; PRIOR TO 1970 ONLY BIRTHS IN FACILITIES PROVIDING
INPATIENT CARE WERE INCLUDED.

**TABLE A3. LIVE BIRTHS AND PERCENTAGE DISTRIBUTION, BY PLACE OF DELIVERY, ATTENDANT, AND RACE OF MOTHER
MISSISSIPPI, 2007**

PLACE OF DELIVERY AND RACE	NUMBER						PERCENT					
	TOTAL	PHYSICIAN	CERTIFIED NURSE MIDWIFE	GRANNY MIDWIFE	OTHER NAMED PERSON	UNKNOWN	TOTAL	PHYSICIAN	CERTIFIED NURSE MIDWIFE	GRANNY MIDWIFE	OTHER NAMED PERSON	UNKNOWN
<u>TOTAL</u>	<u>46,455</u>	<u>45,285</u>	<u>942</u>	<u>40</u>	<u>183</u>	<u>5</u>	<u>100.0</u>	<u>97.5</u>	<u>2.0</u>	<u>0.1</u>	<u>0.4</u>	<u>*</u>
HOSPITAL CLINIC/DOCTOR'S OFFICE	46,325	45,276	940	1	103	5	99.7	97.5	2.0	*	0.2	*
HOME	1	1	0	0	0	0	*	*	-	-	-	-
OTHER PLACE	108	5	2	34	67	0	0.2	*	*	0.1	0.1	-
UNKNOWN PLACE	19	1	0	5	13	0	*	*	-	*	*	-
	2	2	0	0	0	0	*	*	-	-	-	-
<u>WHITE</u>	<u>24,783</u>	<u>24,210</u>	<u>449</u>	<u>39</u>	<u>83</u>	<u>2</u>	<u>100.0</u>	<u>97.7</u>	<u>1.8</u>	<u>0.2</u>	<u>0.3</u>	<u>*</u>
HOSPITAL CLINIC/DOCTOR'S OFFICE	24,702	24,207	447	1	45	2	99.7	97.7	1.8	*	0.2	*
HOME	0	0	0	0	0	0	-	-	-	-	-	-
OTHER PLACE	68	1	2	34	31	0	0.3	*	*	0.1	0.1	-
UNKNOWN PLACE	11	0	0	4	7	0	*	-	-	*	*	-
	2	2	0	0	0	0	*	*	-	-	-	-
<u>NONWHITE</u>	<u>21,672</u>	<u>21,075</u>	<u>493</u>	<u>1</u>	<u>100</u>	<u>3</u>	<u>100.0</u>	<u>97.2</u>	<u>2.3</u>	<u>*</u>	<u>0.5</u>	<u>*</u>
HOSPITAL CLINIC/DOCTOR'S OFFICE	21,623	21,069	493	0	58	3	99.8	97.2	2.3	-	0.3	*
HOME	1	1	0	0	0	0	*	*	-	-	-	-
OTHER PLACE	40	4	0	0	36	0	0.2	*	-	-	0.2	-
UNKNOWN PLACE	8	1	0	1	6	0	*	*	-	*	*	-
	0	0	0	0	0	0	-	-	-	-	-	-

* LESS THAN 0.06 PERCENT.

**TABLE A4. LIVE BIRTHS, PERCENTAGE DISTRIBUTION, AND FERTILITY RATES,
BY AGE AND RACE OF MOTHER
MISSISSIPPI, 2007**

AGE OF MOTHER	NUMBER			PERCENT			FERTILITY RATE*		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>TOTAL</u>	<u>46,455</u>	<u>24,783</u>	<u>21,672</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>	<u>76.8</u>	<u>73.2</u>	<u>81.4</u>
UNDER 15	155	37	118	0.3	0.1	0.5	1.5	0.7	2.4
15-19	7,799	3,273	4,526	16.8	13.2	20.9	71.8	57.7	87.2
20-24	15,530	7,527	8,003	33.4	30.4	36.9	149.3	135.4	165.2
25-29	12,705	7,361	5,344	27.3	29.7	24.6	124.4	129.0	118.6
30-34	6,775	4,367	2,408	14.6	17.6	11.1	74.0	84.3	60.5
35-39	2,899	1,852	1,047	6.2	7.5	4.8	29.8	32.3	26.2
40-44	553	338	215	1.2	1.4	1.0	5.5	5.6	5.2
45-49	36	27	9	0.1	0.1	**	0.3	0.4	0.2
UNKNOWN	3	1	2	**	**	**			

* FOR TOTAL GROUP- LIVE BIRTHS PER 1,000 FEMALES 15-44 YEARS OF AGE; FOR SPECIFIC AGE GROUPS - LIVE BIRTHS PER 1,000 FEMALES IN SPECIFIED GROUP.

** LESS THAN 0.06 PERCENT.

**TABLE A5. LIVE BIRTHS AND PERCENTAGE DISTRIBUTION,
BY YEARS OF SCHOOL COMPLETED BY MOTHER AND RACE OF MOTHER
MISSISSIPPI, 2007**

YEARS OF SCHOOL COMPLETED BY MOTHER	NUMBER			PERCENT*			CUMULATIVE PERCENT*		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>TOTAL BIRTHS</u>	<u>46,455</u>	<u>24,783</u>	<u>21,672</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>			
0-6 YEARS	855	706	149	1.9	2.9	0.7	1.9	2.9	0.7
7-9 YEARS	3,427	1,890	1,537	7.5	7.8	7.2	9.4	10.7	7.9
10,11 YEARS	7,118	2,899	4,219	15.6	11.9	19.7	24.9	22.6	27.5
12 YEARS	14,213	6,527	7,686	31.1	26.9	35.8	56.0	49.5	63.4
1-3 YEARS COLLEGE	11,434	5,955	5,479	25.0	24.5	25.5	81.0	74.0	88.9
4 OR MORE YEARS OF COLLEGE	8,689	6,309	2,380	19.0	26.0	11.1	100.0	100.0	100.0
UNKNOWN	719	497	222						
MEDIAN YEARS COMPLETED*	12	13	12						

* CALCULATIONS EXCLUDE BIRTHS TO MOTHERS WITH EDUCATION UNKNOWN.

**TABLE A6. LIVE BIRTHS TO UNMARRIED MOTHERS
AND PERCENT OF TOTAL LIVE BIRTHS IN SPECIFIED GROUP,
BY AGE AND RACE OF MOTHER
MISSISSIPPI, 2007**

AGE OF MOTHER	NUMBER			PERCENT		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>TOTAL</u>	<u>24,939</u>	<u>7,988</u>	<u>16,951</u>	<u>53.7</u>	<u>32.2</u>	<u>78.2</u>
UNDER 15	154	36	118	99.4	97.3	100.0
15-19	6,815	2,374	4,441	87.4	72.5	98.1
20-24	10,266	3,213	7,053	66.1	42.7	88.1
25-29	5,088	1,478	3,610	40.0	20.1	67.6
30-34	1,742	570	1,172	25.7	13.0	48.7
35-39	713	262	451	24.6	14.1	43.1
40-44	152	54	98	27.5	16.0	45.6
45-49	7	1	6	19.4	3.7	66.7
UNKNOWN	2	0	2			

**TABLE A7. LIVE BIRTHS, PERCENTAGE DISTRIBUTION, FERTILITY RATES, AND
MEDIAN AGE OF MOTHER, BY TOTAL-BIRTH ORDER AND RACE OF MOTHER
MISSISSIPPI, 2007**

TOTAL BIRTH ORDER*	NUMBER			PERCENT			FERTILITY RATE**			MEDIAN AGE OF MOTHER		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>TOTAL</u>	<u>46,455</u>	<u>24,783</u>	<u>21,672</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>	<u>76.8</u>	<u>73.2</u>	<u>81.4</u>	<u>24</u>	<u>25</u>	<u>23</u>
FIRST	16,242	9,058	7,184	35.0	36.5	33.1	26.8	26.8	27.0	21	22	20
SECOND	13,780	7,651	6,129	29.7	30.9	28.3	22.8	22.6	23.0	24	26	23
THIRD	8,615	4,488	4,127	18.5	18.1	19.0	14.2	13.2	15.5	26	27	25
FOURTH	4,270	2,048	2,222	9.2	8.3	10.2	7.1	6.0	8.3	27	29	26
FIFTH	1,914	847	1,067	4.1	3.4	4.9	3.2	2.5	4.0	28	30	27
SIXTH	857	355	502	1.8	1.4	2.3	1.4	1.0	1.9	29	31	29
SEVENTH	387	162	225	0.8	0.6	1.0	0.6	0.5	0.8	31	32	30
EIGHTH	177	81	96	0.4	0.3	0.4	0.3	0.2	0.4	31	33	31
NINTH	76	32	44	0.2	0.1	0.2	0.1	0.1	0.2	33	36	33
TENTH & OVER	87	34	53	0.2	0.1	0.2	0.1	0.1	0.2	37	37	37
UNKNOWN	50	27	23	0.1	0.1	0.1	0.1	0.1	0.1			

* INCLUDES ALL LIVE BIRTHS PLUS ALL FETAL DEATHS REGARDLESS OF LENGTH OF GESTATION.

** LIVE BIRTHS PER 1,000 FEMALES 15-44 YEARS OF AGE.

**TABLE A8. LIVE BIRTHS AND PERCENTAGE DISTRIBUTION,
BY WHETHER MOTHER RECEIVED PRENATAL CARE,
TIME DURING PREGNANCY CARE BEGAN, AND RACE OF MOTHER
MISSISSIPPI, 2007**

PRENATAL CARE AND TIME CARE BEGAN	NUMBER			PERCENT		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>TOTAL</u>	<u>46,455</u>	<u>24,783</u>	<u>21,672</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>
NO PRENATAL CARE	594	243	351	1.3	1.0	1.6
<u>SOME PRENATAL CARE</u>	<u>45,359</u>	<u>24,237</u>	<u>21,122</u>	<u>97.6</u>	<u>97.8</u>	<u>97.5</u>
FIRST TRIMESTER	37,658	21,267	16,391	81.1	85.8	75.6
SECOND TRIMESTER	6,241	2,312	3,929	13.4	9.3	18.1
THIRD TRIMESTER	975	331	644	2.1	1.3	3.0
UNKNOWN MONTH	485	327	158	1.0	1.3	0.7
UNKNOWN WHETHER ANY PRENATAL CARE	502	303	199	1.1	1.2	0.9

**TABLE A9. LIVE BIRTHS AND PERCENTAGE DISTRIBUTION,
BY MATURITY AND RACE OF MOTHER
MISSISSIPPI, 2007**

MATURITY*	NUMBER			PERCENT		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>TOTAL</u>	<u>46,455</u>	<u>24,783</u>	<u>21,672</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>
IMMATURE ONLY**	2,470	993	1,477	5.3	4.0	6.8
PREMATURE ONLY**	4,907	2,244	2,663	10.6	9.0	12.3
BOTH IMMATURE AND PREMATURE	3,229	1,208	2,021	7.0	4.9	9.3
TOTAL IMMATURE	5,699	2,201	3,498	12.3	8.9	16.1
TOTAL PREMATURE	8,136	3,452	4,684	17.5	13.9	21.6
TOTAL IMMATURE AND/OR PREMATURE	10,606	4,445	6,161	22.8	17.9	28.4
NEITHER IMMATURE NOR PREMATURE**	35,849	20,338	15,511	77.2	82.1	71.6

* IMMATURE - BIRTHWEIGHT LESS THAN 5 1/2 POUNDS (2,500 GRAMS); PREMATURE - GESTATION LESS THAN 37 WEEKS (CALCULATED BY SUBTRACTING THE DATE OF THE LAST NORMAL MENSTRUAL PERIOD PRIOR TO DELIVERY FROM THE DATE OF BIRTH).

** BIRTHS CLASSIFIED AS IMMATURE ONLY OR AS PREMATURE ONLY INCLUDE SOME FOR WHICH THE OTHER MEASUREMENT WAS UNKNOWN. THOSE CLASSIFIED AS NEITHER IMMATURE NOR PREMATURE INCLUDE SOME FOR WHICH ONE OR BOTH MEASUREMENTS WERE UNKNOWN.

**TABLE A10. CONGENITAL ANOMALIES REPORTED ON LIVE BIRTH CERTIFICATES,
BY ANOMALY AND RACE OF MOTHER
MISSISSIPPI, 2007**

CONGENITAL ANOMALY	TOTAL	WHITE	NON- WHITE
<u>TOTAL ANOMALIES REPORTED</u>	<u>546</u>	<u>266</u>	<u>280</u>
ANENCEPHALUS	5	2	3
SPINA BIFIDA / MENINGOCELE	12	7	5
HYDROCEPHALUS	16	9	7
MICROCEPHALUS	9	3	6
OTHER CENTRAL NERVOUS SYSTEM ANOMALIES	8	4	4
HEART MALFORMATIONS	55	23	32
OTHER CIRCULATORY / RESPIRATORY ANOMALIES	30	21	9
RECTAL ATRESIA / STENOSIS	5	3	2
TRACHEO-ESOPHAGEAL FISTULA / ESOPHAGEAL ATRESIA	2	1	1
OMPHALOCELE / GASTROSCHISIS	27	16	11
OTHER GASTROINTESTINAL ANOMALIES	13	4	9
MALFORMED GENITALIA	38	23	15
RENAL AGENESIS	9	5	4
OTHER UROGENITAL ANOMALIES	23	14	9
CLEFT LIP / PALATE	30	18	12
POLYDACTYLY / SYNDACTYLY / ADACTYLY	87	17	70
CLUB FOOT	37	23	14
DIAPHRAGMATIC HERNIA	6	3	3
OTHER MUSCULOSKELETAL / INTEGUMENTAL ANOMALIES	85	47	38
DOWNS SYNDROME	16	9	7
OTHER CHROMOSOMAL ANOMALIES	9	5	4
OTHER	24	9	15

**TABLE A11. MEDICAL RISK FACTORS REPORTED ON LIVE BIRTH CERTIFICATES,
BY RISK FACTOR AND RACE OF MOTHER
MISSISSIPPI, 2007**

MEDICAL RISK FACTOR	TOTAL	WHITE	NON- WHITE
<u>TOTAL RISK FACTORS REPORTED</u>	<u>14,919</u>	<u>6,635</u>	<u>8,284</u>
ANEMIA (HCT. < 30/HGB. < 10)	1035	428	607
CARDIAC DISEASE	137	84	53
ACUTE OR CHRONIC LUNG DISEASE	549	277	272
DIABETES	1,509	809	700
GENITAL HERPES	311	147	164
HYDRAMNIOS/OLIGOHYDRAMNIOS	502	240	262
HEMOGLOBINOPATHY	173	7	166
HYPERTENSION, CHRONIC	1078	359	719
HYPERTENSION, PREGNANCY-ASSOCIATED	2,321	1,088	1,233
ECLAMPSIA	214	110	104
INCOMPETENT CERVIX	123	42	81
PREVIOUS INFANT 4000+ GRAMS	105	72	33
PREVIOUS PRETERM OR SMALL-FOR-GESTATIONAL-AGE INFANT	497	214	283
RENAL DISEASE	66	47	19
RH SENSITIZATION	361	237	124
UTERINE BLEEDING	82	55	27
OTHER	5,856	2,419	3,437

**TABLE A12. OTHER RISK FACTORS REPORTED ON LIVE BIRTH CERTIFICATES
AND PERCENTAGE DISTRIBUTION, BY RISK FACTOR AND RACE OF MOTHER,
MISSISSIPPI, 2007**

RISK FACTOR	NUMBER			PERCENT		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>TOTAL LIVE BIRTHS</u>	<u>46,455</u>	<u>24,783</u>	<u>21,672</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>
TOBACCO USE DURING PREGNANCY						
NONE	40,636	20,439	20,197	87.5	82.5	93.2
<u>SOME</u>	<u>5,737</u>	<u>4,301</u>	<u>1,436</u>	<u>12.4</u>	<u>17.4</u>	<u>6.6</u>
1-9 CIGARETTES PER DAY	2,389	1,588	801	5.1	6.4	3.7
10-19 CIGARETTES PER DAY	2,356	1,929	427	5.1	7.8	2.0
20-29 CIGARETTES PER DAY	716	588	128	1.5	2.4	0.6
30-39 CIGARETTES PER DAY	34	28	6	0.1	0.1	*
40-49 CIGARETTES PER DAY	26	19	7	*	0.1	*
50-59 CIGARETTES PER DAY	0	0	0	-	-	-
60 OR MORE PER DAY	7	4	3	*	*	*
UNKNOWN AMOUNT	209	145	64	0.4	0.6	0.3
NOT STATED	82	43	39	0.2	0.2	0.2
ALCOHOL USE DURING PREGNANCY						
NONE	44,491	23,367	21,124	95.8	94.3	97.5
<u>SOME</u>	<u>222</u>	<u>91</u>	<u>131</u>	<u>0.5</u>	<u>0.4</u>	<u>0.6</u>
1 DRINK PER WEEK	82	35	47	0.2	0.1	0.2
2 DRINKS PER WEEK	31	13	18	0.1	*	0.1
3 DRINKS PER WEEK	10	2	8	*	*	*
4 DRINKS PER WEEK	10	6	4	*	*	*
5 DRINKS PER WEEK	8	1	7	*	*	*
6 OR MORE PER WEEK	23	12	11	*	*	*
UNKNOWN AMOUNT	58	22	36	0.1	0.1	0.2
NOT STATED	1,742	1,325	417	3.8	5.3	1.9
WEIGHT GAINED DURING PREGNANCY						
NONE OR LOST WEIGHT	1,800	804	996	3.9	3.2	4.6
1-4 POUNDS	805	420	385	1.7	1.7	1.8
5-9 POUNDS	1,403	567	836	3.0	2.3	3.8
10-14 POUNDS	3,097	1,377	1,720	6.7	5.6	7.9
15-19 POUNDS	3,467	1,611	1,856	7.5	6.5	8.6
20-24 POUNDS	5,784	2,775	3,009	12.4	11.2	13.9
25-29 POUNDS	5,492	3,040	2,452	11.8	12.3	11.3
30-34 POUNDS	6,844	3,739	3,105	14.7	15.1	14.3
35-39 POUNDS	4,201	2,541	1,660	9.0	10.2	7.7
40-44 POUNDS	4,056	2,463	1,593	8.7	9.9	7.4
45 OR MORE POUNDS	6,662	3,943	2,719	14.3	15.9	12.5
UNKNOWN AMOUNT	2,844	1,503	1,341	6.1	6.1	6.2
MEDIAN WEIGHT GAIN (LBS)**	29	30	26			

* LESS THAN 0.06 PERCENT.

** EXCLUDES MOTHERS WHOSE WEIGHT GAIN WAS UNKNOWN.

**TABLE A13. COMPLICATIONS OF LABOR AND DELIVERY
REPORTED ON LIVE BIRTH CERTIFICATES,
BY COMPLICATION AND RACE OF MOTHER
MISSISSIPPI, 2007**

COMPLICATION	TOTAL	WHITE	NON- WHITE
<u>TOTAL COMPLICATIONS REPORTED</u>	<u>11,127</u>	<u>6,121</u>	<u>5,006</u>
FEBRILE (> 100 DEGREES F. OR 38 DEGREES C.)	235	119	116
MECONIUM, MODERATE / HEAVY	1,075	490	585
PREMATURE RUPTURE OF MEMBRANE (> 12 HOURS)	684	326	358
ABRUPTIO PLACENTA	248	110	138
PLACENTA PREVIA	83	51	32
OTHER EXCESSIVE BLEEDING	92	50	42
SEIZURES DURING LABOR	18	4	14
PRECIPITOUS LABOR (< 3 HOURS)	506	228	278
PROLONGED LABOR (> 20 HOURS)	127	80	47
DYSFUNCTIONAL LABOR	1,279	708	571
BREECH / MALPRESENTATION	1,511	905	606
CEPHALOPELVIC DISPROPORTION	723	425	298
CORD PROLAPSE	65	33	32
ANESTHETIC COMPLICATIONS	16	11	5
FETAL DISTRESS	2,142	1,075	1,067
OTHER	2,323	1,506	817

**TABLE A14. METHOD OF DELIVERY REPORTED ON LIVE BIRTH CERTIFICATES,
BY METHOD AND RACE OF MOTHER
MISSISSIPPI, 2007**

METHOD OF DELIVERY	TOTAL	WHITE	NON- WHITE
<u>TOTAL METHODS OF DELIVERY REPORTED</u>	<u>48,541</u>	<u>25,956</u>	<u>22,585</u>
VAGINAL	29,224	15,583	13,641
VAGINAL BIRTH AFTER PREVIOUS C-SECTION	243	119	124
PRIMARY C-SECTION	9,714	5,259	4,455
REPEAT C-SECTION	7,267	3,815	3,452
FORCEPS	515	320	195
VACUUM	1,578	860	718

**TABLE A15. OBSTETRIC PROCEDURES REPORTED ON LIVE BIRTH CERTIFICATES,
BY PROCEDURE AND RACE OF MOTHER
MISSISSIPPI, 2007**

OBSTETRIC PROCEDURE	TOTAL	WHITE	NON- WHITE
<u>TOTAL OBSTETRIC PROCEDURES REPORTED</u>	<u>77,544</u>	<u>42,514</u>	<u>35,030</u>
AMNIOCENTESIS	128	83	45
ELECTRONIC FETAL MONITORING	37,392	19,949	17,443
INDUCTION OF LABOR	8,977	5,543	3,434
STIMULATION OF LABOR	4,050	2,066	1,984
TOCOLYSIS	415	201	214
ULTRASOUND	26,475	14,602	11,873
OTHER	107	70	37

**TABLE A16. ABNORMAL CONDITIONS OF NEWBORN
REPORTED ON LIVE BIRTH CERTIFICATES,
BY CONDITION AND RACE OF MOTHER
MISSISSIPPI, 2007**

ABNORMAL CONDITION OF NEWBORN	TOTAL	WHITE	NON- WHITE
<u>TOTAL ABNORMAL CONDITIONS REPORTED</u>	<u>2,885</u>	<u>1,426</u>	<u>1,459</u>
ANEMIA (HCT. < 39 / HGB. < 13)	62	30	32
BIRTH INJURY	181	131	50
FETAL ALCOHOL SYNDROME	0	0	0
HYALINE MEMBRANE DISEASE / RDS	451	230	221
MECONIUM ASPIRATION SYNDROME	38	16	22
ASSISTED VENTILATION < 30 MINUTES	298	119	179
ASSISTED VENTILATION 30 MINUTES OR MORE	529	208	321
SEIZURES	12	6	6
OTHER	1,314	686	628

FETAL DEATHS

TABLE B1. REPORTABLE* FETAL DEATHS AND PERCENTAGE DISTRIBUTION,
BY PLACE OF DELIVERY, ATTENDANT, AND RACE OF MOTHER
MISSISSIPPI, 2007

PLACE OF DELIVERY AND RACE	NUMBER						PERCENT					
	TOTAL	PHYSICIAN	CERTIFIED NURSE MIDWIFE	GRANNY MIDWIFE	OTHER NAMED PERSON	UNKNOWN	TOTAL	PHYSICIAN	CERTIFIED NURSE MIDWIFE	GRANNY MIDWIFE	OTHER NAMED PERSON	UNKNOWN
<u>TOTAL</u>	<u>477</u>	<u>462</u>	<u>0</u>	<u>0</u>	<u>15</u>	<u>0</u>	<u>100.0</u>	<u>96.8</u>	-	-	<u>3.1</u>	-
HOSPITAL CLINIC / DOCTOR'S OFFICE	469	458	0	0	11	0	98.3	96.0	-	-	2.3	-
HOME	0	0	0	0	0	0	-	-	-	-	-	-
OTHER PLACE	8	4	0	0	4	0	1.7	0.8	-	-	0.8	-
	0	0	0	0	0	0	-	-	-	-	-	-
<u>WHITE</u>	<u>154</u>	<u>151</u>	<u>0</u>	<u>0</u>	<u>3</u>	<u>0</u>	<u>100.0</u>	<u>98.0</u>	-	-	<u>1.9</u>	-
HOSPITAL CLINIC / DOCTOR'S OFFICE	153	150	0	0	3	0	99.4	97.4	-	-	1.9	-
HOME	0	0	0	0	0	0	-	-	-	-	-	-
OTHER PLACE	1	1	0	0	0	0	0.6	0.6	-	-	-	-
	0	0	0	0	0	0	-	-	-	-	-	-
<u>NONWHITE</u>	<u>323</u>	<u>311</u>	<u>0</u>	<u>0</u>	<u>12</u>	<u>0</u>	<u>100.0</u>	<u>96.3</u>	-	-	<u>3.7</u>	-
HOSPITAL CLINIC / DOCTOR'S OFFICE	316	308	0	0	8	0	97.8	95.4	-	-	2.5	-
HOME	0	0	0	0	0	0	-	-	-	-	-	-
OTHER PLACE	7	3	0	0	4	0	2.2	0.9	-	-	1.2	-
	0	0	0	0	0	0	-	-	-	-	-	-

* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

**TABLE B2. REPORTABLE* FETAL DEATHS AND FETAL DEATH RATIOS,
BY AGE AND RACE OF MOTHER
MISSISSIPPI, 2007**

AGE OF MOTHER	NUMBER			RATIO**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>TOTAL</u>	<u>477</u>	<u>154</u>	<u>323</u>	<u>10.3</u>	<u>6.2</u>	<u>14.9</u>
UNDER 15	2	1	1	12.9	#	8.5
15-19	92	22	70	11.8	6.7	15.5
20-24	163	47	116	10.5	6.2	14.5
25-29	111	37	74	8.7	5.0	13.8
30-34	64	26	38	9.4	6.0	15.8
35-39	32	14	18	11.0	7.6	17.2
40-44	11	7	4	19.9	20.7	18.6
45-49	0	0	0	#	#	#
50 & OVER	0	0	0	#	#	#
UNKNOWN	2	0	2	#	#	#

* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

** REPORTABLE FETAL DEATHS PER 1,000 LIVE BIRTHS TO MOTHERS IN SPECIFIED GROUP.

RATIO NOT CALCULATED ON LESS THAN 100 LIVE BIRTHS.

**TABLE B3. PERCENTAGE DISTRIBUTION OF LIVE BIRTHS
AND REPORTABLE* FETAL DEATHS,
BY WHETHER MOTHER RECEIVED PRENATAL CARE AND RACE OF MOTHER
MISSISSIPPI, 2007**

PRENATAL CARE	LIVE BIRTHS			REPORTABLE* FETAL DEATHS		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>TOTAL</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>
NO CARE	1.3	1.0	1.6	8.0	5.8	9.0
SOME CARE	96.6	96.5	96.7	70.6	79.2	66.6
UNKNOWN WHETHER ANY CARE	2.1	2.5	1.6	21.4	14.9	24.4

* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

**TABLE B4. REPORTABLE* FETAL DEATHS AND FETAL DEATH RATIOS,
BY COMPLETED WEEKS OF GESTATION AND RACE OF MOTHER,
MISSISSIPPI, 2005-2007**

COMPLETED WEEKS OF GESTATION **	TOTAL			WHITE			NONWHITE		
	2005	2006	2007	2005	2006	2007	2005	2006	2007
REPORTABLE* FETAL DEATHS									
<u>TOTAL</u>	<u>426</u>	<u>444</u>	<u>477</u>	<u>131</u>	<u>120</u>	<u>154</u>	<u>295</u>	<u>324</u>	<u>323</u>
UNDER 20	11	13	16	3	1	3	8	12	13
<u>20 AND OVER</u>	<u>297</u>	<u>291</u>	<u>256</u>	<u>91</u>	<u>81</u>	<u>106</u>	<u>206</u>	<u>210</u>	<u>150</u>
20-22	86	79	62	20	17	21	66	62	41
23-27	71	71	80	24	22	27	47	49	53
28-36	97	99	85	26	25	39	71	74	46
37 AND OVER	43	42	29	21	17	19	22	25	10
UNKNOWN	118	140	205	37	38	45	81	102	160
FETAL DEATH RATIOS#									
<u>TOTAL</u>	<u>10.1</u>	<u>9.6</u>	<u>10.3</u>	<u>5.7</u>	<u>5.0</u>	<u>6.2</u>	<u>15.3</u>	<u>14.8</u>	<u>14.9</u>
UNDER 20	0.3	0.3	0.3	0.1	##	0.1	0.4	0.5	0.6
<u>20 AND OVER</u>	<u>7.0</u>	<u>6.3</u>	<u>5.5</u>	<u>4.0</u>	<u>3.3</u>	<u>4.3</u>	<u>10.7</u>	<u>9.6</u>	<u>6.9</u>
20-22	2.0	1.7	1.3	0.9	0.7	0.8	3.4	2.8	1.9
23-27	1.7	1.5	1.7	1.0	0.9	1.1	2.4	2.2	2.4
28-36	2.3	2.2	1.8	1.1	1.0	1.6	3.7	3.4	2.1
37 AND OVER	1.0	0.9	0.6	0.9	0.7	0.8	1.1	1.1	0.5
UNKNOWN	2.8	3.0	4.4	1.6	1.6	1.8	4.2	4.7	7.4

* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

** CALCULATED BY SUBTRACTING THE DATE OF THE LAST NORMAL MENSTRUAL PERIOD PRIOR TO DELIVERY FROM THE DATE OF DELIVERY.

REPORTABLE FETAL DEATHS PER 1,000 LIVE BIRTHS.

LESS THAN 0.06.

DEATHS

**TABLE C1. DEATHS AND AVERAGE PER DAY, BY MONTH
MISSISSIPPI, 2007**

MONTH	DEATHS	AVERAGE PER DAY	MONTH	DEATHS	AVERAGE PER DAY
<u>TOTAL</u>	<u>27,994</u>	<u>77</u>			
JANUARY	2,558	82	JULY	2,335	75
FEBRUARY	2,396	86	AUGUST	2,172	70
MARCH	2,519	81	SEPTEMBER	2,160	72
APRIL	2,335	78	OCTOBER	2,261	73
MAY	2,305	74	NOVEMBER	2,257	75
JUNE	2,315	77	DECEMBER	2,381	77

**TABLE C2. DEATHS, PERCENTAGE DISTRIBUTION, AND RATES, BY AGE AND RACE
MISSISSIPPI, 2007**

AGE	NUMBER			PERCENT			RATE*		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>TOTAL</u>	<u>27,994</u>	<u>18,705</u>	<u>9,289</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>	<u>9.6</u>	<u>10.6</u>	<u>8.1</u>
UNDER 1	469	164	305	1.7	0.9	3.3	10.3	7.1	13.6
1-4	91	42	49	0.3	0.2	0.5	0.5	0.4	0.6
5-9	48	23	25	0.2	0.1	0.3	0.2	0.2	0.3
10-14	63	34	29	0.2	0.2	0.3	0.3	0.3	0.3
15-24	531	287	244	1.9	1.5	2.6	1.2	1.2	1.2
25-34	626	328	298	2.2	1.8	3.2	1.6	1.5	1.8
35-44	1,173	628	545	4.2	3.4	5.9	3.0	2.6	3.7
45-54	2,566	1,391	1,175	9.2	7.4	12.6	6.3	5.4	7.8
55-64	3,849	2,336	1,513	13.7	12.5	16.3	12.4	10.8	15.9
65-74	5,022	3,412	1,610	17.9	18.2	17.3	26.1	24.0	31.8
75 AND OVER	13,547	10,056	3,491	48.4	53.8	37.6	78.8	78.2	80.5
UNKNOWN	9	4	5	**	**	**			

* DEATHS PER 1,000 POPULATION IN SPECIFIED GROUP.

** LESS THAN 0.06 PERCENT.

**TABLE C3A. DEATHS BY AGE, RACE, AND SEX,
AND MALE/FEMALE RATIOS BY AGE AND RACE
MISSISSIPPI, 2007**

AGE	TOTAL			WHITE			NONWHITE		
	MALE	FEMALE	MALES PER FEMALE	MALE	FEMALE	MALES PER FEMALE	MALE	FEMALE	MALES PER FEMALE
<u>TOTAL</u>	<u>14,351</u>	<u>13,643</u>	<u>1.05</u>	<u>9,451</u>	<u>9,254</u>	<u>1.02</u>	<u>4,900</u>	<u>4,389</u>	<u>1.12</u>
UNDER 1	252	217	1.16	95	69	1.38	157	148	1.06
1-4	48	43	1.12	21	21	1.00	27	22	1.23
5-9	30	18	1.67	16	7	2.28	14	11	1.27
10-14	42	21	2.00	23	11	2.09	19	10	1.90
15-24	387	144	2.69	208	79	2.63	179	65	2.75
25-34	454	172	2.64	243	85	2.86	211	87	2.42
35-44	750	423	1.77	402	226	1.78	348	197	1.77
45-54	1,619	947	1.71	883	508	1.74	736	439	1.68
55-64	2,388	1,461	1.63	1,480	856	1.73	908	605	1.50
65-74	2,872	2,150	1.34	2,002	1,410	1.42	870	740	1.18
75-84	3,383	3,606	0.94	2,546	2,644	0.96	837	962	0.87
85 AND OVER	2,117	4,441	0.48	1,528	3,338	0.46	589	1,103	0.53
UNKNOWN	9	0		4	0		5	0	
MEDIAN AGE	69	79		72	80		63	73	

**TABLE C3B. DEATH RATES* BY AGE, RACE, AND SEX
MISSISSIPPI, 2007**

AGE	TOTAL		WHITE		NONWHITE	
	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE
<u>TOTAL</u>	<u>10.2</u>	<u>9.1</u>	<u>10.8</u>	<u>10.3</u>	<u>9.0</u>	<u>7.2</u>
UNDER 1	10.8	9.8	8.1	6.1	13.7	13.6
1-4	0.5	0.5	0.4	0.5	0.6	0.5
5-9	0.3	0.2	0.3	0.1	0.3	0.2
10-14	0.4	0.2	0.4	0.2	0.4	0.2
15-24	1.7	0.7	1.7	0.7	1.8	0.6
25-34	2.4	0.9	2.2	0.8	2.8	1.0
35-44	4.0	2.1	3.4	1.9	5.3	2.4
45-54	8.3	4.5	6.9	3.9	10.8	5.4
55-64	16.1	9.0	14.1	7.7	21.0	11.6
65-74	33.3	20.2	30.6	18.4	41.7	24.9
75 AND OVER	89.1	73.0	86.6	73.4	97.0	72.0

* DEATHS PER 1,000 POPULATION IN SPECIFIED GROUP.

**TABLE C4. DEATHS, MORTALITY RATES, AND PERCENT OF TOTAL DEATHS FROM TEN LEADING CAUSES,
BY CAUSE AND RACE
MISSISSIPPI, 2007**

CAUSE AND GROUP NUMBER**	NUMBER			RATE*			PERCENT		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>TOTAL OF TEN LEADING CAUSES</u>	<u>21,878</u>	<u>14,809</u>	<u>7,069</u>	<u>7.5</u>	<u>8.4</u>	<u>6.2</u>	<u>78.2</u>	<u>79.2</u>	<u>76.1</u>
1. HEART DISEASES (156-160,162,164-181)	8,022	5,378	2,644	274.8	303.7	230.3	28.6	28.8	28.5
2. MALIGNANT NEOPLASMS (056-108)	5,930	4,004	1,926	203.2	226.1	167.7	21.2	21.4	20.7
3. ACCIDENTS (295-330)	1,781	1,248	533	61.0	70.5	46.4	6.4	6.7	5.7
4. CEREBROVASCULAR DISEASE (182-186)	1,531	957	574	52.4	54.0	50.0	5.5	5.1	6.2
5. EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	1,400	1,166	234	48.0	65.8	20.4	5.0	6.2	2.5
6. ALZHEIMERS DISEASE (148)	792	639	153	27.1	36.1	13.3	2.8	3.4	1.6
7. NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (247-249,251,253)	692	378	314	23.7	21.3	27.3	2.5	2.0	3.4
8. DIABETES MELLITUS (124)	639	325	314	21.9	18.4	27.3	2.3	1.7	3.4
9. INFLUENZA AND PNEUMONIA (195-198)	547	388	159	18.7	21.9	13.8	2.0	2.1	1.7
10. SEPTICEMIA (018)	544	326	218	18.6	18.4	19.0	1.9	1.7	2.3

* TOTAL DEATHS ARE PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION.

** SEE APPENDIX B FOR EXPLANATION OF GROUP NUMBERS.

**TABLE C5. DEATHS, PERCENT OF TOTAL DEATHS, AND RATES
FOR FIVE LEADING CAUSES, BY AGE AND CAUSE
MISSISSIPPI, 2007**

AGE	CAUSES AND GROUP NUMBER*	NUMBER	PERCENT	RATE**
1-4	<u>ALL CAUSES</u>	<u>91</u>	<u>100.0</u>	<u>0.5</u>
	1. ACCIDENTS (295-330)	38	41.8	21.8
	2. CONGENITAL MALFORMATIONS AND DEFORMATIONS (282-290)	13	14.3	7.5
	3. HOMICIDE (338-346)	4	4.4	2.3
	SEE NOTE BELOW			
5-14	<u>ALL CAUSES</u>	<u>111</u>	<u>100.0</u>	<u>0.3</u>
	1. ACCIDENTS (295-330)	50	45.0	12.0
	2. MALIGNANT NEOPLASMS (056-108)	14	12.6	3.4
	T3. SEPTICEMIA (018)	4	3.6	1.0
	T3. HEART DISEASES (156-160,162,164-181)	4	3.6	1.0
	T3. CEREBROVASCULAR DISEASE (182-186)	4	3.6	1.0
	T3. CONGENITAL MALFORMATIONS AND DEFORMATIONS (282-290)	4	3.6	1.0
15-24	<u>ALL CAUSES</u>	<u>531</u>	<u>100.0</u>	<u>1.2</u>
	1. ACCIDENTS (295-330)	283	53.3	64.9
	2. HOMICIDE (338-346)	87	16.4	20.0
	3. SUICIDE (331-337)	50	9.4	11.5
	4. HEART DISEASES (156-160,162,164-181)	27	5.1	6.2
	5. MALIGNANT NEOPLASMS (056-108)	10	1.9	2.3
25-44	<u>ALL CAUSES</u>	<u>1,799</u>	<u>100.0</u>	<u>2.4</u>
	1. ACCIDENTS (295-330)	486	27.0	63.5
	2. HEART DISEASES (156-160,162,164-181)	286	15.9	37.4
	3. MALIGNANT NEOPLASMS (056-108)	221	12.3	28.9
	4. SUICIDE (331-337)	146	8.1	19.1
	5. HOMICIDE (338-346)	119	6.6	15.5
45-64	<u>ALL CAUSES</u>	<u>6,415</u>	<u>100.0</u>	<u>8.9</u>
	1. MALIGNANT NEOPLASMS (056-108)	1,856	28.9	258.6
	2. HEART DISEASES (156-160,162,164-181)	1,739	27.1	242.3
	3. ACCIDENTS (295-330)	468	7.3	65.2
	4. CEREBROVASCULAR DISEASE (182-186)	271	4.2	37.8
	5. EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	220	3.4	30.6
65 & OVER	<u>ALL CAUSES</u>	<u>18,569</u>	<u>100.0</u>	<u>50.9</u>
	1. HEART DISEASES (156-160,162,164-181)	5,954	32.1	1,633.0
	2. MALIGNANT NEOPLASMS (056-108)	3,826	20.6	1,049.3
	3. CEREBROVASCULAR DISEASE (182-186)	1,206	6.5	330.8
	4. EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	1,164	6.3	319.2
	5. ALZHEIMER'S DISEASE (148)	775	4.2	212.6

* SEE APPENDIX B FOR EXPLANATION OF CAUSE CATEGORIES AND GROUP NUMBERS.

** DEATHS FROM ALL CAUSES PER 1,000 POPULATION IN SPECIFIED GROUP AND DEATHS FROM SPECIFIC CAUSES PER 100,000 POPULATION IN SPECIFIED GROUP.

NOTE: IN THE 1-4 AGE GROUP, THERE WERE 36 ADDITIONAL CAUSES WITH ONE DEATH PER CAUSE.

**TABLE C6. DEATHS AND RATES FROM MALIGNANT NEOPLASMS,
BY PRIMARY SITE, SEX, AND RACE
MISSISSIPPI, 2007**

PRIMARY SITE (RANKED ACCORDING TO NUMBER OF DEATHS AMONG TOTAL POPULATION) AND GROUP NUMBER*	NUMBER				RATE**			
	MALE		FEMALE		MALE		FEMALE	
	WHITE	NON-WHITE	WHITE	NON-WHITE	WHITE	NON-WHITE	WHITE	NON-WHITE
TOTAL	<u>2,282</u>	<u>1,081</u>	<u>1,722</u>	<u>845</u>	<u>261.8</u>	<u>199.4</u>	<u>191.5</u>	<u>139.4</u>
1. RESPIRATORY AND INTRA-THORACIC ORGANS (071-075)	902	370	539	152	103.5	68.2	60.0	25.1
2. DIGESTIVE ORGANS (060-070)	526	298	355	222	60.4	55.0	39.5	36.6
3. GENITAL ORGANS (083-091)	168	169	139	119	19.3	31.2	15.5	19.6
4. LYMPHOID, HEMATOPOIETIC AND RELATED TISSUE (100-108)	190	77	170	76	21.8	14.2	18.9	12.5
5. BREAST (082)	2	2	231	158	0.2	0.4	25.7	26.1
6. URINARY TRACT (092-094)	117	35	49	27	13.4	6.5	5.5	4.5
7. BRAIN (096)	61	13	44	12	7.0	2.4	4.9	2.0
8. SKIN (077,078)	59	6	32	1	6.8	1.1	3.6	0.2
9. LIP, ORAL CAVITY, AND PHARYNX (056-059)	44	25	16	7	5.0	4.6	1.8	1.2
10. BONE AND ARTICULAR CARTILAGE (076)	15	8	12	4	1.7	1.5	1.3	0.7
OTHER AND UNSPECIFIED SITES (079-081,095,097-099)	198	78	135	67	22.7	14.4	15.0	11.1

* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

** DEATHS PER 100,000 POPULATION IN SPECIFIED GROUP.

**TABLE C7. DEATHS FROM MAJOR CHRONIC RESPIRATORY DISEASES,
1982, 1987, 1992, 1997, 2002, 2007**

DISEASE*	1982	1987	1992	1997	2002	2007
TUBERCULOSIS OF RESPIRATORY SYSTEM	19	17	27	9	8	5
MALIGNANT NEOPLASMS OF RESPIRATORY SYSTEM	1,333	1,601	1,660	1,879	1,943	1,963
MALIGNANT NEOPLASMS OF TRACHEA, BRONCHUS, AND LUNG	1,268	1,555	1,615	1,834	1,899	1,902
CHRONIC AND UNQUALIFIED BRONCHITIS	18	43	44	51	17	11
EMPHYSEMA	82	104	134	133	115	100
ASTHMA	29	34	53	61	52	35

* PERIODIC CHANGES IN THE CLASSIFICATION SYSTEM WHICH HAVE OCCURRED THROUGH THE YEARS HAVE RESULTED IN AN UNAVOIDABLE LACK OF COMPARABILITY FOR SOME CAUSES. CAUTION SHOULD BE USED WHEN ANALYZING LONG-TERM TRENDS.

**TABLE C8. DEATHS AND PERCENT OF TOTAL ACCIDENTAL DEATHS FROM
FIVE LEADING CAUSES OF ACCIDENTAL DEATH, BY CAUSE AND RACE
MISSISSIPPI, 2007**

TYPE OF ACCIDENT AND GROUP NUMBER*	NUMBER			PERCENT		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>TOTAL OF FIVE LEADING CAUSES</u>	<u>1,525</u>	<u>1,094</u>	<u>431</u>	<u>85.6</u>	<u>87.7</u>	<u>80.9</u>
1. MOTOR VEHICLE (296-306)	894	597	297	50.2	47.8	55.7
2. POISONING AND EXPO- SURE TO NOXIOUS SUBSTANCES (327-329)	275	247	28	15.4	19.8	5.2
3. FALLS (312-314)	188	158	30	10.6	12.7	5.6
T4. INHALATION AND INGESTION OF FOOD OR OTHER OBJECTS CAUSING OBSTRUCTION OF RESPIRATORY TRACT (318)	84	57	27	4.7	4.6	5.1
T4. EXPOSURE TO SMOKE, FIRE AND FLAMES (322)	84	35	49	4.7	2.8	9.2

* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

**TABLE C9. DEATHS FROM SELECTED TYPES OF ACCIDENTS, BY SEX, ALSO BY AGE
MISSISSIPPI, 2007**

TYPE OF ACCIDENT AND GROUP NUMBER*	TOTAL	SEX		AGE								
		MALE	FEMALE	UNDER 1	1-4	5-14	15-24	25-34	35-44	45-64	65 & OVER	UNK.
<u>ALL ACCIDENTS</u>	<u>1,781</u>	<u>1,180</u>	<u>601</u>	<u>48</u>	<u>38</u>	<u>50</u>	<u>283</u>	<u>231</u>	<u>255</u>	<u>468</u>	<u>407</u>	<u>1</u>
MOTOR VEHICLE (296-306)	894	639	255	2	11	35	222	139	154	213	118	0
OTHER LAND TRANSPORT (295,307-308)	14	11	3	0	1	1	2	1	3	4	2	0
WATER TRANSPORT (309)	11	9	2	0	0	0	1	0	5	5	0	0
AIR AND SPACE TRANSPORT (310)	2	2	0	0	0	0	0	0	0	2	0	0
FALLS (312-314)	188	95	93	0	0	0	2	2	2	24	158	0
DISCHARGE OF FIREARMS (315)	28	24	4	0	1	2	15	1	3	4	2	0
EXPLOSION (316)	3	1	2	0	0	0	1	0	1	0	1	0
DROWNING AND SUBMERSION (EXCEPT IN TRANSPORT ACCIDENTS) (317)	44	35	9	1	7	3	7	5	3	11	7	0
INHALATION AND INGESTION OF FOOD OR OTHER OBJECTS CAUSING OBSTRUC- TION OF RESPIRATORY TRACT (318)	84	39	45	3	2	0	1	1	1	19	57	0
OTHER AND UNSPECIFIED THREATS TO BREATHING (319)	44	27	17	40	2	0	0	1	1	0	0	0
EXPOSURE TO ELECTRIC CURRENT (320)	6	6	0	0	0	0	1	2	0	3	0	0
EXPOSURE TO SMOKE, FIRE AND FLAMES (322)	84	46	38	1	11	7	3	5	8	34	15	0
CONTACT WITH HEAT AND HOT SUBSTANCES (323)	1	0	1	0	1	0	0	0	0	0	0	0
<u>POISONING (327-329)</u>	<u>275</u>	<u>174</u>	<u>101</u>	<u>0</u>	<u>0</u>	<u>1</u>	<u>22</u>	<u>66</u>	<u>59</u>	<u>114</u>	<u>12</u>	<u>1</u>
BY DRUGS AND OTHER BIOLOGICAL SUBSTANCES (327)	249	154	95	0	0	0	19	63	56	103	7	1
BY OTHER SOLID AND LIQUID SUB- STANCES, GASES AND VAPORS (328,329)	26	20	6	0	0	1	3	3	3	11	5	0
ALL OTHER ACCIDENTS (311,321,324-326,330)	103	72	31	1	2	1	6	8	15	35	35	0

* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

TABLE C10. MOTOR VEHICLE ACCIDENT DEATHS OCCURRING IN MISSISSIPPI AND RATES, ALSO MOTOR VEHICLE ACCIDENT DEATHS OF MISSISSIPPI RESIDENTS AND RATES, BY YEAR, 1950,1955, 1960, 1965, 1970-2007

YEAR	OCCURRENCE DATA		RESIDENCE DATA	
	NUMBER	RATE*	NUMBER	RATE*
1950	530	**	515	23.6
1955	568	**	541	24.8
1960	676	9.3	620	28.5
1965	748	8.4	742	31.8
1970	960	8.2	937	42.3
1971	1,011	8.2	984	44.4
1972	1,019	7.8	989	43.8
1973	956	7.0	954	41.2
1974	711	5.2	717	30.7
1975	671	4.7	681	29.1
1976	725	4.7	696	29.4
1977	763	4.8	771	32.3
1978	884	5.2	877	36.5
1979	801	4.7	783	32.5
1980	796	4.8	743	29.5
1981	792	4.7	793	31.5
1982	777	4.5	755	29.6
1983	744	4.2	725	28.0
1984	707	3.8	697	26.9
1985	691	4.0	683	25.7
1986	785	5.7	782	29.4
1987	802	4.0	804	29.6
1988	791	3.6	776	28.2
1989	806	3.5	797	28.7
1990	863	3.5	854	33.2
1991	811	3.3	810	31.5
1992	838	3.2	826	32.1
1993	897	3.3	868	33.7
1994	854	3.0	844	32.8
1995	904	3.0	898	33.3
1996	851	2.8	868	32.2
1997	896	2.9	868	32.2
1998	983	2.9	957	34.8
1999	943	2.7	954	34.4
2000	948	2.7	935	32.9
2001	804	2.2	816	28.7
2002	898	2.5	875	30.5
2003	895	2.4	890	30.9
2004	932	2.4	907	31.2
2005	956	2.3	956	32.7
2006	969	2.3	960	33.0
2007	898	#	894	30.6

* DEATHS IN MISSISSIPPI PER 100,000,000 MILES OF VEHICLE TRAVEL; DEATHS OF RESIDENTS PER 100,000 POPULATION.

** NOT AVAILABLE.

MILES OF VEHICLE TRAVEL FOR 2007 NOT AVAILABLE AT THE TIME OF PUBLICATION.

**TABLE C11. INFANT DEATHS, PERCENTAGE DISTRIBUTION, AND MORTALITY RATES
BY AGE AND RACE
MISSISSIPPI, 2007**

AGE	NUMBER			PERCENT			RATE*		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL UNDER 1 YEAR	469	164	305	100.0	100.0	100.0	10.1	6.6	14.1
NEONATAL (UNDER 28 DAYS)	272	94	178	58.0	57.3	58.4	5.8	3.8	8.2
HEBDOMADAL (UNDER 7 DAYS)	212	71	141	45.2	43.3	46.2	4.6	2.9	6.5
UNDER 1 DAY	160	49	111	34.1	29.9	36.4	3.4	2.0	5.1
1-6 DAYS	52	22	30	11.1	13.4	9.8	1.1	0.9	1.4
7-27 DAYS	60	23	37	12.8	14.0	12.1	1.3	0.9	1.7
POSTNEONATAL (28 DAYS TO 1 YEAR)	197	70	127	42.0	42.7	41.6	4.2	2.8	5.9

* DEATHS PER 1,000 LIVE BIRTHS.

**TABLE C12. DEATHS AND MORTALITY RATES FOR TEN LEADING CAUSES
OF INFANT DEATHS, BY CAUSE AND RACE
MISSISSIPPI, 2007**

CAUSE AND GROUP NUMBER**	NUMBER			RATE*		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>ALL CAUSES</u>	<u>469</u>	<u>164</u>	<u>305</u>	<u>10.1</u>	<u>6.6</u>	<u>14.1</u>
1. DISORDERS RELATED TO SHORT GESTATION AND LOW BIRTH WEIGHT, NOT ELSEWHERE CLASSIFIED (071,072)	83	22	61	1.8	0.9	2.8
2. CONGENITAL MALFORMATIONS, DEFORMATIONS AND CHROMOSOMAL ABNORMALITIES (096-110)	70	27	43	1.5	1.1	2.0
3. SUDDEN INFANT DEATH SYNDROME (111)	58	28	30	1.2	1.1	1.4
4. ACCIDENTS (114-124)	48	14	34	1.0	0.6	1.6
5. BACTERIAL SEPSIS OF NEWBORN (085)	24	6	18	0.5	0.2	0.8
6. RESPIRATORY DISTRESS OF NEWBORN (077)	13	5	8	0.3	0.2	0.4
7. DISEASES OF THE CIRCULATORY SYSTEM (039-044)	12	5	7	0.2	0.2	0.3
8. NEONATAL HEMORRHAGE (088)	11	7	4	0.2	0.3	0.2
9. GASTRITIS, DUODENITIS, AND NONINFECTIVE ENTERITIS AND COLITIS (053)	10	2	8	0.2	0.1	0.4
T10. NEWBORN AFFECTED BY MATERNAL COMPLICATIONS OF PREGNANCY (060-063)	7	2	5	0.2	0.1	0.2
T10. NECROTIZING ENTEROCOLITIS OF NEWBORN (093)	7	2	5	0.2	0.1	0.2

* DEATHS PER 1,000 LIVE BIRTHS.

** SEE APPENDIX C FOR EXPLANATION OF CAUSE CATEGORIES AND GROUP NUMBERS.

LESS THAN 0.06 PERCENT.

**TABLE C13A. YEARS OF POTENTIAL LIFE LOST BEFORE AGE 75
FOR SELECTED CAUSES OF DEATH
MISSISSIPPI, 2007**

CAUSE AND GROUP NUMBER*	YEARS	RATE **
<u>ALL RACES - ALL CAUSES</u>	<u>296,129</u>	<u>10,780.5</u>
HEART DISEASES (156-160,162,164-181)	52,930	1,926.9
ISCHEMIC HEART DISEASE (165-168)	29,173	1,062.0
CEREBROVASCULAR DISEASES (182-186)	8,728	317.7
MALIGNANT NEOPLASMS (056-108)	52,427	1,908.6
RESPIRATORY SYSTEM (071-075)	15,536	565.6
COLORECTAL (063,064)	5,832	212.3
PROSTATE (089)#	915	67.7
BREAST (082)##	4,724	338.6
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (202-206)	6,347	231.1
PNEMONIA AND INFLUENZA (195-198)	2,850	103.8
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	4,492	163.5
DIABETES MELLITUS (124)	5,924	215.7
HIV INFECTION (039-043)	4,963	180.7
UNINTENTIONAL INJURIES (295-330)	55,342	2,014.7
MOTOR VEHICLE CRASHES (296-306)	32,119	1,169.3
SUICIDE (331-337)	11,721	426.7
HOMICIDE AND LEGAL INTERVENTION (338-346, 353,354)	11,400	415.0

* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

** YEARS OF POTENTIAL LIFE LOST BEFORE AGE 75 PER 100,000
POPULATION UNDER AGE 75.

MALES ONLY.

FEMALES ONLY.

**TABLE C13B. YEARS OF POTENTIAL LIFE LOST BEFORE AGE 75
FOR SELECTED CAUSES OF DEATH
WHITE MALES AND FEMALES
MISSISSIPPI, 2007**

CAUSE AND GROUP NUMBER*	YEARS	RATE **
<u>WHITE MALES - ALL CAUSES</u>	<u>102,298</u>	<u>12,407.0</u>
HEART DISEASES (156-160,162,164-181)	18,887	2,290.7
ISCHEMIC HEART DISEASE (165-168)	12,576	1,525.2
CEREBROVASCULAR DISEASES (182-186)	1,911	231.8
MALIGNANT NEOPLASMS (056-108)	18,431	2,235.4
RESPIRATORY SYSTEM (071-075)	6,508	789.3
COLORECTAL (063,064)	1,950	236.5
PROSTATE (089)	429	52.0
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (202-206)	2,569	311.6
PNEMONIA AND INFLUENZA (195-198)	948	115.0
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	2,266	274.8
DIABETES MELLITUS (124)	1,652	200.4
HIV INFECTION (039-043)	611	74.1
UNINTENTIONAL INJURIES (295-330)	25,439	3,085.3
MOTOR VEHICLE CRASHES (296-306)	14,731	1,786.6
SUICIDE (331-337)	7,487	908.0
HOMICIDE AND LEGAL INTERVENTION (338-346, 353,354)	1,689	204.8
<u>WHITE FEMALES - ALL CAUSES</u>	<u>56,689</u>	<u>6,934.1</u>
HEART DISEASES (156-160,162,164-181)	8,580	1,049.5
ISCHEMIC HEART DISEASE (165-168)	4,604	563.2
CEREBROVASCULAR DISEASES (182-186)	1,859	227.4
MALIGNANT NEOPLASMS (056-108)	12,388	1,515.3
RESPIRATORY SYSTEM (071-075)	3,609	441.4
COLORECTAL (063,064)	1,100	134.6
BREAST (082)	2,059	251.8
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (202-206)	2,212	270.6
PNEMONIA AND INFLUENZA (195-198)	663	81.1
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	897	109.7
DIABETES MELLITUS (124)	989	121.0
HIV INFECTION (039-043)	71	8.7
UNINTENTIONAL INJURIES (295-330)	10,810	1,322.3
MOTOR VEHICLE CRASHES (296-306)	6,179	755.8
SUICIDE (331-337)	1,917	234.5
HOMICIDE AND LEGAL INTERVENTION (338-346, 353,354)	562	68.7

* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMERS.

** YEARS OF POTENTIAL LIFE LOST BEFORE AGE 75 PER 100,000
POPULATION UNDER AGE 75.

**TABLE C13C. YEARS OF POTENTIAL LIFE LOST BEFORE AGE 75
FOR SELECTED CAUSES OF DEATH
NONWHITE MALES AND FEMALES
MISSISSIPPI, 2007**

CAUSE AND GROUP NUMBER*	YEARS	RATE **
<u>NONWHITE MALES - ALL CAUSES</u>	<u>84,615</u>	<u>16,042.7</u>
HEART DISEASES (156-160,162,164-181)	15,947	3,023.5
ISCHEMIC HEART DISEASE (165-168)	7,866	1,491.4
CEREBROVASCULAR DISEASES (182-186)	2,948	558.9
MALIGNANT NEOPLASMS (056-108)	11,794	2,236.1
RESPIRATORY SYSTEM (071-075)	3,943	747.6
COLORECTAL (063,064)	1,778	337.1
PROSTATE (089)	486	92.1
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (202-206)	946	179.4
PNEMONIA AND INFLUENZA (195-198)	829	157.2
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	907	172.0
DIABETES MELLITUS (124)	1,577	299.0
HIV INFECTION (039-043)	2,857	541.7
UNINTENTIONAL INJURIES (295-330)	13,554	2,569.8
MOTOR VEHICLE CRASHES (296-306)	8,472	1,606.3
SUICIDE (331-337)	2,092	396.6
HOMICIDE AND LEGAL INTERVENTION (338-346, 353,354)	7,885	1,495.0
<u>NONWHITE FEMALES - ALL CAUSES</u>	<u>52,527</u>	<u>9,097.3</u>
HEART DISEASES (156-160,162,164-181)	9,516	1,648.1
ISCHEMIC HEART DISEASE (165-168)	4,127	714.8
CEREBROVASCULAR DISEASES (182-186)	2,010	348.1
MALIGNANT NEOPLASMS (056-108)	9,814	1,699.7
RESPIRATORY SYSTEM (071-075)	1,476	255.6
COLORECTAL (063,064)	1,004	173.9
BREAST (082)	2,636	456.5
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (202-206)	620	107.4
PNEMONIA AND INFLUENZA (195-198)	410	71.0
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	422	73.1
DIABETES MELLITUS (124)	1,706	295.5
HIV INFECTION (039-043)	1,424	246.6
UNINTENTIONAL INJURIES (295-330)	5,539	959.3
MOTOR VEHICLE CRASHES (296-306)	2,737	474.0
SUICIDE (331-337)	225	39.0
HOMICIDE AND LEGAL INTERVENTION (338-346, 353,354)	1,264	218.9

* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMERS.

** YEARS OF POTENTIAL LIFE LOST BEFORE AGE 75 PER 100,000
POPULATION UNDER AGE 75.

MARRIAGES

**TABLE D1. MARRIAGES AND AVERAGE PER DAY, BY MONTH
MISSISSIPPI, 2007**

MONTH	MARRIAGES	AVERAGE PER DAY	MONTH	MARRIAGES	AVERAGE PER DAY
<u>TOTAL</u>	<u>15,827</u>	<u>43</u>			
JANUARY	785	25	JULY	1,628	52
FEBRUARY	1,096	39	AUGUST	1,217	39
MARCH	1,493	48	SEPTEMBER	1,396	46
APRIL	1,354	45	OCTOBER	1,202	39
MAY	1,516	49	NOVEMBER	1,060	35
JUNE	1,882	63	DECEMBER	1,198	39

NOTE: DUE TO INCONSISTENT REPORTING BY COUNTIES, STATISTICS ON MARRIAGES
MAY BE INCOMPLETE.

**TABLE D2. BRIDES AND GROOMS AND PERCENTAGE DISTRIBUTION, BY AGE AND RACE
MISSISSIPPI, 2007**

AGE	NUMBER						PERCENT					
	BRIDE			GROOM			BRIDE			GROOM		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	<u>15,827</u>	<u>11,093</u>	<u>4,734</u>	<u>15,827</u>	<u>11,018</u>	<u>4,809</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>
UNDER 20	<u>1,220</u>	<u>1,129</u>	<u>91</u>	<u>443</u>	<u>417</u>	<u>26</u>	<u>7.7</u>	<u>10.2</u>	<u>1.9</u>	<u>2.8</u>	<u>3.8</u>	<u>0.5</u>
< 13	0	0	0	0	0	0	-	-	-	-	-	-
13	0	0	0	0	0	0	-	-	-	-	-	-
14	1	1	0	0	0	0	*	*	-	-	-	-
15	41	40	1	0	0	0	0.2	0.4	*	-	-	-
16	63	63	0	3	3	0	0.4	0.6	-	*	*	-
17	179	171	8	44	44	0	1.1	1.5	0.2	0.3	0.4	-
18	377	347	30	143	136	7	2.4	3.1	0.6	0.9	1.2	0.1
19	559	507	52	253	234	19	3.5	4.6	1.1	1.6	2.1	0.4
20-24	4,439	3,553	886	3,553	2,833	720	28.0	32.0	18.7	22.4	25.7	15.0
25-34	5,284	3,265	2,019	5,945	3,993	1,952	33.4	29.4	42.6	37.6	36.2	40.6
35-44	2,615	1,610	1,005	2,879	1,814	1,065	16.5	14.5	21.2	18.2	16.5	22.1
45-54	1,513	968	545	1,756	1,099	657	9.6	8.7	11.5	11.1	10.0	13.7
55-64	507	361	146	827	537	290	3.2	3.2	3.1	5.2	4.9	6.0
65-74	198	161	37	300	228	72	1.2	1.4	0.8	1.9	2.1	1.5
75 & OVER	51	46	5	124	97	27	0.3	0.4	0.1	0.8	0.9	0.6
UNKNOWN	0	0	0	0	0	0	-	-	-	-	-	-

* LESS THAN 0.06 PERCENT.

NOTE: DUE TO INCONSISTENT REPORTING BY COUNTIES, STATISTICS ON MARRIAGES MAY BE INCOMPLETE.

**TABLE D3. MEDIAN AGE OF BRIDE AND GROOM
FOR ALL MARRIAGES AND FIRST MARRIAGES, BY RACE
MISSISSIPPI, 2007**

ALL AND FIRST MARRIAGES	BRIDE			GROOM		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
ALL MARRIAGES	27	26	30	30	29	33
FIRST MARRIAGES	24	23	27	26	25	28

NOTE: DUE TO INCONSISTENT REPORTING BY COUNTIES, STATISTICS ON MARRIAGES
MAY BE INCOMPLETE.

**TABLE D4. BRIDES AND GROOMS AND PERCENTAGE DISTRIBUTION,
BY MARRIAGE ORDER AND RACE
MISSISSIPPI, 2007**

MARRIAGE ORDER	NUMBER						PERCENT					
	BRIDE			GROOM			BRIDE			GROOM		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>TOTAL</u>	<u>15,827</u>	<u>11,093</u>	<u>4,734</u>	<u>15,827</u>	<u>11,018</u>	<u>4,809</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>
FIRST	9,730	6,465	3,265	9,509	6,499	3,010	61.5	58.3	69.0	60.1	59.0	62.6
<u>REMARRIAGE</u>	<u>6,097</u>	<u>4,628</u>	<u>1,469</u>	<u>6,318</u>	<u>4,519</u>	<u>1,799</u>	<u>38.5</u>	<u>41.7</u>	<u>31.0</u>	<u>39.9</u>	<u>41.0</u>	<u>37.4</u>
SECOND	3,994	2,875	1,119	4,118	2,785	1,333	25.2	25.9	23.6	26.0	25.3	27.7
<u>OVER TWO</u>	<u>2,103</u>	<u>1,753</u>	<u>350</u>	<u>2,200</u>	<u>1,734</u>	<u>466</u>	<u>13.3</u>	<u>15.8</u>	<u>7.4</u>	<u>13.9</u>	<u>15.7</u>	<u>9.7</u>
THIRD	1,469	1,176	293	1,579	1,192	387	9.3	10.6	6.2	10.0	10.8	8.0
FOURTH	473	422	51	449	386	63	3.0	3.8	1.1	2.8	3.5	1.3
FIFTH	124	120	4	115	103	12	0.8	1.1	0.1	0.7	0.9	0.2
SIXTH	32	30	2	42	39	3	0.2	0.3	#	0.3	0.4	0.1
SEVENTH	3	3	0	9	9	0	#	#	-	#	0.1	-
EIGHTH	2	2	0	5	5	0	#	#	-	#	#	-
NINTH	0	0	0	0	0	0	-	-	-	-	-	-
TENTH	0	0	0	1	0	1	-	-	-	#	-	#
OVER TEN	0	0	0	0	0	0	-	-	-	-	-	-
UNKNOWN*	0	0	0	0	0	0	-	-	-	-	-	-
UNKNOWN**	0	0	0	0	0	0	-	-	-	-	-	-

* PREVIOUSLY MARRIED BUT NUMBER OF PREVIOUS MARRIAGES UNKNOWN.

** UNKNOWN WHETHER PREVIOUSLY MARRIED.

LESS THAN 0.06 PERCENT.

NOTE: DUE TO INCONSISTENT REPORTING BY COUNTIES, STATISTICS ON MARRIAGES MAY BE INCOMPLETE.

**TABLE D5. BRIDES AND GROOMS AND PERCENTAGE DISTRIBUTION,
BY PREVIOUS MARITAL STATUS AND RACE
MISSISSIPPI, 2007**

PREVIOUS MARITAL STATUS	BRIDE			GROOM		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
NUMBER						
<u>TOTAL</u>	<u>15,827</u>	<u>11,093</u>	<u>4,734</u>	<u>15,827</u>	<u>11,018</u>	<u>4,809</u>
NOT PREVIOUSLY MARRIED	9,730	6,465	3,265	9,509	6,499	3,010
<u>REMARRIAGES</u>	<u>6,097</u>	<u>4,628</u>	<u>1,469</u>	<u>6,318</u>	<u>4,519</u>	<u>1,799</u>
WIDOWED	589	451	138	590	419	171
DIVORCED*	5,507	4,176	1,331	5,727	4,099	1,628
UNKNOWN**	1	1	0	1	1	0
UNKNOWN#	0	0	0	0	0	0
PERCENT						
<u>TOTAL</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>
NOT PREVIOUSLY MARRIED	61.5	58.3	69.0	60.1	59.0	62.6
<u>REMARRIAGES</u>	<u>38.5</u>	<u>41.7</u>	<u>31.0</u>	<u>39.9</u>	<u>41.0</u>	<u>37.4</u>
WIDOWED	3.7	4.1	2.9	3.7	3.8	3.6
DIVORCED*	34.8	37.6	28.1	36.2	37.2	33.8
UNKNOWN**	##	##	-	##	##	-
UNKNOWN#	-	-	-	-	-	-

* INCLUDES THOSE WHOSE LAST MARRIAGE WAS ANNULLED.

** UNKNOWN WHETHER WIDOWED OR DIVORCED.

UNKNOWN WHETHER ANY PREVIOUS MARRIAGE.

NOTE: DUE TO INCONSISTENT REPORTING BY COUNTIES, STATISTICS ON MARRIAGES
MAY BE INCOMPLETE.

**TABLE D6. MARRIAGES AND PERCENTAGE DISTRIBUTION,
BY RESIDENCE OF BRIDE AND GROOM AND RACE OF BRIDE
MISSISSIPPI, 2007**

RESIDENCE OF GROOM	RACE AND RESIDENCE OF BRIDE											
	TOTAL				WHITE				NONWHITE			
	TOTAL	MISSIS- SIPPI	OTHER	UN- KNOWN	TOTAL	MISSIS- SIPPI	OTHER	UN- KNOWN	TOTAL	MISSIS- SIPPI	OTHER	UN- KNOWN
NUMBER												
<u>TOTAL</u>	<u>15,827</u>	<u>14,860</u>	<u>959</u>	<u>8</u>	<u>11,093</u>	<u>10,336</u>	<u>752</u>	<u>5</u>	<u>4,734</u>	<u>4,524</u>	<u>207</u>	<u>3</u>
MISSISSIPPI	14,610	14,388	220	2	10,120	9,956	162	2	4,490	4,432	58	0
OTHER	1,214	469	739	6	970	377	590	3	244	92	149	3
UNKNOWN	3	3	0	0	3	3	0	0	0	0	0	0
PERCENT												
<u>TOTAL</u>	<u>100.0</u>	<u>93.9</u>	<u>6.0</u>	<u>*</u>	<u>100.0</u>	<u>93.2</u>	<u>6.8</u>	<u>*</u>	<u>100.0</u>	<u>95.6</u>	<u>4.4</u>	<u>0.1</u>
MISSISSIPPI	92.3	90.9	1.4	*	91.2	89.8	1.5	*	94.8	93.6	1.2	-
OTHER	7.7	3.0	4.7	*	8.7	3.4	5.3	*	5.2	1.9	3.1	0.1
UNKNOWN	*	*	-	-	*	*	-	-	-	-	-	-

* LESS THAN 0.06 PERCENT.

NOTE: DUE TO INCONSISTENT REPORTING BY COUNTIES, STATISTICS ON MARRIAGES MAY BE INCOMPLETE.

DIVORCES

**TABLE E1. DIVORCES AND PERCENTAGE DISTRIBUTION, BY CAUSE AND RACE*
MISSISSIPPI, 2007**

CAUSE	NUMBER				PERCENT			
	TOTAL	WHITE	NON-WHITE	UN-KNOWN	TOTAL	WHITE	NON-WHITE	UN-KNOWN
<u>TOTAL</u>	<u>13,060</u>	<u>8,362</u>	<u>2,961</u>	<u>1,737</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>
IRRECONCILABLE DIFFERENCES	11,885	7,796	2,556	1,533	91.0	93.2	86.3	88.2
CRUEL AND INHUMAN TREATMENT	458	216	160	82	3.5	2.6	5.4	4.7
DESERTION	322	129	136	57	2.5	1.5	4.6	3.3
ADULTERY	245	136	68	41	1.9	1.6	2.3	2.4
DRUNKENNESS	57	36	13	8	0.4	0.4	0.4	0.5
PENITENTIARY	62	32	23	7	0.5	0.4	0.8	0.4
ANNULMENT	17	13	2	2	0.1	0.2	0.1	0.1
BIGAMY	7	2	3	2	#	#	0.1	0.1
MISCELLANEOUS AND OTHER	5	1	0	4	#	#	-	0.2
UNKNOWN	2	1	0	1	#	#	-	#

* DIVORCES OF MIXED-RACE COUPLES ARE INCLUDED IN FIGURES FOR NONWHITES.

LESS THAN 0.06 PERCENT.

NOTE: DUE TO INCONSISTENT REPORTING BY COUNTIES, STATISTICS ON DIVORCES MAY BE INCOMPLETE.

**TABLE E2. DIVORCES AND PERCENTAGE DISTRIBUTION,
BY NUMBER OF MINOR CHILDREN AND RACE*
MISSISSIPPI, 2007**

NUMBER OF MINOR CHILDREN	NUMBER				PERCENT			
	TOTAL	WHITE	NON-WHITE	UN-KNOWN	TOTAL	WHITE	NON-WHITE	UN-KNOWN
<u>TOTAL DIVORCES</u>	<u>13,060</u>	<u>8,362</u>	<u>2,961</u>	<u>1,737</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>
NONE	6,952	4,365	1,626	961	53.2	52.2	54.9	55.3
ONE	2,999	1,954	680	365	23.0	23.4	23.0	21.0
TWO	2,277	1,526	461	290	17.4	18.2	15.6	16.7
THREE OR MORE	832	517	194	121	6.4	6.2	6.6	7.0
UNKNOWN	0	0	0	0	-	-	-	-

* DIVORCES OF MIXED-RACE COUPLES ARE INCLUDED IN FIGURES FOR NONWHITES.

NOTE: DUE TO INCONSISTENT REPORTING BY COUNTIES, STATISTICS ON DIVORCES MAY BE INCOMPLETE.

**TABLE E3. DIVORCES AND PERCENTAGE DISTRIBUTION,
BY NUMBER OF YEARS MARRIED AND RACE*
MISSISSIPPI, 2007**

NUMBER OF YEARS MARRIED	NUMBER				PERCENT			
	TOTAL	WHITE	NON- WHITE	UN- KNOWN	TOTAL	WHITE	NON- WHITE	UN- KNOWN
<u>TOTAL DIVORCES</u>	<u>13,060</u>	<u>8,362</u>	<u>2,961</u>	<u>1,737</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>
<u>UNDER FIVE</u>	<u>4,621</u>	<u>3,138</u>	<u>862</u>	<u>621</u>	<u>35.4</u>	<u>37.5</u>	<u>29.1</u>	<u>35.8</u>
<u>UNDER ONE</u>	512	378	64	70	3.9	4.5	2.2	4.0
<u>ONE</u>	1,033	738	165	130	7.9	8.8	5.6	7.5
<u>TWO</u>	1,104	742	224	138	8.4	8.9	7.6	7.9
<u>THREE</u>	1,033	688	201	144	7.9	8.2	6.8	8.3
<u>FOUR</u>	939	592	208	139	7.2	7.1	7.0	8.0
<u>FIVE-NINE</u>	<u>3,758</u>	<u>2,294</u>	<u>940</u>	<u>524</u>	<u>28.8</u>	<u>27.4</u>	<u>31.7</u>	<u>30.2</u>
<u>TEN-NINETEEN</u>	<u>3,029</u>	<u>1,895</u>	<u>745</u>	<u>389</u>	<u>23.2</u>	<u>22.7</u>	<u>25.2</u>	<u>22.4</u>
<u>TWENTY AND OVER</u>	<u>1,612</u>	<u>1,012</u>	<u>411</u>	<u>189</u>	<u>12.3</u>	<u>12.1</u>	<u>13.9</u>	<u>10.9</u>
<u>UNKNOWN</u>	<u>40</u>	<u>23</u>	<u>3</u>	<u>14</u>	<u>0.3</u>	<u>0.3</u>	<u>0.1</u>	<u>0.8</u>

* DIVORCES OF MIXED-RACE COUPLES ARE INCLUDED IN FIGURES FOR NONWHITES.

NOTE: DUE TO INCONSISTENT REPORTING BY COUNTIES, STATISTICS ON DIVORCES MAY BE INCOMPLETE.

INDUCED TERMINATIONS OF PREGNANCY

**TABLE F1. REPORTED INDUCED TERMINATIONS OF PREGNANCY,
PERCENTAGE DISTRIBUTION, AND INDUCED TERMINATION RATIOS,
BY AGE AND RACE OF PATIENT
PROCEDURES PERFORMED IN MISSISSIPPI, 2007**

AGE OF PATIENT	NUMBER				PERCENT			INDUCED TERMINATION RATIO*		
	TOTAL	WHITE	NON-WHITE	UNK. RACE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>TOTAL</u>	<u>2,932</u>	<u>632</u>	<u>2,289</u>	<u>11</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>	<u>63.1</u>	<u>25.5</u>	<u>105.6</u>
UNDER 15	23	2	21	0	0.8	0.3	0.9	148.4	54.0	178.0
15-19	439	97	339	3	15.0	15.3	14.8	56.3	29.6	74.9
20-24	1,113	247	863	3	38.0	39.1	37.7	71.7	32.8	107.8
25-29	764	142	620	2	26.0	22.5	27.1	60.1	19.3	116.0
30-34	370	78	291	1	12.6	12.3	12.7	54.6	17.9	120.8
35-39	164	42	121	1	5.6	6.6	5.3	56.6	22.7	115.6
40-44	51	21	30	0	1.7	3.3	1.3	92.2	62.1	139.5
45-49	2	2	0	0	0.1	0.3	0.0	55.6	74.1	0.0
UNKNOWN	6	1	4	1	0.2	0.2	0.2			

* INDUCED TERMINATIONS PER 1,000 LIVE BIRTHS IN SPECIFIED GROUP.

**TABLE F2. REPORTED INDUCED TERMINATIONS OF PREGNANCY
AND PERCENTAGE DISTRIBUTION.
BY CHARACTERISTICS OF PATIENT AND RACE
PROCEDURES PERFORMED IN MISSISSIPPI, 2007**

CHARACTERISTICS OF PATIENT	NUMBER				PERCENT		
	TOTAL	WHITE	NON- WHITE	UNK. RACE	TOTAL	WHITE	NON- WHITE
<u>TOTAL</u>	<u>2,932</u>	<u>632</u>	<u>2,289</u>	<u>11</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>
MISSISSIPPI RESIDENT	2,870	605	2,254	11	97.9	95.7	98.5
<u>NONRESIDENT</u>	<u>62</u>	<u>27</u>	<u>35</u>	<u>0</u>	<u>2.1</u>	<u>4.3</u>	<u>1.5</u>
BORDER STATE	49	24	25	0	1.7	3.8	1.1
OTHER STATE	13	3	10	0	0.4	0.5	0.4
<u>MARITAL STATUS</u>							
MARRIED	236	80	153	3	8.0	12.6	6.7
NOT MARRIED	2,690	551	2,132	7	91.7	87.2	93.1
UNKNOWN	6	1	4	1	0.2	0.2	0.2
<u>EDUCATION (COMPLETED YEARS)</u>							
0-6 YEARS	5	1	4	0	0.2	0.2	0.2
7-9 YEARS	81	23	57	1	2.8	3.6	2.5
10, 11 YEARS	264	71	192	1	9.0	11.2	8.4
12 YEARS	805	184	619	2	27.4	29.1	27.0
1-3 YEARS COLLEGE	1,256	245	1,007	4	42.8	38.8	44.0
4 OR MORE YEARS COLLEGE	504	103	399	2	17.2	16.3	17.4
UNKNOWN	17	5	11	1	0.6	0.8	0.5
<u>NUMBER OF LIVING CHILDREN</u>							
NONE	959	280	674	5	32.7	44.3	29.4
ONE	1,003	197	803	3	34.2	31.2	35.1
TWO	631	116	515	0	21.5	18.4	22.5
THREE	228	26	200	2	7.8	4.1	8.7
FOUR	74	8	66	0	2.5	1.3	2.9
FIVE OR MORE	35	5	30	0	1.2	0.8	1.3
UNKNOWN	2	0	1	1	0.1	-	*
<u>NUMBER OF PREVIOUS INDUCED TERMINATIONS</u>							
NONE	1,823	429	1,385	9	62.2	67.9	60.5
ONE	766	148	618	0	26.1	23.4	27.0
TWO	251	39	211	1	8.6	6.2	9.2
THREE OR MORE	90	16	74	0	3.1	2.5	3.2
UNKNOWN	2	0	1	1	0.1	-	*

* LESS THAN 0.06 PERCENT.

TABLE F3. REPORTED INDUCED TERMINATIONS OF PREGNANCY AND PERCENTAGE DISTRIBUTION BY MEDICAL CHARACTERISTICS AND RACE, PROCEDURES PERFORMED IN MISSISSIPPI, 2007

MEDICAL CHARACTERISTICS	NUMBER				PERCENT		
	TOTAL	WHITE	NON-WHITE	UNK. RACE	TOTAL	WHITE	NON-WHITE
<u>TOTAL</u>	<u>2,932</u>	<u>632</u>	<u>2,289</u>	<u>11</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>
<u>COMPLETED WEEKS OF GESTATION*</u>							
UNDER 9	1,610	354	1,249	7	54.9	56.0	54.6
9, 10	573	116	454	3	19.5	18.4	19.8
11, 12	229	37	191	1	7.8	5.8	8.3
13-15	78	27	51	0	2.7	4.3	2.2
16-20	12	6	6	0	0.4	0.9	0.3
21 OR MORE	0	0	0	0	-	-	-
UNKNOWN	430	92	338	0	14.7	14.6	14.8
<u>PRIMARY PROCEDURE</u>							
SUCTION CURETTAGE	2,900	625	2,264	11	98.9	98.9	98.9
MEDICAL (NONSURGICAL)	0	0	0	0	-	-	-
DILATION AND EVACUATION	0	0	0	0	-	-	-
INTRA-UTERINE INSTILLATION	0	0	0	0	-	-	-
SHARP CURETTAGE	3	0	3	0	0.1	-	0.1
HYSTEROTOMY OR HYSTERECTOMY	0	0	0	0	-	-	-
OTHER	0	0	0	0	-	-	-
UNKNOWN	29	7	22	0	1.0	1.1	1.0

* CALCULATED BY SUBTRACTING DATE OF LAST NORMAL MENSTRUAL PERIOD PRIOR TO TERMINATION FROM DATE OF TERMINATION.

** LESS THAN 0.06 PERCENT.

TABLE F4. REPORTED COMPLICATIONS RESULTING FROM INDUCED TERMINATIONS OF PREGNANCY PATIENTS TREATED IN MISSISSIPPI, 2007

DEMOGRAPHIC/MEDICAL CHARACTERISTICS	TOTAL	WHITE	NON-WHITE	UNK. RACE
<u>TOTAL</u>	<u>1</u>	<u>1</u>	<u>0</u>	<u>0</u>
<u>AGE</u>				
UNDER 20	0	0	0	0
20-29	1	1	0	0
30-39	0	0	0	0
40-49	0	0	0	0
50+	0	0	0	0
UNKNOWN	0	0	0	0
<u>MARITAL STATUS</u>				
MARRIED	1	1	0	0
NOT MARRIED	0	0	0	0
UNKNOWN	0	0	0	0
<u>CONDITION(S) REQUIRING TREATMENT</u>				
PELVIC INFECTION	0	0	0	0
HEMORRHAGE	0	0	0	0
DAMAGE TO PELVIC ORGANS	0	0	0	0
RENAL FAILURE	0	0	0	0
METABOLIC DISORDER	0	0	0	0
SHOCK	0	0	0	0
EMBOLISM	0	0	0	0
COMA	0	0	0	0
DEATH	0	0	0	0
OTHER	1	1	0	0
UNKNOWN	0	0	0	0

NOTE: PATIENTS TREATED MULTIPLE TIMES MAY RESULT IN MULTIPLE REPORTS. THESE REPORTS ARE COUNTED SEPARATELY.
COMPLICATIONS TABULATED HERE MAY BE THE RESULT OF INDUCED TERMINATIONS THAT OCCURRED OUTSIDE OF THE STATE.

MAJOR TABLES

TABLE i
2007 ESTIMATED POPULATION AND PERCENT CHANGE FROM 2000 CENSUS POPULATION
MISSISSIPPI

COUNTY	POPULATION			PERCENT CHANGE SINCE 2000		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>STATE</u>	<u>2,918,785</u>	<u>1,770,596</u>	<u>1,148,189</u>	<u>2.6</u>	<u>1.4</u>	<u>4.5</u>
ADAMS	31,710	13,506	18,204	-7.7	-14.6	-1.8
ALCORN	35,609	31,187	4,422	3.0	3.3	1.3
AMITE	13,345	7,390	5,955	-1.9	-3.7	0.5
ATTALA	19,600	11,367	8,233	-0.3	-0.9	0.5
BENTON	8,037	5,113	2,924	0.1	3.2	-4.8
BOLIVAR	37,635	12,412	25,223	-7.4	-8.1	-7.0
CALHOUN	14,591	10,144	4,447	-3.2	-3.0	-3.5
CARROLL	10,304	6,645	3,659	-4.3	-1.5	-9.0
CHICKASAW	18,974	10,878	8,096	-2.4	-1.7	-3.4
CHOCTAW	9,052	6,173	2,879	-7.2	-7.0	-7.7
CLAIBORNE	10,999	1,660	9,339	-7.0	-7.6	-6.9
CLARKE	17,414	11,252	6,162	-3.0	-2.8	-3.3
CLAY	20,969	9,019	11,950	-4.6	-4.2	-4.9
COAHOMA	27,543	6,697	20,846	-10.1	-25.3	-3.7
COPIAH	29,317	13,968	15,349	2.0	1.6	2.3
COVINGTON	20,361	12,803	7,558	4.9	4.0	6.5
DESOTO	149,393	115,266	34,127	39.4	25.4	123.8
FORREST	78,241	48,696	29,545	7.8	4.2	14.1
FRANKLIN	8,312	5,129	3,183	-1.6	-3.3	1.3
GEORGE	21,937	19,536	2,401	14.6	14.2	18.0
GREENE	13,137	9,640	3,497	-1.2	-0.4	-3.3
GRENADA	23,076	13,149	9,927	-0.8	-2.4	1.4
HANCOCK	39,687	35,846	3,841	-7.6	-7.5	-8.9
HARRISON	176,105	126,078	50,027	-7.1	-9.1	-1.7
HINDS	249,157	80,353	168,804	-0.7	-14.1	7.4
HOLMES	20,461	3,729	16,732	-5.3	-15.7	-2.6
HUMPHREYS	9,994	2,603	7,391	-10.8	-14.5	-9.4
ISSAQUENA	1,675	690	985	-26.3	-16.5	-32.0
ITAWAMBA	23,034	21,235	1,799	1.2	0.9	4.9
JACKSON	130,098	96,629	33,469	-1.0	-2.4	3.3
JASPER	18,071	8,515	9,556	-0.4	1.0	-1.7
JEFFERSON	8,960	1,218	7,742	-8.0	-4.3	-8.6
JEFF DAVIS	12,813	5,307	7,506	-8.2	-8.8	-7.9
JONES	66,763	47,494	19,269	2.8	2.8	2.7
KEMPER	10,109	3,802	6,307	-3.3	-6.8	-1.0
LAFAYETTE	42,716	31,134	11,582	10.3	11.8	6.2
LAMAR	47,698	39,472	8,226	22.1	18.4	43.6
LAUDERDALE	77,100	44,102	32,998	-1.4	-6.2	5.9
LAWRENCE	13,341	8,906	4,435	0.6	0.4	1.2
LEAKE	22,828	12,673	10,155	9.0	7.8	10.6
LEE	80,349	57,902	22,447	6.1	3.8	12.5
LEFLORE	35,088	9,705	25,383	-7.5	-14.8	-4.4

TABLE i - PAGE 2
 2007 ESTIMATED POPULATION - MISSISSIPPI

COUNTY	POPULATION			PERCENT CHANGE SINCE 2000		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
LINCOLN	34,529	23,552	10,977	4.1	2.4	8.1
LOWNDES	59,614	32,788	26,826	-3.2	-5.7	0.1
MADISON	89,387	53,623	35,764	19.7	19.1	20.6
MARION	25,735	16,967	8,768	0.6	-1.0	3.7
MARSHALL	36,695	18,471	18,224	4.9	9.1	0.9
MONROE	37,078	25,272	11,806	-2.5	-2.8	-1.8
MONTGOMERY	11,491	6,129	5,362	-5.7	-7.3	-3.8
NESHOBA	30,236	19,382	10,854	5.4	3.2	9.7
NEWTON	22,329	14,460	7,869	2.3	1.9	3.0
NOXUBEE	11,874	3,436	8,438	-5.4	-7.1	-4.6
OKTIBBEHA	43,898	26,005	17,893	2.3	3.3	0.9
PANOLA	35,408	18,195	17,213	3.3	5.2	1.4
PEARL RIVER	57,071	48,896	8,175	17.4	17.6	16.4
PERRY	12,205	9,339	2,866	0.6	1.0	-0.9
PIKE	39,798	19,665	20,133	2.2	-1.5	6.1
PONTOTOC	28,862	24,323	4,539	8.0	7.8	8.9
PRENTISS	25,378	21,483	3,895	-0.7	-2.1	7.7
QUITMAN	8,910	2,672	6,238	-11.9	-13.3	-11.3
RANKIN	138,362	108,316	30,046	20.0	15.9	37.3
SCOTT	28,895	17,277	11,618	1.7	6.3	-4.5
SHARKEY	5,571	1,693	3,878	-15.3	-12.4	-16.6
SIMPSON	27,824	17,890	9,934	0.7	0.5	0.9
SMITH	16,009	11,980	4,029	-1.1	-2.7	4.2
STONE	15,731	12,456	3,275	15.5	15.1	16.8
SUNFLOWER	30,964	8,375	22,589	-9.9	-15.6	-7.6
TALLAHATCHIE	13,260	5,168	8,092	-11.0	-12.5	-10.1
TATE	26,910	18,201	8,709	6.1	5.8	6.7
TIPPAH	21,160	17,283	3,877	1.6	1.4	2.6
TISHOMINGO	19,053	18,160	893	-0.6	-0.2	-8.0
TUNICA	10,453	2,875	7,578	13.3	13.1	13.3
UNION	26,907	22,436	4,471	6.1	6.1	6.3
WALTHALL	15,360	8,312	7,048	1.4	0.4	2.5
WARREN	48,866	25,041	23,825	-1.6	-8.2	6.6
WASHINGTON	55,644	17,219	38,425	-11.6	-19.5	-7.6
WAYNE	21,096	12,770	8,326	-0.6	-1.8	1.4
WEBSTER	9,789	7,714	2,075	-4.9	-3.4	-10.2
WILKINSON	10,266	3,092	7,174	-0.5	-4.0	1.1
WINSTON	19,705	10,669	9,036	-2.3	-4.2	0.2
YALOBUSHA	13,672	8,171	5,501	4.8	3.6	6.6
YAZOO	27,187	11,817	15,370	-3.4	-6.2	-1.2

* LESS THAN 0.06 PERCENT CHANGE.

NOTE: POPULATION ESTIMATE WAS OBTAINED FROM THE U.S. BUREAU OF THE CENSUS.

**TABLE 1A
LIVE BIRTHS, BY PLACE OF OCCURRENCE AND RACE OF MOTHER,
ALSO LIVE BIRTHS AND RATES, BY PLACE OF RESIDENCE AND RACE OF MOTHER,
(PLACE INCLUDES COUNTIES, OUT OF STATE, TOWNS OF 10,000 OR MORE),
MISSISSIPPI, 2007**

COUNTY	OCCURRENCE DATA			RESIDENCE DATA					
	NUMBER			NUMBER			RATE*		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>STATE</u>	<u>45,509</u>	<u>23,641</u>	<u>21,868</u>	<u>46,455</u>	<u>24,783</u>	<u>21,672</u>	<u>15.9</u>	<u>14.0</u>	<u>18.9</u>
ADAMS	1,196	430	766	428	147	281	13.5	10.9	15.4
ALCORN	603	518	85	509	432	77	14.3	13.8	17.4
AMITE	1	0	1	184	76	108	13.8	10.3	18.1
ATTALA	12	3	9	324	155	169	16.5	13.6	20.5
BENTON	0	0	0	102	63	39	12.7	12.3	13.3
BOLIVAR	625	112	513	627	147	480	16.7	11.8	19.0
CALHOUN	1	1	0	206	137	69	14.1	13.5	15.5
CARROLL	0	0	0	159	101	58	15.4	15.2	15.8
CHICKASAW	1	0	1	298	153	145	15.7	14.1	17.9
CHOCTAW	1	1	0	125	62	63	13.8	10.0	21.9
CLAIBORNE	1	0	1	161	11	150	14.6	6.6	16.1
CLARKE	0	0	0	231	121	110	13.3	10.8	17.8
CLAY	517	197	320	317	97	220	15.1	10.8	18.4
COAHOMA	997	156	841	552	70	482	20.0	10.4	23.1
COPIAH	0	0	0	473	170	303	16.1	12.2	19.7
COVINGTON	80	21	59	312	169	143	15.3	13.2	18.9
DESOTO	2,035	1,120	915	2,235	1,691	544	15.0	14.7	15.9
FORREST	2,588	1,694	894	1,321	726	595	16.9	14.9	20.1
FRANKLIN	0	0	0	127	69	58	15.3	13.4	18.2
GEORGE	230	192	38	418	376	42	19.0	19.2	17.5
GREENE	0	0	0	155	113	42	11.8	11.7	12.0
GRENADA	631	236	395	346	155	191	15.0	11.8	19.2
HANCOCK	283	254	29	490	451	39	12.3	12.6	10.2
HARRISON	3,354	2,435	919	2,942	2,082	860	16.7	16.5	17.2
HINDS	7,328	2,576	4,752	3,982	886	3,096	16.0	11.0	18.3
HOLMES	3	0	3	406	41	365	19.8	11.0	21.8
HUMPHREYS	2	0	2	246	28	218	24.6	10.8	29.5
ISSAQUENA	0	0	0	15	1	14	9.0	1.4	14.2
ITAWAMBA	0	0	0	305	292	13	13.2	13.8	7.2
JACKSON	1,676	1,203	473	1,948	1,373	575	15.0	14.2	17.2
JASPER	0	0	0	277	104	173	15.3	12.2	18.1
JEFFERSON	2	0	2	130	6	124	14.5	4.9	16.0
JEFF DAVIS	2	0	2	187	55	132	14.6	10.4	17.6
JONES	1,173	576	597	1,180	780	400	17.7	16.4	20.8
KEMPER	0	0	0	144	41	103	14.2	10.8	16.3
LAFAYETTE	1,035	634	401	538	350	188	12.6	11.2	16.2
LAMAR	1,711	1,199	512	817	634	183	17.1	16.1	22.2
LAUDERDALE	2,845	1,303	1,542	1,269	583	686	16.4	13.2	20.8
LAWRENCE	2	0	2	219	135	84	16.4	15.2	18.9
LEAKE	5	3	2	426	202	224	18.7	15.9	22.0
LEE	2,614	1,943	671	1,335	868	467	16.6	15.0	20.8
LEFLORE	870	159	711	597	116	481	17.0	12.0	19.0

TABLE 1A - Page 2
LIVE BIRTHS - MISSISSIPPI -2007

COUNTY	OCCURRENCE DATA			RESIDENCE DATA					
	NUMBER			NUMBER			RATE*		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
LINCOLN	698	387	311	580	355	225	16.8	15.1	20.5
LOWNDES	1,107	483	624	937	437	500	15.7	13.3	18.6
MADISON	402	11	391	1,489	772	717	16.6	14.4	20.0
MARION	4	0	4	430	261	169	16.7	15.4	19.3
MARSHALL	3	1	2	583	268	315	15.9	14.5	17.3
MONROE	640	440	200	567	340	227	15.3	13.4	19.2
MONTGOMERY	2	0	2	155	52	103	13.5	8.5	19.2
NESHOBA	2	1	1	543	255	288	18.0	13.2	26.5
NEWTON	2	0	2	365	199	166	16.3	13.8	21.1
NOXUBEE	1	1	0	210	46	164	17.7	13.4	19.4
OKTIBBEHA	1,099	491	608	624	318	306	14.2	12.2	17.1
PANOLA	202	60	142	626	253	373	17.7	13.9	21.7
PEARL RIVER	375	288	87	773	651	122	13.5	13.3	14.9
PERRY	0	0	0	203	152	51	16.6	16.3	17.8
PIKE	1,108	506	602	693	261	432	17.4	13.3	21.4
PONTOTOC	12	12	0	476	413	63	16.5	17.0	13.9
PRETISS	1	1	0	354	299	55	13.9	13.9	14.1
QUITMAN	0	0	0	124	23	101	13.9	8.6	16.2
RANKIN	3,388	2,359	1,029	2,170	1,721	449	15.7	15.9	14.9
SCOTT	7	3	4	517	291	226	17.9	16.8	19.4
SHARKEY	1	0	1	101	15	86	18.1	8.9	22.2
SIMPSON	124	63	61	442	259	183	15.9	14.5	18.4
SMITH	0	0	0	202	140	62	12.6	11.7	15.4
STONE	2	0	2	237	184	53	15.1	14.8	16.2
SUNFLOWER	410	70	340	531	73	458	17.1	8.7	20.3
TALLAHATCHIE	1	0	1	259	49	210	19.5	9.5	26.0
TATE	3	1	2	417	254	163	15.5	14.0	18.7
TIPPAH	0	0	0	335	270	65	15.8	15.6	16.8
TISHOMINGO	1	1	0	250	246	4	13.1	13.5	4.5
TUNICA	0	0	0	233	31	202	22.3	10.8	26.6
UNION	1,122	877	245	406	340	66	15.1	15.2	14.8
WALTHALL	1	0	1	228	108	120	14.8	13.0	17.0
WARREN	1,112	313	799	779	320	459	15.9	12.8	19.3
WASHINGTON	968	178	790	970	192	778	17.4	11.2	20.2
WAYNE	264	126	138	324	174	150	15.4	13.6	18.0
WEBSTER	0	0	0	132	102	30	13.5	13.2	14.4
WILKINSON	3	0	3	154	28	126	15.0	9.0	17.6
WINSTON	0	0	0	281	106	175	14.3	9.9	19.4
YALOBUSHA	2	1	1	210	115	95	15.4	14.1	17.3
YAZOO	18	1	17	482	141	341	17.7	11.9	22.2
OUT OF STATE	2,393	1,895	498	1,447	753	694	-	-	-

* LIVE BIRTHS PER 1,000 POPULATION.

TABLE 1A - PAGE 3
LIVE BIRTHS - MISSISSIPPI - 2007

TOWN**	NUMBER		
	TOTAL	WHITE	NON-WHITE
BILOXI	656	504	152
BRANDON	488	371	117
BROOKHAVEN	204	65	139
CANTON	353	72	281
CLARKSDALE	415	51	364
CLEVELAND	235	87	148
CLINTON	315	189	126
COLUMBUS	478	139	339
CORINTH	229	164	65
GAUTIER	272	163	109
GREENVILLE	659	97	562
GREENWOOD	332	66	266
GRENADA	224	70	154
GULFPORT	1,280	742	538
HATTIESBURG	937	361	576
INDIANOLA	240	26	214
JACKSON	3,027	432	2,595
LAUREL	477	212	265
LONG BEACH	191	158	33
MCCOMB	264	55	209
MERIDIAN	732	197	535
MOSS POINT	328	144	184
NATCHEZ	241	71	170
OCEAN SPRINGS	359	297	62
PASCAGOULA	329	190	139
PEARL	453	335	118
PICAYUNE	225	145	80
RIDGELAND	372	213	159
SOUTHAVEN	672	514	158
STARKVILLE	462	215	247
TUPELO	646	344	302
VICKSBURG	558	176	382
YAZOO CITY	281	30	251

** TOWNS OF 10,000 POPULATION OR MORE.

TABLE 1B
FERTILITY RATES*, BY COUNTY OF RESIDENCE AND RACE OF MOTHER,
MISSISSIPPI, 2007

COUNTY	TOTAL	WHITE	NON-WHITE	COUNTY	TOTAL	WHITE	NON-WHITE
<u>STATE</u>	<u>76.8</u>	<u>73.2</u>	<u>81.4</u>				
ADAMS	72.2	72.6	71.9	LINCOLN	83.9	80.6	89.8
ALCORN	74.1	73.1	79.8	LOWNDES	74.8	72.3	77.2
AMITE	72.5	60.6	84.2	MADISON	76.0	72.0	80.8
ATTALA	85.3	80.9	89.8	MARION	85.4	83.6	88.3
BENTON	65.5	67.3	62.7	MARSHALL	78.9	79.6	78.3
BOLIVAR	74.1	59.1	80.4	MONROE	77.4	72.7	85.8
CALHOUN	75.2	78.5	69.5	MONTGOMERY	67.7	50.2	82.1
CARROLL	82.8	84.2	80.3	NESHOBA	90.5	72.1	116.8
CHICKASAW	81.7	82.2	81.2	NEWTON	81.1	74.3	91.2
CHOCTAW	72.2	57.6	96.3	NOXUBEE	88.6	91.4	87.8
CLAIBORNE	59.0	53.4	59.5	OKTIBBEHA	55.3	48.3	65.2
CLARKE	70.0	61.4	82.6	PANOLA	84.0	75.6	90.8
CLAY	75.0	64.4	80.9	PEARL RIVER	66.6	67.0	64.6
COAHOMA	96.3	75.0	100.4	PERRY	78.6	80.5	73.6
COPIAH	78.3	67.8	85.7	PIKE	89.0	76.6	98.6
COVINGTON	73.8	69.8	79.0	PONTOTOC	81.0	86.6	56.7
DESOTO	69.2	70.5	65.7	PRENTISS	67.8	70.3	56.8
FORREST	68.7	64.1	75.3	QUITMAN	69.7	61.3	71.9
FRANKLIN	75.8	75.9	75.6	RANKIN	72.7	76.6	60.9
GEORGE	95.6	95.9	92.9	SCOTT	90.9	95.2	85.9
GREENE	68.4	62.0	94.8	SHARKEY	96.5	66.1	104.9
GRENADA	71.5	62.3	81.4	SIMPSON	79.2	76.4	83.4
HANCOCK	67.3	68.8	54.1	SMITH	63.3	62.7	64.6
HARRISON	83.3	85.8	77.7	STONE	70.5	72.2	65.0
HINDS	73.9	66.4	76.4	SUNFLOWER	89.8	59.7	97.7
HOLMES	92.8	68.9	96.5	TALLAHATCHIE	94.7	59.5	109.9
HUMPHREYS	120.2	70.9	132.0	TATE	72.9	69.8	78.4
ISSAQUENA	52.1	9.2	78.2	TIPPAH	78.2	79.1	74.9
ITAWAMBA	63.7	67.5	28.3	TISHOMINGO	69.6	71.6	25.5
JACKSON	75.0	74.2	76.8	TUNICA	101.5	63.0	112.0
JASPER	77.4	69.9	82.8	UNION	75.3	77.4	65.7
JEFFERSON	73.6	36.6	77.4	WALTHALL	73.8	72.5	75.0
JEFF DAVIS	73.9	64.6	78.6	WARREN	79.1	74.6	82.5
JONES	91.6	91.4	92.0	WASHINGTON	86.7	74.7	90.3
KEMPER	70.8	65.7	73.1	WAYNE	73.7	70.9	77.3
LAFAYETTE	47.5	42.2	61.8	WEBSTER	71.8	72.1	70.8
LAMAR	76.6	73.6	89.4	WILKINSON	89.2	66.8	96.3
LAUDERDALE	83.0	76.0	90.1	WINSTON	75.9	60.5	89.6
LAWRENCE	81.3	81.1	81.6	YALOBUSHA	76.9	79.5	73.9
LEAKE	99.4	93.8	105.1	YAZOO	95.1	79.7	103.4
LEE	81.3	78.1	87.9				
LEFLORE	80.0	74.6	81.4				

* LIVE BIRTHS PER 1,000 FEMALE POPULATION 15-44 YEARS OF AGE.

TABLE 2
LIVE BIRTHS, BY COUNTY OF RESIDENCE, RACE OF MOTHER, AND ATTENDANT,
ALSO BY COUNTY OF RESIDENCE AND SEX,
MISSISSIPPI, 2007

COUNTY	TOTAL	WHITE				NONWHITE				SEX	
		TOTAL	HOSP. OR CLINIC	PHYS., OTHER PLACE	OTHER	TOTAL	HOSP. OR CLINIC	PHYS., OTHER PLACE	OTHER	MALE	FEMALE
<u>STATE</u>	<u>46,455</u>	<u>24,783</u>	<u>24,702</u>	<u>3</u>	<u>78</u>	<u>21,672</u>	<u>21,623</u>	<u>6</u>	<u>43</u>	<u>23,803</u>	<u>22,652</u>
ADAMS	428	147	147	0	0	281	281	0	0	221	207
ALCORN	509	432	431	0	1	77	77	0	0	249	260
AMITE	184	76	75	0	1	108	105	0	3	96	88
ATTALA	324	155	153	0	2	169	169	0	0	170	154
BENTON	102	63	63	0	0	39	39	0	0	57	45
BOLIVAR	627	147	147	0	0	480	480	0	0	323	304
CALHOUN	206	137	136	0	1	69	69	0	0	109	97
CARROLL	159	101	101	0	0	58	58	0	0	83	76
CHICKASAW	298	153	153	0	0	145	145	0	0	147	151
CHOCTAW	125	62	61	0	1	63	63	0	0	70	55
CLAIBORNE	161	11	11	0	0	150	150	0	0	72	89
CLARKE	231	121	121	0	0	110	110	0	0	125	106
CLAY	317	97	96	0	1	220	220	0	0	144	173
COAHOMA	552	70	70	0	0	482	481	1	0	266	286
COPIAH	473	170	170	0	0	303	303	0	0	251	222
COVINGTON	312	169	168	0	1	143	143	0	0	160	152
DESOTO	2,235	1,691	1,686	2	3	544	542	0	2	1,129	1,106
FORREST	1,321	726	722	0	4	595	593	0	2	679	642
FRANKLIN	127	69	69	0	0	58	58	0	0	56	71
GEORGE	418	376	373	0	3	42	42	0	0	207	211
GREENE	155	113	113	0	0	42	42	0	0	76	79
GRENADA	346	155	154	0	1	191	191	0	0	169	177
HANCOCK	490	451	451	0	0	39	39	0	0	240	250
HARRISON	2,942	2,082	2,078	0	4	860	858	0	2	1,508	1,434

TABLE 2 - PAGE 2
LIVE BIRTHS - MISSISSIPPI - 2007

COUNTY	TOTAL	WHITE				NONWHITE				SEX	
		TOTAL	HOSP. OR CLINIC	PHYS., OTHER PLACE	OTHER	TOTAL	HOSP. OR CLINIC	PHYS., OTHER PLACE	OTHER	MALE	FEMALE
HINDS	3,982	886	881	0	5	3,096	3,087	0	9	2,030	1,952
HOLMES	406	41	41	0	0	365	364	1	0	219	187
HUMPHREYS	246	28	28	0	0	218	218	0	0	118	128
ISSAQUENA	15	1	1	0	0	14	14	0	0	9	6
ITAWAMBA	305	292	292	0	0	13	13	0	0	161	144
JACKSON	1,948	1,373	1,367	0	6	575	575	0	0	1,016	932
JASPER	277	104	104	0	0	173	173	0	0	145	132
JEFFERSON	130	6	6	0	0	124	122	0	2	69	61
JEFF DAVIS	187	55	55	0	0	132	131	0	1	97	90
JONES	1180	780	778	0	2	400	399	0	1	600	580
KEMPER	144	41	41	0	0	103	103	0	0	77	67
LAFAYETTE	538	350	349	0	1	188	188	0	0	275	263
LAMAR	817	634	634	0	0	183	183	0	0	394	423
LAUDERDALE	1,269	583	581	0	2	686	683	0	3	669	600
LAWRENCE	219	135	135	0	0	84	84	0	0	108	111
LEAKE	426	202	200	0	2	224	224	0	0	219	207
LEE	1,335	868	866	0	2	467	466	1	0	707	628
LEFLORE	597	116	116	0	0	481	480	0	1	305	292
LINCOLN	580	355	354	0	1	225	224	0	1	302	278
LOWNDES	937	437	436	0	1	500	500	0	0	461	476
MADISON	1,489	772	771	0	1	717	715	1	1	767	722
MARION	430	261	261	0	0	169	164	0	5	218	212
MARSHALL	583	268	267	0	1	315	315	0	0	301	282
MONROE	567	340	340	0	0	227	227	0	0	285	282
MONTGOMERY	155	52	52	0	0	103	103	0	0	82	73
NESHOBA	543	255	255	0	0	288	288	0	0	279	264
NEWTON	365	199	199	0	0	166	166	0	0	181	184
NOXUBEE	210	46	45	0	1	164	163	0	1	117	93
OKTIBBEHA	624	318	317	0	1	306	305	0	1	316	308
PANOLA	626	253	253	0	0	373	372	0	1	325	301

TABLE 2 - PAGE 3
LIVE BIRTHS - MISSISSIPPI - 2007

COUNTY	TOTAL	WHITE				NONWHITE				SEX	
		TOTAL	HOSP. OR CLINIC	PHYS., OTHER PLACE	OTHER	TOTAL	HOSP. OR CLINIC	PHYS., OTHER PLACE	OTHER	MALE	FEMALE
PEARL RIVER	773	651	649	0	2	122	122	0	0	396	377
PERRY	203	152	152	0	0	51	51	0	0	113	90
PIKE	693	261	260	0	1	432	431	1	0	343	350
PONTOTOC	476	413	401	0	12	63	63	0	0	241	235
PRENTISS	354	299	298	0	1	55	55	0	0	182	172
QUITMAN	124	23	23	0	0	101	101	0	0	70	54
RANKIN	2,170	1,721	1,714	0	7	449	449	0	0	1,154	1,016
SCOTT	517	291	290	1	0	226	225	0	1	267	250
SHARKEY	101	15	15	0	0	86	86	0	0	60	41
SIMPSON	442	259	259	0	0	183	183	0	0	233	209
SMITH	202	140	140	0	0	62	62	0	0	97	105
STONE	237	184	184	0	0	53	52	0	1	124	113
SUNFLOWER	531	73	73	0	0	458	457	0	1	264	267
TALLAHATCHIE	259	49	49	0	0	210	208	1	1	123	136
TATE	417	254	252	0	2	163	163	0	0	213	204
TIPPAH	335	270	270	0	0	65	65	0	0	182	153
TISHOMINGO	250	246	246	0	0	4	4	0	0	128	122
TUNICA	233	31	31	0	0	202	202	0	0	127	106
UNION	406	340	340	0	0	66	66	0	0	196	210
WALTHALL	228	108	108	0	0	120	120	0	0	128	100
WARREN	779	320	320	0	0	459	459	0	0	418	361
WASHINGTON	970	192	192	0	0	778	778	0	0	482	488
WAYNE	324	174	174	0	0	150	150	0	0	157	167
WEBSTER	132	102	102	0	0	30	30	0	0	69	63
WILKINSON	154	28	26	0	2	126	125	0	1	85	69
WINSTON	281	106	106	0	0	175	175	0	0	138	143
YALOBUSHA	210	115	114	0	1	95	94	0	1	113	97
YAZOO	482	141	140	0	1	341	340	0	1	241	241

NOTE: "HOSP. OR CLINIC" INCLUDES DELIVERY BY PHYSICIAN, CNM, OR ANY OTHER NAMED PERSON. "OTHER" INCLUDES DELIVERY BY ANY PERSON OTHER THAN A PHYSICIAN, AT ANY PLACE OTHER THAN A HOSPITAL OR CLINIC.

TABLE 3A
TOTAL LIVE BIRTHS, BY COUNTY OF RESIDENCE AND AGE OF MOTHER,
MISSISSIPPI, 2007

COUNTY	TOTAL	AGE OF MOTHER								UN- KNOWN
		UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	
<u>STATE</u>	<u>46,455</u>	<u>155</u>	<u>7,799</u>	<u>15,530</u>	<u>12,705</u>	<u>6,775</u>	<u>2,899</u>	<u>553</u>	<u>36</u>	<u>3</u>
ADAMS	428	3	77	166	96	56	23	6	1	0
ALCORN	509	5	99	144	134	95	27	5	0	0
AMITE	184	1	32	71	48	24	6	1	1	0
ATTALA	324	1	58	121	78	50	15	1	0	0
BENTON	102	2	14	44	25	14	2	1	0	0
BOLIVAR	627	1	138	226	158	68	25	8	3	0
CALHOUN	206	1	35	81	51	24	9	5	0	0
CARROLL	159	0	28	51	41	27	10	2	0	0
CHICKASAW	298	1	74	116	56	28	18	5	0	0
CHOCTAW	125	0	18	52	30	15	9	1	0	0
CLAIBORNE	161	1	36	54	43	15	8	3	1	0
CLARKE	231	1	38	85	69	21	14	3	0	0
CLAY	317	0	58	118	81	40	19	1	0	0
COAHOMA	552	1	123	229	122	53	21	3	0	0
COPIAH	473	0	94	170	145	46	12	6	0	0
COVINGTON	312	2	49	120	97	25	17	2	0	0
DESOTO	2,235	6	236	568	712	470	203	37	2	1
FORREST	1321	2	232	453	374	180	69	10	1	0
FRANKLIN	127	0	17	45	37	24	4	0	0	0
GEORGE	418	2	86	150	105	49	23	1	2	0
GREENE	155	0	26	57	48	17	5	1	1	0
GRENADA	346	3	80	105	92	48	16	2	0	0
HANCOCK	490	0	86	155	136	60	47	6	0	0
HARRISON	2,942	5	458	1027	780	411	215	42	4	0
HINDS	3982	16	643	1331	1063	586	288	51	4	0
HOLMES	406	3	94	138	101	40	26	4	0	0
HUMPHREYS	246	2	56	101	46	28	10	3	0	0
ISSAQUENA	15	0	2	9	1	2	1	0	0	0
ITAWAMBA	305	1	47	102	75	52	25	3	0	0
JACKSON	1,948	6	324	592	537	353	113	22	1	0
JASPER	277	0	46	90	86	32	20	2	1	0
JEFFERSON	130	0	21	50	40	11	6	2	0	0
JEFF DAVIS	187	0	38	68	49	21	10	0	1	0
JONES	1180	6	213	419	308	167	53	13	1	0
KEMPER	144	0	23	50	41	19	9	2	0	0
LAFAYETTE	538	0	59	137	162	120	51	8	0	1
LAMAR	817	0	90	234	265	150	61	17	0	0
LAUDERDALE	1269	5	208	431	320	209	81	13	2	0
LAWRENCE	219	2	36	71	64	31	15	0	0	0
LEAKE	426	1	62	151	129	55	24	4	0	0
LEE	1335	4	229	445	343	198	105	11	0	0
LEFLORE	597	4	120	221	150	73	22	7	0	0

TABLE 3A - PAGE 2
TOTAL LIVE BIRTHS - MISSISSIPPI - 2007

COUNTY	TOTAL	AGE OF MOTHER								UN- KNOWN
		UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	
LINCOLN	580	2	90	186	172	89	36	5	0	0
LOWNDES	937	3	162	309	255	146	54	7	1	0
MADISON	1489	1	142	345	457	348	162	33	1	0
MARION	430	0	89	154	129	38	19	1	0	0
MARSHALL	583	2	105	213	146	86	25	6	0	0
MONROE	567	2	110	185	153	72	34	10	1	0
MONTGOMERY	155	1	24	59	46	22	3	0	0	0
NESHOBA	543	1	120	183	129	77	29	4	0	0
NEWTON	365	1	54	112	109	68	18	3	0	0
NOXUBEE	210	2	47	69	49	29	13	1	0	0
OKTIBBEHA	624	0	58	198	203	95	62	7	1	0
PANOLA	626	6	142	214	157	66	35	6	0	0
PEARL RIVER	773	0	115	285	211	105	48	7	1	1
PERRY	203	0	31	68	61	26	16	1	0	0
PIKE	693	2	119	247	176	96	39	13	1	0
PONTOTOC	476	0	80	169	129	66	27	5	0	0
PRENTISS	354	1	77	129	103	28	13	3	0	0
QUITMAN	124	2	34	41	24	12	8	3	0	0
RANKIN	2,170	3	212	568	739	431	169	45	3	0
SCOTT	517	2	109	190	127	58	24	7	0	0
SHARKEY	101	0	23	31	26	12	9	0	0	0
SIMPSON	442	3	76	146	124	63	23	6	1	0
SMITH	202	0	27	80	56	29	8	2	0	0
STONE	237	1	42	83	68	25	15	3	0	0
SUNFLOWER	531	3	141	213	121	39	12	2	0	0
TALLAHATCHIE	259	3	56	101	65	24	7	3	0	0
TATE	417	0	72	142	115	58	24	6	0	0
TIPPAH	335	1	68	116	95	34	19	2	0	0
TISHOMINGO	250	1	45	88	62	35	15	4	0	0
TUNICA	233	1	66	98	44	15	6	3	0	0
UNION	406	1	73	137	118	59	17	1	0	0
WALTHALL	228	2	30	84	65	27	18	2	0	0
WARREN	779	5	140	269	202	104	45	14	0	0
WASHINGTON	970	3	218	361	250	95	36	7	0	0
WAYNE	324	1	64	138	67	44	10	0	0	0
WEBSTER	132	0	19	49	32	16	15	1	0	0
WILKINSON	154	1	26	53	46	19	7	2	0	0
WINSTON	281	2	46	98	77	41	13	4	0	0
YALOBUSHA	210	3	39	74	60	22	10	2	0	0
YAZOO	482	5	105	197	99	49	19	8	0	0

TABLE 3B
LIVE BIRTHS TO WHITE MOTHERS, BY COUNTY OF RESIDENCE AND AGE OF MOTHER,
MISSISSIPPI, 2007

COUNTY	TOTAL	AGE OF MOTHER								UN- KNOWN
		UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	
<u>STATE</u>	<u>24,783</u>	<u>37</u>	<u>3,273</u>	<u>7,527</u>	<u>7,361</u>	<u>4,367</u>	<u>1,852</u>	<u>338</u>	<u>27</u>	<u>1</u>
ADAMS	147	1	14	49	41	26	11	4	1	0
ALCORN	432	4	76	129	111	83	24	5	0	0
AMITE	76	0	14	26	22	11	2	0	1	0
ATTALA	155	0	19	54	41	31	10	0	0	0
BENTON	63	1	8	25	17	10	1	1	0	0
BOLIVAR	147	0	15	42	54	27	7	0	2	0
CALHOUN	137	0	15	58	32	19	8	5	0	0
CARROLL	101	0	18	30	27	17	8	1	0	0
CHICKASAW	153	0	31	62	30	18	10	2	0	0
CHOCTAW	62	0	4	27	14	9	7	1	0	0
CLAIBORNE	11	1	0	1	3	4	2	0	0	0
CLARKE	121	0	16	42	39	15	9	0	0	0
CLAY	97	0	9	35	25	19	9	0	0	0
COAHOMA	70	0	5	31	15	13	6	0	0	0
COPIAH	170	0	12	71	53	26	6	2	0	0
COVINGTON	169	0	18	62	64	12	12	1	0	0
DESOTO	1,691	4	162	414	565	362	155	27	2	0
FORREST	726	0	104	224	230	117	44	6	1	0
FRANKLIN	69	0	6	23	23	14	3	0	0	0
GEORGE	376	1	75	137	91	46	23	1	2	0
GREENE	113	0	15	39	39	15	3	1	1	0
GRENADA	155	0	25	44	42	34	9	1	0	0
HANCOCK	451	0	79	140	123	57	46	6	0	0
HARRISON	2,082	3	312	694	568	302	166	34	3	0
HINDS	886	0	68	203	270	215	109	17	4	0
HOLMES	41	0	7	9	14	6	4	1	0	0
HUMPHREYS	28	0	3	7	6	7	4	1	0	0
ISSAQUENA	1	0	0	0	0	0	1	0	0	0
ITAWAMBA	292	1	47	98	68	50	25	3	0	0
JACKSON	1,373	2	199	403	392	272	85	19	1	0
JASPER	104	0	14	32	33	12	12	0	1	0
JEFFERSON	6	0	1	2	3	0	0	0	0	0
JEFF DAVIS	55	0	10	20	18	4	3	0	0	0
JONES	780	1	122	262	221	122	46	6	0	0
KEMPER	41	0	4	14	14	6	1	2	0	0
LAFAYETTE	350	0	33	65	111	94	40	6	0	1
LAMAR	634	0	67	160	210	128	55	14	0	0
LAUDERDALE	583	1	65	167	168	134	41	6	1	0
LAWRENCE	135	1	22	45	35	21	11	0	0	0
LEAKE	202	0	29	65	65	31	11	1	0	0
LEE	868	2	125	275	227	151	78	10	0	0
LEFLORE	116	1	11	34	35	30	3	2	0	0

TABLE 3B - PAGE 2
LIVE BIRTHS TO WHITE MOTHERS - MISSISSIPPI - 2007

COUNTY	TOTAL	AGE OF MOTHER								UN- KNOWN
		UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	
LINCOLN	355	0	47	109	116	58	22	3	0	0
LOWNDES	437	1	44	124	145	90	28	4	1	0
MADISON	772	0	32	129	250	235	104	21	1	0
MARION	261	0	43	87	88	27	15	1	0	0
MARSHALL	268	0	43	102	65	42	14	2	0	0
MONROE	340	1	67	107	89	47	23	5	1	0
MONTGOMERY	52	0	5	16	20	10	1	0	0	0
NESHOBA	255	0	48	78	61	44	23	1	0	0
NEWTON	199	1	16	60	70	36	14	2	0	0
NOXUBEE	46	0	2	11	16	13	3	1	0	0
OKTIBBEHA	318	0	18	73	120	67	36	4	0	0
PANOLA	253	2	50	79	72	31	14	5	0	0
PEARL RIVER	651	0	90	245	177	90	42	6	1	0
PERRY	152	0	23	49	45	21	13	1	0	0
PIKE	261	0	28	86	77	44	16	9	1	0
PONTOTOC	413	0	72	147	109	58	23	4	0	0
PRENTISS	299	0	71	99	90	24	12	3	0	0
QUITMAN	23	0	6	8	2	3	3	1	0	0
RANKIN	1,721	0	152	422	604	368	138	35	2	0
SCOTT	291	1	50	119	72	35	9	5	0	0
SHARKEY	15	0	0	2	8	4	1	0	0	0
SIMPSON	259	2	44	74	79	39	17	4	0	0
SMITH	140	0	18	52	45	20	4	1	0	0
STONE	184	0	34	65	49	20	13	3	0	0
SUNFLOWER	73	0	10	21	27	11	3	1	0	0
TALLAHATCHIE	49	1	6	21	14	5	1	1	0	0
TATE	254	0	32	86	80	34	17	5	0	0
TIPPAH	270	1	63	89	71	30	14	2	0	0
TISHOMINGO	246	1	45	87	62	35	13	3	0	0
TUNICA	31	0	4	14	7	4	2	0	0	0
UNION	340	0	59	113	102	49	16	1	0	0
WALTHALL	108	0	12	32	36	16	12	0	0	0
WARREN	320	0	48	96	97	52	20	7	0	0
WASHINGTON	192	0	24	56	62	33	14	3	0	0
WAYNE	174	0	33	70	40	26	5	0	0	0
WEBSTER	102	0	12	35	28	14	12	1	0	0
WILKINSON	28	0	0	12	10	4	2	0	0	0
WINSTON	106	0	12	37	30	18	7	2	0	0
YALOBUSHA	115	2	13	42	33	16	7	2	0	0
YAZOO	141	0	18	53	34	24	9	3	0	0

**TABLE 3C
LIVE BIRTHS TO NONWHITE MOTHERS, BY COUNTY OF RESIDENCE AND AGE OF MOTHER,
MISSISSIPPI, 2007**

COUNTY	TOTAL	AGE OF MOTHER								UN- KNOWN
		UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	
<u>STATE</u>	<u>21,672</u>	<u>118</u>	<u>4,526</u>	<u>8,003</u>	<u>5,344</u>	<u>2,408</u>	<u>1,047</u>	<u>215</u>	<u>9</u>	<u>2</u>
ADAMS	281	2	63	117	55	30	12	2	0	0
ALCORN	77	1	23	15	23	12	3	0	0	0
AMITE	108	1	18	45	26	13	4	1	0	0
ATTALA	169	1	39	67	37	19	5	1	0	0
BENTON	39	1	6	19	8	4	1	0	0	0
BOLIVAR	480	1	123	184	104	41	18	8	1	0
CALHOUN	69	1	20	23	19	5	1	0	0	0
CARROLL	58	0	10	21	14	10	2	1	0	0
CHICKASAW	145	1	43	54	26	10	8	3	0	0
CHOCTAW	63	0	14	25	16	6	2	0	0	0
CLAIBORNE	150	0	36	53	40	11	6	3	1	0
CLARKE	110	1	22	43	30	6	5	3	0	0
CLAY	220	0	49	83	56	21	10	1	0	0
COAHOMA	482	1	118	198	107	40	15	3	0	0
COPIAH	303	0	82	99	92	20	6	4	0	0
COVINGTON	143	2	31	58	33	13	5	1	0	0
DESOTO	544	2	74	154	147	108	48	10	0	1
FORREST	595	2	128	229	144	63	25	4	0	0
FRANKLIN	58	0	11	22	14	10	1	0	0	0
GEORGE	42	1	11	13	14	3	0	0	0	0
GREENE	42	0	11	18	9	2	2	0	0	0
GRENADA	191	3	55	61	50	14	7	1	0	0
HANCOCK	39	0	7	15	13	3	1	0	0	0
HARRISON	860	2	146	333	212	109	49	8	1	0
HINDS	3,096	16	575	1,128	793	371	179	34	0	0
HOLMES	365	3	87	129	87	34	22	3	0	0
HUMPHREYS	218	2	53	94	40	21	6	2	0	0
ISSAQUENA	14	0	2	9	1	2	0	0	0	0
ITAWAMBA	13	0	0	4	7	2	0	0	0	0
JACKSON	575	4	125	189	145	81	28	3	0	0
JASPER	173	0	32	58	53	20	8	2	0	0
JEFFERSON	124	0	20	48	37	11	6	2	0	0
JEFF DAVIS	132	0	28	48	31	17	7	0	1	0
JONES	400	5	91	157	87	45	7	7	1	0
KEMPER	103	0	19	36	27	13	8	0	0	0
LAFAYETTE	188	0	26	72	51	26	11	2	0	0
LAMAR	183	0	23	74	55	22	6	3	0	0
LAUDERDALE	686	4	143	264	152	75	40	7	1	0
LAWRENCE	84	1	14	26	29	10	4	0	0	0
LEAKE	224	1	33	86	64	24	13	3	0	0
LEE	467	2	104	170	116	47	27	1	0	0
LEFLORE	481	3	109	187	115	43	19	5	0	0

TABLE 3C - PAGE 2
LIVE BIRTHS TO NONWHITE MOTHERS - MISSISSIPPI - 2007

COUNTY	TOTAL	AGE OF MOTHER								UN- KNOWN
		UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	
LINCOLN	225	2	43	77	56	31	14	2	0	0
LOWNDES	500	2	118	185	110	56	26	3	0	0
MADISON	717	1	110	216	207	113	58	12	0	0
MARION	169	0	46	67	41	11	4	0	0	0
MARSHALL	315	2	62	111	81	44	11	4	0	0
MONROE	227	1	43	78	64	25	11	5	0	0
MONTGOMERY	103	1	19	43	26	12	2	0	0	0
NESHOBA	288	1	72	105	68	33	6	3	0	0
NEWTON	166	0	38	52	39	32	4	1	0	0
NOXUBEE	164	2	45	58	33	16	10	0	0	0
OKTIBBEHA	306	0	40	125	83	28	26	3	1	0
PANOLA	373	4	92	135	85	35	21	1	0	0
PEARL RIVER	122	0	25	40	34	15	6	1	0	1
PERRY	51	0	8	19	16	5	3	0	0	0
PIKE	432	2	91	161	99	52	23	4	0	0
PONTOTOC	63	0	8	22	20	8	4	1	0	0
PRENTISS	55	1	6	30	13	4	1	0	0	0
QUITMAN	101	2	28	33	22	9	5	2	0	0
RANKIN	449	3	60	146	135	63	31	10	1	0
SCOTT	226	1	59	71	55	23	15	2	0	0
SHARKEY	86	0	23	29	18	8	8	0	0	0
SIMPSON	183	1	32	72	45	24	6	2	1	0
SMITH	62	0	9	28	11	9	4	1	0	0
STONE	53	1	8	18	19	5	2	0	0	0
SUNFLOWER	458	3	131	192	94	28	9	1	0	0
TALLAHATCHIE	210	2	50	80	51	19	6	2	0	0
TATE	163	0	40	56	35	24	7	1	0	0
TIPPAH	65	0	5	27	24	4	5	0	0	0
TISHOMINGO	4	0	0	1	0	0	2	1	0	0
TUNICA	202	1	62	84	37	11	4	3	0	0
UNION	66	1	14	24	16	10	1	0	0	0
WALTHALL	120	2	18	52	29	11	6	2	0	0
WARREN	459	5	92	173	105	52	25	7	0	0
WASHINGTON	778	3	194	305	188	62	22	4	0	0
WAYNE	150	1	31	68	27	18	5	0	0	0
WEBSTER	30	0	7	14	4	2	3	0	0	0
WILKINSON	126	1	26	41	36	15	5	2	0	0
WINSTON	175	2	34	61	47	23	6	2	0	0
YALOBUSHA	95	1	26	32	27	6	3	0	0	0
YAZOO	341	5	87	144	65	25	10	5	0	0

TABLE 4
LIVE BIRTHS TO UNMARRIED MOTHERS AND PERCENT OF TOTAL LIVE BIRTHS,
BY COUNTY OF RESIDENCE AND RACE OF MOTHER,
MISSISSIPPI, 2007

COUNTY	NUMBER			PERCENT		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>STATE</u>	<u>24,939</u>	<u>7,988</u>	<u>16,951</u>	<u>53.7</u>	<u>32.2</u>	<u>78.2</u>
ADAMS	302	52	250	70.6	35.4	89.0
ALCORN	216	153	63	42.4	35.4	81.8
AMITE	111	22	89	60.3	28.9	82.4
ATTALA	194	48	146	59.9	31.0	86.4
BENTON	55	24	31	53.9	38.1	79.5
BOLIVAR	477	47	430	76.1	32.0	89.6
CALHOUN	92	36	56	44.7	26.3	81.2
CARROLL	81	32	49	50.9	31.7	84.5
CHICKASAW	177	61	116	59.4	39.9	80.0
CHOCTAW	62	12	50	49.6	19.4	79.4
CLAIBORNE	130	3	127	80.7	27.3	84.7
CLARKE	123	31	92	53.2	25.6	83.6
CLAY	206	30	176	65.0	30.9	80.0
COAHOMA	450	30	420	81.5	42.8	87.1
COPIAH	322	64	258	68.1	37.6	85.1
COVINGTON	163	44	119	52.2	26.0	83.2
DESOTO	791	477	314	35.4	28.2	57.7
FORREST	735	268	467	55.6	36.9	78.5
FRANKLIN	59	17	42	46.4	24.6	72.4
GEORGE	168	131	37	40.2	34.8	88.1
GREENE	56	25	31	36.1	22.1	73.8
GRENADA	210	48	162	60.7	31.0	84.8
HANCOCK	257	229	28	52.4	50.8	71.8
HARRISON	1,473	888	585	50.1	42.6	68.0
HINDS	2,628	223	2,405	66.0	25.2	77.7
HOLMES	318	13	305	78.3	31.7	83.6
HUMPHREYS	210	10	200	85.4	35.7	91.7
ISSAQUENA	14	0	14	93.3	-	100.0
ITAWAMBA	100	91	9	32.8	31.2	69.2
JACKSON	945	523	422	48.5	38.1	73.4
JASPER	152	24	128	54.9	23.1	74.0
JEFFERSON	102	1	101	78.5	16.7	81.4
JEFF DAVIS	125	17	108	66.8	30.9	81.8
JONES	649	325	324	55.0	41.7	81.0
KEMPER	84	7	77	58.3	17.1	74.8
LAFAYETTE	189	67	122	35.1	19.1	64.9
LAMAR	259	145	114	31.7	22.9	62.3
LAUDERDALE	687	163	524	54.1	28.0	76.4
LAWRENCE	89	33	56	40.6	24.4	66.7
LEAKE	253	84	169	59.4	41.6	75.4
LEE	668	303	365	50.0	34.9	78.2
LEFLORE	453	45	408	75.9	38.8	84.8

TABLE 4 - PAGE 2
LIVE BIRTHS TO UNMARRIED MOTHERS - MISSISSIPPI - 2007

COUNTY	NUMBER			PERCENT		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
LINCOLN	247	79	168	42.6	22.2	74.7
LOWNDES	466	102	364	49.7	23.3	72.8
MADISON	611	137	474	41.0	17.7	66.1
MARION	220	86	134	51.2	33.0	79.3
MARSHALL	370	113	257	63.5	42.2	81.6
MONROE	298	120	178	52.6	35.3	78.4
MONTGOMERY	94	10	84	60.6	19.2	81.6
NESHOPA	294	70	224	54.1	27.4	77.8
NEWTON	179	43	136	49.0	21.6	81.9
NOXUBEE	140	7	133	66.7	15.2	81.1
OKTIBBEHA	263	49	214	42.1	15.4	69.9
PANOLA	414	96	318	66.1	37.9	85.2
PEARL RIVER	316	230	86	40.9	35.3	70.5
PERRY	89	50	39	43.8	32.9	76.5
PIKE	410	68	342	59.2	26.0	79.2
PONTOTOC	184	142	42	38.6	34.4	66.7
PRENTISS	152	106	46	42.9	35.4	83.6
QUITMAN	97	10	87	78.2	43.5	86.1
RANKIN	713	441	272	32.8	25.6	60.6
SCOTT	310	125	185	60.0	43.0	81.8
SHARKEY	78	3	75	77.2	20.0	87.2
SIMPSON	225	93	132	50.9	35.9	72.1
SMITH	87	36	51	43.1	25.7	82.2
STONE	106	64	42	44.7	34.8	79.2
SUNFLOWER	430	23	407	81.0	31.5	88.9
TALLAHATCHIE	195	20	175	75.3	40.8	83.3
TATE	221	88	133	53.0	34.6	81.6
TIPPAH	146	99	47	43.6	36.7	72.3
TISHOMINGO	78	74	4	31.2	30.1	100.0
TUNICA	184	15	169	79.0	48.4	83.7
UNION	156	110	46	38.4	32.4	69.7
WALTHALL	105	24	81	46.0	22.2	67.5
WARREN	511	126	385	65.6	39.4	83.9
WASHINGTON	745	78	667	76.8	40.6	85.7
WAYNE	167	57	110	51.5	32.8	73.3
WEBSTER	40	14	26	30.3	13.7	86.7
WILKINSON	113	7	106	73.4	25.0	84.1
WINSTON	173	31	142	61.6	29.2	81.1
YALOBUSHA	118	44	74	56.2	38.3	77.9
YAZOO	359	52	307	74.5	36.9	90.0

TABLE 5A
TOTAL LIVE BIRTHS TO UNMARRIED MOTHERS,
BY COUNTY OF RESIDENCE AND AGE OF MOTHER,
MISSISSIPPI, 2007

COUNTY	TOTAL	AGE OF MOTHER								UN- KNOWN
		UNDER 15	15-19	20-24	25-29	30-24	35-39	40-44	45-49	
STATE	24,939	154	6,815	10,266	5,088	1,742	713	152	7	2
ADAMS	302	3	69	137	56	24	10	2	1	0
ALCORN	216	5	73	64	41	27	4	2	0	0
AMITE	111	1	28	50	22	7	3	0	0	0
ATTALA	194	1	54	85	35	13	5	1	0	0
BENTON	55	2	10	25	13	5	0	0	0	0
BOLIVAR	477	1	135	194	99	31	11	5	1	0
CALHOUN	92	1	28	39	18	5	0	1	0	0
CARROLL	81	0	26	32	13	8	1	1	0	0
CHICKASAW	177	1	63	71	24	11	6	1	0	0
CHOCTAW	62	0	15	28	13	3	3	0	0	0
CLAIBORNE	130	1	35	49	29	10	4	2	0	0
CLARKE	123	1	31	51	32	2	4	2	0	0
CLAY	206	0	56	86	48	11	5	0	0	0
COAHOMA	450	1	122	204	92	20	10	1	0	0
COPIAH	322	0	91	120	86	18	5	2	0	0
COVINGTON	163	2	40	81	33	6	1	0	0	0
DESOTO	791	6	192	321	156	77	31	7	0	1
FORREST	735	2	204	304	153	47	19	6	0	0
FRANKLIN	59	0	15	24	9	10	1	0	0	0
GEORGE	168	2	62	66	26	7	5	0	0	0
GREENE	56	0	18	24	11	2	1	0	0	0
GRENADA	210	3	74	76	42	12	3	0	0	0
HANCOCK	257	0	78	106	51	11	11	0	0	0
HARRISON	1,473	4	391	637	294	88	45	13	1	0
HINDS	2,628	16	617	1,094	586	200	99	16	0	0
HOLMES	318	3	93	123	60	23	14	2	0	0
HUMPHREYS	210	2	55	94	33	18	6	2	0	0
ISSAQUENA	14	0	2	9	1	2	0	0	0	0
ITAWAMBA	100	1	27	39	18	11	4	0	0	0
JACKSON	945	6	283	360	198	70	23	5	0	0
JASPER	152	0	40	58	37	14	2	1	0	0
JEFFERSON	102	0	21	42	27	6	6	0	0	0
JEFF DAVIS	125	0	34	50	25	11	4	0	1	0
JONES	649	6	172	263	134	57	12	5	0	0
KEMPER	84	0	21	34	18	5	6	0	0	0
LAFAYETTE	189	0	46	84	43	9	7	0	0	0
LAMAR	259	0	68	115	53	15	6	2	0	0
LAUDERDALE	687	5	183	295	132	42	23	6	1	0
LAWRENCE	89	2	24	35	20	5	3	0	0	0
LEAKE	253	1	55	101	64	21	10	1	0	0
LEE	668	4	202	277	132	28	22	3	0	0
LEFLORE	453	4	115	189	95	36	10	4	0	0

TABLE 5A - PAGE 2
TOTAL LIVE BIRTHS TO UNMARRIED MOTHERS - MISSISSIPPI - 2007

COUNTY	TOTAL	AGE OF MOTHER								UN- KNOWN
		UNDER 15	15-19	20-24	25-29	30-24	35-39	40-44	45-49	
LINCOLN	247	2	67	99	49	20	10	0	0	0
LOWNDES	466	3	148	186	85	27	15	2	0	0
MADISON	611	1	139	250	147	51	18	5	0	0
MARION	220	0	74	88	44	7	7	0	0	0
MARSHALL	370	2	93	151	77	33	9	5	0	0
MONROE	298	2	87	112	57	24	11	5	0	0
MONTGOMERY	94	1	22	42	19	9	1	0	0	0
NESHOBA	294	1	96	110	63	20	4	0	0	0
NEWTON	179	1	47	66	34	25	5	1	0	0
NOXUBEE	140	2	45	55	23	12	3	0	0	0
OKTIBBEHA	263	0	50	124	67	11	10	1	0	0
PANOLA	414	6	125	164	80	26	12	1	0	0
PEARL RIVER	316	0	89	120	69	28	8	1	0	1
PERRY	89	0	22	36	19	4	8	0	0	0
PIKE	410	2	103	169	87	39	10	0	0	0
PONTOTOC	184	0	64	71	29	12	8	0	0	0
PRENTISS	152	1	56	60	28	4	2	1	0	0
QUITMAN	97	2	33	30	20	8	4	0	0	0
RANKIN	713	3	172	301	153	56	19	8	1	0
SCOTT	310	2	93	118	66	24	5	2	0	0
SHARKEY	78	0	23	29	15	7	4	0	0	0
SIMPSON	225	3	63	90	45	16	7	0	1	0
SMITH	87	0	20	40	16	7	3	1	0	0
STONE	106	1	29	46	19	8	1	2	0	0
SUNFLOWER	430	3	140	182	78	21	5	1	0	0
TALLAHATCHIE	195	3	55	85	37	11	3	1	0	0
TATE	221	0	67	90	38	19	7	0	0	0
TIPPAH	146	1	48	56	28	10	3	0	0	0
TISHOMINGO	78	1	26	30	12	2	6	1	0	0
TUNICA	184	1	65	80	29	5	3	1	0	0
UNION	156	1	57	57	30	11	0	0	0	0
WALTHALL	105	2	27	50	19	3	2	2	0	0
WARREN	511	5	128	212	104	39	15	8	0	0
WASHINGTON	745	3	213	318	158	40	12	1	0	0
WAYNE	167	1	48	71	22	21	4	0	0	0
WEBSTER	40	0	11	20	3	3	3	0	0	0
WILKINSON	113	1	26	42	28	10	4	2	0	0
WINSTON	173	2	44	65	39	16	5	2	0	0
YALOBUSHA	118	3	35	54	19	4	2	1	0	0
YAZOO	359	5	97	161	61	21	10	4	0	0

TABLE 5B
LIVE BIRTHS TO UNMARRIED WHITE MOTHERS,
BY COUNTY OF RESIDENCE AND AGE OF MOTHER,
MISSISSIPPI, 2007

COUNTY	TOTAL	AGE OF MOTHER								UN- KNOWN
		UNDER 15	15-19	20-24	25-29	30-24	35-39	40-44	45-49	
<u>STATE</u>	<u>7,988</u>	<u>36</u>	<u>2,374</u>	<u>3,213</u>	<u>1,478</u>	<u>570</u>	<u>262</u>	<u>54</u>	<u>1</u>	<u>0</u>
ADAMS	52	1	8	24	11	4	3	0	1	0
ALCORN	153	4	51	53	23	16	4	2	0	0
AMITE	22	0	10	10	1	1	0	0	0	0
ATTALA	48	0	15	23	6	2	2	0	0	0
BENTON	24	1	5	8	8	2	0	0	0	0
BOLIVAR	47	0	12	22	11	1	1	0	0	0
CALHOUN	36	0	8	18	6	3	0	1	0	0
CARROLL	32	0	16	12	4	0	0	0	0	0
CHICKASAW	61	0	20	26	8	6	1	0	0	0
CHOCTAW	12	0	3	7	0	1	1	0	0	0
CLAIBORNE	3	1	0	1	0	1	0	0	0	0
CLARKE	31	0	10	11	9	0	1	0	0	0
CLAY	30	0	7	16	5	1	1	0	0	0
COAHOMA	30	0	4	19	4	0	3	0	0	0
COPIAH	64	0	11	34	12	6	1	0	0	0
COVINGTON	44	0	10	24	9	0	1	0	0	0
DESOTO	477	4	120	192	98	42	16	5	0	0
FORREST	268	0	78	106	52	22	7	3	0	0
FRANKLIN	17	0	4	6	1	5	1	0	0	0
GEORGE	131	1	51	55	13	6	5	0	0	0
GREENE	25	0	7	11	6	1	0	0	0	0
GRENADA	48	0	19	20	5	4	0	0	0	0
HANCOCK	229	0	71	95	43	9	11	0	0	0
HARRISON	888	2	251	365	177	52	31	10	0	0
HINDS	223	0	54	88	43	19	15	4	0	0
HOLMES	13	0	7	4	1	1	0	0	0	0
HUMPHREYS	10	0	3	3	1	2	1	0	0	0
ISSAQUENA	0	0	0	0	0	0	0	0	0	0
ITAWAMBA	91	1	27	37	13	9	4	0	0	0
JACKSON	523	2	159	209	100	33	16	4	0	0
JASPER	24	0	9	11	2	2	0	0	0	0
JEFFERSON	1	0	1	0	0	0	0	0	0	0
JEFF DAVIS	17	0	7	5	4	1	0	0	0	0
JONES	325	1	84	124	76	32	7	1	0	0
KEMPER	7	0	3	3	1	0	0	0	0	0
LAFAYETTE	67	0	20	23	17	2	5	0	0	0
LAMAR	145	0	45	55	27	11	5	2	0	0
LAUDERDALE	163	1	42	72	27	15	5	1	0	0
LAWRENCE	33	1	11	12	6	1	2	0	0	0
LEAKE	84	0	22	26	26	7	3	0	0	0
LEE	303	2	100	123	55	14	7	2	0	0
LEFLORE	45	1	8	15	11	7	2	1	0	0

TABLE 5B - PAGE 2
LIVE BIRTHS TO UNMARRIED WHITE MOTHERS - MISSISSIPPI - 2007

COUNTY	TOTAL	AGE OF MOTHER								UN- KNOWN
		UNDER 15	15-19	20-24	25-29	30-24	35-39	40-44	45-49	
LINCOLN	79	0	27	30	14	6	2	0	0	0
LOWNDES	102	1	33	38	19	7	4	0	0	0
MADISON	137	0	29	60	29	13	5	1	0	0
MARION	86	0	30	32	18	2	4	0	0	0
MARSHALL	113	0	33	50	14	11	4	1	0	0
MONROE	120	1	45	43	14	11	4	2	0	0
MONTGOMERY	10	0	4	4	2	0	0	0	0	0
NESHOBA	70	0	29	30	8	3	0	0	0	0
NEWTON	43	1	10	19	8	4	1	0	0	0
NOXUBEE	7	0	2	3	1	1	0	0	0	0
OKTIBBEHA	49	0	11	21	13	2	2	0	0	0
PANOLA	96	2	33	38	16	7	0	0	0	0
PEARL RIVER	230	0	65	89	47	20	8	1	0	0
PERRY	50	0	15	19	7	3	6	0	0	0
PIKE	68	0	14	31	15	5	3	0	0	0
PONTOTOC	142	0	56	54	15	9	8	0	0	0
PRENTISS	106	0	50	32	20	1	2	1	0	0
QUITMAN	10	0	5	2	0	1	2	0	0	0
RANKIN	441	0	114	183	95	34	12	3	0	0
SCOTT	125	1	34	53	26	10	0	1	0	0
SHARKEY	3	0	0	1	1	1	0	0	0	0
SIMPSON	93	2	32	30	19	6	4	0	0	0
SMITH	36	0	12	13	7	4	0	0	0	0
STONE	64	0	21	31	5	4	1	2	0	0
SUNFLOWER	23	0	10	5	4	4	0	0	0	0
TALLAHATCHIE	20	1	5	10	2	1	1	0	0	0
TATE	88	0	27	38	17	3	3	0	0	0
TIPPAH	99	1	43	33	13	8	1	0	0	0
TISHOMINGO	74	1	26	29	12	2	4	0	0	0
TUNICA	15	0	3	8	2	0	2	0	0	0
UNION	110	0	43	38	21	8	0	0	0	0
WALTHALL	24	0	9	9	5	0	1	0	0	0
WARREN	126	0	37	47	24	10	5	3	0	0
WASHINGTON	78	0	20	34	14	8	2	0	0	0
WAYNE	57	0	21	18	4	12	2	0	0	0
WEBSTER	14	0	4	7	1	1	1	0	0	0
WILKINSON	7	0	0	3	4	0	0	0	0	0
WINSTON	31	0	10	12	7	1	1	0	0	0
YALOBUSHA	44	2	9	23	6	2	1	1	0	0
YAZOO	52	0	10	25	7	4	4	2	0	0

**TABLE 5C
LIVE BIRTHS TO UNMARRIED NONWHITE MOTHERS,
BY COUNTY OF RESIDENCE AND AGE OF MOTHER,
MISSISSIPPI, 2007**

COUNTY	TOTAL	AGE OF MOTHER								UN- KNOWN
		UNDER 15	15-19	20-24	25-29	30-24	35-39	40-44	45-49	
<u>STATE</u>	<u>16,951</u>	<u>118</u>	<u>4,441</u>	<u>7,053</u>	<u>3,610</u>	<u>1,172</u>	<u>451</u>	<u>98</u>	<u>6</u>	<u>2</u>
ADAMS	250	2	61	113	45	20	7	2	0	0
ALCORN	63	1	22	11	18	11	0	0	0	0
AMITE	89	1	18	40	21	6	3	0	0	0
ATTALA	146	1	39	62	29	11	3	1	0	0
BENTON	31	1	5	17	5	3	0	0	0	0
BOLIVAR	430	1	123	172	88	30	10	5	1	0
CALHOUN	56	1	20	21	12	2	0	0	0	0
CARROLL	49	0	10	20	9	8	1	1	0	0
CHICKASAW	116	1	43	45	16	5	5	1	0	0
CHOCTAW	50	0	12	21	13	2	2	0	0	0
CLAIBORNE	127	0	35	48	29	9	4	2	0	0
CLARKE	92	1	21	40	23	2	3	2	0	0
CLAY	176	0	49	70	43	10	4	0	0	0
COAHOMA	420	1	118	185	88	20	7	1	0	0
COPIAH	258	0	80	86	74	12	4	2	0	0
COVINGTON	119	2	30	57	24	6	0	0	0	0
DESOTO	314	2	72	129	58	35	15	2	0	1
FORREST	467	2	126	198	101	25	12	3	0	0
FRANKLIN	42	0	11	18	8	5	0	0	0	0
GEORGE	37	1	11	11	13	1	0	0	0	0
GREENE	31	0	11	13	5	1	1	0	0	0
GRENADA	162	3	55	56	37	8	3	0	0	0
HANCOCK	28	0	7	11	8	2	0	0	0	0
HARRISON	585	2	140	272	117	36	14	3	1	0
HINDS	2,405	16	563	1,006	543	181	84	12	0	0
HOLMES	305	3	86	119	59	22	14	2	0	0
HUMPHREYS	200	2	52	91	32	16	5	2	0	0
ISSAQUENA	14	0	2	9	1	2	0	0	0	0
ITAWAMBA	9	0	0	2	5	2	0	0	0	0
JACKSON	422	4	124	151	98	37	7	1	0	0
JASPER	128	0	31	47	35	12	2	1	0	0
JEFFERSON	101	0	20	42	27	6	6	0	0	0
JEFF DAVIS	108	0	27	45	21	10	4	0	1	0
JONES	324	5	88	139	58	25	5	4	0	0
KEMPER	77	0	18	31	17	5	6	0	0	0
LAFAYETTE	122	0	26	61	26	7	2	0	0	0
LAMAR	114	0	23	60	26	4	1	0	0	0
LAUDERDALE	524	4	141	223	105	27	18	5	1	0
LAWRENCE	56	1	13	23	14	4	1	0	0	0
LEAKE	169	1	33	75	38	14	7	1	0	0
LEE	365	2	102	154	77	14	15	1	0	0
LEFLORE	408	3	107	174	84	29	8	3	0	0

TABLE 5C - PAGE 2
LIVE BIRTHS TO UNMARRIED NONWHITE MOTHERS - MISSISSIPPI - 2007

COUNTY	TOTAL	AGE OF MOTHER								UN- KNOWN
		UNDER 15	15-19	20-24	25-29	30-24	35-39	40-44	45-49	
LINCOLN	168	2	40	69	35	14	8	0	0	0
LOWNDES	364	2	115	148	66	20	11	2	0	0
MADISON	474	1	110	190	118	38	13	4	0	0
MARION	134	0	44	56	26	5	3	0	0	0
MARSHALL	257	2	60	101	63	22	5	4	0	0
MONROE	178	1	42	69	43	13	7	3	0	0
MONTGOMERY	84	1	18	38	17	9	1	0	0	0
NESHOBA	224	1	67	80	55	17	4	0	0	0
NEWTON	136	0	37	47	26	21	4	1	0	0
NOXUBEE	133	2	43	52	22	11	3	0	0	0
OKTIBBEHA	214	0	39	103	54	9	8	1	0	0
PANOLA	318	4	92	126	64	19	12	1	0	0
PEARL RIVER	86	0	24	31	22	8	0	0	0	1
PERRY	39	0	7	17	12	1	2	0	0	0
PIKE	342	2	89	138	72	34	7	0	0	0
PONTOTOC	42	0	8	17	14	3	0	0	0	0
PRENTISS	46	1	6	28	8	3	0	0	0	0
QUITMAN	87	2	28	28	20	7	2	0	0	0
RANKIN	272	3	58	118	58	22	7	5	1	0
SCOTT	185	1	59	65	40	14	5	1	0	0
SHARKEY	75	0	23	28	14	6	4	0	0	0
SIMPSON	132	1	31	60	26	10	3	0	1	0
SMITH	51	0	8	27	9	3	3	1	0	0
STONE	42	1	8	15	14	4	0	0	0	0
SUNFLOWER	407	3	130	177	74	17	5	1	0	0
TALLAHATCHIE	175	2	50	75	35	10	2	1	0	0
TATE	133	0	40	52	21	16	4	0	0	0
TIPPAH	47	0	5	23	15	2	2	0	0	0
TISHOMINGO	4	0	0	1	0	0	2	1	0	0
TUNICA	169	1	62	72	27	5	1	1	0	0
UNION	46	1	14	19	9	3	0	0	0	0
WALTHALL	81	2	18	41	14	3	1	2	0	0
WARREN	385	5	91	165	80	29	10	5	0	0
WASHINGTON	667	3	193	284	144	32	10	1	0	0
WAYNE	110	1	27	53	18	9	2	0	0	0
WEBSTER	26	0	7	13	2	2	2	0	0	0
WILKINSON	106	1	26	39	24	10	4	2	0	0
WINSTON	142	2	34	53	32	15	4	2	0	0
YALOBUSHA	74	1	26	31	13	2	1	0	0	0
YAZOO	307	5	87	136	54	17	6	2	0	0

TABLE 6A
LIVE BIRTHS WEIGHING LESS THAN 2,500 GRAMS AT BIRTH
AND PERCENT OF TOTAL LIVE BIRTHS,
BY COUNTY OF RESIDENCE AND RACE OF MOTHER,
MISSISSIPPI, 2007

COUNTY	NUMBER			PERCENT		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>STATE</u>	<u>5,699</u>	<u>2,201</u>	<u>3,498</u>	<u>12.3</u>	<u>8.9</u>	<u>16.1</u>
ADAMS	94	21	73	22.0	14.3	26.0
ALCORN	62	41	21	12.2	9.5	27.3
AMITE	23	5	18	12.5	6.6	16.7
ATTALA	39	14	25	12.0	9.0	14.8
BENTON	12	3	9	11.8	4.8	23.1
BOLIVAR	90	9	81	14.4	6.1	16.9
CALHOUN	23	13	10	11.2	9.5	14.5
CARROLL	18	9	9	11.3	8.9	15.5
CHICKASAW	39	9	30	13.1	5.9	20.7
CHOCTAW	10	4	6	8.0	6.4	9.5
CLAIBORNE	32	1	31	19.9	9.1	20.7
CLARKE	23	10	13	10.0	8.3	11.8
CLAY	31	6	25	9.8	6.2	11.4
COAHOMA	97	5	92	17.6	7.1	19.1
COPIAH	84	20	64	17.8	11.8	21.1
COVINGTON	26	14	12	8.3	8.3	8.4
DESOTO	178	116	62	8.0	6.9	11.4
FORREST	148	66	82	11.2	9.1	13.8
FRANKLIN	15	8	7	11.8	11.6	12.1
GEORGE	31	25	6	7.4	6.6	14.3
GREENE	18	11	7	11.6	9.7	16.7
GRENADA	44	13	31	12.7	8.4	16.2
HANCOCK	43	38	5	8.8	8.4	12.8
HARRISON	305	180	125	10.4	8.6	14.5
HINDS	628	65	563	15.8	7.3	18.2
HOLMES	63	7	56	15.5	17.1	15.3
HUMPHREYS	35	1	34	14.2	3.6	15.6
ISSAQUENA	2	0	2	13.3	-	14.3
ITAWAMBA	29	28	1	9.5	9.6	7.7
JACKSON	230	140	90	11.8	10.2	15.6
JASPER	42	9	33	15.2	8.6	19.1
JEFFERSON	24	2	22	18.5	33.3	17.7
JEFF DAVIS	28	6	22	15.0	10.9	16.7
JONES	148	65	83	12.5	8.3	20.8
KEMPER	21	6	15	14.6	14.6	14.6
LAFAYETTE	47	22	25	8.7	6.3	13.3
LAMAR	84	62	22	10.3	9.8	12.0
LAUDERDALE	162	48	114	12.8	8.2	16.6
LAWRENCE	26	12	14	11.9	8.9	16.7
LEAKE	54	18	36	12.7	8.9	16.1
LEE	157	80	77	11.8	9.2	16.5
LEFLORE	69	12	57	11.6	10.3	11.8

TABLE 6A - PAGE 2
LIVE BIRTHS LESS THAN 2,500 GRAMS - MISSISSIPPI - 2007

COUNTY	NUMBER			PERCENT		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
LINCOLN	76	39	37	13.1	11.0	16.4
LOWNDES	115	30	85	12.3	6.9	17.0
MADISON	164	59	105	11.0	7.6	14.6
MARION	53	23	30	12.3	8.8	17.8
MARSHALL	77	26	51	13.2	9.7	16.2
MONROE	69	35	34	12.2	10.3	15.0
MONTGOMERY	22	6	16	14.2	11.5	15.5
NESHOBA	68	34	34	12.5	13.3	11.8
NEWTON	39	18	21	10.7	9.0	12.6
NOXUBEE	38	5	33	18.1	10.9	20.1
OKTIBBEHA	73	20	53	11.7	6.3	17.3
PANOLA	68	28	40	10.9	11.1	10.7
PEARL RIVER	78	55	23	10.1	8.4	18.8
PERRY	24	15	9	11.8	9.9	17.6
PIKE	94	23	71	13.6	8.8	16.4
PONTOTOC	55	45	10	11.6	10.9	15.9
PRENTISS	36	28	8	10.2	9.4	14.5
QUITMAN	22	3	19	17.7	13.0	18.8
RANKIN	233	162	71	10.7	9.4	15.8
SCOTT	65	25	40	12.6	8.6	17.7
SHARKEY	12	1	11	11.9	6.7	12.8
SIMPSON	62	32	30	14.0	12.4	16.4
SMITH	24	11	13	11.9	7.8	21.0
STONE	20	9	11	8.4	4.9	20.8
SUNFLOWER	70	6	64	13.2	8.2	14.0
TALLAHATCHIE	39	7	32	15.0	14.3	15.2
TATE	35	18	17	8.4	7.1	10.4
TIPPAH	42	31	11	12.5	11.5	16.9
TISHOMINGO	24	21	3	9.6	8.5	75.0
TUNICA	40	3	37	17.2	9.7	18.3
UNION	44	33	11	10.8	9.7	16.7
WALTHALL	21	6	15	9.2	5.6	12.5
WARREN	101	28	73	13.0	8.8	15.9
WASHINGTON	133	20	113	13.7	10.4	14.5
WAYNE	51	24	27	15.7	13.8	18.0
WEBSTER	17	9	8	12.9	8.8	26.7
WILKINSON	25	5	20	16.2	17.8	15.9
WINSTON	39	12	27	13.9	11.3	15.4
YALOBUSHA	22	7	15	10.5	6.1	15.8
YAZOO	75	15	60	15.6	10.6	17.6

TABLE 6B
LIVE BIRTHS WEIGHING LESS THAN 1,500 GRAMS AT BIRTH
AND PERCENT OF TOTAL LIVE BIRTHS,
BY COUNTY OF RESIDENCE AND RACE OF MOTHER,
MISSISSIPPI, 2007

COUNTY	NUMBER			PERCENT		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>STATE</u>	<u>1,035</u>	<u>317</u>	<u>718</u>	<u>2.2</u>	<u>1.3</u>	<u>3.3</u>
ADAMS	16	1	15	3.7	0.7	5.3
ALCORN	10	6	4	2.0	1.4	5.2
AMITE	7	1	6	3.8	1.3	5.6
ATTALA	5	0	5	1.5	-	3.0
BENTON	0	0	0	-	-	-
BOLIVAR	17	2	15	2.7	1.4	3.1
CALHOUN	4	3	1	1.9	2.2	1.4
CARROLL	5	3	2	3.1	3.0	3.4
CHICKASAW	8	1	7	2.7	0.6	4.8
CHOCTAW	4	0	4	3.2	-	6.3
CLAIBORNE	4	0	4	2.5	-	2.7
CLARKE	6	1	5	2.6	0.8	4.5
CLAY	4	1	3	1.3	1.0	1.4
COAHOMA	32	0	32	5.8	-	6.6
COPIAH	14	6	8	3.0	3.5	2.6
COVINGTON	4	1	3	1.3	0.6	2.1
DESOTO	35	18	17	1.6	1.1	3.1
FORREST	29	9	20	2.2	1.2	3.4
FRANKLIN	2	0	2	1.6	-	3.4
GEORGE	8	7	1	1.9	1.9	2.4
GREENE	3	2	1	1.9	1.8	2.4
GRENADA	7	1	6	2.0	0.6	3.1
HANCOCK	8	8	0	1.6	1.8	-
HARRISON	48	30	18	1.6	1.4	2.1
HINDS	123	10	113	3.1	1.1	3.6
HOLMES	7	0	7	1.7	-	1.9
HUMPHREYS	7	1	6	2.8	3.6	2.8
ISSAQUENA	0	0	0	-	-	-
ITAWAMBA	3	3	0	1.0	1.0	-
JACKSON	40	21	19	2.0	1.5	3.3
JASPER	3	0	3	1.1	-	1.7
JEFFERSON	5	1	4	3.8	16.7	3.2
JEFF DAVIS	4	0	4	2.1	-	3.0
JONES	22	10	12	1.9	1.3	3.0
KEMPER	3	1	2	2.1	2.4	1.9
LAFAYETTE	10	0	10	1.8	-	5.3
LAMAR	12	9	3	1.5	1.4	1.6
LAUDERDALE	30	6	24	2.4	1.0	3.5
LAWRENCE	3	2	1	1.4	1.5	1.2
LEAKE	9	0	9	2.1	-	4.0
LEE	27	8	19	2.0	0.9	4.1
LEFLORE	15	4	11	2.5	3.4	2.3

TABLE 6B - PAGE 2
LIVE BIRTHS LESS THAN 1,500 GRAMS - MISSISSIPPI - 2007

COUNTY	NUMBER			PERCENT		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
LINCOLN	9	7	2	1.6	2.0	0.9
LOWNDES	18	6	12	1.9	1.4	2.4
MADISON	33	12	21	2.2	1.6	2.9
MARION	11	2	9	2.6	0.8	5.3
MARSHALL	16	6	10	2.7	2.2	3.2
MONROE	13	6	7	2.3	1.8	3.1
MONTGOMERY	1	1	0	0.6	1.9	-
NESHOBA	13	3	10	2.4	1.2	3.5
NEWTON	11	3	8	3.0	1.5	4.8
NOXUBEE	7	0	7	3.3	-	4.3
OKTIBBEHA	12	2	10	1.9	0.6	3.3
PANOLA	15	4	11	2.4	1.6	2.9
PEARL RIVER	16	8	8	2.1	1.2	6.6
PERRY	7	3	4	3.4	2.0	7.8
PIKE	20	5	15	2.9	1.9	3.5
PONTOTOC	10	7	3	2.1	1.7	4.8
PRENTISS	2	2	0	0.6	0.7	-
QUITMAN	8	0	8	6.4	-	7.9
RANKIN	43	32	11	2.0	1.8	2.4
SCOTT	10	2	8	1.9	0.7	3.5
SHARKEY	3	0	3	3.0	-	3.5
SIMPSON	8	3	5	1.8	1.2	2.7
SMITH	1	1	0	0.5	0.7	-
STONE	4	1	3	1.7	0.5	5.7
SUNFLOWER	11	0	11	2.1	-	2.4
TALLAHATCHIE	11	0	11	4.2	-	5.2
TATE	3	1	2	0.7	0.4	1.2
TIPPAH	2	1	1	0.6	0.4	1.5
TISHOMINGO	4	3	1	1.6	1.2	25.0
TUNICA	8	1	7	3.4	3.2	3.5
UNION	6	3	3	1.5	0.9	4.5
WALTHALL	5	0	5	2.2	-	4.2
WARREN	16	2	14	2.0	0.6	3.0
WASHINGTON	25	2	23	2.6	1.0	3.0
WAYNE	11	4	7	3.4	2.3	4.7
WEBSTER	4	2	2	3.0	2.0	6.7
WILKINSON	5	0	5	3.2	-	4.0
WINSTON	8	0	8	2.8	-	4.6
YALOBUSHA	4	2	2	1.9	1.7	2.1
YAZOO	18	3	15	3.7	2.1	4.4

TABLE 7
PREMATURE* LIVE BIRTHS AND PERCENT OF TOTAL LIVE BIRTHS,
BY COUNTY OF RESIDENCE AND RACE OF MOTHER,
MISSISSIPPI, 2007

COUNTY	NUMBER			PERCENT		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>STATE</u>	<u>8,136</u>	<u>3,452</u>	<u>4,684</u>	<u>17.5</u>	<u>13.9</u>	<u>21.6</u>
ADAMS	109	27	82	25.5	18.4	29.2
ALCORN	71	54	17	13.9	12.5	22.1
AMITE	27	5	22	14.7	6.6	20.4
ATTALA	62	21	41	19.1	13.5	24.3
BENTON	11	6	5	10.8	9.5	12.8
BOLIVAR	130	20	110	20.7	13.6	22.9
CALHOUN	27	18	9	13.1	13.1	13.0
CARROLL	24	17	7	15.1	16.8	12.1
CHICKASAW	43	13	30	14.4	8.5	20.7
CHOCTAW	24	11	13	19.2	17.7	20.6
CLAIBORNE	38	1	37	23.6	9.1	24.7
CLARKE	40	14	26	17.3	11.6	23.6
CLAY	56	13	43	17.7	13.4	19.5
COAHOMA	157	17	140	28.4	24.3	29.0
COPIAH	108	27	81	22.8	15.9	26.7
COVINGTON	50	25	25	16.0	14.8	17.5
DESOTO	238	160	78	10.6	9.5	14.3
FORREST	268	142	126	20.3	19.6	21.2
FRANKLIN	19	7	12	15.0	10.1	20.7
GEORGE	60	53	7	14.4	14.1	16.7
GREENE	27	15	12	17.4	13.3	28.6
GRENADA	61	20	41	17.6	12.9	21.5
HANCOCK	82	73	9	16.7	16.2	23.1
HARRISON	494	320	174	16.8	15.4	20.2
HINDS	960	153	807	24.1	17.3	26.1
HOLMES	81	6	75	20.0	14.6	20.5
HUMPHREYS	49	3	46	19.9	10.7	21.1
ISSAQUENA	3	0	3	20.0	-	21.4
ITAWAMBA	28	26	2	9.2	8.9	15.4
JACKSON	295	201	94	15.1	14.6	16.3
JASPER	60	24	36	21.7	23.1	20.8
JEFFERSON	33	1	32	25.4	16.7	25.8
JEFF DAVIS	37	10	27	19.8	18.2	20.4
JONES	204	120	84	17.3	15.4	21.0
KEMPER	27	6	21	18.8	14.6	20.4
LAFAYETTE	63	34	29	11.7	9.7	15.4
LAMAR	145	106	39	17.7	16.7	21.3
LAUDERDALE	262	93	169	20.6	16.0	24.6
LAWRENCE	38	18	20	17.4	13.3	23.8
LEAKE	83	33	50	19.5	16.3	22.3
LEE	102	51	51	7.6	5.9	10.9
LEFLORE	116	24	92	19.4	20.7	19.1

TABLE 7 - PAGE 2
 PREMATURE LIVE BIRTHS - MISSISSIPPI - 2007

COUNTY	NUMBER			PERCENT		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
LINCOLN	100	49	51	17.2	13.8	22.7
LOWNDES	183	64	119	19.5	14.6	23.8
MADISON	307	129	178	20.6	16.7	24.8
MARION	73	38	35	17.0	14.6	20.7
MARSHALL	61	21	40	10.5	7.8	12.7
MONROE	99	53	46	17.5	15.6	20.3
MONTGOMERY	18	3	15	11.6	5.8	14.6
NESHOBA	83	44	39	15.3	17.2	13.5
NEWTON	63	28	35	17.3	14.1	21.1
NOXUBEE	52	8	44	24.8	17.4	26.8
OKTIBBEHA	76	26	50	12.2	8.2	16.3
PANOLA	92	37	55	14.7	14.6	14.7
PEARL RIVER	106	80	26	13.7	12.3	21.3
PERRY	41	25	16	20.2	16.4	31.4
PIKE	118	32	86	17.0	12.3	19.9
PONTOTOC	46	41	5	9.7	9.9	7.9
PRENTISS	33	23	10	9.3	7.7	18.2
QUITMAN	31	2	29	25.0	8.7	28.7
RANKIN	389	282	107	17.9	16.4	23.8
SCOTT	99	46	53	19.1	15.8	23.4
SHARKEY	13	1	12	12.9	6.7	14.0
SIMPSON	103	47	56	23.3	18.1	30.6
SMITH	35	22	13	17.3	15.7	21.0
STONE	29	16	13	12.2	8.7	24.5
SUNFLOWER	101	12	89	19.0	16.4	19.4
TALLAHATCHIE	48	7	41	18.5	14.3	19.5
TATE	55	34	21	13.2	13.4	12.9
TIPPAH	35	28	7	10.4	10.4	10.8
TISHOMINGO	29	28	1	11.6	11.4	25.0
TUNICA	35	3	32	15.0	9.7	15.8
UNION	30	26	4	7.4	7.6	6.1
WALTHALL	23	9	14	10.1	8.3	11.7
WARREN	179	67	112	23.0	20.9	24.4
WASHINGTON	231	37	194	23.8	19.3	24.9
WAYNE	62	31	31	19.1	17.8	20.7
WEBSTER	21	14	7	15.9	13.7	23.3
WILKINSON	29	3	26	18.8	10.7	20.6
WINSTON	60	17	43	21.4	16.0	24.6
YALOBUSHA	33	11	22	15.7	9.6	23.2
YAZOO	103	20	83	21.4	14.2	24.3

* GESTATION LESS THAN 37 WEEKS.

TABLE 8
REPORTABLE * FETAL DEATHS, BY COUNTY OF OCCURRENCE AND RACE OF MOTHER,
ALSO REPORTABLE* FETAL DEATHS AND FETAL DEATH RATIOS,
BY COUNTY OF RESIDENCE AND RACE OF MOTHER,
MISSISSIPPI, 2007

COUNTY	OCCURRENCE DATA			RESIDENCE DATA					
	NUMBER			NUMBER			RATIO**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>STATE</u>	<u>476</u>	<u>151</u>	<u>325</u>	<u>477</u>	<u>154</u>	<u>323</u>	<u>10.3</u>	<u>6.2</u>	<u>14.9</u>
ADAMS	13	2	11	6	1	5	14.0	6.8	17.8
ALCORN	5	5	0	1	1	0	2.0	2.3	-
AMITE	0	0	0	4	0	4	21.7	-	37.0
ATTALA	0	0	0	4	2	2	12.3	12.9	11.8
BENTON	0	0	0	2	0	2	19.6	-	51.3
BOLIVAR	7	0	7	8	0	8	12.8	-	16.7
CALHOUN	1	0	1	2	1	1	9.7	7.3	14.5
CARROLL	0	0	0	3	1	2	18.9	9.9	34.5
CHICKASAW	0	0	0	2	2	0	6.7	13.1	-
CHOCTAW	0	0	0	1	1	0	8.0	16.1	-
CLAIBORNE	0	0	0	1	0	1	6.2	-	6.7
CLARKE	0	0	0	1	0	1	4.3	-	9.1
CLAY	10	3	7	8	2	6	25.2	20.6	27.3
COAHOMA	13	1	12	6	0	6	10.9	-	12.4
COPIAH	0	0	0	4	0	4	8.4	-	13.2
COVINGTON	0	0	0	4	3	1	12.8	17.8	7.0
DESOTO	19	6	13	14	8	6	6.3	4.7	11.0
FORREST	19	9	10	10	2	8	7.6	2.8	13.4
FRANKLIN	0	0	0	1	1	0	7.9	14.5	-
GEORGE	3	2	1	2	1	1	4.8	2.7	23.8
GREENE	0	0	0	1	1	0	6.4	8.8	-
GRENADA	5	1	4	4	1	3	11.6	6.4	15.7
HANCOCK	0	0	0	0	0	0	-	-	-
HARRISON	21	12	9	19	9	10	6.4	4.3	11.6
HINDS	146	28	118	51	2	49	12.8	2.2	15.8
HOLMES	0	0	0	4	1	3	9.8	24.4	8.2
HUMPHREYS	0	0	0	4	0	4	16.3	-	18.3
ISSAQUENA	0	0	0	0	0	0	-	-	-
ITAWAMBA	0	0	0	3	3	0	9.8	10.3	-
JACKSON	5	0	5	9	5	4	4.6	3.6	7.0
JASPER	0	0	0	5	2	3	18.0	19.2	17.3
JEFFERSON	0	0	0	4	0	4	30.8	-	32.2
JEFF DAVIS	0	0	0	5	0	5	26.7	-	37.9
JONES	13	6	7	15	8	7	12.7	10.2	17.5
KEMPER	0	0	0	2	1	1	13.9	24.4	9.7
LAFAYETTE	6	2	4	6	2	4	11.2	5.7	21.3
LAMAR	18	10	8	4	2	2	4.9	3.2	10.9
LAUDERDALE	24	9	15	11	5	6	8.7	8.6	8.7
LAWRENCE	0	0	0	4	2	2	18.3	14.8	23.8
LEAKE	1	0	1	8	1	7	18.8	5.0	31.2
LEE	20	13	7	14	7	7	10.5	8.1	15.0
LEFLORE	13	1	12	15	2	13	25.1	17.2	27.0

TABLE 8 - PAGE 2
 FETAL DEATHS - MISSISSIPPI - 2007

COUNTY	OCCURRENCE DATA			RESIDENCE DATA					
	NUMBER			NUMBER			RATIO**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
LINCOLN	2	0	2	8	5	3	13.8	14.1	13.3
LOWNDES	7	2	5	8	2	6	8.5	4.6	12.0
MADISON	1	0	1	9	2	7	6.0	2.6	9.8
MARION	0	0	0	7	5	2	16.3	19.2	11.8
MARSHALL	0	0	0	4	0	4	6.9	-	12.7
MONROE	4	3	1	2	1	1	3.5	2.9	4.4
MONTGOMERY	0	0	0	2	0	2	12.9	-	19.4
NESHOBA	0	0	0	5	2	3	9.2	7.8	10.4
NEWTON	0	0	0	6	0	6	16.4	-	36.1
NOXUBEE	0	0	0	0	0	0	-	-	-
OKTIBBEHA	10	6	4	2	2	0	3.2	6.3	-
PANOLA	1	0	1	3	0	3	4.8	-	8.0
PEARL RIVER	3	3	0	3	3	0	3.9	4.6	-
PERRY	0	0	0	1	1	0	4.9	6.6	-
PIKE	6	3	3	10	1	9	14.4	3.8	20.8
PONTOTOC	0	0	0	4	3	1	8.4	7.3	15.9
PRENTISS	0	0	0	5	4	1	14.1	13.4	18.2
QUITMAN	0	0	0	5	1	4	40.3	43.5	39.6
RANKIN	27	11	16	17	9	8	7.8	5.2	17.8
SCOTT	2	0	2	7	5	2	13.5	17.2	8.8
SHARKEY	2	0	2	4	1	3	39.6	66.7	34.9
SIMPSON	1	1	0	2	2	0	4.5	7.7	-
SMITH	0	0	0	2	0	2	9.9	-	32.2
STONE	0	0	0	3	2	1	12.6	10.9	18.9
SUNFLOWER	5	2	3	6	1	5	11.3	13.7	10.9
TALLAHATCHIE	0	0	0	1	0	1	3.9	-	4.8
TATE	1	0	1	4	1	3	9.6	3.9	18.4
TIPPAH	0	0	0	1	1	0	3.0	3.7	-
TISHOMINGO	0	0	0	3	3	0	12.0	12.2	-
TUNICA	0	0	0	4	0	4	17.2	-	19.8
UNION	6	3	3	1	1	0	2.5	2.9	-
WALTHALL	0	0	0	0	0	0	-	-	-
WARREN	11	5	6	12	4	8	15.4	12.5	17.4
WASHINGTON	22	1	21	21	2	19	21.6	10.4	24.4
WAYNE	3	1	2	6	4	2	18.5	23.0	13.3
WEBSTER	0	0	0	3	2	1	22.7	19.6	33.3
WILKINSON	0	0	0	2	0	2	13.0	-	15.9
WINSTON	0	0	0	9	2	7	32.0	18.9	40.0
YALOBUSHA	0	0	0	1	0	1	4.8	-	10.5
YAZOO	0	0	0	12	2	10	24.9	14.2	29.3
OUT OF STATE	14	8	6	13	5	8	-	-	-

* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

** REPORTABLE FETAL DEATHS PER 1,000 LIVE BIRTHS.

TABLE 9
DEATHS, BY PLACE OF OCCURRENCE AND RACE,
ALSO DEATHS AND RATES, BY PLACE OF RESIDENCE AND RACE,
(PLACE INCLUDES COUNTIES, OUT OF STATE, TOWNS OF 10,000 OR MORE),
MISSISSIPPI, 2007

COUNTY	OCCURRENCE DATA			RESIDENCE DATA					
	NUMBER			NUMBER			RATE*		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>STATE</u>	<u>27,643</u>	<u>18,407</u>	<u>9,236</u>	<u>27,994</u>	<u>18,705</u>	<u>9,289</u>	<u>9.6</u>	<u>10.6</u>	<u>8.1</u>
ADAMS	439	214	225	405	195	210	12.8	14.4	11.5
ALCORN	427	397	30	405	372	33	11.4	11.9	7.5
AMITE	89	63	26	155	98	57	11.6	13.3	9.6
ATTALA	233	161	72	290	193	97	14.8	17.0	11.8
BENTON	41	32	9	75	51	24	9.3	10.0	8.2
BOLIVAR	328	117	211	412	147	265	10.9	11.8	10.5
CALHOUN	92	75	17	157	122	35	10.8	12.0	7.9
CARROLL	44	33	11	103	61	42	10.0	9.2	11.5
CHICKASAW	119	77	42	168	114	54	8.8	10.5	6.7
CHOCTAW	62	48	14	106	79	27	11.7	12.8	9.4
CLAIBORNE	72	26	46	113	35	78	10.3	21.1	8.4
CLARKE	137	96	41	200	138	62	11.5	12.3	10.1
CLAY	173	101	72	202	115	87	9.6	12.8	7.3
COAHOMA	330	107	223	326	115	211	11.8	17.2	10.1
COPIAH	217	121	96	323	183	140	11.0	13.1	9.1
COVINGTON	193	147	46	234	177	57	11.5	13.8	7.5
DESOTO	878	717	161	939	825	114	6.3	7.2	3.3
FORREST	1,096	775	321	662	462	200	8.5	9.5	6.8
FRANKLIN	54	46	8	79	63	16	9.5	12.3	5.0
GEORGE	204	187	17	233	216	17	10.6	11.0	7.1
GREENE	72	58	14	110	90	20	8.4	9.3	5.7
GRENADA	284	169	115	273	165	108	11.8	12.5	10.9
HANCOCK	243	226	17	335	317	18	8.4	8.8	4.7
HARRISON	1,672	1,324	348	1,509	1,189	320	8.6	9.4	6.4
HINDS	3,571	1,803	1,768	2,004	864	1,140	8.0	10.8	6.8
HOLMES	138	43	95	222	68	154	10.8	18.2	9.2
HUMPHREYS	75	24	51	112	35	77	11.2	13.4	10.4
ISSAQUENA	8	3	5	10	5	5	6.0	7.2	5.1
ITAWAMBA	149	142	7	236	221	15	10.2	10.4	8.3
JACKSON	1,034	838	196	1,087	885	202	8.4	9.2	6.0
JASPER	101	60	41	179	100	79	9.9	11.7	8.3
JEFFERSON	39	5	34	77	9	68	8.6	7.4	8.8
JEFF DAVIS	112	52	60	156	70	86	12.2	13.2	11.4
JONES	616	427	189	702	506	196	10.5	10.6	10.2
KEMPER	46	24	22	97	43	54	9.6	11.3	8.6
LAFAYETTE	514	369	145	325	239	86	7.6	7.7	7.4
LAMAR	362	297	65	317	269	48	6.6	6.8	5.8
LAUDERDALE	1,299	834	465	895	604	291	11.6	13.7	8.8
LAWRENCE	94	69	25	140	101	39	10.5	11.3	8.8
LEAKE	228	162	66	274	191	83	12.0	15.1	8.2
LEE	1,599	1,275	324	1,037	836	201	12.9	14.4	9.0
LEFLORE	554	231	323	367	169	198	10.4	17.4	7.8

TABLE 9 - PAGE 2
DEATHS - MISSISSIPPI - 2007

COUNTY	OCCURRENCE DATA			RESIDENCE DATA					
	NUMBER			NUMBER			RATE*		
	TOTAL	WHITE	NON WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
LINCOLN	316	222	94	372	261	111	10.8	11.1	10.1
LOWNDES	581	344	237	528	316	212	8.8	9.6	7.9
MADISON	841	570	271	1,044	699	345	11.7	13.0	9.6
MARION	268	194	74	336	244	92	13.0	14.4	10.5
MARSHALL	234	150	84	348	226	122	9.5	12.2	6.7
MONROE	299	222	77	393	282	111	10.6	11.2	9.4
MONTGOMERY	98	58	40	148	87	61	12.9	14.2	11.4
NESHOBA	218	142	76	310	206	104	10.2	10.6	9.6
NEWTON	166	127	39	217	158	59	9.7	10.9	7.5
NOXUBEE	71	31	40	111	42	69	9.3	12.2	8.2
OKTIBBEHA	238	135	103	279	157	122	6.4	6.0	6.8
PANOLA	280	170	110	383	224	159	10.8	12.3	9.2
PEARL RIVER	413	372	41	542	480	62	9.5	9.8	7.6
PERRY	80	66	14	124	98	26	10.2	10.5	9.1
PIKE	475	286	189	454	265	189	11.4	13.5	9.4
PONTOTOC	154	136	18	234	200	34	8.1	8.2	7.5
PRENTISS	172	164	8	230	216	14	9.1	10.0	3.6
QUITMAN	81	34	47	139	54	85	15.6	20.2	13.6
RANKIN	687	540	147	883	717	166	6.4	6.6	5.5
SCOTT	162	115	47	255	167	88	8.8	9.7	7.6
SHARKEY	53	19	34	69	24	45	12.4	14.2	11.6
SIMPSON	234	176	58	289	210	79	10.4	11.7	8.0
SMITH	118	94	24	202	153	49	12.6	12.8	12.2
STONE	103	90	13	142	118	24	9.0	9.5	7.3
SUNFLOWER	248	98	150	333	125	208	10.8	14.9	9.2
TALLAHATCHIE	70	40	30	142	64	78	10.7	12.4	9.6
TATE	166	127	39	252	189	63	9.4	10.4	7.2
TIPPAH	161	145	16	244	212	32	11.5	12.3	8.2
TISHOMINGO	200	194	6	260	254	6	13.6	14.0	6.7
TUNICA	74	42	32	103	36	67	9.8	12.5	8.8
UNION	223	207	16	257	238	19	9.6	10.6	4.2
WALTHALL	114	78	36	153	98	55	10.0	11.8	7.8
WARREN	594	321	273	514	293	221	10.5	11.7	9.3
WASHINGTON	597	226	371	595	233	362	10.7	13.5	9.4
WAYNE	163	113	50	181	123	58	8.6	9.6	7.0
WEBSTER	142	117	25	161	130	31	16.4	16.8	14.9
WILKINSON	98	34	64	114	33	81	11.1	10.7	11.3
WINSTON	161	92	69	213	119	94	10.8	11.2	10.4
YALOBUSHA	90	64	26	160	111	49	11.7	13.6	8.9
YAZOO	162	77	85	229	106	123	8.4	9.0	8.0
OUT OF STATE	1,273	925	348	922	627	295	-	-	-

* DEATHS PER 1,000 POPULATION.

TABLE 9 - PAGE 3
DEATHS - MISSISSIPPI - 2007

TOWN**	NUMBER		
	TOTAL	WHITE	NON-WHITE
BILOXI	368	306	62
BRANDON	217	191	26
BROOKHAVEN	201	125	76
CANTON	114	43	71
CLARKSDALE	255	89	166
CLEVELAND	160	75	85
CLINTON	190	148	42
COLUMBUS	329	191	138
CORINTH	237	211	26
GAUTIER	123	106	17
GREENVILLE	412	139	273
GREENWOOD	194	81	113
GRENADA	201	109	92
GULFPORT	664	443	221
HATTIESBURG	408	232	176
INDIANOLA	125	42	83
JACKSON	1,480	506	974
LAUREL	268	149	119
LONG BEACH	108	101	7
MCCOMB	218	124	94
MERIDIAN	539	314	225
MOSS POINT	183	88	95
NATCHEZ	258	124	134
OCEAN SPRINGS	226	204	22
PASCAGOULA	196	146	50
PEARL	171	145	26
PICAYUNE	147	108	39
RIDGELAND	654	472	182
SOUTHAVEN	311	276	35
STARKVILLE	158	92	66
TUPELO	609	492	117
VICKSBURG	363	174	189
YAZOO CITY	142	46	96

** TOWNS OF 10,000 POPULATION OR MORE.

TABLE 10A
DEATHS, BY CAUSE AND RACE,
(CAUSE GROUPINGS BASED ON NCHS LIST OF 358 SELECTED CAUSES)
MISSISSIPPI RESIDENTS, 2007

GROUP NUMBER*	CAUSE OF DEATH	TOTAL	WHITE	NON-WHITE
<u>001-358</u>	<u>ALL CAUSES</u>	<u>27,994</u>	<u>18,705</u>	<u>9,289</u>
<u>001-055</u>	<u>CERTAIN INFECTIOUS AND PARASITIC DISEASES</u>	<u>841</u>	<u>452</u>	<u>389</u>
<u>001-008</u>	<u>Intestinal infectious diseases</u>	<u>22</u>	<u>18</u>	<u>4</u>
<u>002-007</u>	<u>Other intestinal infectious diseases</u>	<u>22</u>	<u>18</u>	<u>4</u>
003	Paratyphoid fevers and other salmonella infections	1	1	0
004	Shigellosis	1	0	1
007	Intestinal infections due to other specified organisms	20	17	3
<u>009-010</u>	<u>Tuberculosis</u>	<u>6</u>	<u>4</u>	<u>2</u>
009	Respiratory tuberculosis	5	4	1
010	Other tuberculosis	1	0	1
<u>011-019</u>	<u>Zoonotic and other bacterial diseases</u>	<u>565</u>	<u>341</u>	<u>224</u>
018	Septicemia	544	326	218
019	Other zoonotic and bacterial diseases	21	15	6
<u>028-044</u>	<u>Viral diseases</u>	<u>220</u>	<u>70</u>	<u>150</u>
032	Other and unspecified arthropod-borne viral and hemorrhagic fevers	2	1	1
033	Herpesviral (herpes simplex) infections	1	1	0
034	Zoster (herpes zoster)	1	1	0
038	Viral hepatitis	48	37	11
<u>039-043</u>	<u>Human immunodeficiency virus [HIV] disease</u>	<u>161</u>	<u>24</u>	<u>137</u>
039	Human immunodeficiency virus (HIV) disease resulting in infectious and parasitic diseases	54	4	50
040	Human immunodeficiency virus (HIV) disease resulting in malignant neoplasms	1	1	0
041	Human immunodeficiency virus (HIV) disease resulting in other specified diseases	17	3	14
042	Human immunodeficiency virus (HIV) disease resulting in other conditions	33	6	27
043	Unspecified human immunodeficiency virus (HIV) disease	56	10	46
044	All other and unspecified viral diseases	7	6	1
<u>045-055</u>	<u>Other and unspecified infectious and parasitic diseases and their sequelae</u>	<u>28</u>	<u>19</u>	<u>9</u>
045	Mycoses	14	8	6
<u>046-050</u>	<u>Protozoal diseases</u>	<u>2</u>	<u>2</u>	<u>0</u>
049	Pneumocystosis	2	2	0
052	Other and unspecified helminthiases	1	0	1
054	Sequelae of poliomyelitis	2	2	0
055	All other and unspecified infectious and parasitic diseases and their sequelae	9	7	2
<u>056-115</u>	<u>NEOPLASMS</u>	<u>6,035</u>	<u>4,085</u>	<u>1,950</u>
<u>056-108</u>	<u>Malignant neoplasms</u>	<u>5,930</u>	<u>4,004</u>	<u>1,926</u>
<u>056-059</u>	<u>Malignant neoplasms of lip, oral cavity and pharynx</u>	<u>92</u>	<u>60</u>	<u>32</u>
057	Malignant neoplasms of tongue	11	10	1
058	Malignant neoplasms of pharynx	61	35	26

Table 10A - Page 2
Deaths - Mississippi - 2007

GROUP NUMBER*	CAUSE OF DEATH	TOTAL	WHITE	NON-WHITE
059	Malignant neoplasms of other and unspecified sites within the lip, oral cavity and pharynx	20	15	5
<u>060-070</u>	<u>Malignant neoplasms of digestive organs</u>	<u>1,401</u>	<u>881</u>	<u>520</u>
060	Malignant neoplasms of esophagus	117	71	46
061	Malignant neoplasms of stomach	108	52	56
062	Malignant neoplasms of small intestine	7	3	4
063	Malignant neoplasms of colon	525	320	205
064	Malignant neoplasms of rectosigmoid junction and rectum	81	52	29
065	Malignant neoplasms of anus and anal canal	1	1	0
066	Malignant neoplasms of liver	172	125	47
067	Intrahepatic bile duct carcinoma	18	13	5
068	Malignant neoplasms of gallbladder and extrahepatic bile ducts	27	19	8
069	Malignant neoplasms of pancreas	333	215	118
070	Malignant neoplasms of other and ill-defined digestive organs	12	10	2
<u>071-075</u>	<u>Malignant neoplasms of respiratory and intrathoracic organs</u>	<u>1,963</u>	<u>1,441</u>	<u>522</u>
071	Malignant neoplasms of nasal cavity, middle ear and accessory sinuses	7	3	4
072	Malignant neoplasms of larynx	46	23	23
073	Malignant neoplasms of trachea, bronchus and lung	1,902	1,408	494
074	Malignant neoplasms of thymus, heart, mediastinum and pleura	6	5	1
075	Malignant neoplasms of other and ill-defined sites in respiratory system and intrathoracic organs	2	2	0
076	Malignant neoplasms of bone and articular cartilage	39	27	12
<u>077-078</u>	<u>Melanoma and other malignant neoplasms of skin</u>	<u>98</u>	<u>91</u>	<u>7</u>
077	Malignant melanoma of skin	77	73	4
078	Other malignant neoplasms of skin	21	18	3
<u>079-081</u>	<u>Malignant neoplasms of mesothelial and soft tissue</u>	<u>55</u>	<u>41</u>	<u>14</u>
079	Mesothelioma	18	15	3
081	Malignant neoplasms of other mesothelial and soft tissue	37	26	11
082	Malignant neoplasm of breast	393	233	160
<u>083-088</u>	<u>Malignant neoplasms of female genital organs</u>	<u>258</u>	<u>139</u>	<u>119</u>
083	Malignant neoplasms of vulva and vagina	10	5	5
084	Malignant neoplasms of cervix uteri	65	27	38
085	Malignant neoplasms of corpus uteri and uterus, part unspecified	59	21	38
086	Malignant neoplasms of ovary	122	85	37
087	Malignant neoplasms of other and unspecified female genital organs	2	1	1
<u>089-091</u>	<u>Malignant neoplasms of male genital organs</u>	<u>337</u>	<u>168</u>	<u>169</u>
089	Malignant neoplasms of prostate	332	166	166
090	Malignant neoplasms of testis	3	2	1
091	Malignant neoplasms of penis and other and unspecified male genital organs	2	0	2
<u>092-094</u>	<u>Malignant neoplasms of urinary tract</u>	<u>228</u>	<u>166</u>	<u>62</u>
092	Malignant neoplasms of kidney and renal pelvis	128	90	38
093	Malignant neoplasms of bladder	98	74	24
094	Malignant neoplasms of other and unspecified sites within the urinary tract	2	2	0
095	Malignant neoplasm of eye and adnexa	2	2	0
<u>096-097</u>	<u>Malignant neoplasms of meninges, brain and other parts of central nervous system</u>	<u>132</u>	<u>106</u>	<u>26</u>

Table 10A - Page 3
Deaths - Mississippi - 2007

GROUP NUMBER*	CAUSE OF DEATH	TOTAL	WHITE	NON-WHITE
096	Malignant neoplasms of brain	130	105	25
097	Malignant neoplasms of other parts of central nervous system	2	1	1
098	Malignant neoplasms of thyroid and other endocrine glands	15	9	6
099	Other malignant neoplasms of other and unspecified sites	404	280	124
<u>100-108</u>	<u>Malignant neoplasms of lymphoid, hematopoietic and related tissue</u>	<u>513</u>	<u>360</u>	<u>153</u>
100	Hodgkin's disease	5	2	3
101	Non-Hodgkin's lymphoma	178	141	37
102	Malignant neoplasms of other and unspecified lymphoid, hematopoietic and related tissue	2	1	1
103	Malignant immunoproliferative diseases	1	1	0
104	Multiple myeloma and malignant plasma cell neoplasms	104	57	47
<u>105-108</u>	<u>Leukemia</u>	<u>223</u>	<u>158</u>	<u>65</u>
105	Lymphoid leukemia	58	39	19
106	Myeloid leukemia	82	63	19
107	Monocytic leukemia	1	1	0
108	Other and unspecified leukemia	82	55	27
<u>111-113</u>	<u>Benign neoplasms</u>	<u>12</u>	<u>7</u>	<u>5</u>
112	Benign neoplasms of eye, brain and other parts of central nervous system	7	4	3
113	Benign neoplasms of other and unspecified sites	5	3	2
114	Neoplasms of uncertain or unknown behavior of specified sites	88	71	17
115	Neoplasm of uncertain or unknown behavior of unspecified sites	5	3	2
<u>116-122</u>	<u>DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS AND CERTAIN DISORDERS INVOLVING THE IMMUNE MECHANISM</u>	<u>107</u>	<u>55</u>	<u>52</u>
<u>116-119</u>	<u>Anemias</u>	<u>57</u>	<u>29</u>	<u>28</u>
116	Nutritional anemias	7	5	2
117	Hemolytic anemias	10	0	10
118	Aplastic anemias	7	4	3
119	Acute posthemorrhagic and other anemias	33	20	13
120	Coagulation defects, purpura and other hemorrhagic conditions	26	15	11
121	Other diseases of blood and blood-forming organs	7	5	2
122	Certain disorders involving the immune mechanism	17	6	11
<u>123-135</u>	<u>ENDOCRINE, NUTRITIONAL AND METABOLIC DISEASES</u>	<u>895</u>	<u>474</u>	<u>421</u>
<u>123-128</u>	<u>Endocrine diseases</u>	<u>664</u>	<u>337</u>	<u>327</u>
123	Disorders of thyroid gland	11	4	7
124	Diabetes mellitus	639	325	314
125	Disorders of pituitary gland	2	1	1
126	Disorders of adrenal glands	4	4	0
128	Other endocrine diseases	8	3	5
<u>129-131</u>	<u>Malnutrition and other nutritional deficiencies</u>	<u>33</u>	<u>20</u>	<u>13</u>
<u>129-130</u>	<u>Malnutrition</u>	<u>30</u>	<u>18</u>	<u>12</u>
129	Nutritional marasmus	1	1	0
130	Other and unspecified malnutrition	29	17	12

Table 10A - Page 4
Deaths - Mississippi - 2007

GROUP NUMBER*	CAUSE OF DEATH	TOTAL	WHITE	NON-WHITE
131	Other nutritional deficiencies	3	2	1
132	Obesity and other hyperalimentation	55	30	25
<u>133-135</u>	<u>Metabolic disorders</u>	<u>143</u>	<u>87</u>	<u>56</u>
133	Cystic fibrosis	7	6	1
134	Volume depletion, disorders of fluid, electrolyte and acid-base balance	91	49	42
135	Other metabolic disorders	45	32	13
<u>136-144</u>	<u>MENTAL AND BEHAVIORAL DISORDERS</u>	<u>715</u>	<u>539</u>	<u>176</u>
136	Organic dementia	624	492	132
137	Other and unspecified organic mental disorders	16	14	2
<u>138-139</u>	<u>Mental and behavioral disorders due to psychoactive substance abuse</u>	<u>53</u>	<u>23</u>	<u>30</u>
138	Mental and behavioral disorders due to use of alcohol	35	15	20
139	Mental and behavioral disorders due to other psychoactive substance use	18	8	10
140	Schizophrenia, schizotypal and delusional disorders	3	0	3
141	Mood (affective) disorders	7	4	3
143	Mental retardation	7	4	3
144	Other and unspecified mental and behavioral disorders	5	2	3
<u>145-153</u>	<u>DISEASES OF THE NERVOUS SYSTEM</u>	<u>1,258</u>	<u>968</u>	<u>290</u>
145	Meningitis	7	5	2
146	Other inflammatory diseases of central nervous system	8	5	3
147	Parkinson's disease	141	128	13
148	Alzheimer's disease	792	639	153
149	Multiple sclerosis	17	12	5
150	Epilepsy	12	5	7
151	Transient cerebral ischemic attacks and related syndromes	2	1	1
152	Infantile cerebral palsy	18	10	8
153	All other diseases of nervous system	261	163	98
<u>154</u>	<u>DISEASES OF THE EYE AND ADNEXA</u>	<u>0</u>	<u>0</u>	<u>0</u>
<u>155</u>	<u>DISEASES OF THE EAR AND MASTOID PROCESS</u>	<u>2</u>	<u>1</u>	<u>1</u>
<u>156-191</u>	<u>DISEASES OF THE CIRCULATORY SYSTEM</u>	<u>10,234</u>	<u>6,732</u>	<u>3,502</u>
<u>156-189</u>	<u>Major cardiovascular diseases</u>	<u>10,195</u>	<u>6,706</u>	<u>3,489</u>
156	Acute rheumatic fever	1	1	0
<u>157-160</u>	<u>Chronic rheumatic heart diseases</u>	<u>23</u>	<u>16</u>	<u>7</u>
157	Rheumatic mitral valve diseases	12	9	3
159	Disorders of both mitral and aortic valves	3	2	1
160	Other chronic rheumatic heart diseases	8	5	3
<u>161-164</u>	<u>Hypertensive diseases</u>	<u>1,231</u>	<u>650</u>	<u>581</u>
161	Essential (primary) hypertension	273	153	120
162	Hypertensive heart disease	721	397	324
163	Hypertensive renal disease	163	66	97
164	Hypertensive heart and renal disease	74	34	40
<u>165-168</u>	<u>Ischemic heart diseases</u>	<u>4,070</u>	<u>2,844</u>	<u>1,226</u>

Table 10A - Page 5
Deaths - Mississippi - 2007

GROUP NUMBER*	CAUSE OF DEATH	TOTAL	WHITE	NON-WHITE
165	Acute myocardial infarction	1,827	1,212	615
166	Other acute ischemic heart diseases	21	12	9
167	Atherosclerotic cardiovascular disease, so described	542	423	119
168	All other forms of chronic ischemic heart disease	1,680	1,197	483
<u>169-170</u>	<u>Pulmonary heart disease and diseases of pulmonary circulation</u>	<u>173</u>	<u>100</u>	<u>73</u>
169	Pulmonary embolism	110	65	45
170	Other pulmonary heart disease and diseases of pulmonary circulation	63	35	28
<u>171-181</u>	<u>Other forms of heart disease</u>	<u>2,960</u>	<u>1,986</u>	<u>974</u>
171	Acute and subacute endocarditis	13	9	4
172	Diseases of pericardium and acute myocarditis	7	4	3
173	Nonrheumatic mitral valve disorders	14	9	5
174	Nonrheumatic aortic valve disorders	79	65	14
175	All other diseases of endocardium	34	22	12
176	Cardiomyopathy	282	160	122
177	Conduction disorders and cardiac dysrhythmias	901	556	345
178	Congestive heart failure	1,205	882	323
179	Other and unspecified heart failure	144	96	48
180	Myocarditis, unspecified and myocardial degeneration	5	2	3
181	All other and ill-defined forms of heart disease	276	181	95
<u>182-186</u>	<u>Cerebrovascular diseases</u>	<u>1,531</u>	<u>957</u>	<u>574</u>
182	Subarachnoid hemorrhage	45	31	14
183	Intracerebral and other intracranial hemorrhage	302	187	115
184	Cerebral infarction	67	45	22
185	Stroke, not specified as hemorrhage or infarction	950	591	359
186	Other cerebrovascular diseases and their sequelae	167	103	64
<u>187-189</u>	<u>Diseases of arteries, arterioles and capillaries</u>	<u>206</u>	<u>152</u>	<u>54</u>
187	Atherosclerosis	25	22	3
188	Aortic aneurysm and dissection	110	82	28
189	Other diseases of arteries, arterioles and capillaries	71	48	23
<u>190-191</u>	<u>Other disorders of circulatory system</u>	<u>39</u>	<u>26</u>	<u>13</u>
190	Phlebitis, thrombophlebitis, venous embolism and thrombosis	28	20	8
191	All other and unspecified disorders of circulatory system	11	6	5
<u>192-214</u>	<u>DISEASES OF THE RESPIRATORY SYSTEM</u>	<u>2,514</u>	<u>1,962</u>	<u>552</u>
<u>192-194</u>	<u>Acute upper respiratory infections</u>	<u>2</u>	<u>2</u>	<u>0</u>
192	Acute pharyngitis and tonsillitis	1	1	0
194	Other and unspecified acute upper respiratory infections	1	1	0
<u>195-214</u>	<u>Other diseases of the respiratory system</u>	<u>2,512</u>	<u>1,960</u>	<u>552</u>
195	Influenza	4	3	1
<u>196-198</u>	<u>Pneumonia</u>	<u>543</u>	<u>385</u>	<u>158</u>
196	Viral pneumonia, not elsewhere classified	5	4	1
197	Bacterial pneumonia	19	14	5
198	Pneumonia due to other or unspecified organisms	519	367	152
<u>199-200</u>	<u>Other acute lower respiratory infections</u>	<u>4</u>	<u>3</u>	<u>1</u>
199	Acute bronchitis and bronchiolitis	4	3	1
201	Other diseases of upper respiratory tract	5	3	2
<u>202-207</u>	<u>Chronic lower respiratory diseases</u>	<u>1,400</u>	<u>1,166</u>	<u>234</u>
202	Bronchitis, not specified as acute or chronic	7	6	1
203	Chronic bronchitis	4	4	0

Table 10A - Page 6
Deaths - Mississippi - 2007

GROUP NUMBER*	CAUSE OF DEATH	TOTAL	WHITE	NON-WHITE
204	Emphysema	100	87	13
205	Other chronic obstructive pulmonary disease	1,244	1,049	195
206	Asthma	35	12	23
207	Bronchiectasis	10	8	2
<u>208-211</u>	<u>Lung diseases due to external agents</u>	<u>182</u>	<u>126</u>	<u>56</u>
208	Pneumoconioses and chemical effects	10	10	0
209	Pneumonitis due to food and vomit	172	116	56
212	Suppurative and necrotic conditions of lower respiratory tract	5	3	2
213	Pleural effusion and plaque	20	12	8
214	All other diseases of respiratory system	349	259	90
<u>215-237</u>	<u>DISEASES OF THE DIGESTIVE SYSTEM</u>	<u>907</u>	<u>633</u>	<u>274</u>
215	Diseases of oral cavity, salivary glands and jaws	1	1	0
<u>216-237</u>	<u>Diseases of other parts of digestive system</u>	<u>906</u>	<u>632</u>	<u>274</u>
216	Diseases of esophagus	13	10	3
<u>217-220</u>	<u>Peptic ulcer</u>	<u>28</u>	<u>19</u>	<u>9</u>
217	Gastric ulcer	4	3	1
218	Duodenal ulcer	11	10	1
219	Peptic ulcer, site unspecified	12	5	7
220	Gastrojejunal ulcer	1	1	0
221	Gastritis and duodenitis	3	3	0
222	Dyspepsia and other diseases of stomach and duodenum	7	4	3
224	Hernia	14	9	5
225	Crohn's disease and ulcerative colitis	5	3	2
226	Vascular disorders and obstruction of intestine without hernia	123	87	36
227	Diverticular disease of intestine	18	14	4
228	Other diseases of intestines and peritoneum	81	48	33
229	Diseases of peritoneum	16	12	4
<u>230-233</u>	<u>Diseases of liver</u>	<u>386</u>	<u>284</u>	<u>102</u>
230	Alcoholic liver disease	95	65	30
232	Fibrosis and cirrhosis of liver	164	130	34
233	Other diseases of liver	127	89	38
234	Cholelithiasis and other disorders of gallbladder	35	23	12
<u>235-236</u>	<u>Disorders of biliary tract and pancreas</u>	<u>70</u>	<u>50</u>	<u>20</u>
235	Pancreatitis	55	38	17
236	Other disorders of biliary tract and pancreas	15	12	3
237	All other diseases of digestive system	107	66	41
<u>238-239</u>	<u>DISEASES OF THE SKIN AND SUBCUTANEOUS TISSUE</u>	<u>66</u>	<u>31</u>	<u>35</u>
238	Infections of skin and subcutaneous tissue	24	16	8
239	Other and unspecified diseases of skin and subcutaneous tissue	42	15	27
<u>240-246</u>	<u>DISEASES OF THE MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE</u>	<u>111</u>	<u>74</u>	<u>37</u>
240	Rheumatoid arthritis and related inflammatory polyarthropathies	11	9	2

Table 10A - Page 7
Deaths - Mississippi - 2007

GROUP NUMBER*	CAUSE OF DEATH	TOTAL	WHITE	NON-WHITE
241	Systemic lupus erythematosus	17	9	8
242	Other arthropathies and related disorders	33	20	13
243	Dorsopathies	6	4	2
244	Soft tissue disorders	16	13	3
<u>245-246</u>	<u>Osteopathies, chondropathies and other disorders of musculoskeletal system and connective tissue</u>	<u>28</u>	<u>19</u>	<u>9</u>
245	Osteoporosis	10	10	0
246	Other osteopathies, chondropathies and disorders of musculoskeletal system and connective tissue	18	9	9
<u>247-260</u>	<u>DISEASES OF THE GENITOURINARY SYSTEM</u>	<u>941</u>	<u>527</u>	<u>414</u>
<u>247-255</u>	<u>Diseases of urinary system</u>	<u>928</u>	<u>518</u>	<u>410</u>
<u>247-249</u>	<u>Glomerular diseases</u>	<u>26</u>	<u>16</u>	<u>10</u>
247	Acute and rapidly progressive nephritic syndrome	3	1	2
248	Nephrotic syndrome	2	2	0
249	Other and unspecified glomerular diseases	21	13	8
250	Renal tubulo-interstitial diseases	11	4	7
251	Renal failure	665	361	304
252	Urolithiasis	5	3	2
253	Other and unspecified disorders of kidney	1	1	0
254	Urinary tract infection, site not specified	203	127	76
255	Other diseases of urinary system	17	6	11
<u>256-257</u>	<u>Diseases of male genital organs</u>	<u>9</u>	<u>6</u>	<u>3</u>
256	Hyperplasia of prostate	5	3	2
257	Other diseases of male genital organs	4	3	1
<u>259-260</u>	<u>Disorders of female genital organs</u>	<u>4</u>	<u>3</u>	<u>1</u>
259	Inflammatory diseases of female pelvic organs	3	3	0
260	Noninflammatory disorders of female genital tract	1	0	1
<u>261-273</u>	<u>PREGNANCY, CHILDBIRTH AND THE PUERPERIUM</u>	<u>10</u>	<u>3</u>	<u>7</u>
<u>266-269</u>	<u>Other direct obstetric deaths</u>	<u>3</u>	<u>2</u>	<u>1</u>
266	Eclampsia and pre-eclampsia	1	1	0
<u>268-269</u>	<u>Complications predominantly related to the puerperium</u>	<u>2</u>	<u>1</u>	<u>1</u>
268	Obstetric embolism	2	1	1
270	All other direct obstetric causes	4	0	4
272	Other deaths related to pregnancy, childbirth and the puerperium	3	1	2
<u>274-281</u>	<u>CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD</u>	<u>209</u>	<u>67</u>	<u>142</u>
274	Newborn affected by maternal factors and by complications of pregnancy, labor and delivery	16	5	11
275	Disorders related to short gestation and low birth weight, not elsewhere classified	83	22	61
276	Birth trauma	1	0	1
277	Intrauterine hypoxia and birth asphyxia	4	2	2
278	Respiratory distress of newborn	13	5	8
279	Other respiratory conditions originating in the perinatal period	17	4	13

Table 10A - Page 8
Deaths - Mississippi - 2007

GROUP NUMBER*	CAUSE OF DEATH	TOTAL	WHITE	NON-WHITE
280	Infections specific to the perinatal period	27	6	21
281	Other and unspecified conditions originating in the perinatal period	48	23	25
<u>282-290</u>	<u>CONGENITAL MALFORMATIONS, DEFORMATIONS AND CHROMOSOMAL ABNORMALITIES</u>	<u>116</u>	<u>51</u>	<u>65</u>
282	Anencephaly and similar malformations	3	1	2
283	Spina bifida	2	1	1
284	All other congenital malformations of nervous system	7	2	5
285	Congenital malformations of heart	35	14	21
286	Other congenital malformations of circulatory system	6	1	5
287	Congenital malformations of respiratory system	7	6	1
288	Other congenital malformations and deformations	29	11	18
289	Down's syndrome	15	9	6
290	All other chromosomal abnormalities, not elsewhere classified	12	6	6
<u>291-294</u>	<u>SYMPTOMS, SIGNS AND ABNORMAL CLINICAL AND LABORATORY FINDINGS, NOT ELSEWHERE CLASSIFIED</u>	<u>497</u>	<u>341</u>	<u>156</u>
291	Senility	18	15	3
<u>292-293</u>	<u>Ill-defined and unknown causes of mortality</u>	<u>171</u>	<u>102</u>	<u>69</u>
292	Sudden infant death syndrome	58	28	30
293	Other ill-defined and unknown causes of mortality	113	74	39
294	All other symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified	308	224	84
<u>295-358</u>	<u>EXTERNAL CAUSES OF MORTALITY</u>	<u>2,536</u>	<u>1,710</u>	<u>826</u>
<u>295-330</u>	<u>Accidents</u>	<u>1,781</u>	<u>1,248</u>	<u>533</u>
295	Railway accidents	5	3	2
<u>296-306</u>	<u>Motor vehicle accidents</u>	<u>894</u>	<u>597</u>	<u>297</u>
296	Pedestrian involved in collision with motor vehicle	58	32	26
297	Pedal cyclist involved in collision with motor vehicle	10	4	6
298	Motorcyclist involved in any accident except collision with railway train	58	44	14
300	Other motor vehicle accident involving collision with railway train	3	1	2
301	Occupant of motor vehicle involved in collision with other (non-motorized) road vehicle, streetcar, animal or pedestrian	207	134	73
302	Occupant of car, pickup truck or van involved in collision with other motor vehicle	236	163	73
303	Occupant of heavy transport vehicle or bus involved in collision with other motor vehicle	2	0	2
304	Occupant of motor vehicle involved in noncollision accident	192	126	66
305	Occupant of special-use motor vehicle involved in any accident	32	22	10
306	Other and unspecified motor vehicle accidents	96	71	25
308	Other and unspecified land transport accidents	9	8	1

Table 10A - Page 9
Deaths - Mississippi - 2007

GROUP NUMBER*	CAUSE OF DEATH	TOTAL	WHITE	NON-WHITE
309	Water transport accidents	11	6	5
310	Air and space transport accidents	2	2	0
311	Other and unspecified transport accidents and their sequelae	8	7	1
<u>312-314</u>	<u>Falls</u>	<u>188</u>	<u>158</u>	<u>30</u>
312	Fall on same level	76	62	14
313	Fall from one level to another	26	21	5
314	Unspecified fall	86	75	11
315	Accidental discharge of firearms	28	17	11
316	Accidental explosion	3	1	2
317	Accidental drowning and submersion	44	26	18
318	Accidental inhalation and ingestion of food or other objects causing obstruction of respiratory tract	84	57	27
319	Other accidental and unspecified threats to breathing	44	11	33
320	Accidental exposure to electric current	6	6	0
322	Accidental exposure to smoke, fire and flames	84	35	49
323	Accidental contact with heat and hot substances	1	1	0
324	Lightning	1	1	0
<u>327-329</u>	<u>Accidental poisoning by and exposure to noxious substances</u>	<u>275</u>	<u>247</u>	<u>28</u>
327	Accidental poisoning by and exposure to drugs and other biological substances	249	227	22
328	Accidental poisoning by and exposure to other and unspecified solid or liquid substances	20	16	4
329	Accidental poisoning by and exposure to other gases and vapors	6	4	2
330	All other and unspecified accidents and their sequelae	94	65	29
<u>331-337</u>	<u>Intentional self-harm (suicide)</u>	<u>392</u>	<u>328</u>	<u>64</u>
331	Intentional self-poisoning (suicide) by and exposure to drugs and other biological substances	29	27	2
332	Intentional self-poisoning (suicide) by and exposure to other and unspecified solid or liquid substances and their vapors	1	0	1
333	Intentional self-poisoning (suicide) by and exposure to other gases and vapors	2	2	0
334	Intentional self-harm (suicide) by hanging, strangulation and suffocation	60	46	14
335	Intentional self-harm (suicide) by discharge of firearms	279	235	44
336	Intentional self-harm (suicide) by jumping from a high place	2	2	0
337	Intentional self-harm (suicide) by all other and unspecified means and their sequelae	19	16	3
<u>338-346</u>	<u>Assault (homicide)</u>	<u>277</u>	<u>71</u>	<u>206</u>
339	Assault (homicide) by hanging, strangulation and suffocation	4	3	1
340	Assault (homicide) by discharge of firearms	212	46	166
341	Assault (homicide) by sharp object	30	7	23
342	Assault (homicide) by blunt object	8	4	4
343	Assault (homicide) by bodily force	2	2	0
345	Neglect, abandonment and other maltreatment syndromes	4	1	3
346	Assault (homicide) by all other and unspecified means and their sequelae	17	8	9
<u>347-352</u>	<u>Event of undetermined intent</u>	<u>44</u>	<u>39</u>	<u>5</u>
347	Poisoning by and exposure to drugs and biological substances, undetermined intent	29	27	2
348	Poisoning by and exposure to other and unspecified solid or liquid substance, undetermined intent	1	0	1

Table 10A - Page 10
 Deaths - Mississippi - 2007

GROUP NUMBER*	CAUSE OF DEATH	TOTAL	WHITE	NON-WHITE
350	Discharge of firearms, undetermined intent	8	7	1
352	All other and unspecified events of undetermined intent and their sequelae	6	5	1
<u>356-358</u>	<u>Complications of medical and surgical care</u>	<u>42</u>	<u>24</u>	<u>18</u>
356	Drugs, medicaments and biological substances causing adverse effects in therapeutic use, and their sequelae	7	4	3
357	Misadventures to patients during medical and surgical care and their sequelae	3	2	1
358	Other complications of medical and surgical care and their sequelae	32	18	14
358	Other complications of medical and surgical care and their sequelae	32	18	14

* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

**TABLE 10B
DEATHS, BY CAUSE AND RACE,
MISSISSIPPI RESIDENTS, 2007**

INTERNATIONAL CLASSIFICATION NUMBER*	CAUSE OF DEATH*	TOTAL	WHITE	NON-WHITE
<u>A00-Y89</u>	<u>ALL CAUSES</u>	<u>27,994</u>	<u>18,705</u>	<u>9,289</u>
<u>A00-B99</u>	<u>CERTAIN INFECTIOUS AND PARASITIC DISEASES</u>	<u>841</u>	<u>452</u>	<u>389</u>
<u>A00-A09</u>	<u>Intestinal infectious diseases</u>	<u>22</u>	<u>18</u>	<u>4</u>
A02	Other salmonella infections	1	1	0
A03	Shigellosis	1	0	1
A04	Other bacterial intestinal infections	17	15	2
A08	Viral and other specified intestinal infections	3	2	1
<u>A16-A19</u>	<u>Tuberculosis</u>	<u>6</u>	<u>4</u>	<u>2</u>
A16	Respiratory tuberculosis, not confirmed bacteriologically or histologically	5	4	1
A18	Tuberculosis of other organs	1	0	1
<u>A30-A49</u>	<u>Other bacterial diseases</u>	<u>565</u>	<u>341</u>	<u>224</u>
A31	Infection due to other mycobacteria	6	5	1
A40	Streptococcal septicemia	10	7	3
A41	Other septicemia	534	319	215
A48	Other bacterial diseases, not elsewhere classified	1	1	0
A49	Bacterial infection of unspecified site	14	9	5
<u>A80-A89</u>	<u>Viral infections of the central nervous system</u>	<u>3</u>	<u>3</u>	<u>0</u>
A81	Atypical virus infections of central nervous system	3	3	0
<u>A90-A99</u>	<u>Arthropod-borne viral fevers and viral hemorrhagic fevers</u>	<u>2</u>	<u>1</u>	<u>1</u>
A92	Other mosquito-borne viral fevers	2	1	1
<u>B00-B09</u>	<u>Viral infections characterized by skin and mucous membrane lesions</u>	<u>2</u>	<u>2</u>	<u>0</u>
B00	Herpes-viral [herpes simplex] infections	1	1	0
B02	Zoster [herpes zoster]	1	1	0
<u>B15-B19</u>	<u>Viral hepatitis</u>	<u>48</u>	<u>37</u>	<u>11</u>
B16	Acute hepatitis B	5	4	1
B18	Chronic viral hepatitis	43	33	10
<u>B20-B24</u>	<u>Human immunodeficiency virus [HIV] disease</u>	<u>161</u>	<u>24</u>	<u>137</u>
B20	Human immunodeficiency virus [HIV] disease resulting in infectious and parasitic diseases	54	4	50
B21	Human immunodeficiency virus [HIV] disease resulting in malignant neoplasms	1	1	0
B22	Human immunodeficiency virus [HIV] disease resulting in other specified diseases	17	3	14
B23	Human immunodeficiency virus [HIV] disease resulting in other conditions	33	6	27
B24	Unspecified human immunodeficiency virus [HIV] disease	56	10	46
<u>B25-B34</u>	<u>Other viral diseases</u>	<u>4</u>	<u>3</u>	<u>1</u>
B33	Other viral diseases, not elsewhere classified	1	1	0
B34	Viral infection of unspecified site	3	2	1
<u>B35-B49</u>	<u>Mycoses</u>	<u>14</u>	<u>8</u>	<u>6</u>
B37	Candidiasis	6	2	4
B39	Histoplasmosis	1	0	1

Table 10B - Page 2
Deaths - Mississippi - 2007

INTERNATIONAL CLASSIFICATION NUMBER*	CAUSE OF DEATH*	TOTAL	WHITE	NON-WHITE
B44	Aspergillosis	2	2	0
B45	Cryptococcosis	2	2	0
B49	Unspecified mycosis	3	2	1
<u>B50-B64</u>	<u>Protozoal diseases</u>	<u>2</u>	<u>2</u>	<u>0</u>
B59	Pneumocystosis	2	2	0
<u>B65-B83</u>	<u>Helminthiases</u>	<u>1</u>	<u>0</u>	<u>1</u>
B74	Filariasis	1	0	1
<u>B85-B89</u>	<u>Pediculosis, acariasis and other infestations</u>	<u>1</u>	<u>1</u>	<u>0</u>
B89	Unspecified parasitic disease	1	1	0
<u>B90-B94</u>	<u>Sequela of infectious and parasitic diseases</u>	<u>6</u>	<u>6</u>	<u>0</u>
B91	Sequelae of poliomyelitis	2	2	0
B94	Sequelae of other and unspecified infectious and parasitic diseases	4	4	0
B99	Other and unspecified infectious diseases	4	2	2
<u>C00-D48</u>	<u>NEOPLASMS</u>	<u>6,035</u>	<u>4,085</u>	<u>1,950</u>
<u>C00-C97</u>	<u>Malignant neoplasms</u>	<u>5,930</u>	<u>4,004</u>	<u>1,926</u>
<u>C00-C14</u>	<u>Malignant neoplasms of lip, oral cavity and pharynx</u>	<u>92</u>	<u>60</u>	<u>32</u>
C01	Malignant neoplasm of base of tongue	2	2	0
C02	Malignant neoplasm of other and unspecified parts of tongue	9	8	1
C04	Malignant neoplasm of floor of mouth	1	1	0
C05	Malignant neoplasm of palate	1	1	0
C06	Malignant neoplasm of other and unspecified parts of mouth	8	6	2
C07	Malignant neoplasm of parotid gland	4	4	0
C08	Malignant neoplasm of other and unspecified major salivary glands	1	1	0
C09	Malignant neoplasm of tonsil	5	2	3
C10	Malignant neoplasm of oropharynx	10	6	4
C11	Malignant neoplasm of nasopharynx	6	5	1
C12	Malignant neoplasm of pyriform sinus	1	1	0
C13	Malignant neoplasm of hypopharynx	1	1	0
C14	Malignant neoplasm of other and ill-defined sites in the lip, oral cavity, and pharynx	43	22	21
<u>C15-C26</u>	<u>Malignant neoplasms of digestive organs</u>	<u>1,401</u>	<u>881</u>	<u>520</u>
C15	Malignant neoplasm of esophagus	117	71	46
C16	Malignant neoplasm of stomach	108	52	56
C17	Malignant neoplasm of small intestine	7	3	4
C18	Malignant neoplasm of colon	525	320	205
C19	Malignant neoplasm of rectosigmoid junction	27	19	8
C20	Malignant neoplasm of rectum	54	33	21
C21	Malignant neoplasm of anus and anal canal	1	1	0
C22	Malignant neoplasm of liver and intrahepatic bile ducts	190	138	52
C23	Malignant neoplasm of gallbladder	17	11	6
C24	Malignant neoplasm of other and unspecified parts of biliary tract	10	8	2
C25	Malignant neoplasm of pancreas	333	215	118
C26	Malignant neoplasm of other and ill-defined digestive organs	12	10	2

Table 10B - Page 3
Deaths - Mississippi - 2007

INTERNATIONAL CLASSIFICATION NUMBER*	CAUSE OF DEATH*	TOTAL	WHITE	NON-WHITE
<u>C30-C39</u>	<u>Malignant neoplasms of respiratory and intrathoracic organs</u>	<u>1,963</u>	<u>1,441</u>	<u>522</u>
C31	Malignant neoplasm of accessory sinuses	7	3	4
C32	Malignant neoplasm of larynx	46	23	23
C33	Malignant neoplasm of trachea	1	0	1
C34	Malignant neoplasm of bronchus and lung	1,901	1,408	493
C38	Malignant neoplasm of heart, mediastinum, and pleura	6	5	1
C39	Malignant neoplasm of other and ill-defined sites in the respiratory system and intrathoracic organs	2	2	0
<u>C40-C41</u>	<u>Malignant neoplasms of bone and articular cartilage</u>	<u>39</u>	<u>27</u>	<u>12</u>
C40	Malignant neoplasm of bone and articular cartilage of limbs	2	1	1
C41	Malignant neoplasm of bone and articular cartilage of other and unspecified sites	37	26	11
<u>C43-C44</u>	<u>Melanoma and other malignant neoplasms of skin</u>	<u>98</u>	<u>91</u>	<u>7</u>
C43	Malignant melanoma of skin	77	73	4
C44	Other malignant neoplasms of skin	21	18	3
<u>C45-C49</u>	<u>Malignant neoplasms of mesothelial and soft tissue</u>	<u>55</u>	<u>41</u>	<u>14</u>
C45	Mesothelioma	18	15	3
C47	Malignant neoplasm of peripheral nerves and autonomic nervous system	1	0	1
C48	Malignant neoplasm of retroperitoneum and peritoneum	8	8	0
C49	Malignant neoplasm of other connective and soft tissue	28	18	10
C50	Malignant neoplasm of breast	393	233	160
<u>C51-C58</u>	<u>Malignant neoplasms of female genital organs</u>	<u>258</u>	<u>139</u>	<u>119</u>
C51	Malignant neoplasm of vulva	5	2	3
C52	Malignant neoplasm of vagina	5	3	2
C53	Malignant neoplasm of cervix uteri	65	27	38
C54	Malignant neoplasm of corpus uteri	26	11	15
C55	Malignant neoplasm of uterus, part unspecified	33	10	23
C56	Malignant neoplasm of ovary	122	85	37
C57	Malignant neoplasm of other and unspecified female genital organs	2	1	1
<u>C60-C63</u>	<u>Malignant neoplasms of male genital organs</u>	<u>337</u>	<u>168</u>	<u>169</u>
C60	Malignant neoplasm of penis	2	0	2
C61	Malignant neoplasm of prostate	332	166	166
C62	Malignant neoplasm of testis	3	2	1
<u>C64-C68</u>	<u>Malignant neoplasms of urinary tract</u>	<u>228</u>	<u>166</u>	<u>62</u>
C64	Malignant neoplasm of kidney, except renal pelvis	128	90	38
C66	Malignant neoplasm of ureter	1	1	0
C67	Malignant neoplasm of bladder	98	74	24
C68	Malignant neoplasm of other and unspecified urinary organs	1	1	0
<u>C69-C72</u>	<u>Malignant neoplasms of eye, brain and other parts of central nervous system</u>	<u>134</u>	<u>108</u>	<u>26</u>
C69	Malignant neoplasm of eye and adnexa	2	2	0
C70	Malignant neoplasm of meninges	1	0	1
C71	Malignant neoplasm of brain	130	105	25
C72	Malignant neoplasm of spinal cord, cranial nerves, and other parts of central nervous system	1	1	0
<u>C73-C75</u>	<u>Malignant neoplasms of thyroid and other endocrine glands</u>	<u>15</u>	<u>9</u>	<u>6</u>

Table 10B - Page 4
Deaths - Mississippi - 2007

INTERNATIONAL CLASSIFICATION NUMBER*	CAUSE OF DEATH*	TOTAL	WHITE	NON-WHITE
C73	Malignant neoplasm of thyroid gland	10	6	4
C74	Malignant neoplasm of adrenal gland	4	3	1
C75	Malignant neoplasm of other endocrine glands and related structures	1	0	1
<u>C76-C80</u>	<u>Malignant neoplasms of ill-defined, secondary and unspecified sites</u>	<u>350</u>	<u>241</u>	<u>109</u>
C76	Malignant neoplasm of other and ill-defined sites	37	21	16
C77	Secondary and unspecified malignant neoplasm of lymph nodes	4	3	1
C78	Secondary malignant neoplasm of respiratory and digestive organs	35	23	12
C79	Secondary malignant neoplasm of other sites	58	42	16
C80	Malignant neoplasm without specification of site	216	152	64
<u>C81-C96</u>	<u>Malignant neoplasms of lymphoid, hematopoietic and related tissue</u>	<u>513</u>	<u>360</u>	<u>153</u>
C81	Hodgkin's disease	5	2	3
C82	Follicular [nodular] non-Hodgkin's lymphoma	1	1	0
C83	Diffuse non-Hodgkin's lymphoma	17	14	3
C84	Peripheral and cutaneous T-cell lymphomas	8	2	6
C85	Other and unspecified types of non-Hodgkin's lymphoma	152	124	28
C88	Malignant immunoproliferative diseases	1	1	0
C90	Multiple myeloma and malignant plasma cell neoplasms	104	57	47
C91	Lymphoid leukemia	58	39	19
C92	Myeloid leukemia	82	63	19
C93	Monocytic leukemia	1	1	0
C95	Leukemia of unspecified cell type	82	55	27
C96	Other and unspecified malignant neoplasms of lymphoid, hematopoietic, and related tissue	2	1	1
C97	Malignant neoplasms of independent (primary) multiple sites	54	39	15
<u>D10-D36</u>	<u>Benign neoplasms</u>	<u>12</u>	<u>7</u>	<u>5</u>
D12	Benign neoplasm of colon, rectum, anus, and anal canal	1	1	0
D18	Hemangioma and lymphangioma, any site	1	1	0
D21	Other benign neoplasms of connective and other soft tissue	2	0	2
D32	Benign neoplasm of meninges	7	4	3
D36	Benign neoplasm of other and unspecified sites	1	1	0
<u>D37-D48</u>	<u>Neoplasms of uncertain or unknown behavior</u>	<u>93</u>	<u>74</u>	<u>19</u>
D37	Neoplasm of uncertain or unknown behavior of oral cavity and digestive organs	2	1	1
D38	Neoplasm of uncertain or unknown behavior of middle ear and respiratory and intrathoracic organs	6	4	2
D43	Neoplasm of uncertain or unknown behavior of brain and central nervous system	33	25	8
D44	Neoplasm of uncertain or unknown behavior of endocrine glands	2	0	2
D46	Myelodysplastic syndromes	36	32	4
D47	Other neoplasms of uncertain or unknown behavior of lymphoid, hematopoietic, and related tissue	9	9	0
D48	Neoplasm of uncertain or unknown behavior of other and unspecified sites	5	3	2

Table 10B - Page 5
Deaths - Mississippi - 2007

INTERNATIONAL CLASSIFICATION NUMBER*	CAUSE OF DEATH*	TOTAL	WHITE	NON-WHITE
<u>D50-D89</u>	<u>DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS AND CERTAIN DISORDERS INVOLVING THE IMMUNE MECHANISM</u>	<u>107</u>	<u>55</u>	<u>52</u>
<u>D50-D53</u>	<u>Nutritional anemias</u>	<u>7</u>	<u>5</u>	<u>2</u>
D50	Iron deficiency anemia	5	5	0
D53	Other nutritional anemias	2	0	2
<u>D55-D59</u>	<u>Hemolytic anemias</u>	<u>10</u>	<u>0</u>	<u>10</u>
D57	Sickle-cell disorders	10	0	10
<u>D60-D64</u>	<u>Aplastic and other anemias</u>	<u>40</u>	<u>24</u>	<u>16</u>
D61	Other aplastic anemias	7	4	3
D64	Other anemias	33	20	13
<u>D65-D69</u>	<u>Coagulation defects, purpura and other hemorrhagic conditions</u>	<u>26</u>	<u>15</u>	<u>11</u>
D65	Disseminated intravascular coagulation [defibrination syndrome]	9	4	5
D68	Other coagulation defects	10	7	3
D69	Purpura and other hemorrhagic conditions	7	4	3
<u>D70-D77</u>	<u>Other diseases of blood and blood-forming organs</u>	<u>7</u>	<u>5</u>	<u>2</u>
D70	Agranulocytosis	4	4	0
D72	Other disorders of white blood cells	1	0	1
D73	Diseases of spleen	1	1	0
D75	Other diseases of blood and blood-forming organs	1	0	1
<u>D80-D89</u>	<u>Certain disorders involving the immune mechanism</u>	<u>17</u>	<u>6</u>	<u>11</u>
D80	Immunodeficiency with predominantly antibody defects	1	1	0
D84	Other immunodeficiencies	1	1	0
D86	Sarcoidosis	13	2	11
D89	Other disorders involving the immune mechanism, not elsewhere classified	2	2	0
<u>E00-E88</u>	<u>ENDOCRINE, NUTRITIONAL AND METABOLIC DISEASES</u>	<u>895</u>	<u>474</u>	<u>421</u>
<u>E00-E07</u>	<u>Disorders of thyroid gland</u>	<u>11</u>	<u>4</u>	<u>7</u>
E03	Other hypothyroidism	2	1	1
E04	Other nontoxic goiter	2	1	1
E05	Thyrotoxicosis [hyperthyroidism]	6	2	4
E07	Other disorders of thyroid	1	0	1
<u>E10-E14</u>	<u>Diabetes mellitus</u>	<u>639</u>	<u>325</u>	<u>314</u>
E10	Insulin-dependent diabetes mellitus	27	17	10
E11	Noninsulin-dependent diabetes mellitus	70	32	38
E14	Unspecified diabetes mellitus	542	276	266
<u>E15-E16</u>	<u>Other disorders of glucose regulation and pancreatic internal secretion</u>	<u>7</u>	<u>2</u>	<u>5</u>
E15	Nondiabetic hypoglycemic coma	1	1	0
E16	Other disorders of pancreatic internal secretion	6	1	5
<u>E20-E35</u>	<u>Disorders of other endocrine glands</u>	<u>7</u>	<u>6</u>	<u>1</u>
E23	Hypofunction and other disorders of the pituitary gland	2	1	1

Table 10B - Page 6
Deaths - Mississippi - 2007

INTERNATIONAL CLASSIFICATION NUMBER*	CAUSE OF DEATH*	TOTAL	WHITE	NON-WHITE
E24	Cushing's syndrome	1	1	0
E26	Hyperaldosteronism	1	1	0
E27	Other disorders of adrenal gland	2	2	0
E34	Other endocrine disorders	1	1	0
<u>E40-E46</u>	<u>Malnutrition</u>	<u>30</u>	<u>18</u>	<u>12</u>
E41	Nutritional marasmus	1	1	0
E43	Unspecified severe protein-energy malnutrition	4	0	4
E46	Unspecified protein-energy malnutrition	25	17	8
<u>E50-E64</u>	<u>Other nutritional deficiencies</u>	<u>3</u>	<u>2</u>	<u>1</u>
E51	Thiamin deficiency	1	0	1
E63	Other nutritional deficiencies	2	2	0
<u>E65-E68</u>	<u>Obesity and other hyperalimentation</u>	<u>55</u>	<u>30</u>	<u>25</u>
E66	Obesity	55	30	25
<u>E70-E88</u>	<u>Metabolic disorders</u>	<u>143</u>	<u>87</u>	<u>56</u>
E72	Other disorders of amino-acid metabolism	2	2	0
E75	Disorders of sphingolipid metabolism and other lipid storage disorders	3	2	1
E76	Disorders of glycosaminoglycan metabolism	1	1	0
E78	Disorders of lipoprotein metabolism and other lipidemias	21	14	7
E83	Disorders of mineral metabolism	5	3	2
E84	Cystic fibrosis	7	6	1
E85	Amyloidosis	9	7	2
E86	Volume depletion	52	32	20
E87	Other disorders of fluid, electrolyte, and acid-base balance	39	17	22
E88	Other metabolic disorders	4	3	1
<u>F00-F99</u>	<u>MENTAL AND BEHAVIORAL DISORDERS</u>	<u>715</u>	<u>539</u>	<u>176</u>
<u>F00-F09</u>	<u>Organic, including symptomatic, mental disorders</u>	<u>640</u>	<u>506</u>	<u>134</u>
F01	Vascular dementia	10	9	1
F03	Unspecified dementia	614	483	131
F05	Delirium, not induced by alcohol and other psychoactive substances	4	3	1
F06	Other mental disorders due to brain damage and dysfunction and to physical disease	12	11	1
<u>F10-F19</u>	<u>Mental and behavioral disorders due to psychoactive substance use</u>	<u>53</u>	<u>23</u>	<u>30</u>
F10	Mental and behavioral disorders due to use of alcohol	35	15	20
F14	Mental and behavioral disorders due to use of cocaine	7	0	7
F19	Mental and behavioral disorders due to multiple-drug use and use of other psychoactive substances	11	8	3
<u>F20-F29</u>	<u>Schizophrenia, schizotypal and delusional disorders</u>	<u>3</u>	<u>0</u>	<u>3</u>
F20	Schizophrenia	3	0	3
<u>F30-F39</u>	<u>Mood [affective] disorders</u>	<u>7</u>	<u>4</u>	<u>3</u>
F31	Bipolar affective disorder	2	1	1
F32	Depressive episode	5	3	2
<u>F50-F59</u>	<u>Behavioral syndromes associated with physiological disturbances and physical factors</u>	<u>4</u>	<u>1</u>	<u>3</u>

Table 10B - Page 7
Deaths - Mississippi - 2007

INTERNATIONAL CLASSIFICATION NUMBER*	CAUSE OF DEATH*	TOTAL	WHITE	NON-WHITE
F50	Eating disorders	1	0	1
F54	Psychological and behavioral factors associated with disorders or diseases classified elsewhere	3	1	2
<u>F70-F79</u>	<u>Mental retardation</u>	<u>7</u>	<u>4</u>	<u>3</u>
F72	Severe mental retardation	1	1	0
F73	Profound mental retardation	2	1	1
F79	Unspecified mental retardation	4	2	2
<u>F80-F89</u>	<u>Disorders of psychological development</u>	<u>1</u>	<u>1</u>	<u>0</u>
F84	Pervasive developmental disorders	1	1	0
<u>G00-G98</u>	<u>DISEASES OF THE NERVOUS SYSTEM</u>	<u>1,258</u>	<u>968</u>	<u>290</u>
<u>G00-G09</u>	<u>Inflammatory diseases of the central nervous system</u>	<u>15</u>	<u>10</u>	<u>5</u>
G00	Bacterial meningitis, not elsewhere classified	2	2	0
G03	Meningitis due to other and unspecified causes	5	3	2
G04	Encephalitis, myelitis, and encephalomyelitis	3	2	1
G06	Intracranial and intraspinal abscess and granuloma	3	3	0
G08	Intracranial and intraspinal phlebitis and thrombophlebitis	1	0	1
G09	Sequelae of inflammatory diseases of central nervous system	1	0	1
<u>G10-G13</u>	<u>Systemic atrophies primarily affecting the central nervous system</u>	<u>73</u>	<u>57</u>	<u>16</u>
G10	Huntington's disease	9	6	3
G11	Hereditary ataxia	3	3	0
G12	Spinal muscular atrophy and related syndromes	61	48	13
<u>G20-G26</u>	<u>Extrapyramidal and movement disorders</u>	<u>143</u>	<u>130</u>	<u>13</u>
G20	Parkinson's disease	140	128	12
G21	Secondary parkinsonism	1	0	1
G23	Other degenerative diseases of basal ganglia	2	2	0
<u>G30-G32</u>	<u>Other degenerative diseases of the nervous system</u>	<u>803</u>	<u>649</u>	<u>154</u>
G30	Alzheimer's disease	792	639	153
G31	Other degenerative diseases of nervous system, not elsewhere classified	11	10	1
<u>G35-G37</u>	<u>Demyelinating diseases of the central nervous system</u>	<u>19</u>	<u>13</u>	<u>6</u>
G35	Multiple sclerosis	17	12	5
G37	Other demyelinating diseases of central nervous system	2	1	1
<u>G40-G47</u>	<u>Episodic and paroxysmal disorders</u>	<u>20</u>	<u>10</u>	<u>10</u>
G40	Epilepsy	6	3	3
G41	Status epilepticus	6	2	4
G45	Transient cerebral ischemic attacks and related syndromes	2	1	1
G47	Sleep disorders	6	4	2
<u>G50-G59</u>	<u>Nerve, nerve root and plexus disorders</u>	<u>1</u>	<u>0</u>	<u>1</u>
G58	Other mononeuropathies	1	0	1
<u>G60-G64</u>	<u>Polyneuropathies and other disorders of the peripheral nervous system</u>	<u>7</u>	<u>5</u>	<u>2</u>
G61	Inflammatory polyneuropathy	3	1	2
G62	Other polyneuropathies	4	4	0
<u>G70-G73</u>	<u>Diseases of myoneural junction and muscle</u>	<u>11</u>	<u>6</u>	<u>5</u>
G70	Myasthenia gravis and other myoneural disorders	3	1	2

Table 10B - Page 8
Deaths - Mississippi - 2007

INTERNATIONAL CLASSIFICATION NUMBER*	CAUSE OF DEATH*	TOTAL	WHITE	NON-WHITE
G71	Primary disorders of muscles	8	5	3
<u>G80-G83</u>	<u>Cerebral palsy and other paralytic syndromes</u>	<u>31</u>	<u>15</u>	<u>16</u>
G80	Infantile cerebral palsy	18	10	8
G81	Hemiplegia	1	0	1
G82	Paraplegia and tetraplegia	11	4	7
G83	Other paralytic syndromes	1	1	0
<u>G90-G99</u>	<u>Other disorders of the nervous system</u>	<u>135</u>	<u>73</u>	<u>62</u>
G90	Disorders of autonomic nervous system	1	1	0
G91	Hydrocephalus	8	4	4
G93	Other disorders of brain	123	65	58
G96	Other disorders of central nervous system	1	1	0
G98	Other disorders of nervous system, not elsewhere classified	2	2	0
<u>H00-H59</u>	<u>DISEASES OF THE EYE AND ADNEXA</u>	<u>0</u>	<u>0</u>	<u>0</u>
<u>H60-H95</u>	<u>DISEASES OF THE EAR AND MASTOID PROCESS</u>	<u>2</u>	<u>1</u>	<u>1</u>
<u>H65-H75</u>	<u>Diseases of middle ear and mastoid</u>	<u>1</u>	<u>1</u>	<u>0</u>
H66	Suppurative and unspecified otitis media	1	1	0
<u>H80-H83</u>	<u>Diseases of inner ear</u>	<u>1</u>	<u>0</u>	<u>1</u>
H83	Other diseases of inner ear	1	0	1
<u>I00-I99</u>	<u>DISEASES OF THE CIRCULATORY SYSTEM</u>	<u>10,234</u>	<u>6,732</u>	<u>3,502</u>
<u>I00-I02</u>	<u>Acute rheumatic fever</u>	<u>1</u>	<u>1</u>	<u>0</u>
I01	Rheumatic fever with heart involvement	1	1	0
<u>I05-I09</u>	<u>Chronic rheumatic heart diseases</u>	<u>23</u>	<u>16</u>	<u>7</u>
I05	Rheumatic mitral valve diseases	12	9	3
I07	Rheumatic tricuspid valve diseases	4	2	2
I08	Multiple valve diseases	4	3	1
I09	Other rheumatic heart diseases	3	2	1
<u>I10-I13</u>	<u>Hypertensive diseases</u>	<u>1,231</u>	<u>650</u>	<u>581</u>
I10	Essential (primary) hypertension	273	153	120
I11	Hypertensive heart disease	721	397	324
I12	Hypertensive renal disease	163	66	97
I13	Hypertensive heart and renal disease	74	34	40
<u>I20-I25</u>	<u>Ischemic heart diseases</u>	<u>4,070</u>	<u>2,844</u>	<u>1,226</u>
I20	Angina pectoris	3	2	1
I21	Acute myocardial infarction	1,827	1,212	615
I24	Other acute ischemic heart diseases	21	12	9
I25	Chronic ischemic heart disease	2,219	1,618	601
<u>I26-I28</u>	<u>Pulmonary heart disease and diseases of pulmonary circulation</u>	<u>173</u>	<u>100</u>	<u>73</u>
I26	Pulmonary embolism	110	65	45
I27	Other pulmonary heart diseases	61	33	28
I28	Other diseases of pulmonary vessels	2	2	0
<u>I30-I51</u>	<u>Other forms of heart disease</u>	<u>2,960</u>	<u>1,986</u>	<u>974</u>

Table 10B - Page 9
Deaths - Mississippi - 2007

INTERNATIONAL CLASSIFICATION NUMBER*	CAUSE OF DEATH*	TOTAL	WHITE	NON-WHITE
I31	Other diseases of pericardium	7	4	3
I33	Acute and subacute endocarditis	13	9	4
I34	Nonrheumatic mitral valve disorders	14	9	5
I35	Nonrheumatic aortic valve disorders	79	65	14
I38	Endocarditis, valve unspecified	34	22	12
I42	Cardiomyopathy	282	160	122
I44	Atrioventricular and left bundle-branch block	5	3	2
I45	Other conduction disorders	4	2	2
I46	Cardiac arrest	674	392	282
I47	Paroxysmal tachycardia	7	4	3
I48	Atrial fibrillation and flutter	147	119	28
I49	Other cardiac arrhythmias	64	36	28
I50	Heart failure	1,349	978	371
I51	Complications and ill-defined descriptions of heart disease	281	183	98
<u>I60-I69</u>	<u>Cerebrovascular diseases</u>	<u>1,531</u>	<u>957</u>	<u>574</u>
I60	Subarachnoid hemorrhage	45	31	14
I61	Intracerebral hemorrhage	174	109	65
I62	Other nontraumatic intracranial hemorrhage	128	78	50
I63	Cerebral infarction	67	45	22
I64	Stroke, not specified as hemorrhage or infarction	950	591	359
I67	Other cerebrovascular diseases	67	38	29
I69	Sequelae of cerebrovascular disease	100	65	35
<u>I70-I78</u>	<u>Diseases of arteries, arterioles and capillaries</u>	<u>206</u>	<u>152</u>	<u>54</u>
I70	Atherosclerosis	25	22	3
I71	Aortic aneurysm and dissection	110	82	28
I72	Other aneurysm	6	4	2
I73	Other peripheral vascular diseases	45	28	17
I74	Arterial embolism and thrombosis	8	6	2
I77	Other disorders of arteries and arterioles	12	10	2
<u>I80-I89</u>	<u>Diseases of veins, lymphatic vessels and lymph nodes, not elsewhere classified</u>	<u>31</u>	<u>21</u>	<u>10</u>
I80	Phlebitis and thrombophlebitis	25	17	8
I81	Portal vein thrombosis	1	1	0
I82	Other venous embolism and thrombosis	2	2	0
I85	Esophageal varices	2	1	1
I87	Other disorders of veins	1	0	1
<u>I95-I99</u>	<u>Other and unspecified disorders of the circulatory system</u>	<u>8</u>	<u>5</u>	<u>3</u>
I95	Hypotension	4	2	2
I99	Other and unspecified disorders of circulatory system	4	3	1
<u>J00-J98</u>	<u>DISEASES OF THE RESPIRATORY SYSTEM</u>	<u>2,514</u>	<u>1,962</u>	<u>552</u>
<u>J00-J06</u>	<u>Acute upper respiratory infections</u>	<u>2</u>	<u>2</u>	<u>0</u>
J02	Acute pharyngitis	1	1	0
J06	Acute upper respiratory infections of multiple and unspecified sites	1	1	0
<u>J10-J18</u>	<u>Influenza and pneumonia</u>	<u>547</u>	<u>388</u>	<u>159</u>
J11	Influenza, virus not identified	4	3	1

Table 10B - Page 10
Deaths - Mississippi - 2007

INTERNATIONAL CLASSIFICATION NUMBER*	CAUSE OF DEATH*	TOTAL	WHITE	NON-WHITE
J12	Viral pneumonia, not elsewhere classified	5	4	1
J13	Pneumonia due to Streptococcus pneumoniae	6	4	2
J15	Bacterial pneumonia, not elsewhere classified	13	10	3
J18	Pneumonia, organism unspecified	519	367	152
<u>J20-J22</u>	<u>Other acute lower respiratory infections</u>	<u>4</u>	<u>3</u>	<u>1</u>
J20	Acute bronchitis	4	3	1
<u>J30-J39</u>	<u>Other diseases of upper respiratory tract</u>	<u>5</u>	<u>3</u>	<u>2</u>
J32	Chronic sinusitis	2	2	0
J34	Other disorders of nose and nasal sinuses	1	0	1
J39	Other diseases of upper respiratory tract	2	1	1
<u>J40-J47</u>	<u>Chronic lower respiratory diseases</u>	<u>1,400</u>	<u>1,166</u>	<u>234</u>
J40	Bronchitis, not specified as acute or chronic	7	6	1
J42	Unspecified chronic bronchitis	4	4	0
J43	Emphysema	100	87	13
J44	Other chronic obstructive pulmonary disease	1,244	1,049	195
J45	Asthma	35	12	23
J47	Bronchiectasis	10	8	2
<u>J60-J70</u>	<u>Lung diseases due to external agents</u>	<u>182</u>	<u>126</u>	<u>56</u>
J61	Pneumoconiosis due to asbestos and other mineral fibers	10	10	0
J69	Pneumonitis due to solids and liquids	172	116	56
<u>J80-J84</u>	<u>Other respiratory diseases principally affecting the interstitium</u>	<u>163</u>	<u>126</u>	<u>37</u>
J80	Adult respiratory distress syndrome	30	19	11
J81	Pulmonary edema	12	5	7
J82	Pulmonary eosinophilia, not elsewhere classified	2	2	0
J84	Other interstitial pulmonary diseases	119	100	19
<u>J85-J86</u>	<u>Suppurative and necrotic conditions of lower respiratory tract</u>	<u>5</u>	<u>3</u>	<u>2</u>
J85	Abscess of lung and mediastinum	2	2	0
J86	Pyothorax	3	1	2
<u>J90-J94</u>	<u>Other diseases of pleura</u>	<u>31</u>	<u>19</u>	<u>12</u>
J90	Pleural effusion, not elsewhere classified	20	12	8
J93	Pneumothorax	5	4	1
J94	Other pleural conditions	6	3	3
<u>J95-J99</u>	<u>Other diseases of the respiratory system</u>	<u>175</u>	<u>126</u>	<u>49</u>
J96	Respiratory failure, not elsewhere classified	123	88	35
J98	Other respiratory disorders	52	38	14
<u>K00-K92</u>	<u>DISEASES OF THE DIGESTIVE SYSTEM</u>	<u>907</u>	<u>633</u>	<u>274</u>
<u>K00-K14</u>	<u>Diseases of oral cavity, salivary glands and jaws</u>	<u>1</u>	<u>1</u>	<u>0</u>
K04	Diseases of pulp and periapical tissues	1	1	0
<u>K20-K31</u>	<u>Diseases of esophagus, stomach and duodenum</u>	<u>51</u>	<u>36</u>	<u>15</u>
K20	Esophagitis	2	2	0
K21	Gastroesophageal reflux disease	5	4	1
K22	Other diseases of esophagus	6	4	2
K25	Gastric ulcer	4	3	1
K26	Duodenal ulcer	11	10	1

Table 10B - Page 11
Deaths - Mississippi - 2007

INTERNATIONAL CLASSIFICATION NUMBER*	CAUSE OF DEATH*	TOTAL	WHITE	NON-WHITE
K27	Peptic ulcer, site unspecified	12	5	7
K28	Gastrojejunal ulcer	1	1	0
K29	Gastritis and duodenitis	3	3	0
K31	Other diseases of stomach and duodenum	7	4	3
<u>K40-K46</u>	<u>Hernia</u>	<u>14</u>	<u>9</u>	<u>5</u>
K40	Inguinal hernia	3	2	1
K43	Ventral hernia	1	1	0
K44	Diaphragmatic hernia	4	3	1
K45	Other abdominal hernia	1	1	0
K46	Unspecified abdominal hernia	5	2	3
<u>K50-K52</u>	<u>Noninfective enteritis and colitis</u>	<u>38</u>	<u>24</u>	<u>14</u>
K50	Crohn's disease [regional enteritis]	3	2	1
K51	Ulcerative colitis	2	1	1
K52	Other noninfective gastroenteritis and colitis	33	21	12
<u>K55-K63</u>	<u>Other diseases of intestines</u>	<u>189</u>	<u>128</u>	<u>61</u>
K55	Vascular disorders of intestine	62	48	14
K56	Paralytic ileus and intestinal obstruction without hernia	61	39	22
K57	Diverticular disease of intestine	18	14	4
K59	Other functional intestinal disorders	5	2	3
K62	Other diseases of anus and rectum	3	2	1
K63	Other diseases of intestine	40	23	17
<u>K65-K67</u>	<u>Diseases of peritoneum</u>	<u>16</u>	<u>12</u>	<u>4</u>
K65	Peritonitis	12	8	4
K66	Other disorders of peritoneum	4	4	0
<u>K70-K76</u>	<u>Diseases of liver</u>	<u>386</u>	<u>284</u>	<u>102</u>
K70	Alcoholic liver disease	95	65	30
K72	Hepatic failure, not elsewhere classified	54	38	16
K74	Fibrosis and cirrhosis of liver	164	130	34
K75	Other inflammatory liver diseases	7	5	2
K76	Other diseases of liver	66	46	20
<u>K80-K87</u>	<u>Disorders of gallbladder, biliary tract and pancreas</u>	<u>105</u>	<u>73</u>	<u>32</u>
K80	Cholelithiasis	12	5	7
K81	Cholecystitis	17	14	3
K82	Other diseases of gallbladder	6	4	2
K83	Other diseases of biliary tract	8	8	0
K85	Acute pancreatitis	51	35	16
K86	Other diseases of pancreas	11	7	4
<u>K90-K93</u>	<u>Other diseases of the digestive system</u>	<u>107</u>	<u>66</u>	<u>41</u>
K90	Intestinal malabsorption	3	2	1
K92	Other diseases of the digestive system	104	64	40
<u>L00-L98</u>	<u>DISEASES OF THE SKIN AND SUBCUTANEOUS TISSUE</u>	<u>66</u>	<u>31</u>	<u>35</u>
<u>L00-L08</u>	<u>Infections of the skin and subcutaneous tissue</u>	<u>24</u>	<u>16</u>	<u>8</u>
L02	Cutaneous abscess, furuncle, and carbuncle	3	1	2
L03	Cellulitis	13	12	1
L08	Other local infections of skin and subcutaneous tissue	8	3	5
<u>L10-L14</u>	<u>Bullous disorders</u>	<u>1</u>	<u>0</u>	<u>1</u>

Table 10B - Page 12
Deaths - Mississippi - 2007

INTERNATIONAL CLASSIFICATION NUMBER*	CAUSE OF DEATH*	TOTAL	WHITE	NON-WHITE
L12	Pemphigoid	1	0	1
<u>L50-L54</u>	<u>Urticaria and erythema</u>	<u>1</u>	<u>0</u>	<u>1</u>
L51	Erythema multiforme	1	0	1
<u>L80-L99</u>	<u>Other disorders of the skin and subcutaneous tissue</u>	<u>40</u>	<u>15</u>	<u>25</u>
L88	Pyoderma gangrenosum	1	1	0
L89	Decubitus ulcer	35	12	23
L93	Lupus erythematosus	4	2	2
<u>M00-M99</u>	<u>DISEASES OF THE MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE</u>	<u>111</u>	<u>74</u>	<u>37</u>
<u>M00-M25</u>	<u>Arthropathies</u>	<u>20</u>	<u>16</u>	<u>4</u>
<u>M00-M03</u>	<u>Infectious arthropathies</u>	<u>2</u>	<u>2</u>	<u>0</u>
M00	Pyogenic arthritis	2	2	0
<u>M05-M14</u>	<u>Inflammatory polyarthropathies</u>	<u>16</u>	<u>13</u>	<u>3</u>
M05	Seropositive rheumatoid arthritis	3	3	0
M06	Other rheumatoid arthritis	8	6	2
M10	Gout	1	0	1
M13	Other arthritis	4	4	0
<u>M15-M19</u>	<u>Arthrosis</u>	<u>2</u>	<u>1</u>	<u>1</u>
M19	Other arthrosis	2	1	1
<u>M30-M36</u>	<u>Systemic connective tissue disorders</u>	<u>41</u>	<u>22</u>	<u>19</u>
M31	Other necrotizing vasculopathies	5	1	4
M32	Systemic lupus erythematosus	17	9	8
M33	Dermatopolymyositis	8	4	4
M34	Systemic sclerosis	10	8	2
M35	Other systemic involvement of connective tissue	1	0	1
<u>M40-M54</u>	<u>Dorsopathies</u>	<u>6</u>	<u>4</u>	<u>2</u>
<u>M40-M43</u>	<u>Deforming dorsopathies</u>	<u>2</u>	<u>1</u>	<u>1</u>
M40	Kyphosis and lordosis	1	1	0
M41	Scoliosis	1	0	1
<u>M45-M49</u>	<u>Spondylopathies</u>	<u>3</u>	<u>3</u>	<u>0</u>
M45	Ankylosing spondylitis	1	1	0
M46	Other inflammatory spondylopathies	1	1	0
M48	Other spondylopathies	1	1	0
<u>M50-M54</u>	<u>Other dorsopathies</u>	<u>1</u>	<u>0</u>	<u>1</u>
M50	Cervical disc disorders	1	0	1
<u>M60-M79</u>	<u>Soft tissue disorders</u>	<u>16</u>	<u>13</u>	<u>3</u>
<u>M60-M63</u>	<u>Disorders of muscles</u>	<u>8</u>	<u>8</u>	<u>0</u>
M60	Myositis	1	1	0
M62	Other disorders of muscle	7	7	0
<u>M70-M79</u>	<u>Other soft tissue disorders</u>	<u>8</u>	<u>5</u>	<u>3</u>
M72	Fibroblastic disorders	6	3	3
M79	Other soft tissue disorders, not elsewhere classified	2	2	0
<u>M80-M94</u>	<u>Osteopathies and chondropathies</u>	<u>28</u>	<u>19</u>	<u>9</u>
<u>M80-M85</u>	<u>Disorders of bone density and structure</u>	<u>11</u>	<u>11</u>	<u>0</u>
M80	Osteoporosis with pathological fracture	3	3	0
M81	Osteoporosis without pathological fracture	7	7	0

Table 10B - Page 13
Deaths - Mississippi - 2007

INTERNATIONAL CLASSIFICATION NUMBER*	CAUSE OF DEATH*	TOTAL	WHITE	NON-WHITE
M84	Disorders of continuity of bone	1	1	0
<u>M86-M90</u>	<u>Other osteopathies</u>	<u>17</u>	<u>8</u>	<u>9</u>
M86	Osteomyelitis	15	6	9
M88	Paget's disease of bone [osteitis deformans]	1	1	0
M89	Other disorders of bone	1	1	0
<u>N00-N98</u>	<u>DISEASES OF THE GENITOURINARY SYSTEM</u>	<u>941</u>	<u>527</u>	<u>414</u>
<u>N00-N07</u>	<u>Glomerular diseases</u>	<u>26</u>	<u>16</u>	<u>10</u>
N00	Acute nephritic syndrome	3	1	2
N03	Chronic nephritic syndrome	19	13	6
N04	Nephrotic syndrome	2	2	0
N05	Unspecified nephritic syndrome	2	0	2
<u>N10-N16</u>	<u>Renal tubulo-interstitial diseases</u>	<u>11</u>	<u>4</u>	<u>7</u>
N10	Acute tubulo-interstitial nephritis	1	0	1
N11	Chronic tubulo-interstitial nephritis	1	0	1
N12	Tubulo-interstitial nephritis, not specified as acute or chronic	5	2	3
N13	Obstructive and reflux uropathy	4	2	2
<u>N17-N19</u>	<u>Renal failure</u>	<u>665</u>	<u>361</u>	<u>304</u>
N17	Acute renal failure	109	76	33
N18	Chronic renal failure	291	139	152
N19	Unspecified renal failure	265	146	119
<u>N20-N23</u>	<u>Urolithiasis</u>	<u>5</u>	<u>3</u>	<u>2</u>
N20	Calculus of kidney and ureter	5	3	2
<u>N25-N29</u>	<u>Other disorders of kidney and ureter</u>	<u>12</u>	<u>3</u>	<u>9</u>
N25	Disorders resulting from impaired renal tubular function	1	1	0
N28	Other disorders of kidney and ureter, not elsewhere classified	11	2	9
<u>N30-N39</u>	<u>Other diseases of urinary system</u>	<u>209</u>	<u>131</u>	<u>78</u>
N31	Neuromuscular dysfunction of bladder, not elsewhere classified	1	1	0
N32	Other disorders of bladder	4	3	1
N35	Urethral stricture	1	0	1
N39	Other disorders of urinary system	203	127	76
<u>N40-N50</u>	<u>Diseases of male genital organs</u>	<u>9</u>	<u>6</u>	<u>3</u>
N40	Hyperplasia of prostate	5	3	2
N41	Inflammatory diseases of prostate	1	1	0
N49	Inflammatory disorders of male genital organs, not elsewhere classified	3	2	1
<u>N70-N77</u>	<u>Inflammatory diseases of female pelvic organs</u>	<u>3</u>	<u>3</u>	<u>0</u>
N73	Other female pelvic inflammatory diseases	2	2	0
N76	Other inflammation of vagina and vulva	1	1	0
<u>N80-N98</u>	<u>Noninflammatory disorders of female genital tract</u>	<u>1</u>	<u>0</u>	<u>1</u>
N83	Noninflammatory disorders of ovary, fallopian tube, and broad ligament	1	0	1
<u>O00-O99</u>	<u>PREGNANCY, CHILDBIRTH AND THE PUERPERIUM</u>	<u>10</u>	<u>3</u>	<u>7</u>

Table 10B - Page 14
Deaths - Mississippi - 2007

INTERNATIONAL CLASSIFICATION NUMBER*	CAUSE OF DEATH*	TOTAL	WHITE	NON-WHITE
<u>O10-O92</u>	<u>Other direct obstetric deaths</u>	<u>7</u>	<u>2</u>	<u>5</u>
<u>O10-O16</u>	<u>Edema, proteinuria and hypertensive disorders in pregnancy, childbirth and the puerperium</u>	<u>1</u>	<u>1</u>	<u>0</u>
O16	Unspecified maternal hypertension	1	1	0
<u>O20-O29</u>	<u>Other maternal disorders predominantly related to pregnancy</u>	<u>2</u>	<u>0</u>	<u>2</u>
O26	Maternal care for other conditions predominantly related to pregnancy	2	0	2
<u>O30-O48</u>	<u>Maternal care related to fetus and amniotic cavity and possible delivery problems</u>	<u>1</u>	<u>0</u>	<u>1</u>
O36	Maternal care for other known or suspected fetal problems	1	0	1
<u>O60-O75</u>	<u>Complications of labor and delivery</u>	<u>1</u>	<u>0</u>	<u>1</u>
O75	Other complications of labor and delivery, not elsewhere classified	1	0	1
<u>O85-O92</u>	<u>Complications predominantly related to the puerperium</u>	<u>2</u>	<u>1</u>	<u>1</u>
O88	Obstetric embolism	2	1	1
<u>O95-O99</u>	<u>Other obstetric conditions, not elsewhere classified</u>	<u>3</u>	<u>1</u>	<u>2</u>
O96	Death from any obstetric cause occurring more than 42 days but less than 1 year after delivery	3	1	2
<u>P00-P96</u>	<u>CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD</u>	<u>209</u>	<u>67</u>	<u>142</u>
<u>P00-P04</u>	<u>Fetus and newborn affected by maternal factors and by complications of pregnancy, labor and delivery</u>	<u>16</u>	<u>5</u>	<u>11</u>
P00	Newborn affected by maternal conditions that may be unrelated to present pregnancy	3	1	2
P01	Newborn affected by maternal complications of pregnancy	7	2	5
P02	Newborn affected by complications of placenta, cord, and membranes	6	2	4
<u>P05-P08</u>	<u>Disorders related to length of gestation and fetal growth</u>	<u>85</u>	<u>22</u>	<u>63</u>
P05	Slow fetal growth and fetal malnutrition	2	0	2
P07	Disorders related to short gestation and low birthweight, not elsewhere classified	83	22	61
<u>P10-P15</u>	<u>Birth trauma</u>	<u>1</u>	<u>0</u>	<u>1</u>
P15	Other birth injuries	1	0	1
<u>P20-P29</u>	<u>Respiratory and cardiovascular disorders specific to the perinatal period</u>	<u>53</u>	<u>19</u>	<u>34</u>
P20	Intrauterine hypoxia	2	1	1
P21	Birth asphyxia	2	1	1
P22	Respiratory distress of newborn	13	5	8
P23	Congenital pneumonia	1	0	1
P25	Interstitial emphysema and related conditions originating in the perinatal period	2	2	0
P26	Pulmonary hemorrhage originating in the perinatal period	4	0	4
P27	Chronic respiratory disease originating in the perinatal period	3	1	2
P28	Other respiratory conditions originating in the perinatal period	7	1	6

Table 10B - Page 15
 Deaths - Mississippi - 2007

INTERNATIONAL CLASSIFICATION NUMBER*	CAUSE OF DEATH*	TOTAL	WHITE	NON-WHITE
P29	Cardiovascular disorders originating in the perinatal period	19	8	11
<u>P35-P39</u>	<u>Infections specific to the perinatal period</u>	<u>27</u>	<u>6</u>	<u>21</u>
P36	Bacterial sepsis of newborn	24	6	18
P37	Other congenital infectious and parasitic diseases	2	0	2
P39	Other infections specific to the perinatal period	1	0	1
<u>P50-P61</u>	<u>Hemorrhagic and hematological disorders of fetus and newborn</u>	<u>11</u>	<u>7</u>	<u>4</u>
P52	Intracranial nontraumatic hemorrhage of fetus and newborn	10	6	4
P54	Other neonatal hemorrhages	1	1	0
<u>P75-P78</u>	<u>Digestive system disorders of fetus and newborn</u>	<u>7</u>	<u>2</u>	<u>5</u>
P77	Necrotizing enterocolitis of newborn	7	2	5
<u>P80-P83</u>	<u>Conditions involving the integument and temperature regulation of fetus and newborn</u>	<u>2</u>	<u>2</u>	<u>0</u>
P83	Other conditions of integument specific to newborn	2	2	0
<u>P90-P96</u>	<u>Other disorders originating in the perinatal period</u>	<u>7</u>	<u>4</u>	<u>3</u>
P91	Other disturbances of cerebral status of newborn	3	3	0
P96	Other conditions originating in the perinatal period	4	1	3
<u>Q00-Q99</u>	<u>CONGENITAL MALFORMATIONS, DEFORMATIONS AND CHROMOSOMAL ABNORMALITIES</u>	<u>116</u>	<u>51</u>	<u>65</u>
<u>Q00-Q07</u>	<u>Congenital malformations of the nervous system</u>	<u>12</u>	<u>4</u>	<u>8</u>
Q00	Anencephaly and similar malformations	3	1	2
Q02	Microcephaly	1	1	0
Q03	Congenital hydrocephalus	4	1	3
Q04	Other congenital malformations of brain	2	0	2
Q05	Spina bifida	2	1	1
<u>Q20-Q28</u>	<u>Congenital malformations of the circulatory system</u>	<u>41</u>	<u>15</u>	<u>26</u>
Q20	Congenital malformations of cardiac chambers and connections	3	2	1
Q21	Congenital malformations of cardiac septa	4	2	2
Q22	Congenital malformations of pulmonary and tricuspid valves	1	1	0
Q23	Congenital malformations of aortic and mitral valves	6	1	5
Q24	Other congenital malformations of heart	21	8	13
Q25	Congenital malformations of great arteries	4	1	3
Q27	Other congenital malformations of peripheral vascular system	2	0	2
<u>Q30-Q34</u>	<u>Congenital malformations of the respiratory system</u>	<u>7</u>	<u>6</u>	<u>1</u>
Q33	Congenital malformations of lung	7	6	1
<u>Q38-Q45</u>	<u>Other congenital malformations of the digestive system</u>	<u>2</u>	<u>0</u>	<u>2</u>
Q43	Other congenital malformations of intestine	2	0	2
<u>Q60-Q64</u>	<u>Congenital malformations of the urinary system</u>	<u>11</u>	<u>5</u>	<u>6</u>
Q60	Renal agenesis and other reduction defects of kidney	7	3	4
Q61	Cystic kidney disease	4	2	2
<u>Q65-Q79</u>	<u>Congenital malformations and deformations of the musculoskeletal system</u>	<u>7</u>	<u>1</u>	<u>6</u>
Q73	Reduction defects of unspecified limb	1	0	1
Q76	Congenital malformations of spine and bony thorax	1	1	0
Q77	Osteochondrodysplasia with defects of growth of tubular bones and spine	1	0	1
Q79	Congenital malformations of musculoskeletal system, not elsewhere classified	4	0	4

Table 10B - Page 16
Deaths - Mississippi - 2007

INTERNATIONAL CLASSIFICATION NUMBER*	CAUSE OF DEATH*	TOTAL	WHITE	NON-WHITE
<u>Q80-Q89</u>	<u>Other congenital malformations</u>	<u>9</u>	<u>5</u>	<u>4</u>
Q81	Epidermolysis bullosa	1	0	1
Q85	Phakomatoses, not elsewhere classified	1	1	0
Q87	Other specified congenital malformation syndromes affecting multiple systems	3	2	1
Q89	Other congenital malformations, not elsewhere classified	4	2	2
<u>Q90-Q99</u>	<u>Chromosomal abnormalities, not elsewhere classified</u>	<u>27</u>	<u>15</u>	<u>12</u>
Q90	Down's syndrome	15	9	6
Q91	Edwards' syndrome and Patau's syndrome	10	5	5
Q93	Monosomies and deletions from the autosomes, not elsewhere classified	1	0	1
Q96	Turner's syndrome	1	1	0
<u>R00-R99</u>	<u>SYMPTOMS, SIGNS AND ABNORMAL CLINICAL AND LABORATORY FINDINGS NOT ELSEWHERE CLASSIFIED</u>	<u>497</u>	<u>341</u>	<u>156</u>
<u>R00-R09</u>	<u>Symptoms and signs involving the circulatory and respiratory systems</u>	<u>59</u>	<u>35</u>	<u>24</u>
R00	Abnormalities of heart beat	1	1	0
R02	Gangrene, not elsewhere classified	1	1	0
R04	Hemorrhage from respiratory passages	1	1	0
R06	Abnormalities of breathing	8	3	5
R09	Other symptoms and signs involving the circulatory and respiratory systems	48	29	19
<u>R10-R19</u>	<u>Symptoms and signs involving the digestive system and abdomen</u>	<u>2</u>	<u>2</u>	<u>0</u>
R13	Dysphagia	1	1	0
R19	Other symptoms and signs involving the digestive system and abdomen	1	1	0
<u>R25-R29</u>	<u>Symptoms and signs involving the nervous and musculoskeletal systems</u>	<u>1</u>	<u>1</u>	<u>0</u>
R29	Other symptoms and signs involving the nervous and musculoskeletal systems	1	1	0
<u>R30-R39</u>	<u>Symptoms and signs involving the urinary system</u>	<u>1</u>	<u>0</u>	<u>1</u>
R31	Unspecified hematuria	1	0	1
<u>R50-R69</u>	<u>General symptoms and signs</u>	<u>258</u>	<u>198</u>	<u>60</u>
R53	Malaise and fatigue	70	59	11
R54	Senility	18	15	3
R56	Convulsions, not elsewhere classified	23	12	11
R57	Shock, not elsewhere classified	8	7	1
R58	Hemorrhage, not elsewhere classified	7	3	4
R62	Lack of expected normal physiological development	104	81	23
R64	Cachexia	5	5	0
R68	Other general symptoms and signs	23	16	7
<u>R70-R79</u>	<u>Abnormal findings on examination of blood, without diagnosis</u>	<u>2</u>	<u>1</u>	<u>1</u>
R73	Elevated blood glucose level	1	1	0
R75	Laboratory evidence of human immunodeficiency virus [HIV]	1	0	1

Table 10B - Page 17
Deaths - Mississippi - 2007

INTERNATIONAL CLASSIFICATION NUMBER*	CAUSE OF DEATH*	TOTAL	WHITE	NON-WHITE
<u>R90-R94</u>	<u>Abnormal findings on diagnostic imaging and in function studies, without diagnosis</u>	<u>3</u>	<u>2</u>	<u>1</u>
R91	Abnormal findings on diagnostic imaging of lung	3	2	1
<u>R95-R99</u>	<u>Ill-defined and unknown causes of mortality</u>	<u>171</u>	<u>102</u>	<u>69</u>
R95	Sudden infant death syndrome	58	28	30
R99	Other ill-defined and unspecified causes of mortality	113	74	39
<u>V01-Y89</u>	<u>EXTERNAL CAUSES OF MORTALITY</u>	<u>2,536</u>	<u>1,710</u>	<u>826</u>
<u>V01-V09</u>	<u>Pedestrian injured in transport accident</u>	<u>76</u>	<u>43</u>	<u>33</u>
V03	Pedestrian injured in collision with car, pickup truck, or van	50	27	23
V04	Pedestrian injured in collision with heavy transport vehicle or bus	8	5	3
V05	Pedestrian injured in collision with railway train or railway vehicle	5	3	2
V06	Pedestrian injured in collision with other nonmotor vehicle	1	1	0
V09	Pedestrian injured in other and unspecified transport accidents	12	7	5
<u>V10-V19</u>	<u>Pedal cyclist injured in transport accident</u>	<u>11</u>	<u>5</u>	<u>6</u>
V13	Pedal cyclist injured in collision with car, pickup truck, or van	8	2	6
V19	Pedal cyclist injured in other and unspecified transport accidents	3	3	0
<u>V20-V29</u>	<u>Motorcycle rider injured in transport accident</u>	<u>57</u>	<u>43</u>	<u>14</u>
V22	Motorcycle rider injured in collision with two- or three-wheeled motor vehicle	1	1	0
V23	Motorcycle rider injured in collision with car, pickup truck, or van	30	21	9
V27	Motorcycle rider injured in collision with fixed or stationary object	9	6	3
V28	Motorcycle rider injured in noncollision transport accident	11	10	1
V29	Motorcycle rider injured in other and unspecified transport accidents	6	5	1
<u>V30-V39</u>	<u>Occupant of three-wheeled motor vehicle injured in transport accident</u>	<u>1</u>	<u>1</u>	<u>0</u>
V33	Occupant of three-wheeled motor vehicle injured in collision with car, pickup truck, or van	1	1	0
<u>V40-V49</u>	<u>Car occupant injured in transport accident</u>	<u>461</u>	<u>284</u>	<u>177</u>
V40	Car occupant injured in collision with pedestrian or animal	5	2	3
V43	Car occupant injured in collision with car, pickup truck, or van	147	98	49
V44	Car occupant injured in collision with heavy transport vehicle or bus	35	25	10
V47	Car occupant injured in collision with fixed or stationary object	138	77	61
V48	Car occupant injured in noncollision transport accident	126	77	49
V49	Car occupant injured in other and unspecified transport accidents	10	5	5

Table 10B - Page 18
Deaths - Mississippi - 2007

INTERNATIONAL CLASSIFICATION NUMBER*	CAUSE OF DEATH*	TOTAL	WHITE	NON-WHITE
<u>V50-V59</u>	<u>Occupant of pick-up truck or van injured in transport accident</u>	<u>171</u>	<u>137</u>	<u>34</u>
V53	Occupant of pickup truck or van injured in collision with car, pickup truck, or van	23	17	6
V54	Occupant of pickup truck or van injured in collision with heavy transport vehicle or bus	18	15	3
V55	Occupant of pickup truck or van injured in collision with railway train or railway vehicle	2	1	1
V57	Occupant of pickup truck or van injured in collision with fixed or stationary object	62	54	8
V58	Occupant of pickup truck or van injured in noncollision transport accident	63	47	16
V59	Occupant of pickup truck or van injured in other and unspecified transport accidents	3	3	0
<u>V60-V69</u>	<u>Occupant of heavy transport vehicle injured in transport accident</u>	<u>8</u>	<u>3</u>	<u>5</u>
V64	Occupant of heavy transport vehicle injured in collision with heavy transport vehicle or bus	2	0	2
V65	Occupant of heavy transport vehicle injured in collision with railway train or railway vehicle	1	0	1
V66	Occupant of heavy transport vehicle injured in collision with other nonmotor vehicle	1	1	0
V67	Occupant of heavy transport vehicle injured in collision with fixed or stationary object	1	0	1
V68	Occupant of heavy transport vehicle injured in noncollision transport accident	3	2	1
<u>V80-V89</u>	<u>Other land transport accidents</u>	<u>123</u>	<u>92</u>	<u>31</u>
V80	Animal-rider or occupant of animal-drawn vehicle injured in transport accident	4	4	0
V83	Occupant of special vehicle mainly used on industrial premises injured in transport accident	2	1	1
V84	Occupant of special vehicle mainly used in agriculture injured in transport accident	10	6	4
V86	Occupant of special all-terrain or other motor vehicle designed primarily for off-road use, injured in transport accident	20	15	5
V87	Traffic accident of specified type but victim's mode of transport unknown	11	9	2
V89	Motor- or nonmotor-vehicle accident, type of vehicle unspecified	76	57	19
<u>V90-V94</u>	<u>Water transport accidents</u>	<u>11</u>	<u>6</u>	<u>5</u>
V90	Accident to watercraft causing drowning and submersion	5	1	4
V91	Accident to watercraft causing other injury	4	4	0
V92	Water-transport-related drowning and submersion without accident to watercraft	2	1	1
<u>V95-V97</u>	<u>Air and space transport accidents</u>	<u>2</u>	<u>2</u>	<u>0</u>
V95	Accident to powered aircraft causing injury to occupant	2	2	0
<u>W00-W19</u>	<u>Falls</u>	<u>188</u>	<u>158</u>	<u>30</u>

Table 10B - Page 19
Deaths - Mississippi - 2007

INTERNATIONAL CLASSIFICATION NUMBER*	CAUSE OF DEATH*	TOTAL	WHITE	NON-WHITE
W01	Fall on same level from slipping, tripping, and stumbling	16	14	2
W05	Fall involving wheelchair	5	5	0
W06	Fall involving bed	11	5	6
W07	Fall involving chair	1	0	1
W10	Fall on and from stairs and steps	5	4	1
W11	Fall on and from ladder	3	3	0
W12	Fall on and from scaffolding	1	1	0
W13	Fall from, out of, or through building or structure	7	6	1
W14	Fall from tree	2	0	2
W17	Other fall from one level to another	8	7	1
W18	Other fall on same level	43	38	5
W19	Unspecified fall	86	75	11
<u>W20-W49</u>	<u>Exposure to inanimate mechanical forces</u>	<u>63</u>	<u>40</u>	<u>23</u>
W20	Struck by thrown, projected, or falling object	16	11	5
W22	Striking against or struck by other objects	2	2	0
W23	Caught, crushed, jammed, or pinched in or between objects	1	1	0
W24	Contact with lifting and transmission devices, not elsewhere classified	1	1	0
W28	Contact with powered lawn mower	1	1	0
W30	Contact with agricultural machinery	2	1	1
W31	Contact with other and unspecified machinery	8	4	4
W32	Handgun discharge	7	3	4
W33	Rifle, shotgun, and larger firearm discharge	6	5	1
W34	Discharge from other and unspecified firearms	15	9	6
W40	Explosion of other materials	3	1	2
W49	Exposure to other and unspecified inanimate mechanical forces	1	1	0
<u>W50-W64</u>	<u>Exposure to animate mechanical forces</u>	<u>4</u>	<u>4</u>	<u>0</u>
W55	Bitten or struck by other mammals	4	4	0
<u>W65-W74</u>	<u>Accidental drowning and submersion</u>	<u>44</u>	<u>26</u>	<u>18</u>
W65	Drowning and submersion while in bathtub	3	3	0
W67	Drowning and submersion while in swimming pool	5	3	2
W68	Drowning and submersion following fall into swimming pool	4	2	2
W69	Drowning and submersion while in natural water	18	11	7
W70	Drowning and submersion following fall into natural water	6	6	0
W73	Other specified drowning and submersion	1	0	1
W74	Unspecified drowning and submersion	7	1	6
<u>W75-W84</u>	<u>Other accidental threats to breathing</u>	<u>128</u>	<u>68</u>	<u>60</u>
W75	Accidental suffocation and strangulation in bed	40	10	30
W76	Other accidental hanging and strangulation	1	1	0
W78	Inhalation of gastric contents	15	9	6
W79	Inhalation and ingestion of food causing obstruction of respiratory tract	7	6	1
W80	Inhalation and ingestion of other objects causing obstruction of respiratory tract	62	42	20
W83	Other specified threats to breathing	1	0	1
W84	Unspecified threat to breathing	2	0	2
<u>W85-W99</u>	<u>Exposure to electric current, radiation and extreme ambient air temperature and pressure</u>	<u>7</u>	<u>6</u>	<u>1</u>

Table 10B - Page 20
Deaths - Mississippi - 2007

INTERNATIONAL CLASSIFICATION NUMBER*	CAUSE OF DEATH*	TOTAL	WHITE	NON-WHITE
W85	Exposure to electric transmission lines	1	1	0
W86	Exposure to other specified electric current	1	1	0
W87	Exposure to unspecified electric current	4	4	0
W92	Exposure to excessive heat of man-made origin	1	0	1
<u>X00-X09</u>	<u>Exposure to smoke, fire and flames</u>	<u>84</u>	<u>35</u>	<u>49</u>
X00	Exposure to uncontrolled fire in building or structure	72	30	42
X01	Exposure to uncontrolled fire, not in building or structure	5	2	3
X06	Exposure to ignition or melting of other clothing and apparel	3	1	2
X09	Exposure to unspecified smoke, fire, and flames	4	2	2
<u>X10-X19</u>	<u>Contact with heat and hot substances</u>	<u>1</u>	<u>1</u>	<u>0</u>
X15	Contact with hot household appliances	1	1	0
<u>X30-X39</u>	<u>Exposure to forces of nature</u>	<u>13</u>	<u>9</u>	<u>4</u>
X30	Exposure to excessive natural heat	7	4	3
X31	Exposure to excessive natural cold	5	4	1
X33	Victim of lightning	1	1	0
<u>X40-X49</u>	<u>Accidental poisoning by and exposure to noxious substances</u>	<u>275</u>	<u>247</u>	<u>28</u>
X40	Accidental poisoning by and exposure to nonopioid analgesics, antipyretics, and antirheumatics	4	4	0
X41	Accidental poisoning by and exposure to antiepileptic, sedative-hypnotic, antiparkinsonism, and psychotropic drugs, not elsewhere classified	8	8	0
X42	Accidental poisoning by and exposure to narcotics and psychodysleptics [hallucinogens], not elsewhere classified	69	61	8
X44	Accidental poisoning by and exposure to other and unspecified drugs, medicaments, and biological substances	168	154	14
X45	Accidental poisoning by and exposure to alcohol	17	13	4
X46	Accidental poisoning by and exposure to organic solvents and halogenated hydrocarbons and their vapors	1	1	0
X47	Accidental poisoning by and exposure to other gases and vapors	6	4	2
X49	Accidental poisoning by and exposure to other and unspecified chemicals and noxious substances	2	2	0
<u>X58-X59</u>	<u>Accidental exposure to other and unspecified factors</u>	<u>40</u>	<u>28</u>	<u>12</u>
X59	Exposure to unspecified factor	40	28	12
<u>X60-X84</u>	<u>Intentional self-harm</u>	<u>391</u>	<u>327</u>	<u>64</u>
X60	Intentional self-poisoning (suicide) by and exposure to nonopioid analgesics, antipyretics, and antirheumatics	1	1	0
X61	Intentional self-poisoning (suicide) by and exposure to antiepileptic, sedative-hypnotic, antiparkinsonism, and psychotropic drugs, not elsewhere classified	4	4	0
X62	Intentional self-poisoning (suicide) by and exposure to narcotics and psychodysleptics [hallucinogens], not elsewhere classified	3	3	0
X64	Intentional self-poisoning (suicide) by and exposure to other and unspecified drugs, medicaments, and biological substances	21	19	2

Table 10B - Page 21
Deaths - Mississippi - 2007

INTERNATIONAL CLASSIFICATION NUMBER*	CAUSE OF DEATH*	TOTAL	WHITE	NON-WHITE
X67	Intentional self-poisoning (suicide) by and exposure to other gases and vapors	2	2	0
X68	Intentional self-poisoning (suicide) by and exposure to pesticides	1	0	1
X70	Intentional self harm (suicide) by hanging, strangulation, and suffocation	60	46	14
X71	Intentional self harm (suicide) by drowning and submersion	2	1	1
X72	Intentional self harm (suicide) by handgun discharge	80	66	14
X73	Intentional self harm (suicide) by rifle, shotgun, and larger firearm discharge	56	49	7
X74	Intentional self harm (suicide) by other and unspecified firearm discharge	143	120	23
X76	Intentional self harm (suicide) by smoke, fire, and flames	1	1	0
X78	Intentional self harm (suicide) by sharp object	11	9	2
X80	Intentional self harm (suicide) by jumping from a high place	2	2	0
X81	Intentional self harm (suicide) by jumping or lying before moving object	2	2	0
X82	Intentional self harm (suicide) by crashing of motor vehicle	1	1	0
X84	Intentional self harm (suicide) by unspecified means	1	1	0
<u>X85-Y09</u>	<u>Assault</u>	<u>274</u>	<u>69</u>	<u>205</u>
X91	Assault (homicide) by hanging, strangulation, and suffocation	4	3	1
X93	Assault (homicide) by handgun discharge	67	8	59
X94	Assault (homicide) by rifle, shotgun, and larger firearm discharge	20	8	12
X95	Assault (homicide) by other and unspecified firearm discharge	125	30	95
X99	Assault (homicide) by sharp object	30	7	23
Y00	Assault (homicide) by blunt object	8	4	4
Y03	Assault (homicide) by crashing of motor vehicle	2	0	2
Y04	Assault (homicide) by bodily force	2	2	0
Y06	Neglect and abandonment	1	0	1
Y07	Other maltreatment syndromes	3	1	2
Y08	Assault (homicide) by other specified means	2	0	2
Y09	Assault (homicide) by unspecified means	10	6	4
<u>Y10-Y34</u>	<u>Event of undetermined intent</u>	<u>44</u>	<u>39</u>	<u>5</u>
Y11	Poisoning by and exposure to antiepileptic, sedative-hypnotic, antiparkinsonism, and psychotropic drugs, not elsewhere classified, undetermined intent	2	2	0
Y12	Poisoning by and exposure to narcotics and psychodysleptics [hallucinogens], not elsewhere classified, undetermined intent	14	14	0
Y14	Poisoning by and exposure to other and unspecified drugs, medicaments, and biological substances, undetermined intent	13	11	2
Y19	Poisoning by and exposure to other and unspecified chemicals and noxious substances, undetermined intent	1	0	1
Y20	Hanging, strangulation, and suffocation, undetermined intent	2	2	0

Table 10B - Page 22
 Deaths - Mississippi - 2007

INTERNATIONAL CLASSIFICATION NUMBER*	CAUSE OF DEATH*	TOTAL	WHITE	NON-WHITE
Y22	Handgun discharge, undetermined intent	3	2	1
Y24	Other and unspecified firearm discharge, undetermined intent	5	5	0
Y29	Contact with blunt object, undetermined intent	1	1	0
Y34	Unspecified event, undetermined intent	3	2	1
<u>Y40-Y59</u>	<u>Drugs, medicaments and biological substances causing adverse effects in therapeutic use</u>	<u>7</u>	<u>4</u>	<u>3</u>
Y43	Primarily systemic agents	1	1	0
Y44	Agents primarily affecting blood constituents	1	1	0
Y45	Analgesics, antipyretics, and anti-inflammatory drugs	2	2	0
Y57	Other and unspecified drugs and medicaments	3	0	3
<u>Y60-Y69</u>	<u>Misadventures to patients during surgical and medical care</u>	<u>3</u>	<u>2</u>	<u>1</u>
Y60	Unintentional cut, puncture, perforation, or hemorrhage during surgical and medical care	2	2	0
Y65	Other misadventures during surgical and medical care	1	0	1
<u>Y83-Y84</u>	<u>Surgical and other medical procedures as the cause of abnormal reaction of the patient, or of later complication, without mention of misadventure at the time of the procedure</u>	<u>31</u>	<u>18</u>	<u>13</u>
Y83	Surgical operation and other surgical procedures as the cause of abnormal reaction of the patient, or of later complication, without mention of misadventure at the time of the procedure	23	14	9
Y84	Other medical procedures as the cause of abnormal reaction of the patient, or of later complication, without mention of misadventure at the time of the procedure	8	4	4
<u>Y85-Y89</u>	<u>Sequelae of external causes of mortality</u>	<u>18</u>	<u>13</u>	<u>5</u>
Y85	Sequelae of transport accidents	8	7	1
Y86	Sequelae of other accidents	5	3	2
Y87	Sequelae of intentional self harm, assault, and events of undetermined intent	4	3	1
Y88	Sequelae with surgical and medical care as external cause	1	0	1
Y88	Sequelae with surgical and medical care as external cause	1	0	1

* NUMBERS AND CAUSES ARE FROM THE TENTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES AND RELATED HEALTH PROBLEMS.

**TABLE 11
DEATHS FROM MAJOR CAUSE GROUPS AND CERTAIN SELECTED CAUSES, BY RACE, SEX, AND AGE,
ALSO RATES FOR MAJOR CAUSE GROUPS AND CERTAIN SELECTED CAUSES,
MISSISSIPPI RESIDENTS, 2007**

GROUP NUMBER*	CAUSE OF DEATH	TOTAL		RACE	TOTAL BY RACE	SEX	TOTAL BY RACE AND SEX	AGE											65 AND OVER	UNKNOWN
		NO.	RATE#					UNDER 1	1-4	5-9	10-14	15-24	25-34	35-44	45-54	55-64				
001-358	ALL CAUSES	27,994	9.6	W	18,705	M	9,451	95	21	16	23	208	243	402	883	1,480	6,076	4		
						F	9,254	69	21	7	11	79	85	226	508	856	7,392	0		
				NW	9,289	M	4,900	157	27	14	19	179	211	348	736	908	2,296	5		
						F	4,389	148	22	11	10	65	87	197	439	605	2,805	0		
001-055	INFECTIOUS AND PARASITIC DISEASES	841	28.8	W	452	M	209	1	1	0	1	0	5	13	30	34	124	0		
						F	243	0	2	1	1	0	0	9	22	38	170	0		
				NW	389	M	214	1	3	0	1	3	15	36	59	27	69	0		
						F	175	4	0	2	0	2	12	18	25	25	87	0		
009,010	TUBERCULOSIS	6	0.2	W	4	M	3	0	0	0	0	0	0	0	0	3	0	0		
						F	1	0	0	0	0	0	0	0	0	0	1	0		
				NW	2	M	1	0	0	0	0	0	0	0	0	0	0	1	0	
						F	1	0	0	0	0	0	0	0	0	0	1	0	0	
039-043	HUMAN IMMUNODEFICIENCY VIRUS (HIV) DISEASE	161	5.5	W	24	M	21	0	0	0	0	0	2	7	8	3	1	0		
						F	3	0	0	0	0	0	1	1	1	0	0			
				NW	137	M	96	0	0	0	0	2	14	29	34	10	7	0		
						F	41	0	0	0	0	2	11	12	12	3	1	0		
056-108	MALIGNANT NEOPLASMS	5,930	203.2	W	4,004	M	2,282	0	0	2	2	5	11	60	195	460	1,547	0		
						F	1,722	0	1	2	0	1	7	30	152	304	1,225	0		
				NW	1,926	M	1,081	1	0	5	1	1	18	36	157	255	606	1		
						F	845	0	0	0	2	3	9	50	135	198	448	0		
109-115	IN SITU NEOPLASMS, BENIGN NEOPLASMS, AND NEOPLASMS OF UNDETERMINED NATURE	105	3.6	W	81	M	41	0	0	0	0	0	1	2	4	5	29	0		
						F	40	0	0	0	0	0	1	0	3	1	35	0		
				NW	24	M	8	0	0	0	2	0	0	0	1	1	4	0		
						F	16	0	0	0	0	0	0	1	3	3	9	0		

TABLE 11 - PAGE 2
DEATHS - MISSISSIPPI - 2007

GROUP NUMBER*	CAUSE OF DEATH	TOTAL		RACE	TOTAL BY RACE	SEX	TOTAL BY RACE AND SEX	AGE										65 AND OVER	UNKNOWN
								NO.	RATE#	UNDER 1	1-4	5-9	10-14	15-24	25-34	35-44	45-54		
116-122	DISEASES OF BLOOD AND BLOOD-FORMING ORGANS	107	3.7	W	55	M	23	0	0	0	0	0	0	0	4	3	16	0	
						F	32	0	1	0	0	0	1	1	8	21	0		
					NW	M	52	22	0	0	0	1	0	4	4	3	10	0	
						F	30	1	1	0	1	3	1	1	8	4	10	0	
116-119	ANEMIAS	57	2.0	W	29	M	13	0	0	0	0	0	0	0	1	1	11	0	
						F	16	0	0	0	0	0	0	0	0	0	16	0	
					NW	M	28	11	0	0	0	0	1	0	1	2	1	6	0
						F	17	1	0	0	1	3	1	1	1	1	1	8	0
123-135	ENDOCRINE, NUTRITIONAL AND METABOLIC DISEASES	895	30.7	W	474	M	246	3	0	1	0	3	7	10	36	41	145	0	
						F	228	1	0	0	0	2	2	4	14	34	171	0	
					NW	M	421	183	2	1	1	0	2	3	15	24	42	93	0
						F	238	2	1	0	0	2	4	14	19	44	152	0	
124	DIABETES MELLITUS	639	21.9	W	325	M	166	0	0	0	0	3	7	21	29	106	0		
						F	159	0	0	0	0	2	1	11	22	123	0		
					NW	M	314	131	0	0	0	0	1	2	10	16	34	68	0
						F	183	0	0	0	0	1	3	9	16	38	116	0	
129-131	MALNUTRITION AND OTHER NUTRITIONAL DEFICIENCIES	33	1.1	W	20	M	8	0	0	0	0	1	0	0	0	7	0		
						F	12	0	0	0	0	0	0	2	2	8	0		
					NW	M	13	8	1	1	0	0	0	0	0	0	1	5	0
						F	5	0	0	0	0	0	0	0	0	0	0	5	0
136-144	MENTAL AND BEHAVIORAL DISORDERS	715	24.5	W	539	M	192	0	0	0	0	1	2	1	8	14	166	0	
						F	347	0	0	0	0	0	0	2	2	5	338	0	
					NW	M	176	84	0	0	0	0	2	0	6	15	10	51	0
						F	92	0	0	0	0	0	1	5	1	1	1	84	0
138	MENTAL AND BEHAVIORAL DISORDERS DUE TO USE OF ALCOHOL	35	1.2	W	15	M	14	0	0	0	0	0	1	1	3	4	5	0	
						F	1	0	0	0	0	0	0	0	0	0	1	0	
					NW	M	20	17	0	0	0	0	0	0	3	7	5	2	0
						F	3	0	0	0	0	0	0	1	1	0	1	0	

TABLE 11 - PAGE 3
DEATHS - MISSISSIPPI - 2007

GROUP NUMBER*	CAUSE OF DEATH	TOTAL		RACE	TOTAL BY RACE	SEX	TOTAL BY RACE AND SEX	AGE										
								UNDER 1	1-4	5-9	10-14	15-24	25-34	35-44	45-54	55-64	65 AND OVER	UNKNOWN
		NO.	RATE#															
145-153	<u>DISEASES OF THE NERVOUS SYSTEM</u>	<u>1,258</u>	<u>43.1</u>	W	968	M	386	0	3	1	0	3	4	9	13	30	323	0
						F	582	2	1	0	4	1	8	11	24	531	0	
				NW	290	M	116	0	3	1	1	2	5	7	15	12	70	0
						F	174	3	2	4	0	0	3	2	6	18	136	0
145	MENINGITIS	7	0.2	W	5	M	2	0	0	0	0	0	0	0	1	0	1	0
						F	3	0	0	0	0	1	0	0	0	0	2	0
				NW	2	M	2	0	0	0	0	0	0	0	1	1	0	0
						F	0	0	0	0	0	0	0	0	0	0	0	0
147	PARKINSONS DISEASE	141	4.8	W	128	M	71	0	0	0	0	0	0	0	0	2	69	0
						F	57	0	0	0	0	0	0	0	0	0	57	0
				NW	13	M	8	0	0	0	0	0	1	0	0	1	6	0
						F	5	0	0	0	0	0	0	0	0	0	0	5
148	ALZHEIMERS DISEASE	792	27.1	W	639	M	215	0	0	0	0	0	0	0	0	8	207	0
						F	424	0	0	0	0	0	0	0	1	4	419	0
				NW	153	M	45	0	0	0	0	0	0	0	1	1	43	0
						F	108	1	0	0	0	0	0	0	0	1	106	0
150	EPILEPSY	12	0.4	W	5	M	2	0	0	0	0	1	0	0	1	0	0	0
						F	3	0	0	0	0	0	0	1	0	0	2	0
				NW	7	M	5	0	0	0	0	0	0	0	1	1	3	0
						F	2	0	0	0	0	0	0	0	1	1	0	0
154	<u>DISEASES OF THE EYE AND ADNEXA</u>	0	0.0	W	0	M	0	0	0	0	0	0	0	0	0	0	0	0
						F	0	0	0	0	0	0	0	0	0	0	0	0
				NW	0	M	0	0	0	0	0	0	0	0	0	0	0	0
						F	0	0	0	0	0	0	0	0	0	0	0	0
155	<u>DISEASES OF THE EAR AND MASTOID PROCESS</u>	2	0.1	W	1	M	0	0	0	0	0	0	0	0	0	0	0	0
						F	1	0	0	0	0	0	0	0	0	0	0	
				NW	1	M	1	0	1	0	0	0	0	0	0	0	0	
						F	0	0	0	0	0	0	0	0	0	0	0	

TABLE 11 - PAGE 4
DEATHS - MISSISSIPPI - 2007

GROUP NUMBER*	CAUSE OF DEATH	TOTAL		RACE	TOTAL BY RACE	SEX	TOTAL BY RACE AND SEX	AGE											
								NO.	RATE#	UNDER	1	1-	5-	10-	15-	25-	35-	45-	55-
		1	4							9	14	24	34	44	54	64	AND OVER		
156-191	DISEASES OF THE CIRCULATORY SYSTEM	10,234	350.6	W	M	3,135	3	0	2	1	5	16	80	265	515	2,246	2		
					F	3,597	2	0	1	1	5	6	50	131	216	3,185	0		
				NW	M	1,702	3	1	0	1	12	25	104	279	387	888	2		
					F	1,800	4	1	0	2	10	19	57	154	213	1,340	0		
156-189	MAJOR CARDIO-VASCULAR DISEASES	10,195	349.3	W	M	3,123	3	0	2	1	5	15	80	261	513	2,241	2		
					F	3,583	2	0	1	1	5	6	48	131	216	3,173	0		
				NW	M	1,696	3	1	0	1	12	25	104	277	386	885	2		
					F	1,793	4	1	0	2	9	19	57	154	212	1,335	0		
156-160, 162, 164-181	HEART DISEASES	8,022	274.8	W	M	2,625	2	0	1	1	5	10	73	228	451	1,853	1		
					F	2,753	1	0	0	0	4	5	36	104	174	2,429	0		
				NW	M	1,282	3	1	0	1	10	18	84	223	279	662	1		
					F	1,362	3	0	0	1	8	16	44	114	166	1,010	0		
161,163	HYPERTENSION	436	14.9	W	M	72	0	0	0	0	0	0	1	8	10	53	0		
					F	147	0	0	0	0	0	1	2	5	7	132	0		
				NW	M	97	0	0	0	0	0	4	6	12	28	47	0		
					F	120	0	0	0	0	0	0	5	11	14	90	0		
182-186	CEREBROVASCULAR DISEASES	1,531	52.4	W	M	348	1	0	1	0	4	4	20	39	279	0			
					F	609	1	0	1	1	0	9	19	30	547	0			
				NW	M	286	0	0	0	1	3	12	38	72	160	0			
					F	288	1	1	0	1	3	8	27	26	220	0			
187	ATHEROSCLEROSIS	25	0.8	W	M	10	0	0	0	0	0	0	0	2	8	0			
					F	12	0	0	0	0	0	0	0	0	12	0			
				NW	M	3	1	0	0	0	0	0	0	0	0	1	0		
					F	2	0	0	0	0	0	0	0	0	0	2	0		
192-214	DISEASES OF THE RESPIRATORY SYSTEM	2,514	86.1	W	M	964	3	1	0	0	2	7	8	34	103	806	0		
					F	998	2	1	0	0	2	1	11	34	83	864	0		
				NW	M	324	7	1	1	0	3	6	11	26	41	228	0		
					F	228	0	1	0	0	1	2	3	19	25	177	0		

TABLE 11 - PAGE 5
DEATHS - MISSISSIPPI - 2007

GROUP NUMBER*	CAUSE OF DEATH	TOTAL		RACE	TOTAL BY RACE	SEX	TOTAL BY RACE AND SEX	AGE														
								UNDER 1	1-4	5-9	10-14	15-24	25-34	35-44	45-54	55-64	65 AND OVER	UNKNOWN				
		NO.	RATE#																			
195	INFLUENZA	4	0.1	W	3	M	1	0	0	0	0	0	0	0	0	0	0	1	0			
						F	2	1	0	0	0	0	0	0	0	0	0	0	1	0		
					NW	1	M	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
							F	1	0	0	0	0	0	0	0	0	0	0	0	0	1	0
196-198	PNEUMONIA	543	18.6	W	385	M	159	3	1	0	0	1	2	0	10	11	131	0				
						F	226	0	0	0	0	1	3	8	7	207	0					
					NW	158	M	86	2	0	0	0	0	1	3	12	10	58	0			
							F	72	0	0	0	0	0	2	7	7	56	0				
204	EMPHYSEMA	100	3.4	W	87	M	50	0	0	0	0	0	0	2	8	40	0					
						F	37	0	0	0	0	0	3	6	28	0						
					NW	13	M	11	0	0	0	0	0	1	0	1	9	0				
							F	2	0	0	0	0	0	0	0	0	2	0				
<u>215-237</u>	<u>DISEASES OF THE DIGESTIVE SYSTEM</u>	<u>907</u>	<u>31.1</u>	<u>W</u>	<u>633</u>	<u>M</u>	<u>326</u>	<u>0</u>	<u>0</u>	<u>1</u>	<u>0</u>	<u>5</u>	<u>19</u>	<u>61</u>	<u>87</u>	<u>151</u>	<u>2</u>					
						<u>F</u>	<u>307</u>	<u>3</u>	<u>2</u>	<u>0</u>	<u>1</u>	<u>2</u>	<u>12</u>	<u>32</u>	<u>35</u>	<u>220</u>	<u>0</u>					
					<u>NW</u>	<u>274</u>	<u>M</u>	<u>159</u>	<u>8</u>	<u>1</u>	<u>0</u>	<u>1</u>	<u>3</u>	<u>3</u>	<u>14</u>	<u>36</u>	<u>39</u>	<u>54</u>	<u>0</u>			
							<u>F</u>	<u>115</u>	<u>3</u>	<u>1</u>	<u>0</u>	<u>1</u>	<u>1</u>	<u>2</u>	<u>7</u>	<u>17</u>	<u>17</u>	<u>66</u>	<u>0</u>			
217-220	PEPTIC ULCER	28	1.0	W	19	M	6	0	0	0	0	0	1	1	0	4	0					
						F	13	0	0	0	0	0	0	0	1	12	0					
					NW	9	M	5	0	0	0	0	0	0	1	1	3	0				
							F	4	0	0	0	0	0	0	0	0	4	0				
230-232	CHRONIC LIVER DISEASE AND CIRRHOSIS	259	8.9	W	195	M	135	0	0	0	0	2	11	43	39	39	1					
						F	60	0	0	0	0	1	7	16	10	26	0					
					NW	64	M	43	0	0	0	0	1	9	14	8	11	0				
							F	21	0	0	0	0	0	3	10	3	5	0				
<u>238-239</u>	<u>DISEASES OF THE SKIN AND SUBCUTANEOUS TISSUE</u>	<u>66</u>	<u>2.3</u>	<u>W</u>	<u>31</u>	<u>M</u>	<u>13</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>1</u>	<u>12</u>	<u>0</u>					
						<u>F</u>	<u>18</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>1</u>	<u>1</u>	<u>4</u>	<u>12</u>	<u>0</u>					
					<u>NW</u>	<u>35</u>	<u>M</u>	<u>17</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>2</u>	<u>3</u>	<u>2</u>	<u>10</u>	<u>0</u>				
							<u>F</u>	<u>18</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>2</u>	<u>16</u>	<u>0</u>				

TABLE 11 - PAGE 6
DEATHS - MISSISSIPPI - 2007

GROUP NUMBER*	CAUSE OF DEATH	TOTAL		RACE	TOTAL BY RACE	SEX	TOTAL BY RACE AND SEX	AGE										
								UNDER 1	1-4	5-9	10-14	15-24	25-34	35-44	45-54	55-64	65 AND OVER	UNKNOWN
		NO.	RATE#															
<u>240-246</u>	<u>DISEASES OF THE MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE</u>	<u>111</u>	<u>3.8</u>	W	M	<u>25</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>1</u>	<u>0</u>	<u>0</u>	<u>3</u>	<u>2</u>	<u>7</u>	<u>12</u>	<u>0</u>	
					F	<u>49</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>1</u>	<u>1</u>	<u>4</u>	<u>9</u>	<u>34</u>	<u>0</u>		
				NW	M	<u>37</u>	<u>9</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>1</u>	<u>2</u>	<u>2</u>	<u>4</u>	<u>0</u>
					F	<u>28</u>	<u>1</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>1</u>	<u>5</u>	<u>3</u>	<u>3</u>	<u>4</u>	<u>11</u>	<u>0</u>	
<u>247-260</u>	<u>DISEASES OF THE GENITOURINARY SYSTEM</u>	<u>941</u>	<u>32.2</u>	W	M	<u>252</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>1</u>	<u>0</u>	<u>2</u>	<u>6</u>	<u>15</u>	<u>18</u>	<u>210</u>	<u>0</u>	
					F	<u>275</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>1</u>	<u>0</u>	<u>1</u>	<u>8</u>	<u>23</u>	<u>242</u>	<u>0</u>		
				NW	M	<u>414</u>	<u>181</u>	<u>1</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>7</u>	<u>8</u>	<u>21</u>	<u>28</u>	<u>116</u>	<u>0</u>
					F	<u>233</u>	<u>1</u>	<u>0</u>	<u>1</u>	<u>0</u>	<u>1</u>	<u>2</u>	<u>3</u>	<u>13</u>	<u>28</u>	<u>184</u>	<u>0</u>	
<u>247-249</u>	<u>NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS</u>	<u>692</u>	<u>23.7</u>	W	M	<u>189</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>1</u>	<u>0</u>	<u>2</u>	<u>6</u>	<u>9</u>	<u>13</u>	<u>158</u>	<u>0</u>	
					F	<u>189</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>1</u>	<u>0</u>	<u>1</u>	<u>6</u>	<u>14</u>	<u>167</u>	<u>0</u>		
				NW	M	<u>314</u>	<u>144</u>	<u>1</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>6</u>	<u>7</u>	<u>18</u>	<u>23</u>	<u>89</u>	<u>0</u>
					F	<u>170</u>	<u>1</u>	<u>0</u>	<u>1</u>	<u>0</u>	<u>1</u>	<u>0</u>	<u>2</u>	<u>12</u>	<u>23</u>	<u>130</u>	<u>0</u>	
<u>261-273</u>	<u>PREGNANCY, CHILDBIRTH AND THE PUERPERIUM</u>	<u>10</u>	<u>21.5</u>	W	M	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	
					F	<u>3</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>1</u>	<u>2</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	
				NW	M	<u>7</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>
					F	<u>7</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>6</u>	<u>1</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>
<u>274-281</u>	<u>CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD</u>	<u>209</u>	<u>4.5</u>	W	M	<u>38</u>	<u>38</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	
					F	<u>29</u>	<u>29</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	
				NW	M	<u>142</u>	<u>77</u>	<u>76</u>	<u>1</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>
					F	<u>65</u>	<u>65</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>
<u>282-290</u>	<u>CONGENITAL MALFORMATIONS, DEFORMATIONS, AND CHROMOSOMAL ABNORMALITIES</u>	<u>116</u>	<u>4.0</u>	W	M	<u>28</u>	<u>15</u>	<u>2</u>	<u>1</u>	<u>0</u>	<u>2</u>	<u>0</u>	<u>0</u>	<u>6</u>	<u>2</u>	<u>0</u>		
					F	<u>23</u>	<u>12</u>	<u>2</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>2</u>	<u>3</u>	<u>2</u>	<u>2</u>	<u>0</u>		
				NW	M	<u>65</u>	<u>28</u>	<u>18</u>	<u>3</u>	<u>1</u>	<u>0</u>	<u>1</u>	<u>0</u>	<u>2</u>	<u>2</u>	<u>0</u>	<u>1</u>	
					F	<u>37</u>	<u>25</u>	<u>6</u>	<u>1</u>	<u>1</u>	<u>0</u>	<u>0</u>	<u>1</u>	<u>3</u>	<u>0</u>	<u>0</u>		
<u>291-294</u>	<u>SYMPTOMS, SIGNS AND ABNORMAL CLINICAL AND LABORATORY FINDINGS, NEC</u>	<u>497</u>	<u>17.0</u>	W	M	<u>133</u>	<u>20</u>	<u>1</u>	<u>1</u>	<u>2</u>	<u>4</u>	<u>7</u>	<u>7</u>	<u>12</u>	<u>16</u>	<u>63</u>		
					F	<u>208</u>	<u>14</u>	<u>2</u>	<u>0</u>	<u>2</u>	<u>1</u>	<u>3</u>	<u>7</u>	<u>14</u>	<u>6</u>	<u>159</u>		
				NW	M	<u>156</u>	<u>75</u>	<u>21</u>	<u>0</u>	<u>1</u>	<u>0</u>	<u>1</u>	<u>3</u>	<u>8</u>	<u>4</u>	<u>5</u>	<u>31</u>	
					F	<u>81</u>	<u>20</u>	<u>1</u>	<u>0</u>	<u>0</u>	<u>1</u>	<u>2</u>	<u>7</u>	<u>7</u>	<u>5</u>	<u>38</u>		

TABLE 11 - PAGE 7
DEATHS - MISSISSIPPI - 2007

GROUP NUMBER*	CAUSE OF DEATH	TOTAL		RACE	TOTAL BY RACE	SEX	TOTAL BY RACE AND SEX	AGE											
								UNDER 1	1-4	5-9	10-14	15-24	25-34	35-44	45-54	55-64	65 AND OVER	UNKNOWN	
		NO.	RATE#																
295-358	ALL EXTERNAL CAUSES	2,536	86.9	W	1,710	M	1,158	12	13	7	15	183	176	184	204	140	224	0	
						F	552	4	9	3	6	61	57	86	77	64	185	0	
					NW	826	M	619	19	12	4	12	148	126	94	88	54	61	1
							F	207	19	8	3	3	34	24	25	26	18	47	0
296-306	MOTOR VEHICLE ACCIDENTS	894	30.6	W	597	M	411	1	3	7	10	104	60	73	61	39	53	0	
						F	186	0	3	1	5	51	20	26	22	19	39	0	
					NW	297	M	228	0	3	2	6	51	46	44	36	19	21	0
							F	69	1	2	3	1	16	13	11	11	6	5	0
295, 307-330	ALL OTHER ACCIDENTS	887	30.4	W	651	M	393	9	9	0	4	35	58	54	72	49	103	0	
						F	258	4	6	2	1	6	18	30	38	26	127	0	
					NW	236	M	148	16	7	2	4	15	12	14	28	21	28	1
							F	88	17	5	0	2	5	4	3	12	9	31	0
331-337	SUICIDE	392	13.4	W	328	M	265	0	0	0	1	34	44	41	54	38	53	0	
						F	63	0	0	0	0	2	12	21	12	11	5	0	
					NW	64	M	57	0	0	0	0	12	16	10	9	6	4	0
							F	7	0	0	0	0	2	0	2	1	1	1	0
338-346	HOMICIDE	277	9.5	W	71	M	52	1	1	0	0	6	9	11	11	8	5	0	
						F	19	0	0	0	0	2	5	5	0	3	4	0	
					NW	206	M	176	2	2	0	2	69	50	26	14	7	4	0
							F	30	1	1	0	0	10	5	8	1	1	3	0
353,354	LEGAL INTERVENTION	0	0.0	W	0	M	0	0	0	0	0	0	0	0	0	0	0	0	
						F	0	0	0	0	0	0	0	0	0	0	0	0	
					NW	0	M	0	0	0	0	0	0	0	0	0	0	0	0
							F	0	0	0	0	0	0	0	0	0	0	0	0

* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

** LESS THAN 0.06.

TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES PER 100,000 POPULATION, EXCEPT DEATHS FROM PREGNANCY, CHILDBIRTH AND THE PUERPERIUM (GROUP NUMBERS 261-273) ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (GROUP NUMBERS 274-281) ARE PER 1,000 LIVE BIRTHS.

TABLE 12A
INFANT, NEONATAL, AND POSTNEONATAL DEATHS*,
BY COUNTY OF RESIDENCE AND RACE,
MISSISSIPPI, 2007

COUNTY	INFANT DEATHS			NEONATAL DEATHS			POSTNEONATAL DEATHS		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>STATE</u>	<u>469</u>	<u>164</u>	<u>305</u>	<u>272</u>	<u>94</u>	<u>178</u>	<u>197</u>	<u>70</u>	<u>127</u>
ADAMS	5	1	4	3	0	3	2	1	1
ALCORN	1	1	0	0	0	0	1	1	0
AMITE	3	0	3	2	0	2	1	0	1
ATTALA	1	0	1	1	0	1	0	0	0
BENTON	0	0	0	0	0	0	0	0	0
BOLIVAR	9	0	9	7	0	7	2	0	2
CALHOUN	2	0	2	2	0	2	0	0	0
CARROLL	3	2	1	2	1	1	1	1	0
CHICKASAW	1	0	1	1	0	1	0	0	0
CHOCTAW	3	0	3	1	0	1	2	0	2
CLAIBORNE	0	0	0	0	0	0	0	0	0
CLARKE	4	2	2	2	0	2	2	2	0
CLAY	2	0	2	1	0	1	1	0	1
COAHOMA	8	0	8	7	0	7	1	0	1
COPIAH	5	2	3	1	1	0	4	1	3
COVINGTON	1	1	0	1	1	0	0	0	0
DESOTO	19	13	6	10	6	4	9	7	2
FORREST	20	4	16	15	3	12	5	1	4
FRANKLIN	1	0	1	0	0	0	1	0	1
GEORGE	3	3	0	2	2	0	1	1	0
GREENE	0	0	0	0	0	0	0	0	0
GRENADA	4	0	4	3	0	3	1	0	1
HANCOCK	2	1	1	2	1	1	0	0	0
HARRISON	22	17	5	8	6	2	14	11	3
HINDS	60	7	53	35	2	33	25	5	20
HOLMES	6	0	6	3	0	3	3	0	3
HUMPHREYS	4	1	3	3	1	2	1	0	1
ISSAQUENA	0	0	0	0	0	0	0	0	0
ITAWAMBA	2	1	1	1	0	1	1	1	0
JACKSON	17	13	4	8	7	1	9	6	3
JASPER	4	2	2	4	2	2	0	0	0
JEFFERSON	2	0	2	1	0	1	1	0	1
JEFF DAVIS	1	0	1	1	0	1	0	0	0
JONES	11	5	6	8	4	4	3	1	2
KEMPER	2	0	2	2	0	2	0	0	0
LAFAYETTE	4	0	4	1	0	1	3	0	3
LAMAR	4	1	3	3	1	2	1	0	1
LAUDERDALE	15	7	8	7	4	3	8	3	5
LAWRENCE	2	0	2	1	0	1	1	0	1
LEAKE	3	1	2	0	0	0	3	1	2
LEE	21	7	14	11	5	6	10	2	8
LEFLORE	4	1	3	1	1	0	3	0	3

TABLE 12A - PAGE 2
 INFANT, NEONATAL, AND POSTNEONATAL DEATHS - MISSISSIPPI - 2007

COUNTY	INFANT DEATHS			NEONATAL DEATHS			POSTNEONATAL DEATHS		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
LINCOLN	5	2	3	4	1	3	1	1	0
LOWNDES	9	2	7	4	2	2	5	0	5
MADISON	8	2	6	5	2	3	3	0	3
MARION	4	1	3	3	0	3	1	1	0
MARSHALL	8	1	7	5	1	4	3	0	3
MONROE	6	1	5	6	1	5	0	0	0
MONTGOMERY	3	1	2	1	1	0	2	0	2
NESHOBA	6	1	5	4	1	3	2	0	2
NEWTON	5	0	5	3	0	3	2	0	2
NOXUBEE	2	0	2	1	0	1	1	0	1
OKTIBBEHA	5	2	3	2	0	2	3	2	1
PANOLA	5	2	3	4	1	3	1	1	0
PEARL RIVER	8	7	1	2	2	0	6	5	1
PERRY	1	1	0	0	0	0	1	1	0
PIKE	10	1	9	6	1	5	4	0	4
PONTOTOC	5	4	1	4	3	1	1	1	0
PRENTISS	2	2	0	2	2	0	0	0	0
QUITMAN	2	0	2	2	0	2	0	0	0
RANKIN	15	12	3	8	6	2	7	6	1
SCOTT	2	2	0	2	2	0	0	0	0
SHARKEY	2	0	2	0	0	0	2	0	2
SIMPSON	6	3	3	6	3	3	0	0	0
SMITH	3	2	1	1	1	0	2	1	1
STONE	3	2	1	1	1	0	2	1	1
SUNFLOWER	8	1	7	7	1	6	1	0	1
TALLAHATCHIE	3	1	2	2	1	1	1	0	1
TATE	4	4	0	3	3	0	1	1	0
TIPPAH	2	2	0	1	1	0	1	1	0
TISHOMINGO	1	1	0	0	0	0	1	1	0
TUNICA	10	2	8	5	2	3	5	0	5
UNION	6	4	2	3	2	1	3	2	1
WALTHALL	2	0	2	1	0	1	1	0	1
WARREN	8	2	6	2	2	0	6	0	6
WASHINGTON	8	0	8	5	0	5	3	0	3
WAYNE	3	2	1	3	2	1	0	0	0
WEBSTER	0	0	0	0	0	0	0	0	0
WILKINSON	1	0	1	0	0	0	1	0	1
WINSTON	1	0	1	1	0	1	0	0	0
YALOBUSHA	2	1	1	1	1	0	1	0	1
YAZOO	4	0	4	1	0	1	3	0	3

* INFANT DEATHS ARE THOSE OF CHILDREN UNDER ONE YEAR OF AGE; NEONATAL DEATHS ARE THOSE OF INFANTS UNDER 28 DAYS OF AGE; POSTNEONATAL DEATHS ARE THOSE OF INFANTS AGES 28 DAYS TO ONE YEAR.

**TABLE 12B
 INFANT, NEONATAL, AND POSTNEONATAL MORTALITY RATES*,
 BY COUNTY OF RESIDENCE AND RACE,
 MISSISSIPPI, 2003-2007 (5-YEAR AVERAGE)**

COUNTY	INFANT **			NEONATAL**			POSTNEONATAL**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>STATE</u>	<u>10.5</u>	<u>6.6</u>	<u>15.0</u>	<u>6.2</u>	<u>3.6</u>	<u>9.2</u>	<u>4.3</u>	<u>3.0</u>	<u>5.8</u>
ADAMS	11.2	5.3	14.5	6.1	-	9.4	5.2	5.3	5.1
ALCORN	5.5	3.4	17.4	2.5	1.5	8.7	2.9	2.0	8.7
AMITE	10.7	2.6	17.3	8.3	2.6	13.0	2.4	-	4.3
ATTALA	8.1	1.4	14.4	3.4	-	6.5	4.7	1.4	7.8
BENTON	12.3	11.6	13.4	7.0	5.8	8.9	5.3	5.8	4.5
BOLIVAR	13.3	2.5	16.9	6.8	-	9.1	6.5	2.5	7.8
CALHOUN	10.9	6.0	20.5	7.9	3.0	17.6	3.0	3.0	2.9
CARROLL	10.2	11.2	8.6	5.1	5.6	4.3	5.1	5.6	4.3
CHICKASAW	13.0	9.7	16.1	10.2	6.9	13.4	2.7	2.8	2.7
CHOCTAW	14.9	6.5	26.1	9.3	6.5	13.0	5.6	-	13.0
CLAIBORNE	13.2	-	14.1	10.5	-	11.3	2.6	-	2.8
CLARKE	10.1	9.4	10.9	5.9	3.1	9.0	4.2	6.3	1.8
CLAY	11.8	3.9	15.9	5.9	-	8.9	5.9	3.9	7.0
COAHOMA	17.4	10.4	18.6	12.4	7.8	13.1	5.0	2.6	5.4
COPIAH	10.6	6.8	13.0	6.4	3.4	8.2	4.2	3.4	4.8
COVINGTON	11.8	13.1	10.2	5.9	3.6	8.7	5.9	9.5	1.4
DESOTO	7.4	5.4	15.2	4.4	2.8	10.5	3.0	2.6	4.8
FORREST	13.2	8.0	19.7	8.2	4.0	13.2	5.1	4.0	6.4
FRANKLIN	8.9	3.4	14.9	3.6	-	7.5	5.3	3.4	7.5
GEORGE	6.7	7.4	-	1.7	1.8	-	5.0	5.5	-
GREENE	5.4	5.2	5.8	2.7	3.5	-	2.7	1.7	5.8
GRENADA	16.1	5.1	26.6	11.8	1.3	21.8	4.3	3.8	4.8
HANCOCK	8.4	7.4	18.5	4.8	3.9	13.9	3.6	3.5	4.6
HARRISON	9.5	8.1	12.6	4.7	4.0	6.2	4.8	4.0	6.4
HINDS	14.1	6.5	16.4	8.7	3.6	10.3	5.4	2.9	6.1
HOLMES	11.1	-	12.3	7.0	-	7.8	4.0	-	4.5
HUMPHREYS	17.0	13.8	17.5	10.4	6.9	10.9	6.6	6.9	6.6
ISSAQUENA	11.1	47.6	-	11.1	47.6	-	-	-	-
ITAWAMBA	11.8	10.5	25.9	6.2	5.3	17.2	5.5	5.3	8.6
JACKSON	8.3	7.9	9.4	4.3	3.9	5.2	4.0	3.9	4.1
JASPER	15.3	11.8	17.6	10.7	7.8	12.6	4.6	3.9	5.0
JEFFERSON	12.3	-	12.9	7.7	-	8.1	4.6	-	4.8
JEFF DAVIS	9.1	11.3	8.1	5.7	7.5	4.9	3.4	3.8	3.2
JONES	8.5	5.1	14.8	5.2	3.4	8.4	3.3	1.7	6.3
KEMPER	13.6	10.6	14.8	10.6	5.3	12.6	3.0	5.3	2.1
LAFAYETTE	9.5	4.4	18.2	5.5	3.2	9.6	4.0	1.3	8.5
LAMAR	6.8	5.2	13.2	4.6	3.8	7.9	2.2	1.4	5.3
LAUDERDALE	12.6	9.2	15.9	8.5	6.8	10.0	4.2	2.4	5.8
LAWRENCE	12.7	6.9	22.0	9.5	5.2	16.5	3.2	1.7	5.5
LEAKE	10.1	7.0	13.2	2.5	1.0	4.1	7.5	6.0	9.1
LEE	11.9	8.1	19.4	6.4	3.4	12.6	5.4	4.8	6.8
LEFLORE	13.1	6.7	14.8	8.4	6.7	8.9	4.7	-	5.9

TABLE 12B - PAGE 2

INFANT, NEONATAL, AND POSTNEONATAL MORTALITY RATES - MISSISSIPPI - 2003-2007 AVERAGE

COUNTY	INFANT **			NEONATAL**			POSTNEONATAL**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
LINCOLN	10.5	7.0	16.4	6.4	3.8	10.9	4.0	3.2	5.4
LOWNDES	10.7	5.5	15.7	6.9	4.1	9.6	3.8	1.4	6.1
MADISON	9.5	4.2	15.4	6.0	2.8	9.6	3.5	1.4	5.8
MARION	10.9	8.0	15.6	6.4	3.2	11.7	4.4	4.8	3.9
MARSHALL	9.0	5.6	12.1	5.1	4.0	6.0	3.9	1.6	6.0
MONROE	8.7	6.7	11.7	5.6	3.1	9.7	3.0	3.7	1.9
MONTGOMERY	6.0	9.2	3.9	2.4	6.2	-	3.6	3.1	3.9
NESHOPA	10.9	4.7	16.7	8.3	4.7	11.6	2.6	-	5.1
NEWTON	12.4	5.2	21.2	6.8	2.1	12.5	5.6	3.1	8.7
NOXUBEE	18.0	-	22.8	13.0	-	16.5	5.0	-	6.3
OKTIBBEHA	8.6	3.6	12.9	5.5	0.7	9.7	3.1	2.9	3.2
PANOLA	9.7	1.7	15.2	6.6	0.8	10.5	3.1	0.8	4.7
PEARL RIVER	6.7	5.6	12.6	2.8	2.6	3.6	3.9	3.0	9.0
PERRY	4.6	3.0	9.2	1.1	-	4.6	3.4	3.0	4.6
PIKE	6.6	4.6	7.9	3.3	1.5	4.5	3.3	3.1	3.5
PONTOTOC	7.4	7.5	6.8	5.5	5.9	3.4	1.8	1.6	3.4
PRENTISS	9.8	8.0	19.3	3.7	2.2	11.6	6.2	5.8	7.7
QUITMAN	10.4	-	12.8	7.4	-	9.2	3.0	-	3.7
RANKIN	8.0	7.2	11.1	4.2	3.5	7.0	3.8	3.7	4.0
SCOTT	11.2	4.7	20.3	6.8	2.7	12.6	4.4	2.0	7.7
SHARKEY	7.9	-	10.0	2.0	-	2.5	6.0	-	7.5
SIMPSON	13.1	9.2	18.3	9.2	5.0	14.9	3.9	4.2	3.4
SMITH	12.3	12.3	12.3	7.6	9.6	3.1	4.7	2.7	9.2
STONE	11.7	5.0	34.0	6.8	2.5	21.3	4.9	2.5	12.8
SUNFLOWER	15.3	14.8	15.4	10.9	12.3	10.6	4.4	2.5	4.8
TALLAHATCHIE	16.9	8.0	19.6	14.1	8.0	16.0	2.8	-	3.7
TATE	8.9	10.5	6.4	5.4	7.2	2.6	3.5	3.2	3.9
TIPPAH	7.8	8.1	6.6	3.6	3.7	3.3	4.2	4.4	3.3
TISHOMINGO	5.1	5.2	-	3.4	3.5	-	1.7	1.7	-
TUNICA	19.1	11.9	20.4	10.0	11.9	9.6	9.1	-	10.7
UNION	9.9	7.4	23.1	4.7	4.3	6.6	5.2	3.1	16.5
WALTHALL	8.0	1.9	13.4	2.6	-	5.0	5.3	1.9	8.3
WARREN	8.2	4.3	11.1	3.8	3.1	4.4	4.4	1.2	6.6
WASHINGTON	11.9	6.5	13.4	5.6	6.5	5.4	6.2	-	8.0
WAYNE	11.5	5.1	18.2	7.0	3.8	10.4	4.5	1.3	7.8
WEBSTER	5.8	4.2	9.4	5.8	4.2	9.4	-	-	-
WILKINSON	7.0	-	8.6	2.8	-	3.5	4.2	-	5.2
WINSTON	10.8	3.7	15.2	7.2	1.9	10.5	3.6	1.9	4.7
YALOBUSHA	10.6	6.9	15.2	7.7	3.4	13.0	2.9	3.4	2.2
YAZOO	9.8	4.6	11.9	4.0	3.1	4.4	5.8	1.5	7.5

* DEATHS PER 1,000 LIVE BIRTHS.

** INFANT - AGE LESS THAN ONE YEAR; NEONATAL - AGE LESS THAN 28 DAYS; POSTNEONATAL - AGE 28 DAYS TO ONE YEAR.

TABLE 13
INFANT DEATHS* FROM SELECTED CAUSES, BY RACE AND AGE,
ALSO MORTALITY RATES FOR SELECTED CAUSES,
MISSISSIPPI RESIDENTS, 2007

CAUSE OF DEATH AND GROUP NUMBER**	TOTAL		RACE	TOTAL BY RACE	UNDER 28 DAYS OF AGE						28 DAYS AND OVER
	NUMBER	RATE#			TOT- AL	< 1 DAY	1- 6	7- 13	14- 20	21- 27	
<u>ALL CAUSES</u>	<u>469</u>	<u>10.1</u>	W	<u>164</u>	<u>94</u>	<u>49</u>	<u>22</u>	<u>8</u>	<u>12</u>	<u>3</u>	<u>70</u>
			NW	<u>305</u>	<u>178</u>	<u>111</u>	<u>30</u>	<u>18</u>	<u>9</u>	<u>10</u>	<u>127</u>
SEPTICEMIA (008)	5	0.1	W	1	0	0	0	0	0	0	1
			NW	4	0	0	0	0	0	0	4
MALIGNANT NEOPLASMS (021-023)	1	##	W	0	0	0	0	0	0	0	0
			NW	1	0	0	0	0	0	0	1
DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS AND CERTAIN DISORDERS INVOLVING THE IMMUNE MECHANISM (025-027)	1	##	W	0	0	0	0	0	0	0	0
			NW	1	0	0	0	0	0	0	1
NUTRITIONAL DEFICIENCIES (029)	1	##	W	0	0	0	0	0	0	0	0
			NW	1	0	0	0	0	0	0	1
VOLUME DEPLETION, DISORDERS OF FLUID, ELECTROLYTE AND ACID-BASE BALANCE (031)	4	0.1	W	1	0	0	0	0	0	0	1
			NW	3	0	0	0	0	0	0	3
INFANTILE CEREBRAL PALSY (035)	1	##	W	0	0	0	0	0	0	0	0
			NW	1	1	0	1	0	0	0	0
ANOXIC BRAIN DAMAGE, NOT ELSEWHERE CLASSIFIED (036)	1	##	W	1	0	0	0	0	0	0	1
			NW	0	0	0	0	0	0	0	0
DISEASES OF THE CIRCULATORY SYSTEM (039-044)	12	0.2	W	5	0	0	0	0	0	0	5
			NW	7	0	0	0	0	0	0	7
INFLUENZA AND PNEUMONIA (046,047)	6	0.1	W	4	1	0	0	0	0	1	3
			NW	2	0	0	0	0	0	0	2
GASTRITIS, DUODENITIS, AND NONINFECTIVE ENTERITIS AND COLITIS (053)	10	0.2	W	2	0	0	0	0	0	0	2
			NW	8	0	0	0	0	0	0	8
HERNIA OF ABDOMINAL CAVITY AND INTESTINAL OBSTRUCTION WITHOUT HERNIA (054)	2	##	W	1	1	1	0	0	0	0	0
			NW	1	1	0	0	0	0	1	0

TABLE 13 - PAGE 2
 INFANT DEATHS - MISSISSIPPI - 2007

CAUSE OF DEATH AND GROUP NUMBER**	TOTAL		RACE	TOTAL BY RACE	UNDER 28 DAYS OF AGE						28 DAYS AND OVER
	NUMBER	RATE#			TOT- AL	< 1 DAY	1- 6	7- 13	14- 20	21- 27	
RENAL FAILURE AND OTHER DISORDERS OF KIDNEY (056)	2	##	W	0	0	0	0	0	0	0	0
			NW	2	2	0	1	0	1	0	0
NEWBORN AFFECTED BY MATERNAL HYPERTENSIVE DISORDERS (058)	1	##	W	0	0	0	0	0	0	0	0
			NW	1	1	1	0	0	0	0	0
NEWBORN AFFECTED BY OTHER MATERNAL CONDITIONS WHICH MAY BE UNRELATED TO PRESENT PREGNANCY (059)	2	##	W	1	1	1	0	0	0	0	0
			NW	1	1	1	0	0	0	0	0
NEWBORN AFFECTED BY MATERNAL COMPLICATIONS OF PREGNANCY (060-063)	7	0.2	W	2	2	1	1	0	0	0	0
			NW	5	5	3	2	0	0	0	0
NEWBORN AFFECTED BY COMPLICATIONS OF PLACENTA, CORD AND MEMBRANES (064-067)	6	0.1	W	2	2	2	0	0	0	0	0
			NW	4	4	4	0	0	0	0	0
SLOW FETAL GROWTH AND FETAL MALNUTRITION (070)	2	##	W	0	0	0	0	0	0	0	0
			NW	2	2	0	2	0	0	0	0
DISORDERS RELATED TO SHORT GESTATION AND LOW BIRTH WEIGHT, NOT ELSEWHERE CLASSIFIED (071,072)	83	1.8	W	22	22	20	0	1	1	0	0
			NW	61	61	57	3	1	0	0	0
INTRAUTERINE HYPOXIA AND BIRTH ASPHYXIA (075,076)	4	0.1	W	2	2	0	2	0	0	0	0
			NW	2	2	0	1	0	0	1	0
RESPIRATORY DISTRESS OF NEWBORN (077)	13	0.3	W	5	5	2	2	1	0	0	0
			NW	8	8	4	4	0	0	0	0
CONGENITAL PNEUMONIA (078)	1	##	W	0	0	0	0	0	0	0	0
			NW	1	1	0	0	0	1	0	0
INTERSTITIAL EMPHYSEMA AND RELATED CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (080)	2	##	W	2	2	0	1	1	0	0	0
			NW	0	0	0	0	0	0	0	0
PULMONARY HEMORRHAGE ORIGINATING IN THE PERINATAL PERIOD (081)	4	0.1	W	0	0	0	0	0	0	0	0
			NW	4	4	0	4	0	0	0	0

TABLE 13 - PAGE 3
 INFANT DEATHS - MISSISSIPPI - 2007

CAUSE OF DEATH AND GROUP NUMBER**	TOTAL		RACE	TOTAL BY RACE	UNDER 28 DAYS OF AGE						28 DAYS AND OVER
	NUMBER	RATE#			TOT- AL	< 1 DAY	1- 6	7- 13	14- 20	21- 27	
CHRONIC RESPIRATORY DISEASE ORIGINATING IN THE PERINATAL PERIOD (082)	3	0.1	W	1	0	0	0	0	0	0	1
			NW	2	0	0	0	0	0	0	2
ATELECTASIS (083)	6	0.1	W	1	1	1	0	0	0	0	0
			NW	5	5	5	0	0	0	0	0
BACTERIAL SEPSIS OF NEWBORN (085)	24	0.5	W	6	6	2	1	1	2	0	0
			NW	18	18	5	3	7	1	2	0
NEONATAL HEMORRHAGE (088)	11	0.2	W	7	7	2	3	1	1	0	0
			NW	4	4	0	3	1	0	0	0
NECROTIZING ENTEROCOLITIS OF NEWBORN (093)	7	0.2	W	2	2	0	1	1	0	0	0
			NW	5	4	1	1	2	0	0	1
HYDROPS FETALIS NOT DUE TO HEMOLYTIC DISEASE (094)	2	##	W	2	1	0	0	0	1	0	1
			NW	0	0	0	0	0	0	0	0
CONGENITAL MALFORMATIONS, DEFORMATIONS AND CHROMOSOMAL ABNORMALITIES (096-110)	70	1.5	W	27	18	11	4	0	2	1	9
			NW	43	24	14	3	3	1	3	19
SUDDEN INFANT DEATH SYNDROME (111)	58	1.2	W	28	4	0	1	1	1	1	24
			NW	30	3	0	0	1	2	0	27
ACCIDENTS (114-124)	48	1.0	W	14	2	0	1	0	1	0	12
			NW	34	2	0	0	0	1	1	32
ASSAULT (HOMICIDE) (125-128)	4	0.1	W	1	0	0	0	0	0	0	1
			NW	3	0	0	0	0	0	0	3
ALL OTHER CAUSES	65	1.4	W	24	15	6	5	1	3	0	9
			NW	41	25	16	2	3	2	2	16

* DEATHS OF CHILDREN UNDER 1 YEAR OF AGE.

** SEE APPENDIX C FOR EXPLANATION OF GROUP NUMBERS.

DEATHS PER 1,000 LIVE BIRTHS.

LESS THAN 0.06.

TABLE 14
ACCIDENTAL DEATHS, BY COUNTY OF OCCURRENCE AND TYPE OF ACCIDENT,
MISSISSIPPI, 2007

COUNTY	TOTAL	MOTOR VEHICLE	OTHER TRANS- PORT	POISON- ING	FALLS	SMOKE, FIRE, FLAMES	DROWNING AND SUB- MERSION	FIRE- ARMS	ALL OTHER
<u>STATE</u>	<u>1,757</u>	<u>898</u>	<u>32</u>	<u>275</u>	<u>183</u>	<u>80</u>	<u>41</u>	<u>26</u>	<u>222</u>
ADAMS	17	7	0	3	3	0	0	0	4
ALCORN	29	8	0	5	11	0	0	1	4
AMITE	5	4	0	0	1	0	0	0	0
ATTALA	10	6	1	0	0	0	0	1	2
BENTON	4	4	0	0	0	0	0	0	0
BOLIVAR	8	5	0	0	0	1	1	0	1
CALHOUN	5	2	0	1	0	0	1	1	0
CARROLL	7	7	0	0	0	0	0	0	0
CHICKASAW	13	7	1	1	0	3	0	0	1
CHOCTAW	4	2	0	0	1	0	0	0	1
CLAIBORNE	6	4	0	2	0	0	0	0	0
CLARKE	10	3	0	3	0	0	1	0	3
CLAY	9	4	0	0	2	1	0	0	2
COAHOMA	15	6	0	3	1	2	0	0	3
COPIAH	14	9	0	1	2	0	1	0	1
COVINGTON	15	9	0	1	0	1	1	0	3
DESOTO	47	27	1	6	5	3	3	0	2
FORREST	93	55	3	9	12	1	3	1	9
FRANKLIN	3	2	0	0	0	0	0	0	1
GEORGE	22	12	0	6	1	2	0	0	1
GREENE	10	6	0	1	1	0	1	0	1
GRENADA	17	10	0	3	1	2	0	0	1
HANCOCK	32	16	0	12	2	0	1	0	1
HARRISON	116	55	3	32	8	0	5	1	12
HINDS	213	122	2	13	29	5	4	6	32
HOLMES	8	4	1	0	0	2	0	0	1
HUMPHREYS	9	7	0	0	1	0	1	0	0
ISSAQUENA	3	2	0	0	1	0	0	0	0
ITAWAMBA	8	5	0	1	0	0	0	1	1
JACKSON	97	23	3	45	8	4	3	1	10
JASPER	7	4	1	2	0	0	0	0	0
JEFFERSON	4	2	2	0	0	0	0	0	0
JEFF DAVIS	8	6	0	0	0	0	0	0	2
JONES	35	22	1	2	2	0	0	0	8
KEMPER	7	5	0	0	1	0	1	0	0
LAFAYETTE	28	10	0	6	9	0	0	0	3
LAMAR	19	9	1	1	2	1	0	2	3
LAUDERDALE	62	33	3	7	8	2	1	0	8
LAWRENCE	6	4	0	0	1	0	0	0	1
LEAKE	18	10	0	1	1	1	1	0	4
LEE	94	47	0	5	27	3	1	0	11
LEFLORE	25	14	0	2	3	4	0	0	2

TABLE 14 - PAGE 2
 ACCIDENTAL DEATHS - MISSISSIPPI - 2007

COUNTY	TOTAL	MOTOR VEHICLE	OTHER TRANS- PORT	POISON- ING	FALLS	SMOKE, FIRE, FLAMES	DROWNING AND SUB- MERSION	FIRE- ARMS	ALL OTHER
LINCOLN	24	16	0	5	0	0	0	0	3
LOWNDES	25	11	1	3	1	1	1	0	7
MADISON	31	12	1	6	7	0	0	0	5
MARION	15	8	0	1	3	1	0	0	2
MARSHALL	23	21	0	1	0	0	0	0	1
MONROE	18	5	1	1	1	2	1	2	5
MONTGOMERY	6	2	0	1	0	0	0	0	3
NESHOBA	16	8	0	2	0	4	0	0	2
NEWTON	12	7	1	4	0	0	0	0	0
NOXUBEE	6	5	0	0	0	1	0	0	0
OKTIBBEHA	10	4	0	0	3	1	1	1	0
PANOLA	35	11	0	6	5	9	0	0	4
PEARL RIVER	33	16	1	10	0	2	1	1	2
PERRY	9	8	0	0	0	1	0	0	0
PIKE	17	7	0	4	0	1	2	0	3
PONTOTOC	16	5	0	4	1	0	1	0	5
PRENTISS	19	14	0	1	0	1	0	1	2
QUITMAN	2	1	0	0	0	1	0	0	0
RANKIN	55	25	0	16	4	2	1	0	7
SCOTT	12	7	1	1	1	0	1	0	1
SHARKEY	4	2	0	0	0	1	0	0	1
SIMPSON	18	10	0	5	1	0	0	0	2
SMITH	6	4	0	0	0	0	0	0	2
STONE	8	2	0	0	2	3	0	0	1
SUNFLOWER	12	6	0	1	1	2	0	1	1
TALLAHATCHIE	10	2	0	3	1	3	1	0	0
TATE	11	3	1	3	0	0	1	0	3
TIPPAH	11	6	0	0	3	0	0	1	1
TISHOMINGO	15	4	1	6	1	0	0	0	3
TUNICA	12	6	0	2	1	1	0	0	2
UNION	9	8	0	0	0	0	0	0	1
WALTHALL	6	4	0	1	0	0	0	1	0
WARREN	28	14	0	6	0	1	0	0	7
WASHINGTON	13	6	0	1	0	2	0	1	3
WAYNE	9	4	0	2	1	0	0	0	2
WEBSTER	6	3	0	2	0	0	0	1	0
WILKINSON	3	3	0	0	0	0	0	0	0
WINSTON	15	9	0	2	0	2	0	1	1
YALOBUSHA	9	6	0	1	2	0	0	0	0
YAZOO	6	4	1	0	0	0	0	0	1

**TABLE 15
MARRIAGES, BY COUNTY OF LICENSURE AND RACE OF BRIDE,
ALSO BY COUNTY OF RESIDENCE OF BRIDE AND RACE OF BRIDE,
MISSISSIPPI, 2007**

COUNTY	LICENSURE DATA			OCCURRENCE DATA			RESIDENCE DATA		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>STATE</u>	<u>15,827</u>	<u>11,093</u>	<u>4,734</u>	<u>15,827</u>	<u>11,093</u>	<u>4,734</u>	<u>14,860</u>	<u>10,336</u>	<u>4,524</u>
ADAMS	270	158	112	322	207	115	174	73	101
ALCORN	150	137	13	147	131	16	126	116	10
AMITE	69	51	18	73	52	21	71	49	22
ATTALA	119	80	39	104	73	31	104	71	33
BENTON	27	14	13	27	18	9	34	19	15
BOLIVAR	88	42	46	101	44	57	77	36	41
CALHOUN	83	64	19	90	71	19	89	66	23
CARROLL	48	34	14	52	35	17	52	36	16
CHICKASAW	96	66	30	102	68	34	94	62	32
CHOCTAW	50	35	15	50	33	17	53	37	16
CLAIBORNE	48	11	37	44	13	31	45	8	37
CLARKE	66	46	20	83	56	27	81	59	22
CLAY	97	47	50	109	48	61	94	43	51
COAHOMA	92	35	57	102	33	69	86	28	58
COPIAH	194	108	86	212	126	86	200	110	90
COVINGTON	142	101	41	133	92	41	143	102	41
DESOTO	694	567	127	568	466	102	565	460	105
FORREST	611	403	208	567	385	182	481	316	165
FRANKLIN	58	39	19	58	41	17	60	41	19
GEORGE	184	166	18	171	153	18	166	154	12
GREENE	76	52	24	85	64	21	63	50	13
GRENADA	136	77	59	139	77	62	122	67	55
HANCOCK	228	212	16	234	217	17	208	196	12
HARRISON	1,219	973	246	1,180	940	240	1,033	810	223
HINDS	1,021	399	622	1,156	545	611	946	371	575
HOLMES	90	10	80	106	18	88	80	10	70
HUMPHREYS	35	13	22	51	25	26	37	12	25
ISSAQUENA	8	2	6	7	1	6	1	1	0
ITAWAMBA	88	86	2	104	99	5	101	99	2
JACKSON	656	547	109	719	597	122	683	567	116
JASPER	104	56	48	120	61	59	108	62	46
JEFFERSON	28	2	26	46	8	38	33	5	28
JEFF DAVIS	67	25	42	71	29	42	69	27	42
JONES	438	335	103	426	329	97	427	331	96
KEMPER	45	24	21	58	34	24	43	24	19
LAFAYETTE	279	219	60	252	198	54	240	182	58
LAMAR	277	248	29	296	266	30	366	310	56
LAUDERDALE	432	313	119	410	289	121	389	276	113
LAWRENCE	99	69	30	105	76	29	99	69	30
LEAKE	0	0	0	35	25	10	21	13	8
LEE	483	362	121	469	360	109	450	333	117
LEFLORE	115	46	69	117	51	66	101	42	59

TABLE 15 - PAGE 2
MARRIAGES - MISSISSIPPI - 2007

COUNTY	LICENSURE DATA			OCCURRENCE DATA			RESIDENCE DATA		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
LINCOLN	293	217	76	264	189	75	256	184	72
LOWNDES	260	179	81	258	171	87	232	153	79
MADISON	446	285	161	427	272	155	490	310	180
MARION	219	169	50	210	156	54	210	162	48
MARSHALL	155	92	63	169	103	66	128	81	47
MONROE	192	146	46	219	172	47	191	143	48
MONTGOMERY	56	28	28	67	39	28	56	30	26
NESHOBA	179	119	60	172	115	57	166	108	58
NEWTON	118	87	31	119	89	30	124	94	30
NOXUBEE	54	26	28	60	31	29	50	23	27
OKTIBBEHA	264	177	87	212	140	72	243	159	84
PANOLA	189	99	90	193	109	84	188	98	90
PEARL RIVER	303	271	32	298	264	34	274	241	33
PERRY	66	60	6	62	55	7	72	63	9
PIKE	297	173	124	313	187	126	254	149	105
PONTOTOC	153	142	11	149	140	9	163	149	14
PRENTISS	120	117	3	107	100	7	108	104	4
QUITMAN	31	10	21	35	14	21	28	11	17
RANKIN	1,084	934	150	773	649	124	1,069	917	152
SCOTT	170	114	56	190	131	59	165	106	59
SHARKEY	23	11	12	25	13	12	22	11	11
SIMPSON	185	141	44	181	133	48	181	138	43
SMITH	67	58	9	85	76	9	79	65	14
STONE	145	123	22	137	116	21	126	106	20
SUNFLOWER	98	32	66	98	35	63	91	32	59
TALLAHATCHIE	47	23	24	49	28	21	46	19	27
TATE	128	95	33	171	135	36	121	93	28
TIPPAH	60	50	10	70	57	13	57	46	11
TISHOMINGO	105	99	6	116	111	5	94	91	3
TUNICA	58	25	33	68	31	37	49	18	31
UNION	131	112	19	124	104	20	137	119	18
WALTHALL	100	64	36	93	56	37	96	61	35
WARREN	317	186	131	361	229	132	287	160	127
WASHINGTON	150	70	80	158	77	81	144	66	78
WAYNE	93	67	26	86	62	24	83	58	25
WEBSTER	60	47	13	60	48	12	59	46	13
WILKINSON	15	5	10	26	16	10	17	5	12
WINSTON	105	54	51	117	63	54	90	49	41
YALOBUSHA	65	51	14	80	58	22	84	63	21
YAZOO	116	61	55	124	65	59	115	62	53
OUT OF STATE	*	*	*	*	*	*	959	752	207

* INFORMATION ON MISSISSIPPI BRIDES WHO OBTAINED LICENSES AND/OR MARRIED IN OTHER STATES IS NOT AVAILABLE.

NOTE: DUE TO INCONSISTENT REPORTING BY COUNTIES, STATISTICS ON MARRIAGES MAY BE INCOMPLETE.

**TABLE 16
DIVORCES, BY COUNTY OF OCCURRENCE AND RACE*,
MISSISSIPPI, 2007**

COUNTY	TOTAL	WHITE	NON-WHITE	UN-KNOWN	COUNTY	TOTAL	WHITE	NON-WHITE	UN-KNOWN
<u>STATE</u>	<u>13,060</u>	<u>8,362</u>	<u>2,961</u>	<u>1,737</u>					
ADAMS	152	68	70	14	LINCOLN	169	120	31	18
ALCORN	236	213	16	7	LOWNDES	246	147	73	26
AMITE	61	49	12	0	MADISON	338	257	79	2
ATTALA	69	33	19	17	MARION	130	91	34	5
BENTON	35	22	11	2	MARSHALL	140	77	55	8
BOLIVAR	127	57	63	7	MONROE	171	131	35	5
CALHOUN	75	51	24	0	MONTGOMERY	35	17	18	0
CARROLL	28	21	7	0	NESHOBA	127	107	20	0
CHICKASAW	45	29	12	4	NEWTON	119	92	24	3
CHOCTAW	25	20	5	0	NOXUBEE	28	11	15	2
CLAIBORNE	37	8	29	0	OKTIBBEHA	142	80	58	4
CLARKE	85	52	19	14	PANOLA	173	124	46	3
CLAY	82	39	31	12	PEARL RIVER	277	252	25	0
COAHOMA	97	34	55	8	PERRY	58	51	6	1
COPIAH	116	59	36	21	PIKE	206	120	69	17
COVINGTON	108	62	23	23	PONTOTOC	137	128	9	0
DESOTO	763	525	97	141	PRENTISS	152	114	11	27
FORREST	284	151	72	61	QUITMAN	17	6	11	0
FRANKLIN	37	26	11	0	RANKIN	753	657	90	6
GEORGE	118	114	3	1	SCOTT	138	88	48	2
GREENE	63	29	3	31	SHARKEY	12	8	4	0
GRENADA	120	86	34	0	SIMPSON	105	81	23	1
HANCOCK	183	116	1	66	SMITH	90	82	7	1
HARRISON	939	123	33	783	STONE	73	56	7	10
HINDS	886	264	497	125	SUNFLOWER	26	10	15	1
HOLMES	28	8	20	0	TALLAHATCHIE	35	19	15	1
HUMPHREYS	12	5	7	0	TATE	125	98	25	2
ISSAQUENA	0	0	0	0	TIPPAH	147	109	18	20
ITAWAMBA	139	119	5	15	TISHOMINGO	140	139	1	0
JACKSON	830	732	89	9	TUNICA	36	13	22	1
JASPER	59	38	19	2	UNION	179	126	19	34
JEFFERSON	17	3	13	1	WALTHALL	72	42	28	2
JEFF DAVIS	38	17	21	0	WARREN	204	114	65	25
JONES	375	303	59	13	WASHINGTON	141	70	71	0
KEMPER	24	13	11	0	WAYNE	113	79	29	5
LAFAYETTE	151	105	30	16	WEBSTER	44	38	3	3
LAMAR	259	199	32	28	WILKINSON	27	10	14	3
LAUDERDALE	307	207	95	5	WINSTON	52	36	16	0
LAWRENCE	52	42	10	0	YALOBUSHA	79	56	21	2
LEAKE	81	59	15	7	YAZOO	72	47	23	2
LEE	464	302	102	60					
LEFLORE	125	56	67	2					

* DIVORCES OF MIXED-RACE COUPLES ARE INCLUDED IN FIGURES FOR NONWHITES.

NOTE: DUE TO INCONSISTENT REPORTING BY COUNTIES, STATISTICS ON DIVORCES MAY BE INCOMPLETE.

TABLE 17
REPORTED INDUCED TERMINATIONS OF PREGNANCY PERFORMED IN MISSISSIPPI
ON MISSISSIPPI RESIDENTS, BY COUNTY OF RESIDENCE AND RACE, 2007

COUNTY	TOTAL	WHITE	NON-WHITE	UN-KNOWN	COUNTY	TOTAL	WHITE	NON-WHITE	UN-KNOWN
<u>STATE</u>	<u>2,870</u>	<u>605</u>	<u>2,254</u>	<u>11</u>					
ADAMS	52	6	46	0	LINCOLN	31	9	22	0
ALCORN	1	1	0	0	LOWNDES	6	2	4	0
AMITE	3	1	2	0	MADISON	249	59	190	0
ATTALA	20	2	18	0	MARION	26	7	19	0
BENTON	0	0	0	0	MARSHALL	0	0	0	0
BOLIVAR	17	6	11	0	MONROE	0	0	0	0
CALHOUN	2	1	1	0	MONTGOMERY	2	1	1	0
CARROLL	5	0	5	0	NESHOBA	18	9	7	2
CHICKASAW	0	0	0	0	NEWTON	16	5	11	0
CHOCTAW	0	0	0	0	NOXUBEE	4	1	3	0
CLAIBORNE	30	3	27	0	OKTIBBEHA	18	10	7	1
CLARKE	11	3	8	0	PANOLA	5	2	3	0
CLAY	3	1	2	0	PEARL RIVER	6	3	3	0
COAHOMA	0	0	0	0	PERRY	10	2	8	0
COPIAH	66	9	57	0	PIKE	82	11	71	0
COVINGTON	14	6	7	1	PONTOTOC	0	0	0	0
DESOTO	3	2	1	0	PRENTISS	2	2	0	0
FORREST	123	34	88	1	QUITMAN	0	0	0	0
FRANKLIN	13	3	10	0	RANKIN	229	117	110	2
GEORGE	0	0	0	0	SCOTT	34	11	23	0
GREENE	2	0	2	0	SHARKEY	7	0	7	0
GRENADA	2	0	2	0	SIMPSON	28	8	20	0
HANCOCK	4	3	1	0	SMITH	18	9	9	0
HARRISON	24	16	7	1	STONE	5	1	4	0
HINDS	1037	99	935	3	SUNFLOWER	8	1	7	0
HOLMES	56	2	54	0	TALLAHATCHIE	0	0	0	0
HUMPHREYS	16	1	15	0	TATE	0	0	0	0
ISSAQUENA	0	0	0	0	TIPPAH	0	0	0	0
ITAWAMBA	1	1	0	0	TISHOMINGO	0	0	0	0
JACKSON	9	4	5	0	TUNICA	0	0	0	0
JASPER	16	3	13	0	UNION	2	1	1	0
JEFFERSON	26	0	26	0	WALTHALL	17	4	13	0
JEFF DAVIS	10	1	9	0	WARREN	135	24	111	0
JONES	44	17	27	0	WASHINGTON	44	5	39	0
KEMPER	1	0	1	0	WAYNE	8	5	3	0
LAFAYETTE	7	4	3	0	WEBSTER	1	1	0	0
LAMAR	57	17	40	0	WILKINSON	1	0	1	0
LAUDERDALE	28	14	14	0	WINSTON	12	5	7	0
LAWRENCE	17	3	14	0	YALOBUSHA	3	3	0	0
LEAKE	37	7	30	0	YAZOO	53	11	42	0
LEE	4	3	1	0					
LEFLORE	29	3	26	0					

TABLE 18A
TEENAGE PREGNANCIES*, BY COUNTY OF RESIDENCE,
RACE, AND AGE GROUP OF MOTHER,
MISSISSIPPI, 2007

COUNTY	TOTAL **			WHITE			NONWHITE		
	TOTAL	UNDER 15	15 - 19	TOTAL	UNDER 15	15 - 19	TOTAL	UNDER 15	15 - 19
<u>STATE</u>	<u>9,060</u>	<u>212</u>	<u>8,848</u>	<u>3,606</u>	<u>51</u>	<u>3,555</u>	<u>5,443</u>	<u>161</u>	<u>5,282</u>
ADAMS	91	3	88	18	1	17	73	2	71
ALCORN	111	6	105	84	5	79	27	1	26
AMITE	36	1	35	15	0	15	21	1	20
ATTALA	65	2	63	20	0	20	45	2	43
BENTON	19	2	17	10	1	9	9	1	8
BOLIVAR	160	1	159	20	0	20	140	1	139
CALHOUN	43	1	42	19	0	19	24	1	23
CARROLL	32	0	32	19	0	19	13	0	13
CHICKASAW	82	1	81	32	0	32	50	1	49
CHOCTAW	20	0	20	5	0	5	15	0	15
CLAIBORNE	39	1	38	2	1	1	37	0	37
CLARKE	45	2	43	17	0	17	28	2	26
CLAY	68	1	67	11	0	11	57	1	56
COAHOMA	142	1	141	6	0	6	136	1	135
COPIAH	104	1	103	12	0	12	92	1	91
COVINGTON	60	2	58	24	0	24	35	2	33
DESOTO	323	11	312	214	9	205	107	2	105
FORREST	258	2	256	109	0	109	149	2	147
FRANKLIN	21	0	21	7	0	7	14	0	14
GEORGE	89	2	87	77	1	76	12	1	11
GREENE	27	0	27	15	0	15	12	0	12
GRENADA	99	4	95	32	1	31	67	3	64
HANCOCK	87	0	87	80	0	80	7	0	7
HARRISON	485	5	480	324	3	321	160	2	158
HINDS	858	24	834	82	0	82	776	24	752
HOLMES	113	5	108	8	0	8	105	5	100
HUMPHREYS	62	3	59	3	0	3	59	3	56
ISSAQUENA	2	0	2	0	0	0	2	0	2
ITAWAMBA	49	1	48	48	1	47	1	0	1
JACKSON	353	7	346	211	3	208	142	4	138
JASPER	49	0	49	15	0	15	34	0	34
JEFFERSON	25	0	25	1	0	1	24	0	24
JEFF DAVIS	42	0	42	10	0	10	32	0	32
JONES	241	8	233	128	1	127	113	7	106
KEMPER	26	0	26	4	0	4	22	0	22
LAFAYETTE	77	0	77	43	0	43	34	0	34
LAMAR	104	0	104	73	0	73	31	0	31
LAUDERDALE	237	6	231	73	2	71	164	4	160
LAWRENCE	44	2	42	24	1	23	20	1	19
LEAKE	67	2	65	29	0	29	38	2	36
LEE	252	7	245	133	2	131	118	5	113
LEFLORE	154	9	145	15	1	14	139	8	131

TABLE 18A - PAGE 2
TEENAGE PREGNANCIES - MISSISSIPPI - 2007

COUNTY	TOTAL**			WHITE			NONWHITE		
	TOTAL	UNDER 15	15 - 19	TOTAL	UNDER 15	15 - 19	TOTAL	UNDER 15	15 - 19
LINCOLN	101	2	99	51	0	51	50	2	48
LOWNDES	190	6	184	53	2	51	137	4	133
MADISON	184	2	182	47	0	47	137	2	135
MARION	94	0	94	46	0	46	48	0	48
MARSHALL	124	3	121	45	0	45	79	3	76
MONROE	122	2	120	73	1	72	49	1	48
MONTGOMERY	31	1	30	7	0	7	24	1	23
NESHOBA	129	1	128	51	0	51	77	1	76
NEWTON	60	2	58	20	2	18	40	0	40
NOXUBEE	59	2	57	2	0	2	57	2	55
OKTIBBEHA	78	0	78	30	0	30	48	0	48
PANOLA	168	7	161	53	2	51	114	5	109
PEARL RIVER	118	0	118	93	0	93	25	0	25
PERRY	32	0	32	23	0	23	9	0	9
PIKE	135	3	132	29	0	29	106	3	103
PONTOTOC	85	0	85	76	0	76	8	0	8
PRENTISS	89	2	87	76	1	75	12	1	11
QUITMAN	45	2	43	6	0	6	39	2	37
RANKIN	248	5	243	169	1	168	79	4	75
SCOTT	119	4	115	54	1	53	65	3	62
SHARKEY	25	0	25	1	0	1	24	0	24
SIMPSON	89	3	86	48	2	46	41	1	40
SMITH	28	0	28	19	0	19	9	0	9
STONE	47	1	46	36	0	36	11	1	10
SUNFLOWER	160	7	153	11	1	10	149	6	143
TALLAHATCHIE	65	4	61	7	1	6	58	3	55
TATE	88	0	88	34	0	34	53	0	53
TIPPAH	73	1	72	67	1	66	6	0	6
TISHOMINGO	47	1	46	47	1	46	0	0	0
TUNICA	77	2	75	4	0	4	73	2	71
UNION	82	1	81	63	0	63	18	1	17
WALTHALL	36	2	34	14	0	14	22	2	20
WARREN	172	6	166	54	0	54	118	6	112
WASHINGTON	257	4	253	26	0	26	231	4	227
WAYNE	71	1	70	35	0	35	36	1	35
WEBSTER	20	0	20	13	0	13	7	0	7
WILKINSON	27	1	26	0	0	0	27	1	26
WINSTON	50	2	48	12	0	12	38	2	36
YALOBUSHA	49	3	46	18	2	16	31	1	30
YAZOO	125	6	119	21	0	21	104	6	98

* LIVE BIRTHS PLUS REPORTABLE SPONTANEOUS FETAL DEATHS PLUS INDUCED TERMINATIONS TO MOTHERS UNDER AGE 20.

** TOTAL FIGURES INCLUDE SOME FOR WHICH THE RACE OF THE MOTHER WAS UNKNOWN.

TABLE 18B
TEENAGE PREGNANCY RATES*, BY COUNTY OF RESIDENCE,
RACE, AND AGE GROUP OF MOTHER,
MISSISSIPPI, 2007

COUNTY	TOTAL**			WHITE			NONWHITE		
	TOTAL	UNDER 15	15 - 19	TOTAL	UNDER 15	15 - 19	TOTAL	UNDER 15	15 - 19
<u>STATE</u>	<u>43.0</u>	<u>2.1</u>	<u>81.5</u>	<u>32.9</u>	<u>1.0</u>	<u>62.7</u>	<u>53.8</u>	<u>3.3</u>	<u>101.8</u>
ADAMS	40.8	2.7	77.8	24.8	2.8	45.7	48.5	2.7	93.5
ALCORN	52.0	5.6	98.2	46.9	5.6	87.5	78.5	5.6	156.6
AMITE	41.2	2.4	77.8	36.7	-	74.2	45.2	4.6	80.6
ATTALA	48.2	3.2	87.1	30.9	-	59.9	64.2	6.4	110.5
BENTON	34.8	6.7	68.3	37.3	6.4	80.4	32.4	7.1	58.4
BOLIVAR	54.0	0.8	96.0	27.0	-	41.8	63.0	1.0	118.0
CALHOUN	47.2	2.1	97.4	34.7	-	74.8	66.1	5.4	129.9
CARROLL	51.6	-	96.7	57.8	-	109.2	44.7	-	82.8
CHICKASAW	61.4	1.4	127.6	51.8	-	127.5	69.7	3.0	127.6
CHOCTAW	29.3	-	53.6	11.4	-	20.6	61.2	-	115.4
CLAIBORNE	37.8	2.8	55.6	31.2	30.3	32.2	38.2	-	56.7
CLARKE	37.2	3.4	69.5	23.4	-	46.2	57.8	8.6	103.6
CLAY	46.0	1.4	89.9	24.6	-	55.0	55.2	2.0	102.8
COAHOMA	60.6	0.9	119.3	16.4	-	30.4	68.8	1.0	137.0
COPIAH	46.9	1.0	81.1	14.6	-	26.2	65.8	1.7	111.9
COVINGTON	39.7	2.7	76.4	28.7	-	55.3	51.8	5.7	101.5
DESOTO	29.5	1.9	60.6	27.7	2.2	56.1	33.0	1.1	70.2
FORREST	43.7	0.8	75.0	35.2	-	58.4	53.1	1.6	95.1
FRANKLIN	40.7	-	73.7	27.9	-	51.8	52.8	-	93.3
GEORGE	58.4	2.5	120.7	58.1	1.4	122.0	60.3	9.9	112.2
GREENE	34.9	-	75.6	24.1	-	53.2	79.5	-	160.0
GRENADA	58.7	5.0	107.1	37.9	2.4	72.1	79.6	7.8	140.0
HANCOCK	32.2	-	63.6	33.4	-	65.6	23.2	-	47.6
HARRISON	38.6	0.8	77.3	40.3	0.7	79.9	35.4	0.8	72.0
HINDS	44.2	2.6	81.2	18.2	-	31.4	52.1	3.3	98.1
HOLMES	66.0	6.4	116.2	36.7	-	47.9	70.2	6.8	131.2
HUMPHREYS	81.2	8.0	151.3	22.7	-	41.1	93.4	9.5	176.6
ISSAQUENA	18.7	-	35.1	-	-	-	26.0	-	47.6
ITAWAMBA	28.0	1.3	48.4	31.0	1.4	55.3	5.0	-	7.0
JACKSON	37.3	1.5	72.6	32.5	0.9	63.0	47.9	2.7	94.2
JASPER	37.8	-	71.7	31.6	-	59.5	41.3	-	78.9
JEFFERSON	39.0	-	72.7	21.3	-	43.5	40.4	-	74.8
JEFF DAVIS	46.2	-	92.3	35.5	-	62.1	51.1	-	108.8
JONES	54.6	3.8	100.6	47.0	0.8	88.0	66.9	8.6	121.6
KEMPER	35.5	-	64.8	19.7	-	33.9	41.6	-	77.7
LAFAYETTE	23.7	-	35.5	18.6	-	26.1	36.4	-	64.8
LAMAR	31.2	-	62.4	28.5	-	56.6	40.3	-	82.0
LAUDERDALE	42.5	2.3	78.7	28.2	1.7	51.2	54.9	2.8	103.3
LAWRENCE	46.4	4.1	91.1	43.5	3.6	84.2	50.5	4.8	101.1
LEAKE	38.7	2.4	73.6	36.7	-	74.0	40.3	4.4	73.3
LEE	45.4	2.4	90.9	38.5	1.1	78.5	56.5	4.7	110.2
LEFLORE	56.0	6.9	100.1	29.0	4.7	46.2	62.2	7.4	114.4

TABLE 18B - PAGE 2
TEENAGE PREGNANCY RATES - MISSISSIPPI - 2007

COUNTY	TOTAL**			WHITE			NONWHITE		
	TOTAL	UNDER 15	15 - 19	TOTAL	UNDER 15	15 - 19	TOTAL	UNDER 15	15 - 19
LINCOLN	43.4	1.7	84.8	35.9	-	68.8	55.1	4.1	112.7
LOWNDES	42.1	2.8	78.2	26.0	2.1	47.7	55.3	3.4	103.7
MADISON	27.2	0.6	55.3	13.6	-	29.6	41.4	1.2	79.4
MARION	51.7	-	101.7	44.3	-	86.8	61.5	-	121.8
MARSHALL	47.0	2.4	89.0	42.5	-	89.6	50.1	4.2	88.6
MONROE	48.4	1.6	97.1	47.0	1.3	92.8	50.6	2.0	104.3
MONTGOMERY	38.1	2.7	67.3	19.7	-	36.3	52.5	4.9	90.9
NESHOBA	57.9	0.8	121.3	43.7	-	93.4	72.6	1.8	149.3
NEWTON	35.4	2.7	61.3	21.0	5.0	32.9	53.8	-	100.2
NOXUBEE	65.6	4.7	120.5	11.8	-	23.8	78.0	5.8	141.4
OKTIBBEHA	23.4	-	34.9	17.0	-	23.6	30.6	-	49.6
PANOLA	66.3	5.6	126.0	55.3	4.0	109.9	72.3	6.6	133.9
PEARL RIVER	29.8	-	59.4	28.8	-	58.3	33.8	-	63.9
PERRY	36.4	-	70.5	38.8	-	75.6	31.5	-	60.0
PIKE	46.1	2.1	87.7	23.6	-	43.8	62.4	3.5	122.2
PONTOTOC	43.7	-	90.2	47.7	-	100.4	22.8	-	43.2
PRENTISS	48.8	2.5	85.5	51.7	1.6	90.9	33.8	6.1	57.3
QUITMAN	63.6	5.5	125.7	45.4	-	96.8	67.7	6.8	132.1
RANKIN	28.2	1.1	57.9	26.0	0.3	54.8	34.4	3.4	66.4
SCOTT	58.4	4.0	109.6	53.7	2.0	102.1	62.9	6.0	117.0
SHARKEY	56.4	-	118.5	11.2	-	20.8	67.8	-	147.2
SIMPSON	44.7	3.0	88.3	44.0	3.7	84.1	45.6	2.1	93.7
SMITH	24.8	-	52.2	25.5	-	52.3	23.6	-	52.0
STONE	39.6	1.9	69.4	41.4	-	75.8	34.6	7.7	53.2
SUNFLOWER	70.5	7.0	120.4	23.6	5.2	36.5	82.6	7.4	143.4
TALLAHATCHIE	59.5	7.3	111.3	23.1	6.8	38.2	73.4	7.5	140.7
TATE	41.6	-	72.1	26.0	-	47.0	65.6	-	106.6
TIPPAH	56.8	1.6	110.9	67.3	2.1	127.2	20.6	-	46.2
TISHOMINGO	40.3	1.7	81.3	42.4	1.8	84.9	-	-	-
TUNICA	97.0	5.0	190.8	33.3	-	81.6	108.3	6.1	206.4
UNION	45.6	1.1	92.2	44.2	-	87.7	48.1	4.7	105.6
WALTHALL	33.4	3.7	63.2	32.4	-	64.5	34.0	6.1	62.3
WARREN	46.9	3.2	92.7	34.5	-	70.8	56.1	5.6	109.0
WASHINGTON	60.8	1.9	120.1	29.3	-	53.6	69.1	2.3	140.0
WAYNE	47.2	1.2	99.2	43.9	-	91.6	50.9	2.6	108.0
WEBSTER	32.0	-	63.3	28.8	-	56.5	40.5	-	81.4
WILKINSON	41.6	3.0	81.8	-	-	-	53.6	3.9	104.4
WINSTON	38.4	3.1	72.4	19.5	-	38.0	55.3	5.9	103.7
YALOBUSHA	55.9	7.2	99.8	43.8	9.8	77.7	66.7	4.8	117.6
YAZOO	65.3	6.3	124.0	36.0	-	72.2	78.2	9.1	146.5

* LIVE BIRTHS PLUS REPORTABLE SPONTANEOUS FETAL DEATHS PLUS INDUCED TERMINATIONS PER 1,000 FEMALES IN SPECIFIED AGE/RACE GROUP.

** TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF THE MOTHER WAS UNKNOWN.

NOTE:

Table 19 extends from page 138 through 158 with identical data for each county as well as for the state.

**TABLE 19
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE
RESIDENTS OF ADAMS, ALCORN, AMITE, AND ATTALA COUNTIES, MISSISSIPPI, 2007**

CAUSE AND GROUP NUMBER*	ADAMS COUNTY						ALCORN COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
ALL CAUSES	405	195	210	12.8	14.4	11.5	405	372	33	11.4	11.9	7.5
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	19	9	10	59.9	66.6	54.9	13	13	0	36.5	41.7	-
HIV DISEASE (039-043)	2	0	2	6.3	-	11.0	1	0	1	2.8	-	22.6
MALIGNANT NEOPLASMS (056-108)	92	48	44	290.1	355.4	241.7	88	83	5	247.1	266.1	113.1
DIABETES MELLITUS (124)	5	2	3	15.8	14.8	16.5	2	2	0	5.6	6.4	-
ALZHEIMERS DISEASE (148)	15	9	6	47.3	66.6	33.0	18	17	1	50.5	54.5	22.6
MAJOR CARDIOVASCULAR DISEASES# (156-189)	125	55	70	394.2	407.2	384.5	157	141	16	440.9	452.1	361.8
HEART DISEASES (156-160,162, 164-181)	109	49	60	343.7	362.8	329.6	110	98	12	308.9	314.2	271.4
HYPERTENSION (161,163)	1	0	1	3.2	-	5.5	5	5	0	14.0	16.0	-
CEREBROVASCULAR DISEASES (182-186)	11	4	7	34.7	29.6	38.4	37	34	3	103.9	109.0	67.8
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	4	3	1	11.2	9.6	22.6
INFLUENZA AND PNEUMONIA (195-198)	21	8	13	66.2	59.2	71.4	5	5	0	14.0	16.0	-
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	11	7	4	34.7	51.8	22.0	24	24	0	67.4	77.0	-
PEPTIC ULCER (217-220)	1	0	1	3.2	-	5.5	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	4	4	0	12.6	29.6	-	3	2	1	8.4	6.4	22.6
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	8	2	6	25.2	14.8	33.0	6	6	0	16.8	19.2	-
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	1	1	0	196.5	231.5	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	1	0	1	2.3	-	3.6	0	0	0	-	-	-
CONGENITAL MALFORMATIONS (282-290)	1	0	1	3.2	-	5.5	1	1	0	2.8	3.2	-
SUDDEN INFANT DEATH SYNDROME# (292)	2	1	1	4.7	6.8	3.6	0	0	0	-	-	-
ACCIDENTS (295-330)	21	13	8	66.2	96.2	43.9	28	26	2	78.6	83.4	45.2
MOTOR VEHICLE ACCIDENTS# (296-306)	9	7	2	28.4	51.8	11.0	6	5	1	16.8	16.0	22.6
SUICIDE (331-337)	2	1	1	6.3	7.4	5.5	5	5	0	14.0	16.0	-
HOMICIDE (338-346)	4	1	3	12.6	7.4	16.5	2	1	1	5.6	3.2	22.6

CAUSE AND GROUP NUMBER*	AMITE COUNTY						ATTALA COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
ALL CAUSES	155	98	57	11.6	13.3	9.6	290	193	97	14.8	17.0	11.8
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	2	2	0	15.0	27.1	-	9	5	4	45.9	44.0	48.6
HIV DISEASE (039-043)	0	0	0	-	-	-	2	0	2	10.2	-	24.3
MALIGNANT NEOPLASMS (056-108)	39	28	11	292.2	378.9	184.7	43	29	14	219.4	255.1	170.0
DIABETES MELLITUS (124)	7	4	3	52.4	54.1	50.4	5	3	2	25.5	26.4	24.3
ALZHEIMERS DISEASE (148)	9	7	2	67.4	94.7	33.6	11	8	3	56.1	70.4	36.4
MAJOR CARDIOVASCULAR DISEASES# (156-189)	51	30	21	382.2	406.0	352.6	111	76	35	566.3	668.6	425.1
HEART DISEASES (156-160,162, 164-181)	46	27	19	344.7	365.4	319.1	77	52	25	392.8	457.5	303.6
HYPERTENSION (161,163)	1	0	1	7.5	-	16.8	12	10	2	61.2	88.0	24.3
CEREBROVASCULAR DISEASES (182-186)	2	1	1	15.0	13.5	16.8	19	12	7	96.9	105.6	85.0
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	3	1	2	22.5	13.5	33.6	10	6	4	51.0	52.8	48.6
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	8	7	1	59.9	94.7	16.8	14	10	4	71.4	88.0	48.6
PEPTIC ULCER (217-220)	0	0	0	-	-	-	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	0	0	0	-	-	-	3	2	1	15.3	17.6	12.1
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	3	2	1	22.5	27.1	16.8	7	5	2	35.7	44.0	24.3
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	2	0	2	10.9	-	18.5	1	0	1	3.1	-	5.9
CONGENITAL MALFORMATIONS (282-290)	1	0	1	7.5	-	16.8	1	1	0	5.1	8.8	-
SUDDEN INFANT DEATH SYNDROME# (292)	0	0	0	-	-	-	0	0	0	-	-	-
ACCIDENTS (295-330)	4	2	2	30.0	27.1	33.6	13	6	7	66.3	52.8	85.0
MOTOR VEHICLE ACCIDENTS# (296-306)	2	0	2	15.0	-	33.6	7	2	5	35.7	17.6	60.7
SUICIDE (331-337)	3	3	0	22.5	40.6	-	4	4	0	20.4	35.2	-
HOMICIDE (338-346)	3	1	2	22.5	13.5	33.6	3	0	3	15.3	-	36.4

* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

** TOTAL DEATHS ARE PER 1,000 POPULATION; DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD AND DEATHS FROM SUDDEN INFANT DEATH SYNDROME ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

**TABLE 19
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE
RESIDENTS OF BENTON, BOLIVAR, CALHOUN, AND CARROLL COUNTIES, MISSISSIPPI, 2007**

CAUSE AND GROUP NUMBER*	BENTON COUNTY						BOLIVAR COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
ALL CAUSES	75	51	24	9.3	10.0	8.2	412	147	265	10.9	11.8	10.5
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	2	1	1	24.9	19.6	34.2	11	1	10	29.2	8.0	39.6
HIV DISEASE (039-043)	0	0	0	-	-	-	5	0	5	13.3	-	19.8
MALIGNANT NEOPLASMS (056-108)	21	15	6	261.3	293.4	205.2	68	26	42	180.7	209.5	166.5
DIABETES MELLITUS (124)	6	5	1	74.6	97.8	34.2	13	6	7	34.5	48.3	27.8
ALZHEIMERS DISEASE (148)	1	1	0	12.4	19.6	-	12	7	5	31.9	56.4	19.8
MAJOR CARDIOVASCULAR DISEASES# (156-189)	30	18	12	373.3	352.0	410.4	198	65	133	526.1	523.7	527.3
HEART DISEASES (156-160,162, 164-181)	25	14	11	311.1	273.8	376.2	143	45	98	380.0	362.6	388.5
HYPERTENSION (161,163)	0	0	0	-	-	-	10	2	8	26.6	16.1	31.7
CEREBROVASCULAR DISEASES (182-186)	4	3	1	49.8	58.7	34.2	37	15	22	98.3	120.8	87.2
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	2	0	2	5.3	-	7.9
INFLUENZA AND PNEUMONIA (195-198)	2	1	1	24.9	19.6	34.2	9	6	3	23.9	48.3	11.9
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	1	1	0	12.4	19.6	-	13	9	4	34.5	72.5	15.8
PEPTIC ULCER (217-220)	0	0	0	-	-	-	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	1	1	0	12.4	19.6	-	3	1	2	8.0	8.0	7.9
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	1	0	1	12.4	-	34.2	10	3	7	26.6	24.2	27.8
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	0	0	0	-	-	-	7	0	7	11.2	-	14.6
CONGENITAL MALFORMATIONS (282-290)	0	0	0	-	-	-	0	0	0	-	-	-
SUDDEN INFANT DEATH SYNDROME# (292)	0	0	0	-	-	-	0	0	0	-	-	-
ACCIDENTS (295-330)	5	4	1	62.2	78.2	34.2	16	8	8	42.5	64.4	31.7
MOTOR VEHICLE ACCIDENTS# (296-306)	3	2	1	37.3	39.1	34.2	10	4	6	26.6	32.2	23.8
SUICIDE (331-337)	0	0	0	-	-	-	2	2	0	5.3	16.1	-
HOMICIDE (338-346)	1	1	0	12.4	19.6	-	6	0	6	15.9	-	23.8

CAUSE AND GROUP NUMBER*	CALHOUN COUNTY						CARROLL COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
ALL CAUSES	157	122	35	10.8	12.0	7.9	103	61	42	10.0	9.2	11.5
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	4	4	0	27.4	39.4	-	1	1	0	9.7	15.0	-
HIV DISEASE (039-043)	0	0	0	-	-	-	0	0	0	-	-	-
MALIGNANT NEOPLASMS (056-108)	39	31	8	267.3	305.6	179.9	26	18	8	252.3	270.9	218.6
DIABETES MELLITUS (124)	0	0	0	-	-	-	0	0	0	-	-	-
ALZHEIMERS DISEASE (148)	9	8	1	61.7	78.9	22.5	0	0	0	-	-	-
MAJOR CARDIOVASCULAR DISEASES# (156-189)	60	48	12	411.2	473.2	269.8	45	26	19	436.7	391.3	519.3
HEART DISEASES (156-160,162, 164-181)	45	36	9	308.4	354.9	202.4	32	19	13	310.6	285.9	355.3
HYPERTENSION (161,163)	3	3	0	20.6	29.6	-	2	2	0	19.4	30.1	-
CEREBROVASCULAR DISEASES (182-186)	12	9	3	82.2	88.7	67.5	11	5	6	106.8	75.2	164.0
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	3	3	0	20.6	29.6	-	3	1	2	29.1	15.0	54.7
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	10	8	2	68.5	78.9	45.0	4	3	1	38.8	45.1	27.3
PEPTIC ULCER (217-220)	0	0	0	-	-	-	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	0	0	0	-	-	-	0	0	0	-	-	-
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	1	1	0	6.8	9.8	-	4	2	2	38.8	30.1	54.7
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	0	0	0	-	-	-	1	1	0	6.3	9.9	-
CONGENITAL MALFORMATIONS (282-290)	1	0	1	6.8	-	22.5	2	1	1	19.4	15.0	27.3
SUDDEN INFANT DEATH SYNDROME# (292)	0	0	0	-	-	-	0	0	0	-	-	-
ACCIDENTS (295-330)	12	8	4	82.2	78.9	89.9	5	3	2	48.5	45.1	54.7
MOTOR VEHICLE ACCIDENTS# (296-306)	7	5	2	48.0	49.3	45.0	4	2	2	38.8	30.1	54.7
SUICIDE (331-337)	1	1	0	6.8	9.8	-	1	0	1	9.7	-	27.3
HOMICIDE (338-346)	1	0	1	6.8	-	22.5	2	0	2	19.4	-	54.7

* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

** TOTAL DEATHS ARE PER 1,000 POPULATION; DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD AND DEATHS FROM SUDDEN INFANT DEATH SYNDROME ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

**TABLE 19
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE
RESIDENTS OF CHICKASAW, CHOCTAW, CLAIBORNE, AND CLARKE COUNTIES, MISSISSIPPI, 2007**

CAUSE AND GROUP NUMBER*	CHICKASAW COUNTY						CHOCTAW COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
ALL CAUSES	168	114	54	8.8	10.5	6.7	106	79	27	11.7	12.8	9.4
TUBERCULOSIS (009,010)	0	0	0	-	-	-	1	0	1	11.0	-	34.7
SEPTICEMIA (018)	4	3	1	21.1	27.6	12.4	4	2	2	44.2	32.4	69.5
HIV DISEASE (039-043)	0	0	0	-	-	-	0	0	0	-	-	-
MALIGNANT NEOPLASMS (056-108)	28	20	8	147.6	183.8	98.8	18	16	2	198.8	259.2	69.5
DIABETES MELLITUS (124)	0	0	0	-	-	-	1	0	1	11.0	-	34.7
ALZHEIMERS DISEASE (148)	4	2	2	21.1	18.4	24.7	3	3	0	33.1	48.6	-
MAJOR CARDIOVASCULAR DISEASES# (156-189)	71	41	30	374.2	376.9	370.6	40	30	10	441.9	486.0	347.3
HEART DISEASES (156-160,162, 164-181)	55	32	23	289.9	294.2	284.1	36	30	6	397.7	486.0	208.4
HYPERTENSION (161,163)	1	1	0	5.3	9.2	-	0	0	0	-	-	-
CEREBROVASCULAR DISEASES (182-186)	14	7	7	73.8	64.4	86.5	4	0	4	44.2	-	138.9
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	5	4	1	26.4	36.8	12.4	0	0	0	-	-	-
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	6	6	0	31.6	55.2	-	11	8	3	121.5	129.6	104.2
PEPTIC ULCER (217-220)	0	0	0	-	-	-	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	1	1	0	5.3	9.2	-	0	0	0	-	-	-
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	4	2	2	21.1	18.4	24.7	4	1	3	44.2	16.2	104.2
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	0	0	0	-	-	-	1	0	1	8.0	-	15.9
CONGENITAL MALFORMATIONS (282-290)	1	0	1	5.3	-	12.4	0	0	0	-	-	-
SUDDEN INFANT DEATH SYNDROME# (292)	0	0	0	-	-	-	0	0	0	-	-	-
ACCIDENTS (295-330)	18	15	3	94.9	137.9	37.0	8	6	2	88.4	97.2	69.5
MOTOR VEHICLE ACCIDENTS# (296-306)	11	8	3	58.0	73.5	37.0	2	1	1	22.1	16.2	34.7
SUICIDE (331-337)	2	2	0	10.5	18.4	-	1	1	0	11.0	16.2	-
HOMICIDE (338-346)	1	0	1	5.3	-	12.4	1	1	0	11.0	16.2	-

CAUSE AND GROUP NUMBER*	CLAIBORNE COUNTY						CLARKE COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
ALL CAUSES	113	35	78	10.3	21.1	8.4	200	138	62	11.5	12.3	10.1
TUBERCULOSIS (009,010)	1	0	1	9.1	-	10.7	0	0	0	-	-	-
SEPTICEMIA (018)	4	1	3	36.4	60.2	32.1	3	2	1	17.2	17.8	16.2
HIV DISEASE (039-043)	0	0	0	-	-	-	1	0	1	5.7	-	16.2
MALIGNANT NEOPLASMS (056-108)	24	4	20	218.2	241.0	214.2	42	29	13	241.2	257.7	211.0
DIABETES MELLITUS (124)	1	0	1	9.1	-	10.7	3	2	1	17.2	17.8	16.2
ALZHEIMERS DISEASE (148)	0	0	0	-	-	-	7	5	2	40.2	44.4	32.4
MAJOR CARDIOVASCULAR DISEASES# (156-189)	42	14	28	381.8	843.4	299.8	64	45	19	367.5	399.9	308.3
HEART DISEASES (156-160,162, 164-181)	32	10	22	290.9	602.4	235.6	53	38	15	304.4	337.7	243.4
HYPERTENSION (161,163)	1	0	1	9.1	-	10.7	0	0	0	-	-	-
CEREBROVASCULAR DISEASES (182-186)	9	4	5	81.8	241.0	53.5	11	7	4	63.2	62.2	64.9
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	0	0	0	-	-	-	7	5	2	40.2	44.4	32.4
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	12	6	6	109.1	361.4	64.2	10	8	2	57.4	71.1	32.4
PEPTIC ULCER (217-220)	1	0	1	9.1	-	10.7	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	1	1	0	9.1	60.2	-	3	3	0	17.2	26.7	-
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	2	1	1	18.2	60.2	10.7	8	5	3	45.9	44.4	48.7
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	0	0	0	-	-	-	2	0	2	8.6	-	18.2
CONGENITAL MALFORMATIONS (282-290)	0	0	0	-	-	-	0	0	0	-	-	-
SUDDEN INFANT DEATH SYNDROME# (292)	0	0	0	-	-	-	0	0	0	-	-	-
ACCIDENTS (295-330)	11	4	7	100.0	241.0	75.0	13	9	4	74.6	80.0	64.9
MOTOR VEHICLE ACCIDENTS# (296-306)	8	3	5	72.7	180.7	53.5	4	3	1	23.0	26.7	16.2
SUICIDE (331-337)	1	1	0	9.1	60.2	-	3	2	1	17.2	17.8	16.2
HOMICIDE (338-346)	1	0	1	9.1	-	10.7	0	0	0	-	-	-

* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

** TOTAL DEATHS ARE PER 1,000 POPULATION; DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD AND DEATHS FROM SUDDEN INFANT DEATH SYNDROME ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

**TABLE 19
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE
RESIDENTS OF CLAY, COAHOMA, COPIAH, AND COVINGTON COUNTIES, MISSISSIPPI, 2007**

CAUSE AND GROUP NUMBER*	CLAY COUNTY						COAHOMA COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
ALL CAUSES	202	115	87	9.6	12.8	7.3	326	115	211	11.8	17.2	10.1
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	7	5	2	33.4	55.4	16.7	7	2	5	25.4	29.9	24.0
HIV DISEASE (039-043)	2	0	2	9.5	-	16.7	6	0	6	21.8	-	28.8
MALIGNANT NEOPLASMS (056-108)	44	19	25	209.8	210.7	209.2	67	27	40	243.2	403.2	191.9
DIABETES MELLITUS (124)	4	2	2	19.1	22.2	16.7	18	2	16	65.4	29.9	76.8
ALZHEIMERS DISEASE (148)	3	3	0	14.3	33.3	-	7	4	3	25.4	59.7	14.4
MAJOR CARDIOVASCULAR DISEASES# (156-189)	81	47	34	386.3	521.1	284.5	118	40	78	428.4	597.3	374.2
HEART DISEASES (156-160,162, 164-181)	65	37	28	310.0	410.2	234.3	90	33	57	326.8	492.8	273.4
HYPERTENSION (161,163)	1	1	0	4.8	11.1	-	8	3	5	29.0	44.8	24.0
CEREBROVASCULAR DISEASES (182-186)	13	7	6	62.0	77.6	50.2	17	3	14	61.7	44.8	67.2
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	2	2	0	9.5	22.2	-	4	2	2	14.5	29.9	9.6
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	10	7	3	47.7	77.6	25.1	16	9	7	58.1	134.4	33.6
PEPTIC ULCER (217-220)	0	0	0	-	-	-	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	1	0	1	4.8	-	8.4	0	0	0	-	-	-
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	6	2	4	28.6	22.2	33.5	11	3	8	39.9	44.8	38.4
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	1	0	1	3.2	-	4.5	7	0	7	12.7	-	14.5
CONGENITAL MALFORMATIONS (282-290)	1	0	1	4.8	-	8.4	0	0	0	-	-	-
SUDDEN INFANT DEATH SYNDROME# (292)	0	0	0	-	-	-	0	0	0	-	-	-
ACCIDENTS (295-330)	12	7	5	57.2	77.6	41.8	11	6	5	39.9	89.6	24.0
MOTOR VEHICLE ACCIDENTS# (296-306)	5	3	2	23.8	33.3	16.7	3	2	1	10.9	29.9	4.8
SUICIDE (331-337)	3	2	1	14.3	22.2	8.4	5	4	1	18.2	59.7	4.8
HOMICIDE (338-346)	0	0	0	-	-	-	5	0	5	18.2	-	24.0

CAUSE AND GROUP NUMBER*	COPIAH COUNTY						COVINGTON COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
ALL CAUSES	323	183	140	11.0	13.1	9.1	234	177	57	11.5	13.8	7.5
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	9	5	4	30.7	35.8	26.1	0	0	0	-	-	-
HIV DISEASE (039-043)	1	1	0	3.4	7.2	-	0	0	0	-	-	-
MALIGNANT NEOPLASMS (056-108)	70	40	30	238.8	286.4	195.4	38	32	6	186.6	249.9	79.4
DIABETES MELLITUS (124)	9	2	7	30.7	14.3	45.6	3	2	1	14.7	15.6	13.2
ALZHEIMERS DISEASE (148)	9	5	4	30.7	35.8	26.1	9	8	1	44.2	62.5	13.2
MAJOR CARDIOVASCULAR DISEASES# (156-189)	108	51	57	368.4	365.1	371.4	93	65	28	456.8	507.7	370.5
HEART DISEASES (156-160,162, 164-181)	82	37	45	279.7	264.9	293.2	75	52	23	368.4	406.2	304.3
HYPERTENSION (161,163)	3	0	3	10.2	-	19.5	3	2	1	14.7	15.6	13.2
CEREBROVASCULAR DISEASES (182-186)	19	10	9	64.8	71.6	58.6	14	11	3	68.8	85.9	39.7
ATHEROSCLEROSIS (187)	1	1	0	3.4	7.2	-	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	14	11	3	47.8	78.8	19.5	3	3	0	14.7	23.4	-
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	18	14	4	61.4	100.2	26.1	24	20	4	117.9	156.2	52.9
PEPTIC ULCER (217-220)	0	0	0	-	-	-	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	1	1	0	3.4	7.2	-	0	0	0	-	-	-
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	6	3	3	20.5	21.5	19.5	5	3	2	24.6	23.4	26.5
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	1	1	0	2.1	5.9	-	1	1	0	3.2	5.9	-
CONGENITAL MALFORMATIONS (282-290)	1	0	1	3.4	-	6.5	1	0	1	4.9	-	13.2
SUDDEN INFANT DEATH SYNDROME# (292)	0	0	0	-	-	-	0	0	0	-	-	-
ACCIDENTS (295-330)	19	15	4	64.8	107.4	26.1	15	12	3	73.7	93.7	39.7
MOTOR VEHICLE ACCIDENTS# (296-306)	12	9	3	40.9	64.4	19.5	7	6	1	34.4	46.9	13.2
SUICIDE (331-337)	2	2	0	6.8	14.3	-	2	2	0	9.8	15.6	-
HOMICIDE (338-346)	4	1	3	13.6	7.2	19.5	1	0	1	4.9	-	13.2

* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

** TOTAL DEATHS ARE PER 1,000 POPULATION; DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD AND DEATHS FROM SUDDEN INFANT DEATH SYNDROME ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

**TABLE 19
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE
RESIDENTS OF DESOTO, FORREST, FRANKLIN, AND GEORGE COUNTIES, MISSISSIPPI, 2007**

CAUSE AND GROUP NUMBER*	DESOTO COUNTY						FORREST COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
ALL CAUSES	939	825	114	6.3	7.2	3.3	662	462	200	8.5	9.5	6.8
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	12	9	3	8.0	7.8	8.8	13	7	6	16.6	14.4	20.3
HIV DISEASE (039-043)	1	1	0	0.7	0.9	-	4	1	3	5.1	2.0	10.2
MALIGNANT NEOPLASMS (056-108)	247	218	29	165.3	189.1	85.0	135	99	36	172.5	203.3	121.8
DIABETES MELLITUS (124)	38	34	4	25.4	29.5	11.7	22	12	10	28.1	24.6	33.8
ALZHEIMERS DISEASE (148)	41	38	3	27.4	33.0	8.8	40	30	10	51.1	61.6	33.8
MAJOR CARDIOVASCULAR DISEASES# (156-189)	317	284	33	212.2	246.4	96.7	211	159	52	269.7	326.5	176.0
HEART DISEASES (156-160,162, 164-181)	257	233	24	172.0	202.1	70.3	167	126	41	213.4	258.7	138.8
HYPERTENSION (161,163)	11	8	3	7.4	6.9	8.8	12	8	4	15.3	16.4	13.5
CEREBROVASCULAR DISEASES (182-186)	42	36	6	28.1	31.2	17.6	30	23	7	38.3	47.2	23.7
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	9	8	1	6.0	6.9	2.9	3	2	1	3.8	4.1	3.4
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	37	36	1	24.8	31.2	2.9	28	18	10	35.8	37.0	33.8
PEPTIC ULCER (217-220)	1	1	0	0.7	0.9	-	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	15	15	0	10.0	13.0	-	2	2	0	2.6	4.1	-
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	11	9	2	7.4	7.8	5.9	22	13	9	28.1	26.7	30.5
MATERNAL CAUSES (261-273)	1	0	1	44.7	-	183.8	2	0	2	151.4	-	336.1
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	8	4	4	3.6	2.4	7.4	11	2	9	8.3	2.8	15.1
CONGENITAL MALFORMATIONS (282-290)	6	5	1	4.0	4.3	2.9	2	1	1	2.6	2.0	3.4
SUDDEN INFANT DEATH SYNDROME# (292)	2	2	0	0.9	1.2	-	4	1	3	3.0	1.4	5.0
ACCIDENTS (295-330)	61	47	14	40.8	40.8	41.0	39	29	10	49.8	59.6	33.8
MOTOR VEHICLE ACCIDENTS# (296-306)	30	20	10	20.1	17.4	29.3	17	13	4	21.7	26.7	13.5
SUICIDE (331-337)	16	14	2	10.7	12.1	5.9	10	10	0	12.8	20.5	-
HOMICIDE (338-346)	3	1	2	2.0	0.9	5.9	1	0	1	1.3	-	3.4

CAUSE AND GROUP NUMBER*	FRANKLIN COUNTY						GEORGE COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
ALL CAUSES	79	63	16	9.5	12.3	5.0	233	216	17	10.6	11.0	7.1
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	1	1	0	12.0	19.5	-	1	1	0	4.6	5.1	-
HIV DISEASE (039-043)	0	0	0	-	-	-	0	0	0	-	-	-
MALIGNANT NEOPLASMS (056-108)	18	16	2	216.6	312.0	62.8	52	44	8	237.0	225.2	333.2
DIABETES MELLITUS (124)	1	1	0	12.0	19.5	-	22	20	2	100.3	102.4	83.3
ALZHEIMERS DISEASE (148)	1	1	0	12.0	19.5	-	4	4	0	18.2	20.5	-
MAJOR CARDIOVASCULAR DISEASES# (156-189)	40	29	11	481.2	565.4	345.6	69	64	5	314.5	327.6	208.2
HEART DISEASES (156-160,162, 164-181)	37	26	11	445.1	506.9	345.6	49	47	2	223.4	240.6	83.3
HYPERTENSION (161,163)	0	0	0	-	-	-	3	2	1	13.7	10.2	41.6
CEREBROVASCULAR DISEASES (182-186)	3	3	0	36.1	58.5	-	16	14	2	72.9	71.7	83.3
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	0	0	0	-	-	-	3	3	0	13.7	15.4	-
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	1	1	0	12.0	19.5	-	17	17	0	77.5	87.0	-
PEPTIC ULCER (217-220)	0	0	0	-	-	-	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	0	0	0	-	-	-	2	2	0	9.1	10.2	-
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	4	3	1	48.1	58.5	31.4	1	1	0	4.6	5.1	-
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	0	0	0	-	-	-	2	2	0	4.8	5.3	-
CONGENITAL MALFORMATIONS (282-290)	0	0	0	-	-	-	1	0	1	4.6	-	41.6
SUDDEN INFANT DEATH SYNDROME# (292)	0	0	0	-	-	-	0	0	0	-	-	-
ACCIDENTS (295-330)	2	2	0	24.1	39.0	-	22	22	0	100.3	112.6	-
MOTOR VEHICLE ACCIDENTS# (296-306)	0	0	0	-	-	-	12	12	0	54.7	61.4	-
SUICIDE (331-337)	1	1	0	12.0	19.5	-	6	6	0	27.4	30.7	-
HOMICIDE (338-346)	0	0	0	-	-	-	5	4	1	22.8	20.5	41.6

* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

** TOTAL DEATHS ARE PER 1,000 POPULATION; DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD AND DEATHS FROM SUDDEN INFANT DEATH SYNDROME ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

**TABLE 19
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE
RESIDENTS OF GREENE, GRENADA, HANCOCK, AND HARRISON COUNTIES, MISSISSIPPI, 2007**

CAUSE AND GROUP NUMBER	GREENE COUNTY						GRENADA COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
ALL CAUSES	110	90	20	8.4	9.3	5.7	273	165	108	11.8	12.5	10.9
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	3	2	1	22.8	20.7	28.6	11	6	5	47.7	45.6	50.4
HIV DISEASE (039-043)	1	0	1	7.6	-	28.6	2	0	2	8.7	-	20.1
MALIGNANT NEOPLASMS (056-108)	23	19	4	175.1	197.1	114.4	54	35	19	234.0	266.2	191.4
DIABETES MELLITUS (124)	4	3	1	30.4	31.1	28.6	6	4	2	26.0	30.4	20.1
ALZHEIMERS DISEASE (148)	4	4	0	30.4	41.5	-	10	7	3	43.3	53.2	30.2
MAJOR CARDIOVASCULAR DISEASES# (156-189)	41	33	8	312.1	342.3	228.8	122	74	48	528.7	562.8	483.5
HEART DISEASES (156-160,162, 164-181)	35	27	8	266.4	280.1	228.8	104	65	39	450.7	494.3	392.9
HYPERTENSION (161,163)	0	0	0	-	-	-	3	1	2	13.0	7.6	20.1
CEREBROVASCULAR DISEASES (182-186)	5	5	0	38.1	51.9	-	14	8	6	60.7	60.8	60.4
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	1	1	0	7.6	10.4	-	3	1	2	13.0	7.6	20.1
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	9	8	1	68.5	83.0	28.6	6	5	1	26.0	38.0	10.1
PEPTIC ULCER (217-220)	0	0	0	-	-	-	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	0	0	0	-	-	-	2	2	0	8.7	15.2	-
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	0	0	0	-	-	-	2	2	0	8.7	15.2	-
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	0	0	0	-	-	-	3	0	3	8.7	-	15.7
CONGENITAL MALFORMATIONS (282-290)	0	0	0	-	-	-	0	0	0	-	-	-
SUDDEN INFANT DEATH SYNDROME# (292)	0	0	0	-	-	-	1	0	1	2.9	-	5.2
ACCIDENTS (295-330)	10	10	0	76.1	103.7	-	11	6	5	47.7	45.6	50.4
MOTOR VEHICLE ACCIDENTS# (296-306)	7	7	0	53.3	72.6	-	3	2	1	13.0	15.2	10.1
SUICIDE (331-337)	1	1	0	7.6	10.4	-	2	2	0	8.7	15.2	-
HOMICIDE (338-346)	0	0	0	-	-	-	6	0	6	26.0	-	60.4

CAUSE AND GROUP NUMBER	HANCOCK COUNTY						HARRISON COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
ALL CAUSES	335	317	18	8.4	8.8	4.7	1,509	1,189	320	8.6	9.4	6.4
TUBERCULOSIS (009,010)	0	0	0	-	-	-	1	1	0	0.6	0.8	-
SEPTICEMIA (018)	11	11	0	27.7	30.7	-	34	22	12	19.3	17.4	24.0
HIV DISEASE (039-043)	0	0	0	-	-	-	8	3	5	4.5	2.4	10.0
MALIGNANT NEOPLASMS (056-108)	86	81	5	216.7	226.0	130.2	339	275	64	192.5	218.1	127.9
DIABETES MELLITUS (124)	7	6	1	17.6	16.7	26.0	10	8	2	5.7	6.3	4.0
ALZHEIMERS DISEASE (148)	7	6	1	17.6	16.7	26.0	27	22	5	15.3	17.4	10.0
MAJOR CARDIOVASCULAR DISEASES# (156-189)	104	97	7	262.0	270.6	182.2	524	409	115	297.6	324.4	229.9
HEART DISEASES (156-160,162, 164-181)	89	82	7	224.2	228.8	182.2	437	346	91	248.1	274.4	181.9
HYPERTENSION (161,163)	2	2	0	5.0	5.6	-	4	3	1	2.3	2.4	2.0
CEREBROVASCULAR DISEASES (182-186)	8	8	0	20.2	22.3	-	64	45	19	36.3	35.7	38.0
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	2	2	0	1.1	1.6	-
INFLUENZA AND PNEUMONIA (195-198)	6	6	0	15.1	16.7	-	19	11	8	10.8	8.7	16.0
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	30	28	2	75.6	78.1	52.1	83	71	12	47.1	56.3	24.0
PEPTIC ULCER (217-220)	1	1	0	2.5	2.8	-	3	3	0	1.7	2.4	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	7	7	0	17.6	19.5	-	20	19	1	11.4	15.1	2.0
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	4	4	0	10.1	11.2	-	43	29	14	24.4	23.0	28.0
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	0	0	0	-	-	-	4	3	1	1.4	1.4	1.2
CONGENITAL MALFORMATIONS (282-290)	0	0	0	-	-	-	10	7	3	5.7	5.6	6.0
SUDDEN INFANT DEATH SYNDROME# (292)	2	1	1	4.1	2.2	25.6	5	4	1	1.7	1.9	1.2
ACCIDENTS (295-330)	23	23	0	58.0	64.2	-	109	88	21	61.9	69.8	42.0
MOTOR VEHICLE ACCIDENTS# (296-306)	9	9	0	22.7	25.1	-	50	37	13	28.4	29.3	26.0
SUICIDE (331-337)	9	9	0	22.7	25.1	-	35	32	3	19.9	25.4	6.0
HOMICIDE (338-346)	4	4	0	10.1	11.2	-	14	9	5	8.0	7.1	10.0

* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

** TOTAL DEATHS ARE PER 1,000 POPULATION; DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD AND DEATHS FROM SUDDEN INFANT DEATH SYNDROME ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

**TABLE 19
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE
RESIDENTS OF HINDS, HOLMES, HUMPHREYS, AND ISSAQUENA COUNTIES, MISSISSIPPI, 2007**

CAUSE AND GROUP NUMBER	HINDS COUNTY						HOLMES COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
ALL CAUSES	2,004	864	1,140	8.0	10.8	6.8	222	68	154	10.8	18.2	9.2
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	45	16	29	18.1	19.9	17.2	2	0	2	9.8	-	12.0
HIV DISEASE (039-043)	40	3	37	16.0	3.7	21.9	2	0	2	9.8	-	12.0
MALIGNANT NEOPLASMS (056-108)	369	157	212	148.1	195.4	125.6	44	18	26	215.0	482.7	155.4
DIABETES MELLITUS (124)	33	7	26	13.2	8.7	15.4	2	1	1	9.8	26.8	6.0
ALZHEIMERS DISEASE (148)	33	23	10	13.2	28.6	5.9	7	3	4	34.2	80.4	23.9
MAJOR CARDIOVASCULAR DISEASES# (156-189)	758	330	428	304.2	410.7	253.5	102	30	72	498.5	804.5	430.3
HEART DISEASES (156-160,162, 164-181)	610	275	335	244.8	342.2	198.4	65	20	45	317.7	536.3	268.9
HYPERTENSION (161,163)	29	9	20	11.6	11.2	11.8	12	2	10	58.6	53.6	59.8
CEREBROVASCULAR DISEASES (182-186)	101	42	59	40.5	52.3	35.0	24	7	17	117.3	187.7	101.6
ATHEROSCLEROSIS (187)	1	1	0	0.4	1.2	-	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	39	22	17	15.6	27.4	10.1	4	1	3	19.5	26.8	17.9
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	75	48	27	30.1	59.7	16.0	13	7	6	63.5	187.7	35.8
PEPTIC ULCER (217-220)	1	1	0	0.4	1.2	-	1	1	0	4.9	26.8	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	20	9	11	8.0	11.2	6.5	2	0	2	9.8	-	12.0
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	56	24	32	22.5	29.9	19.0	8	2	6	39.1	53.6	35.8
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	32	1	31	8.0	1.1	10.0	2	0	2	4.9	-	5.5
CONGENITAL MALFORMATIONS (282-290)	5	0	5	2.0	-	3.0	0	0	0	-	-	-
SUDDEN INFANT DEATH SYNDROME# (292)	5	1	4	1.2	1.1	1.3	0	0	0	-	-	-
ACCIDENTS (295-330)	116	61	55	46.6	75.9	32.6	8	3	5	39.1	80.4	29.9
MOTOR VEHICLE ACCIDENTS# (296-306)	71	38	33	28.5	47.3	19.5	4	2	2	19.5	53.6	12.0
SUICIDE (331-337)	22	13	9	8.8	16.2	5.3	2	0	2	9.8	-	12.0
HOMICIDE (338-346)	51	3	48	20.5	3.7	28.4	3	0	3	14.7	-	17.9

CAUSE AND GROUP NUMBER	HUMPHREYS COUNTY						ISSAQUENA COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
ALL CAUSES	112	35	77	11.2	13.4	10.4	10	5	5	6.0	7.2	5.1
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	0	0	0	-	-	-	0	0	0	-	-	-
HIV DISEASE (039-043)	2	1	1	20.0	38.4	13.5	0	0	0	-	-	-
MALIGNANT NEOPLASMS (056-108)	25	9	16	250.2	345.8	216.5	1	0	1	59.7	-	101.5
DIABETES MELLITUS (124)	3	1	2	30.0	38.4	27.1	1	1	0	59.7	144.9	-
ALZHEIMERS DISEASE (148)	6	3	3	60.0	115.2	40.6	0	0	0	-	-	-
MAJOR CARDIOVASCULAR DISEASES# (156-189)	40	14	26	400.2	537.8	351.8	6	4	2	358.2	579.7	203.0
HEART DISEASES (156-160,162, 164-181)	33	11	22	330.2	422.6	297.6	4	3	1	238.8	434.8	101.5
HYPERTENSION (161,163)	1	0	1	10.0	-	13.5	0	0	0	-	-	-
CEREBROVASCULAR DISEASES (182-186)	6	3	3	60.0	115.2	40.6	2	1	1	119.4	144.9	101.5
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	3	0	3	30.0	-	40.6	0	0	0	-	-	-
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	4	2	2	40.0	76.8	27.1	0	0	0	-	-	-
PEPTIC ULCER (217-220)	0	0	0	-	-	-	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	1	0	1	10.0	-	13.5	0	0	0	-	-	-
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	4	0	4	40.0	-	54.1	0	0	0	-	-	-
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	2	0	2	8.1	-	9.2	0	0	0	-	-	-
CONGENITAL MALFORMATIONS (282-290)	1	1	0	10.0	38.4	-	0	0	0	-	-	-
SUDDEN INFANT DEATH SYNDROME# (292)	0	0	0	-	-	-	0	0	0	-	-	-
ACCIDENTS (295-330)	8	1	7	80.0	38.4	94.7	1	0	1	59.7	-	101.5
MOTOR VEHICLE ACCIDENTS# (296-306)	6	1	5	60.0	38.4	67.6	1	0	1	59.7	-	101.5
SUICIDE (331-337)	0	0	0	-	-	-	0	0	0	-	-	-
HOMICIDE (338-346)	5	0	5	50.0	-	67.6	0	0	0	-	-	-

* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

** TOTAL DEATHS ARE PER 1,000 POPULATION; DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD AND DEATHS FROM SUDDEN INFANT DEATH SYNDROME ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

**TABLE 19
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE
RESIDENTS OF ITAWAMBA, JACKSON, JASPER, AND JEFFERSON COUNTIES, MISSISSIPPI, 2007**

CAUSE AND GROUP NUMBER	ITAWAMBA COUNTY						JACKSON COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
ALL CAUSES	236	221	15	10.2	10.4	8.3	1,087	885	202	8.4	9.2	6.0
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	1	1	0	4.3	4.7	-	15	11	4	11.5	11.4	12.0
HIV DISEASE (039-043)	0	0	0	-	-	-	7	3	4	5.4	3.1	12.0
MALIGNANT NEOPLASMS (056-108)	45	41	4	195.4	193.1	222.3	254	209	45	195.2	216.3	134.4
DIABETES MELLITUS (124)	1	1	0	4.3	4.7	-	8	5	3	6.1	5.2	9.0
ALZHEIMERS DISEASE (148)	15	15	0	65.1	70.6	-	33	30	3	25.4	31.0	9.0
MAJOR CARDIOVASCULAR DISEASES# (156-189)	86	80	6	373.4	376.7	333.5	346	276	70	266.0	285.6	209.1
HEART DISEASES (156-160,162, 164-181)	73	68	5	316.9	320.2	277.9	253	204	49	194.5	211.1	146.4
HYPERTENSION (161,163)	1	0	1	4.3	-	55.6	24	17	7	18.4	17.6	20.9
CEREBROVASCULAR DISEASES (182-186)	12	12	0	52.1	56.5	-	56	42	14	43.0	43.5	41.8
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	3	3	0	2.3	3.1	-
INFLUENZA AND PNEUMONIA (195-198)	2	2	0	8.7	9.4	-	31	25	6	23.8	25.9	17.9
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	14	14	0	60.8	65.9	-	65	58	7	50.0	60.0	20.9
PEPTIC ULCER (217-220)	0	0	0	-	-	-	3	3	0	2.3	3.1	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	0	0	0	-	-	-	13	10	3	10.0	10.3	9.0
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	7	7	0	30.4	33.0	-	22	18	4	16.9	18.6	12.0
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	1	0	1	3.3	-	76.9	7	6	1	3.6	4.4	1.7
CONGENITAL MALFORMATIONS (282-290)	2	1	1	8.7	4.7	55.6	5	1	4	3.8	1.0	12.0
SUDDEN INFANT DEATH SYNDROME# (292)	0	0	0	-	-	-	6	5	1	3.1	3.6	1.7
ACCIDENTS (295-330)	14	13	1	60.8	61.2	55.6	100	77	23	76.9	79.7	68.7
MOTOR VEHICLE ACCIDENTS# (296-306)	8	7	1	34.7	33.0	55.6	28	20	8	21.5	20.7	23.9
SUICIDE (331-337)	2	2	0	8.7	9.4	-	19	15	4	14.6	15.5	12.0
HOMICIDE (338-346)	0	0	0	-	-	-	9	6	3	6.9	6.2	9.0

CAUSE AND GROUP NUMBER	JASPER COUNTY						JEFFERSON COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
ALL CAUSES	179	100	79	9.9	11.7	8.3	77	9	68	8.6	7.4	8.8
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	1	1	0	5.5	11.7	-	2	1	1	22.3	82.1	12.9
HIV DISEASE (039-043)	0	0	0	-	-	-	0	0	0	-	-	-
MALIGNANT NEOPLASMS (056-108)	21	8	13	116.2	94.0	136.0	13	1	12	145.1	82.1	155.0
DIABETES MELLITUS (124)	1	0	1	5.5	-	10.5	4	0	4	44.6	-	51.7
ALZHEIMERS DISEASE (148)	1	0	1	5.5	-	10.5	1	0	1	11.2	-	12.9
MAJOR CARDIOVASCULAR DISEASES# (156-189)	86	52	34	475.9	610.7	355.8	30	3	27	334.8	246.3	348.7
HEART DISEASES (156-160,162, 164-181)	73	44	29	404.0	516.7	303.5	26	3	23	290.2	246.3	297.1
HYPERTENSION (161,163)	1	0	1	5.5	-	10.5	0	0	0	-	-	-
CEREBROVASCULAR DISEASES (182-186)	11	7	4	60.9	82.2	41.8	4	0	4	44.6	-	51.7
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	2	2	0	11.1	23.5	-	4	1	3	44.6	82.1	38.8
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	8	5	3	44.3	58.7	31.4	3	0	3	33.5	-	38.8
PEPTIC ULCER (217-220)	0	0	0	-	-	-	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	1	0	1	5.5	-	10.5	0	0	0	-	-	-
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	3	3	0	16.6	35.2	-	4	1	3	44.6	82.1	38.8
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	2	0	2	7.2	-	11.6	1	0	1	7.7	-	8.1
CONGENITAL MALFORMATIONS (282-290)	4	3	1	22.1	35.2	10.5	1	0	1	11.2	-	12.9
SUDDEN INFANT DEATH SYNDROME# (292)	0	0	0	-	-	-	0	0	0	-	-	-
ACCIDENTS (295-330)	17	9	8	94.1	105.7	83.7	5	2	3	55.8	164.2	38.8
MOTOR VEHICLE ACCIDENTS# (296-306)	12	6	6	66.4	70.5	62.8	3	2	1	33.5	164.2	12.9
SUICIDE (331-337)	4	4	0	22.1	47.0	-	2	0	2	22.3	-	25.8
HOMICIDE (338-346)	3	0	3	16.6	-	31.4	1	0	1	11.2	-	12.9

* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

** TOTAL DEATHS ARE PER 1,000 POPULATION; DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD AND DEATHS FROM SUDDEN INFANT DEATH SYNDROME ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

**TABLE 19
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE
RESIDENTS OF JEFF DAVIS, JONES, KEMPER, AND LAFAYETTE COUNTIES, MISSISSIPPI, 2007**

CAUSE AND GROUP NUMBER	JEFF DAVIS COUNTY						JONES COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
ALL CAUSES	156	70	86	12.2	13.2	11.4	702	506	196	10.5	10.6	10.2
TUBERCULOSIS (009,010)	0	0	0	-	-	-	1	1	0	1.5	2.1	-
SEPTICEMIA (018)	2	1	1	15.6	18.8	13.3	19	15	4	28.4	31.6	20.8
HIV DISEASE (039-043)	1	0	1	7.8	-	13.3	3	1	2	4.5	2.1	10.4
MALIGNANT NEOPLASMS (056-108)	27	17	10	210.7	320.3	133.2	143	97	46	214.2	204.2	238.7
DIABETES MELLITUS (124)	1	0	1	7.8	-	13.3	8	5	3	12.0	10.5	15.6
ALZHEIMERS DISEASE (148)	2	1	1	15.6	18.8	13.3	31	26	5	46.4	54.7	25.9
MAJOR CARDIOVASCULAR DISEASES# (156-189)	60	26	34	468.3	489.9	453.0	212	150	62	317.5	315.8	321.8
HEART DISEASES (156-160,162, 164-181)	46	20	26	359.0	376.9	346.4	175	125	50	262.1	263.2	259.5
HYPERTENSION (161,163)	6	1	5	46.8	18.8	66.6	5	0	5	7.5	-	25.9
CEREBROVASCULAR DISEASES (182-186)	7	4	3	54.6	75.4	40.0	31	25	6	46.4	52.6	31.1
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	3	2	1	23.4	37.7	13.3	27	22	5	40.4	46.3	25.9
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	7	3	4	54.6	56.5	53.3	39	35	4	58.4	73.7	20.8
PEPTIC ULCER (217-220)	0	0	0	-	-	-	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	1	0	1	7.8	-	13.3	9	8	1	13.5	16.8	5.2
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	2	1	1	15.6	18.8	13.3	8	4	4	12.0	8.4	20.8
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	0	0	0	-	-	-	7	3	4	5.9	3.8	10.0
CONGENITAL MALFORMATIONS (282-290)	2	0	2	15.6	-	26.6	3	2	1	4.5	4.2	5.2
SUDDEN INFANT DEATH SYNDROME# (292)	0	0	0	-	-	-	2	1	1	1.7	1.3	2.5
ACCIDENTS (295-330)	15	5	10	117.1	94.2	133.2	42	34	8	62.9	71.6	41.5
MOTOR VEHICLE ACCIDENTS# (296-306)	12	3	9	93.6	56.5	119.9	27	21	6	40.4	44.2	31.1
SUICIDE (331-337)	1	1	0	7.8	18.8	-	11	9	2	16.5	19.0	10.4
HOMICIDE (338-346)	4	1	3	31.2	18.8	40.0	4	0	4	6.0	-	20.8

CAUSE AND GROUP NUMBER	KEMPER COUNTY						LAFAYETTE COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
ALL CAUSES	97	43	54	9.6	11.3	8.6	325	239	86	7.6	7.7	7.4
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	2	1	1	19.8	26.3	15.8	2	1	1	4.7	3.2	8.6
HIV DISEASE (039-043)	0	0	0	-	-	-	2	0	2	4.7	-	17.3
MALIGNANT NEOPLASMS (056-108)	24	10	14	237.4	263.0	222.0	55	40	15	128.8	128.5	129.5
DIABETES MELLITUS (124)	1	0	1	9.9	-	15.8	18	11	7	42.1	35.3	60.4
ALZHEIMERS DISEASE (148)	1	0	1	9.9	-	15.8	22	22	0	51.5	70.7	-
MAJOR CARDIOVASCULAR DISEASES# (156-189)	39	19	20	385.8	499.7	317.1	108	78	30	252.8	250.5	259.0
HEART DISEASES (156-160,162, 164-181)	28	17	11	277.0	447.1	174.4	79	56	23	184.9	179.9	198.6
HYPERTENSION (161,163)	0	0	0	-	-	-	7	2	5	16.4	6.4	43.2
CEREBROVASCULAR DISEASES (182-186)	11	2	9	108.8	52.6	142.7	21	19	2	49.2	61.0	17.3
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	0	0	0	-	-	-	1	1	0	2.3	3.2	-
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	0	0	0	-	-	-	24	21	3	56.2	67.4	25.9
PEPTIC ULCER (217-220)	0	0	0	-	-	-	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	3	1	2	29.7	26.3	31.7	3	3	0	7.0	9.6	-
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	3	1	2	29.7	26.3	31.7	7	4	3	16.4	12.8	25.9
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	2	0	2	13.9	-	19.4	1	0	1	1.8	-	5.3
CONGENITAL MALFORMATIONS (282-290)	0	0	0	-	-	-	0	0	0	-	-	-
SUDDEN INFANT DEATH SYNDROME# (292)	0	0	0	-	-	-	0	0	0	-	-	-
ACCIDENTS (295-330)	7	5	2	69.2	131.5	31.7	21	15	6	49.2	48.2	51.8
MOTOR VEHICLE ACCIDENTS# (296-306)	4	3	1	39.6	78.9	15.8	10	6	4	23.4	19.3	34.5
SUICIDE (331-337)	2	0	2	19.8	-	31.7	8	7	1	18.7	22.5	8.6
HOMICIDE (338-346)	1	0	1	9.9	-	15.8	1	0	1	2.3	-	8.6

* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

** TOTAL DEATHS ARE PER 1,000 POPULATION; DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD AND DEATHS FROM SUDDEN INFANT DEATH SYNDROME ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

**TABLE 19
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE
RESIDENTS OF LAMAR, LAUDERDALE, LAWRENCE, AND LEAKE COUNTIES, MISSISSIPPI, 2007**

CAUSE AND GROUP NUMBER	LAMAR COUNTY						LAUDERDALE COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
ALL CAUSES	317	269	48	6.6	6.8	5.8	895	604	291	11.6	13.7	8.8
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	5	5	0	10.5	12.7	-	18	13	5	23.3	29.5	15.2
HIV DISEASE (039-043)	0	0	0	-	-	-	11	5	6	14.3	11.3	18.2
MALIGNANT NEOPLASMS (056-108)	64	52	12	134.2	131.7	145.9	182	112	70	236.0	254.0	212.1
DIABETES MELLITUS (124)	2	1	1	4.2	2.5	12.2	8	3	5	10.4	6.8	15.2
ALZHEIMERS DISEASE (148)	11	11	0	23.1	27.9	-	46	36	10	59.7	81.6	30.3
MAJOR CARDIOVASCULAR DISEASES# (156-189)	101	83	18	211.7	210.3	218.8	285	188	97	369.6	426.3	294.0
HEART DISEASES (156-160,162, 164-181)	77	65	12	161.4	164.7	145.9	214	146	68	277.6	331.0	206.1
HYPERTENSION (161,163)	2	1	1	4.2	2.5	12.2	3	2	1	3.9	4.5	3.0
CEREBROVASCULAR DISEASES (182-186)	20	15	5	41.9	38.0	60.8	63	35	28	81.7	79.4	84.8
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	10	9	1	21.0	22.8	12.2	17	15	2	22.0	34.0	6.1
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	20	19	1	41.9	48.1	12.2	49	43	6	63.6	97.5	18.2
PEPTIC ULCER (217-220)	0	0	0	-	-	-	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	3	3	0	6.3	7.6	-	2	1	1	2.6	2.3	3.0
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	6	5	1	12.6	12.7	12.2	34	23	11	44.1	52.2	33.3
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	1	0	1	78.8	-	145.8
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	1	0	1	1.2	-	5.5	6	4	2	4.7	6.9	2.9
CONGENITAL MALFORMATIONS (282-290)	1	0	1	2.1	-	12.2	2	1	1	2.6	2.3	3.0
SUDDEN INFANT DEATH SYNDROME# (292)	2	1	1	2.4	1.6	5.5	5	3	2	3.9	5.1	2.9
ACCIDENTS (295-330)	30	29	1	62.9	73.5	12.2	52	35	17	67.4	79.4	51.5
MOTOR VEHICLE ACCIDENTS# (296-306)	15	14	1	31.4	35.5	12.2	27	18	9	35.0	40.8	27.3
SUICIDE (331-337)	4	4	0	8.4	10.1	-	5	3	2	6.5	6.8	6.1
HOMICIDE (338-346)	0	0	0	-	-	-	5	1	4	6.5	2.3	12.1

CAUSE AND GROUP NUMBER	LAWRENCE COUNTY						LEAKE COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
ALL CAUSES	140	101	39	10.5	11.3	8.8	274	191	83	12.0	15.1	8.2
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	3	2	1	22.5	22.4	22.5	3	1	2	13.1	7.9	19.7
HIV DISEASE (039-043)	1	0	1	7.5	-	22.5	1	0	1	4.4	-	9.8
MALIGNANT NEOPLASMS (056-108)	23	15	8	172.4	168.4	180.4	64	44	20	280.4	347.2	196.9
DIABETES MELLITUS (124)	0	0	0	-	-	-	7	4	3	30.7	31.6	29.5
ALZHEIMERS DISEASE (148)	3	2	1	22.5	22.4	22.5	9	8	1	39.4	63.1	9.8
MAJOR CARDIOVASCULAR DISEASES# (156-189)	68	50	18	509.7	561.4	405.9	101	75	26	442.4	591.8	256.0
HEART DISEASES (156-160,162, 164-181)	54	45	9	404.8	505.3	202.9	77	61	16	337.3	481.3	157.6
HYPERTENSION (161,163)	0	0	0	-	-	-	9	3	6	39.4	23.7	59.1
CEREBROVASCULAR DISEASES (182-186)	11	2	9	82.4	22.4	202.9	15	11	4	65.7	86.8	39.4
ATHEROSCLEROSIS (187)	2	2	0	15.0	22.4	-	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	1	1	0	7.5	11.2	-	5	5	0	21.9	39.4	-
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	7	7	0	52.5	78.6	-	18	11	7	78.8	86.8	68.9
PEPTIC ULCER (217-220)	0	0	0	-	-	-	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	1	1	0	7.5	11.2	-	3	3	0	13.1	23.7	-
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	3	2	1	22.5	22.4	22.5	7	5	2	30.7	39.4	19.7
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	1	0	1	4.6	-	11.9	0	0	0	-	-	-
CONGENITAL MALFORMATIONS (282-290)	0	0	0	-	-	-	2	2	0	8.8	15.8	-
SUDDEN INFANT DEATH SYNDROME# (292)	0	0	0	-	-	-	0	0	0	-	-	-
ACCIDENTS (295-330)	9	5	4	67.5	56.1	90.2	23	12	11	100.8	94.7	108.3
MOTOR VEHICLE ACCIDENTS# (296-306)	5	4	1	37.5	44.9	22.5	11	6	5	48.2	47.3	49.2
SUICIDE (331-337)	1	1	0	7.5	11.2	-	3	3	0	13.1	23.7	-
HOMICIDE (338-346)	2	1	1	15.0	11.2	22.5	4	0	4	17.5	-	39.4

* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

** TOTAL DEATHS ARE PER 1,000 POPULATION; DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD AND DEATHS FROM SUDDEN INFANT DEATH SYNDROME ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

**TABLE 19
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE
RESIDENTS OF LEE, LEFLORE, LINCOLN, AND LOWNDES COUNTIES, MISSISSIPPI, 2007**

CAUSE AND GROUP NUMBER	LEE COUNTY						LEFLORE COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
ALL CAUSES	1,037	836	201	12.9	14.4	9.0	367	169	198	10.4	17.4	7.8
TUBERCULOSIS (009,010)	0	0	0	-	-	-	1	1	0	2.8	10.3	-
SEPTICEMIA (018)	10	8	2	12.4	13.8	8.9	6	2	4	17.1	20.6	15.8
HIV DISEASE (039-043)	4	0	4	5.0	-	17.8	1	0	1	2.8	-	3.9
MALIGNANT NEOPLASMS (056-108)	277	222	55	344.7	383.4	245.0	68	28	40	193.8	288.5	157.6
DIABETES MELLITUS (124)	21	14	7	26.1	24.2	31.2	4	2	2	11.4	20.6	7.9
ALZHEIMERS DISEASE (148)	21	19	2	26.1	32.8	8.9	2	2	0	5.7	20.6	-
MAJOR CARDIOVASCULAR DISEASES# (156-189)	380	312	68	472.9	538.8	302.9	185	88	97	527.2	906.7	382.1
HEART DISEASES (156-160,162, 164-181)	303	259	44	377.1	447.3	196.0	137	65	72	390.4	669.8	283.6
HYPERTENSION (161,163)	16	10	6	19.9	17.3	26.7	7	2	5	20.0	20.6	19.7
CEREBROVASCULAR DISEASES (182-186)	57	40	17	70.9	69.1	75.7	38	21	17	108.3	216.4	67.0
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	12	7	5	14.9	12.1	22.3	10	5	5	28.5	51.5	19.7
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	37	36	1	46.0	62.2	4.4	13	12	1	37.0	123.6	3.9
PEPTIC ULCER (217-220)	4	2	2	5.0	3.4	8.9	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	11	9	2	13.7	15.5	8.9	3	2	1	8.6	20.6	3.9
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	14	10	4	17.4	17.3	17.8	7	2	5	20.0	20.6	19.7
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	1	0	1	167.5	-	207.9
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	11	5	6	8.2	5.8	12.8	1	1	0	1.7	8.6	-
CONGENITAL MALFORMATIONS (282-290)	4	0	4	5.0	-	17.8	1	1	0	2.8	10.3	-
SUDDEN INFANT DEATH SYNDROME# (292)	1	0	1	0.7	-	2.1	1	0	1	1.7	-	2.1
ACCIDENTS (295-330)	56	43	13	69.7	74.3	57.9	16	4	12	45.6	41.2	47.3
MOTOR VEHICLE ACCIDENTS# (296-306)	28	21	7	34.8	36.3	31.2	9	3	6	25.6	30.9	23.6
SUICIDE (331-337)	14	13	1	17.4	22.4	4.4	0	0	0	-	-	-
HOMICIDE (338-346)	1	0	1	1.2	-	4.4	5	1	4	14.2	10.3	15.8

CAUSE AND GROUP NUMBER	LINCOLN COUNTY						LOWNDES COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
ALL CAUSES	372	261	111	10.8	11.1	10.1	528	316	212	8.8	9.6	7.9
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	9	6	3	26.1	25.5	27.3	10	8	2	16.8	24.4	7.4
HIV DISEASE (039-043)	1	0	1	2.9	-	9.1	3	0	3	5.0	-	11.2
MALIGNANT NEOPLASMS (056-108)	68	44	24	196.9	186.8	218.6	104	56	48	174.4	170.8	178.9
DIABETES MELLITUS (124)	10	6	4	29.0	25.5	36.4	8	4	4	13.4	12.2	14.9
ALZHEIMERS DISEASE (148)	12	10	2	34.8	42.4	18.2	20	17	3	33.5	51.8	11.2
MAJOR CARDIOVASCULAR DISEASES# (156-189)	138	95	43	399.7	403.4	391.7	220	122	98	369.0	372.1	365.3
HEART DISEASES (156-160,162, 164-181)	106	72	34	307.0	305.7	309.7	170	97	73	285.2	295.8	272.1
HYPERTENSION (161,163)	11	7	4	31.8	29.7	36.4	12	8	4	20.1	24.4	14.9
CEREBROVASCULAR DISEASES (182-186)	19	14	5	55.0	59.4	45.6	35	14	21	58.7	42.7	78.3
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	7	6	1	20.3	25.5	9.1	12	10	2	20.1	30.5	7.4
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	22	21	1	63.7	89.2	9.1	30	27	3	50.3	82.3	11.2
PEPTIC ULCER (217-220)	0	0	0	-	-	-	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	2	2	0	5.8	8.5	-	0	0	0	-	-	-
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	11	6	5	31.8	25.5	45.6	14	4	10	23.5	12.2	37.3
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	2	0	2	3.4	-	8.9	4	2	2	4.3	4.6	4.0
CONGENITAL MALFORMATIONS (282-290)	4	3	1	11.6	12.7	9.1	1	0	1	1.7	-	3.7
SUDDEN INFANT DEATH SYNDROME# (292)	0	0	0	-	-	-	2	0	2	2.1	-	4.0
ACCIDENTS (295-330)	30	20	10	86.9	84.9	91.1	19	12	7	31.9	36.6	26.1
MOTOR VEHICLE ACCIDENTS# (296-306)	17	9	8	49.2	38.2	72.9	10	6	4	16.8	18.3	14.9
SUICIDE (331-337)	3	3	0	8.7	12.7	-	10	6	4	16.8	18.3	14.9
HOMICIDE (338-346)	1	0	1	2.9	-	9.1	6	3	3	10.1	9.2	11.2

* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

** TOTAL DEATHS ARE PER 1,000 POPULATION; DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD AND DEATHS FROM SUDDEN INFANT DEATH SYNDROME ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

**TABLE 19
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE
RESIDENTS OF MADISON, MARION, MARSHALL, AND MONROE COUNTIES, MISSISSIPPI, 2007**

CAUSE AND GROUP NUMBER	MADISON COUNTY						MARION COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
ALL CAUSES	1,044	699	345	11.7	13.0	9.6	336	244	92	13.0	14.4	10.5
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	7	3	4	7.8	5.6	11.2	4	4	0	15.5	23.6	-
HIV DISEASE (039-043)	13	1	12	14.5	1.9	33.6	0	0	0	-	-	-
MALIGNANT NEOPLASMS (056-108)	362	226	136	405.0	421.5	380.3	66	52	14	256.5	306.5	159.7
DIABETES MELLITUS (124)	12	5	7	13.4	9.3	19.6	4	2	2	15.5	11.8	22.8
ALZHEIMERS DISEASE (148)	38	32	6	42.5	59.7	16.8	11	10	1	42.7	58.9	11.4
MAJOR CARDIOVASCULAR DISEASES# (156-189)	272	187	85	304.3	348.7	237.7	122	90	32	474.1	530.4	365.0
HEART DISEASES (156-160,162, 164-181)	210	138	72	234.9	257.4	201.3	89	72	17	345.8	424.4	193.9
HYPERTENSION (161,163)	8	5	3	9.0	9.3	8.4	3	2	1	11.6	11.8	11.4
CEREBROVASCULAR DISEASES (182-186)	51	43	8	57.0	80.2	22.4	28	14	14	108.8	82.5	159.7
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	18	15	3	20.1	28.0	8.4	5	5	0	19.4	29.5	-
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	39	35	4	43.6	65.3	11.2	11	9	2	42.7	53.0	22.8
PEPTIC ULCER (217-220)	0	0	0	-	-	-	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	11	8	3	12.3	14.9	8.4	1	1	0	3.9	5.9	-
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	25	9	16	28.0	16.8	44.7	12	4	8	46.6	23.6	91.2
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	4	1	3	2.7	1.3	4.2	4	1	3	9.3	3.8	17.8
CONGENITAL MALFORMATIONS (282-290)	2	0	2	2.2	-	5.6	1	0	1	3.9	-	11.4
SUDDEN INFANT DEATH SYNDROME# (292)	1	1	0	0.7	1.3	-	0	0	0	-	-	-
ACCIDENTS (295-330)	32	25	7	35.8	46.6	19.6	22	18	4	85.5	106.1	45.6
MOTOR VEHICLE ACCIDENTS# (296-306)	10	5	5	11.2	9.3	14.0	12	11	1	46.6	64.8	11.4
SUICIDE (331-337)	11	8	3	12.3	14.9	8.4	3	3	0	11.6	17.7	-
HOMICIDE (338-346)	8	1	7	9.0	1.9	19.6	8	3	5	31.1	17.7	57.0

CAUSE AND GROUP NUMBER	MARSHALL COUNTY						MONROE COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
ALL CAUSES	348	226	122	9.5	12.2	6.7	393	282	111	10.6	11.2	9.4
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	6	3	3	16.4	16.2	16.5	9	6	3	24.3	23.7	25.4
HIV DISEASE (039-043)	0	0	0	-	-	-	0	0	0	-	-	-
MALIGNANT NEOPLASMS (056-108)	81	47	34	220.7	254.4	186.6	84	47	37	226.5	186.0	313.4
DIABETES MELLITUS (124)	11	6	5	30.0	32.5	27.4	7	6	1	18.9	23.7	8.5
ALZHEIMERS DISEASE (148)	7	7	0	19.1	37.9	-	7	5	2	18.9	19.8	16.9
MAJOR CARDIOVASCULAR DISEASES# (156-189)	125	88	37	340.6	476.4	203.0	156	121	35	420.7	478.8	296.4
HEART DISEASES (156-160,162, 164-181)	84	58	26	228.9	314.0	142.7	116	91	25	312.8	360.1	211.8
HYPERTENSION (161,163)	33	24	9	89.9	129.9	49.4	12	8	4	32.4	31.6	33.9
CEREBROVASCULAR DISEASES (182-186)	7	5	2	19.1	27.1	11.0	24	18	6	64.7	71.2	50.8
ATHEROSCLEROSIS (187)	1	1	0	2.7	5.4	-	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	5	4	1	13.6	21.6	5.5	9	8	1	24.3	31.6	8.5
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	24	20	4	65.4	108.3	21.9	17	17	0	45.8	67.3	-
PEPTIC ULCER (217-220)	0	0	0	-	-	-	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	4	3	1	10.9	16.2	5.5	4	3	1	10.8	11.9	8.5
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	7	4	3	19.1	21.6	16.5	7	5	2	18.9	19.8	16.9
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	4	1	3	6.9	3.7	9.5	6	1	5	10.6	2.9	22.0
CONGENITAL MALFORMATIONS (282-290)	1	0	1	2.7	-	5.5	0	0	0	-	-	-
SUDDEN INFANT DEATH SYNDROME# (292)	1	0	1	1.7	-	3.2	0	0	0	-	-	-
ACCIDENTS (295-330)	28	18	10	76.3	97.4	54.9	26	21	5	70.1	83.1	42.4
MOTOR VEHICLE ACCIDENTS# (296-306)	22	13	9	60.0	70.4	49.4	11	9	2	29.7	35.6	16.9
SUICIDE (331-337)	5	4	1	13.6	21.6	5.5	4	3	1	10.8	11.9	8.5
HOMICIDE (338-346)	3	1	2	8.2	5.4	11.0	2	1	1	5.4	4.0	8.5

* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

** TOTAL DEATHS ARE PER 1,000 POPULATION; DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD AND DEATHS FROM SUDDEN INFANT DEATH SYNDROME ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

**TABLE 19
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE
RESIDENTS OF MONTGOMERY, NESHOMA, NEWTON, AND NOXUBEE COUNTIES, MISSISSIPPI, 2007**

CAUSE AND GROUP NUMBER	MONTGOMERY COUNTY						NESHOMA COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
ALL CAUSES	148	87	61	12.9	14.2	11.4	310	206	104	10.2	10.6	9.6
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	3	2	1	26.1	32.6	18.6	6	1	5	19.8	5.2	46.1
HIV DISEASE (039-043)	1	0	1	8.7	-	18.6	0	0	0	-	-	-
MALIGNANT NEOPLASMS (056-108)	30	17	13	261.1	277.4	242.4	51	36	15	168.7	185.7	138.2
DIABETES MELLITUS (124)	4	1	3	34.8	16.3	55.9	10	3	7	33.1	15.5	64.5
ALZHEIMERS DISEASE (148)	1	1	0	8.7	16.3	-	9	6	3	29.8	31.0	27.6
MAJOR CARDIOVASCULAR DISEASES# (156-189)	48	28	20	417.7	456.8	373.0	118	81	37	390.3	417.9	340.9
HEART DISEASES (156-160,162, 164-181)	35	22	13	304.6	358.9	242.4	95	63	32	314.2	325.0	294.8
HYPERTENSION (161,163)	4	0	4	34.8	-	74.6	0	0	0	-	-	-
CEREBROVASCULAR DISEASES (182-186)	8	5	3	69.6	81.6	55.9	20	15	5	66.1	77.4	46.1
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	4	3	1	34.8	48.9	18.6	6	5	1	19.8	25.8	9.2
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	10	7	3	87.0	114.2	55.9	11	11	0	36.4	56.8	-
PEPTIC ULCER (217-220)	0	0	0	-	-	-	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	1	0	1	8.7	-	18.6	4	0	4	13.2	-	36.8
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	8	3	5	69.6	48.9	93.2	14	8	6	46.3	41.3	55.3
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	1	1	0	6.4	19.2	-	3	1	2	5.5	3.9	6.9
CONGENITAL MALFORMATIONS (282-290)	0	0	0	-	-	-	2	1	1	6.6	5.2	9.2
SUDDEN INFANT DEATH SYNDROME# (292)	0	0	0	-	-	-	1	0	1	1.8	-	3.5
ACCIDENTS (295-330)	16	10	6	139.2	163.2	111.9	21	12	9	69.4	61.9	82.9
MOTOR VEHICLE ACCIDENTS# (296-306)	12	9	3	104.4	146.8	55.9	7	3	4	23.2	15.5	36.8
SUICIDE (331-337)	0	0	0	-	-	-	5	3	2	16.5	15.5	18.4
HOMICIDE (338-346)	0	0	0	-	-	-	2	2	0	6.6	10.3	-

CAUSE AND GROUP NUMBER	NEWTON COUNTY						NOXUBEE COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
ALL CAUSES	217	158	59	9.7	10.9	7.5	111	42	69	9.3	12.2	8.2
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	2	0	2	9.0	-	25.4	6	3	3	50.5	87.3	35.6
HIV DISEASE (039-043)	0	0	0	-	-	-	1	0	1	8.4	-	11.8
MALIGNANT NEOPLASMS (056-108)	42	32	10	188.1	221.3	127.1	20	7	13	168.4	203.7	154.1
DIABETES MELLITUS (124)	6	3	3	26.9	20.7	38.1	2	0	2	16.8	-	23.7
ALZHEIMERS DISEASE (148)	8	6	2	35.8	41.5	25.4	1	0	1	8.4	-	11.8
MAJOR CARDIOVASCULAR DISEASES# (156-189)	78	61	17	349.3	421.8	216.0	50	21	29	421.1	611.2	343.7
HEART DISEASES (156-160,162, 164-181)	60	45	15	268.7	311.2	190.6	44	20	24	370.6	582.1	284.4
HYPERTENSION (161,163)	2	1	1	9.0	6.9	12.7	3	0	3	25.3	-	35.6
CEREBROVASCULAR DISEASES (182-186)	15	14	1	67.2	96.8	12.7	3	1	2	25.3	29.1	23.7
ATHEROSCLEROSIS (187)	1	1	0	4.5	6.9	-	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	3	2	1	13.4	13.8	12.7	0	0	0	-	-	-
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	21	19	2	94.0	131.4	25.4	2	1	1	16.8	29.1	11.8
PEPTIC ULCER (217-220)	0	0	0	-	-	-	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	2	2	0	9.0	13.8	-	1	0	1	8.4	-	11.8
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	10	7	3	44.8	48.4	38.1	4	0	4	33.7	-	47.4
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	3	0	3	8.2	-	18.1	1	0	1	4.8	-	6.1
CONGENITAL MALFORMATIONS (282-290)	1	1	0	4.5	6.9	-	0	0	0	-	-	-
SUDDEN INFANT DEATH SYNDROME# (292)	1	0	1	2.7	-	6.0	0	0	0	-	-	-
ACCIDENTS (295-330)	11	6	5	49.3	41.5	63.5	7	2	5	59.0	58.2	59.2
MOTOR VEHICLE ACCIDENTS# (296-306)	8	4	4	35.8	27.7	50.8	5	2	3	42.1	58.2	35.6
SUICIDE (331-337)	3	2	1	13.4	13.8	12.7	0	0	0	-	-	-
HOMICIDE (338-346)	0	0	0	-	-	-	2	0	2	16.8	-	23.7

* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

** TOTAL DEATHS ARE PER 1,000 POPULATION; DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD AND DEATHS FROM SUDDEN INFANT DEATH SYNDROME ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

**TABLE 19
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE
RESIDENTS OF OKTIBBEHA, PANOLA, PEARL RIVER, AND PERRY COUNTIES, MISSISSIPPI, 2007**

CAUSE AND GROUP NUMBER	OKTIBBEHA COUNTY						PANOLA COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
ALL CAUSES	279	157	122	6.4	6.0	6.8	383	224	159	10.8	12.3	9.2
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	7	4	3	15.9	15.4	16.8	7	4	3	19.8	22.0	17.4
HIV DISEASE (039-043)	0	0	0	-	-	-	1	0	1	2.8	-	5.8
MALIGNANT NEOPLASMS (056-108)	57	32	25	129.8	123.0	139.7	85	52	33	240.0	285.8	191.7
DIABETES MELLITUS (124)	7	3	4	15.9	11.5	22.4	9	2	7	25.4	11.0	40.7
ALZHEIMERS DISEASE (148)	13	9	4	29.6	34.6	22.4	9	6	3	25.4	33.0	17.4
MAJOR CARDIOVASCULAR DISEASES# (156-189)	112	58	54	255.1	223.0	301.8	138	78	60	389.7	428.7	348.6
HEART DISEASES (156-160,162, 164-181)	88	47	41	200.5	180.7	229.1	113	67	46	319.1	368.2	267.2
HYPERTENSION (161,163)	4	0	4	9.1	-	22.4	12	5	7	33.9	27.5	40.7
CEREBROVASCULAR DISEASES (182-186)	17	9	8	38.7	34.6	44.7	11	5	6	31.1	27.5	34.8
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	9	7	2	20.5	26.9	11.2	5	4	1	14.1	22.0	5.8
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	9	7	2	20.5	26.9	11.2	20	18	2	56.5	98.9	11.6
PEPTIC ULCER (217-220)	0	0	0	-	-	-	1	0	1	2.8	-	5.8
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	4	2	2	9.1	7.7	11.2	4	2	2	11.3	11.0	11.6
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	10	5	5	22.8	19.2	27.9	5	1	4	14.1	5.5	23.2
MATERNAL CAUSES (261-273)	1	1	0	160.2	314.5	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	2	0	2	3.2	-	6.5	1	0	1	1.6	-	2.7
CONGENITAL MALFORMATIONS (282-290)	1	1	0	2.3	3.8	-	5	4	1	14.1	22.0	5.8
SUDDEN INFANT DEATH SYNDROME# (292)	2	1	1	3.2	3.1	3.3	0	0	0	-	-	-
ACCIDENTS (295-330)	12	8	4	27.3	30.8	22.4	40	18	22	113.0	98.9	127.8
MOTOR VEHICLE ACCIDENTS# (296-306)	8	6	2	18.2	23.1	11.2	15	7	8	42.4	38.5	46.5
SUICIDE (331-337)	3	3	0	6.8	11.5	-	8	6	2	22.6	33.0	11.6
HOMICIDE (338-346)	0	0	0	-	-	-	2	0	2	5.6	-	11.6

CAUSE AND GROUP NUMBER	PEARL RIVER COUNTY						PERRY COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
ALL CAUSES	542	480	62	9.5	9.8	7.6	124	98	26	10.2	10.5	9.1
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	13	10	3	22.8	20.4	36.7	5	3	2	41.0	32.1	69.8
HIV DISEASE (039-043)	1	0	1	1.8	-	12.2	1	0	1	8.2	-	34.9
MALIGNANT NEOPLASMS (056-108)	137	126	11	240.0	257.7	134.6	33	28	5	270.4	299.8	174.4
DIABETES MELLITUS (124)	4	4	0	7.0	8.2	-	3	1	2	24.6	10.7	69.8
ALZHEIMERS DISEASE (148)	7	7	0	12.3	14.3	-	3	2	1	24.6	21.4	34.9
MAJOR CARDIOVASCULAR DISEASES# (156-189)	188	161	27	329.4	329.3	330.3	41	30	11	335.9	321.2	383.8
HEART DISEASES (156-160,162, 164-181)	153	134	19	268.1	274.0	232.4	31	23	8	254.0	246.3	279.1
HYPERTENSION (161,163)	7	5	2	12.3	10.2	24.5	1	1	0	8.2	10.7	-
CEREBROVASCULAR DISEASES (182-186)	24	18	6	42.0	36.8	73.4	9	6	3	73.7	64.2	104.7
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	14	11	3	24.5	22.5	36.7	1	1	0	8.2	10.7	-
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	25	25	0	43.8	51.1	-	6	6	0	49.2	64.2	-
PEPTIC ULCER (217-220)	0	0	0	-	-	-	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	9	9	0	15.8	18.4	-	3	3	0	24.6	32.1	-
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	10	8	2	17.5	16.4	24.5	3	3	0	24.6	32.1	-
MATERNAL CAUSES (261-273)	1	1	0	129.4	153.6	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	2	2	0	2.6	3.1	-	0	0	0	-	-	-
CONGENITAL MALFORMATIONS (282-290)	0	0	0	-	-	-	1	1	0	8.2	10.7	-
SUDDEN INFANT DEATH SYNDROME# (292)	1	1	0	1.3	1.5	-	1	1	0	4.9	6.6	-
ACCIDENTS (295-330)	42	37	5	73.6	75.7	61.2	9	6	3	73.7	64.2	104.7
MOTOR VEHICLE ACCIDENTS# (296-306)	24	24	0	42.0	49.1	-	6	4	2	49.2	42.8	69.8
SUICIDE (331-337)	9	9	0	15.8	18.4	-	2	2	0	16.4	21.4	-
HOMICIDE (338-346)	2	2	0	3.5	4.1	-	0	0	0	-	-	-

* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

** TOTAL DEATHS ARE PER 1,000 POPULATION; DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD AND DEATHS FROM SUDDEN INFANT DEATH SYNDROME ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

**TABLE 19
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE
RESIDENTS OF PIKE, PONTOTOC, PRENTISS, AND QUITMAN COUNTIES, MISSISSIPPI, 2007**

CAUSE AND GROUP NUMBER	PIKE COUNTY						PONTOTOC COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
ALL CAUSES	454	265	189	11.4	13.5	9.4	234	200	34	8.1	8.2	7.5
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	13	5	8	32.7	25.4	39.7	3	3	0	10.4	12.3	-
HIV DISEASE (039-043)	3	1	2	7.5	5.1	9.9	0	0	0	-	-	-
MALIGNANT NEOPLASMS (056-108)	69	42	27	173.4	213.6	134.1	46	41	5	159.4	168.6	110.2
DIABETES MELLITUS (124)	30	16	14	75.4	81.4	69.5	10	9	1	34.6	37.0	22.0
ALZHEIMERS DISEASE (148)	3	2	1	7.5	10.2	5.0	5	5	0	17.3	20.6	-
MAJOR CARDIOVASCULAR DISEASES# (156-189)	190	112	78	477.4	569.5	387.4	85	71	14	294.5	291.9	308.4
HEART DISEASES (156-160,162, 164-181)	153	91	62	384.4	462.8	308.0	74	63	11	256.4	259.0	242.3
HYPERTENSION (161,163)	9	4	5	22.6	20.3	24.8	1	1	0	3.5	4.1	-
CEREBROVASCULAR DISEASES (182-186)	27	17	10	67.8	86.4	49.7	7	5	2	24.2	20.6	44.1
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	9	9	0	22.6	45.8	-	4	3	1	13.8	12.3	22.0
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	23	14	9	57.8	71.2	44.7	20	18	2	69.3	74.0	44.1
PEPTIC ULCER (217-220)	0	0	0	-	-	-	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	6	4	2	15.1	20.3	9.9	0	0	0	-	-	-
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	13	7	6	32.7	35.6	29.8	5	3	2	17.3	12.3	44.1
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	4	1	3	5.8	3.8	6.9	3	2	1	6.3	4.8	15.9
CONGENITAL MALFORMATIONS (282-290)	2	0	2	5.0	-	9.9	1	0	1	3.5	-	22.0
SUDDEN INFANT DEATH SYNDROME# (292)	0	0	0	-	-	-	0	0	0	-	-	-
ACCIDENTS (295-330)	20	12	8	50.2	61.0	39.7	16	15	1	55.4	61.7	22.0
MOTOR VEHICLE ACCIDENTS# (296-306)	11	6	5	27.6	30.5	24.8	3	3	0	10.4	12.3	-
SUICIDE (331-337)	4	3	1	10.0	15.2	5.0	5	5	0	17.3	20.6	-
HOMICIDE (338-346)	2	1	1	5.0	5.1	5.0	1	1	0	3.5	4.1	-

CAUSE AND GROUP NUMBER	PRENTISS COUNTY						QUITMAN COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
ALL CAUSES	230	216	14	9.1	10.0	3.6	139	54	85	15.6	20.2	13.6
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	3	2	1	11.8	9.3	25.7	0	0	0	-	-	-
HIV DISEASE (039-043)	0	0	0	-	-	-	2	0	2	22.4	-	32.1
MALIGNANT NEOPLASMS (056-108)	48	44	4	189.1	204.8	102.7	23	9	14	258.1	336.8	224.4
DIABETES MELLITUS (124)	6	4	2	23.6	18.6	51.3	8	1	7	89.8	37.4	112.2
ALZHEIMERS DISEASE (148)	7	7	0	27.6	32.6	-	4	2	2	44.9	74.8	32.1
MAJOR CARDIOVASCULAR DISEASES# (156-189)	74	71	3	291.6	330.5	77.0	58	24	34	651.0	898.2	545.0
HEART DISEASES (156-160,162, 164-181)	63	60	3	248.2	279.3	77.0	47	20	27	527.5	748.5	432.8
HYPERTENSION (161,163)	1	1	0	3.9	4.6	-	2	1	1	22.4	37.4	16.0
CEREBROVASCULAR DISEASES (182-186)	9	9	0	35.5	41.9	-	9	3	6	101.0	112.3	96.2
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	5	5	0	19.7	23.3	-	5	1	4	56.1	37.4	64.1
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	18	18	0	70.9	83.8	-	6	5	1	67.3	187.1	16.0
PEPTIC ULCER (217-220)	0	0	0	-	-	-	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	1	1	0	3.9	4.6	-	1	1	0	11.2	37.4	-
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	13	12	1	51.2	55.8	25.7	3	1	2	33.7	37.4	32.1
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	1	1	0	2.8	3.3	-	1	0	1	8.1	-	9.9
CONGENITAL MALFORMATIONS (282-290)	1	1	0	3.9	4.6	-	1	0	1	11.2	-	16.0
SUDDEN INFANT DEATH SYNDROME# (292)	0	0	0	-	-	-	0	0	0	-	-	-
ACCIDENTS (295-330)	20	20	0	78.8	93.1	-	6	2	4	67.3	74.8	64.1
MOTOR VEHICLE ACCIDENTS# (296-306)	12	12	0	47.3	55.8	-	4	0	4	44.9	-	64.1
SUICIDE (331-337)	2	2	0	7.9	9.3	-	2	2	0	22.4	74.8	-
HOMICIDE (338-346)	0	0	0	-	-	-	3	0	3	33.7	-	48.1

* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

** TOTAL DEATHS ARE PER 1,000 POPULATION; DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD AND DEATHS FROM SUDDEN INFANT DEATH SYNDROME ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

**TABLE 19
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE
RESIDENTS OF RANKIN, SCOTT, SHARKEY, AND SIMPSON COUNTIES, MISSISSIPPI, 2007**

CAUSE AND GROUP NUMBER	RANKIN COUNTY						SCOTT COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
ALL CAUSES	883	717	166	6.4	6.6	5.5	255	167	88	8.8	9.7	7.6
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	18	14	4	13.0	12.9	13.3	5	5	0	17.3	28.9	-
HIV DISEASE (039-043)	5	2	3	3.6	1.8	10.0	0	0	0	-	-	-
MALIGNANT NEOPLASMS (056-108)	162	137	25	117.1	126.5	83.2	50	30	20	173.0	173.6	172.1
DIABETES MELLITUS (124)	17	11	6	12.3	10.2	20.0	7	3	4	24.2	17.4	34.4
ALZHEIMERS DISEASE (148)	5	5	0	3.6	4.6	-	3	3	0	10.4	17.4	-
MAJOR CARDIOVASCULAR DISEASES# (156-189)	328	266	62	237.0	245.6	206.4	101	69	32	349.5	399.4	275.4
HEART DISEASES (156-160,162, 164-181)	285	230	55	206.0	212.3	183.0	83	55	28	287.2	318.3	241.0
HYPERTENSION (161,163)	5	5	0	3.6	4.6	-	1	0	1	3.5	-	8.6
CEREBROVASCULAR DISEASES (182-186)	32	27	5	23.1	24.9	16.6	14	11	3	48.4	63.7	25.8
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	1	1	0	3.5	5.8	-
INFLUENZA AND PNEUMONIA (195-198)	21	17	4	15.2	15.7	13.3	7	3	4	24.2	17.4	34.4
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	41	38	3	29.6	35.1	10.0	13	11	2	45.0	63.7	17.2
PEPTIC ULCER (217-220)	3	2	1	2.2	1.8	3.3	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	14	12	2	10.1	11.1	6.6	1	1	0	3.5	5.8	-
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	22	17	5	15.9	15.7	16.6	14	7	7	48.4	40.5	60.2
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	5	4	1	2.3	2.3	2.2	2	2	0	3.9	6.9	-
CONGENITAL MALFORMATIONS (282-290)	5	2	3	3.6	1.8	10.0	1	0	1	3.5	-	8.6
SUDDEN INFANT DEATH SYNDROME# (292)	4	4	0	1.8	2.3	-	0	0	0	-	-	-
ACCIDENTS (295-330)	72	61	11	52.0	56.3	36.6	16	12	4	55.4	69.4	34.4
MOTOR VEHICLE ACCIDENTS# (296-306)	34	27	7	24.6	24.9	23.3	9	6	3	31.1	34.7	25.8
SUICIDE (331-337)	24	23	1	17.3	21.2	3.3	2	2	0	6.9	11.6	-
HOMICIDE (338-346)	6	5	1	4.3	4.6	3.3	4	2	2	13.8	11.6	17.2

CAUSE AND GROUP NUMBER	SHARKEY COUNTY						SIMPSON COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
ALL CAUSES	69	24	45	12.4	14.2	11.6	289	210	79	10.4	11.7	8.0
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	1	1	0	18.0	59.1	-	7	5	2	25.2	27.9	20.1
HIV DISEASE (039-043)	0	0	0	-	-	-	0	0	0	-	-	-
MALIGNANT NEOPLASMS (056-108)	18	7	11	323.1	413.5	283.6	57	39	18	204.8	218.0	181.2
DIABETES MELLITUS (124)	5	0	5	89.8	-	128.9	5	5	0	18.0	27.9	-
ALZHEIMERS DISEASE (148)	0	0	0	-	-	-	1	0	1	3.6	-	10.1
MAJOR CARDIOVASCULAR DISEASES# (156-189)	23	10	13	412.8	590.7	335.2	107	74	33	384.6	413.6	332.2
HEART DISEASES (156-160,162, 164-181)	20	8	12	359.0	472.5	309.4	83	55	28	298.3	307.4	281.9
HYPERTENSION (161,163)	1	0	1	18.0	-	25.8	0	0	0	-	-	-
CEREBROVASCULAR DISEASES (182-186)	1	1	0	18.0	59.1	-	18	14	4	64.7	78.2	40.3
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	0	0	0	-	-	-	10	10	0	35.9	55.9	-
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	3	0	3	53.8	-	77.4	20	17	3	71.9	95.0	30.2
PEPTIC ULCER (217-220)	0	0	0	-	-	-	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	1	0	1	18.0	-	25.8	3	3	0	10.8	16.8	-
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	4	2	2	71.8	118.1	51.6	5	4	1	18.0	22.4	10.1
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	0	0	0	-	-	-	4	3	1	9.0	11.6	5.5
CONGENITAL MALFORMATIONS (282-290)	1	0	1	18.0	-	25.8	1	0	1	3.6	-	10.1
SUDDEN INFANT DEATH SYNDROME# (292)	0	0	0	-	-	-	1	0	1	2.3	-	5.5
ACCIDENTS (295-330)	4	1	3	71.8	59.1	77.4	21	19	2	75.5	106.2	20.1
MOTOR VEHICLE ACCIDENTS# (296-306)	2	1	1	35.9	59.1	25.8	11	9	2	39.5	50.3	20.1
SUICIDE (331-337)	3	1	2	53.8	59.1	51.6	5	3	2	18.0	16.8	20.1
HOMICIDE (338-346)	0	0	0	-	-	-	2	0	2	7.2	-	20.1

* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

** TOTAL DEATHS ARE PER 1,000 POPULATION; DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD AND DEATHS FROM SUDDEN INFANT DEATH SYNDROME ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

**TABLE 19
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE
RESIDENTS OF SMITH, STONE, SUNFLOWER, AND TALLAHATCHIE COUNTIES, MISSISSIPPI, 2007**

CAUSE AND GROUP NUMBER	SMITH COUNTY						STONE COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
ALL CAUSES	202	153	49	12.6	12.8	12.2	142	118	24	9.0	9.5	7.3
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	1	1	0	6.2	8.3	-	4	3	1	25.4	24.1	30.5
HIV DISEASE (039-043)	3	1	2	18.7	8.3	49.6	0	0	0	-	-	-
MALIGNANT NEOPLASMS (056-108)	48	37	11	299.8	308.8	273.0	33	28	5	209.8	224.8	152.7
DIABETES MELLITUS (124)	3	0	3	18.7	-	74.5	4	4	0	25.4	32.1	-
ALZHEIMERS DISEASE (148)	4	4	0	25.0	33.4	-	3	2	1	19.1	16.0	30.5
MAJOR CARDIOVASCULAR DISEASES# (156-189)	61	48	13	381.0	400.7	322.7	44	37	7	279.7	297.0	213.7
HEART DISEASES (156-160,162, 164-181)	54	43	11	337.3	358.9	273.0	40	34	6	254.3	273.0	183.2
HYPERTENSION (161,163)	0	0	0	-	-	-	0	0	0	-	-	-
CEREBROVASCULAR DISEASES (182-186)	6	4	2	37.5	33.4	49.6	4	3	1	25.4	24.1	30.5
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	4	4	0	25.0	33.4	-	2	2	0	12.7	16.0	-
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	20	17	3	124.9	141.9	74.5	11	10	1	69.9	80.3	30.5
PEPTIC ULCER (217-220)	1	1	0	6.2	8.3	-	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	1	1	0	6.2	8.3	-	2	2	0	12.7	16.0	-
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	8	5	3	50.0	41.7	74.5	2	1	1	12.7	8.0	30.5
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL MALFORMATIONS (282-290)	2	1	1	12.5	8.3	24.8	0	0	0	-	-	-
SUDDEN INFANT DEATH SYNDROME# (292)	0	0	0	-	-	-	0	0	0	-	-	-
ACCIDENTS (295-330)	16	11	5	99.9	91.8	124.1	13	11	2	82.6	88.3	61.1
MOTOR VEHICLE ACCIDENTS# (296-306)	9	5	4	56.2	41.7	99.3	7	5	2	44.5	40.1	61.1
SUICIDE (331-337)	4	4	0	25.0	33.4	-	3	1	2	19.1	8.0	61.1
HOMICIDE (338-346)	3	0	3	18.7	-	74.5	0	0	0	-	-	-

CAUSE AND GROUP NUMBER	SUNFLOWER COUNTY						TALLAHATCHIE COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
ALL CAUSES	333	125	208	10.8	14.9	9.2	142	64	78	10.7	12.4	9.6
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	7	3	4	22.6	35.8	17.7	8	3	5	60.3	58.0	61.8
HIV DISEASE (039-043)	3	0	3	9.7	-	13.3	2	0	2	15.1	-	24.7
MALIGNANT NEOPLASMS (056-108)	60	27	33	193.8	322.4	146.1	25	11	14	188.5	212.8	173.0
DIABETES MELLITUS (124)	30	6	24	96.9	71.6	106.2	8	2	6	60.3	38.7	74.1
ALZHEIMERS DISEASE (148)	13	9	4	42.0	107.5	17.7	0	0	0	-	-	-
MAJOR CARDIOVASCULAR DISEASES# (156-189)	125	48	77	403.7	573.1	340.9	42	21	21	316.7	406.3	259.5
HEART DISEASES (156-160,162, 164-181)	103	42	61	332.6	501.5	270.0	31	16	15	233.8	309.6	185.4
HYPERTENSION (161,163)	4	1	3	12.9	11.9	13.3	5	2	3	37.7	38.7	37.1
CEREBROVASCULAR DISEASES (182-186)	14	3	11	45.2	35.8	48.7	5	3	2	37.7	58.0	24.7
ATHEROSCLEROSIS (187)	1	1	0	3.2	11.9	-	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	5	3	2	16.1	35.8	8.8	3	1	2	22.6	19.4	24.7
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	11	5	6	35.5	59.7	26.6	7	3	4	52.8	58.0	49.4
PEPTIC ULCER (217-220)	1	1	0	3.2	11.9	-	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	1	0	1	3.2	-	4.4	0	0	0	-	-	-
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	6	1	5	19.4	11.9	22.1	5	3	2	37.7	58.0	24.7
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	5	1	4	9.4	13.7	8.7	1	1	0	3.9	20.4	-
CONGENITAL MALFORMATIONS (282-290)	3	1	2	9.7	11.9	8.8	1	0	1	7.5	-	12.4
SUDDEN INFANT DEATH SYNDROME# (292)	0	0	0	-	-	-	0	0	0	-	-	-
ACCIDENTS (295-330)	19	8	11	61.4	95.5	48.7	23	8	15	173.4	154.8	185.4
MOTOR VEHICLE ACCIDENTS# (296-306)	10	5	5	32.3	59.7	22.1	12	4	8	90.5	77.4	98.9
SUICIDE (331-337)	3	2	1	9.7	23.9	4.4	2	2	0	15.1	38.7	-
HOMICIDE (338-346)	6	1	5	19.4	11.9	22.1	2	0	2	15.1	-	24.7

* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

** TOTAL DEATHS ARE PER 1,000 POPULATION; DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD AND DEATHS FROM SUDDEN INFANT DEATH SYNDROME ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

**TABLE 19
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE
RESIDENTS OF TATE, TIPPAAH, TISHOMINGO, AND TUNICA COUNTIES, MISSISSIPPI, 2007**

CAUSE AND GROUP NUMBER	TATE COUNTY						TIPPAAH COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
ALL CAUSES	252	189	63	9.4	10.4	7.2	244	212	32	11.5	12.3	8.2
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	3	3	0	11.1	16.5	-	6	4	2	28.4	23.1	51.6
HIV DISEASE (039-043)	0	0	0	-	-	-	0	0	0	-	-	-
MALIGNANT NEOPLASMS (056-108)	59	45	14	219.2	247.2	160.8	44	41	3	207.9	237.2	77.4
DIABETES MELLITUS (124)	8	4	4	29.7	22.0	45.9	4	1	3	18.9	5.8	77.4
ALZHEIMERS DISEASE (148)	9	7	2	33.4	38.4	23.0	4	4	0	18.9	23.1	-
MAJOR CARDIOVASCULAR DISEASES# (156-189)	105	75	30	390.2	412.1	344.5	102	87	15	482.0	503.4	386.9
HEART DISEASES (156-160,162, 164-181)	82	63	19	304.7	346.1	218.2	76	65	11	359.2	376.1	283.7
HYPERTENSION (161,163)	3	1	2	11.1	5.5	23.0	7	5	2	33.1	28.9	51.6
CEREBROVASCULAR DISEASES (182-186)	16	8	8	59.4	44.0	91.8	18	16	2	85.1	92.6	51.6
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	3	3	0	11.1	16.5	-	8	8	0	37.8	46.3	-
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	14	11	3	52.0	60.4	34.4	13	13	0	61.4	75.2	-
PEPTIC ULCER (217-220)	0	0	0	-	-	-	1	1	0	4.7	5.8	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	1	1	0	3.7	5.5	-	3	3	0	14.2	17.4	-
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	6	4	2	22.3	22.0	23.0	5	4	1	23.6	23.1	25.8
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	3	3	0	7.2	11.8	-	1	1	0	3.0	3.7	-
CONGENITAL MALFORMATIONS (282-290)	1	1	0	3.7	5.5	-	0	0	0	-	-	-
SUDDEN INFANT DEATH SYNDROME# (292)	0	0	0	-	-	-	0	0	0	-	-	-
ACCIDENTS (295-330)	19	17	2	70.6	93.4	23.0	16	12	4	75.6	69.4	103.2
MOTOR VEHICLE ACCIDENTS# (296-306)	4	2	2	14.9	11.0	23.0	8	6	2	37.8	34.7	51.6
SUICIDE (331-337)	3	3	0	11.1	16.5	-	3	3	0	14.2	17.4	-
HOMICIDE (338-346)	1	0	1	3.7	-	11.5	4	4	0	18.9	23.1	-

CAUSE AND GROUP NUMBER	TISHOMINGO COUNTY						TUNICA COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
ALL CAUSES	260	254	6	13.6	14.0	6.7	103	36	67	9.8	12.5	8.8
TUBERCULOSIS (009,010)	1	1	0	5.2	5.5	-	0	0	0	-	-	-
SEPTICEMIA (018)	6	6	0	31.5	33.0	-	1	1	0	9.6	34.8	-
HIV DISEASE (039-043)	0	0	0	-	-	-	1	0	1	9.6	-	13.2
MALIGNANT NEOPLASMS (056-108)	51	50	1	267.7	275.3	112.0	24	10	14	229.6	347.8	184.7
DIABETES MELLITUS (124)	6	6	0	31.5	33.0	-	6	0	6	57.4	-	79.2
ALZHEIMERS DISEASE (148)	20	20	0	105.0	110.1	-	1	1	0	9.6	34.8	-
MAJOR CARDIOVASCULAR DISEASES# (156-189)	93	90	3	488.1	495.6	335.9	35	10	25	334.8	347.8	329.9
HEART DISEASES (156-160,162, 164-181)	77	75	2	404.1	413.0	224.0	30	10	20	287.0	347.8	263.9
HYPERTENSION (161,163)	0	0	0	-	-	-	2	0	2	19.1	-	26.4
CEREBROVASCULAR DISEASES (182-186)	9	9	0	47.2	49.6	-	3	0	3	28.7	-	39.6
ATHEROSCLEROSIS (187)	3	3	0	15.7	16.5	-	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	3	3	0	15.7	16.5	-	0	0	0	-	-	-
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	19	19	0	99.7	104.6	-	2	2	0	19.1	69.6	-
PEPTIC ULCER (217-220)	0	0	0	-	-	-	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	1	1	0	5.2	5.5	-	4	4	0	38.3	139.1	-
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	1	1	0	5.2	5.5	-	2	0	2	19.1	-	26.4
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	0	0	0	-	-	-	5	2	3	21.4	64.5	14.8
CONGENITAL MALFORMATIONS (282-290)	0	0	0	-	-	-	0	0	0	-	-	-
SUDDEN INFANT DEATH SYNDROME# (292)	0	0	0	-	-	-	1	0	1	4.3	-	5.0
ACCIDENTS (295-330)	19	18	1	99.7	99.1	112.0	9	1	8	86.1	34.8	105.6
MOTOR VEHICLE ACCIDENTS# (296-306)	6	5	1	31.5	27.5	112.0	2	0	2	19.1	-	26.4
SUICIDE (331-337)	4	4	0	21.0	22.0	-	1	1	0	9.6	34.8	-
HOMICIDE (338-346)	0	0	0	-	-	-	1	0	1	9.6	-	13.2

* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

** TOTAL DEATHS ARE PER 1,000 POPULATION; DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD AND DEATHS FROM SUDDEN INFANT DEATH SYNDROME ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

**TABLE 19
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE
RESIDENTS OF UNION, WALTHALL, WARREN, AND WASHINGTON COUNTIES, MISSISSIPPI, 2007**

CAUSE AND GROUP NUMBER	UNION COUNTY						WALTHALL COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
ALL CAUSES	257	238	19	9.6	10.6	4.2	153	98	55	10.0	11.8	7.8
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	1	1	0	3.7	4.4	-	3	1	2	19.5	12.0	28.4
HIV DISEASE (039-043)	0	0	0	-	-	-	0	0	0	-	-	-
MALIGNANT NEOPLASMS (056-108)	42	39	3	156.1	173.8	67.1	24	15	9	156.2	180.5	127.7
DIABETES MELLITUS (124)	1	1	0	3.7	4.4	-	4	1	3	26.0	12.0	42.6
ALZHEIMERS DISEASE (148)	10	9	1	37.2	40.1	22.4	5	3	2	32.6	36.1	28.4
MAJOR CARDIOVASCULAR DISEASES# (156-189)	95	88	7	353.1	392.2	156.6	72	50	22	468.8	601.5	312.1
HEART DISEASES (156-160,162, 164-181)	76	72	4	282.4	320.9	89.5	55	37	18	358.1	445.1	255.4
HYPERTENSION (161,163)	0	0	0	-	-	-	5	2	3	32.6	24.1	42.6
CEREBROVASCULAR DISEASES (182-186)	18	15	3	66.9	66.8	67.1	10	9	1	65.1	108.3	14.2
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	5	5	0	18.6	22.3	-	5	3	2	32.6	36.1	28.4
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	15	14	1	55.7	62.4	22.4	7	5	2	45.6	60.2	28.4
PEPTIC ULCER (217-220)	0	0	0	-	-	-	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	3	3	0	11.2	13.4	-	2	1	1	13.0	12.0	14.2
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	4	3	1	14.9	13.4	22.4	1	0	1	6.5	-	14.2
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	0	0	0	-	-	-	1	0	1	4.4	-	8.3
CONGENITAL MALFORMATIONS (282-290)	2	1	1	7.4	4.4	22.4	2	1	1	13.0	12.0	14.2
SUDDEN INFANT DEATH SYNDROME# (292)	0	0	0	-	-	-	1	0	1	4.4	-	8.3
ACCIDENTS (295-330)	15	15	0	55.7	66.8	-	8	5	3	52.1	60.2	42.6
MOTOR VEHICLE ACCIDENTS# (296-306)	13	13	0	48.3	57.9	-	5	3	2	32.6	36.1	28.4
SUICIDE (331-337)	9	9	0	33.4	40.1	-	1	1	0	6.5	12.0	-
HOMICIDE (338-346)	1	0	1	3.7	-	22.4	3	0	3	19.5	-	42.6

CAUSE AND GROUP NUMBER	WARREN COUNTY						WASHINGTON COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
ALL CAUSES	514	293	221	10.5	11.7	9.3	595	233	362	10.7	13.5	9.4
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	9	5	4	18.4	20.0	16.8	10	1	9	18.0	5.8	23.4
HIV DISEASE (039-043)	3	0	3	6.1	-	12.6	3	0	3	5.4	-	7.8
MALIGNANT NEOPLASMS (056-108)	97	52	45	198.5	207.6	188.9	119	42	77	213.9	243.9	200.4
DIABETES MELLITUS (124)	9	7	2	18.4	28.0	8.4	19	4	15	34.1	23.2	39.0
ALZHEIMERS DISEASE (148)	8	7	1	16.4	28.0	4.2	11	6	5	19.8	34.8	13.0
MAJOR CARDIOVASCULAR DISEASES# (156-189)	215	124	91	440.0	495.2	382.0	234	96	138	420.5	557.5	359.1
HEART DISEASES (156-160,162, 164-181)	168	102	66	343.8	407.3	277.0	149	64	85	267.8	371.7	221.2
HYPERTENSION (161,163)	12	7	5	24.6	28.0	21.0	39	14	25	70.1	81.3	65.1
CEREBROVASCULAR DISEASES (182-186)	32	12	20	65.5	47.9	83.9	45	18	27	80.9	104.5	70.3
ATHEROSCLEROSIS (187)	2	2	0	4.1	8.0	-	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	14	4	10	28.6	16.0	42.0	7	1	6	12.6	5.8	15.6
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	16	12	4	32.7	47.9	16.8	27	20	7	48.5	116.2	18.2
PEPTIC ULCER (217-220)	1	1	0	2.0	4.0	-	3	0	3	5.4	-	7.8
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	4	1	3	8.2	4.0	12.6	8	2	6	14.4	11.6	15.6
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	17	7	10	34.8	28.0	42.0	22	3	19	39.5	17.4	49.4
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	1	0	1	103.1	-	128.5
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	0	0	0	-	-	-	1	0	1	1.0	-	1.3
CONGENITAL MALFORMATIONS (282-290)	4	2	2	8.2	8.0	8.4	4	1	3	7.2	5.8	7.8
SUDDEN INFANT DEATH SYNDROME# (292)	1	0	1	1.3	-	2.2	1	0	1	1.0	-	1.3
ACCIDENTS (295-330)	26	16	10	53.2	63.9	42.0	24	10	14	43.1	58.1	36.4
MOTOR VEHICLE ACCIDENTS# (296-306)	14	8	6	28.6	31.9	25.2	13	7	6	23.4	40.6	15.6
SUICIDE (331-337)	6	6	0	12.3	24.0	-	5	5	0	9.0	29.0	-
HOMICIDE (338-346)	7	0	7	14.3	-	29.4	10	1	9	18.0	5.8	23.4

* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

** TOTAL DEATHS ARE PER 1,000 POPULATION; DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD AND DEATHS FROM SUDDEN INFANT DEATH SYNDROME ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

**TABLE 19
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE
RESIDENTS OF WAYNE, WEBSTER, WILKINSON, AND WINSTON COUNTIES, MISSISSIPPI, 2007**

CAUSE AND GROUP NUMBER	WAYNE COUNTY						WEBSTER COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
ALL CAUSES	181	123	58	8.6	9.6	7.0	161	130	31	16.4	16.8	14.9
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	0	0	0	-	-	-	7	6	1	71.5	77.8	48.2
HIV DISEASE (039-043)	1	0	1	4.7	-	12.0	0	0	0	-	-	-
MALIGNANT NEOPLASMS (056-108)	33	22	11	156.4	172.3	132.1	28	23	5	286.0	298.2	241.0
DIABETES MELLITUS (124)	4	3	1	19.0	23.5	12.0	2	1	1	20.4	13.0	48.2
ALZHEIMERS DISEASE (148)	3	3	0	14.2	23.5	-	7	7	0	71.5	90.7	-
MAJOR CARDIOVASCULAR DISEASES# (156-189)	74	49	25	350.8	383.7	300.3	51	35	16	521.0	453.7	771.1
HEART DISEASES (156-160,162, 164-181)	62	42	20	293.9	328.9	240.2	45	32	13	459.7	414.8	626.5
HYPERTENSION (161,163)	1	0	1	4.7	-	12.0	2	1	1	20.4	13.0	48.2
CEREBROVASCULAR DISEASES (182-186)	8	6	2	37.9	47.0	24.0	3	1	2	30.6	13.0	96.4
ATHEROSCLEROSIS (187)	1	1	0	4.7	7.8	-	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	2	1	1	9.5	7.8	12.0	3	3	0	30.6	38.9	-
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	8	6	2	37.9	47.0	24.0	12	11	1	122.6	142.6	48.2
PEPTIC ULCER (217-220)	0	0	0	-	-	-	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	0	0	0	-	-	-	0	0	0	-	-	-
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	7	3	4	33.2	23.5	48.0	4	3	1	40.9	38.9	48.2
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	3	2	1	9.2	11.5	6.7	0	0	0	-	-	-
CONGENITAL MALFORMATIONS (282-290)	0	0	0	-	-	-	0	0	0	-	-	-
SUDDEN INFANT DEATH SYNDROME# (292)	0	0	0	-	-	-	0	0	0	-	-	-
ACCIDENTS (295-330)	8	5	3	37.9	39.2	36.0	8	8	0	81.7	103.7	-
MOTOR VEHICLE ACCIDENTS# (296-306)	1	1	0	4.7	7.8	-	3	3	0	30.6	38.9	-
SUICIDE (331-337)	3	3	0	14.2	23.5	-	4	4	0	40.9	51.8	-
HOMICIDE (338-346)	2	1	1	9.5	7.8	12.0	2	2	0	20.4	25.9	-

CAUSE AND GROUP NUMBER	WILKINSON COUNTY						WINSTON COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
ALL CAUSES	114	33	81	11.1	10.7	11.3	213	119	94	10.8	11.2	10.4
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	7	0	7	68.2	-	97.6	1	1	0	5.1	9.4	-
HIV DISEASE (039-043)	0	0	0	-	-	-	1	0	1	5.1	-	11.1
MALIGNANT NEOPLASMS (056-108)	29	12	17	282.5	388.1	237.0	43	25	18	218.2	234.3	199.2
DIABETES MELLITUS (124)	4	0	4	39.0	-	55.8	13	6	7	66.0	56.2	77.5
ALZHEIMERS DISEASE (148)	4	1	3	39.0	32.3	41.8	13	10	3	66.0	93.7	33.2
MAJOR CARDIOVASCULAR DISEASES# (156-189)	35	8	27	340.9	258.7	376.4	67	30	37	340.0	281.2	409.5
HEART DISEASES (156-160,162, 164-181)	24	4	20	233.8	129.4	278.8	53	24	29	269.0	225.0	320.9
HYPERTENSION (161,163)	4	2	2	39.0	64.7	27.9	6	2	4	30.4	18.7	44.3
CEREBROVASCULAR DISEASES (182-186)	7	2	5	68.2	64.7	69.7	8	4	4	40.6	37.5	44.3
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	5	1	4	48.7	32.3	55.8	7	3	4	35.5	28.1	44.3
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	4	2	2	39.0	64.7	27.9	12	9	3	60.9	84.4	33.2
PEPTIC ULCER (217-220)	0	0	0	-	-	-	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	1	1	0	9.7	32.3	-	2	2	0	10.2	18.7	-
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	2	0	2	19.5	-	27.9	6	3	3	30.4	28.1	33.2
MATERNAL CAUSES (261-273)	1	0	1	649.4	-	793.6	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	0	0	0	-	-	-	1	0	1	3.6	-	5.7
CONGENITAL MALFORMATIONS (282-290)	0	0	0	-	-	-	0	0	0	-	-	-
SUDDEN INFANT DEATH SYNDROME# (292)	0	0	0	-	-	-	0	0	0	-	-	-
ACCIDENTS (295-330)	4	1	3	39.0	32.3	41.8	18	11	7	91.3	103.1	77.5
MOTOR VEHICLE ACCIDENTS# (296-306)	4	1	3	39.0	32.3	41.8	10	8	2	50.7	75.0	22.1
SUICIDE (331-337)	0	0	0	-	-	-	3	2	1	15.2	18.7	11.1
HOMICIDE (338-346)	3	1	2	29.2	32.3	27.9	1	1	0	5.1	9.4	-

* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

** TOTAL DEATHS ARE PER 1,000 POPULATION; DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD AND DEATHS FROM SUDDEN INFANT DEATH SYNDROME ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

**TABLE 19
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE
RESIDENTS OF YALOBUSHA AND YAZOO COUNTIES AND THE STATE OF MISSISSIPPI, 2007**

CAUSE AND GROUP NUMBER	YALOBUSHA COUNTY						YAZOO COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
ALL CAUSES	160	111	49	11.7	13.6	8.9	229	106	123	8.4	9.0	8.0
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	2	0	2	14.6	-	36.4	3	1	2	11.0	8.5	13.0
HIV DISEASE (039-043)	0	0	0	-	-	-	1	0	1	3.7	-	6.5
MALIGNANT NEOPLASMS (056-108)	34	23	11	248.7	281.5	200.0	44	19	25	161.8	160.8	162.6
DIABETES MELLITUS (124)	3	3	0	21.9	36.7	-	16	5	11	58.8	42.3	71.6
ALZHEIMERS DISEASE (148)	3	2	1	21.9	24.5	18.2	5	2	3	18.4	16.9	19.5
MAJOR CARDIOVASCULAR DISEASES# (156-189)	69	49	20	504.7	599.7	363.6	89	44	45	327.4	372.3	292.8
HEART DISEASES (156-160,162, 164-181)	53	38	15	387.6	465.0	272.7	65	36	29	239.1	304.6	188.7
HYPERTENSION (161,163)	2	1	1	14.6	12.2	18.2	3	1	2	11.0	8.5	13.0
CEREBROVASCULAR DISEASES (182-186)	10	7	3	73.1	85.7	54.5	21	7	14	77.2	59.2	91.1
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	1	1	0	7.3	12.2	-	5	3	2	18.4	25.4	13.0
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	6	6	0	43.9	73.4	-	6	5	1	22.1	42.3	6.5
PEPTIC ULCER (217-220)	1	1	0	7.3	12.2	-	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	1	1	0	7.3	12.2	-	3	2	1	11.0	16.9	6.5
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	4	2	2	29.2	24.5	36.4	3	1	2	11.0	8.5	13.0
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	0	0	0	-	-	-	1	0	1	2.1	-	2.9
CONGENITAL MALFORMATIONS (282-290)	1	1	0	7.3	12.2	-	1	0	1	3.7	-	6.5
SUDDEN INFANT DEATH SYNDROME# (292)	0	0	0	-	-	-	1	0	1	2.1	-	2.9
ACCIDENTS (295-330)	11	6	5	80.4	73.4	90.9	7	6	1	25.7	50.8	6.5
MOTOR VEHICLE ACCIDENTS# (296-306)	6	4	2	43.9	49.0	36.4	5	4	1	18.4	33.8	6.5
SUICIDE (331-337)	2	0	2	14.6	-	36.4	6	3	3	22.1	25.4	19.5
HOMICIDE (338-346)	3	0	3	21.9	-	54.5	7	1	6	25.7	8.5	39.0

CAUSE AND GROUP NUMBER	STATE OF MISSISSIPPI					
	NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
ALL CAUSES	27,994	18,705	9,289	9.6	10.6	8.1
TUBERCULOSIS (009,010)	6	4	2	0.2	0.2	0.2
SEPTICEMIA (018)	544	326	218	18.6	18.4	19.0
HIV DISEASE (039-043)	161	24	137	5.5	1.4	11.9
MALIGNANT NEOPLASMS (056-108)	5,930	4,004	1,926	203.2	226.1	167.7
DIABETES MELLITUS (124)	639	325	314	21.9	18.4	27.3
ALZHEIMERS DISEASE (148)	792	639	153	27.1	36.1	13.3
MAJOR CARDIOVASCULAR DISEASES# (156-189)	10,195	6,706	3,489	349.3	378.7	303.9
HEART DISEASES (156-160,162, 164-181)	8,022	5,378	2,644	274.8	303.7	230.3
HYPERTENSION (161,163)	436	219	217	14.9	12.4	18.9
CEREBROVASCULAR DISEASES (182-186)	1,531	957	574	52.4	54.0	50.0
ATHEROSCLEROSIS (187)	25	22	3	0.8	1.2	0.3
INFLUENZA AND PNEUMONIA (195-198)	547	388	159	18.7	21.9	13.8
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	1,400	1,166	234	48.0	65.8	20.4
PEPTIC ULCER (217-220)	28	19	9	1.0	1.1	0.8
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	259	195	64	8.9	11.0	5.6
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	692	378	314	23.7	21.3	27.3
MATERNAL CAUSES (261-273)	10	3	7	21.5	12.1	32.3
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	209	67	142	4.5	2.7	6.6
CONGENITAL MALFORMATIONS (282-290)	116	51	65	4.0	2.9	5.7
SUDDEN INFANT DEATH SYNDROME# (292)	58	28	30	1.2	1.1	1.4
ACCIDENTS (295-330)	1,781	1,248	533	61.0	70.5	46.4
MOTOR VEHICLE ACCIDENTS# (296-306)	894	597	297	30.6	33.7	25.9
SUICIDE (331-337)	392	328	64	13.4	18.5	5.6
HOMICIDE (338-346)	277	71	206	9.5	4.0	17.9

* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

** TOTAL DEATHS ARE PER 1,000 POPULATION; DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD AND DEATHS FROM SUDDEN INFANT DEATH SYNDROME ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

TIME SERIES TABLES

TABLE 20
LIVE BIRTHS AND RATES, BY YEAR AND RACE
MISSISSIPPI, 1913-2007
(OCCURRENCE DATA 1913-1943, RESIDENCE DATA 1944-2007)

YEAR	NUMBER			RATE*		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
1913	41,103	21,874	19,229	21.9	26.6	18.2
1914	40,623	21,360	19,263	21.4	25.7	18.0
1915	39,484	20,999	18,485	20.5	23.8	17.1
1916	39,033	20,130	18,903	20.0	23.6	17.2
1917	37,141	19,056	18,085	18.8	22.0	16.3
1918	39,391	20,005	19,386	19.7	22.8	17.2
1919	42,491	22,028	20,463	21.0	24.9	18.0
1920	43,743	22,438	21,305	24.4	26.3	22.7
1921	46,482	23,703	22,779	25.6	27.3	24.1
1922	43,723	21,286	22,437	23.8	24.1	23.6
1923	43,266	21,140	22,126	23.3	23.6	23.1
1924	43,960	22,180	21,780	23.4	24.3	22.5
1925	45,563	22,265	23,298	24.0	24.1	23.9
1926	50,449	24,600	25,849	26.2	26.2	26.3
1927	49,204	24,163	25,041	25.3	25.3	25.3
1928	48,126	23,642	24,484	24.5	24.4	24.5
1929	45,570	22,105	23,465	22.9	22.5	23.3
1930	47,982	23,192	24,790	23.8	23.2	24.0
1931	45,123	21,637	23,486	22.2	21.4	22.9
1932	46,481	21,883	24,598	22.6	21.4	23.9
1933	44,184	20,407	23,777	21.3	19.7	22.9
1934	47,905	22,342	25,563	23.0	21.4	24.6
1935	48,291	21,972	26,319	23.0	20.8	25.1
1936	49,261	22,194	27,067	23.3	20.8	25.7
1937	52,170	23,285	28,885	24.4	21.6	27.3
1938	53,729	24,046	29,683	25.0	22.1	27.8
1939	52,288	23,505	28,783	24.1	21.4	26.8
1940	52,526	23,084	29,442	24.0	20.9	27.3
1941	54,561	24,167	30,394	24.7	21.6	28.0
1942	56,521	25,306	31,215	25.4	22.4	28.6
1943	59,408	27,611	31,797	28.9	26.4	31.6
1944	56,586	25,647	30,939	28.3	25.2	31.6
1945	53,540	23,426	30,114	26.9	23.1	30.9
1946	61,430	29,715	31,715	26.8	25.4	28.2
1947	66,291	32,423	33,868	28.6	27.5	29.9
1948	65,291	29,666	35,625	28.0	24.9	31.2
1949	66,128	28,786	37,342	28.1	24.0	32.5
1950	64,427	27,188	37,239	29.6	22.9	37.6
1951	65,512	27,798	37,714	30.1	23.4	38.1
1952	64,509	28,073	36,436	29.6	23.6	36.8
1953	64,061	28,312	35,749	29.4	23.8	36.1
1954	64,748	28,781	35,967	29.7	24.2	36.3
1955	63,244	27,546	35,698	29.0	23.2	36.0
1956	62,178	27,278	34,900	29.5	23.8	36.2
1957	60,712	26,804	33,908	28.8	23.4	35.2
1958	59,189	26,812	32,377	27.1	20.9	35.9
1959	60,562	27,979	32,583	27.2	20.9	36.6

TABLE 20 - PAGE 2
LIVE BIRTHS - MISSISSIPPI - 1913-2007

YEAR	NUMBER			RATE*		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
1960	59,210	27,198	32,012	27.2	21.6	34.8
1961	59,523	27,435	32,088	27.3	21.8	34.8
1962	58,921	27,512	31,409	26.1	20.8	33.5
1963	57,316	26,823	30,493	25.0	19.9	32.4
1964	56,650	25,942	30,708	24.5	18.9	32.5
1965	51,171	23,369	27,802	22.0	17.4	28.2
1966	48,230	22,736	25,494	20.4	16.5	25.9
1967	46,594	22,675	23,919	19.7	15.9	25.6
1968	45,719	22,807	22,912	19.4	15.7	25.4
1969	47,120	24,025	23,095	21.2	17.2	28.0
1970	48,141	24,893	23,248	21.7	17.9	28.2
1971	48,601	25,199	23,402	21.9	18.1	28.4
1972	45,907	23,745	22,162	20.3	NOT AVAILABLE	
1973	44,638	23,119	21,519	19.3	NOT AVAILABLE	
1974	44,032	23,023	21,009	18.9	NOT AVAILABLE	
1975	43,336	22,559	20,777	18.5	NOT AVAILABLE	
1976	42,983	22,605	20,378	18.2	NOT AVAILABLE	
1977	45,532	23,369	22,163	19.1	NOT AVAILABLE	
1978	44,373	22,632	21,741	18.5	NOT AVAILABLE	
1979	45,919	23,487	22,432	19.1	NOT AVAILABLE	
1980	47,821	24,687	23,134	19.0	15.3	25.5
1981	46,228	23,777	22,451	18.3	14.7	24.8
1982	45,926	24,028	21,898	18.0	NOT AVAILABLE	
1983	43,992	22,659	21,333	17.0	NOT AVAILABLE	
1984	43,742	22,672	21,070	16.9	NOT AVAILABLE	
1985	43,432	22,943	20,489	16.3	13.5	21.5
1986	41,868	22,060	19,808	15.8	13.0	20.8
1987	41,279	21,576	19,703	15.2	12.4	20.2
1988	42,040	21,685	20,355	15.3	12.3	20.6
1989**	43,026	22,069	20,957	15.5	12.4	20.9
1990**	43,547	22,280	21,267	16.9	13.6	22.6
1991**	43,184	21,908	21,276	16.8	13.4	22.6
1992**	42,676	21,700	20,976	16.6	13.3	22.3
1993**	42,134	21,246	20,888	16.4	13.0	22.2
1994**	41,938	21,536	20,402	16.3	13.2	21.7
1995**	41,332	21,571	19,761	15.3	12.7	19.8
1996**	40,978	21,447	19,531	15.2	12.7	19.5
1997**	41,527	22,021	19,506	15.4	13.0	19.5
1998**	42,917	22,950	19,967	15.6	13.3	19.3
1999**	42,678	22,652	20,026	15.4	13.1	19.2
2000**	44,075	23,540	20,535	15.5	13.5	18.7
2001**	42,277	22,798	19,479	14.9	13.0	17.7
2002**	41,511	22,620	18,891	14.4	12.8	17.0
2003**	42,321	23,118	19,203	14.7	13.1	17.2
2004**	42,809	23,524	19,285	14.8	13.2	17.2
2005**	42,327	23,015	19,312	14.5	12.9	17.0
2006**	46,046	24,195	21,851	15.8	13.7	19.2
2007**	46,455	24,783	21,672	15.9	14.0	18.9

* BIRTHS PER 1,000 POPULATION.

** FIGURES SHOWN ARE BY RACE OF MOTHER; FIGURES FOR YEARS PRIOR TO 1989 ARE BY RACE OF CHILD.

TABLE 21
DEATHS AND RATES, BY YEAR AND RACE,
MISSISSIPPI, 1913-2007
(OCCURRENCE DATA 1913-1943, RESIDENCE DATA 1944-2007)

YEAR	NUMBER			RATE*		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
1913	21,305	7,643	13,662	11.4	9.3	13.0
1914	21,485	7,442	14,043	11.3	8.9	13.1
1915	24,001	8,088	15,913	12.5	9.6	14.7
1916	21,794	7,588	14,206	11.2	8.9	13.0
1917	23,579	8,048	15,531	11.9	9.3	14.0
1918	30,437	10,177	20,260	15.2	11.6	18.0
1919	22,667	8,142	14,525	12.7	9.5	15.5
1920	22,072	7,916	14,156	12.3	9.3	15.1
1921	19,991	7,308	12,683	11.0	8.4	13.4
1922	19,278	7,312	11,966	10.5	8.3	12.6
1923	20,363	7,688	12,675	11.0	8.6	13.2
1924	21,155	7,809	13,346	11.3	8.6	13.8
1925	22,229	8,143	14,086	11.7	8.8	14.4
1926	23,929	9,133	14,796	12.5	9.7	15.1
1927	23,257	8,765	14,492	12.0	9.2	14.6
1928	25,965	10,111	15,854	13.2	10.4	15.9
1929	25,868	10,048	15,820	13.0	10.2	15.7
1930	24,098	9,072	15,026	11.9	9.0	14.8
1931	22,007	8,641	13,366	10.8	8.5	13.0
1932	20,322	8,295	12,027	9.9	8.1	11.6
1933	21,617	8,898	12,719	10.4	8.6	12.2
1934	21,786	9,350	12,436	10.5	9.0	12.0
1935	21,285	9,186	12,099	10.1	8.7	11.6
1936	24,127	10,367	13,760	11.4	9.7	13.1
1937	24,005	10,055	13,950	11.2	9.3	13.2
1938	22,814	9,471	13,343	10.6	8.7	12.5
1939	22,701	9,464	13,237	10.5	8.6	12.3
1940	23,185	9,565	13,620	10.6	8.6	12.6
1941	22,573	9,442	13,131	10.2	8.4	12.1
1942	20,693	8,750	11,943	9.3	7.7	10.9
1943	20,850	9,139	11,711	10.2	8.7	11.6
1944	20,199	8,830	11,369	10.1	8.7	11.6
1945	19,024	8,452	10,572	9.6	8.3	10.8
1946	19,321	8,995	10,326	8.4	7.7	9.2
1947	20,007	9,238	10,769	8.6	7.8	9.5
1948	20,183	9,216	10,967	8.6	7.7	9.6
1949	20,489	9,233	11,256	8.7	7.7	9.8
1950	20,567	9,466	11,101	9.4	8.0	11.2
1951	21,007	9,593	11,414	9.6	8.1	11.5
1952	20,657	9,387	11,270	9.5	7.9	11.4
1953	20,492	9,495	10,997	9.4	8.0	11.1
1954	19,353	9,453	9,900	8.9	8.0	10.0
1955	19,403	9,501	9,902	8.9	8.0	10.0
1956	19,780	9,969	9,811	9.4	8.7	10.2
1957	20,476	10,339	10,137	9.7	9.0	10.5
1958	21,541	10,811	10,730	9.9	8.4	11.9
1959	20,890	10,742	10,148	9.4	8.0	11.4

TABLE 21 - PAGE 2
DEATHS - MISSISSIPPI - 1913-2007

YEAR	NUMBER			RATE*		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
1960	21,713	11,204	10,509	10.0	8.9	11.4
1961	21,232	11,063	10,169	9.7	8.8	11.0
1962	22,713	11,868	10,845	10.0	9.0	11.6
1963	23,339	12,118	11,221	10.2	9.0	11.9
1964	22,559	12,039	10,520	9.7	8.8	11.1
1965	22,652	12,376	10,276	9.7	9.2	10.4
1966	23,350	12,976	10,374	9.9	9.4	10.5
1967	22,609	12,816	9,793	9.6	9.0	10.5
1968	23,986	13,468	10,518	10.2	9.3	11.7
1969	23,865	13,873	9,992	10.8	10.0	12.1
1970	23,305	13,623	9,682	10.5	9.8	11.8
1971	23,426	13,980	9,446	10.6	10.0	11.5
1972	23,663	14,077	9,586	10.5	NOT AVAILABLE	
1973	24,007	14,461	9,546	10.4	NOT AVAILABLE	
1974	23,153	14,268	8,885	9.9	NOT AVAILABLE	
1975	22,768	13,790	8,978	9.7	NOT AVAILABLE	
1976	23,124	14,307	8,817	9.8	NOT AVAILABLE	
1977	23,022	14,318	8,704	9.6	NOT AVAILABLE	
1978	23,363	14,631	8,732	9.7	NOT AVAILABLE	
1979	22,932	14,348	8,584	9.5	NOT AVAILABLE	
1980	23,576	14,531	9,045	9.4	9.0	10.0
1981	23,405	14,876	8,529	9.3	9.2	9.4
1982	23,173	14,863	8,310	9.1	NOT AVAILABLE	
1983	23,831	15,250	8,581	9.2	NOT AVAILABLE	
1984	23,781	15,225	8,556	9.2	NOT AVAILABLE	
1985	24,568	15,803	8,765	9.2	9.3	9.2
1986	24,341	15,694	8,647	9.2	9.2	9.1
1987	24,525	15,835	8,690	9.0	9.1	8.9
1988	24,706	16,034	8,672	9.0	9.1	8.8
1989	25,273	16,386	8,887	9.1	9.2	8.9
1990	24,994	16,088	8,906	9.7	9.8	9.5
1991	25,503	16,393	9,110	9.9	10.0	9.7
1992	25,163	16,417	8,746	9.8	10.0	9.3
1993	26,271	17,003	9,268	10.2	10.4	9.9
1994	26,657	17,210	9,447	10.4	10.5	10.0
1995	26,910	17,729	9,181	10.0	10.5	9.2
1996	26,566	17,488	9,078	9.9	10.3	9.1
1997	27,380	18,034	9,346	10.2	10.6	9.3
1998	27,737	18,343	9,394	10.1	10.7	9.1
1999	28,090	18,693	9,397	10.1	10.8	9.0
2000	28,529	19,189	9,340	10.0	11.0	8.5
2001	28,134	18,774	9,360	9.9	10.8	8.5
2002	28,765	19,168	9,597	10.0	10.9	8.6
2003	28,333	19,013	9,320	9.8	10.8	8.3
2004	27,748	18,689	9,059	9.6	10.5	8.1
2005	29,047	19,524	9,523	9.9	10.9	8.4
2006	28,343	18,859	9,484	9.7	10.6	8.3
2007	27,994	18,705	9,289	9.6	10.6	8.1

* DEATHS PER 1,000 POPULATION.

TABLE 22
MATERNAL DEATHS* AND MORTALITY RATES, BY YEAR AND RACE,
MISSISSIPPI, 1913-2007
(OCCURRENCE DATA 1913-1943, RESIDENCE DATA 1944-2007)

YEAR	NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
1913	447	162	285	1,087.5	740.6	1,482.1
1914	413	124	289	1,016.7	580.5	1,500.3
1915	289	88	201	731.9	419.1	1,087.4
1916	326	102	224	835.2	506.7	1,185.0
1917	297	105	192	799.6	551.0	1,061.6
1918	302	82	220	766.7	409.9	1,134.8
1919	407	173	234	957.8	785.4	1,143.5
1920	393	127	266	898.4	566.0	1,248.5
1921	391	145	246	841.2	611.7	1,079.9
1922	313	110	203	715.9	516.8	904.8
1923	321	108	213	741.9	510.9	962.7
1924	413	137	276	939.5	617.7	1,267.2
1925	435	143	292	954.7	642.3	1,253.3
1926	388	153	235	769.1	622.0	909.1
1927	409	134	275	831.2	554.6	1,098.2
1928	421	161	260	874.8	681.0	1,061.9
1929	410	152	258	899.7	687.6	1,099.5
1930	489	171	318	1,019.1	737.3	1,282.8
1931	352	131	221	780.1	605.4	941.0
1932	279	103	176	600.2	470.7	715.5
1933	315	116	199	712.9	568.4	836.9
1934	306	116	190	638.8	519.2	743.3
1935	334	137	197	691.6	623.5	748.5
1936	358	134	224	726.7	603.8	827.6
1937	370	150	220	709.2	644.2	761.6
1938	333	116	217	619.8	482.4	731.0
1939	311	97	214	594.8	412.7	743.5
1940	327	106	221	622.5	459.2	750.6
1941	293	93	200	537.0	384.8	658.0
1942	248	77	171	438.8	304.3	547.8
1943	233	66	167	392.2	239.0	525.2
1944	225	72	153	397.6	280.7	494.5
1945	216	64	152	403.4	273.2	504.7
1946	199	67	132	323.9	225.5	416.2
1947	175	50	125	264.0	154.2	369.1
1948	177	38	139	271.1	128.1	390.2
1949	147	32	115	222.3	111.2	308.0
1950	165	30	135	256.1	110.3	362.5
1951	143	28	115	218.3	100.7	304.9
1952	119	15	104	184.5	53.4	285.4
1953	119	24	95	185.8	84.8	265.7
1954	104	11	93	160.6	38.2	258.6
1955	76	12	64	120.2	43.6	179.3
1956	74	12	62	119.0	44.0	177.6
1957	75	14	61	123.5	52.2	179.9
1958	53	10	43	89.5	37.3	132.8
1959	55	9	46	90.8	32.2	141.2

TABLE 22 - PAGE 2
 MATERNAL DEATHS - MISSISSIPPI - 1913-2007

YEAR	NUMBER			RATE**		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
1960	59	8	51	99.6	29.4	159.3
1961	49	9	40	82.3	32.8	124.6
1962	55	7	48	93.3	25.4	152.8
1963	44	9	35	76.8	33.6	114.8
1964	57	9	48	100.6	34.7	156.3
1965	40	3	37	78.2	12.8	133.1
1966	27	6	21	56.0	26.4	82.4
1967	36	10	26	77.3	44.1	108.7
1968	21	3	18	45.9	13.2	78.6
1969	23	3	20	48.8	12.5	86.6
1970	34	5	29	70.6	20.1	124.7
1971	21	5	16	43.2	19.8	68.4
1972	24	5	19	52.3	21.0	85.7
1973	12	4	8	26.9	17.3	37.2
1974	12	4	8	27.2	17.4	38.1
1975	6	0	6	13.8	-	28.9
1976	8	4	4	18.6	17.7	19.6
1977	10	2	8	22.0	8.6	36.1
1978	6	1	5	13.5	4.4	23.0
1979	10	3	7	21.8	12.8	31.2
1980	2	1	1	4.2	4.0	4.3
1981	7	5	2	15.1	21.0	8.9
1982	1	1	0	2.2	4.2	-
1983	1	0	1	2.3	-	4.7
1984	3	1	2	6.8	4.4	9.5
1985	3	2	1	6.9	8.7	4.9
1986	3	0	3	7.2	-	15.1
1987	4	2	2	9.7	9.3	10.2
1988	7	2	5	16.6	9.2	24.6
1989	6	1	5	13.9	4.5	23.8
1990	6	0	6	13.8	-	28.2
1991	3	2	1	6.9	9.1	4.7
1992	4	1	3	9.4	4.6	14.3
1993	11	2	9	26.1	9.4	43.1
1994	4	1	3	9.5	4.6	14.7
1995	5	0	5	12.1	-	25.3
1996	1	0	1	2.4	-	5.1
1997	11	4	7	26.5	18.2	35.9
1998	4	2	2	9.3	8.7	10.0
1999	6	2	4	14.0	8.8	20.0
2000	8	2	6	18.2	8.5	29.2
2001	12	4	8	28.4	17.5	41.1
2002	9	2	7	21.7	8.8	37.0
2003	7	3	4	16.5	13.0	20.8
2004	11	4	7	25.7	17.0	36.3
2005	12	2	10	28.4	8.7	51.8
2006	14	3	11	30.4	12.4	50.3
2007	10	3	7	21.5	12.1	32.3

* DEATHS RESULTING FROM DELIVERIES AND COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM.

** DEATHS PER 100,000 LIVE BIRTHS.

TABLE 23
INFANT DEATHS* AND MORTALITY RATES, BY YEAR AND RACE,
MISSISSIPPI, 1917-2007
(OCCURRENCE DATA 1917-1944, RESIDENCE DATA 1945-2007)

YEAR	NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
1917	3,689	1,296	2,393	99.3	68.0	132.3
1918	#	#	#	#	#	#
1919	3,554	#	#	83.6	#	#
1920	3,499	1,344	2,155	80.0	59.9	101.1
1921	3,157	1,243	1,914	67.9	52.4	84.0
1922	2,826	1,067	1,759	64.6	50.1	78.4
1923	2,908	1,104	1,804	67.2	52.2	81.5
1924	3,137	1,188	1,949	71.4	53.6	89.5
1925	3,176	1,179	1,997	69.7	53.0	85.7
1926	3,578	1,447	2,131	70.9	58.8	82.4
1927	3,291	1,303	1,988	66.9	54.0	79.4
1928	3,567	1,416	2,151	74.1	59.9	87.9
1929	3,275	1,268	2,007	71.9	57.4	85.5
1930	3,276	1,182	2,094	68.3	51.0	84.5
1931	2,547	961	1,586	56.4	44.4	67.5
1932	2,482	965	1,517	53.4	44.1	61.7
1933	2,800	1,035	1,765	63.4	50.7	74.2
1934	3,070	1,199	1,871	64.1	53.7	73.2
1935	2,587	1,044	1,543	53.6	47.5	58.6
1936	2,883	1,105	1,778	58.5	49.8	65.7
1937	3,098	1,174	1,924	59.4	50.4	66.6
1938	3,051	1,205	1,846	56.8	50.1	62.2
1939	2,908	1,135	1,773	55.6	48.3	61.6
1940	2,864	1,070	1,794	54.5	46.4	60.9
1941	2,969	1,113	1,856	54.4	46.1	61.1
1942	2,654	957	1,697	47.0	37.8	54.4
1943	2,774	1,137	1,637	46.7	41.2	51.5
1944	2,481	965	1,516	43.6	37.1	49.0
1945	2,192	846	1,346	40.9	36.1	44.7
1946	2,298	1,005	1,293	37.4	33.8	40.8
1947	2,428	1,009	1,419	36.6	31.1	41.9
1948	2,470	988	1,482	37.8	33.3	41.6
1949	2,612	900	1,712	39.5	31.3	45.8
1950	2,348	763	1,585	36.4	28.1	42.6
1951	2,589	814	1,775	39.5	29.3	47.1
1952	2,592	760	1,832	40.2	27.1	50.3
1953	2,534	807	1,727	39.6	28.5	48.3
1954	2,360	744	1,616	36.4	25.8	44.9
1955	2,338	680	1,658	37.0	24.7	46.4
1956	2,353	734	1,619	37.8	26.9	46.4
1957	2,257	694	1,563	37.2	25.9	46.1
1958	2,424	706	1,718	41.0	26.3	53.1
1959	2,355	677	1,678	38.9	24.2	51.5
1960	2,457	714	1,743	41.5	26.2	54.4
1961	2,250	645	1,605	37.8	23.5	50.0
1962	2,353	705	1,648	39.9	25.6	52.5
1963	2,372	610	1,762	41.4	22.7	57.8
1964	2,230	599	1,631	39.4	23.1	53.1

TABLE 23 - PAGE 2
 INFANT DEATHS - MISSISSIPPI - 1917-2007

YEAR	NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
1965	2,126	593	1,533	41.5	25.4	55.1
1966	1,856	520	1,336	38.5	22.9	52.4
1967	1,645	512	1,133	35.3	22.6	47.4
1968	1,613	517	1,096	35.3	22.7	47.8
1969	1,513	530	983	32.1	22.1	42.6
1970	1,403	480	923	29.1	19.3	39.7
1971	1,311	460	851	27.0	18.2	36.4
1972	1,187	459	728	25.8	19.3	32.8
1973	1,154	392	762	25.8	17.0	35.4
1974	1,024	356	668	23.2	15.5	31.8
1975	975	356	619	22.5	15.8	29.8
1976	927	331	596	21.6	14.6	29.2
1977	834	285	549	18.3	12.2	24.8
1978	846	266	580	19.1	11.8	26.7
1979	809	280	529	17.6	11.9	23.6
1980	812	272	540	17.0	11.0	23.3
1981	711	248	463	15.4	10.4	20.6
1982	706	249	457	15.4	10.4	20.9
1983	664	240	424	15.1	10.6	19.9
1984	629	224	405	14.4	9.9	19.2
1985	596	213	383	13.7	9.3	18.7
1986	517	197	320	12.3	8.9	16.2
1987	565	212	353	13.7	9.8	17.9
1988	516	189	327	12.3	8.7	16.1
1989	498	190	308	11.6	8.6	14.7
1990	528	189	339	12.1	8.5	15.9
1991	493	163	330	11.4	7.4	15.5
1992	508	170	338	11.9	7.8	16.1
1993	482	178	304	11.4	8.4	14.6
1994	459	158	301	10.9	7.3	14.8
1995	435	149	286	10.5	6.9	14.5
1996	451	169	282	11.0	7.9	14.4
1997	440	156	284	10.6	7.1	14.6
1998	436	146	290	10.2	6.4	14.5
1999	435	152	283	10.2	6.7	14.1
2000	468	157	311	10.6	6.7	15.1
2001	443	157	286	10.5	6.9	14.7
2002	428	155	273	10.3	6.8	14.4
2003	453	158	295	10.7	6.8	15.4
2004	417	144	273	9.7	6.1	14.2
2005	481	153	328	11.4	6.6	17.0
2006	483	168	315	10.5	6.9	14.4
2007	469	164	305	10.1	6.6	14.1

* DEATHS OF CHILDREN UNDER 1 YEAR OF AGE.

** DEATHS PER 1,000 LIVE BIRTHS.

NOT AVAILABLE.

TABLE 24
NEONATAL DEATHS* AND MORTALITY RATES, BY YEAR AND RACE,
MISSISSIPPI, 1924-2007
(OCCURRENCE DATA 1924-1944, RESIDENCE DATA 1945-2007)

YEAR	NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
1924	1,598	730	868	36.4	32.9	39.8
1925	1,639	701	938	36.0	31.5	40.3
1926	1,731	823	908	34.3	33.4	35.1
1927	1,644	786	858	33.4	32.5	34.3
1928	1,788	804	984	37.2	34.0	40.2
1929	1,662	773	889	36.5	35.0	37.9
1930	1,692	715	977	35.3	30.8	39.4
1931	1,339	590	749	29.7	27.3	31.9
1932	1,361	572	789	29.3	26.1	32.1
1933	1,540	636	904	34.8	31.2	38.0
1934	1,505	644	861	31.4	28.8	33.7
1935	1,446	642	804	29.9	29.2	30.5
1936	1,494	676	818	30.3	30.4	30.2
1937	1,678	755	923	32.2	32.4	32.0
1938	1,688	747	941	31.4	31.1	31.7
1939	1,637	735	902	31.3	31.3	31.3
1940	1,613	680	933	30.7	29.4	31.7
1941	1,663	734	929	30.5	30.4	30.6
1942	1,544	638	906	27.3	25.2	29.0
1943	1,652	791	861	27.8	28.6	27.1
1944	1,436	661	775	25.2	25.4	25.1
1945	1,351	624	727	25.2	26.6	24.1
1946	1,561	794	767	25.4	26.7	24.2
1947	1,595	750	845	24.1	23.1	24.9
1948	1,674	773	901	25.6	26.0	25.3
1949	1,594	661	933	24.1	23.0	25.0
1950	1,446	560	886	22.4	20.6	23.8
1951	1,679	626	1,053	25.6	22.5	27.9
1952	1,658	581	1,077	25.7	20.7	29.6
1953	1,630	635	995	25.4	22.4	27.8
1954	1,521	601	920	23.5	20.9	25.6
1955	1,440	527	913	22.8	19.1	25.6
1956	1,451	581	870	23.3	21.3	24.9
1957	1,425	540	885	23.5	20.1	26.1
1958	1,475	540	935	24.9	20.1	28.9
1959	1,450	515	935	23.9	18.4	28.7
1960	1,497	550	947	25.3	20.2	29.6
1961	1,401	509	892	23.5	18.6	27.8
1962	1,456	550	906	24.7	20.0	28.8
1963	1,449	470	979	25.3	17.5	32.1
1964	1,372	460	912	24.2	17.7	29.7
1965	1,283	470	813	25.1	20.1	29.2
1966	1,123	386	737	23.3	17.0	28.9
1967	1,053	388	665	22.6	17.1	27.8
1968	1,116	424	692	24.4	18.6	30.2
1969	1,066	441	625	22.6	18.4	27.1

TABLE 24 - PAGE 2
 NEONATAL DEATHS - MISSISSIPPI - 1924-2007

YEAR	NUMBER			RATE**		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
1970	976	391	585	20.3	15.7	25.2
1971	940	382	558	19.3	15.2	23.8
1972	837	362	475	18.2	15.2	21.4
1973	793	301	492	17.8	13.0	22.9
1974	710	276	434	16.1	12.0	20.6
1975	677	257	420	15.6	11.4	20.2
1976	626	243	383	14.6	10.7	18.8
1977	588	222	366	12.9	9.5	16.5
1978	559	191	368	12.6	8.4	16.9
1979	514	191	323	11.2	8.1	14.4
1980	523	189	334	10.9	7.6	14.4
1981	486	166	320	10.5	7.0	14.2
1982	467	166	301	10.2	6.9	13.7
1983	410	160	250	9.3	7.1	11.7
1984	395	158	237	9.0	7.0	11.2
1985	368	127	241	8.5	5.5	11.8
1986	323	133	190	7.7	6.0	9.6
1987	363	128	235	8.8	5.9	11.9
1988	318	118	200	7.6	5.4	9.8
1989	309	132	177	7.2	6.0	8.4
1990	332	111	221	7.6	5.0	10.4
1991	303	95	208	7.0	4.3	9.8
1992	320	97	223	7.5	4.5	10.6
1993	298	111	187	7.1	5.2	9.0
1994	273	93	180	6.5	4.3	8.8
1995	254	88	166	6.1	4.1	8.4
1996	294	103	191	7.2	4.8	9.8
1997	269	96	173	6.5	4.4	8.9
1998	265	76	189	6.2	3.3	9.5
1999	267	91	176	6.2	4.0	8.8
2000	289	91	198	6.6	3.9	9.6
2001	277	96	181	6.6	4.2	9.3
2002	281	100	181	6.8	4.4	9.6
2003	246	78	168	5.8	3.4	8.7
2004	256	82	174	6.0	3.5	9.0
2005	283	70	213	6.7	3.0	11.0
2006	300	102	198	6.5	4.2	9.1
2007	272	94	178	5.8	3.8	8.2

* DEATHS OF INFANTS UNDER 28 DAYS OF AGE, BUT FIGURES FOR 1924-1948 INCLUDE DEATHS OF INFANTS UNDER ONE MONTH OF AGE.

** DEATHS PER 1,000 LIVE BIRTHS.

TABLE 25
POSTNEONATAL DEATHS* AND MORTALITY RATES, BY YEAR AND RACE,
MISSISSIPPI, 1924-2007
(OCCURRENCE DATA 1924-1944, RESIDENCE DATA 1945-2007)

YEAR	NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
1924	1,539	458	1,081	35.0	20.6	49.6
1925	1,537	478	1,059	33.7	21.5	45.4
1926	1,847	624	1,223	36.6	25.4	47.3
1927	1,647	517	1,130	33.5	21.4	45.1
1928	1,779	612	1,167	37.0	25.9	47.7
1929	1,613	495	1,118	35.4	22.4	47.6
1930	1,584	467	1,117	33.0	20.1	45.0
1931	1,208	371	837	26.8	17.1	35.6
1932	1,121	393	728	24.1	18.0	29.6
1933	1,260	399	861	28.5	19.6	36.2
1934	1,565	555	1,010	32.7	24.8	39.5
1935	1,141	402	739	23.6	18.3	28.1
1936	1,389	429	960	28.2	19.3	35.5
1937	1,420	419	1,001	27.2	18.0	34.6
1938	1,363	458	905	25.4	19.0	30.5
1939	1,271	400	871	24.3	17.0	30.3
1940	1,251	390	861	23.8	16.9	29.2
1941	1,306	379	927	23.9	15.7	30.5
1942	1,110	319	791	19.6	12.6	25.3
1943	1,122	346	776	18.9	12.5	24.4
1944	1,045	304	741	18.4	11.7	24.0
1945	841	222	619	15.7	9.5	20.6
1946	737	211	526	12.0	7.1	16.6
1947	833	259	574	12.6	8.0	16.9
1948	796	215	581	12.2	7.2	16.3
1949	1,018	239	779	15.4	8.3	20.9
1950	902	203	699	14.0	7.5	18.8
1951	910	188	722	13.9	6.8	19.1
1952	934	179	755	14.5	6.4	20.7
1953	904	172	732	14.1	6.1	20.5
1954	839	143	696	13.0	5.0	19.4
1955	898	153	745	14.2	5.6	20.9
1956	902	153	749	14.5	5.6	21.5
1957	832	154	678	13.7	5.7	20.0
1958	949	166	783	16.0	6.2	24.2
1959	905	162	743	14.9	5.8	22.8
1960	960	164	796	16.2	6.0	24.9
1961	849	136	713	14.3	5.0	22.2
1962	897	155	742	15.2	5.6	23.6
1963	923	140	783	16.1	5.2	25.7
1964	858	139	719	15.1	5.4	23.4
1965	843	123	720	16.5	5.3	25.9
1966	733	134	599	15.2	5.9	23.5
1967	592	124	468	12.7	5.5	19.6
1968	497	93	404	10.9	4.1	17.6
1969	447	89	358	9.5	3.7	15.5

TABLE 25 - PAGE 2
 POSTNEONATAL DEATHS - MISSISSIPPI - 1924 - 2007

YEAR	NUMBER			RATE**		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
1970	427	89	338	8.9	3.6	14.5
1971	371	78	293	7.6	3.1	12.5
1972	350	97	253	7.6	4.1	11.4
1973	361	91	270	8.1	3.9	12.5
1974	314	80	234	7.1	3.5	11.1
1975	298	99	199	6.9	4.4	9.6
1976	301	88	213	7.0	3.9	10.4
1977	246	63	183	5.4	2.7	8.2
1978	287	75	212	6.5	3.3	9.8
1979	295	89	206	6.4	3.8	9.2
1980	289	83	206	6.0	3.4	8.9
1981	225	82	143	4.9	3.4	6.4
1982	239	83	156	5.2	3.4	7.1
1983	254	80	174	5.8	3.5	8.2
1984	234	66	168	5.4	2.9	8.0
1985	228	86	142	5.2	3.7	6.9
1986	194	64	130	4.6	2.9	6.6
1987	202	84	118	4.9	3.9	6.0
1988	198	71	127	4.7	3.3	6.2
1989	189	58	131	4.4	2.6	6.2
1990	196	78	118	4.5	3.5	5.5
1991	190	68	122	4.4	3.1	5.7
1992	188	73	115	4.4	3.4	5.5
1993	184	67	117	4.4	3.2	5.6
1994	186	65	121	4.4	3.0	5.9
1995	181	61	120	4.4	2.8	6.1
1996	157	66	91	3.8	3.1	4.6
1997	171	60	111	4.1	2.7	5.7
1998	171	70	101	4.0	3.0	5.0
1999	168	61	107	3.9	2.7	5.3
2000	179	66	113	4.1	2.8	5.5
2001	166	61	105	3.9	2.7	5.4
2002	147	55	92	3.5	2.4	4.9
2003	207	80	127	4.9	3.5	6.6
2004	161	62	99	3.8	2.6	5.1
2005	198	83	115	4.7	3.6	6.0
2006	183	66	117	4.0	2.7	5.4
2007	197	70	127	4.2	2.8	5.9

* DEATHS OF INFANTS 28 DAYS OF AGE OR OLDER, BUT FIGURES FOR 1924-1948 ONLY INCLUDE DEATHS OF INFANTS ONE MONTH OF AGE OR OLDER.

** DEATHS PER 1,000 LIVE BIRTHS.

TABLE 26
MARRIAGES AND DIVORCES, BY YEAR AND RACE, OCCURRENCE DATA,
MISSISSIPPI, 1926-2007

YEAR	MARRIAGES			DIVORCES		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
1926*	28,712			2,766		
1927*	29,048**	11,402	17,383	2,895		
1928	30,231**	11,662	18,257	3,009	1,435	1,574
1929	31,495**	12,864	18,388	3,172	1,598	1,574
1930	25,728**	10,815	14,751	2,743	1,487	1,256
1931	21,589**	9,952	11,629	2,015	1,308	707
1932	22,688**	10,147	12,453	1,918	1,308	610
1933	27,567**	12,201	15,300	1,955	1,396	559
1934	30,149**	13,497	16,541	2,446	1,704	742
1935	28,722**	12,955	15,635	2,425	1,681	744
1936	32,480**	14,120	18,196	2,520	1,690	830
1937	32,055**	14,802	17,246	2,977	1,984	993
1938	31,495	14,224	17,271	2,916	2,069	847
1939	31,956	15,370	16,586	3,034	2,166	868
1940	34,088	16,834	17,254	3,251	2,295	956
1941	42,142	21,611	20,531	3,831	2,444	1,387
1942	49,565	27,227	22,338	4,326	2,606	1,720
1943	46,030	23,445	22,585	5,851	3,062	2,789
1944	41,559	21,173	20,386	6,742	3,425	3,317
1945	44,871	24,738	20,133	6,727	3,919	2,808
1946	64,204	37,099	27,105	9,495	5,867	3,628
1947	53,584	30,514	23,070	7,004	4,323	2,681
1948	53,645	31,504	22,141	6,697	3,864	2,833
1949	52,765	32,191	20,574	6,285	3,621	2,664
1950	56,738	37,871	18,867	6,065	3,711	2,354
1951	57,321	37,857	19,464	5,464	3,601	1,863
1952	58,116	39,162	18,954	5,419	3,607	1,812
1953	61,751	42,961	18,790	5,204	3,515	1,689
1954	61,381	43,268	18,113	5,001	3,424	1,577
1955	66,423	47,618	18,805	4,845	3,372	1,473
1956	66,223	48,140	18,083	5,027	3,452	1,575
1957	62,495	46,868	15,627	4,974	3,350	1,624
1958	36,402	26,998	9,404	5,016	3,485	1,531
1959	20,447	13,547	6,900	5,108	3,557	1,551
1960	21,233	14,029	7,204	5,260	3,553	1,707
1961	21,610	14,438	7,172	5,213	3,545	1,668
1962	22,007	14,432	7,575	5,467	3,827	1,640
1963	22,140	14,508	7,632	5,452	3,930	1,522
1964	22,784	15,159	7,625	5,631	4,077	1,554
1965	23,343	15,613	7,730	5,730	4,220	1,510
1966	23,476	15,860	7,616	6,306	4,650	1,656
1967	23,535	15,752	7,783	6,455	4,704	1,751
1968	25,355	17,142	8,213	7,020	5,202	1,818
1969	25,956	17,582	8,374	7,506	5,616	1,890

TABLE 26 - PAGE 2
MARRIAGES AND DIVORCES - MISSISSIPPI - 1926-2007

YEAR	MARRIAGES			DIVORCES		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
1970	26,328	17,883	8,445	8,211	6,227	1,984
1971	27,597	18,668	8,929	8,936	6,705	2,231
1972	28,703	19,178	9,525	10,097	7,510	2,587
1973	28,513	19,276	9,237	10,787	8,138	2,649
1974	27,613	19,236	8,377	11,866	9,203	2,663
1975	26,279	18,602	7,677	12,303	9,570	2,733
1976	26,772	18,969	7,803	12,243	9,399	2,844
1977	26,843	19,200	7,643	12,759	9,921	2,838
1978	27,280	19,762	7,518	13,313	10,339	2,974
1979	27,279	19,843	7,436	13,628	10,402	3,226
1980	27,908	20,620	7,288	13,846	10,760	3,086
1981	28,002	20,877	7,125	14,182**	10,403	2,795
1982	27,584	20,547	7,037	12,861**	10,239	2,570
1983	26,921	19,950	6,971	13,436**	10,709	2,674
1984	26,025	19,255	6,770	12,911**	10,205	2,664
1985	24,750	18,241	6,509	12,535**	9,766	2,662
1986	24,283	17,729	6,554	12,871**	10,155	2,630
1987	23,729	17,286	6,443	12,142**	9,542	2,420
1988	24,919	18,335	6,584	12,097**	9,454	2,473
1989	24,240	17,735	6,505	12,945**	9,823	2,755
1990	24,348	17,766	6,582	12,735**	9,498	2,804
1991	23,446	17,235	6,211	13,027**	9,926	2,689
1992	22,995	16,776	6,219	12,758**	9,785	2,667
1993	23,271	17,066	6,205	13,860**	10,513	2,940
1994	22,872	16,479	6,393	13,302**	10,110	2,890
1995	22,150	15,714	6,436	13,182**	10,073	2,850
1996	21,550	15,219	6,331	14,263**	10,658	3,180
1997	21,338	14,630	6,708	13,860**	10,376	3,101
1998	20,911	14,222	6,689	13,748**	10,310	3,004
1999	21,828	14,436	7,392	14,056**	10,625	3,221
2000	19,879	13,232	6,647	14,177**	10,666	3,312
2001	18,605	12,483	6,122	14,198**	10,683	3,370
2002	18,447	12,451	5,996	14,196**	10,548	3,466
2003	17,827	12,081	5,746	13,330**	9,737	3,325
2004	17,705	12,055	5,650	13,003**	8,876	3,123
2005	16,862	11,318	5,544	12,798**	8,305	3,053
2006	16,550	11,071	5,479	13,891**	8,858	3,138
2007	15,827	11,093	4,734	13,060**	8,362	2,961

* TOTAL NUMBER OF MARRIAGES FOR 1926 AND TOTAL NUMBER OF DIVORCES FOR 1926 AND 1927 FURNISHED BY U.S. BUREAU OF CENSUS; DISTRIBUTION BY RACE NOT AVAILABLE.

** INCLUDES SOME RECORDS ON WHICH THE RACE OF THE COUPLE WAS NOT STATED.

NOTE: DUE TO INCONSISTENT REPORTING BY COUNTIES, STATISTICS ON MARRIAGES AND DIVORCES MAY BE INCOMPLETE.

TABLE 27
REPORTED INDUCED TERMINATIONS OF PREGNANCY
AND INDUCED TERMINATION RATIOS, BY YEAR AND RACE,
PROCEDURES PERFORMED IN MISSISSIPPI, 1976-2007

YEAR	NUMBER				RATIO*		
	TOTAL	WHITE	NON- WHITE	UNK. RACE	TOTAL	WHITE	NON- WHITE
1976	1,510	976	515	19	35.1	43.2	25.3
1977	2,446	1,531	907	8	53.7	65.5	40.9
1978	3,280	1,998	1,270	12	73.9	88.3	58.4
1979	4,411	2,765	1,636	10	96.1	117.7	72.9
1980	5,543	3,283	2,250	10	115.9	133.0	97.2
1981	5,561	3,236	2,263	62	120.3	136.1	100.8
1982	5,145	2,954	2,174	17	112.0	122.9	99.3
1983	4,560	2,473	2,084	3	103.6	109.1	97.7
1984	4,585	2,633	1,945	7	104.8	116.1	92.3
1985	5,288	2,922	2,359	7	121.8	127.4	115.1
1986	4,521	2,505	2,013	3	108.0	113.6	101.6
1987	5,469	2,950	2,517	2	132.5	136.7	127.7
1988	5,170	2,561	2,588	21	123.0	118.1	127.1
1989	5,490	2,674	2,802	14	127.6	121.2	133.7
1990	6,842	3,334	3,485	23	157.1	149.6	163.9
1991	8,184	3,910	4,244	30	189.5	178.5	199.5
1992	7,555	3,425	4,127	3	177.0	157.8	196.7
1993	6,002	2,425	3,551	26	142.4	114.1	170.0
1994	3,979	1,414	2,558	7	94.9	65.6	125.4
1995	3,563	1,288	2,274	1	86.2	59.7	115.1
1996	4,206	1,340	2,859	7	102.6	62.5	146.4
1997	4,325	1,418	2,906	1	104.1	64.4	149.0
1998	3,955	1,215	2,737	3	92.2	52.9	137.1
1999	3,878	1,060	2,810	8	90.9	46.8	140.3
2000	3,758	1,039	2,711	8	85.3	44.1	132.0
2001	3,566	960	2,598	8	84.3	42.1	133.4
2002	3,605	970	2,633	2	85.3	42.5	135.2
2003	3,753	957	2,769	27	88.7	41.4	144.2
2004	3,493	837	2,655	1	81.6	35.6	137.7
2005	3,041	672	2,356	13	71.8	29.2	122.0
2006	2,949	665	2,278	6	64.0	27.5	104.2
2007	2,932	632	2,289	11	63.1	25.5	105.6

* INDUCED TERMINATIONS OF PREGNANCY PER 1,000 LIVE BIRTHS.

**TABLE 28
TEENAGE PREGNANCIES AND PREGNANCY RATES,
BY YEAR AND RACE, RESIDENCE DATA,
MISSISSIPPI, 1979-2007**

YEAR	NUMBER			RATE*		
	TOTAL**	WHITE	NON-WHITE	TOTAL**	WHITE	NON-WHITE
1979	13,347	5,401	7,895	55.9	40.4	75.2
1980	13,544	5,712	7,808	56.8	42.7	74.4
1981	12,804	5,399	7,365	53.7	40.4	70.2
1982	12,217	5,125	7,080	51.2	38.4	67.4
1983	11,435	4,708	6,727	52.6	38.1	71.4
1984	11,091	4,382	6,709	51.0	35.5	71.3
1985	10,998	4,455	6,543	50.5	36.1	69.5
1986	10,231	4,077	6,154	47.0	33.0	65.4
1987	10,244	4,057	6,187	47.6	33.2	66.4
1988	10,565	4,174	6,391	49.3	34.3	69.0
1989#	11,267	4,403	6,855	52.9	36.4	74.4
1990#	11,379	4,457	6,916	53.1	39.0	69.3
1991#	11,545	4,485	7,056	53.9	39.2	70.7
1992#	11,089	4,119	6,969	51.8	36.0	69.8
1993#	10,962	3,911	7,046	51.2	34.2	70.6
1994#	10,802	3,889	6,911	50.4	34.0	69.3
1995#	10,778	3,984	6,789	49.9	34.5	67.5
1996#	10,401	3,787	6,612	48.1	32.8	65.7
1997#	9,989	3,681	6,305	46.2	31.9	62.7
1998#	9,891	3,748	6,143	45.9	32.8	60.5
1999#	9,675	3,646	6,027	45.2	32.1	59.8
2000#	9,508	3,618	5,889	42.9	31.1	55.9
2001#	8,624	3,309	5,314	38.9	28.4	50.4
2002#	8,192	3,266	4,925	38.2	29.1	48.3
2003#	7,743	3,070	4,666	36.3	27.6	45.8
2004#	7,673	3,131	4,538	36.4	28.3	45.3
2005#	7,405	2,900	4,502	35.5	26.6	45.3
2006#	8,701	3,382	5,312	41.0	30.7	52.0
2007#	9,060	3,606	5,443	43.0	32.9	53.8

* NUMBER OF LIVE BIRTHS PLUS REPORTABLE SPONTANEOUS FETAL DEATHS PLUS INDUCED TERMINATIONS PER 1,000 FEMALES AGES 10-19 IN SPECIFIED RACE GROUP.

** TOTAL FIGURES INCLUDE SOME FOR WHICH THE RACE WAS UNKNOWN.

FIGURES SHOWN ARE BY RACE OF MOTHER; FIGURES FOR YEARS PRIOR TO 1989 ARE BY RACE OF CHILD.

APPENDICES

**APPENDIX A.
LIST OF 358 SELECTED CAUSES OF DEATH USED FOR TABULATING MORTALITY STATISTICS,
SHOWING GROUP NUMBER, CAUSE OF DEATH, AND ICD-10 CODES INCLUDED**

This list of causes of death for the tabulation and dissemination of mortality data was prepared by the National Center for Health Statistics based on the Tenth Revision of the International Classification of Diseases (ICD-10) and recommendations by the World Health Organization (WHO).

The purpose of this list of 358 selected causes is threefold: (1) to separately identify causes of death specified by the WHO in its recommended mortality tabulation lists, (2) to the greatest extent possible, to maintain continuity with past lists (ie, NCHS's List of 282 Selected Causes of Death used with ICD-9) for historic continuity and to facilitate trend analysis, and (3) to separately identify causes of death that are of public health and medical importance.

Group	Cause of Death	ICD-10 Codes Included
001	Cholera	A00
002	Typhoid fever	A01.0
003	Paratyphoid fevers and other salmonella infections	A01.1-A01.4, A02
004	Shigellosis	A03
005	Other bacterial food-borne intoxications	A05
006	Amebiasis	A06
007	Intestinal infections due to other specified organisms	A04, A07-A08
008	Diarrhea and gastroenteritis of presumed infectious origin	A09
009	Respiratory tuberculosis	A16
010	Other tuberculosis	A17-A19
011	Plague	A20
012	Brucellosis	A23
013	Tetanus	A33-A35
014	Diphtheria	A36
015	Whooping cough	A37
016	Scarlet fever and erysipelas	A38, A46
017	Meningococcal infection	A39
018	Septicemia	A40-A41
019	Other zoonotic and bacterial diseases	A21-A22, A24-A32, A42-A44, A48-A49
020	Cardiovascular syphilis	A52.0
021	Neurosyphilis	A52.1-A52.3
022	Other and unspecified syphilis	A50-A51, A52.7-A52.9, A53

Group	Cause of Death	ICD-10 Codes Included
023	Gonococcal infection	A54
024	Other infections with a predominately sexual mode of transmission	A55-A64
025	Lyme disease	A69.2
026	Typhus fever	A75
027	All other infections caused by spirochetes, chlamydia or rickettsia	A65-A68, A69.0-A69.1, A69.8-A69.9, A70-A74, A77-A79
028	Acute poliomyelitis	A80
029	Rabies	A82
030	Arthropod-borne viral encephalitis	A83-A84, A85.2
031	Yellow fever	A95
032	Other and unspecified arthropod-borne viral and hemorrhagic fevers	A90-A94, A96-A99
033	Herpesviral (herpes simplex) infections	B00
034	Zoster (herpes zoster)	B02
035	Smallpox	B03
036	Measles	B05
037	Rubella (German measles)	B06
038	Viral hepatitis	B15-B19
039	Human immunodeficiency virus (HIV) disease resulting in infectious and parasitic diseases	B20
040	Human immunodeficiency virus (HIV) disease resulting in malignant neoplasms	B21
041	Human immunodeficiency virus (HIV) disease resulting in other specified diseases	B22
042	Human immunodeficiency virus (HIV) disease resulting in other conditions	B23
043	Unspecified human immunodeficiency virus (HIV) disease	B24
044	All other and unspecified viral diseases	A85.0-A85.1, A85.8, A86-A89, B01, B04, B07-B09, B25-B34
045	Mycoses	B35-B49
046	Malaria	B50-B54
047	Leishmaniasis	B55
048	Trypanosomiasis	B56-B57
049	Pneumocystosis	B59

Group	Cause of Death	ICD-10 Codes Included
050	Other and unspecified protozoal diseases	B58, B60-B64
051	Schistosomiasis (bilharziasis)	B65
052	Other and unspecified helminthiases	B66-B83
053	Sequelae of tuberculosis	B90
054	Sequelae of poliomyelitis	B91
055	All other and unspecified infectious and parasitic diseases and their sequela	B85-B89, B92-B99
056	Malignant neoplasms of lip	C00
057	Malignant neoplasms of tongue	C01-C02
058	Malignant neoplasms of pharynx	C10-C13, C14.0
059	Malignant neoplasms of other and unspecified sites within the lip, oral cavity and pharynx	C03-C09, C14.2-C14.8
060	Malignant neoplasms of esophagus	C15
061	Malignant neoplasms of stomach	C16
062	Malignant neoplasms of small intestine	C17
063	Malignant neoplasms of colon	C18
064	Malignant neoplasms of rectosigmoid junction and rectum	C19-C20
065	Malignant neoplasms of anus and anal canal	C21
066	Malignant neoplasms of liver	C22.0, C22.2-C22.9
067	Intrahepatic bile duct carcinoma	C22.1
068	Malignant neoplasms of gallbladder and extrahepatic bile ducts	C23-C24
069	Malignant neoplasms of pancreas	C25
070	Malignant neoplasms of other and ill-defined digestive organs	C26
071	Malignant neoplasms of nasal cavity, middle ear and accessory sinuses	C30-C31
072	Malignant neoplasms of larynx	C32
073	Malignant neoplasms of trachea, bronchus and lung	C33-C34
074	Malignant neoplasms of thymus, heart, mediastinum and pleura	C37-C38
075	Malignant neoplasms of other and ill-defined sites in respiratory system and intrathoracic organs	C39
076	Malignant neoplasms of bone and articular cartilage	C40-C41

Group	Cause of Death	ICD-10 Codes Included
077	Malignant melanoma of skin	C43
078	Other malignant neoplasms of skin	C44
079	Mesothelioma	C45
080	Kaposi's sarcoma	C46
081	Malignant neoplasms of other mesothelial and soft tissue	C47-C49
082	Malignant neoplasm of breast	C50
083	Malignant neoplasms of vulva and vagina	C51-C52
084	Malignant neoplasms of cervix uteri	C53
085	Malignant neoplasms of corpus uteri and uterus, part unspecified	C54-C55
086	Malignant neoplasms of ovary	C56
087	Malignant neoplasms of other and unspecified female genital organs	C57
088	Malignant neoplasms of placenta	C58
089	Malignant neoplasms of prostate	C61
090	Malignant neoplasms of testis	C62
091	Malignant neoplasms of penis and other and unspecified male genital organs	C60, C63
092	Malignant neoplasms of kidney and renal pelvis	C64-C65
093	Malignant neoplasms of bladder	C67
094	Malignant neoplasms of other and unspecified sites within the urinary tract	C66, C68
095	Malignant neoplasm of eye and adnexa	C69
096	Malignant neoplasms of brain	C71
097	Malignant neoplasms of other parts of central nervous system	C70, C72
098	Malignant neoplasms of thyroid and other endocrine glands	C73-C75
099	Other malignant neoplasms of other and unspecified sites	C76-C80, C97
100	Hodgkin's disease	C81
101	Non-Hodgkin's lymphoma	C82-C85
102	Malignant neoplasms of other and unspecified lymphoid, hematopoietic and related tissue	C96
103	Malignant immunoproliferative diseases	C88
104	Multiple myeloma and malignant plasma cell neoplasms	C90

Group	Cause of Death	ICD-10 Codes Included
105	Lymphoid leukemia	C91
106	Myeloid leukemia	C92
107	Monocytic leukemia	C93
108	Other and unspecified leukemia	C94-C95
109	Carcinoma in situ of breast and genitourinary system	D05-D07
110	Carcinoma in situ of other and unspecified sites	D00-D04, D09
111	Benign neoplasms of female genital organs	D25-D28
112	Benign neoplasms of eye, brain and other parts of central nervous system	D31-D33
113	Benign neoplasms of other and unspecified sites	D10-D24, D29-D30, D34-D36
114	Neoplasms of uncertain or unknown behavior of specified sites	D37-D47
115	Neoplasm of uncertain or unknown behavior of unspecified sites	D48
116	Nutritional anemias	D50-D53
117	Hemolytic anemias	D55-D59
118	Aplastic anemias	D60-D61
119	Acute posthemorrhagic and other anemias	D62, D64
120	Coagulation defects, purpura and other hemorrhagic conditions	D65-D69
121	Other diseases of blood and blood-forming organs	D70-D76
122	Certain disorders involving the immune mechanism	D80-D89
123	Disorders of thyroid gland	E00-E07
124	Diabetes mellitus	E10-E14
125	Disorders of pituitary gland	E22-E23
126	Disorders of adrenal glands	E24-E27
127	Diseases of thymus	E32
128	Other endocrine diseases	E15-E21, E28-E31, E34
129	Nutritional marasmus	E41
130	Other and unspecified malnutrition	E40, E42-E46
131	Other nutritional deficiencies	E50-E64
132	Obesity and other hyperalimentation	E65-E68
133	Cystic fibrosis	E84

Group	Cause of Death	ICD-10 Codes Included
134	Volume depletion, disorders of fluid, electrolyte and acid-base balance	E86-E87
135	Other metabolic disorders	E70-E83, E85, E88
136	Organic dementia	F01, F03
137	Other and unspecified organic mental disorders	F04-F09
138	Mental and behavioral disorders due to use of alcohol	F10
139	Mental and behavioral disorders due to other psychoactive substance use	F11-F19
140	Schizophrenia, schizotypal and delusional disorders	F20-F29
141	Mood (affective) disorders	F30-F39
142	Neurotic, stress-related and somatoform disorders	F40-F48
143	Mental retardation	F70-F79
144	Other and unspecified mental and behavioral disorders	F50-F69, F80-F99
145	Meningitis	G00, G03
146	Other inflammatory diseases of central nervous system	G04-G09
147	Parkinson's disease	G20-G21
148	Alzheimer's disease	G30
149	Multiple sclerosis	G35
150	Epilepsy	G40-G41
151	Transient cerebral ischemic attacks and related syndromes	G45
152	Infantile cerebral palsy	G80
153	All other diseases of nervous system	G10-G12, G23-G25, G31, G36-G37, G43-G44, G47-G72, G81-G98
154	Diseases of the eye and adnexa	H00-H57
155	Diseases of the ear and mastoid process	H60-H93
156	Acute rheumatic fever	I00-I02
157	Rheumatic mitral valve diseases	I05
158	Rheumatic aortic valve diseases	I06
159	Disorders of both mitral and aortic valves	I08.0
160	Other chronic rheumatic heart diseases	I07, I08.1-I08.9, I09
161	Essential (primary) hypertension	I10

Group	Cause of Death	ICD-10 Codes Included
162	Hypertensive heart disease	I11
163	Hypertensive renal disease	I12
164	Hypertensive heart and renal disease	I13
165	Acute myocardial infarction	I21-I22
166	Other acute ischemic heart diseases	I24
167	Atherosclerotic cardiovascular disease, so described	I25.0
168	All other forms of chronic ischemic heart disease	I20, I25.1-I25.9
169	Pulmonary embolism	I26
170	Other pulmonary heart disease and diseases of pulmonary circulation	I27-I28
171	Acute and subacute endocarditis	I33
172	Diseases of pericardium and acute myocarditis	I30-I31, I40
173	Nonrheumatic mitral valve disorders	I34
174	Nonrheumatic aortic valve disorders	I35
175	All other diseases of endocardium	I36-I38
176	Cardiomyopathy	I42
177	Conduction disorders and cardiac dysrhythmias	I44-I49
178	Congestive heart failure	I50.0
179	Other and unspecified heart failure	I50.1-I50.9
180	Myocarditis, unspecified and myocardial degeneration	I51.4-I51.5
181	All other and ill-defined forms of heart disease	I51.0-I51.3, I51.6-I51.9
182	Subarachnoid hemorrhage	I60
183	Intracerebral and other intracranial hemorrhage	I61-I62
184	Cerebral infarction	I63
185	Stroke, not specified as hemorrhage or infarction	I64
186	Other cerebrovascular diseases and their sequelae	I67, I69
187	Atherosclerosis	I70
188	Aortic aneurysm and dissection	I71
189	Other diseases of arteries, arterioles and capillaries	I72-I78

Group	Cause of Death	ICD-10 Codes Included
190	Phlebitis, thrombophlebitis, venous embolism and thrombosis	I80-I82
191	All other and unspecified disorders of circulatory system	I83-I99
192	Acute pharyngitis and tonsillitis	J02-J03
193	Acute laryngitis and tracheitis	J04
194	Other and unspecified acute upper respiratory infections	J00-J01, J05-J06
195	Influenza	J10-J11
196	Viral pneumonia, not elsewhere classified	J12
197	Bacterial pneumonia	J13-J15
198	Pneumonia due to other or unspecified organisms	J16, J18
199	Acute bronchitis and bronchiolitis	J20-J21
200	Unspecified acute lower respiratory infection	J22
201	Other diseases of upper respiratory tract	J30-J39
202	Bronchitis, not specified as acute or chronic	J40
203	Chronic bronchitis	J41-J42
204	Emphysema	J43
205	Other chronic obstructive pulmonary disease	J44
206	Asthma	J45-J46
207	Bronchiectasis	J47
208	Pneumoconioses and chemical effects	J60-J66, J68
209	Pneumonitis due to food and vomit	J69.0
210	Other pneumonitis due to solids and liquids	J69.1-J69.8
211	Other lung diseases due to external agents	J67, J70
212	Suppurative and necrotic conditions of lower respiratory tract	J85-J86
213	Pleural effusion and plaque	J90, J92
214	All other diseases of respiratory system	J80-J84, J93-J98
215	Diseases of oral cavity, salivary glands and jaws	K00-K14
216	Diseases of esophagus	K20-K22
217	Gastric ulcer	K25
218	Duodenal ulcer	K26
219	Peptic ulcer, site unspecified	K27

Group	Cause of Death	ICD-10 Codes Included
220	Gastrojejunal ulcer	K28
221	Gastritis and duodenitis	K29
222	Dyspepsia and other diseases of stomach and duodenum	K30-K31
223	Diseases of appendix	K35-K38
224	Hernia	K40-K46
225	Crohn's disease and ulcerative colitis	K50-K51
226	Vascular disorders and obstruction of intestine without hernia	K55-K56
227	Diverticular disease of intestine	K57
228	Other diseases of intestines and peritoneum	K52, K58-K63
229	Diseases of peritoneum	K65-K66
230	Alcoholic liver disease	K70
231	Chronic hepatitis, not elsewhere classified	K73
232	Fibrosis and cirrhosis of liver	K74
233	Other diseases of liver	K71-K72, K75-K76
234	Cholelithiasis and other disorders of gallbladder	K80-K82
235	Pancreatitis	K85, K86.0-K86.1
236	Other disorders of biliary tract and pancreas	K83, K86.2-K86.9
237	All other diseases of digestive system	K90, K92
238	Infections of skin and subcutaneous tissue	L00-L08
239	Other and unspecified diseases of skin and subcutaneous tissue	L10-L98
240	Rheumatoid arthritis and related inflammatory polyarthropathies	M05-M08
241	Systemic lupus erythematosus	M32
242	Other arthropathies and related disorders	M00, M02, M10-M31, M33-M35
243	Dorsopathies	M40-M54
244	Soft tissue disorders	M60-M79
245	Osteoporosis	M80-M81
246	Other osteopathies, chondropathies and disorders of musculoskeletal system and connective tissue	M83-M99
247	Acute and rapidly progressive nephritic syndrome	N00-N01
248	Nephrotic syndrome	N04

Group	Cause of Death	ICD-10 Codes Included
249	Other and unspecified glomerular diseases	N02-N03, N05-N07
250	Renal tubulo-interstitial diseases	N10-N15
251	Renal failure	N17-N19
252	Urolithiasis	N20-N23
253	Other and unspecified disorders of kidney	N25-N27
254	Urinary tract infection, site not specified	N39.0
255	Other diseases of urinary system	N28-N36, N39.1-N39.9
256	Hyperplasia of prostate	N40
257	Other diseases of male genital organs	N41-N50
258	Disorders of breast	N60-N64
259	Inflammatory diseases of female pelvic organs	N70-N76
260	Noninflammatory disorders of female genital tract	N80-N98
261	Ectopic pregnancy	000
262	Spontaneous abortion	003
263	Medical abortion	004
264	Other abortion	005
265	Other and unspecified pregnancy with abortive outcome	001-002, 006-007
266	Eclampsia and pre-eclampsia	011, 013-016
267	Hemorrhage of pregnancy and childbirth and placenta previa	020, 044-046, 067, 072
268	Obstetric embolism	088
269	Other complications predominately related to the puerperium	085-087, 089-092
270	All other direct obstetric causes	010, 012, 021-043, 047-066, 068-071, 073-075
271	Obstetric death of unspecified cause	095
272	Other deaths related to pregnancy, childbirth and the puerperium	096-097
273	Indirect obstetric deaths	098-099
274	Newborn affected by maternal factors and by complications of pregnancy, labor and delivery	P00-P04
275	Disorders related to short gestation and low birth weight, not elsewhere classified	P07
276	Birth trauma	P10-P15
277	Intrauterine hypoxia and birth asphyxia	P20-P21

Group	Cause of Death	ICD-10 Codes Included
278	Respiratory distress of newborn	P22
279	Other respiratory conditions originating in the perinatal period	P23-P28
280	Infections specific to the perinatal period	P35-P39
281	Other and unspecified conditions originating in the perinatal period	P05, P08, P29, P50-P96
282	Anencephaly and similar malformations	Q00
283	Spina bifida	Q05
284	All other congenital malformations of nervous system	Q01-Q04, Q06-Q07
285	Congenital malformations of heart	Q20-Q24
286	Other congenital malformations of circulatory system	Q25-Q28
287	Congenital malformations of respiratory system	Q30-Q34
288	Other congenital malformations and deformations	Q10-Q18, Q35-Q89
289	Down's syndrome	Q90
290	All other chromosomal abnormalities, not elsewhere classified	Q91-Q99
291	Senility	R54
292	Sudden infant death syndrome	R95
293	Other ill-defined and unknown causes of mortality	R96-R99
294	All other symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified	R00-R53, R55-R94
295	Railway accidents	V05, V15, V80.6, V81.2-V81.9
296	Pedestrian involved in collision with motor vehicle	V02-V04
297	Pedal cyclist involved in collision with motor vehicle	V12-V14, V19.0-V19.2, V19.4-V19.6
298	Motorcyclist involved in any accident except collision with railway train	V20-V24, V26-V34, V36-V39
299	Motorcyclist involved in collision with railway train	V25, V35
300	Other motor vehicle accident involving collision with railway train	V45, V55, V65, V75, V81.0-V81.1, V87.6, V88.6
301	Occupant of motor vehicle involved in collision with other (non-motorized) road vehicle, streetcar, animal or pedestrian	V40-V41, V46-V47, V50-V51, V56-V57, V60-V61, V66-V67, V70-V71, V76-V77

Group	Cause of Death	ICD-10 Codes Included
302	Occupant of car, pickup truck or van involved in collision with other motor vehicle	V42-V44, V49, V52-V54, V59
303	Occupant of heavy transport vehicle or bus involved in collision with other motor vehicle	V62-V64, V69, V72-V74, V79
304	Occupant of motor vehicle involved in noncollision accident	V48, V58, V68, V78
305	Occupant of special-use motor vehicle involved in any accident	V83-V86
306	Other and unspecified motor vehicle accidents	V09.0, V09.2, V80.3-V80.5, V82.0-V82.1, V87.0-V87.5, V87.7-V87.8, V88.0-V88.5, V88.7-V88.8, V89.0, V89.2
307	Streetcar accidents	V82.2-V82.9
308	Other and unspecified land transport accidents	V01, V06, V09.1, V09.3, V09.9, V10-V11, V16-V18, V19.3, V19.8-V19.9, V80.0-V80.2, V80.7-V80.9, V87.9, V88.9, V89.1, V89.3, V89.9
309	Water transport accidents	V90-V94
310	Air and space transport accidents	V95-V97
311	Other and unspecified transport accidents and their sequelae	V98-V99, Y85
312	Fall on same level	W00-W09, W18
313	Fall from one level to another	W10-W17
314	Unspecified fall	W19
315	Accidental discharge of firearms	W32-W34
316	Accidental explosion	W39-W40
317	Accidental drowning and submersion	W65-W74
318	Accidental inhalation and ingestion of food or other objects causing obstruction of respiratory tract	W78-W80
319	Other accidental and unspecified threats to breathing	W75-W77, W81-W84
320	Accidental exposure to electric current	W85-W87
321	Accidental exposure to radiation	W88-W91
322	Accidental exposure to smoke, fire and flames	X00-X09
323	Accidental contact with heat and hot substances	X10-X19
324	Lightning	X33

Group	Cause of Death	ICD-10 Codes Included
325	Earthquake, volcanic eruption, avalanche, landslide and other earth movements	X34-X36
326	Cataclysmic storm and flood	X37-X38
327	Accidental poisoning by and exposure to drugs and other biological substances	X40-X44
328	Accidental poisoning by and exposure to other and unspecified solid or liquid substances	X45-X46, X48-X49
329	Accidental poisoning by and exposure to other gases and vapors	X47
330	All other and unspecified accidents and their sequelae	W20-W31, W35-W38, W41-W64, W92-W99, X20-X32, X39, X50-X59, Y86
331	Intentional self-poisoning (suicide) by and exposure to drugs and other biological substances	X60-X64
332	Intentional self-poisoning (suicide) by and exposure to other and unspecified solid or liquid substances and their vapors	X65-X66, X68-X69
333	Intentional self-poisoning (suicide) by and exposure to other gases and vapors	X67
334	Intentional self-harm (suicide) by hanging, strangulation and suffocation	X70
335	Intentional self-harm (suicide) by discharge of firearms	X72-X74
336	Intentional self-harm (suicide) by jumping from a high place	X80
337	Intentional self-harm (suicide) by all other and unspecified means and their sequelae	X71, X75-X79, X81-X84, Y87.0
338	Assault (homicide) by drugs, biological substances and other and unspecified noxious substances	X85-X90
339	Assault (homicide) by hanging, strangulation and suffocation	X91
340	Assault (homicide) by discharge of firearms	X93-X95
341	Assault (homicide) by sharp object	X99
342	Assault (homicide) by blunt object	Y00
343	Assault (homicide) by bodily force	Y04
344	Sexual assault (homicide) by bodily force	Y05
345	Neglect, abandonment and other maltreatment syndromes	Y06-Y07
346	Assault (homicide) by all other and unspecified means and their sequelae	X92, X96-X98, Y01-Y03, Y08-Y09, Y87.1

Group	Cause of Death	ICD-10 Codes Included
347	Poisoning by and exposure to drugs and biological substances, undetermined intent	Y10-Y14
348	Poisoning by and exposure to other and unspecified solid or liquid substance, undetermined intent	Y15-Y16, Y18-Y19
349	Poisoning by and exposure to other gases and vapors, undetermined intent	Y17
350	Discharge of firearms, undetermined intent	Y22-Y24
351	Falling, jumping or pushed from a high place, undetermined intent	Y30
352	All other and unspecified events of undetermined intent and their sequelae	Y20-Y21, Y25-Y29, Y31-Y34, Y87.2, Y89.9
353	Legal execution	Y35.5
354	Other legal intervention and their sequelae	Y35.0-Y35.4, Y35.6-Y35.7, Y89.0
355	Operations of war and their sequelae	Y36, Y89.1
356	Drugs, medicaments and biological substances causing adverse effects in therapeutic use, and their sequelae	Y40-Y59, Y88.0
357	Misadventures to patients during medical and surgical care and their sequelae	Y60-Y69, Y88.1
358	Other complications of medical and surgical care and their sequelae	Y70-Y84, Y88.2-Y88.3

**APPENDIX B.
LIST OF 50 SELECTED CATEGORIES OF CAUSES OF DEATH
USED FOR RANKING LEADING CAUSES,
SHOWING GROUP NUMBERS, CAUSES OF DEATH,
AND ICD-10 CODES INCLUDED IN EACH CATEGORY**

These cause-of-death categories were adapted from the National Center for Health Statistics List of 358 Selected Causes of Death (see Appendix A), and were constructed in part by combining certain titles from that list.

These categories are used for ranking leading causes of death.

Group Numbers Included*	Cause of Death	ICD-10 Codes Included
002, 003	Salmonella infections	A01-A02
004, 006	Shigellosis and amebiasis	A03, A06
009, 010	Tuberculosis	A16-A19
015	Whooping cough	A37
016	Scarlet fever and erysipelas	A38, A46
017	Meningococcal infection	A39
018	Septicemia	A40-A41
020-022	Syphilis	A50-A53
028	Acute poliomyelitis	A80
030	Arthropod-borne viral encephalitis	A83-A84, A85.2
036	Measles	B05
038	Viral hepatitis	B15-B19
039-043	Human immunodeficiency virus (HIV) disease	B20-B24
046	Malaria	B50-B54
056-108	Malignant neoplasms	C00-C97
110-115	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior	D00-D48
116-119	Anemias	D50-D64
124	Diabetes mellitus	E10-E14
129-131	Nutritional deficiencies	E40-E64
145	Meningitis	G00, G03
147	Parkinson's disease	G20-G21
148	Alzheimer's disease	G30
156-160, 162, 164-181	Diseases of heart	I00-I09, I11, I13, I20-I51
161, 163	Essential (primary) hypertension and hypertensive renal disease	I10, I12

Group Numbers Included*	Cause of Death	ICD-10 Codes Included
182-186	Cerebrovascular diseases	I60-I69
187	Atherosclerosis	I70
188	Aortic aneurysm and dissection	I71
195-198	Influenza and pneumonia	J10-J18
199	Acute bronchitis and bronchiolitis	J20-J21
202-207	Chronic lower respiratory diseases	J40-J47
208	Pneumoconioses and chemical effects	J60-J66, J68
209, 210	Pneumonitis due to solids and liquids	J69
217-220	Peptic ulcer	K25-K28
223	Diseases of appendix	K35-K38
224	Hernia	K40-K46
230-232	Chronic liver disease and cirrhosis	K70, K73-K74
234	Cholelithiasis and other disorders of gallbladder	K80-K82
247-249, 251, 253	Nephritis, nephrotic syndrome and nephrosis	N00-N07, N17-N19, N25-N27
**	Infections of kidney	N10-N12, N13.6, N15.1
256	Hyperplasia of prostate	N40
259	Inflammatory diseases of female pelvic organs	N70-N76
261-273	Pregnancy, childbirth and the puerperium	000-099
274-281	Certain conditions originating in the perinatal period	P00-P96
282-290	Congenital malformations, deformations and chromosomal abnormalities	Q00-Q99
295-330	Accidents	V01-X59, Y85, Y86
331-337	Intentional self-harm (suicide)	X60-X84, Y87.0
338-346	Assault (homicide)	X85-Y09, Y87.1
353-354	Legal intervention	Y35, Y89.0
335	Operations of war and their sequelae	Y36, Y89.1
356-358	Complications of medical and surgical care	Y40-Y84, Y88

* Refer to Appendix A for the cause(s) of death and ICD-10 codes included in each individual group number.

** The ICD-10 codes included in this category have no corresponding group number.

**APPENDIX C.
LIST OF 130 SELECTED CAUSES OF INFANT DEATH
USED FOR TABULATING INFANT MORTALITY STATISTICS,
SHOWING GROUP NUMBER, CAUSE OF DEATH, AND ICD-10 CODES INCLUDED**

This list of causes of death for the tabulation and dissemination of infant mortality data was prepared by the National Center for Health Statistics based on the Tenth Revision of the International Classification of Diseases (ICD-10) and recommendations by the World Health Organization (WHO).

This list is used for the analysis of infant mortality and for ranking leading causes of infant death, and contains more detailed titles for Certain conditions originating in the perinatal period and Congenital malformations, deformations and chromosomal abnormalities than the List of 358 Selected Causes of Death (see Appendix A). The categories used for ranking leading causes of infant death are marked with a #, and may include one or more group numbers.

Group	Cause of Death	ICD-10 Codes Included
	<u>Certain infectious and parasitic diseases</u>	<u>A00-B99</u>
001	Certain intestinal infectious diseases	A00-A08
002	# Diarrhea and gastroenteritis of presumed infectious origin	A09
003	# Tuberculosis	A16-A19
004	# Tetanus	A33, A35
005	# Diphtheria	A36
006	# Whooping cough	A37
007	# Meningococcal infection	A39
008	# Septicemia	A40-A41
009	# Congenital syphilis	A50
010	# Gonococcal infection	A54
	<u>Viral diseases</u>	<u>A80-B34</u>
011	# Acute poliomyelitis	A80
012	# Varicella (chickenpox)	B01
013	# Measles	B05
014	# Human immunodeficiency virus (HIV) disease	B20-B24
015	# Mumps	B26
016	Other and unspecified viral diseases	A81-B00, B02-B04, B06-B19, B25, B27-B34
017	# Candidiasis	B37
018	# Malaria	B50-B54
019	# Pneumocystosis	B59

Group	Cause of Death	ICD-10 Codes Included
020	Other and unspecified infectious and parasitic diseases and their sequelae	A20-A32, A38, A42-A49, A51-A53, A55-A79, B35-B36, B38-B49, B55-B58, B60-B99
	<u>Neoplasms</u>	<u>C00-D48</u>
	# <u>Malignant neoplasms</u>	<u>C00-C97</u>
021	Hodgkin's disease and non-Hodgkin's lymphomas	C81-C85
022	Leukemia	C91-C95
023	Other and unspecified malignant neoplasms	C00-C80, C88, C90, C96-C97
024	# In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior	D00-D48
	# <u>Diseases of the blood and blood-forming organs and certain disorders involving the immune mechanism</u>	<u>D50-D89</u>
025	Anemias	D50-D64
026	Hemorrhagic conditions and other diseases of blood and blood-forming organs	D65-D76
027	Certain disorders involving the immune mechanism	D80-D89
	<u>Endocrine, nutritional and metabolic diseases</u>	<u>E00-E88</u>
028	# Short stature, not elsewhere classified	E34.3
029	# Nutritional deficiencies	E40-E64
030	# Cystic fibrosis	E84
031	# Volume depletion, disorders of fluid, electrolyte and acid-base balance	E86-E87
032	All other endocrine, nutritional and metabolic diseases	E00-E32, E34.0-E34.2, E34.4-E34.9, E65-E83, E85, E88
	<u>Diseases of the nervous system</u>	<u>G00-G98</u>
033	# Meningitis	G00, G03
034	# Infantile spinal muscular atrophy, type I (Werdnig-Hoffman)	G12.0
035	# Infantile cerebral palsy	G80
036	# Anoxic brain damage, not elsewhere classified	G93.1
037	Other diseases of nervous system	G04, G06-G11, G12.1-G12.9, G20-G72, G81-G92, G93.0, G93.2-G93.9, G95-G98
038	# Diseases of the ear and mastoid process	H60-H93
	# <u>Diseases of the circulatory system</u>	<u>I00-I99</u>

Group	Cause of Death	ICD-10 Codes Included
039	Pulmonary heart disease and diseases of pulmonary circulation	I26-I28
040	Pericarditis, endocarditis and myocarditis	I30, I33, I40
041	Cardiomyopathy	I42
042	Cardiac arrest	I46
043	Cerebrovascular diseases	I60-I69
044	All other diseases of circulatory system	I00-I25, I31, I34-I38, I44-I45, I47-I51, I70-I99
	<u>Diseases of the respiratory system</u>	<u>J00-J98</u>
045	Acute upper respiratory infections	J00-J06
	# <u>Influenza and pneumonia</u>	<u>J10-J18</u>
046	Influenza	J10-J11
047	Pneumonia	J12-J18
048	# Acute bronchitis and acute bronchiolitis	J20-J21
049	# Bronchitis, chronic and unspecified	J40-J42
050	# Asthma	J45-J46
051	# Pneumonitis due to solids and liquids	J69
052	Other and unspecified diseases of respiratory system	J22, J30-J39, J43-J44, J47-J68, J70-J98
	<u>Diseases of the digestive system</u>	<u>K00-K92</u>
053	# Gastritis, duodenitis, and noninfective enteritis and colitis	K29, K50-K55
054	# Hernia of abdominal cavity and intestinal obstruction without hernia	K40-K46, K56
055	All other and unspecified diseases of digestive system	K00-K28, K30-K38, K57-K92
	<u>Diseases of the genitourinary system</u>	<u>N00-N98</u>
056	# Renal failure and other disorders of kidney	N17-N19, N25, N27
057	Other and unspecified diseases of genitourinary system	N00-N15, N20-N23, N26, N28-N98
	<u>Certain conditions originating in the perinatal period</u>	<u>P00-P96</u>
	<u>Newborn affected by maternal factors and by complications of pregnancy, labor and delivery</u>	<u>P00-P04</u>
058	# Newborn affected by maternal hypertensive disorders	P00.0

Group	Cause of Death	ICD-10 Codes Included
059	# Newborn affected by other maternal conditions which may be unrelated to present pregnancy	P00.1-P00.9
	<u># Newborn affected by maternal complications of pregnancy</u>	<u>P01</u>
060	Newborn affected by incompetent cervix	P01.0
061	Newborn affected by premature rupture of membranes	P01.1
062	Newborn affected by multiple pregnancy	P01.5
063	Newborn affected by other maternal complications of pregnancy	P01.2-P01.4, P01.6-P01.9
	<u># Newborn affected by complications of placenta, cord and membranes</u>	<u>P02</u>
064	Newborn affected by complications involving placenta	P02.0-P02.3
065	Newborn affected by complications involving cord	P02.4-P02.6
066	Newborn affected by chorioamnionitis	P02.7
067	Newborn affected by other and unspecified abnormalities of membranes	P02.8-P02.9
068	# Newborn affected by other complications of labor and delivery	P03
069	# Newborn affected by noxious influences transmitted via placenta or breast milk	P04
	<u>Disorders related to length of gestation and fetal malnutrition</u>	<u>P05-P08</u>
070	# Slow fetal growth and fetal malnutrition	P05
	# Disorders related to short gestation and low birth weight, not elsewhere classified	P07
071	Extremely low birth weight or extreme immaturity	P07.0, P07.2
072	Other low birth weight or preterm	P07.1, P07.3
073	# Disorders related to long gestation and high birth weight	P08
074	# Birth trauma	P10-P15
	<u># Intrauterine hypoxia and birth asphyxia</u>	<u>P20-P21</u>
075	Intrauterine hypoxia	P20
076	Birth asphyxia	P21
077	# Respiratory distress of newborn	P22
	<u>Other respiratory conditions originating in the perinatal period</u>	<u>P23-P28</u>

Group	Cause of Death	ICD-10 Codes Included
078	# Congenital pneumonia	P23
079	# Neonatal aspiration syndromes	P24
080	# Interstitial emphysema and related conditions originating in the perinatal period	P25
081	# Pulmonary hemorrhage originating in the perinatal period	P26
082	# Chronic respiratory disease originating in the perinatal period	P27
083	# Atelectasis	P28.0-P28.1
084	All other respiratory conditions originating in the perinatal period	P28.2-P28.9
	<u>Infections specific to the perinatal period</u>	<u>P35-P39</u>
085	# Bacterial sepsis of newborn	P36
086	# Omphalitis of newborn with or without mild hemorrhage	P38
087	All other infections specific to the perinatal period	P35, P37, P39
	<u>Hemorrhagic and hematological disorders of newborn</u>	<u>P50-P61</u>
088	# Neonatal hemorrhage	P50-P52, P54
089	# Hemorrhagic disease of newborn	P53
090	# Hemolytic disease of newborn due to isoimmunization and other perinatal jaundice	P55-P59
091	# Hematological disorders	P60-P61
092	# Syndrome of infant of a diabetic mother and neonatal diabetes mellitus	P70.0-P70.2
093	# Necrotizing enterocolitis of newborn	P77
094	# Hydrops fetalis not due to hemolytic disease	P83.2
095	Other perinatal conditions	P29, P70.3-P70.9, P71-P76, P78-P81, P83.0-P83.1, P83.3-P83.9, P90-P96
	<u># Congenital malformations, deformations and chromosomal abnormalities</u>	<u>Q00-Q99</u>
096	Anencephaly and similar malformations	Q00
097	Congenital hydrocephalus	Q03
098	Spina bifida	Q05
099	Other congenital malformations of nervous system	Q01-Q02, Q04, Q06-Q07
100	Congenital malformations of heart	Q20-Q24

Group	Cause of Death	ICD-10 Codes Included
101	Other congenital malformations of circulatory system	Q25-Q28
102	Congenital malformations of respiratory system	Q30-Q34
103	Congenital malformations of digestive system	Q35-Q45
104	Congenital malformations of genitourinary system	Q50-Q64
105	Congenital malformations and deformations of musculoskeletal system, limbs and integument	Q65-Q85
106	Down's syndrome	Q90
107	Edward's syndrome	Q91.0-Q91.3
108	Patau's syndrome	Q91.4-Q91.7
109	Other congenital malformations and deformations	Q10-Q18, Q86-Q89
110	Other chromosomal abnormalities, not elsewhere classified	Q92-Q99
	<u>Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified</u>	<u>R00-R99</u>
111	# Sudden infant death syndrome	R95
112	Other symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified	R00-R53, R55-R94, R96-R99
113	All other diseases (Residual)	F01-F99, H00-H57, L00-M99
	<u>External causes of mortality</u>	<u>V01-Y89</u>
	# <u>Accidents</u>	<u>V01-X59, Y85-Y86</u>
	<u>Transport accidents</u>	<u>V01-V99, Y85</u>
114	Motor vehicle accidents	V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2
115	Other and unspecified transport accidents and their sequelae	V01, V05-V06, V09.1, V09.3-V09.9, V10-V11, V15-V18, V19.3, V19.8-V19.9, V80.0-V80.2, V80.6-V80.9, V81.2-V81.9, V82.2-V82.9, V87.9, V88.9, V89.1, V89.3, V89.9, V90-V99, Y85
116	Falls	W00-W19
117	Accidental discharge of firearms	W32-W34
118	Accidental drowning and submersion	W65-W74

Group	Cause of Death	ICD-10 Codes Included
119	Accidental suffocation and strangulation in bed	W75
120	Other accidental suffocation and strangulation	W76-W77, W81-W84
121	Accidental inhalation and ingestion of food or other objects causing obstruction of respiratory tract	W78-W80
122	Accidents caused by exposure to smoke, fire and flames	X00-X09
123	Accidental poisoning and exposure to noxious substances	X40-X49
124	Other and unspecified accidents and their sequelae	W20-W31, W35-W64, W85-W99, X10-X39, X50-X59, Y86
	<u># Assault (homicide)</u>	<u>X85-Y09, Y87.1</u>
125	Assault (homicide) by hanging, strangulation and suffocation	X91
126	Assault (homicide) by discharge of firearms	X93-X95
127	Neglect, abandonment and other maltreatment syndromes	Y06-Y07
128	Assault (homicide) by other and unspecified means and their sequelae	X85-X90, X92, X96-X99, Y00-Y05, Y08-Y09, Y87.1
129	<u># Complications of medical and surgical care</u>	<u>Y40-Y84, Y88</u>
130	Other external causes and their sequelae	X60-X84, Y10-Y36, Y87.0, Y87.2, Y89

Category is used for ranking leading causes of infant death.

Appendix D
Finalized Adoptions by Chancery Court District
as Reported to the Administrative Office of Courts by the Chancery Clerks, 2007

District	Jan-07	Feb-07	Mar-07	Apr-07	May-07	Jun-07	Jul-07	Aug-07	Sep-07	Oct-07	Nov-07	Dec-07	TOTAL
1	4	6	9	8	10	10	5	9	9	5	7	9	91
2	6	2	2	3	0	2	2	3	3	8	1	0	32
3	8	5	7	13	16	13	8	5	4	11	7	6	103
4	2	7	0	4	3	2	0	1	2	1	1	2	25
5	1	5	9	0	1	6	2	10	11	3	15	0	63
6	0	0	2	2	1	0	0	6	15	6	4	0	36
7	1	3	4	1	2	3	3	1	5	5	5	2	35
8	4	5	6	7	5	10	25	14	23	19	8	6	132
9	1	3	3	4	2	3	1	3	2	5	1	5	33
10	4	4	10	8	16	9	9	10	9	14	11	8	112
11	0	1	1	2	1	1	0	3	3	2	0	0	14
12	3	1	5	3	3	2	4	5	5	4	3	1	39
13	1	2	1	0	1	3	0	3	1	4	1	3	20
14	2	5	1	4	3	0	1	8	5	2	1	4	36
15	0	2	0	1	0	1	2	3	0	1	0	1	11
16	9	13	7	5	14	0	8	19	15	17	9	6	122
17	0	2	2	8	4	2	3	2	5	3	4	2	37
18	0	2	0	1	2	4	1	1	1	5	2	8	27
19	2	1	2	1	7	3	2	1	2	3	2	3	29
20	0	1	4	0	5	9	10	9	11	8	4	2	63
TOTAL	48	70	75	75	96	83	86	116	131	126	86	68	1,060

Source: Administrative Office of Courts

Map of Chancery Court Districts: http://www.sos.state.ms.us/ed_pubs/ctcalendar/Chancery%20and%20Circuit%20Judges.pdf