

TABLE OF CONTENTS

	Page
INTRODUCTION	
Description of Bulletin	1
Definitions of Live Birth, Fetal Death, Induced Termination, and Death	1
Occurrence and Residence Allocation	2
Population	2
Race	3
Rates	3
Classification of Cause of Death	3
 SUMMARY TABLES, 2010	
POPULATION	
Table P1. 2010 Census Population, by Age, Race, and Sex, Residents of Mississippi	7
 LIVE BIRTHS	
Table A1. Live Births and Average per Day, by Month	8
Table A2. Percentage of Live Births in Hospitals or Clinics, by Year and Race, 1940, 1950, 1960, 1970-2010	8
Table A3. Live Births and Percentage Distribution, by Place of Delivery, Attendant, and Race of Mother	9
Table A4. Live Births, Percentage Distribution, and Fertility Rates, by Age and Race of Mother	10
Table A5. Live Births and Percentage Distribution, by Years of School Completed by Mother and Race of Mother	10
Table A6. Live Births to Unmarried Mothers and Percent of Total Live Births in Specified Group, by Age and Race of Mother	11
Table A7. Live Births, Percentage Distribution, Fertility Rates, and Median Age of Mother, by Total-Birth Order and Race of Mother	11
Table A8. Live Births and Percentage Distribution, by Whether Mother Received Prenatal Care, Time during Pregnancy Care Began, and Race of Mother	12
Table A9. Live Births and Percentage Distribution, by Maturity and Race of Mother	12
Table A10. Congenital Anomalies Reported on Live Birth Certificates, by Anomaly and Race of Mother	13
Table A11. Medical Risk Factors Reported on Live Birth Certificates, by Risk Factor and Race of Mother	14
Table A12. Other Risk Factors Reported on Live Birth Certificates and Percentage Distribution, by Risk Factor and Race of Mother	15
Table A13. Complications of Labor and Delivery Reported on Live Birth Certificates, by Complication and Race of Mother	16

Table A14.	Methods of Delivery Reported on Live Birth Certificates, by Method and Race of Mother	16
Table A15.	Obstetric Procedures Reported on Live Birth Certificates, by Procedure and Race of Mother	17
Table A16.	Abnormal Conditions of Newborn Reported on Live Birth Certificates, by Condition and Race of Mother	17

FETAL DEATHS

Table B1.	Reportable Fetal Deaths and Percentage Distribution, by Place of Delivery, Attendant, and Race of Mother	18
Table B2.	Reportable Fetal Deaths and Fetal Death Ratios, by Age and Race of Mother	19
Table B3.	Percentage Distribution of Live Births and Reportable Fetal Deaths, by Whether Mother Received Prenatal Care and Race of Mother	19
Table B4.	Reportable Fetal Deaths and Fetal Death Ratios, by Completed Weeks of Gestation and Race of Mother, 2008-2010	20

DEATHS

Table C1.	Deaths and Average per Day, by Month	21
Table C2.	Deaths, Percentage Distribution, and Rates, by Age and Race	21
Table C3A.	Deaths by Age, Race, and Sex, and Male/Female Ratios by Age and Race	22
Table C3B.	Death Rates, by Age, Race, and Sex	22
Table C4.	Deaths, Mortality Rates, and Percent of Total Deaths from Ten Leading Causes, by Cause and Race	23
Table C5.	Deaths, Percent of Total Deaths, and Rates for Five Leading Causes, by Age and Cause	24
Table C6.	Deaths and Rates from Malignant Neoplasms, by Primary Site, Sex, and Race	25
Table C7.	Deaths from Major Chronic Respiratory Diseases, 1985, 1990, 1995, 2000, 2005, 2010	25
Table C8.	Deaths and Percent of Total Accidental Deaths from Five Leading Causes of Accidental Death, by Cause and Race	26
Table C9.	Deaths from Selected Types of Accidents, by Sex, also by Age	27
Table C10.	Motor Vehicle Accident Deaths Occurring in Mississippi and Rates, also Motor Vehicle Accident Deaths of Mississippi Residents and Rates, by Year, 1950, 1955, 1960, 1965, 1970-2010	28
Table C11.	Infant Deaths, Percentage Distribution, and Mortality Rates by Age and Race	29
Table C12.	Deaths and Mortality Rates for Ten Leading Causes of Infant Death, by Cause and Race	30
Table C13A.	Years of Potential Life Lost Before Age 75, for Selected Causes of Death	31
Table C13B.	Years of Potential Life Lost Before Age 75, for Selected Causes of Death, White Males and Females	32

Table C13C. Years of Potential Life Lost Before Age 75, for Selected Causes of Death, Nonwhite Males and Females	33
----------------------------------------------------------------------------------------------------------------------------	----

MARRIAGES

Table D1. Marriages and Average per Day, by Month	34
Table D2. Brides and Grooms and Percentage Distribution, by Age and Race . . .	35
Table D3. Median Age of Bride and Groom, for All Marriages and First Marriages, by Race	36
Table D4. Brides and Grooms and Percentage Distribution, by Marriage Order and Race	37
Table D5. Brides and Grooms and Percentage Distribution, by Previous Marital Status and Race	38
Table D6. Marriages and Percentage Distribution, by Residence of Bride and Groom and Race of Bride	39

DIVORCES

Table E1. Divorces and Percentage Distribution, by Cause and Race	40
Table E2. Divorces and Percentage Distribution, by Number of Minor Children and Race	40
Table E3. Divorces and Percentage Distribution, by Number of Years Married and Race	41

INDUCED TERMINATIONS OF PREGNANCY

Table F1. Reported Induced Terminations of Pregnancy, Percentage Distribution, and Induced Termination Ratios, by Age and Race of Patient, Procedures Performed in Mississippi	42
Table F2. Reported Induced Terminations of Pregnancy and Percentage Distribution, by Characteristics of Patient and Race, Procedures Performed in Mississippi	43
Table F3. Reported Induced Terminations of Pregnancy and Percentage Distribution, by Medical Characteristics and Race, Procedures Performed in Mississippi	44
Table F4. Reported Complications Resulting from Induced Terminations of Pregnancy, Patients Treated in Mississippi	44

MAJOR TABLES, 2010**POPULATION**

Table I. 2010 Census Population and Percent Change From 2000 Census Population, Mississippi	47
-------------------------------------------------------------------------------------------------------	----

LIVE BIRTHS

Table 1A.	Live Births, by Place of Occurrence and Race of Mother, also Live Births and Rates, by Place of Residence and Race of Mother, (Place Includes Counties, Out of State, Towns of 10,000 or More), Mississippi, 2010	49
Table 1B.	Fertility Rates, by County of Residence and Race of Mother, Mississippi, 2010	52
Table 2.	Live Births, by County of Residence, Race of Mother, and Attendant, also by County of Residence and Sex, Mississippi, 2010	53
Table 3A.	Total Live Births, by County of Residence and Age of Mother, Mississippi, 2010	56
Table 3B.	Live Births to White Mothers, by County of Residence and Age of Mother, Mississippi, 2010	58
Table 3C.	Live Births to Nonwhite Mothers, by County of Residence and Age of Mother, Mississippi, 2010	60
Table 4.	Live Births to Unmarried Mothers and Percent of Total Live Births, by County of Residence and Race of Mother, Mississippi, 2010	62
Table 5A.	Total Live Births to Unmarried Mothers, by County of Residence and Age of Mother, Mississippi, 2010	64
Table 5B.	Live Births to Unmarried White Mothers, by County of Residence and Age of Mother, Mississippi, 2010	66
Table 5C.	Live Births to Unmarried Nonwhite Mothers, by County of Residence and Age of Mother, Mississippi, 2010	68
Table 6A.	Live Births Weighing Less Than 2,500 Grams at Birth and Percent of Total Live Births, by County of Residence and Race of Mother, Mississippi, 2010	70
Table 6B.	Live Births Weighing Less Than 1,500 Grams at Birth and Percent of Total Live Births, by County of Residence and Race of Mother, Mississippi, 2010	72
Table 7.	Premature Live Births and Percent of Total Live Births, by County of Residence and Race of Mother, Mississippi, 2010	74

FETAL DEATHS

Table 8.	Reportable Fetal Deaths, by County of Occurrence and Race of Mother, also Reportable Fetal Deaths and Fetal Death Ratios, by County of Residence and Race of Mother, Mississippi, 2010	76
----------	--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	----

DEATHS

Table 9.	Deaths, by Place of Occurrence and Race, also Deaths and Rates, by Place of Residence and Race, (Place Includes Counties, Out of State, Towns of 10,000 or More), Mississippi, 2010	78
Table 10A.	Deaths, by Cause and Race, (Cause Groupings Based on NCHS List of 358 Selected Causes), Mississippi Residents, 2010	81
Table 10B.	Deaths, by Cause and Race, Mississippi Residents, 2010	91

	Page
Table 11. Deaths from Major Cause Groups and Certain Selected Causes, by Race, Sex, and Age, also Rates for Major Cause Groups and Certain Selected Causes, Mississippi Residents, 2010	113
Table 12A. Infant, Neonatal, and Postneonatal Deaths, by County of Residence and Race, Mississippi, 2010	120
Table 12B. Infant, Neonatal, and Postneonatal Mortality Rates, by County of Residence and Race, Mississippi, 2006-2010 (5-Year Average) . .	122
Table 13. Infant Deaths from Selected Causes, by Race and Age, also Mortality Rates for Selected Causes, Mississippi Residents, 2010	124
Table 14. Accidental Deaths, by County of Occurrence and Type of Accident, Mississippi, 2010	127
 MARRIAGES	
Table 15. Marriages, by County of Licensure and Race of Bride, also by County of Occurrence and Race of Bride, also by County of Residence of Bride and Race of Bride, Mississippi, 2010	129
 DIVORCES	
Table 16. Divorces, by County of Occurrence and Race, Mississippi, 2010	131
 INDUCED TERMINATIONS	
Table 17. Reported Induced Terminations of Pregnancy Performed in Mississippi on Mississippi Residents, by County of Residence and Race, 2010	132
 TEENAGE PREGNANCY	
Table 18A. Teenage Pregnancies, by County of Residence, Race, and Age Group of Mother, Mississippi, 2010	133
Table 18B. Teenage Pregnancy Rates, by County of Residence, Race, and Age Group of Mother, Mississippi Residents, 2010	135
 DEATHS (COUNTY AND STATE SUMMARIES)	
Table 19. Deaths from Selected Causes Used for Ranking Leading Causes, by Race, Mississippi Residents	
The Counties (in alphabetical order)	138
The State	158

TIME SERIES TABLES

Table 20.	Live Births and Rates, by Year and Race, Mississippi, 1913-2010, (Occurrence Data 1913-1943, Residence Data 1944-2010)	161
Table 21.	Deaths and Rates, by Year and Race, Mississippi, 1913-2010, (Occurrence Data 1913-1943, Residence Data 1944-2010)	163
Table 22.	Maternal Deaths and Mortality Rates, by Year and Race, Mississippi, 1913-2010, (Occurrence Data 1913-1943, Residence Data 1944-2010)	165
Table 23.	Infant Deaths and Mortality Rates, by Year and Race, Mississippi, 1917-2010, (Occurrence Data 1917-1943, Residence Data 1944-2010)	167
Table 24.	Neonatal Deaths and Mortality Rates, by Year and Race, Mississippi, 1924-2010, (Occurrence Data 1924-1944, Residence Data 1945-2010)	169
Table 25.	Postneonatal Deaths and Mortality Rates, by Year and Race, Mississippi, 1924-2010, (Occurrence Data 1924-1943, Residence Data 1944-2010)	171
Table 26.	Marriages and Divorces, by Year and Race, Occurrence Data, Mississippi, 1926-2010	173
Table 27.	Reported Induced Terminations of Pregnancy and Induced Termination Ratios, by Year and Race, Procedures Performed in Mississippi, 1976-2010	175
Table 28.	Teenage Pregnancies and Pregnancy Rates, by Year and Race, Residence Data, Mississippi, 1979-2010	176

APPENDICES

Appendix A.	List of 358 Selected Causes of Death Used for Tabulating Mortality Statistics, Showing Group Number, Cause of Death, and ICD-10 Codes Included	179
Appendix B.	List of 50 Selected Categories of Causes of Death Used for Ranking Leading Causes, Showing Group Numbers, Causes of Death, and ICD-10 Codes Included in Each Category	193
Appendix C.	List of 130 Selected Causes of Infant Death Used for Tabulating Infant Mortality Statistics, Showing Group Number, Cause of Death, and ICD-10 Codes Included	195
Appendix D.	Finalized Adoptions by Chancery Court District as Reported to the Administrative Office of Courts by the Chancery Clerks, 2010	202

VITAL STATISTICS MISSISSIPPI, 2010

INTRODUCTION

Description of Bulletin

The information on live births, fetal deaths, induced terminations of pregnancy, deaths, marriages, and divorces which is presented in this bulletin was obtained from official records submitted to the Mississippi State Department of Health as required by statute and regulation. Live birth and fetal death records were prepared by hospitals, clinics, physicians, and midwives. Reports of induced terminations of pregnancy were prepared by hospitals, clinic staff, and physicians. Reports of complications from induced terminations of pregnancy were made by the clinic or physician who treated the patient for the complication. Responsibility for the preparation of death certificates was shared by hospitals, nursing homes and other institutions which provide care or custody, funeral homes, physicians, medical examiners, and medical examiner investigators. Marriage records were completed partly by brides and grooms, partly by persons who performed marriage ceremonies, and partly by circuit clerks. Chancery clerks prepared the statistical records of divorce.

This publication consists of three parts. The first part includes summary tables for the state as a whole for 2010; the second part contains major statistical tables for 2010. Time series tables numbered 20 through 28 are presented in the third part.

Definitions of Live Birth, Fetal Death, Induced Termination, and Death

The definitions of live birth, fetal death, and induced termination of pregnancy adopted by the Mississippi State Department of Health for use in Mississippi are those formulated by the World Health Organization and recommended by the National Center for Health Statistics. The definition of death was adopted by the Mississippi Legislature in 1982, statute number 41-36-3.

Live Birth - the complete expulsion or extraction from its mother of a product of human conception, irrespective of the duration of pregnancy, which, after such expulsion or extraction, breathes or shows any other evidence of life such as beating of the heart, pulsation of the umbilical cord, or definite movement of voluntary muscles, whether or not the umbilical cord has been cut or the placenta is attached.

Fetal Death - death prior to the complete expulsion or extraction from its mother of a product of human conception, irrespective of the duration of pregnancy; the death is indicated by the fact that after such expulsion or extraction the fetus does not breathe or show any other evidence of life such as beating of the heart, pulsation of the umbilical cord, or definite movement of voluntary muscles.

Induced Termination of Pregnancy - the intentional termination of pregnancy with the intention other than to produce a live-born infant or to remove a dead fetus.

Death - an individual who has sustained either (a) irreversible cessation of circulatory and respiratory functions or (b) irreversible cessation of all functions of

the entire brain, including the brain stem, is dead. A determination of death must be made in accordance with accepted medical standards.

Even though the definition of fetal death is all-inclusive, the State Department of Health does not require the reporting of all fetal deaths. Since January 1, 1976, fetal death reports have been required only for spontaneous fetal deaths of 20 weeks or more gestation or weight of 350 grams or more. There is a separate reporting system (with no names or addresses) for all induced terminations of pregnancy.

Occurrence and Residence Allocation

Live births, fetal deaths, and deaths were classified by place of occurrence and by place of residence. Some of the tables contain both occurrence and residence figures, but most of the tables are based on residence data only, as these data are considered more suitable for studying public health problems.

Occurrence data were obtained from certificates filed in Mississippi at the place of the event. Residence data include transcripts of records of events that occurred in other states to Mississippi residents and exclude records filed in this state for nonresidents. Residence assignment for live births and fetal deaths was determined by the usual residence of the mother. For deaths it was determined by the usual residence of the decedent except that deaths of inmates of institutions were reallocated to the location of the institution regardless of length of stay.

Figures on induced terminations of pregnancy in Tables F1, F2, F3, and 17 refer only to procedures performed in Mississippi, and do not include transcripts of records of events that occurred in other states to Mississippi residents. Residence assignment was determined by the usual residence of the patient. However, the teenage pregnancy figures in Tables 18A, 18B, and 28, which include induced termination figures, refer to induced terminations of all Mississippi resident teens, regardless of where the induced termination was actually performed.

Marriages were classified according to place of issuance of the marriage license, place of occurrence of marriage, and place of residence of the bride. However, the figures on brides who were Mississippi residents are incomplete since there is no exchange among the states of transcripts of marriage records for nonresidents and the out-of-state marriages of Mississippi brides could not be included. Divorces were classified only according to place where the decree was granted, as there is no information regarding place of residence on the record.

Population

The population figures used in this publication are from the 2010 national census and were prepared by the United States Census Bureau.

Race

The two categories for race used in this publication are white and nonwhite. White includes such groups as Caucasian, Anglo-American, Canadian, Cuban, French, Greek, Hispanic, Latin American, Mexican, Puerto Rican, Swedish, etc. Nonwhite includes such groups as Black, African-American, American Indian, Chinese, Japanese, Hawaiian, Filipino, and all other groups not considered as white.

Prior to 1989, all statistics regarding live births and fetal deaths were broken down by race of the child or fetus; however, beginning with 1989 and continuing with subsequent years all statistics on live births and fetal deaths will be reported by race of the mother. This includes any rates or ratios that involve figures for live births or fetal deaths. For example, the infant mortality rate for white infants will now be calculated using the number of live births to white mothers as the denominator.

Rates

Population-based rates for the state include those for live births, total deaths, and deaths from specific causes, except maternal deaths and deaths from certain conditions originating in the perinatal period. Figures on live births were used as the base for calculating fetal death ratios as well as rates for maternal deaths, infant, neonatal, and postneonatal deaths, and deaths from certain conditions originating in the perinatal period, as the birth counts represent the groups at risk more accurately than do general population figures.

Classification of Cause of Death

Causes of death were assigned according to the Tenth Revision International Statistical Classification of Diseases and Related Health Problems (ICD-10). The Tenth Revision was used for the first time in 1999, and is markedly different from the Ninth Revision. Because of this, and also because periodic changes in the classification system occurring throughout the years have resulted in an unavoidable lack of comparability for some causes, caution should be used in analyzing trends which span classification revisions.

With the exception of Table 10B, all tables which show cause of death are based on the National Center for Health Statistics' List of 358 Selected Causes of Death (see Appendix A), and appear with group numbers instead of the actual ICD-10 codes. These groupings were developed to preserve traditional categories of causes of death not found in continuous ranges of codes in ICD-10 as they were in ICD-9, to maintain continuity with prior coding revisions to facilitate trend analysis, and to separately identify causes of death that are of public health and medical importance. In Table 10B, however, the cause-of-death titles shown do follow the actual coding structure of the Tenth revision, and the causes are shown with their corresponding ICD-10 codes.

Adoptions

In 2005, Section 93-17-205, MS Code 1972 was amended to require the number of adoptions finalized in each Chancery Court be reported to the Bureau by the Administrative Office of Courts. This law became effective on July 1, 2005. It is important to note that the birth

certificate is not automatically changed after the adoption process is complete, but requires the petitioner to present Vital Records with a copy of the adoption decree. This may not happen immediately and, in fact, may never happen. For this reason, birth records are a poor source for determining the number of adoptions that occur in a given year. Information on adoptions for calendar year 2010 is presented in Appendix D.

Internet site

The tables contained in this book can also be found on the Internet at:

www.msdh.state.ms.us/phs

SUMMARY TABLES

In this section, all tables on live births, fetal deaths, and deaths represent residence data unless otherwise specified; all information on induced terminations of pregnancy, marriages, and divorces is occurrence data.

TABLE P1. 2010 CENSUS POPULATION*, BY AGE, RACE, AND SEX
RESIDENTS OF MISSISSIPPI

AGE	TOTAL			WHITE			NONWHITE		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
TOTAL	2,967,297	1,441,240	1,526,057	1,754,684	863,867	890,817	1,212,613	577,373	635,240
0-4	210,956	107,465	103,491	104,462	53,354	51,108	106,494	54,111	52,383
(Under 1)	40,260	20,535	19,725	20,002	10,189	9,813	20,258	10,346	9,912
(1-4)	170,696	86,930	83,766	84,460	43,165	41,295	86,236	43,765	42,471
5-9	205,672	105,042	100,630	106,123	54,602	51,521	99,549	50,440	49,109
10-14	208,248	106,606	101,642	107,755	55,360	52,395	100,493	51,246	49,247
15-19	224,619	114,145	110,474	114,191	58,511	55,680	110,428	55,634	54,794
20-24	210,894	105,433	105,461	112,931	57,371	55,560	97,963	48,062	49,901
25-29	199,082	98,610	100,472	108,506	55,213	53,293	90,576	43,397	47,179
30-34	188,171	92,461	95,710	104,021	52,828	51,193	84,150	39,633	44,517
35-39	187,368	91,364	96,004	109,634	55,305	54,329	77,734	36,059	41,675
40-44	187,579	91,664	95,915	113,081	57,424	55,657	74,498	34,240	40,258
45-49	208,369	101,271	107,098	129,064	64,522	64,542	79,305	36,749	42,556
50-54	208,607	100,994	107,613	129,629	64,638	64,991	78,978	36,356	42,622
55-59	186,569	89,321	97,248	120,043	58,496	61,547	66,526	30,825	35,701
60-64	160,756	77,111	83,645	112,182	54,765	57,417	48,574	22,346	26,228
65-69	120,523	56,200	64,323	88,077	41,780	46,297	32,446	14,420	18,026
70-74	93,946	42,228	51,718	69,466	31,945	37,521	24,480	10,283	14,197
75-79	69,876	28,913	40,963	53,089	22,681	30,408	16,787	6,232	10,555
80-84	51,703	19,366	32,337	39,554	15,287	24,267	12,149	4,079	8,070
85+	44,359	13,046	31,313	32,876	9,785	23,091	11,483	3,261	8,222
UNDER 15	624,876	319,113	305,763	318,340	163,316	155,024	306,536	155,797	150,739
15-64	1,962,014	962,374	999,640	1,153,282	579,073	574,209	808,732	383,301	425,431
65 & OVER	380,407	159,753	220,654	283,062	121,478	161,584	97,345	38,275	59,070
MEDIAN AGE	36.0	34.5	37.4	40.4	39.0	41.8	30.0	28.4	31.7

* POPULATION WAS OBTAINED FROM THE U.S. BUREAU OF THE CENSUS.

**TABLE A1. LIVE BIRTHS AND AVERAGE PER DAY, BY MONTH
MISSISSIPPI, 2010**

MONTH	BIRTHS	AVERAGE PER DAY	MONTH	BIRTHS	AVERAGE PER DAY
<u>TOTAL</u>	<u>39,984</u>	<u>110</u>			
JANUARY	3,403	110	JULY	3,425	110
FEBRUARY	3,049	109	AUGUST	3,596	116
MARCH	3,279	106	SEPTEMBER	3,543	118
APRIL	3,102	103	OCTOBER	3,318	107
MAY	3,064	99	NOVEMBER	3,412	114
JUNE	3,255	108	DECEMBER	3,538	114

**TABLE A2. PERCENTAGE OF LIVE BIRTHS IN HOSPITALS OR CLINICS,
BY YEAR AND RACE*
MISSISSIPPI, 1940, 1950, 1960, 1970-2010**

YEAR	TOTAL	WHITE	NON-WHITE	YEAR	TOTAL	WHITE	NON-WHITE
1940	14.1	27.1	3.9	1990#	99.6	99.6	99.6
1950	46.1	83.3	18.9	1991#	99.6	99.6	99.6
1960	73.2	99.0	51.3	1992#	99.7	99.7	99.7
				1993#	99.7	99.7	99.6
1970#	90.0	99.7	79.7	1994#	99.7	99.7	99.7
1971#	92.2	99.6	84.2	1995#	99.7	99.7	99.6
1972#	95.2	99.8	90.4	1996#	99.7	99.7	99.7
1973#	96.4	99.7	92.8	1997#	99.7	99.8	99.7
1974#	97.4	99.7	94.8	1998#	99.6	99.7	99.6
1975#	97.9	99.6	96.0	1999#	99.7	99.7	99.7
1976#	98.5	99.7	97.3				
1977#	98.9	99.7	98.1	2000#	99.7	99.7	99.7
1978#	99.1	99.7	98.4	2001#	99.7	99.7	99.7
1979#	99.3	99.7	98.9	2002#	99.7	99.7	99.8
				2003#	99.7	99.7	99.7
1980#	99.4	99.7	99.1	2004#	99.7	99.7	99.8
1981#	99.3	99.6	99.0	2005#	99.7	99.7	99.8
1982#	99.4	99.6	99.2	2006#	99.7	99.7	99.8
1983#	99.5	99.6	99.4	2007#	99.7	99.7	99.8
1984#	99.5	99.6	99.4	2008#	99.8	99.7	99.8
1985#	99.6	99.7	99.4	2009#	99.7	99.6	99.8
1986#	99.6	99.7	99.5	2010#	99.7	99.6	99.8
1987#	99.6	99.8	99.5				
1988#	99.6	99.7	99.6				
1989#	99.6	99.8	99.5				

* FIGURES FOR YEARS PRIOR TO 1989 ARE BY RACE OF CHILD;
BEGINNING IN 1989 FIGURES SHOWN ARE BY RACE OF MOTHER.

INCLUDES BIRTHS IN ANY FACILITY WHICH PROVIDES MEDICAL
CARE; PRIOR TO 1970 ONLY BIRTHS IN FACILITIES PROVIDING
INPATIENT CARE WERE INCLUDED.

**TABLE A3. LIVE BIRTHS AND PERCENTAGE DISTRIBUTION, BY PLACE OF DELIVERY, ATTENDANT, AND RACE OF MOTHER
MISSISSIPPI, 2010**

PLACE OF DELIVERY AND RACE	NUMBER						PERCENT					
	TOTAL	PHYSICIAN	CERTIFIED NURSE MIDWIFE	GRANNY MIDWIFE	OTHER NAMED PERSON	UNKNOWN	TOTAL	PHYSICIAN	CERTIFIED NURSE MIDWIFE	GRANNY MIDWIFE	OTHER NAMED PERSON	UNKNOWN
<u>TOTAL</u>	<u>39,984</u>	<u>38,913</u>	<u>816</u>	<u>62</u>	<u>167</u>	<u>26</u>	<u>100.0</u>	<u>97.3</u>	<u>2.0</u>	<u>0.2</u>	<u>0.4</u>	<u>0.1</u>
HOSPITAL CLINIC/DOCTOR'S OFFICE	39,849	38,911	815	1	100	22	99.7	97.3	2.0	*	0.2	*
HOME	0	0	0	0	0	0	-	-	-	-	-	-
OTHER PLACE	120	2	1	58	56	3	0.3	*	*	0.1	0.1	*
UNKNOWN PLACE	14	0	0	3	11	0	*	-	-	*	*	-
	1	0	0	0	0	1	*	-	-	-	-	*
<u>WHITE</u>	<u>21,696</u>	<u>21,152</u>	<u>381</u>	<u>59</u>	<u>85</u>	<u>19</u>	<u>100.0</u>	<u>97.5</u>	<u>1.8</u>	<u>0.3</u>	<u>0.4</u>	<u>0.1</u>
HOSPITAL CLINIC/DOCTOR'S OFFICE	21,600	21,151	380	1	51	17	99.6	97.5	1.8	*	0.2	0.1
HOME	0	0	0	0	0	0	-	-	-	-	-	-
OTHER PLACE	87	1	1	55	28	2	0.4	*	*	0.2	0.1	*
UNKNOWN PLACE	9	0	0	3	6	0	*	-	-	*	*	-
	0	0	0	0	0	0	-	-	-	-	-	-
<u>NONWHITE</u>	<u>18,288</u>	<u>17,761</u>	<u>435</u>	<u>3</u>	<u>82</u>	<u>7</u>	<u>100.0</u>	<u>97.1</u>	<u>2.4</u>	<u>-</u>	<u>0.4</u>	<u>-</u>
HOSPITAL CLINIC/DOCTOR'S OFFICE	18,249	17,760	435	0	49	5	99.8	97.1	2.4	-	0.3	*
HOME	0	0	0	0	0	0	-	-	-	-	-	-
OTHER PLACE	33	1	0	3	28	1	0.2	*	-	*	0.2	*
UNKNOWN PLACE	5	0	0	0	5	0	*	-	-	-	*	-
	1	0	0	0	0	1	*	-	-	-	-	*

* LESS THAN 0.06 PERCENT.

**TABLE A4. LIVE BIRTHS, PERCENTAGE DISTRIBUTION, AND FERTILITY RATES,
BY AGE AND RACE OF MOTHER
MISSISSIPPI, 2010**

AGE OF MOTHER	NUMBER			PERCENT			FERTILITY RATE*		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>TOTAL</u>	<u>39,984</u>	<u>21,696</u>	<u>18,288</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>	<u>66.2</u>	<u>66.6</u>	<u>65.7</u>
UNDER 15	111	27	84	0.3	0.1	0.4	1.1	0.5	1.7
15-19	6,074	2,552	3,522	15.2	11.8	19.2	55.0	45.8	64.3
20-24	12,850	6,175	6,675	32.1	28.5	36.5	121.8	111.1	133.8
25-29	11,377	6,860	4,517	28.4	31.6	24.7	113.2	128.7	95.7
30-34	6,508	4,160	2,348	16.3	19.2	12.8	68.0	81.3	52.7
35-39	2,520	1,588	932	6.3	7.3	5.1	26.2	29.2	22.4
40-44	507	309	198	1.3	1.4	1.1	5.3	5.6	4.9
45-49	32	20	12	0.1	0.1	0.1	0.3	0.3	0.3
UNKNOWN	5	5	0	**	**	-			

* FOR TOTAL GROUP- LIVE BIRTHS PER 1,000 FEMALES 15-44 YEARS OF AGE; FOR SPECIFIC AGE GROUPS - LIVE BIRTHS PER 1,000 FEMALES IN SPECIFIED GROUP.

** LESS THAN 0.06 PERCENT.

**TABLE A5. LIVE BIRTHS AND PERCENTAGE DISTRIBUTION,
BY YEARS OF SCHOOL COMPLETED BY MOTHER AND RACE OF MOTHER
MISSISSIPPI, 2010**

YEARS OF SCHOOL COMPLETED BY MOTHER	NUMBER			PERCENT*			CUMULATIVE PERCENT*		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>TOTAL BIRTHS</u>	<u>39,984</u>	<u>21,696</u>	<u>18,288</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>			
0-6 YEARS	572	481	91	1.4	2.2	0.5	1.4	2.2	0.5
7-9 YEARS	2,629	1,396	1,233	6.6	6.5	6.8	8.1	8.8	7.3
10,11 YEARS	5,409	2,204	3,205	13.7	10.3	17.6	21.8	19.1	25.0
12 YEARS	12,153	5,727	6,426	30.7	26.8	35.4	52.5	45.9	60.4
1-3 YEARS COLLEGE	10,591	5,662	4,929	26.8	26.5	27.2	79.3	72.3	87.5
4 OR MORE YEARS OF COLLEGE	8,180	5,914	2,266	20.7	27.6	12.5	100.0	100.0	100.0
UNKNOWN	450	312	138						
MEDIAN YEARS COMPLETED*	12	13	12						

* CALCULATIONS EXCLUDE BIRTHS TO MOTHERS WITH EDUCATION UNKNOWN.

**TABLE A6. LIVE BIRTHS TO UNMARRIED MOTHERS
AND PERCENT OF TOTAL LIVE BIRTHS IN SPECIFIED GROUP,
BY AGE AND RACE OF MOTHER
MISSISSIPPI, 2010**

AGE OF MOTHER	NUMBER			PERCENT		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>TOTAL</u>	<u>21,874</u>	<u>7,304</u>	<u>14,570</u>	<u>54.7</u>	<u>33.7</u>	<u>79.7</u>
UNDER 15	111	27	84	100.0	100.0	100.0
15-19	5,462	1,980	3,482	89.9	77.6	98.9
20-24	8,967	2,867	6,100	69.8	46.4	91.4
25-29	4,664	1503	3,161	41.0	21.9	70.0
30-34	1,844	615	1229	28.3	14.8	52.3
35-39	678	252	426	26.9	15.9	45.7
40-44	138	55	83	27.2	17.8	41.9
45-49	8	3	5	25.0	15.0	41.7
UNKNOWN	2	2	0			

**TABLE A7. LIVE BIRTHS, PERCENTAGE DISTRIBUTION, FERTILITY RATES, AND
MEDIAN AGE OF MOTHER, BY TOTAL-BIRTH ORDER AND RACE OF MOTHER
MISSISSIPPI, 2010**

TOTAL BIRTH ORDER*	NUMBER			PERCENT			FERTILITY RATE**			MEDIAN AGE OF MOTHER		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>TOTAL</u>	<u>39,984</u>	<u>21,696</u>	<u>18,288</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>	<u>66.2</u>	<u>66.6</u>	<u>65.7</u>	<u>25</u>	<u>26</u>	<u>24</u>
FIRST	13,876	7,690	6,186	34.7	35.4	33.8	23.0	23.6	22.2	21	23	20
SECOND	11,707	6,684	5,023	29.3	30.8	27.5	19.4	20.5	18.0	25	26	23
THIRD	7,378	3,988	3,390	18.4	18.4	18.5	12.2	12.2	12.2	27	28	25
FOURTH	3,758	1,865	1,893	9.4	8.6	10.4	6.2	5.7	6.8	28	29	26
FIFTH	1,750	813	937	4.4	3.7	5.1	2.9	2.5	3.4	29	29	28
SIXTH	768	341	427	1.9	1.6	2.3	1.3	1.0	1.5	29	30	29
SEVENTH	337	137	200	0.8	0.6	1.1	0.6	0.4	0.7	31	32	30
EIGHTH	198	81	117	0.5	0.4	0.6	0.3	0.2	0.4	32	33	31
NINTH	87	34	53	0.2	0.2	0.3	0.1	0.1	0.2	33	34	32
TENTH & OVER	103	50	53	0.2	0.2	0.3	0.2	0.2	0.2	35	35	34
UNKNOWN	22	13	9	#	0.1	#	#	#	#			

* INCLUDES ALL LIVE BIRTHS PLUS ALL FETAL DEATHS REGARDLESS OF LENGTH OF GESTATION.

** LIVE BIRTHS PER 1,000 FEMALES 15-44 YEARS OF AGE.

LESS THAN 0.06.

**TABLE A8. LIVE BIRTHS AND PERCENTAGE DISTRIBUTION,
BY WHETHER MOTHER RECEIVED PRENATAL CARE,
TIME DURING PREGNANCY CARE BEGAN, AND RACE OF MOTHER
MISSISSIPPI, 2010**

PRENATAL CARE AND TIME CARE BEGAN	NUMBER			PERCENT		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>TOTAL</u>	<u>39,984</u>	<u>21,696</u>	<u>18,288</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>
NO PRENATAL CARE	430	169	261	1.1	0.8	1.4
<u>SOME PRENATAL CARE</u>	<u>39,455</u>	<u>21,484</u>	<u>17,971</u>	<u>98.7</u>	<u>99.0</u>	<u>98.3</u>
FIRST TRIMESTER	33,249	18,973	14,276	83.2	87.4	78.1
SECOND TRIMESTER	5,182	2,042	3,140	13.0	9.4	17.2
THIRD TRIMESTER	765	279	486	1.9	1.3	2.6
UNKNOWN MONTH	259	190	69	0.6	0.9	0.4
UNKNOWN WHETHER ANY PRENATAL CARE	99	43	56	0.2	0.2	0.3

**TABLE A9. LIVE BIRTHS AND PERCENTAGE DISTRIBUTION,
BY MATURITY AND RACE OF MOTHER
MISSISSIPPI, 2010**

MATURITY*	NUMBER			PERCENT		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>TOTAL</u>	<u>39,984</u>	<u>21,696</u>	<u>18,288</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>
IMMATURE ONLY**	1,927	728	1,199	4.8	3.4	6.6
PREMATURE ONLY**	3,882	1,847	2,035	9.7	8.5	11.1
BOTH IMMATURE AND PREMATURE	2,920	1,100	1,820	7.3	5.1	10.0
TOTAL IMMATURE	4,847	1,828	3,019	12.1	8.4	16.5
TOTAL PREMATURE	6,802	2,947	3,855	17.0	13.6	21.1
TOTAL IMMATURE AND/OR PREMATURE	8,729	3,675	5,054	21.8	16.9	27.6
NEITHER IMMATURE NOR PREMATURE**	31,255	18,021	13,234	78.2	83.1	72.4

* IMMATURE - BIRTHWEIGHT LESS THAN 5 1/2 POUNDS (2,500 GRAMS); PREMATURE - GESTATION LESS THAN 37 WEEKS (CALCULATED BY SUBTRACTING THE DATE OF THE LAST NORMAL MENSTRUAL PERIOD PRIOR TO DELIVERY FROM THE DATE OF BIRTH).

** BIRTHS CLASSIFIED AS IMMATURE ONLY OR AS PREMATURE ONLY INCLUDE SOME FOR WHICH THE OTHER MEASUREMENT WAS UNKNOWN. THOSE CLASSIFIED AS NEITHER IMMATURE NOR PREMATURE INCLUDE SOME FOR WHICH ONE OR BOTH MEASUREMENTS WERE UNKNOWN.

**TABLE A10. CONGENITAL ANOMALIES REPORTED ON LIVE BIRTH CERTIFICATES,
BY ANOMALY AND RACE OF MOTHER
MISSISSIPPI, 2010**

CONGENITAL ANOMALY	TOTAL	WHITE	NON- WHITE
<u>TOTAL ANOMALIES REPORTED</u>	<u>351</u>	<u>165</u>	<u>186</u>
ANENCEPHALUS	1	0	1
SPINA BIFIDA / MENINGOCELE	7	5	2
HYDROCEPHALUS	12	5	7
MICROCEPHALUS	1	0	1
OTHER CENTRAL NERVOUS SYSTEM ANOMALIES	2	1	1
HEART MALFORMATIONS	38	21	17
OTHER CIRCULATORY / RESPIRATORY ANOMALIES	10	7	3
RECTAL ATRESIA / STENOSIS	6	1	5
TRACHEO-ESOPHAGEAL FISTULA / ESOPHAGEAL ATRESIA	1	1	0
OMPHALOCELE / GASTROSCHISIS	16	9	7
OTHER GASTROINTESTINAL ANOMALIES	7	2	5
MALFORMED GENITALIA	18	10	8
RENAL AGENESIS	4	1	3
OTHER UROGENITAL ANOMALIES	11	5	6
CLEFT LIP / PALATE	25	17	8
POLYDACTYLY / SYNDACTYLY / ADACTYLY	64	19	45
CLUB FOOT	27	17	10
DIAPHRAGMATIC HERNIA	6	1	5
OTHER MUSCULOSKELETAL / INTEGUMENTAL ANOMALIES	48	23	25
DOWN'S SYNDROME	17	7	10
OTHER CHROMOSOMAL ANOMALIES	8	4	4
OTHER	22	9	13

**TABLE A11. MEDICAL RISK FACTORS REPORTED ON LIVE BIRTH CERTIFICATES,
BY RISK FACTOR AND RACE OF MOTHER
MISSISSIPPI, 2010**

MEDICAL RISK FACTOR	TOTAL	WHITE	NON- WHITE
<u>TOTAL RISK FACTORS REPORTED</u>	<u>13,038</u>	<u>6,182</u>	<u>6,856</u>
ANEMIA (HCT. < 30/HGB. < 10)	1177	489	688
CARDIAC DISEASE	110	74	36
ACUTE OR CHRONIC LUNG DISEASE	397	191	206
DIABETES	1,439	796	643
GENITAL HERPES	318	157	161
HYDRAMNIOS/OLIGOHYDRAMNIOS	471	262	209
HEMOGLOBINOPATHY	131	4	127
HYPERTENSION, CHRONIC	1009	310	699
HYPERTENSION, PREGNANCY-ASSOCIATED	1,997	984	1,013
ECLAMPSIA	176	110	66
INCOMPETENT CERVIX	109	49	60
PREVIOUS INFANT 4000+ GRAMS	82	59	23
PREVIOUS PRETERM OR SMALL-FOR-GESTATIONAL-AGE INFANT	396	186	210
RENAL DISEASE	73	50	23
RH SENSITIZATION	268	198	70
UTERINE BLEEDING	64	44	20
OTHER	4,821	2,219	2,602

**TABLE A12. OTHER RISK FACTORS REPORTED ON LIVE BIRTH CERTIFICATES
AND PERCENTAGE DISTRIBUTION, BY RISK FACTOR AND RACE OF MOTHER,
MISSISSIPPI, 2010**

RISK FACTOR	NUMBER			PERCENT		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>TOTAL LIVE BIRTHS</u>	<u>39,984</u>	<u>21,696</u>	<u>18,288</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>
TOBACCO USE DURING PREGNANCY						
NONE	35,244	18,201	17,043	88.1	83.9	93.2
<u>SOME</u>	<u>4,709</u>	<u>3,477</u>	<u>1,232</u>	<u>11.8</u>	<u>16.0</u>	<u>6.7</u>
1-9 CIGARETTES PER DAY	2,328	1,521	807	5.8	7.0	4.4
10-19 CIGARETTES PER DAY	1,828	1,518	310	4.6	7.0	1.7
20-29 CIGARETTES PER DAY	416	339	77	1.0	1.6	0.4
30-39 CIGARETTES PER DAY	21	19	2	*	0.1	*
40-49 CIGARETTES PER DAY	11	10	1	*	*	*
50-59 CIGARETTES PER DAY	1	1	0	*	*	-
60 OR MORE PER DAY	3	3	0	*	*	-
UNKNOWN AMOUNT	101	66	35	0.2	0.3	0.2
NOT STATED	31	18	13	0.1	0.1	0.1
ALCOHOL USE DURING PREGNANCY						
NONE	38,513	20,608	17,905	96.3	95.0	97.9
<u>SOME</u>	<u>118</u>	<u>45</u>	<u>73</u>	<u>0.3</u>	<u>0.2</u>	<u>0.4</u>
1 DRINK PER WEEK	41	18	23	0.1	0.1	0.1
2 DRINKS PER WEEK	24	8	16	0.1	*	0.1
3 DRINKS PER WEEK	12	2	10	*	*	*
4 DRINKS PER WEEK	7	2	5	*	*	*
5 DRINKS PER WEEK	7	3	4	*	*	*
6 OR MORE PER WEEK	14	9	5	*	*	*
UNKNOWN AMOUNT	13	3	10	*	*	*
NOT STATED	1,353	1,043	310	3.4	4.8	1.7
WEIGHT GAINED DURING PREGNANCY						
NONE OR LOST WEIGHT	2,283	1,005	1,278	5.7	4.6	7.0
1-4 POUNDS	534	207	327	1.3	1.0	1.8
5-9 POUNDS	1,193	513	680	3.0	2.4	3.7
10-14 POUNDS	2,819	1,253	1,566	7.0	5.8	8.6
15-19 POUNDS	3,380	1,637	1,743	8.4	7.5	9.5
20-24 POUNDS	5,233	2,701	2,532	13.1	12.4	13.8
25-29 POUNDS	4,823	2,722	2,101	12.1	12.5	11.5
30-34 POUNDS	5,793	3,357	2,436	14.5	15.5	13.3
35-39 POUNDS	3,708	2,335	1,373	9.3	10.8	7.5
40-44 POUNDS	3,765	2,305	1,460	9.4	10.6	8.0
45 OR MORE POUNDS	5,595	3,343	2,252	14.0	15.4	12.3
UNKNOWN AMOUNT	858	318	540	2.1	1.5	3.0
MEDIAN WEIGHT GAIN (LBS)**	28	30	25			

* LESS THAN 0.06 PERCENT.

** EXCLUDES MOTHERS WHOSE WEIGHT GAIN WAS UNKNOWN.

**TABLE A13. COMPLICATIONS OF LABOR AND DELIVERY
REPORTED ON LIVE BIRTH CERTIFICATES,
BY COMPLICATION AND RACE OF MOTHER
MISSISSIPPI, 2010**

COMPLICATION	TOTAL	WHITE	NON-WHITE
<u>TOTAL COMPLICATIONS REPORTED</u>	<u>9,584</u>	<u>5,501</u>	<u>4,083</u>
FEBRILE (> 100 DEGREES F. OR 38 DEGREES C.)	166	62	104
MECONIUM, MODERATE / HEAVY	805	395	410
PREMATURE RUPTURE OF MEMBRANE (> 12 HOURS)	530	271	259
ABRUPTIO PLACENTA	180	90	90
PLACENTA PREVIA	71	42	29
OTHER EXCESSIVE BLEEDING	80	46	34
SEIZURES DURING LABOR	6	2	4
PRECIPITOUS LABOR (< 3 HOURS)	436	233	203
PROLONGED LABOR (> 20 HOURS)	115	70	45
DYSFUNCTIONAL LABOR	914	522	392
BREECH / MALPRESENTATION	1,444	940	504
CEPHALOPELVIC DISPROPORTION	467	283	184
CORD PROLAPSE	55	30	25
ANESTHETIC COMPLICATIONS	10	8	2
FETAL DISTRESS	1,833	949	884
OTHER	2,472	1,558	914

**TABLE A14. METHOD OF DELIVERY REPORTED ON LIVE BIRTH CERTIFICATES,
BY METHOD AND RACE OF MOTHER
MISSISSIPPI, 2010**

METHOD OF DELIVERY	TOTAL	WHITE	NON-WHITE
<u>TOTAL METHODS OF DELIVERY REPORTED</u>	<u>41,445</u>	<u>22,505</u>	<u>18,940</u>
VAGINAL	24,731	13,436	11,295
VAGINAL BIRTH AFTER PREVIOUS C-SECTION	199	92	107
PRIMARY C-SECTION	8,014	4,387	3,627
REPEAT C-SECTION	7,024	3,774	3,250
FORCEPS	353	212	141
VACUUM	1,124	604	520

**TABLE A15. OBSTETRIC PROCEDURES REPORTED ON LIVE BIRTH CERTIFICATES,
BY PROCEDURE AND RACE OF MOTHER
MISSISSIPPI, 2010**

OBSTETRIC PROCEDURE	TOTAL	WHITE	NON- WHITE
<u>TOTAL OBSTETRIC PROCEDURES REPORTED</u>	<u>66,245</u>	<u>36,442</u>	<u>29,803</u>
AMNIOCENTESIS	85	58	27
ELECTRONIC FETAL MONITORING	30,822	16,523	14,299
INDUCTION OF LABOR	8,300	4,917	3,383
STIMULATION OF LABOR	3,401	1,653	1,748
TOCOLYSIS	626	362	264
ULTRASOUND	22,921	12,880	10,041
OTHER	90	49	41

**TABLE A16. ABNORMAL CONDITIONS OF NEWBORN
REPORTED ON LIVE BIRTH CERTIFICATES,
BY CONDITION AND RACE OF MOTHER
MISSISSIPPI, 2010**

ABNORMAL CONDITION OF NEWBORN	TOTAL	WHITE	NON- WHITE
<u>TOTAL ABNORMAL CONDITIONS REPORTED</u>	<u>2,241</u>	<u>1,064</u>	<u>1,177</u>
ANEMIA (HCT. < 39 / HGB. < 13)	31	14	17
BIRTH INJURY	88	57	31
FETAL ALCOHOL SYNDROME	1	1	0
HYALINE MEMBRANE DISEASE / RDS	410	206	204
MECONIUM ASPIRATION SYNDROME	35	15	20
ASSISTED VENTILATION < 30 MINUTES	153	75	78
ASSISTED VENTILATION 30 MINUTES OR MORE	474	217	257
SEIZURES	2	1	1
OTHER	1,047	478	569

FETAL DEATHS

TABLE B1. REPORTABLE* FETAL DEATHS AND PERCENTAGE DISTRIBUTION,
BY PLACE OF DELIVERY, ATTENDANT, AND RACE OF MOTHER
MISSISSIPPI, 2010

PLACE OF DELIVERY AND RACE	NUMBER						PERCENT					
	TOTAL	PHYSICIAN	CERTIFIED NURSE MIDWIFE	GRANNY MIDWIFE	OTHER NAMED PERSON	UNKNOWN	TOTAL	PHYSICIAN	CERTIFIED NURSE MIDWIFE	GRANNY MIDWIFE	OTHER NAMED PERSON	UNKNOWN
<u>TOTAL</u>	<u>417</u>	<u>393</u>	<u>4</u>	<u>0</u>	<u>18</u>	<u>2</u>	<u>100.0</u>	<u>94.2</u>	<u>1.0</u>	-	<u>4.3</u>	<u>0.5</u>
HOSPITAL CLINIC / DOCTOR'S OFFICE	411	390	4	0	17	0	98.6	93.5	1.0	-	4.1	-
HOME	0	0	0	0	0	0	-	-	-	-	-	-
OTHER PLACE	5	2	0	0	1	2	1.2	0.5	-	-	0.2	0.5
<u>WHITE</u>	<u>144</u>	<u>137</u>	<u>3</u>	<u>0</u>	<u>4</u>	<u>0</u>	<u>100.0</u>	<u>95.1</u>	<u>2.1</u>	-	<u>2.8</u>	-
HOSPITAL CLINIC / DOCTOR'S OFFICE	144	137	3	0	4	0	100.0	95.1	2.1	-	2.8	-
HOME	0	0	0	0	0	0	-	-	-	-	-	-
OTHER PLACE	0	0	0	0	0	0	-	-	-	-	-	-
<u>NONWHITE</u>	<u>273</u>	<u>256</u>	<u>1</u>	<u>0</u>	<u>14</u>	<u>2</u>	<u>100.0</u>	<u>93.8</u>	<u>0.4</u>	-	<u>5.1</u>	<u>0.7</u>
HOSPITAL CLINIC / DOCTOR'S OFFICE	267	253	1	0	13	0	97.8	92.7	0.4	-	4.8	-
HOME	0	0	0	0	0	0	-	-	-	-	-	-
OTHER PLACE	5	2	0	0	1	2	1.8	0.7	-	-	0.4	0.7
	1	1	0	0	0	0	0.4	0.4	-	-	-	-

* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

**TABLE B2. REPORTABLE* FETAL DEATHS AND FETAL DEATH RATIOS,
BY AGE AND RACE OF MOTHER
MISSISSIPPI, 2010**

AGE OF MOTHER	NUMBER			RATIO**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>TOTAL</u>	<u>417</u>	<u>144</u>	<u>273</u>	<u>10.4</u>	<u>6.6</u>	<u>14.9</u>
UNDER 15	4	3	1	36.0	#	#
15-19	57	14	43	9.4	5.5	12.2
20-24	137	42	95	10.7	6.8	14.2
25-29	112	44	68	9.8	6.4	15.0
30-34	64	24	40	9.8	5.8	17.0
35-39	35	14	21	13.9	8.8	22.5
40-44	7	2	5	13.8	6.5	25.2
45-49	0	0	0	-	-	-
50 & OVER	0	0	0	-	-	-
UNKNOWN	1	1	0	#	#	-

* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

** REPORTABLE FETAL DEATHS PER 1,000 LIVE BIRTHS TO MOTHERS IN SPECIFIED GROUP.

RATIO NOT CALCULATED ON LESS THAN 100 LIVE BIRTHS.

**TABLE B3. PERCENTAGE DISTRIBUTION OF LIVE BIRTHS
AND REPORTABLE* FETAL DEATHS,
BY WHETHER MOTHER RECEIVED PRENATAL CARE AND RACE OF MOTHER
MISSISSIPPI, 2010**

PRENATAL CARE	LIVE BIRTHS			REPORTABLE* FETAL DEATHS		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>TOTAL</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>
NO CARE	1.1	0.8	1.4	8.4	3.5	11.0
SOME CARE	98.0	98.1	97.9	79.6	85.4	76.6
UNKNOWN WHETHER ANY CARE	0.9	1.1	0.7	12.0	11.1	12.4

* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

**TABLE B4. REPORTABLE* FETAL DEATHS AND FETAL DEATH RATIOS,
BY COMPLETED WEEKS OF GESTATION AND RACE OF MOTHER,
MISSISSIPPI, 2008-2010**

COMPLETED WEEKS OF GESTATION **	TOTAL			WHITE			NONWHITE		
	2008	2009	2010	2008	2009	2010	2008	2009	2010
REPORTABLE* FETAL DEATHS									
<u>TOTAL</u>	<u>470</u>	<u>403</u>	<u>417</u>	<u>151</u>	<u>145</u>	<u>144</u>	<u>319</u>	<u>258</u>	<u>273</u>
UNDER 20	13	8	7	1	2	3	12	6	4
<u>20 AND OVER</u>	<u>282</u>	<u>253</u>	<u>292</u>	<u>100</u>	<u>105</u>	<u>110</u>	<u>182</u>	<u>148</u>	<u>182</u>
20-22	70	68	74	13	26	21	57	42	53
23-27	68	61	58	26	20	18	42	41	40
28-36	97	87	104	41	38	46	56	49	58
37 AND OVER	47	37	56	20	21	25	27	16	31
UNKNOWN	175	142	118	50	38	31	125	104	87
FETAL DEATH RATIOS#									
<u>TOTAL</u>	<u>10.5</u>	<u>9.4</u>	<u>10.4</u>	<u>6.2</u>	<u>6.3</u>	<u>6.6</u>	<u>15.4</u>	<u>12.9</u>	<u>14.9</u>
UNDER 20	0.3	0.2	0.2	##	0.1	0.1	0.6	0.3	0.2
<u>20 AND OVER</u>	<u>6.3</u>	<u>5.9</u>	<u>7.3</u>	<u>4.1</u>	<u>4.6</u>	<u>5.1</u>	<u>8.8</u>	<u>7.4</u>	<u>10.0</u>
20-22	1.6	1.6	1.8	0.5	1.1	1.0	2.8	2.1	2.9
23-27	1.5	1.4	1.4	1.1	0.9	0.8	2.0	2.0	2.2
28-36	2.2	2.0	2.6	1.7	1.7	2.1	2.7	2.4	3.2
37 AND OVER	1.0	0.9	1.4	0.8	0.9	1.2	1.3	0.8	1.7
UNKNOWN	3.9	3.3	3.0	2.1	1.7	1.4	6.0	5.2	4.8

* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

** CALCULATED BY SUBTRACTING THE DATE OF THE LAST NORMAL MENSTRUAL PERIOD PRIOR TO DELIVERY FROM THE DATE OF DELIVERY.

REPORTABLE FETAL DEATHS PER 1,000 LIVE BIRTHS.

LESS THAN 0.06.

DEATHS

**TABLE C1. DEATHS AND AVERAGE PER DAY, BY MONTH
MISSISSIPPI, 2010**

MONTH	DEATHS	AVERAGE PER DAY	MONTH	DEATHS	AVERAGE PER DAY
<u>TOTAL</u>	<u>28,950</u>	<u>79</u>			
JANUARY	2,819	91	JULY	2,339	75
FEBRUARY	2,383	85	AUGUST	2,327	75
MARCH	2,586	83	SEPTEMBER	2,190	73
APRIL	2,350	78	OCTOBER	2,318	75
MAY	2,395	77	NOVEMBER	2,381	79
JUNE	2,174	72	DECEMBER	2,688	87

**TABLE C2. DEATHS, PERCENTAGE DISTRIBUTION, AND RATES, BY AGE AND RACE
MISSISSIPPI, 2010**

AGE	NUMBER			PERCENT			RATE*		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>TOTAL</u>	<u>28,950</u>	<u>19,730</u>	<u>9,220</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>	<u>9.8</u>	<u>11.2</u>	<u>7.6</u>
UNDER 1	386	140	246	1.3	0.7	2.7	9.6	7.0	12.1
1-4	73	30	43	0.2	0.2	0.5	0.4	0.4	0.5
5-9	36	18	18	0.1	0.1	0.2	0.2	0.2	0.2
10-14	40	19	21	0.1	0.1	0.2	0.2	0.2	0.2
15-24	410	221	189	1.4	1.1	2.0	0.9	1.0	0.9
25-34	654	338	316	2.2	1.7	3.4	1.7	1.6	1.8
35-44	1,026	521	505	3.5	2.6	5.5	2.7	2.3	3.3
45-54	2,643	1,528	1,115	9.1	7.7	12.1	6.3	5.9	7.0
55-64	4,212	2,547	1,665	14.5	12.9	18.0	12.1	11.0	14.5
65-74	5,485	3,769	1,716	18.9	19.1	18.6	25.6	23.9	30.1
75 AND OVER	13,983	10,599	3,384	48.3	53.7	36.7	84.3	84.4	83.7
UNKNOWN	2	0	2	**	-	**			

* DEATHS PER 1,000 POPULATION IN SPECIFIED GROUP.

** LESS THAN 0.06 PERCENT.

**TABLE C3A. DEATHS BY AGE, RACE, AND SEX,
AND MALE/FEMALE RATIOS BY AGE AND RACE
MISSISSIPPI, 2010**

AGE	TOTAL			WHITE			NONWHITE		
	MALE	FEMALE	MALES PER FEMALE	MALE	FEMALE	MALES PER FEMALE	MALE	FEMALE	MALES PER FEMALE
<u>TOTAL</u>	<u>14,473</u>	<u>14,477</u>	<u>1.00</u>	<u>9,708</u>	<u>10,022</u>	<u>0.97</u>	<u>4,765</u>	<u>4,455</u>	<u>1.07</u>
UNDER 1	214	172	1.24	63	77	0.82	151	95	1.59
1-4	43	30	1.43	17	13	1.31	26	17	1.53
5-9	21	15	1.40	11	7	1.57	10	8	1.25
10-14	24	16	1.50	10	9	1.11	14	7	2.00
15-24	296	114	2.60	165	56	2.95	131	58	2.26
25-34	441	213	2.07	229	109	2.10	212	104	2.04
35-44	625	401	1.56	330	191	1.73	295	210	1.40
45-54	1,594	1,049	1.52	931	597	1.56	663	452	1.47
55-64	2,554	1,658	1.54	1,546	1,001	1.54	1,008	657	1.53
65-74	3,034	2,451	1.24	2,095	1,674	1.25	939	777	1.21
75-84	3,476	3,650	0.95	2,676	2,685	1.00	800	965	0.83
85 AND OVER	2,150	4,707	0.46	1,635	3,603	0.45	515	1,104	0.47
UNKNOWN	1	1		0	0		1	1	
MEDIAN AGE	70	78		72	80		63	73	

**TABLE C3B. DEATH RATES* BY AGE, RACE, AND SEX
MISSISSIPPI, 2010**

AGE	TOTAL		WHITE		NONWHITE	
	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE
<u>TOTAL</u>	<u>10.0</u>	<u>9.5</u>	<u>11.2</u>	<u>11.2</u>	<u>8.2</u>	<u>7.0</u>
UNDER 1	10.4	8.7	6.2	7.8	14.6	9.6
1-4	0.5	0.4	0.4	0.3	0.6	0.4
5-9	0.2	0.1	0.2	0.1	0.2	0.2
10-14	0.2	0.2	0.2	0.2	0.3	0.1
15-24	1.3	0.5	1.4	0.5	1.3	0.6
25-34	2.3	1.1	2.1	1.0	2.6	1.1
35-44	3.4	2.1	2.9	1.7	4.2	2.6
45-54	7.9	4.9	7.2	4.6	9.1	5.3
55-64	15.3	9.2	13.6	8.4	19.0	10.6
65-74	30.8	21.1	28.4	20.0	38.0	24.1
75 AND OVER	91.7	79.9	90.3	80.8	96.9	77.1

* DEATHS PER 1,000 POPULATION IN SPECIFIED GROUP.

**TABLE C4. DEATHS, MORTALITY RATES, AND PERCENT OF TOTAL DEATHS FROM TEN LEADING CAUSES,
BY CAUSE AND RACE
MISSISSIPPI, 2010**

CAUSE AND GROUP NUMBER**	NUMBER			RATE*			PERCENT		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>TOTAL OF TEN LEADING CAUSES</u>	<u>22,376</u>	<u>15,410</u>	<u>6,966</u>	<u>7.5</u>	<u>8.8</u>	<u>5.7</u>	<u>77.3</u>	<u>78.1</u>	<u>75.6</u>
1. HEART DISEASES (156-160,162,164-181)	7,551	5,239	2,312	254.5	298.6	190.7	26.1	26.6	25.1
2. MALIGNANT NEOPLASMS (056-108)	6,264	4,240	2,024	211.1	241.6	166.9	21.6	21.5	22.0
3. ACCIDENTS (295-330)	1,670	1,195	475	56.3	68.1	39.2	5.8	6.0	5.2
4. EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	1,658	1,390	268	55.9	79.2	22.1	5.7	7.0	2.9
5. CEREBROVASCULAR DISEASE (182-186)	1,523	968	555	51.3	55.2	45.8	5.3	4.9	6.0
6. ALZHEIMERS DISEASE (148)	928	740	188	31.3	42.2	15.5	3.2	3.8	2.0
7. DIABETES MELLITUS (124)	926	458	468	31.2	26.1	38.6	3.2	2.3	5.1
8. NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (247-249,251,253)	738	426	312	24.9	24.3	25.7	2.5	2.2	3.4
9. INFLUENZA AND PNEUMONIA (195-198)	564	416	148	19.0	23.7	12.2	1.9	2.1	1.6
10. SEPTICEMIA (018)	554	338	216	18.7	19.3	17.8	1.9	1.7	2.3

* TOTAL DEATHS ARE PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION.

** SEE APPENDIX B FOR EXPLANATION OF GROUP NUMBERS.

**TABLE C5. DEATHS, PERCENT OF TOTAL DEATHS, AND RATES
FOR FIVE LEADING CAUSES, BY AGE AND CAUSE
MISSISSIPPI, 2010**

AGE	CAUSES AND GROUP NUMBER*	NUMBER	PERCENT	RATE**
1-4	<u>ALL CAUSES</u>	<u>73</u>	<u>100.0</u>	<u>0.4</u>
	1. ACCIDENTS (295-330)	36	49.3	21.1
	2. CONGENITAL MALFORMATIONS AND DEFORMATIONS (282-290)	7	9.6	4.1
	3. HOMICIDE (338-346)	5	6.8	2.9
	SEE NOTE BELOW			
5-14	<u>ALL CAUSES</u>	<u>76</u>	<u>100.0</u>	<u>0.2</u>
	1. ACCIDENTS (295-330)	25	32.9	6.0
	2. MALIGNANT NEOPLASMS (056-108)	8	10.5	1.9
	T3. CONGENITAL MALFORMATIONS AND DEFORMATIONS (282-290)	5	6.6	1.2
	T3. HOMICIDE (338-346)	5	6.6	1.2
5. HEART DISEASES (156-160,162,164-181)	4	5.3	1.0	
15-24	<u>ALL CAUSES</u>	<u>410</u>	<u>100.0</u>	<u>0.9</u>
	1. ACCIDENTS (295-330)	183	44.6	42.0
	2. HOMICIDE (338-346)	57	13.9	13.1
	3. SUICIDE (331-337)	38	9.3	8.7
	4. HEART DISEASES (156-160,162,164-181)	15	3.6	3.4
5. MALIGNANT NEOPLASMS (056-108)	14	3.4	3.2	
25-44	<u>ALL CAUSES</u>	<u>1,680</u>	<u>100.0</u>	<u>2.2</u>
	1. ACCIDENTS (295-330)	418	24.9	54.8
	2. HEART DISEASES (156-160,162,164-181)	252	15.0	33.1
	3. MALIGNANT NEOPLASMS (056-108)	178	10.6	23.4
	4. HOMICIDE (338-346)	134	8.0	17.6
5. SUICIDE (331-337)	126	7.5	16.5	
45-64	<u>ALL CAUSES</u>	<u>6,855</u>	<u>100.0</u>	<u>9.0</u>
	1. MALIGNANT NEOPLASMS (056-108)	1,956	28.5	255.9
	2. HEART DISEASES (156-160,162,164-181)	1,743	25.4	228.0
	3. ACCIDENTS (295-330)	475	6.9	62.1
	4. CEREBROVASCULAR DISEASE (182-186)	282	4.1	36.9
5. EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	272	4.0	35.6	
65 & OVER	<u>ALL CAUSES</u>	<u>19,468</u>	<u>100.0</u>	<u>51.2</u>
	1. HEART DISEASES (156-160,162,164-181)	5,534	28.4	1,454.8
	2. MALIGNANT NEOPLASMS (056-108)	4,107	21.1	1,079.6
	3. EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	1,366	7.0	359.1
	4. CEREBROVASCULAR DISEASE (182-186)	1,180	6.1	310.2
5. ALZHEIMER'S DISEASE (148)	917	4.7	241.0	

* SEE APPENDIX B FOR EXPLANATION OF CAUSE CATEGORIES AND GROUP NUMBERS.

** DEATHS FROM ALL CAUSES PER 1,000 POPULATION IN SPECIFIED GROUP AND DEATHS FROM SPECIFIC CAUSES PER 100,000 POPULATION IN SPECIFIED GROUP.

NOTE: IN THE 1-4 AGE GROUP, THERE WERE 49 ADDITIONAL CAUSES WITH ONE DEATH PER CAUSE.

**TABLE C6. DEATHS AND RATES FROM MALIGNANT NEOPLASMS,
BY PRIMARY SITE, SEX, AND RACE
MISSISSIPPI, 2010**

PRIMARY SITE (RANKED ACCORDING TO NUMBER OF DEATHS AMONG TOTAL POPULATION) AND GROUP NUMBER*	NUMBER				RATE**			
	MALE		FEMALE		MALE		FEMALE	
	WHITE	NON-WHITE	WHITE	NON-WHITE	WHITE	NON-WHITE	WHITE	NON-WHITE
<u>TOTAL</u>	<u>2,297</u>	<u>1,095</u>	<u>1,943</u>	<u>929</u>	<u>265.9</u>	<u>189.6</u>	<u>218.1</u>	<u>146.2</u>
1. RESPIRATORY AND INTRA-THORACIC ORGANS (071-075)	877	381	553	195	101.5	66.0	62.1	30.7
2. DIGESTIVE ORGANS (060-070)	560	286	444	263	64.8	49.5	49.8	41.4
3. GENITAL ORGANS (083-091)	171	170	176	97	19.8	29.4	19.8	15.3
4. LYMPHOID, HEMATOPOIETIC AND RELATED TISSUE (100-108)	206	72	179	72	23.8	12.5	20.1	11.3
5. BREAST (082)	3	3	259	173	0.3	0.5	29.1	27.2
6. URINARY TRACT (092-094)	119	42	58	28	13.8	7.3	6.5	4.4
7. BRAIN (096)	48	19	60	12	5.6	3.3	6.7	1.9
8. SKIN (077,078)	61	6	33	2	7.1	1.0	3.7	0.3
9. LIP, ORAL CAVITY, AND PHARYNX (056-059)	48	32	15	6	5.6	5.5	1.7	0.9
10. BONE AND ARTICULAR CARTILAGE (076)	11	7	13	10	1.3	1.2	1.5	1.6
OTHER AND UNSPECIFIED SITES (079-081,095,097-099)	193	77	153	71	22.3	13.3	17.2	11.2

* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

** DEATHS PER 100,000 POPULATION IN SPECIFIED GROUP.

**TABLE C7. DEATHS FROM MAJOR CHRONIC RESPIRATORY DISEASES,
1985, 1990, 1995, 2000, 2005, 2010**

DISEASE*	1985	1990	1995	2000	2005	2010
TUBERCULOSIS OF RESPIRATORY SYSTEM	20	27	14	12	6	7
MALIGNANT NEOPLASMS OF RESPIRATORY SYSTEM	1,416	1,639	1,766	1,978	1,925	2,006
MALIGNANT NEOPLASMS OF TRACHEA, BRONCHUS, AND LUNG	1,355	1,602	1,710	1,930	1,876	1,960
CHRONIC AND UNQUALIFIED BRONCHITIS	17	37	45	15	7	11
EMPHYSEMA	90	126	143	136	110	76
ASTHMA	51	49	50	60	49	49

* PERIODIC CHANGES IN THE CLASSIFICATION SYSTEM WHICH HAVE OCCURRED THROUGH THE YEARS HAVE RESULTED IN AN UNAVOIDABLE LACK OF COMPARABILITY FOR SOME CAUSES. CAUTION SHOULD BE USED WHEN ANALYZING LONG-TERM TRENDS.

**TABLE C8. DEATHS AND PERCENT OF TOTAL ACCIDENTAL DEATHS FROM
FIVE LEADING CAUSES OF ACCIDENTAL DEATH, BY CAUSE AND RACE
MISSISSIPPI, 2010**

TYPE OF ACCIDENT AND GROUP NUMBER*	NUMBER			PERCENT		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>TOTAL OF FIVE LEADING CAUSES</u>	<u>1,397</u>	<u>1,016</u>	<u>381</u>	<u>83.6</u>	<u>85.0</u>	<u>80.2</u>
1. MOTOR VEHICLE (296-306)	674	430	244	40.4	36.0	51.4
2. FALLS (312-314)	279	245	34	16.7	20.5	7.2
3. POISONING AND EXPO- SURE TO NOXIOUS SUBSTANCES (327-329)	277	251	26	16.6	21.0	5.5
4. INHALATION AND INGESTION OF FOOD OR OTHER OBJECTS CAUSING OBSTRUCTION OF RESPIRATORY TRACT (318)	89	53	36	5.3	4.4	7.6
5. EXPOSURE TO SMOKE, FIRE AND FLAMES (322)	78	37	41	4.7	3.1	8.6

* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

**TABLE C9. DEATHS FROM SELECTED TYPES OF ACCIDENTS, BY SEX, ALSO BY AGE
MISSISSIPPI, 2010**

TYPE OF ACCIDENT AND GROUP NUMBER*	TOTAL	SEX		AGE								
		MALE	FEMALE	UNDER 1	1-4	5-14	15-24	25-34	35-44	45-64	65 & OVER	UNK.
<u>ALL ACCIDENTS</u>	<u>1,670</u>	<u>1,043</u>	<u>627</u>	<u>26</u>	<u>36</u>	<u>25</u>	<u>183</u>	<u>220</u>	<u>198</u>	<u>475</u>	<u>507</u>	<u>0</u>
MOTOR VEHICLE (296-306)	674	468	206	2	12	12	122	129	97	207	93	0
OTHER LAND TRANSPORT (295,307-308)	12	11	1	0	0	1	0	2	3	4	2	0
WATER TRANSPORT (309)	16	16	0	0	0	0	1	0	4	6	5	0
AIR AND SPACE TRANSPORT (310)	4	3	1	0	0	0	0	1	2	1	0	0
FALLS (312-314)	279	127	152	0	1	1	3	1	4	39	230	0
DISCHARGE OF FIREARMS (315)	11	9	2	0	1	1	5	0	0	1	3	0
DROWNING AND SUBMERSION (EXCEPT IN TRANSPORT ACCIDENTS) (317)	2	2	0	0	0	0	0	1	0	1	0	0
INHALATION AND INGESTION OF FOOD OR OTHER OBJECTS CAUSING OBSTRUC- TION OF RESPIRATORY TRACT (318)	48	37	11	3	7	3	7	8	5	8	7	0
OTHER AND UNSPECIFIED THREATS TO BREATHING (319)	89	48	41	1	3	0	0	2	3	26	54	0
EXPOSURE TO ELECTRIC CURRENT (320)	21	13	8	17	0	1	2	0	0	0	1	0
EXPOSURE TO SMOKE, FIRE AND FLAMES (322)	6	6	0	0	0	0	0	2	1	2	1	0
CONTACT WITH HEAT AND HOT SUBSTANCES (323)	78	48	30	1	7	1	9	5	7	25	23	0
<u>POISONING (327-329)</u>	<u>1</u>	<u>0</u>	<u>1</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>1</u>	<u>0</u>
BY DRUGS AND OTHER BIOLOGICAL SUBSTANCES (327)	<u>277</u>	<u>163</u>	<u>114</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>25</u>	<u>61</u>	<u>65</u>	<u>113</u>	<u>13</u>	<u>0</u>
BY OTHER SOLID AND LIQUID SUB- STANCES, GASES AND VAPORS (328,329)	259	150	109	0	0	0	25	59	59	103	13	0
ALL OTHER ACCIDENTS (311,321,324-326,330)	18	13	5	0	0	0	0	2	6	10	0	0
	152	92	60	2	5	5	9	8	7	42	74	0

* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

TABLE C10. MOTOR VEHICLE ACCIDENT DEATHS OCCURRING IN MISSISSIPPI AND RATES, ALSO MOTOR VEHICLE ACCIDENT DEATHS OF MISSISSIPPI RESIDENTS AND RATES, BY YEAR, 1950,1955, 1960, 1965, 1970-2010

YEAR	OCCURRENCE DATA		RESIDENCE DATA	
	NUMBER	RATE*	NUMBER	RATE*
1950	530	**	515	23.6
1955	568	**	541	24.8
1960	676	9.3	620	28.5
1965	748	8.4	742	31.8
1970	960	8.2	937	42.3
1971	1,011	8.2	984	44.4
1972	1,019	7.8	989	43.8
1973	956	7.0	954	41.2
1974	711	5.2	717	30.7
1975	671	4.7	681	29.1
1976	725	4.7	696	29.4
1977	763	4.8	771	32.3
1978	884	5.2	877	36.5
1979	801	4.7	783	32.5
1980	796	4.8	743	29.5
1981	792	4.7	793	31.5
1982	777	4.5	755	29.6
1983	744	4.2	725	28.0
1984	707	3.8	697	26.9
1985	691	4.0	683	25.7
1986	785	5.7	782	29.4
1987	802	4.0	804	29.6
1988	791	3.6	776	28.2
1989	806	3.5	797	28.7
1990	863	3.5	854	33.2
1991	811	3.3	810	31.5
1992	838	3.2	826	32.1
1993	897	3.3	868	33.7
1994	854	3.0	844	32.8
1995	904	3.0	898	33.3
1996	851	2.8	868	32.2
1997	896	2.9	868	32.2
1998	983	2.9	957	34.8
1999	943	2.7	954	34.4
2000	948	2.7	935	32.9
2001	804	2.2	816	28.7
2002	898	2.5	875	30.5
2003	895	2.4	890	30.9
2004	932	2.4	907	31.2
2005	956	2.3	956	32.7
2006	969	2.3	960	33.0
2007	898	2.1	894	30.6
2008	773	1.8	768	26.1
2009	743	1.8	733	24.8
2010	675	#	674	22.7

* DEATHS IN MISSISSIPPI PER 100,000,000 MILES OF VEHICLE TRAVEL; DEATHS OF RESIDENTS PER 100,000 POPULATION.

** NOT AVAILABLE.

MILES OF VEHICLE TRAVEL FOR 2010 NOT AVAILABLE AT THE TIME OF PUBLICATION.

**TABLE C11. INFANT DEATHS, PERCENTAGE DISTRIBUTION, AND MORTALITY RATES
BY AGE AND RACE
MISSISSIPPI, 2010**

AGE	NUMBER			PERCENT			RATE*		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>TOTAL UNDER 1 YEAR</u>	<u>386</u>	<u>140</u>	<u>246</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>	<u>9.6</u>	<u>6.4</u>	<u>13.4</u>
<u>NEONATAL (UNDER 28 DAYS)</u>	<u>220</u>	<u>73</u>	<u>147</u>	<u>57.0</u>	<u>52.1</u>	<u>59.8</u>	<u>5.5</u>	<u>3.4</u>	<u>8.0</u>
<u>HEBDOMADAL (UNDER 7 DAYS)</u>	<u>168</u>	<u>52</u>	<u>116</u>	<u>43.5</u>	<u>37.1</u>	<u>47.2</u>	<u>4.2</u>	<u>2.4</u>	<u>6.3</u>
UNDER 1 DAY	126	36	90	32.6	25.7	36.6	3.2	1.6	4.9
1-6 DAYS	42	16	26	10.9	11.4	10.6	1.0	0.7	1.4
7-27 DAYS	52	21	31	13.5	15.0	12.6	1.3	1.0	1.7
<u>POSTNEONATAL (28 DAYS TO 1 YEAR)</u>	<u>166</u>	<u>67</u>	<u>99</u>	<u>43.0</u>	<u>47.8</u>	<u>40.2</u>	<u>4.2</u>	<u>3.1</u>	<u>5.4</u>

* DEATHS PER 1,000 LIVE BIRTHS.

**TABLE C12. DEATHS AND MORTALITY RATES FOR TEN LEADING CAUSES
OF INFANT DEATHS, BY CAUSE AND RACE
MISSISSIPPI, 2010**

CAUSE AND GROUP NUMBER**	NUMBER			RATE*		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>ALL CAUSES</u>	<u>386</u>	<u>140</u>	<u>246</u>	<u>9.6</u>	<u>6.4</u>	<u>13.4</u>
1. CONGENITAL MALFORMATIONS, DEFORMATIONS AND CHROMOSOMAL ABNORMALITIES (096-110)	65	31	34	1.6	1.4	1.8
2. DISORDERS RELATED TO SHORT GESTATION AND LOW BIRTH WEIGHT, NOT ELSEWHERE CLASSIFIED (071,072)	56	13	43	1.4	0.6	2.4
3. SUDDEN INFANT DEATH SYNDROME (111)	45	19	26	1.1	0.9	1.4
4. ACCIDENTS (114-124)	26	11	15	0.6	0.5	0.8
5. RESPIRATORY DISTRESS OF NEWBORN (077)	14	6	8	0.4	0.3	0.4
6. BACTERIAL SEPSIS OF NEWBORN (085)	10	3	7	0.2	0.1	0.4
T7. PULMONARY HEMORRHAGE ORIGINATING IN THE PERINATAL PERIOD (081)	9	2	7	0.2	0.1	0.4
T7. NECROTIZING ENTEROCOLITIS OF NEWBORN (093)	9	3	6	0.2	0.1	0.3
T9. DIARRHEA AND GASTROENTERITIS OF PRESUMED INFECTIOUS ORIGIN (002)	8	1	7	0.2	#	0.4
T9. NEWBORN AFFECTED BY MATERNAL COMPLICATIONS OF PREGNANCY (060-063)	8	5	3	0.2	0.2	0.2
T9. INTRAUTERINE HYPOXIA AND BIRTH ASPHYXIA (075,076)	8	4	4	0.2	0.2	0.2

* DEATHS PER 1,000 LIVE BIRTHS.

** SEE APPENDIX C FOR EXPLANATION OF CAUSE CATEGORIES AND GROUP NUMBERS.

LESS THAN 0.06.

**TABLE C13A. YEARS OF POTENTIAL LIFE LOST BEFORE AGE 75
FOR SELECTED CAUSES OF DEATH
MISSISSIPPI, 2010**

CAUSE AND GROUP NUMBER*	YEARS	RATE **
<u>ALL RACES - ALL CAUSES</u>	<u>285,519</u>	<u>10,192.2</u>
HEART DISEASES (156-160,162,164-181)	50,381	1,798.4
ISCHEMIC HEART DISEASE (165-168)	26,273	937.9
CEREBROVASCULAR DISEASES (182-186)	9,321	332.7
MALIGNANT NEOPLASMS (056-108)	52,808	1,885.1
RESPIRATORY SYSTEM (071-075)	16,122	575.5
COLORECTAL (063,064)	5,241	187.1
PROSTATE (089)#	1,089	78.9
BREAST (082)##	4,779	336.2
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (202-206)	7,962	284.2
PNEMONIA AND INFLUENZA (195-198)	3,150	112.4
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	4,819	172.0
DIABETES MELLITUS (124)	7,901	282.0
HIV INFECTION (039-043)	3,647	130.2
UNINTENTIONAL INJURIES (295-330)	44,098	1,574.2
MOTOR VEHICLE CRASHES (296-306)	22,493	802.9
SUICIDE (331-337)	11,004	392.8
HOMICIDE AND LEGAL INTERVENTION (338-346, 353,354)	11,071	395.2

* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

** YEARS OF POTENTIAL LIFE LOST BEFORE AGE 75 PER 100,000
POPULATION UNDER AGE 75.

MALES ONLY.

FEMALES ONLY.

**TABLE C13B. YEARS OF POTENTIAL LIFE LOST BEFORE AGE 75
FOR SELECTED CAUSES OF DEATH
WHITE MALES AND FEMALES
MISSISSIPPI, 2010**

CAUSE AND GROUP NUMBER*	YEARS	RATE **
<u>WHITE MALES - ALL CAUSES</u>	<u>95,627</u>	<u>11,717.4</u>
HEART DISEASES (156-160,162,164-181)	18,588	2,277.6
ISCHEMIC HEART DISEASE (165-168)	11,306	1,385.3
CEREBROVASCULAR DISEASES (182-186)	1,987	243.5
MALIGNANT NEOPLASMS (056-108)	17,470	2,140.6
RESPIRATORY SYSTEM (071-075)	6,214	761.4
COLORECTAL (063,064)	1,951	239.1
PROSTATE (089)	427	52.3
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (202-206)	3,033	371.6
PNEMONIA AND INFLUENZA (195-198)	1,005	123.1
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	2,380	291.6
DIABETES MELLITUS (124)	2,014	246.8
HIV INFECTION (039-043)	393	48.2
UNINTENTIONAL INJURIES (295-330)	19,980	2,448.2
MOTOR VEHICLE CRASHES (296-306)	9,811	1,202.2
SUICIDE (331-337)	7,339	899.3
HOMICIDE AND LEGAL INTERVENTION (338-346, 353,354)	2,260	276.9
<u>WHITE FEMALES - ALL CAUSES</u>	<u>60,808</u>	<u>7,479.0</u>
HEART DISEASES (156-160,162,164-181)	9,329	1,147.4
ISCHEMIC HEART DISEASE (165-168)	4,564	561.3
CEREBROVASCULAR DISEASES (182-186)	2,070	254.6
MALIGNANT NEOPLASMS (056-108)	13,858	1,704.4
RESPIRATORY SYSTEM (071-075)	3,817	469.5
COLORECTAL (063,064)	1,314	161.6
BREAST (082)	2,273	279.6
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (202-206)	2,814	346.1
PNEMONIA AND INFLUENZA (195-198)	832	102.3
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	1,114	137.0
DIABETES MELLITUS (124)	1,285	158.0
HIV INFECTION (039-043)	77	9.5
UNINTENTIONAL INJURIES (295-330)	8,889	1,093.3
MOTOR VEHICLE CRASHES (296-306)	4,099	504.2
SUICIDE (331-337)	1,912	235.2
HOMICIDE AND LEGAL INTERVENTION (338-346, 353,354)	1,089	133.9

* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMERS.

** YEARS OF POTENTIAL LIFE LOST BEFORE AGE 75 PER 100,000
POPULATION UNDER AGE 75.

**TABLE C13C. YEARS OF POTENTIAL LIFE LOST BEFORE AGE 75
FOR SELECTED CAUSES OF DEATH
NONWHITE MALES AND FEMALES
MISSISSIPPI, 2010**

CAUSE AND GROUP NUMBER*	YEARS	RATE **
<u>NONWHITE MALES - ALL CAUSES</u>	<u>79,160</u>	<u>14,040.4</u>
HEART DISEASES (156-160,162,164-181)	14,353	2,545.8
ISCHEMIC HEART DISEASE (165-168)	7,262	1,288.0
CEREBROVASCULAR DISEASES (182-186)	3,059	542.6
MALIGNANT NEOPLASMS (056-108)	11,231	1,992.0
RESPIRATORY SYSTEM (071-075)	4,221	748.7
COLORECTAL (063,064)	963	170.8
PROSTATE (089)	662	117.4
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (202-206)	1,369	242.8
PNEMONIA AND INFLUENZA (195-198)	781	138.5
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	839	148.8
DIABETES MELLITUS (124)	2,328	412.9
HIV INFECTION (039-043)	2,252	399.4
UNINTENTIONAL INJURIES (295-330)	10,713	1,900.1
MOTOR VEHICLE CRASHES (296-306)	5,983	1,061.2
SUICIDE (331-337)	1,541	273.3
HOMICIDE AND LEGAL INTERVENTION (338-346, 353,354)	6,421	1,138.9
<u>NONWHITE FEMALES - ALL CAUSES</u>	<u>49,924</u>	<u>8,205.9</u>
HEART DISEASES (156-160,162,164-181)	8,111	1,333.2
ISCHEMIC HEART DISEASE (165-168)	3,141	516.3
CEREBROVASCULAR DISEASES (182-186)	2,205	362.4
MALIGNANT NEOPLASMS (056-108)	10,249	1,684.6
RESPIRATORY SYSTEM (071-075)	1,870	307.4
COLORECTAL (063,064)	1,013	166.5
BREAST (082)	2,471	406.2
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (202-206)	746	122.6
PNEMONIA AND INFLUENZA (195-198)	532	87.4
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	486	79.9
DIABETES MELLITUS (124)	2,274	373.8
HIV INFECTION (039-043)	925	152.0
UNINTENTIONAL INJURIES (295-330)	4,516	742.3
MOTOR VEHICLE CRASHES (296-306)	2,600	427.4
SUICIDE (331-337)	212	34.8
HOMICIDE AND LEGAL INTERVENTION (338-346, 353,354)	1,301	213.8

* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMERS.

** YEARS OF POTENTIAL LIFE LOST BEFORE AGE 75 PER 100,000
POPULATION UNDER AGE 75.

MARRIAGES

**TABLE D1. MARRIAGES AND AVERAGE PER DAY, BY MONTH
MISSISSIPPI, 2010**

MONTH	MARRIAGES	AVERAGE PER DAY	MONTH	MARRIAGES	AVERAGE PER DAY
<u>TOTAL</u>	<u>14,575</u>	<u>40</u>			
JANUARY	610	20	JULY	1,456	47
FEBRUARY	975	35	AUGUST	1,013	33
MARCH	1,235	40	SEPTEMBER	1,141	38
APRIL	1,227	41	OCTOBER	1,452	47
MAY	1,705	55	NOVEMBER	1,043	35
JUNE	1,703	57	DECEMBER	1,015	33

NOTE: DUE TO INCONSISTENT REPORTING BY COUNTIES, STATISTICS ON MARRIAGES MAY BE INCOMPLETE.

**TABLE D2. BRIDES AND GROOMS AND PERCENTAGE DISTRIBUTION, BY AGE AND RACE
MISSISSIPPI, 2010**

AGE	NUMBER						PERCENT					
	BRIDE			GROOM			BRIDE			GROOM		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	<u>14,575</u>	<u>9,964</u>	<u>4,611</u>	<u>14,575</u>	<u>9,864</u>	<u>4,711</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>
UNDER 20	<u>823</u>	<u>750</u>	<u>73</u>	<u>328</u>	<u>299</u>	<u>29</u>	<u>5.6</u>	<u>7.5</u>	<u>1.6</u>	<u>2.2</u>	<u>3.0</u>	<u>0.6</u>
< 13	0	0	0	0	0	0	-	-	-	-	-	-
13	0	0	0	0	0	0	-	-	-	-	-	-
14	0	0	0	0	0	0	-	-	-	-	-	-
15	14	14	0	0	0	0	0.1	0.1	-	-	-	-
16	44	43	1	3	3	0	0.3	0.4	*	*	*	-
17	90	86	4	23	21	2	0.6	0.9	0.1	0.2	0.2	*
18	263	242	21	97	91	6	1.8	2.4	0.4	0.7	0.9	0.1
19	412	365	47	205	184	21	2.8	3.7	1.0	1.4	1.9	0.4
20-24	3,916	3,093	823	2,924	2,305	619	26.9	31.0	17.8	20.1	23.4	13.1
25-34	5,107	3,204	1,903	5,765	3,836	1,929	35.0	32.2	41.3	39.6	38.9	40.9
35-44	2,534	1,478	1,056	2,631	1,567	1,064	17.4	14.8	22.9	18.0	15.9	22.6
45-54	1,399	880	519	1,699	1,035	664	9.6	8.8	11.2	11.6	10.5	14.1
55-64	537	341	196	772	480	292	3.7	3.4	4.2	5.3	4.9	6.2
65-74	195	164	31	303	215	88	1.3	1.6	0.7	2.1	2.2	1.9
75 & OVER	64	54	10	153	127	26	0.4	0.5	0.2	1.0	1.3	0.6
UNKNOWN	0	0	0	0	0	0	-	-	-	-	-	-

* LESS THAN 0.06 PERCENT.

NOTE: DUE TO INCONSISTENT REPORTING BY COUNTIES, STATISTICS ON MARRIAGES MAY BE INCOMPLETE.

**TABLE D3. MEDIAN AGE OF BRIDE AND GROOM
FOR ALL MARRIAGES AND FIRST MARRIAGES, BY RACE
MISSISSIPPI, 2010**

ALL AND FIRST MARRIAGES	BRIDE			GROOM		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
ALL MARRIAGES	28	27	31	30	29	33
FIRST MARRIAGES	24	23	28	26	25	29

NOTE: DUE TO INCONSISTENT REPORTING BY COUNTIES, STATISTICS ON MARRIAGES
MAY BE INCOMPLETE.

**TABLE D4. BRIDES AND GROOMS AND PERCENTAGE DISTRIBUTION,
BY MARRIAGE ORDER AND RACE
MISSISSIPPI, 2010**

MARRIAGE ORDER	NUMBER						PERCENT					
	BRIDE			GROOM			BRIDE			GROOM		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>TOTAL</u>	<u>14,575</u>	<u>9,964</u>	<u>4,611</u>	<u>14,575</u>	<u>9,864</u>	<u>4,711</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>
FIRST	8,954	5,807	3,147	8,749	5,747	3,002	61.4	58.3	68.2	60.0	58.3	63.7
<u>REMARRIAGE</u>	<u>5,621</u>	<u>4,157</u>	<u>1,464</u>	<u>5,826</u>	<u>4,117</u>	<u>1,709</u>	<u>38.6</u>	<u>41.7</u>	<u>31.8</u>	<u>40.0</u>	<u>41.7</u>	<u>36.3</u>
SECOND	3,657	2,554	1,103	3,894	2,610	1,284	25.1	25.6	23.9	26.7	26.5	27.2
<u>OVER TWO</u>	<u>1,964</u>	<u>1,603</u>	<u>361</u>	<u>1,932</u>	<u>1,507</u>	<u>425</u>	<u>13.5</u>	<u>16.1</u>	<u>7.8</u>	<u>13.2</u>	<u>15.3</u>	<u>9.0</u>
THIRD	1,381	1,086	295	1,386	1,049	337	9.5	10.9	6.4	9.5	10.6	7.2
FOURTH	412	362	50	409	335	74	2.8	3.6	1.1	2.8	3.4	1.6
FIFTH	127	116	11	99	89	10	0.9	1.2	0.2	0.7	0.9	0.2
SIXTH	32	27	5	30	26	4	0.2	0.3	0.1	0.2	0.3	0.1
SEVENTH	8	8	0	7	7	0	#	0.1	-	#	0.1	-
EIGHTH	4	4	0	1	1	0	#	#	-	#	#	-
NINTH	0	0	0	0	0	0	-	-	-	-	-	-
TENTH	0	0	0	0	0	0	-	-	-	-	-	-
OVER TEN	0	0	0	0	0	0	-	-	-	-	-	-
UNKNOWN*	0	0	0	0	0	0	-	-	-	-	-	-
UNKNOWN**	0	0	0	0	0	0	-	-	-	-	-	-

* PREVIOUSLY MARRIED BUT NUMBER OF PREVIOUS MARRIAGES UNKNOWN.

** UNKNOWN WHETHER PREVIOUSLY MARRIED.

LESS THAN 0.06 PERCENT.

NOTE: DUE TO INCONSISTENT REPORTING BY COUNTIES, STATISTICS ON MARRIAGES MAY BE INCOMPLETE.

**TABLE D5. BRIDES AND GROOMS AND PERCENTAGE DISTRIBUTION,
BY PREVIOUS MARITAL STATUS AND RACE
MISSISSIPPI, 2010**

PREVIOUS MARITAL STATUS	BRIDE			GROOM		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
NUMBER						
<u>TOTAL</u>	<u>14,575</u>	<u>9,964</u>	<u>4,611</u>	<u>14,575</u>	<u>9,864</u>	<u>4,711</u>
NOT PREVIOUSLY MARRIED	8,954	5,807	3,147	8,749	5,747	3,002
<u>REMARRIAGES</u>	<u>5,621</u>	<u>4,157</u>	<u>1,464</u>	<u>5,826</u>	<u>4,117</u>	<u>1,709</u>
WIDOWED	562	408	154	523	379	144
DIVORCED*	5,045	3,742	1,303	5,298	3,736	1,562
UNKNOWN**	14	7	7	5	2	3
UNKNOWN#	0	0	0	0	0	0
PERCENT						
<u>TOTAL</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>
NOT PREVIOUSLY MARRIED	61.4	58.3	68.2	60.0	58.3	63.7
<u>REMARRIAGES</u>	<u>38.6</u>	<u>41.7</u>	<u>31.8</u>	<u>40.0</u>	<u>41.7</u>	<u>36.3</u>
WIDOWED	3.8	4.1	3.3	3.6	3.8	3.0
DIVORCED*	34.6	37.6	28.2	36.4	37.9	33.2
UNKNOWN**	0.1	0.1	0.2	##	##	0.1
UNKNOWN#	-	-	-	-	-	-

* INCLUDES THOSE WHOSE LAST MARRIAGE WAS ANNULLED.

** UNKNOWN WHETHER WIDOWED OR DIVORCED.

UNKNOWN WHETHER ANY PREVIOUS MARRIAGE.

LESS THAN 0.06 PERCENT.

NOTE: DUE TO INCONSISTENT REPORTING BY COUNTIES, STATISTICS ON MARRIAGES
MAY BE INCOMPLETE.

**TABLE D6. MARRIAGES AND PERCENTAGE DISTRIBUTION,
BY RESIDENCE OF BRIDE AND GROOM AND RACE OF BRIDE
MISSISSIPPI, 2010**

RESIDENCE OF GROOM	RACE AND RESIDENCE OF BRIDE											
	TOTAL				WHITE				NONWHITE			
	TOTAL	MISSIS- SIPPI	OTHER	UN- KNOWN	TOTAL	MISSIS- SIPPI	OTHER	UN- KNOWN	TOTAL	MISSIS- SIPPI	OTHER	UN- KNOWN
NUMBER												
<u>TOTAL</u>	<u>14,575</u>	<u>13,611</u>	<u>940</u>	<u>24</u>	<u>9,964</u>	<u>9,211</u>	<u>735</u>	<u>18</u>	<u>4,611</u>	<u>4,400</u>	<u>205</u>	<u>6</u>
MISSISSIPPI	13,457	13,206	239	12	9,078	8,899	171	8	4,379	4,307	68	4
OTHER	1,108	400	699	9	878	309	562	7	230	91	137	2
UNKNOWN	10	5	2	3	8	3	2	3	2	2	0	0
PERCENT												
<u>TOTAL</u>	<u>100.0</u>	<u>93.4</u>	<u>6.4</u>	<u>0.2</u>	<u>100.0</u>	<u>92.4</u>	<u>7.4</u>	<u>0.2</u>	<u>100.0</u>	<u>95.4</u>	<u>4.4</u>	<u>0.1</u>
MISSISSIPPI	92.3	90.6	1.6	0.1	91.1	89.3	1.7	0.1	95.0	93.4	1.5	0.1
OTHER	7.6	2.7	4.8	0.1	8.8	3.1	5.6	0.1	5.0	2.0	3.0	*
UNKNOWN	0.1	*	*	*	0.1	*	*	*	*	*	-	-

* LESS THAN 0.06 PERCENT.

NOTE: DUE TO INCONSISTENT REPORTING BY COUNTIES, STATISTICS ON MARRIAGES MAY BE INCOMPLETE.

DIVORCES

**TABLE E1. DIVORCES AND PERCENTAGE DISTRIBUTION, BY CAUSE AND RACE*
MISSISSIPPI, 2010**

CAUSE	NUMBER				PERCENT			
	TOTAL	WHITE	NON-WHITE	UN-KNOWN	TOTAL	WHITE	NON-WHITE	UN-KNOWN
<u>TOTAL</u>	<u>12,703</u>	<u>7,462</u>	<u>2,770</u>	<u>2,471</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>
IRRECONCILABLE DIFFERENCES	11,707	6,997	2,475	2,235	92.2	93.8	89.4	90.4
CRUEL AND INHUMAN TREATMENT	347	168	96	83	2.7	2.2	3.5	3.4
DESERTION	281	95	121	65	2.2	1.3	4.4	2.6
ADULTERY	225	129	45	51	1.8	1.7	1.6	2.1
DRUNKENNESS	54	35	6	13	0.4	0.5	0.2	0.5
PENITENTIARY	55	25	20	10	0.4	0.3	0.7	0.4
ANNULMENT	23	9	4	10	0.2	0.1	0.1	0.4
BIGAMY	4	1	0	3	#	#	-	0.1
MISCELLANEOUS AND OTHER	3	2	0	1	#	#	-	#
UNKNOWN	4	1	3	0	#	#	0.1	-

* DIVORCES OF MIXED-RACE COUPLES ARE INCLUDED IN FIGURES FOR NONWHITES.

LESS THAN 0.06 PERCENT.

NOTE: DUE TO INCONSISTENT REPORTING BY COUNTIES, STATISTICS ON DIVORCES MAY BE INCOMPLETE.

**TABLE E2. DIVORCES AND PERCENTAGE DISTRIBUTION,
BY NUMBER OF MINOR CHILDREN AND RACE*
MISSISSIPPI, 2010**

NUMBER OF MINOR CHILDREN	NUMBER				PERCENT			
	TOTAL	WHITE	NON-WHITE	UN-KNOWN	TOTAL	WHITE	NON-WHITE	UN-KNOWN
<u>TOTAL DIVORCES</u>	<u>12,703</u>	<u>7,462</u>	<u>2,770</u>	<u>2,471</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>
NONE	6,567	3,727	1,500	1,340	51.7	49.9	54.2	54.2
ONE	3,029	1,841	611	577	23.8	24.7	22.0	23.4
TWO	2,210	1,343	464	403	17.4	18.0	16.8	16.3
THREE OR MORE	897	551	195	151	7.1	7.4	7.0	6.1
UNKNOWN	0	0	0	0	-	-	-	-

* DIVORCES OF MIXED-RACE COUPLES ARE INCLUDED IN FIGURES FOR NONWHITES.

NOTE: DUE TO INCONSISTENT REPORTING BY COUNTIES, STATISTICS ON DIVORCES MAY BE INCOMPLETE.

**TABLE E3. DIVORCES AND PERCENTAGE DISTRIBUTION,
BY NUMBER OF YEARS MARRIED AND RACE*
MISSISSIPPI, 2010**

NUMBER OF YEARS MARRIED	NUMBER				PERCENT			
	TOTAL	WHITE	NON- WHITE	UN- KNOWN	TOTAL	WHITE	NON- WHITE	UN- KNOWN
<u>TOTAL DIVORCES</u>	<u>12,703</u>	<u>7,462</u>	<u>2,770</u>	<u>2,471</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>
<u>UNDER FIVE</u>	<u>4,380</u>	<u>2,680</u>	<u>776</u>	<u>924</u>	<u>34.5</u>	<u>35.9</u>	<u>28.0</u>	<u>37.4</u>
<u>UNDER ONE</u>	457	311	66	80	3.6	4.2	2.4	3.2
<u>ONE</u>	925	568	160	197	7.3	7.6	5.8	8.0
<u>TWO</u>	1,006	639	142	225	7.9	8.6	5.1	9.1
<u>THREE</u>	1,036	627	204	205	8.2	8.4	7.4	8.3
<u>FOUR</u>	956	535	204	217	7.5	7.2	7.4	8.8
<u>FIVE-NINE</u>	<u>3,378</u>	<u>1,846</u>	<u>882</u>	<u>650</u>	<u>26.6</u>	<u>24.7</u>	<u>31.8</u>	<u>26.3</u>
<u>TEN-NINETEEN</u>	<u>3,384</u>	<u>1,970</u>	<u>787</u>	<u>627</u>	<u>26.6</u>	<u>26.4</u>	<u>28.4</u>	<u>25.4</u>
<u>TWENTY AND OVER</u>	<u>1,555</u>	<u>964</u>	<u>322</u>	<u>269</u>	<u>12.2</u>	<u>12.9</u>	<u>11.6</u>	<u>10.9</u>
<u>UNKNOWN</u>	<u>6</u>	<u>2</u>	<u>3</u>	<u>1</u>	<u>#</u>	<u>#</u>	<u>0.1</u>	<u>#</u>

* DIVORCES OF MIXED-RACE COUPLES ARE INCLUDED IN FIGURES FOR NONWHITES.

LESS THAN 0.06 PERCENT.

NOTE: DUE TO INCONSISTENT REPORTING BY COUNTIES, STATISTICS ON DIVORCES MAY BE INCOMPLETE.

INDUCED TERMINATIONS OF PREGNANCY

**TABLE F1. REPORTED INDUCED TERMINATIONS OF PREGNANCY,
PERCENTAGE DISTRIBUTION, AND INDUCED TERMINATION RATIOS,
BY AGE AND RACE OF PATIENT
PROCEDURES PERFORMED IN MISSISSIPPI, 2010**

AGE OF PATIENT	NUMBER				PERCENT			INDUCED TERMINATION RATIO*		
	TOTAL	WHITE	NON-WHITE	UNK. RACE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>TOTAL</u>	<u>2,297</u>	<u>451</u>	<u>1,845</u>	<u>1</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>	<u>57.4</u>	<u>20.8</u>	<u>100.9</u>
UNDER 15	14	3	11	0	0.6	0.7	0.6	126.1	111.1	131.0
15-19	330	65	265	0	14.4	14.4	14.4	54.3	25.5	75.2
20-24	829	149	680	0	36.1	33.0	36.8	64.5	24.1	101.9
25-29	620	108	512	0	27.0	23.9	27.8	54.5	15.7	113.4
30-34	306	76	229	1	13.3	16.8	12.4	47.0	18.3	97.5
35-39	157	37	120	0	6.8	8.2	6.5	62.3	23.3	128.8
40-44	38	12	26	0	1.6	2.7	1.4	75.0	38.8	131.3
45-49	1	0	1	0	**	-	**	31.2	-	83.3
UNKNOWN	2	1	1	0	0.1	0.2	**			

* INDUCED TERMINATIONS PER 1,000 LIVE BIRTHS IN SPECIFIED GROUP.

** LESS THAN 0.06 PERCENT.

**TABLE F2. REPORTED INDUCED TERMINATIONS OF PREGNANCY
AND PERCENTAGE DISTRIBUTION.
BY CHARACTERISTICS OF PATIENT AND RACE
PROCEDURES PERFORMED IN MISSISSIPPI, 2010**

CHARACTERISTICS OF PATIENT	NUMBER				PERCENT		
	TOTAL	WHITE	NON-WHITE	UNK. RACE	TOTAL	WHITE	NON-WHITE
<u>TOTAL</u>	<u>2,297</u>	<u>451</u>	<u>1,845</u>	<u>1</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>
MISSISSIPPI RESIDENT	2,251	435	1,815	1	98.0	96.4	98.4
<u>NONRESIDENT</u>	<u>46</u>	<u>16</u>	<u>30</u>	<u>0</u>	<u>2.0</u>	<u>3.5</u>	<u>1.6</u>
BORDER STATE	41	15	26	0	1.8	3.3	1.4
OTHER STATE	5	1	4	0	0.2	0.2	0.2
<u>MARITAL STATUS</u>							
MARRIED	181	61	120	0	7.9	13.5	6.5
NOT MARRIED	2,109	388	1,720	1	91.8	86.0	93.2
UNKNOWN	7	2	5	0	0.3	0.4	0.3
<u>EDUCATION (COMPLETED YEARS)</u>							
0-6 YEARS	2	0	2	0	0.1	-	0.1
7-9 YEARS	47	14	33	0	2.0	3.1	1.8
10, 11 YEARS	182	42	140	0	7.9	9.3	7.6
12 YEARS	972	192	780	0	42.3	42.6	42.3
1-3 YEARS COLLEGE	768	139	629	0	33.4	30.8	34.1
4 OR MORE YEARS COLLEGE	321	62	258	1	14.0	13.7	14.0
UNKNOWN	5	2	3	0	0.2	0.4	0.2
<u>NUMBER OF LIVING CHILDREN</u>							
NONE	784	195	588	1	34.1	43.2	31.9
ONE	715	124	591	0	31.1	27.5	32.0
TWO	502	94	408	0	21.8	20.8	22.1
THREE	181	25	156	0	7.9	5.5	8.4
FOUR	65	6	59	0	2.8	1.3	3.2
FIVE OR MORE	41	3	38	0	1.8	0.7	2.1
UNKNOWN	9	4	5	0	0.4	0.9	0.3
<u>NUMBER OF PREVIOUS INDUCED TERMINATIONS</u>							
NONE	1,488	331	1,157	0	64.8	73.4	62.7
ONE	533	77	456	0	23.2	17.1	24.7
TWO	196	29	167	0	8.5	6.4	9.0
THREE OR MORE	71	11	59	1	3.1	2.4	3.2
UNKNOWN	9	3	6	0	0.4	0.7	0.3

TABLE F3. REPORTED INDUCED TERMINATIONS OF PREGNANCY AND PERCENTAGE DISTRIBUTION BY MEDICAL CHARACTERISTICS AND RACE, PROCEDURES PERFORMED IN MISSISSIPPI, 2010

MEDICAL CHARACTERISTICS	NUMBER				PERCENT		
	TOTAL	WHITE	NON-WHITE	UNK. RACE	TOTAL	WHITE	NON-WHITE
<u>TOTAL</u>	<u>2,297</u>	<u>451</u>	<u>1,845</u>	<u>1</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>
<u>COMPLETED WEEKS OF GESTATION*</u>							
UNDER 9	1,077	211	865	1	46.9	46.8	46.9
9, 10	473	100	373	0	20.6	22.2	20.2
11, 12	246	43	203	0	10.7	9.5	11.0
13-15	90	14	76	0	3.9	3.1	4.1
16-20	14	3	11	0	0.6	0.7	0.6
21 OR MORE	1	0	1	0	**	-	**
UNKNOWN	396	80	316	0	17.2	17.7	17.1
<u>PRIMARY PROCEDURE</u>							
SUCTION CURETTAGE	2,297	451	1,845	1	100.0	100.0	100.0
MEDICAL (NONSURGICAL)	0	0	0	0	-	-	-
DILATION AND EVACUATION	0	0	0	0	-	-	-
INTRA-UTERINE INSTILLATION	0	0	0	0	-	-	-
SHARP CURETTAGE	0	0	0	0	-	-	-
HYSTEROTOMY OR HYSTERECTOMY	0	0	0	0	-	-	-
OTHER	0	0	0	0	-	-	-
UNKNOWN	0	0	0	0	-	-	-

* CALCULATED BY SUBTRACTING DATE OF LAST NORMAL MENSTRUAL PERIOD PRIOR TO TERMINATION FROM DATE OF TERMINATION.

** LESS THAN 0.06 PERCENT.

TABLE F4. REPORTED COMPLICATIONS RESULTING FROM INDUCED TERMINATIONS OF PREGNANCY PATIENTS TREATED IN MISSISSIPPI, 2010

DEMOGRAPHIC/MEDICAL CHARACTERISTICS	TOTAL	WHITE	NON-WHITE	UNK. RACE
<u>TOTAL</u>	<u>1</u>	<u>0</u>	<u>1</u>	<u>0</u>
<u>AGE</u>				
UNDER 20	0	0	0	0
20-29	1	0	1	0
30-39	0	0	0	0
40-49	0	0	0	0
50+	0	0	0	0
UNKNOWN	0	0	0	0
<u>MARITAL STATUS</u>				
MARRIED	0	0	0	0
NOT MARRIED	1	0	1	0
UNKNOWN	0	0	0	0
<u>CONDITION(S) REQUIRING TREATMENT</u>				
PELVIC INFECTION	1	0	1	0
HEMORRHAGE	0	0	0	0
DAMAGE TO PELVIC ORGANS	0	0	0	0
RENAL FAILURE	0	0	0	0
METABOLIC DISORDER	0	0	0	0
SHOCK	0	0	0	0
EMBOLISM	0	0	0	0
COMA	0	0	0	0
DEATH	0	0	0	0
OTHER	0	0	0	0
UNKNOWN	0	0	0	0

NOTE: PATIENTS TREATED MULTIPLE TIMES MAY RESULT IN MULTIPLE REPORTS. THESE REPORTS ARE COUNTED SEPARATELY.

COMPLICATIONS TABULATED HERE MAY BE THE RESULT OF INDUCED TERMINATIONS THAT OCCURRED OUTSIDE OF THE STATE.

MAJOR TABLES

TABLE I
2010 CENSUS POPULATION AND PERCENT CHANGE FROM 2000 CENSUS POPULATION
MISSISSIPPI

COUNTY	POPULATION			PERCENT CHANGE SINCE 2000		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>STATE</u>	<u>2,967,297</u>	<u>1,754,684</u>	<u>1,212,613</u>	<u>4.3</u>	<u>0.5</u>	<u>10.4</u>
ADAMS	32,297	13,793	18,504	-6.0	-12.8	-0.2
ALCORN	37,057	31,656	5,401	7.2	4.9	23.7
AMITE	13,131	7,574	5,557	-3.4	-1.3	-6.2
ATTALA	19,564	11,000	8,564	-0.5	-4.1	4.6
BENTON	8,729	5,284	3,445	8.8	6.7	12.1
BOLIVAR	34,145	11,446	22,699	-16.0	-15.3	-16.3
CALHOUN	14,962	10,096	4,866	-0.7	-3.5	5.6
CARROLL	10,597	6,956	3,641	-1.6	3.1	-9.4
CHICKASAW	17,392	9,386	8,006	-10.5	-15.1	-4.5
CHOCTAW	8,547	5,846	2,701	-12.4	-11.9	-13.4
CLAIBORNE	9,604	1,367	8,237	-18.8	-23.9	-17.9
CLARKE	16,732	10,741	5,991	-6.8	-7.3	-6.0
CLAY	20,634	8,350	12,284	-6.1	-11.3	-2.3
COAHOMA	26,151	5,989	20,162	-14.6	-33.2	-6.9
COPIAH	29,449	13,627	15,822	2.4	-0.9	5.4
COVINGTON	19,568	12,319	7,249	0.8	0.1	2.1
DESOTO	161,252	116,440	44,812	50.4	26.6	193.9
FORREST	74,934	44,726	30,208	3.2	-4.3	16.7
FRANKLIN	8,118	5,257	2,861	-3.9	-0.9	-9.0
GEORGE	22,578	20,266	2,312	17.9	18.5	13.7
GREENE	14,400	10,441	3,959	8.3	7.9	9.4
GRENADA	21,906	12,465	9,441	-5.8	-7.5	-3.6
HANCOCK	43,929	38,842	5,087	2.2	0.2	20.7
HARRISON	187,105	130,366	56,739	-1.3	-6.0	11.5
HINDS	245,285	69,769	175,516	-2.2	-25.5	11.6
HOLMES	19,198	3,001	16,197	-11.2	-32.2	-5.8
HUMPHREYS	9,375	2,203	7,172	-16.3	-27.7	-12.1
ISSAQUENA	1,406	486	920	-38.2	-41.2	-36.5
ITAWAMBA	23,401	21,623	1,778	2.8	2.7	3.7
JACKSON	139,668	100,735	38,933	6.3	1.7	20.2
JASPER	17,062	7,894	9,168	-6.0	-6.4	-5.6
JEFFERSON	7,726	1,060	6,666	-20.7	-16.7	-21.3
JEFF DAVIS	12,487	4,834	7,653	-10.6	-16.9	-6.1
JONES	67,761	45,531	22,230	4.3	-1.4	18.5
KEMPER	10,456	3,689	6,767	*	-9.6	6.2
LAFAYETTE	47,351	33,976	13,375	22.2	22.1	22.6
LAMAR	55,658	43,011	12,647	42.5	29.0	120.8
LAUDERDALE	80,261	43,957	36,304	2.7	-6.5	16.6
LAWRENCE	12,929	8,624	4,305	-2.5	-2.8	-1.8
LEAKE	23,805	11,793	12,012	13.7	0.3	30.8
LEE	82,910	57,497	25,413	9.4	3.0	27.4
LEFLORE	32,317	8,038	24,279	-14.8	-29.4	-8.6

TABLE I - PAGE 2
2010 CENSUS POPULATION - MISSISSIPPI

COUNTY	POPULATION			PERCENT CHANGE SINCE 2000		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
LINCOLN	34,869	23,864	11,005	5.1	3.7	8.4
LOWNDES	59,779	32,259	27,520	-2.9	-7.2	2.6
MADISON	95,203	54,270	40,933	27.5	20.5	38.0
MARION	27,088	17,822	9,266	5.8	4.0	9.6
MARSHALL	37,144	18,614	18,530	6.2	10.0	2.6
MONROE	36,989	25,035	11,954	-2.7	-3.7	-0.6
MONTGOMERY	10,925	5,790	5,135	-10.4	-12.5	-7.9
NESHOBA	29,676	17,974	11,702	3.5	-4.3	18.3
NEWTON	21,720	13,734	7,986	-0.5	-3.3	4.5
NOXUBEE	11,545	3,133	8,412	-8.0	-15.3	-4.9
OKTIBBEHA	47,671	28,224	19,447	11.1	12.2	9.7
PANOLA	34,707	17,161	17,546	1.3	-0.8	3.4
PEARL RIVER	55,834	46,924	8,910	14.8	12.8	26.8
PERRY	12,250	9,575	2,675	0.9	3.6	-7.5
PIKE	40,404	18,745	21,659	3.8	-6.1	14.1
PONTOTOC	29,957	23,984	5,973	12.1	6.3	43.3
PRENTISS	25,276	21,312	3,964	-1.1	-2.9	9.6
QUITMAN	8,223	2,381	5,842	-18.7	-22.8	-17.0
RANKIN	141,617	109,523	32,094	22.8	17.2	46.7
SCOTT	28,264	15,051	13,213	-0.6	-7.4	8.6
SHARKEY	4,916	1,370	3,546	-25.3	-29.1	-23.7
SIMPSON	27,503	17,260	10,243	-0.5	-3.0	4.1
SMITH	16,491	12,503	3,988	1.9	1.5	3.2
STONE	17,786	13,982	3,804	30.6	29.3	35.7
SUNFLOWER	29,450	7,493	21,957	-14.3	-24.5	-10.2
TALLAHATCHIE	15,378	5,988	9,390	3.2	1.4	4.3
TATE	28,886	19,313	9,573	13.9	12.2	17.3
TIPPAH	22,232	17,779	4,453	6.8	4.3	17.8
TISHOMINGO	19,593	18,509	1,084	2.2	1.7	11.6
TUNICA	10,778	2,553	8,225	16.8	0.5	23.0
UNION	27,134	21,973	5,161	7.0	3.9	22.7
WALTHALL	15,443	8,250	7,193	1.9	-0.3	4.6
WARREN	48,773	24,548	24,225	-1.8	-10.0	8.4
WASHINGTON	51,137	13,784	37,353	-18.8	-35.6	-10.2
WAYNE	20,747	12,300	8,447	-2.2	-5.4	2.9
WEBSTER	10,253	8,065	2,188	-0.4	1.0	-5.3
WILKINSON	9,878	2,834	7,044	-4.2	-12.0	-0.7
WINSTON	19,198	9,972	9,226	-4.8	-10.5	2.3
YALOBUSHA	12,678	7,667	5,011	-2.9	-2.8	-2.9
YAZOO	28,065	11,212	16,853	-0.3	-11.0	8.3

* LESS THAN 0.06 PERCENT CHANGE.

NOTE: POPULATION WAS OBTAINED FROM THE U.S. BUREAU OF THE CENSUS.

**TABLE 1A
LIVE BIRTHS, BY PLACE OF OCCURRENCE AND RACE OF MOTHER,
ALSO LIVE BIRTHS AND RATES, BY PLACE OF RESIDENCE AND RACE OF MOTHER,
(PLACE INCLUDES COUNTIES, OUT OF STATE, TOWNS OF 10,000 OR MORE),
MISSISSIPPI, 2010**

COUNTY	OCCURRENCE DATA			RESIDENCE DATA					
	NUMBER			NUMBER			RATE*		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>STATE</u>	<u>39,177</u>	<u>20,783</u>	<u>18,394</u>	<u>39,984</u>	<u>21,696</u>	<u>18,288</u>	<u>13.5</u>	<u>12.4</u>	<u>15.1</u>
ADAMS	1,002	340	662	393	131	262	12.2	9.5	14.2
ALCORN	491	408	83	436	367	69	11.8	11.6	12.8
AMITE	1	1	0	125	64	61	9.5	8.4	11.0
ATTALA	3	0	3	282	130	152	14.4	11.8	17.7
BENTON	1	0	1	94	51	43	10.8	9.6	12.5
BOLIVAR	402	103	299	587	150	437	17.2	13.1	19.2
CALHOUN	1	1	0	193	128	65	12.9	12.7	13.4
CARROLL	1	0	1	98	55	43	9.2	7.9	11.8
CHICKASAW	1	0	1	277	143	134	15.9	15.2	16.7
CHOCTAW	1	1	0	112	65	47	13.1	11.1	17.4
CLAIBORNE	0	0	0	138	5	133	14.4	3.6	16.1
CLARKE	0	0	0	198	130	68	11.8	12.1	11.4
CLAY	431	174	257	243	74	169	11.8	8.9	13.8
COAHOMA	952	186	766	449	83	366	17.2	13.8	18.2
COPIAH	0	0	0	364	153	211	12.4	11.2	13.3
COVINGTON	1	0	1	281	167	114	14.4	13.6	15.7
DESOTO	2,026	1,127	899	2,030	1,494	536	12.6	12.8	12.0
FORREST	2,450	1,651	799	1,175	645	530	15.7	14.4	17.5
FRANKLIN	1	1	0	88	49	39	10.8	9.3	13.6
GEORGE	4	4	0	381	336	45	16.9	16.6	19.5
GREENE	1	1	0	135	113	22	9.4	10.8	5.6
GRENADA	463	193	270	258	128	130	11.8	10.3	13.8
HANCOCK	199	176	23	440	403	37	10.0	10.4	7.3
HARRISON	3,174	2,236	938	2,754	1,863	891	14.7	14.3	15.7
HINDS	6,050	2,127	3,923	3,529	806	2,723	14.4	11.6	15.5
HOLMES	5	1	4	307	19	288	16.0	6.3	17.8
HUMPHREYS	1	1	0	153	15	138	16.3	6.8	19.2
ISSAQUENA	0	0	0	24	6	18	17.1	12.3	19.6
ITAWAMBA	0	0	0	242	235	7	10.3	10.9	3.9
JACKSON	1,640	1,228	412	1,702	1,247	455	12.2	12.4	11.7
JASPER	0	0	0	223	83	140	13.1	10.5	15.3
JEFFERSON	0	0	0	105	11	94	13.6	10.4	14.1
JEFF DAVIS	1	0	1	167	53	114	13.4	11.0	14.9
JONES	915	372	543	1,015	627	388	15.0	13.8	17.4
KEMPER	0	0	0	92	27	65	8.8	7.3	9.6
LAFAYETTE	880	545	335	512	345	167	10.8	10.2	12.5
LAMAR	1,566	1,037	529	754	567	187	13.5	13.2	14.8
LAUDERDALE	2,329	1,122	1,207	1,070	509	561	13.3	11.6	15.4
LAWRENCE	1	1	0	175	108	67	13.5	12.5	15.6
LEAKE	6	2	4	338	179	159	14.2	15.2	13.2
LEE	2,200	1,613	587	1,206	774	432	14.5	13.5	17.0
LEFLORE	726	131	595	537	116	421	16.6	14.4	17.3

TABLE 1A - Page 2
LIVE BIRTHS - MISSISSIPPI -2010

COUNTY	OCCURRENCE DATA			RESIDENCE DATA					
	NUMBER			NUMBER			RATE*		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
LINCOLN	623	320	303	471	273	198	13.5	11.4	18.0
LOWNDES	923	430	493	790	419	371	13.2	13.0	13.5
MADISON	238	7	231	1,200	621	579	12.6	11.4	14.1
MARION	1	1	0	370	222	148	13.6	12.4	16.0
MARSHALL	5	4	1	457	220	237	12.3	11.8	12.8
MONROE	520	386	134	405	262	143	10.9	10.5	12.0
MONTGOMERY	1	0	1	128	52	76	11.7	9.0	14.8
NESHOBA	2	1	1	435	193	242	14.6	10.7	20.7
NEWTON	2	2	0	295	169	126	13.6	12.3	15.8
NOXUBEE	0	0	0	157	40	117	13.6	12.8	13.9
OKTIBBEHA	929	416	513	546	279	267	11.4	9.9	13.7
PANOLA	162	47	115	529	222	307	15.2	12.9	17.5
PEARL RIVER	312	232	80	664	558	106	11.9	11.9	11.9
PERRY	1	1	0	141	100	41	11.5	10.4	15.3
PIKE	916	430	486	603	222	381	14.9	11.8	17.6
PONTOTOC	8	8	0	432	379	53	14.4	15.8	8.9
PRETISS	0	0	0	347	296	51	13.7	13.9	12.9
QUITMAN	0	0	0	106	20	86	12.9	8.4	14.7
RANKIN	3,309	2,248	1,061	1,952	1,548	404	13.8	14.1	12.6
SCOTT	1	0	1	442	273	169	15.6	18.1	12.8
SHARKEY	1	0	1	75	11	64	15.2	8.0	18.0
SIMPSON	114	64	50	365	220	145	13.3	12.7	14.2
SMITH	1	1	0	225	143	82	13.6	11.4	20.6
STONE	1	0	1	217	180	37	12.2	12.9	9.7
SUNFLOWER	263	42	221	396	75	321	13.4	10.0	14.6
TALLAHATCHIE	0	0	0	201	47	154	13.1	7.8	16.4
TATE	7	4	3	365	227	138	12.6	11.8	14.4
TIPPAH	0	0	0	249	203	46	11.2	11.4	10.3
TISHOMINGO	0	0	0	184	182	2	9.4	9.8	1.8
TUNICA	0	0	0	202	30	172	18.7	11.8	20.9
UNION	1,107	890	217	341	275	66	12.6	12.5	12.8
WALTHALL	1	1	0	202	102	100	13.1	12.4	13.9
WARREN	732	228	504	629	269	360	12.9	11.0	14.9
WASHINGTON	843	142	701	829	153	676	16.2	11.1	18.1
WAYNE	219	91	128	315	161	154	15.2	13.1	18.2
WEBSTER	1	1	0	134	89	45	13.1	11.0	20.6
WILKINSON	1	0	1	124	23	101	12.6	8.1	14.3
WINSTON	2	1	1	213	72	141	11.1	7.2	15.3
YALOBUSHA	1	1	0	166	98	68	13.1	12.8	13.6
YAZOO	4	1	3	400	114	286	14.2	10.2	17.0
OUT OF STATE	1,899	1,511	388	1,092	598	494			

* LIVE BIRTHS PER 1,000 POPULATION.

TABLE 1A - PAGE 3
LIVE BIRTHS - MISSISSIPPI - 2010

TOWN**	NUMBER			RATE*		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
BILOXI	720	474	246	16.3	15.7	17.7
BRANDON	526	402	124	24.2	23.0	29.4
BROOKHAVEN	185	56	129	14.8	10.2	18.3
BYRAM	145	49	96	12.6	9.3	15.4
CANTON	304	61	243	23.0	23.7	22.9
CLARKSDALE	344	61	283	19.2	17.4	19.6
CLEVELAND	253	84	169	20.5	14.3	26.1
CLINTON	319	198	121	12.6	13.0	12.0
COLUMBUS	367	137	230	15.5	15.5	15.5
CORINTH	187	127	60	12.8	12.2	14.4
GAUTIER	213	129	84	11.5	11.4	11.6
GREENVILLE	576	72	504	16.7	10.3	18.4
GREENWOOD	329	66	263	21.6	14.1	25.0
GRENADA	173	67	106	13.2	11.4	14.6
GULFPORT	1,158	667	491	17.1	17.3	16.8
HATTIESBURG	874	337	537	19.0	17.5	20.1
HERNANDO	233	192	41	16.5	16.7	15.8
HORN LAKE	408	257	151	15.6	16.7	14.1
INDIANOLA	180	24	156	16.8	12.0	18.0
JACKSON	2,734	402	2,332	15.8	12.6	16.5
LAUREL	401	142	259	21.6	23.6	20.7
LONG BEACH	140	118	22	9.5	9.3	10.2
MADISON	275	223	52	11.4	10.8	14.8
MCCOMB	233	42	191	18.2	10.5	21.7
MERIDIAN	642	184	458	15.6	12.5	17.3
MOSS POINT	200	76	124	14.6	23.2	11.9
NATCHEZ	219	58	161	13.9	9.3	16.9
OCEAN SPRINGS	304	242	62	17.4	16.2	24.4
OLIVE BRANCH	406	289	117	12.1	12.1	12.2
OXFORD	214	124	90	11.3	9.1	17.2
PASCAGOULA	259	170	89	11.6	12.9	9.6
PEARL	392	277	115	15.6	15.8	15.2
PETAL	168	140	28	16.1	15.6	19.2
PICAYUNE	188	114	74	17.3	17.7	16.7
RIDGELAND	277	161	116	11.5	11.2	11.9
SOUTHAVEN	618	471	147	12.6	13.5	10.4
STARKVILLE	405	187	218	17.0	13.1	22.6
TUPELO	545	252	293	15.8	12.4	20.5
VICKSBURG	363	92	271	15.2	12.3	16.5
WEST POINT	156	39	117	13.8	9.2	16.6
YAZOO CITY	274	37	237	24.0	20.0	24.8

* BIRTHS PER 1,000 POPULATION.

** TOWNS OF 10,000 POPULATION OR MORE.

**TABLE 1B
FERTILITY RATES*, BY COUNTY OF RESIDENCE AND RACE OF MOTHER,
MISSISSIPPI, 2010**

COUNTY	TOTAL	WHITE	NON- WHITE	COUNTY	TOTAL	WHITE	NON- WHITE
<u>STATE</u>	<u>66.2</u>	<u>66.6</u>	<u>65.7</u>				
ADAMS	72.0	71.1	72.5	LINCOLN	70.4	64.1	81.3
ALCORN	62.9	63.2	61.3	LOWNDES	63.1	69.6	57.0
AMITE	58.1	57.9	58.3	MADISON	59.8	63.1	56.7
ATTALA	78.0	74.4	81.3	MARION	71.9	69.5	75.7
BENTON	56.8	54.3	60.1	MARSHALL	64.3	71.4	58.8
BOLIVAR	79.2	67.7	84.1	MONROE	57.9	58.6	56.6
CALHOUN	68.4	73.4	60.5	MONTGOMERY	63.9	56.8	69.8
CARROLL	55.6	51.4	62.0	NESHOBA	75.7	61.4	93.1
CHICKASAW	83.2	91.5	75.9	NEWTON	67.9	67.2	68.8
CHOCTAW	75.0	68.6	86.1	NOXUBEE	70.1	85.1	66.1
CLAIBORNE	63.8	36.5	65.7	OKTIBBEHA	41.8	35.7	50.8
CLARKE	64.4	70.0	55.9	PANOLA	75.8	76.1	75.5
CLAY	60.6	57.4	62.1	PEARL RIVER	63.2	65.0	54.8
COAHOMA	80.1	91.3	77.9	PERRY	60.9	57.4	71.6
COPIAH	62.9	66.3	60.6	PIKE	76.6	71.5	80.0
COVINGTON	73.8	76.9	69.6	PONTOTOC	74.3	82.8	42.8
DESOTO	58.6	64.4	46.8	PRENTISS	70.6	73.9	56.3
FORREST	65.5	65.6	65.4	QUITMAN	65.4	58.5	67.2
FRANKLIN	60.8	57.7	65.1	RANKIN	64.7	69.4	51.2
GEORGE	89.2	86.6	116.3	SCOTT	79.0	102.9	57.5
GREENE	62.1	63.6	55.6	SHARKEY	80.1	59.1	85.3
GRENADA	58.8	56.6	61.2	SIMPSON	70.8	74.1	66.2
HANCOCK	55.6	58.2	37.2	SMITH	73.8	66.1	92.9
HARRISON	72.3	74.6	67.9	STONE	59.4	65.8	40.2
HINDS	64.0	65.7	63.5	SUNFLOWER	72.0	72.0	72.0
HOLMES	76.1	43.9	80.0	TALLAHATCHIE	74.4	58.2	81.4
HUMPHREYS	80.6	43.7	88.8	TATE	61.6	61.4	61.8
ISSAQUENA	121.8	107.1	127.7	TIPPAH	58.2	60.3	50.4
ITAWAMBA	52.1	55.6	16.5	TISHOMINGO	52.6	55.3	9.8
JACKSON	61.2	65.9	51.3	TUNICA	86.9	82.9	87.7
JASPER	71.3	67.6	73.7	UNION	65.5	67.1	59.6
JEFFERSON	71.2	95.6	69.1	WALTHALL	71.4	74.5	68.5
JEFF DAVIS	72.8	79.1	70.2	WARREN	65.9	65.4	66.3
JONES	77.7	76.9	79.1	WASHINGTON	79.0	73.3	80.5
KEMPER	46.9	50.8	45.4	WAYNE	76.9	74.8	79.2
LAFAYETTE	40.4	38.1	46.0	WEBSTER	72.2	63.5	99.3
LAMAR	60.1	63.6	51.4	WILKINSON	78.8	65.7	82.5
LAUDERDALE	67.0	66.9	67.1	WINSTON	61.5	46.4	73.8
LAWRENCE	74.0	71.5	78.4	YALOBUSHA	71.8	79.5	63.0
LEAKE	78.3	91.6	67.3	YAZOO	84.0	74.8	88.3
LEE	71.3	72.1	70.0				
LEFLORE	79.1	97.6	75.2				

* LIVE BIRTHS PER 1,000 FEMALE POPULATION 15-44 YEARS OF AGE.

TABLE 2
LIVE BIRTHS, BY COUNTY OF RESIDENCE, RACE OF MOTHER, AND ATTENDANT,
ALSO BY COUNTY OF RESIDENCE AND SEX,
MISSISSIPPI, 2010

COUNTY	TOTAL	WHITE				NONWHITE				SEX	
		TOTAL	HOSP. OR CLINIC	PHYS., OTHER PLACE	OTHER	TOTAL	HOSP. OR CLINIC	PHYS., OTHER PLACE	OTHER	MALE	FEMALE
<u>STATE</u>	<u>39,984</u>	<u>21,696</u>	<u>21,600</u>	<u>1</u>	<u>95</u>	<u>18,288</u>	<u>18,249</u>	<u>1</u>	<u>38</u>	<u>20,368</u>	<u>19,616</u>
ADAMS	393	131	131	0	0	262	261	0	1	206	187
ALCORN	436	367	366	0	1	69	69	0	0	229	207
AMITE	125	64	62	0	2	61	61	0	0	61	64
ATTALA	282	130	129	0	1	152	150	0	2	150	132
BENTON	94	51	51	0	0	43	42	0	1	46	48
BOLIVAR	587	150	150	0	0	437	437	0	0	314	273
CALHOUN	193	128	128	0	0	65	65	0	0	91	102
CARROLL	98	55	55	0	0	43	42	0	1	52	46
CHICKASAW	277	143	143	0	0	134	134	0	0	143	134
CHOCTAW	112	65	64	0	1	47	47	0	0	53	59
CLAIBORNE	138	5	5	0	0	133	133	0	0	73	65
CLARKE	198	130	130	0	0	68	68	0	0	105	93
CLAY	243	74	74	0	0	169	169	0	0	116	127
COAHOMA	449	83	83	0	0	366	365	1	0	225	224
COPIAH	364	153	153	0	0	211	211	0	0	163	201
COVINGTON	281	167	167	0	0	114	114	0	0	141	140
DESOTO	2,030	1,494	1,489	0	5	536	533	0	3	1,025	1,005
FORREST	1,175	645	640	0	5	530	527	0	3	604	571
FRANKLIN	88	49	48	0	1	39	39	0	0	46	42
GEORGE	381	336	333	0	3	45	45	0	0	191	190
GREENE	135	113	112	0	1	22	22	0	0	67	68
GRENADA	258	128	127	0	1	130	128	0	2	128	130
HANCOCK	440	403	402	0	1	37	37	0	0	237	203
HARRISON	2,754	1,863	1,854	0	9	891	890	0	1	1,415	1,339

TABLE 2 - PAGE 2
LIVE BIRTHS - MISSISSIPPI - 2010

COUNTY	TOTAL	WHITE				NONWHITE				SEX	
		TOTAL	HOSP. OR CLINIC	PHYS., OTHER PLACE	OTHER	TOTAL	HOSP. OR CLINIC	PHYS., OTHER PLACE	OTHER	MALE	FEMALE
HINDS	3,529	806	795	0	11	2,723	2,720	0	3	1,781	1,748
HOLMES	307	19	19	0	0	288	287	0	1	140	167
HUMPHREYS	153	15	15	0	0	138	138	0	0	80	73
ISSAQUENA	24	6	6	0	0	18	18	0	0	11	13
ITAWAMBA	242	235	235	0	0	7	7	0	0	132	110
JACKSON	1,702	1,247	1,244	0	3	455	453	0	2	886	816
JASPER	223	83	83	0	0	140	140	0	0	99	124
JEFFERSON	105	11	11	0	0	94	94	0	0	54	51
JEFF DAVIS	167	53	53	0	0	114	113	0	1	93	74
JONES	1015	627	627	0	0	388	387	0	1	519	496
KEMPER	92	27	27	0	0	65	65	0	0	45	47
LAFAYETTE	512	345	343	0	2	167	167	0	0	273	239
LAMAR	754	567	563	0	4	187	186	0	1	397	357
LAUDERDALE	1,070	509	507	0	2	561	561	0	0	556	514
LAWRENCE	175	108	107	0	1	67	67	0	0	104	71
LEAKE	338	179	179	0	0	159	159	0	0	165	173
LEE	1,206	774	773	1	0	432	432	0	0	616	590
LEFLORE	537	116	116	0	0	421	421	0	0	282	255
LINCOLN	471	273	273	0	0	198	198	0	0	251	220
LOWNDES	790	419	419	0	0	371	370	0	1	405	385
MADISON	1,200	621	620	0	1	579	578	0	1	601	599
MARION	370	222	221	0	1	148	148	0	0	183	187
MARSHALL	457	220	216	0	4	237	236	0	1	236	221
MONROE	405	262	262	0	0	143	143	0	0	194	211
MONTGOMERY	128	52	52	0	0	76	75	0	1	63	65
NESHOBA	435	193	193	0	0	242	241	0	1	216	219
NEWTON	295	169	169	0	0	126	126	0	0	136	159
NOXUBEE	157	40	40	0	0	117	117	0	0	87	70
OKTIBBEHA	546	279	276	0	3	267	267	0	0	288	258
PANOLA	529	222	222	0	0	307	305	0	2	265	264

TABLE 2 - PAGE 3
LIVE BIRTHS - MISSISSIPPI - 2010

COUNTY	TOTAL	WHITE				NONWHITE				SEX	
		TOTAL	HOSP. OR CLINIC	PHYS., OTHER PLACE	OTHER	TOTAL	HOSP. OR CLINIC	PHYS., OTHER PLACE	OTHER	MALE	FEMALE
PEARL RIVER	664	558	555	0	3	106	104	0	2	346	318
PERRY	141	100	100	0	0	41	41	0	0	71	70
PIKE	603	222	221	0	1	381	381	0	0	306	297
PONTOTOC	432	379	371	0	8	53	53	0	0	224	208
PRENTISS	347	296	296	0	0	51	51	0	0	183	164
QUITMAN	106	20	20	0	0	86	86	0	0	53	53
RANKIN	1,952	1,548	1,543	0	5	404	403	0	1	977	975
SCOTT	442	273	273	0	0	169	168	0	1	199	243
SHARKEY	75	11	11	0	0	64	64	0	0	39	36
SIMPSON	365	220	219	0	1	145	145	0	0	191	174
SMITH	225	143	142	0	1	82	82	0	0	110	115
STONE	217	180	180	0	0	37	37	0	0	120	97
SUNFLOWER	396	75	75	0	0	321	321	0	0	192	204
TALLAHATCHIE	201	47	47	0	0	154	154	0	0	105	96
TATE	365	227	223	0	4	138	136	0	2	186	179
TIPPAH	249	203	203	0	0	46	46	0	0	122	127
TISHOMINGO	184	182	182	0	0	2	2	0	0	114	70
TUNICA	202	30	30	0	0	172	172	0	0	114	88
UNION	341	275	274	0	1	66	66	0	0	173	168
WALTHALL	202	102	100	0	2	100	100	0	0	94	108
WARREN	629	269	267	0	2	360	359	0	1	302	327
WASHINGTON	829	153	153	0	0	676	676	0	0	416	413
WAYNE	315	161	161	0	0	154	154	0	0	162	153
WEBSTER	134	89	88	0	1	45	45	0	0	74	60
WILKINSON	124	23	23	0	0	101	100	0	1	65	59
WINSTON	213	72	71	0	1	141	141	0	0	106	107
YALOBUSHA	166	98	97	0	1	68	68	0	0	87	79
YAZOO	400	114	113	0	1	286	286	0	0	198	202

NOTE: "HOSP. OR CLINIC" INCLUDES DELIVERY BY PHYSICIAN, CNM, OR ANY OTHER NAMED PERSON. "OTHER" INCLUDES DELIVERY BY ANY PERSON OTHER THAN A PHYSICIAN, AT ANY PLACE OTHER THAN A HOSPITAL OR CLINIC.

**TABLE 3A
TOTAL LIVE BIRTHS, BY COUNTY OF RESIDENCE AND AGE OF MOTHER,
MISSISSIPPI, 2010**

COUNTY	TOTAL	AGE OF MOTHER								UN- KNOWN
		UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	
<u>STATE</u>	<u>39,984</u>	<u>111</u>	<u>6,074</u>	<u>12,850</u>	<u>11,377</u>	<u>6,508</u>	<u>2,520</u>	<u>507</u>	<u>32</u>	<u>5</u>
ADAMS	393	4	85	143	98	42	19	2	0	0
ALCORN	436	3	74	137	125	65	25	6	1	0
AMITE	125	0	15	50	29	18	10	3	0	0
ATTALA	282	1	52	102	62	46	16	2	1	0
BENTON	94	2	19	29	27	11	4	2	0	0
BOLIVAR	587	0	108	204	159	69	37	8	2	0
CALHOUN	193	1	26	76	42	30	12	6	0	0
CARROLL	98	0	16	41	20	12	9	0	0	0
CHICKASAW	277	2	58	120	64	24	8	1	0	0
CHOCTAW	112	0	17	34	33	18	9	1	0	0
CLAIBORNE	138	0	34	54	31	14	4	1	0	0
CLARKE	198	1	31	65	56	33	8	4	0	0
CLAY	243	1	33	68	79	43	16	3	0	0
COAHOMA	449	5	100	168	101	53	16	6	0	0
COPIAH	364	0	55	131	96	49	27	6	0	0
COVINGTON	281	1	49	108	73	32	12	6	0	0
DESOTO	2,030	2	192	488	671	458	191	25	3	0
FORREST	1,175	1	164	387	350	183	72	17	1	0
FRANKLIN	88	0	14	21	34	15	3	1	0	0
GEORGE	381	0	72	121	131	42	8	6	1	0
GREENE	135	0	25	51	33	18	7	1	0	0
GRENADA	258	3	57	87	54	44	11	2	0	0
HANCOCK	440	0	58	145	131	81	22	3	0	0
HARRISON	2,754	10	347	911	805	467	167	44	2	1
HINDS	3,529	16	527	1,133	978	590	228	56	1	0
HOLMES	307	2	52	109	77	40	26	1	0	0
HUMPHREYS	153	0	36	54	42	15	6	0	0	0
ISSAQUENA	24	0	2	7	6	6	3	0	0	0
ITAWAMBA	242	0	40	87	57	42	14	2	0	0
JACKSON	1,702	0	259	535	464	284	134	25	1	0
JASPER	223	2	33	84	57	30	15	1	1	0
JEFFERSON	105	0	18	43	27	13	3	1	0	0
JEFF DAVIS	167	0	28	67	41	21	8	2	0	0
JONES	1,015	5	180	323	315	122	60	9	0	1
KEMPER	92	1	13	30	25	14	8	1	0	0
LAFAYETTE	512	1	47	112	168	129	45	7	1	2
LAMAR	754	1	66	219	241	169	50	7	1	0
LAUDERDALE	1,070	2	176	330	323	168	60	10	1	0
LAWRENCE	175	0	27	55	57	22	11	3	0	0
LEAKE	338	1	64	108	92	54	17	2	0	0
LEE	1,206	1	194	333	336	231	93	16	2	0
LEFLORE	537	6	97	186	150	70	25	3	0	0

TABLE 3A - PAGE 2
TOTAL LIVE BIRTHS - MISSISSIPPI - 2010

COUNTY	TOTAL	AGE OF MOTHER								UN- KNOWN
		UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	
LINCOLN	471	0	80	150	148	63	23	5	1	1
LOWNDES	790	0	122	257	243	113	46	9	0	0
MADISON	1,200	0	90	272	389	310	118	18	3	0
MARION	370	2	66	135	111	39	15	2	0	0
MARSHALL	457	1	60	167	134	56	34	4	1	0
MONROE	405	1	53	144	111	64	28	3	1	0
MONTGOMERY	128	0	23	42	32	23	7	1	0	0
NESHOBA	435	2	75	155	121	54	22	5	1	0
NEWTON	295	3	48	101	84	46	12	1	0	0
NOXUBEE	157	0	27	51	43	26	9	1	0	0
OKTIBBEHA	546	0	49	146	165	133	43	10	0	0
PANOLA	529	1	108	177	120	79	36	8	0	0
PEARL RIVER	664	2	105	231	163	106	44	12	1	0
PERRY	141	0	23	58	38	17	5	0	0	0
PIKE	603	2	104	210	156	86	34	11	0	0
PONTOTOC	432	1	79	142	129	56	18	7	0	0
PRENTISS	347	1	66	115	89	50	20	6	0	0
QUITMAN	106	1	33	35	21	13	3	0	0	0
RANKIN	1,952	0	171	472	676	420	172	39	2	0
SCOTT	442	1	65	163	118	65	22	7	1	0
SHARKEY	75	0	13	24	19	15	4	0	0	0
SIMPSON	365	2	66	132	89	40	34	2	0	0
SMITH	225	1	30	71	62	37	19	5	0	0
STONE	217	1	38	75	54	34	11	4	0	0
SUNFLOWER	396	1	87	145	104	39	17	3	0	0
TALLAHATCHIE	201	1	45	85	48	16	4	2	0	0
TATE	365	0	49	129	112	53	18	4	0	0
TIPPAH	249	0	41	100	61	34	12	1	0	0
TISHOMINGO	184	1	28	64	47	29	12	3	0	0
TUNICA	202	2	39	73	54	27	7	0	0	0
UNION	341	0	56	117	92	50	22	4	0	0
WALTHALL	202	0	27	75	56	38	6	0	0	0
WARREN	629	1	111	173	184	115	37	7	1	0
WASHINGTON	829	6	182	327	170	105	34	5	0	0
WAYNE	315	0	59	117	86	40	9	4	0	0
WEBSTER	134	1	21	54	40	15	2	1	0	0
WILKINSON	124	0	24	38	36	19	4	3	0	0
WINSTON	213	0	29	81	62	26	12	3	0	0
YALOBUSHA	166	1	31	52	45	24	9	3	1	0
YAZOO	400	0	91	139	105	46	17	2	0	0

TABLE 3B
LIVE BIRTHS TO WHITE MOTHERS, BY COUNTY OF RESIDENCE AND AGE OF MOTHER,
MISSISSIPPI, 2010

COUNTY	TOTAL	AGE OF MOTHER								UN- KNOWN
		UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	
<u>STATE</u>	<u>21,696</u>	<u>27</u>	<u>2,552</u>	<u>6,175</u>	<u>6,860</u>	<u>4,160</u>	<u>1,588</u>	<u>309</u>	<u>20</u>	<u>5</u>
ADAMS	131	0	17	46	38	21	9	0	0	0
ALCORN	367	3	58	115	106	57	22	5	1	0
AMITE	64	0	5	21	14	13	9	2	0	0
ATTALA	130	0	20	40	34	25	9	1	1	0
BENTON	51	1	10	15	15	5	3	2	0	0
BOLIVAR	150	0	17	43	46	32	9	2	1	0
CALHOUN	128	0	14	48	32	21	9	4	0	0
CARROLL	55	0	7	19	12	11	6	0	0	0
CHICKASAW	143	2	34	49	41	13	3	1	0	0
CHOCTAW	65	0	9	15	21	12	7	1	0	0
CLAIBORNE	5	0	0	1	2	2	0	0	0	0
CLARKE	130	1	22	42	36	23	4	2	0	0
CLAY	74	0	6	18	26	15	7	2	0	0
COAHOMA	83	0	8	22	22	22	4	5	0	0
COPIAH	153	0	17	51	51	17	15	2	0	0
COVINGTON	167	1	21	61	52	19	10	3	0	0
DESOTO	1,494	2	127	368	505	331	147	13	1	0
FORREST	645	0	68	173	220	124	49	10	1	0
FRANKLIN	49	0	7	7	20	11	3	1	0	0
GEORGE	336	0	61	106	117	38	8	6	0	0
GREENE	113	0	22	44	25	16	6	0	0	0
GRENADA	128	0	20	44	31	24	7	2	0	0
HANCOCK	403	0	52	130	119	78	22	2	0	0
HARRISON	1,863	3	201	562	587	349	129	30	1	1
HINDS	806	1	53	165	269	221	78	19	0	0
HOLMES	19	0	0	6	6	6	1	0	0	0
HUMPHREYS	15	0	3	2	2	5	3	0	0	0
ISSAQUENA	6	0	0	1	3	1	1	0	0	0
ITAWAMBA	235	0	38	85	55	41	14	2	0	0
JACKSON	1,247	0	178	363	364	219	101	21	1	0
JASPER	83	0	8	26	27	14	7	0	1	0
JEFFERSON	11	0	1	5	3	2	0	0	0	0
JEFF DAVIS	53	0	7	20	16	7	2	1	0	0
JONES	627	2	95	176	219	83	45	6	0	1
KEMPER	27	0	1	12	7	6	1	0	0	0
LAFAYETTE	345	1	21	63	118	100	34	5	1	2
LAMAR	567	1	43	147	189	138	42	6	1	0
LAUDERDALE	509	0	46	146	170	107	35	4	1	0
LAWRENCE	108	0	14	36	37	12	6	3	0	0
LEAKE	179	0	23	53	58	32	11	2	0	0
LEE	774	0	95	191	226	176	70	14	2	0
LEFLORE	116	0	8	25	43	28	12	0	0	0

TABLE 3B - PAGE 2
LIVE BIRTHS TO WHITE MOTHERS - MISSISSIPPI - 2010

COUNTY	TOTAL	AGE OF MOTHER								UN- KNOWN
		UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	
LINCOLN	273	0	30	92	94	42	12	2	0	1
LOWNDES	419	0	36	114	162	79	26	2	0	0
MADISON	621	0	22	79	242	192	74	9	3	0
MARION	222	1	34	86	71	21	9	0	0	0
MARSHALL	220	0	30	76	58	30	24	1	1	0
MONROE	262	0	24	95	74	46	21	2	0	0
MONTGOMERY	52	0	8	15	13	13	3	0	0	0
NESHOBA	193	0	34	61	63	25	9	1	0	0
NEWTON	169	0	23	51	56	28	10	1	0	0
NOXUBEE	40	0	2	7	14	15	2	0	0	0
OKTIBBEHA	279	0	10	54	99	77	32	7	0	0
PANOLA	222	0	31	67	62	42	13	7	0	0
PEARL RIVER	558	1	79	197	143	87	40	10	1	0
PERRY	100	0	22	39	25	11	3	0	0	0
PIKE	222	0	30	71	61	40	14	6	0	0
PONTOTOC	379	1	73	120	117	47	15	6	0	0
PRENTISS	296	1	55	93	81	42	18	6	0	0
QUITMAN	20	0	5	5	5	4	1	0	0	0
RANKIN	1,548	0	134	352	552	342	130	36	2	0
SCOTT	273	1	34	96	85	44	11	2	0	0
SHARKEY	11	0	1	3	4	1	2	0	0	0
SIMPSON	220	1	37	75	58	29	18	2	0	0
SMITH	143	0	19	40	38	28	13	5	0	0
STONE	180	1	30	63	43	30	10	3	0	0
SUNFLOWER	75	0	10	18	29	11	7	0	0	0
TALLAHATCHIE	47	0	5	20	13	8	1	0	0	0
TATE	227	0	27	69	78	38	11	4	0	0
TIPPAH	203	0	34	78	49	30	11	1	0	0
TISHOMINGO	182	1	28	64	47	27	12	3	0	0
TUNICA	30	0	3	5	10	9	3	0	0	0
UNION	275	0	43	87	81	41	21	2	0	0
WALTHALL	102	0	11	31	32	23	5	0	0	0
WARREN	269	0	40	55	90	65	16	3	0	0
WASHINGTON	153	0	15	51	46	30	8	3	0	0
WAYNE	161	0	29	62	44	20	5	1	0	0
WEBSTER	89	1	15	30	31	10	2	0	0	0
WILKINSON	23	0	3	4	9	6	1	0	0	0
WINSTON	72	0	5	21	29	13	1	3	0	0
YALOBUSHA	98	0	11	31	31	18	6	1	0	0
YAZOO	114	0	13	36	37	19	8	1	0	0

TABLE 3C
LIVE BIRTHS TO NONWHITE MOTHERS, BY COUNTY OF RESIDENCE AND AGE OF MOTHER,
MISSISSIPPI, 2010

COUNTY	TOTAL	AGE OF MOTHER								UN- KNOWN
		UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	
<u>STATE</u>	<u>18,288</u>	<u>84</u>	<u>3,522</u>	<u>6,675</u>	<u>4,517</u>	<u>2,348</u>	<u>932</u>	<u>198</u>	<u>12</u>	<u>0</u>
ADAMS	262	4	68	97	60	21	10	2	0	0
ALCORN	69	0	16	22	19	8	3	1	0	0
AMITE	61	0	10	29	15	5	1	1	0	0
ATTALA	152	1	32	62	28	21	7	1	0	0
BENTON	43	1	9	14	12	6	1	0	0	0
BOLIVAR	437	0	91	161	113	37	28	6	1	0
CALHOUN	65	1	12	28	10	9	3	2	0	0
CARROLL	43	0	9	22	8	1	3	0	0	0
CHICKASAW	134	0	24	71	23	11	5	0	0	0
CHOCTAW	47	0	8	19	12	6	2	0	0	0
CLAIBORNE	133	0	34	53	29	12	4	1	0	0
CLARKE	68	0	9	23	20	10	4	2	0	0
CLAY	169	1	27	50	53	28	9	1	0	0
COAHOMA	366	5	92	146	79	31	12	1	0	0
COPIAH	211	0	38	80	45	32	12	4	0	0
COVINGTON	114	0	28	47	21	13	2	3	0	0
DESOTO	536	0	65	120	166	127	44	12	2	0
FORREST	530	1	96	214	130	59	23	7	0	0
FRANKLIN	39	0	7	14	14	4	0	0	0	0
GEORGE	45	0	11	15	14	4	0	0	1	0
GREENE	22	0	3	7	8	2	1	1	0	0
GRENADA	130	3	37	43	23	20	4	0	0	0
HANCOCK	37	0	6	15	12	3	0	1	0	0
HARRISON	891	7	146	349	218	118	38	14	1	0
HINDS	2,723	15	474	968	709	369	150	37	1	0
HOLMES	288	2	52	103	71	34	25	1	0	0
HUMPHREYS	138	0	33	52	40	10	3	0	0	0
ISSAQUENA	18	0	2	6	3	5	2	0	0	0
ITAWAMBA	7	0	2	2	2	1	0	0	0	0
JACKSON	455	0	81	172	100	65	33	4	0	0
JASPER	140	2	25	58	30	16	8	1	0	0
JEFFERSON	94	0	17	38	24	11	3	1	0	0
JEFF DAVIS	114	0	21	47	25	14	6	1	0	0
JONES	388	3	85	147	96	39	15	3	0	0
KEMPER	65	1	12	18	18	8	7	1	0	0
LAFAYETTE	167	0	26	49	50	29	11	2	0	0
LAMAR	187	0	23	72	52	31	8	1	0	0
LAUDERDALE	561	2	130	184	153	61	25	6	0	0
LAWRENCE	67	0	13	19	20	10	5	0	0	0
LEAKE	159	1	41	55	34	22	6	0	0	0
LEE	432	1	99	142	110	55	23	2	0	0
LEFLORE	421	6	89	161	107	42	13	3	0	0

TABLE 3C - PAGE 2
LIVE BIRTHS TO NONWHITE MOTHERS - MISSISSIPPI - 2010

COUNTY	TOTAL	AGE OF MOTHER								UN- KNOWN
		UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	
LINCOLN	198	0	50	58	54	21	11	3	1	0
LOWNDES	371	0	86	143	81	34	20	7	0	0
MADISON	579	0	68	193	147	118	44	9	0	0
MARION	148	1	32	49	40	18	6	2	0	0
MARSHALL	237	1	30	91	76	26	10	3	0	0
MONROE	143	1	29	49	37	18	7	1	1	0
MONTGOMERY	76	0	15	27	19	10	4	1	0	0
NESHOBA	242	2	41	94	58	29	13	4	1	0
NEWTON	126	3	25	50	28	18	2	0	0	0
NOXUBEE	117	0	25	44	29	11	7	1	0	0
OKTIBBEHA	267	0	39	92	66	56	11	3	0	0
PANOLA	307	1	77	110	58	37	23	1	0	0
PEARL RIVER	106	1	26	34	20	19	4	2	0	0
PERRY	41	0	1	19	13	6	2	0	0	0
PIKE	381	2	74	139	95	46	20	5	0	0
PONTOTOC	53	0	6	22	12	9	3	1	0	0
PRENTISS	51	0	11	22	8	8	2	0	0	0
QUITMAN	86	1	28	30	16	9	2	0	0	0
RANKIN	404	0	37	120	124	78	42	3	0	0
SCOTT	169	0	31	67	33	21	11	5	1	0
SHARKEY	64	0	12	21	15	14	2	0	0	0
SIMPSON	145	1	29	57	31	11	16	0	0	0
SMITH	82	1	11	31	24	9	6	0	0	0
STONE	37	0	8	12	11	4	1	1	0	0
SUNFLOWER	321	1	77	127	75	28	10	3	0	0
TALLAHATCHIE	154	1	40	65	35	8	3	2	0	0
TATE	138	0	22	60	34	15	7	0	0	0
TIPPAH	46	0	7	22	12	4	1	0	0	0
TISHOMINGO	2	0	0	0	0	2	0	0	0	0
TUNICA	172	2	36	68	44	18	4	0	0	0
UNION	66	0	13	30	11	9	1	2	0	0
WALTHALL	100	0	16	44	24	15	1	0	0	0
WARREN	360	1	71	118	94	50	21	4	1	0
WASHINGTON	676	6	167	276	124	75	26	2	0	0
WAYNE	154	0	30	55	42	20	4	3	0	0
WEBSTER	45	0	6	24	9	5	0	1	0	0
WILKINSON	101	0	21	34	27	13	3	3	0	0
WINSTON	141	0	24	60	33	13	11	0	0	0
YALOBUSHA	68	1	20	21	14	6	3	2	1	0
YAZOO	286	0	78	103	68	27	9	1	0	0

TABLE 4
LIVE BIRTHS TO UNMARRIED MOTHERS AND PERCENT OF TOTAL LIVE BIRTHS,
BY COUNTY OF RESIDENCE AND RACE OF MOTHER,
MISSISSIPPI, 2010

COUNTY	NUMBER			PERCENT		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>STATE</u>	<u>21,874</u>	<u>7,304</u>	<u>14,570</u>	<u>54.7</u>	<u>33.7</u>	<u>79.7</u>
ADAMS	278	46	232	70.7	35.1	88.6
ALCORN	185	128	57	42.4	34.9	82.6
AMITE	66	14	52	52.8	21.9	85.2
ATTALA	167	40	127	59.2	30.8	83.6
BENTON	59	24	35	62.8	47.0	81.4
BOLIVAR	406	46	360	69.2	30.7	82.4
CALHOUN	110	55	55	57.0	43.0	84.6
CARROLL	55	15	40	56.1	27.3	93.0
CHICKASAW	172	61	111	62.1	42.6	82.8
CHOCTAW	61	19	42	54.5	29.2	89.4
CLAIBORNE	121	2	119	87.7	40.0	89.5
CLARKE	97	42	55	49.0	32.3	80.9
CLAY	162	26	136	66.7	35.1	80.5
COAHOMA	354	29	325	78.8	34.9	88.8
COPIAH	227	51	176	62.4	33.3	83.4
COVINGTON	158	66	92	56.2	39.5	80.7
DESOTO	740	451	289	36.4	30.2	53.9
FORREST	653	221	432	55.6	34.3	81.5
FRANKLIN	42	9	33	47.7	18.4	84.6
GEORGE	154	118	36	40.4	35.1	80.0
GREENE	53	40	13	39.2	35.4	59.1
GRENADA	163	56	107	63.2	43.8	82.3
HANCOCK	208	181	27	47.3	44.9	73.0
HARRISON	1,378	740	638	50.0	39.7	71.6
HINDS	2,390	231	2,159	67.7	28.7	79.3
HOLMES	253	5	248	82.4	26.3	86.1
HUMPHREYS	134	6	128	87.6	40.0	92.8
ISSAQUENA	17	1	16	70.8	16.7	88.9
ITAWAMBA	88	83	5	36.4	35.3	71.4
JACKSON	861	518	343	50.6	41.5	75.4
JASPER	147	32	115	65.9	38.6	82.1
JEFFERSON	88	5	83	83.8	45.4	88.3
JEFF DAVIS	118	22	96	70.6	41.5	84.2
JONES	570	241	329	56.2	38.4	84.8
KEMPER	59	4	55	64.1	14.8	84.6
LAFAYETTE	172	63	109	33.6	18.3	65.3
LAMAR	262	140	122	34.7	24.7	65.2
LAUDERDALE	627	159	468	58.6	31.2	83.4
LAWRENCE	80	26	54	45.7	24.1	80.6
LEAKE	203	80	123	60.0	44.7	77.4
LEE	561	225	336	46.5	29.1	77.8
LEFLORE	404	31	373	75.2	26.7	88.6

TABLE 4 - PAGE 2
LIVE BIRTHS TO UNMARRIED MOTHERS - MISSISSIPPI - 2010

COUNTY	NUMBER			PERCENT		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
LINCOLN	225	70	155	47.8	25.6	78.3
LOWNDES	385	95	290	48.7	22.7	78.2
MADISON	504	120	384	42.0	19.3	66.3
MARION	197	80	117	53.2	36.0	79.0
MARSHALL	279	90	189	61.0	40.9	79.7
MONROE	201	85	116	49.6	32.4	81.1
MONTGOMERY	80	14	66	62.5	26.9	86.8
NESHOPA	276	76	200	63.4	39.4	82.6
NEWTON	164	57	107	55.6	33.7	84.9
NOXUBEE	109	6	103	69.4	15.0	88.0
OKTIBBEHA	242	48	194	44.3	17.2	72.6
PANOLA	328	72	256	62.0	32.4	83.4
PEARL RIVER	308	223	85	46.4	40.0	80.2
PERRY	72	44	28	51.1	44.0	68.3
PIKE	367	85	282	60.9	38.3	74.0
PONTOTOC	193	153	40	44.7	40.4	75.5
PRENTISS	160	114	46	46.1	38.5	90.2
QUITMAN	90	13	77	84.9	65.0	89.5
RANKIN	681	436	245	34.9	28.2	60.6
SCOTT	291	148	143	65.8	54.2	84.6
SHARKEY	57	4	53	76.0	36.4	82.8
SIMPSON	185	73	112	50.7	33.2	77.2
SMITH	102	37	65	45.3	25.9	79.3
STONE	95	65	30	43.8	36.1	81.1
SUNFLOWER	309	27	282	78.0	36.0	87.8
TALLAHATCHIE	170	25	145	84.6	53.2	94.2
TATE	195	81	114	53.4	35.7	82.6
TIPPAH	112	78	34	45.0	38.4	73.9
TISHOMINGO	54	54	0	29.3	29.7	-
TUNICA	163	8	155	80.7	26.7	90.1
UNION	147	103	44	43.1	37.4	66.7
WALTHALL	94	25	69	46.5	24.5	69.0
WARREN	400	102	298	63.6	37.9	82.8
WASHINGTON	667	54	613	80.4	35.3	90.7
WAYNE	179	55	124	56.8	34.2	80.5
WEBSTER	60	24	36	44.8	27.0	80.0
WILKINSON	86	4	82	69.4	17.4	81.2
WINSTON	152	29	123	71.4	40.3	87.2
YALOBUSHA	94	34	60	56.6	34.7	88.2
YAZOO	298	41	257	74.5	36.0	89.9

TABLE 5A
TOTAL LIVE BIRTHS TO UNMARRIED MOTHERS,
BY COUNTY OF RESIDENCE AND AGE OF MOTHER,
MISSISSIPPI, 2010

COUNTY	TOTAL	AGE OF MOTHER								UN- KNOWN
		UNDER 15	15-19	20-24	25-29	30-24	35-39	40-44	45-49	
<u>STATE</u>	<u>21,874</u>	<u>111</u>	<u>5,462</u>	<u>8,967</u>	<u>4,664</u>	<u>1,844</u>	<u>678</u>	<u>138</u>	<u>8</u>	<u>2</u>
ADAMS	278	4	81	116	56	13	7	1	0	0
ALCORN	185	3	54	71	41	13	3	0	0	0
AMITE	66	0	14	32	13	5	2	0	0	0
ATTALA	167	1	47	72	26	20	1	0	0	0
BENTON	59	2	17	25	10	2	3	0	0	0
BOLIVAR	406	0	105	167	89	24	17	4	0	0
CALHOUN	110	1	22	50	18	13	2	4	0	0
CARROLL	55	0	16	28	10	0	1	0	0	0
CHICKASAW	172	2	53	85	20	10	2	0	0	0
CHOCTAW	61	0	16	23	14	5	3	0	0	0
CLAIBORNE	121	0	34	51	25	8	2	1	0	0
CLARKE	97	1	27	34	20	10	3	2	0	0
CLAY	162	1	31	54	49	21	5	1	0	0
COAHOMA	354	5	98	150	69	24	6	2	0	0
COPIAH	227	0	50	94	46	28	7	2	0	0
COVINGTON	158	1	47	68	28	10	3	1	0	0
DESOTO	740	2	171	287	157	91	28	2	2	0
FORREST	653	1	145	274	147	58	22	6	0	0
FRANKLIN	42	0	11	14	14	3	0	0	0	0
GEORGE	154	0	52	55	35	10	0	2	0	0
GREENE	53	0	22	18	9	3	1	0	0	0
GRENADA	163	3	54	72	19	12	3	0	0	0
HANCOCK	208	0	51	84	53	14	5	1	0	0
HARRISON	1,378	10	297	581	309	124	43	14	0	0
HINDS	2,390	16	514	980	556	230	81	13	0	0
HOLMES	253	2	52	102	54	26	17	0	0	0
HUMPHREYS	134	0	36	52	36	8	2	0	0	0
ISSAQUENA	17	0	2	6	3	5	1	0	0	0
ITAWAMBA	88	0	34	34	13	4	3	0	0	0
JACKSON	861	0	230	334	179	67	42	8	1	0
JASPER	147	2	32	68	28	12	5	0	0	0
JEFFERSON	88	0	18	39	21	7	3	0	0	0
JEFF DAVIS	118	0	26	51	25	14	1	1	0	0
JONES	570	5	163	206	129	44	20	2	0	1
KEMPER	59	1	13	21	14	4	5	1	0	0
LAFAYETTE	172	1	41	74	40	9	5	2	0	0
LAMAR	262	1	53	115	58	27	7	1	0	0
LAUDERDALE	627	2	164	225	155	55	23	3	0	0
LAWRENCE	80	0	24	29	18	5	4	0	0	0
LEAKE	203	1	54	81	37	21	7	2	0	0
LEE	561	1	169	212	108	46	23	2	0	0
LEFLORE	404	6	96	162	99	31	8	2	0	0

TABLE 5A - PAGE 2
TOTAL LIVE BIRTHS TO UNMARRIED MOTHERS - MISSISSIPPI - 2010

COUNTY	TOTAL	AGE OF MOTHER								UN- KNOWN
		UNDER 15	15-19	20-24	25-29	30-24	35-39	40-44	45-49	
LINCOLN	225	0	68	86	49	13	6	1	1	1
LOWNDES	385	0	109	165	71	20	15	5	0	0
MADISON	504	0	85	219	130	53	13	4	0	0
MARION	197	2	55	81	37	15	7	0	0	0
MARSHALL	279	1	54	123	68	19	13	1	0	0
MONROE	201	1	44	88	48	13	5	1	1	0
MONTGOMERY	80	0	19	30	17	10	4	0	0	0
NESHOBA	276	2	66	112	54	28	10	3	1	0
NEWTON	164	3	39	69	31	18	3	1	0	0
NOXUBEE	109	0	26	45	21	11	5	1	0	0
OKTIBBEHA	242	0	46	100	54	31	9	2	0	0
PANOLA	328	1	99	128	59	28	11	2	0	0
PEARL RIVER	308	2	90	130	54	23	5	4	0	0
PERRY	72	0	18	33	16	3	2	0	0	0
PIKE	367	2	95	154	77	24	11	4	0	0
PONTOTOC	193	1	60	83	37	9	2	1	0	0
PRENTISS	160	1	54	56	26	17	4	2	0	0
QUITMAN	90	1	33	35	13	7	1	0	0	0
RANKIN	681	0	145	287	160	56	29	3	1	0
SCOTT	291	1	59	125	67	29	7	2	1	0
SHARKEY	57	0	13	22	12	8	2	0	0	0
SIMPSON	185	2	59	77	28	11	8	0	0	0
SMITH	102	1	23	42	24	8	3	1	0	0
STONE	95	1	33	35	16	8	1	1	0	0
SUNFLOWER	309	1	84	130	61	20	10	3	0	0
TALLAHATCHIE	170	1	45	78	33	8	3	2	0	0
TATE	195	0	44	87	46	17	1	0	0	0
TIPPAH	112	0	32	51	19	8	2	0	0	0
TISHOMINGO	54	1	18	22	10	2	1	0	0	0
TUNICA	163	2	38	68	41	12	2	0	0	0
UNION	147	0	42	65	26	11	2	1	0	0
WALTHALL	94	0	24	51	14	5	0	0	0	0
WARREN	400	1	103	139	98	43	12	4	0	0
WASHINGTON	667	6	177	295	114	54	21	0	0	0
WAYNE	179	0	46	78	34	16	4	1	0	0
WEBSTER	60	1	17	27	9	6	0	0	0	0
WILKINSON	86	0	22	33	21	6	1	3	0	0
WINSTON	152	0	29	72	34	9	6	2	0	0
YALOBUSHA	94	1	25	35	19	8	4	2	0	0
YAZOO	298	0	88	115	66	21	7	1	0	0

TABLE 5B
LIVE BIRTHS TO UNMARRIED WHITE MOTHERS,
BY COUNTY OF RESIDENCE AND AGE OF MOTHER,
MISSISSIPPI, 2010

COUNTY	TOTAL	AGE OF MOTHER								UN- KNOWN
		UNDER 15	15-19	20-24	25-29	30-24	35-39	40-44	45-49	
<u>STATE</u>	<u>7,304</u>	<u>27</u>	<u>1,980</u>	<u>2,867</u>	<u>1,503</u>	<u>615</u>	<u>252</u>	<u>55</u>	<u>3</u>	<u>2</u>
ADAMS	46	0	13	23	6	3	1	0	0	0
ALCORN	128	3	38	51	26	8	2	0	0	0
AMITE	14	0	4	5	2	2	1	0	0	0
ATTALA	40	0	15	13	5	7	0	0	0	0
BENTON	24	1	8	11	2	0	2	0	0	0
BOLIVAR	46	0	14	15	8	7	1	1	0	0
CALHOUN	55	0	10	22	10	8	2	3	0	0
CARROLL	15	0	7	6	2	0	0	0	0	0
CHICKASAW	61	2	29	21	5	4	0	0	0	0
CHOCTAW	19	0	8	5	4	1	1	0	0	0
CLAIBORNE	2	0	0	1	1	0	0	0	0	0
CLARKE	42	1	18	13	5	4	1	0	0	0
CLAY	26	0	5	7	8	5	1	0	0	0
COAHOMA	29	0	6	15	4	1	1	2	0	0
COPIAH	51	0	12	21	13	4	1	0	0	0
COVINGTON	66	1	19	26	14	5	1	0	0	0
DESOTO	451	2	106	190	83	54	15	0	1	0
FORREST	221	0	50	83	53	20	14	1	0	0
FRANKLIN	9	0	4	1	4	0	0	0	0	0
GEORGE	118	0	42	41	26	7	0	2	0	0
GREENE	40	0	19	15	5	1	0	0	0	0
GRENADA	56	0	17	31	3	3	2	0	0	0
HANCOCK	181	0	45	71	45	14	5	1	0	0
HARRISON	740	3	157	296	176	69	31	8	0	0
HINDS	231	1	46	78	64	32	10	0	0	0
HOLMES	5	0	0	4	1	0	0	0	0	0
HUMPHREYS	6	0	3	1	1	0	1	0	0	0
ISSAQUENA	1	0	0	1	0	0	0	0	0	0
ITAWAMBA	83	0	32	33	11	4	3	0	0	0
JACKSON	518	0	150	177	110	42	31	7	1	0
JASPER	32	0	7	14	8	2	1	0	0	0
JEFFERSON	5	0	1	2	2	0	0	0	0	0
JEFF DAVIS	22	0	5	7	4	5	0	1	0	0
JONES	241	2	78	77	50	20	12	1	0	1
KEMPER	4	0	1	3	0	0	0	0	0	0
LAFAYETTE	63	1	16	30	12	2	1	1	0	0
LAMAR	140	1	30	56	33	15	5	0	0	0
LAUDERDALE	159	0	36	62	36	20	4	1	0	0
LAWRENCE	26	0	11	11	4	0	0	0	0	0
LEAKE	80	0	16	33	17	9	3	2	0	0
LEE	225	0	71	89	33	21	10	1	0	0
LEFLORE	31	0	7	11	8	3	2	0	0	0

TABLE 5B - PAGE 2
LIVE BIRTHS TO UNMARRIED WHITE MOTHERS - MISSISSIPPI - 2010

COUNTY	TOTAL	AGE OF MOTHER								UN- KNOWN
		UNDER 15	15-19	20-24	25-29	30-24	35-39	40-44	45-49	
LINCOLN	70	0	19	31	14	4	1	0	0	1
LOWNDES	95	0	26	44	18	3	2	2	0	0
MADISON	120	0	17	42	38	18	5	0	0	0
MARION	80	1	23	36	13	3	4	0	0	0
MARSHALL	90	0	24	39	14	5	8	0	0	0
MONROE	85	0	16	42	18	5	3	1	0	0
MONTGOMERY	14	0	4	4	2	3	1	0	0	0
NESHOBA	76	0	26	32	9	6	3	0	0	0
NEWTON	57	0	15	24	9	6	2	1	0	0
NOXUBEE	6	0	1	1	0	4	0	0	0	0
OKTIBBEHA	48	0	8	17	13	7	3	0	0	0
PANOLA	72	0	22	28	13	6	1	2	0	0
PEARL RIVER	223	1	64	101	39	10	4	4	0	0
PERRY	44	0	17	18	7	1	1	0	0	0
PIKE	85	0	23	37	17	4	3	1	0	0
PONTOTOC	153	1	54	62	29	5	1	1	0	0
PRENTISS	114	1	43	36	18	11	3	2	0	0
QUITMAN	13	0	5	5	2	1	0	0	0	0
RANKIN	436	0	110	176	97	29	20	3	1	0
SCOTT	148	1	28	61	41	15	2	0	0	0
SHARKEY	4	0	1	2	0	0	1	0	0	0
SIMPSON	73	1	30	26	11	4	1	0	0	0
SMITH	37	0	12	12	8	4	0	1	0	0
STONE	65	1	25	24	9	5	1	0	0	0
SUNFLOWER	27	0	7	9	6	2	3	0	0	0
TALLAHATCHIE	25	0	5	14	4	2	0	0	0	0
TATE	81	0	22	30	19	9	1	0	0	0
TIPPAH	78	0	25	31	15	5	2	0	0	0
TISHOMINGO	54	1	18	22	10	2	1	0	0	0
TUNICA	8	0	2	3	3	0	0	0	0	0
UNION	103	0	30	40	23	8	2	0	0	0
WALTHALL	25	0	8	12	4	1	0	0	0	0
WARREN	102	0	32	28	24	13	3	2	0	0
WASHINGTON	54	0	10	27	14	2	1	0	0	0
WAYNE	55	0	17	26	9	1	2	0	0	0
WEBSTER	24	1	11	8	3	1	0	0	0	0
WILKINSON	4	0	2	1	1	0	0	0	0	0
WINSTON	29	0	5	13	6	2	1	2	0	0
YALOBUSHA	34	0	6	15	7	4	1	1	0	0
YAZOO	41	0	11	16	12	2	0	0	0	0

**TABLE 5C
LIVE BIRTHS TO UNMARRIED NONWHITE MOTHERS,
BY COUNTY OF RESIDENCE AND AGE OF MOTHER,
MISSISSIPPI, 2010**

COUNTY	TOTAL	AGE OF MOTHER								UN- KNOWN
		UNDER 15	15-19	20-24	25-29	30-24	35-39	40-44	45-49	
<u>STATE</u>	<u>14,570</u>	<u>84</u>	<u>3,482</u>	<u>6,100</u>	<u>3,161</u>	<u>1,229</u>	<u>426</u>	<u>83</u>	<u>5</u>	<u>0</u>
ADAMS	232	4	68	93	50	10	6	1	0	0
ALCORN	57	0	16	20	15	5	1	0	0	0
AMITE	52	0	10	27	11	3	1	0	0	0
ATTALA	127	1	32	59	21	13	1	0	0	0
BENTON	35	1	9	14	8	2	1	0	0	0
BOLIVAR	360	0	91	152	81	17	16	3	0	0
CALHOUN	55	1	12	28	8	5	0	1	0	0
CARROLL	40	0	9	22	8	0	1	0	0	0
CHICKASAW	111	0	24	64	15	6	2	0	0	0
CHOCTAW	42	0	8	18	10	4	2	0	0	0
CLAIBORNE	119	0	34	50	24	8	2	1	0	0
CLARKE	55	0	9	21	15	6	2	2	0	0
CLAY	136	1	26	47	41	16	4	1	0	0
COAHOMA	325	5	92	135	65	23	5	0	0	0
COPIAH	176	0	38	73	33	24	6	2	0	0
COVINGTON	92	0	28	42	14	5	2	1	0	0
DESOTO	289	0	65	97	74	37	13	2	1	0
FORREST	432	1	95	191	94	38	8	5	0	0
FRANKLIN	33	0	7	13	10	3	0	0	0	0
GEORGE	36	0	10	14	9	3	0	0	0	0
GREENE	13	0	3	3	4	2	1	0	0	0
GRENADA	107	3	37	41	16	9	1	0	0	0
HANCOCK	27	0	6	13	8	0	0	0	0	0
HARRISON	638	7	140	285	133	55	12	6	0	0
HINDS	2,159	15	468	902	492	198	71	13	0	0
HOLMES	248	2	52	98	53	26	17	0	0	0
HUMPHREYS	128	0	33	51	35	8	1	0	0	0
ISSAQUENA	16	0	2	5	3	5	1	0	0	0
ITAWAMBA	5	0	2	1	2	0	0	0	0	0
JACKSON	343	0	80	157	69	25	11	1	0	0
JASPER	115	2	25	54	20	10	4	0	0	0
JEFFERSON	83	0	17	37	19	7	3	0	0	0
JEFF DAVIS	96	0	21	44	21	9	1	0	0	0
JONES	329	3	85	129	79	24	8	1	0	0
KEMPER	55	1	12	18	14	4	5	1	0	0
LAFAYETTE	109	0	25	44	28	7	4	1	0	0
LAMAR	122	0	23	59	25	12	2	1	0	0
LAUDERDALE	468	2	128	163	119	35	19	2	0	0
LAWRENCE	54	0	13	18	14	5	4	0	0	0
LEAKE	123	1	38	48	20	12	4	0	0	0
LEE	336	1	98	123	75	25	13	1	0	0
LEFLORE	373	6	89	151	91	28	6	2	0	0

TABLE 5C - PAGE 2
LIVE BIRTHS TO UNMARRIED NONWHITE MOTHERS - MISSISSIPPI - 2010

COUNTY	TOTAL	AGE OF MOTHER								UN- KNOWN
		UNDER 15	15-19	20-24	25-29	30-24	35-39	40-44	45-49	
LINCOLN	155	0	49	55	35	9	5	1	1	0
LOWNDES	290	0	83	121	53	17	13	3	0	0
MADISON	384	0	68	177	92	35	8	4	0	0
MARION	117	1	32	45	24	12	3	0	0	0
MARSHALL	189	1	30	84	54	14	5	1	0	0
MONROE	116	1	28	46	30	8	2	0	1	0
MONTGOMERY	66	0	15	26	15	7	3	0	0	0
NESHOBA	200	2	40	80	45	22	7	3	1	0
NEWTON	107	3	24	45	22	12	1	0	0	0
NOXUBEE	103	0	25	44	21	7	5	1	0	0
OKTIBBEHA	194	0	38	83	41	24	6	2	0	0
PANOLA	256	1	77	100	46	22	10	0	0	0
PEARL RIVER	85	1	26	29	15	13	1	0	0	0
PERRY	28	0	1	15	9	2	1	0	0	0
PIKE	282	2	72	117	60	20	8	3	0	0
PONTOTOC	40	0	6	21	8	4	1	0	0	0
PRENTISS	46	0	11	20	8	6	1	0	0	0
QUITMAN	77	1	28	30	11	6	1	0	0	0
RANKIN	245	0	35	111	63	27	9	0	0	0
SCOTT	143	0	31	64	26	14	5	2	1	0
SHARKEY	53	0	12	20	12	8	1	0	0	0
SIMPSON	112	1	29	51	17	7	7	0	0	0
SMITH	65	1	11	30	16	4	3	0	0	0
STONE	30	0	8	11	7	3	0	1	0	0
SUNFLOWER	282	1	77	121	55	18	7	3	0	0
TALLAHATCHIE	145	1	40	64	29	6	3	2	0	0
TATE	114	0	22	57	27	8	0	0	0	0
TIPPAH	34	0	7	20	4	3	0	0	0	0
TISHOMINGO	0	0	0	0	0	0	0	0	0	0
TUNICA	155	2	36	65	38	12	2	0	0	0
UNION	44	0	12	25	3	3	0	1	0	0
WALTHALL	69	0	16	39	10	4	0	0	0	0
WARREN	298	1	71	111	74	30	9	2	0	0
WASHINGTON	613	6	167	268	100	52	20	0	0	0
WAYNE	124	0	29	52	25	15	2	1	0	0
WEBSTER	36	0	6	19	6	5	0	0	0	0
WILKINSON	82	0	20	32	20	6	1	3	0	0
WINSTON	123	0	24	59	28	7	5	0	0	0
YALOBUSHA	60	1	19	20	12	4	3	1	0	0
YAZOO	257	0	77	99	54	19	7	1	0	0

TABLE 6A
LIVE BIRTHS WEIGHING LESS THAN 2,500 GRAMS AT BIRTH
AND PERCENT OF TOTAL LIVE BIRTHS,
BY COUNTY OF RESIDENCE AND RACE OF MOTHER,
MISSISSIPPI, 2010

COUNTY	NUMBER			PERCENT		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>STATE</u>	<u>4,847</u>	<u>1,828</u>	<u>3,019</u>	<u>12.1</u>	<u>8.4</u>	<u>16.5</u>
ADAMS	41	9	32	10.4	6.9	12.2
ALCORN	42	32	10	9.6	8.7	14.5
AMITE	14	4	10	11.2	6.2	16.4
ATTALA	33	12	21	11.7	9.2	13.8
BENTON	9	2	7	9.6	3.9	16.3
BOLIVAR	82	11	71	14.0	7.3	16.2
CALHOUN	24	6	18	12.4	4.7	27.7
CARROLL	14	7	7	14.3	12.7	16.3
CHICKASAW	32	16	16	11.6	11.2	11.9
CHOCTAW	28	10	18	25.0	15.4	38.3
CLAIBORNE	29	1	28	21.0	20.0	21.0
CLARKE	34	18	16	17.2	13.8	23.5
CLAY	29	4	25	11.9	5.4	14.8
COAHOMA	99	9	90	22.0	10.8	24.6
COPIAH	58	14	44	15.9	9.2	20.8
COVINGTON	39	21	18	13.9	12.6	15.8
DESOTO	150	87	63	7.4	5.8	11.8
FORREST	147	55	92	12.5	8.5	17.4
FRANKLIN	10	3	7	11.4	6.1	17.9
GEORGE	41	31	10	10.8	9.2	22.2
GREENE	8	3	5	5.9	2.6	22.7
GRENADA	31	8	23	12.0	6.2	17.7
HANCOCK	37	33	4	8.4	8.2	10.8
HARRISON	301	162	139	10.9	8.7	15.6
HINDS	556	58	498	15.8	7.2	18.3
HOLMES	49	4	45	16.0	21.0	15.6
HUMPHREYS	27	3	24	17.6	20.0	17.4
ISSAQUENA	1	0	1	4.2	-	5.6
ITAWAMBA	25	24	1	10.3	10.2	14.3
JACKSON	162	112	50	9.5	9.0	11.0
JASPER	26	5	21	11.6	6.0	15.0
JEFFERSON	15	2	13	14.3	18.2	13.8
JEFF DAVIS	29	7	22	17.4	13.2	19.3
JONES	120	49	71	11.8	7.8	18.3
KEMPER	13	0	13	14.1	-	20.0
LAFAYETTE	45	26	19	8.8	7.5	11.4
LAMAR	64	38	26	8.5	6.7	13.9
LAUDERDALE	168	50	118	15.7	9.8	21.0
LAWRENCE	21	11	10	12.0	10.2	14.9
LEAKE	38	24	14	11.2	13.4	8.8
LEE	133	58	75	11.0	7.5	17.4
LEFLORE	68	12	56	12.7	10.3	13.3

TABLE 6A - PAGE 2
LIVE BIRTHS LESS THAN 2,500 GRAMS - MISSISSIPPI - 2010

COUNTY	NUMBER			PERCENT		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
LINCOLN	67	28	39	14.2	10.2	19.7
LOWNDES	77	29	48	9.7	6.9	12.9
MADISON	145	48	97	12.1	7.7	16.8
MARION	51	26	25	13.8	11.7	16.9
MARSHALL	43	15	28	9.4	6.8	11.8
MONROE	53	26	27	13.1	9.9	18.9
MONTGOMERY	12	1	11	9.4	1.9	14.5
NESHOBA	57	15	42	13.1	7.8	17.4
NEWTON	38	18	20	12.9	10.6	15.9
NOXUBEE	24	4	20	15.3	10.0	17.1
OKTIBBEHA	52	16	36	9.5	5.7	13.5
PANOLA	68	22	46	12.8	9.9	15.0
PEARL RIVER	45	34	11	6.8	6.1	10.4
PERRY	10	3	7	7.1	3.0	17.1
PIKE	100	28	72	16.6	12.6	18.9
PONTOTOC	47	36	11	10.9	9.5	20.8
PRENTISS	35	29	6	10.1	9.8	11.8
QUITMAN	15	3	12	14.2	15.0	14.0
RANKIN	229	158	71	11.7	10.2	17.6
SCOTT	50	21	29	11.3	7.7	17.2
SHARKEY	8	1	7	10.7	9.1	10.9
SIMPSON	48	21	27	13.2	9.5	18.6
SMITH	30	11	19	13.3	7.7	23.2
STONE	17	8	9	7.8	4.4	24.3
SUNFLOWER	58	3	55	14.6	4.0	17.1
TALLAHATCHIE	27	5	22	13.4	10.6	14.3
TATE	31	14	17	8.5	6.2	12.3
TIPPAH	32	23	9	12.8	11.3	19.6
TISHOMINGO	19	18	1	10.3	9.9	50.0
TUNICA	32	3	29	15.8	10.0	16.9
UNION	47	33	14	13.8	12.0	21.2
WALTHALL	23	7	16	11.4	6.9	16.0
WARREN	56	16	40	8.9	5.9	11.1
WASHINGTON	121	14	107	14.6	9.2	15.8
WAYNE	52	22	30	16.5	13.7	19.5
WEBSTER	17	7	10	12.7	7.9	22.2
WILKINSON	20	2	18	16.1	8.7	17.8
WINSTON	29	7	22	13.6	9.7	15.6
YALOBUSHA	9	3	6	5.4	3.1	8.8
YAZOO	61	9	52	15.2	7.9	18.2

TABLE 6B
LIVE BIRTHS WEIGHING LESS THAN 1,500 GRAMS AT BIRTH
AND PERCENT OF TOTAL LIVE BIRTHS,
BY COUNTY OF RESIDENCE AND RACE OF MOTHER,
MISSISSIPPI, 2010

COUNTY	NUMBER			PERCENT		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>STATE</u>	<u>849</u>	<u>280</u>	<u>569</u>	<u>2.1</u>	<u>1.3</u>	<u>3.1</u>
ADAMS	9	3	6	2.3	2.3	2.3
ALCORN	1	1	0	0.2	0.3	-
AMITE	3	0	3	2.4	-	4.9
ATTALA	5	1	4	1.8	0.8	2.6
BENTON	3	1	2	3.2	2.0	4.6
BOLIVAR	12	3	9	2.0	2.0	2.0
CALHOUN	4	1	3	2.1	0.8	4.6
CARROLL	2	0	2	2.0	-	4.6
CHICKASAW	8	3	5	2.9	2.1	3.7
CHOCTAW	9	2	7	8.0	3.1	14.9
CLAIBORNE	3	0	3	2.2	-	2.2
CLARKE	4	0	4	2.0	-	5.9
CLAY	3	1	2	1.2	1.4	1.2
COAHOMA	11	0	11	2.4	-	3.0
COPIAH	10	2	8	2.7	1.3	3.8
COVINGTON	10	3	7	3.6	1.8	6.1
DESOTO	26	11	15	1.3	0.7	2.8
FORREST	29	10	19	2.5	1.6	3.6
FRANKLIN	0	0	0	-	-	-
GEORGE	6	3	3	1.6	0.9	6.7
GREENE	2	0	2	1.5	-	9.1
GRENADA	3	0	3	1.2	-	2.3
HANCOCK	8	7	1	1.8	1.7	2.7
HARRISON	54	18	36	2.0	1.0	4.0
HINDS	101	8	93	2.9	1.0	3.4
HOLMES	12	0	12	3.9	-	4.2
HUMPHREYS	3	0	3	2.0	-	2.2
ISSAQUENA	0	0	0	-	-	-
ITAWAMBA	4	3	1	1.6	1.3	14.3
JACKSON	28	18	10	1.6	1.4	2.2
JASPER	6	1	5	2.7	1.2	3.6
JEFFERSON	4	0	4	3.8	-	4.2
JEFF DAVIS	1	0	1	0.6	-	0.9
JONES	23	12	11	2.3	1.9	2.8
KEMPER	2	0	2	2.2	-	3.1
LAFAYETTE	12	4	8	2.3	1.2	4.8
LAMAR	14	10	4	1.8	1.8	2.1
LAUDERDALE	21	5	16	2.0	1.0	2.8
LAWRENCE	7	4	3	4.0	3.7	4.5
LEAKE	4	0	4	1.2	-	2.5
LEE	25	14	11	2.1	1.8	2.5
LEFLORE	10	1	9	1.9	0.9	2.1

TABLE 6B - PAGE 2
LIVE BIRTHS LESS THAN 1,500 GRAMS - MISSISSIPPI - 2010

COUNTY	NUMBER			PERCENT		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
LINCOLN	18	6	12	3.8	2.2	6.1
LOWNDES	12	4	8	1.5	1.0	2.2
MADISON	24	10	14	2.0	1.6	2.4
MARION	12	6	6	3.2	2.7	4.0
MARSHALL	9	5	4	2.0	2.3	1.7
MONROE	9	6	3	2.2	2.3	2.1
MONTGOMERY	4	0	4	3.1	-	5.3
NESHOBA	12	1	11	2.8	0.5	4.5
NEWTON	5	2	3	1.7	1.2	2.4
NOXUBEE	9	2	7	5.7	5.0	6.0
OKTIBBEHA	6	1	5	1.1	0.4	1.9
PANOLA	13	1	12	2.4	0.4	3.9
PEARL RIVER	7	6	1	1.0	1.1	0.9
PERRY	2	0	2	1.4	-	4.9
PIKE	26	3	23	4.3	1.4	6.0
PONTOTOC	8	7	1	1.8	1.8	1.9
PRENTISS	3	3	0	0.9	1.0	-
QUITMAN	2	1	1	1.9	5.0	1.2
RANKIN	36	27	9	1.8	1.7	2.2
SCOTT	10	5	5	2.3	1.8	3.0
SHARKEY	4	0	4	5.3	-	6.2
SIMPSON	10	3	7	2.7	1.4	4.8
SMITH	2	0	2	0.9	-	2.4
STONE	2	1	1	0.9	0.6	2.7
SUNFLOWER	11	1	10	2.8	1.3	3.1
TALLAHATCHIE	4	1	3	2.0	2.1	1.9
TATE	2	1	1	0.5	0.4	0.7
TIPPAH	2	2	0	0.8	1.0	-
TISHOMINGO	4	4	0	2.2	2.2	-
TUNICA	6	0	6	3.0	-	3.5
UNION	7	3	4	2.0	1.1	6.1
WALTHALL	4	0	4	2.0	-	4.0
WARREN	3	1	2	0.5	0.4	0.6
WASHINGTON	19	4	15	2.3	2.6	2.2
WAYNE	6	2	4	1.9	1.2	2.6
WEBSTER	3	2	1	2.2	2.2	2.2
WILKINSON	7	1	6	5.6	4.3	5.9
WINSTON	10	5	5	4.7	6.9	3.5
YALOBUSHA	3	1	2	1.8	1.0	2.9
YAZOO	11	2	9	2.8	1.8	3.1

TABLE 7
PREMATURE* LIVE BIRTHS AND PERCENT OF TOTAL LIVE BIRTHS,
BY COUNTY OF RESIDENCE AND RACE OF MOTHER,
MISSISSIPPI, 2010

COUNTY	NUMBER			PERCENT		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>STATE</u>	<u>6,802</u>	<u>2,947</u>	<u>3,855</u>	<u>17.0</u>	<u>13.6</u>	<u>21.1</u>
ADAMS	67	23	44	17.0	17.6	16.8
ALCORN	71	58	13	16.3	15.8	18.8
AMITE	17	8	9	13.6	12.5	14.8
ATTALA	49	14	35	17.4	10.8	23.0
BENTON	14	8	6	14.9	15.7	14.0
BOLIVAR	145	20	125	24.7	13.3	28.6
CALHOUN	35	18	17	18.1	14.1	26.2
CARROLL	20	13	7	20.4	23.6	16.3
CHICKASAW	47	24	23	17.0	16.8	17.2
CHOCTAW	29	13	16	25.9	20.0	34.0
CLAIBORNE	28	1	27	20.3	20.0	20.3
CLARKE	38	18	20	19.2	13.8	29.4
CLAY	51	9	42	21.0	12.2	24.8
COAHOMA	157	16	141	35.0	19.3	38.5
COPIAH	73	19	54	20.0	12.4	25.6
COVINGTON	37	18	19	13.2	10.8	16.7
DESOTO	192	113	79	9.4	7.6	14.7
FORREST	199	97	102	16.9	15.0	19.2
FRANKLIN	10	4	6	11.4	8.2	15.4
GEORGE	52	43	9	13.6	12.8	20.0
GREENE	17	11	6	12.6	9.7	27.3
GRENADA	43	13	30	16.7	10.2	23.1
HANCOCK	57	52	5	13.0	12.9	13.5
HARRISON	418	239	179	15.2	12.8	20.1
HINDS	727	133	594	20.6	16.5	21.8
HOLMES	62	5	57	20.2	26.3	19.8
HUMPHREYS	30	3	27	19.6	20.0	19.6
ISSAQUENA	1	1	0	4.2	16.7	-
ITAWAMBA	30	29	1	12.4	12.3	14.3
JACKSON	241	176	65	14.2	14.1	14.3
JASPER	28	6	22	12.6	7.2	15.7
JEFFERSON	21	2	19	20.0	18.2	20.2
JEFF DAVIS	34	5	29	20.4	9.4	25.4
JONES	167	77	90	16.4	12.3	23.2
KEMPER	13	4	9	14.1	14.8	13.8
LAFAYETTE	54	34	20	10.5	9.8	12.0
LAMAR	99	63	36	13.1	11.1	19.2
LAUDERDALE	215	75	140	20.1	14.7	25.0
LAWRENCE	34	18	16	19.4	16.7	23.9
LEAKE	67	44	23	19.8	24.6	14.5
LEE	206	111	95	17.1	14.3	22.0
LEFLORE	77	15	62	14.3	12.9	14.7

TABLE 7 - PAGE 2
 PREMATURE LIVE BIRTHS - MISSISSIPPI - 2010

COUNTY	NUMBER			PERCENT		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
LINCOLN	96	50	46	20.4	18.3	23.2
LOWNDES	127	53	74	16.1	12.6	19.9
MADISON	208	93	115	17.3	15.0	19.9
MARION	68	40	28	18.4	18.0	18.9
MARSHALL	53	22	31	11.6	10.0	13.1
MONROE	72	38	34	17.8	14.5	23.8
MONTGOMERY	21	8	13	16.4	15.4	17.1
NESHOBA	80	25	55	18.4	13.0	22.7
NEWTON	56	30	26	19.0	17.8	20.6
NOXUBEE	27	5	22	17.2	12.5	18.8
OKTIBBEHA	81	29	52	14.8	10.4	19.5
PANOLA	93	21	72	17.6	9.4	23.4
PEARL RIVER	88	69	19	13.2	12.4	17.9
PERRY	16	9	7	11.3	9.0	17.1
PIKE	115	31	84	19.1	14.0	22.0
PONTOTOC	53	40	13	12.3	10.6	24.5
PRENTISS	60	51	9	17.3	17.2	17.6
QUITMAN	37	4	33	34.9	20.0	38.4
RANKIN	354	276	78	18.1	17.8	19.3
SCOTT	68	30	38	15.4	11.0	22.5
SHARKEY	12	1	11	16.0	9.1	17.2
SIMPSON	79	39	40	21.6	17.7	27.6
SMITH	36	16	20	16.0	11.2	24.4
STONE	21	11	10	9.7	6.1	27.0
SUNFLOWER	82	12	70	20.7	16.0	21.8
TALLAHATCHIE	58	9	49	28.8	19.1	31.8
TATE	35	15	20	9.6	6.6	14.5
TIPPAH	33	28	5	13.2	13.8	10.9
TISHOMINGO	39	39	0	21.2	21.4	-
TUNICA	41	2	39	20.3	6.7	22.7
UNION	52	37	15	15.2	13.4	22.7
WALTHALL	38	13	25	18.8	12.7	25.0
WARREN	114	37	77	18.1	13.8	21.4
WASHINGTON	150	21	129	18.1	13.7	19.1
WAYNE	63	25	38	20.0	15.5	24.7
WEBSTER	30	17	13	22.4	19.1	28.9
WILKINSON	26	3	23	21.0	13.0	22.8
WINSTON	41	12	29	19.2	16.7	20.6
YALOBUSHA	23	13	10	13.8	13.3	14.7
YAZOO	84	20	64	21.0	17.5	22.4

* GESTATION LESS THAN 37 WEEKS.

TABLE 8
REPORTABLE * FETAL DEATHS, BY COUNTY OF OCCURRENCE AND RACE OF MOTHER,
ALSO REPORTABLE* FETAL DEATHS AND FETAL DEATH RATIOS,
BY COUNTY OF RESIDENCE AND RACE OF MOTHER,
MISSISSIPPI, 2010

COUNTY	OCCURRENCE DATA			RESIDENCE DATA					
	NUMBER			NUMBER			RATIO**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>STATE</u>	<u>418</u>	<u>143</u>	<u>275</u>	<u>417</u>	<u>144</u>	<u>273</u>	<u>10.4</u>	<u>6.6</u>	<u>14.9</u>
ADAMS	14	2	12	5	0	5	12.7	-	19.1
ALCORN	9	6	3	7	5	2	16.0	13.6	29.0
AMITE	0	0	0	2	0	2	16.0	-	32.8
ATTALA	0	0	0	4	1	3	14.2	7.7	19.7
BENTON	0	0	0	0	0	0	-	-	-
BOLIVAR	7	0	7	8	1	7	13.6	6.7	16.0
CALHOUN	0	0	0	1	1	0	5.2	7.8	-
CARROLL	0	0	0	0	0	0	-	-	-
CHICKASAW	0	0	0	3	1	2	10.8	7.0	14.9
CHOCTAW	0	0	0	2	0	2	17.8	-	42.6
CLAIBORNE	0	0	0	1	0	1	7.2	-	7.5
CLARKE	0	0	0	0	0	0	-	-	-
CLAY	4	2	2	3	1	2	12.3	13.5	11.8
COAHOMA	4	0	4	3	0	3	6.7	-	8.2
COPIAH	0	0	0	6	2	4	16.5	13.1	19.0
COVINGTON	0	0	0	5	3	2	17.8	18.0	17.5
DESOTO	18	5	13	8	5	3	3.9	3.3	5.6
FORREST	25	17	8	13	5	8	11.1	7.8	15.1
FRANKLIN	0	0	0	2	0	2	22.7	-	51.3
GEORGE	0	0	0	1	1	0	2.6	3.0	-
GREENE	0	0	0	2	2	0	14.8	17.7	-
GRENADA	2	0	2	2	1	1	7.8	7.8	7.7
HANCOCK	0	0	0	0	0	0	-	-	-
HARRISON	26	18	8	24	15	9	8.7	8.0	10.1
HINDS	110	26	84	48	9	39	13.6	11.2	14.3
HOLMES	1	0	1	6	0	6	19.5	-	20.8
HUMPHREYS	0	0	0	2	0	2	13.1	-	14.5
ISSAQUENA	0	0	0	0	0	0	-	-	-
ITAWAMBA	0	0	0	4	4	0	16.5	17.0	-
JACKSON	12	7	5	13	7	6	7.6	5.6	13.2
JASPER	0	0	0	2	0	2	9.0	-	14.3
JEFFERSON	0	0	0	4	0	4	38.1	-	42.6
JEFF DAVIS	0	0	0	2	1	1	12.0	18.9	8.8
JONES	11	2	9	12	5	7	11.8	8.0	18.0
KEMPER	0	0	0	1	0	1	10.9	-	15.4
LAFAYETTE	11	5	6	4	1	3	7.8	2.9	18.0
LAMAR	10	6	4	4	3	1	5.3	5.3	5.3
LAUDERDALE	21	5	16	13	4	9	12.2	7.8	16.0
LAWRENCE	1	0	1	3	0	3	17.1	-	44.8
LEAKE	1	0	1	3	1	2	8.9	5.6	12.6
LEE	16	12	4	6	3	3	5.0	3.9	6.9
LEFLORE	11	1	10	10	2	8	18.6	17.2	19.0

TABLE 8 - PAGE 2
 FETAL DEATHS - MISSISSIPPI - 2010

COUNTY	OCCURRENCE DATA			RESIDENCE DATA					
	NUMBER			NUMBER			RATIO**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
LINCOLN	3	1	2	3	2	1	6.4	7.3	5.0
LOWNDES	8	0	8	10	2	8	12.6	4.8	21.6
MADISON	7	0	7	17	1	16	14.2	1.6	27.6
MARION	0	0	0	3	2	1	8.1	9.0	6.8
MARSHALL	0	0	0	4	1	3	8.8	4.5	12.6
MONROE	5	3	2	3	2	1	7.4	7.6	7.0
MONTGOMERY	0	0	0	1	0	1	7.8	-	13.2
NESHOBA	0	0	0	2	1	1	4.6	5.2	4.1
NEWTON	0	0	0	5	1	4	16.9	5.9	31.7
NOXUBEE	0	0	0	2	0	2	12.7	-	17.1
OKTIBBEHA	8	2	6	6	2	4	11.0	7.2	15.0
PANOLA	4	2	2	9	4	5	17.0	18.0	16.3
PEARL RIVER	3	3	0	6	6	0	9.0	10.8	-
PERRY	0	0	0	2	1	1	14.2	10.0	24.4
PIKE	6	1	5	8	1	7	13.3	4.5	18.4
PONTOTOC	0	0	0	5	4	1	11.6	10.6	18.9
PRENTISS	0	0	0	3	2	1	8.6	6.8	19.6
QUITMAN	1	0	1	2	0	2	18.9	-	23.2
RANKIN	24	9	15	14	7	7	7.2	4.5	17.3
SCOTT	0	0	0	7	2	5	15.8	7.3	29.6
SHARKEY	0	0	0	0	0	0	-	-	-
SIMPSON	0	0	0	2	2	0	5.5	9.1	-
SMITH	0	0	0	3	1	2	13.3	7.0	24.4
STONE	0	0	0	1	1	0	4.6	5.6	-
SUNFLOWER	2	1	1	4	0	4	10.1	-	12.5
TALLAHATCHIE	0	0	0	0	0	0	-	-	-
TATE	0	0	0	4	2	2	11.0	8.8	14.5
TIPPAH	0	0	0	1	1	0	4.0	4.9	-
TISHOMINGO	0	0	0	0	0	0	-	-	-
TUNICA	0	0	0	4	0	4	19.8	-	23.2
UNION	3	2	1	1	1	0	2.9	3.6	-
WALTHALL	0	0	0	2	0	2	9.9	-	20.0
WARREN	12	4	8	9	5	4	14.3	18.6	11.1
WASHINGTON	15	0	15	17	1	16	20.5	6.5	23.7
WAYNE	3	1	2	4	2	2	12.7	12.4	13.0
WEBSTER	0	0	0	0	0	0	-	-	-
WILKINSON	0	0	0	4	0	4	32.2	-	39.6
WINSTON	0	0	0	3	1	2	14.1	13.9	14.2
YALOBUSHA	0	0	0	3	1	2	18.1	10.2	29.4
YAZOO	0	0	0	4	1	3	10.0	8.8	10.5
OUT OF STATE	6	3	3	7	2	5			

* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

** REPORTABLE FETAL DEATHS PER 1,000 LIVE BIRTHS.

TABLE 9
DEATHS, BY PLACE OF OCCURRENCE AND RACE,
ALSO DEATHS AND RATES, BY PLACE OF RESIDENCE AND RACE,
(PLACE INCLUDES COUNTIES, OUT OF STATE, TOWNS OF 10,000 OR MORE),
MISSISSIPPI, 2010

COUNTY	OCCURRENCE DATA			RESIDENCE DATA					
	NUMBER			NUMBER			RATE*		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>STATE</u>	<u>28,302</u>	<u>19,202</u>	<u>9,100</u>	<u>28,950</u>	<u>19,730</u>	<u>9,220</u>	<u>9.8</u>	<u>11.2</u>	<u>7.6</u>
ADAMS	402	193	209	409	192	217	12.7	13.9	11.7
ALCORN	470	427	43	450	401	49	12.1	12.7	9.1
AMITE	61	43	18	115	74	41	8.8	9.8	7.4
ATTALA	225	159	66	291	200	91	14.9	18.2	10.6
BENTON	53	36	17	101	62	39	11.6	11.7	11.3
BOLIVAR	343	143	200	436	182	254	12.8	15.9	11.2
CALHOUN	106	77	29	176	135	41	11.8	13.4	8.4
CARROLL	40	29	11	94	54	40	8.9	7.8	11.0
CHICKASAW	110	83	27	182	119	63	10.5	12.7	7.9
CHOCTAW	49	36	13	98	70	28	11.5	12.0	10.4
CLAIBORNE	70	27	43	96	31	65	10.0	22.7	7.9
CLARKE	112	69	43	197	130	67	11.8	12.1	11.2
CLAY	171	95	76	214	112	102	10.4	13.4	8.3
COAHOMA	256	78	178	274	95	179	10.5	15.9	8.9
COPIAH	205	129	76	317	192	125	10.8	14.1	7.9
COVINGTON	149	115	34	228	181	47	11.6	14.7	6.5
DESOTO	1,072	854	218	1,129	969	160	7.0	8.3	3.6
FORREST	1,121	819	302	713	493	220	9.5	11.0	7.3
FRANKLIN	78	59	19	88	67	21	10.8	12.7	7.3
GEORGE	177	168	9	251	240	11	11.1	11.8	4.8
GREENE	75	62	13	118	100	18	8.2	9.6	4.5
GRENADA	207	128	79	228	137	91	10.4	11.0	9.6
HANCOCK	305	283	22	418	390	28	9.5	10.0	5.5
HARRISON	1,770	1,419	351	1,608	1,286	322	8.6	9.9	5.7
HINDS	3,726	1,912	1,814	1,938	827	1,111	7.9	11.8	6.3
HOLMES	115	36	79	197	53	144	10.3	17.7	8.9
HUMPHREYS	56	24	32	99	34	65	10.6	15.4	9.1
ISSAQUENA	4	2	2	13	5	8	9.2	10.3	8.7
ITAWAMBA	161	150	11	283	272	11	12.1	12.6	6.2
JACKSON	1,236	1,020	216	1,251	1,028	223	9.0	10.2	5.7
JASPER	108	75	33	180	109	71	10.6	13.8	7.7
JEFFERSON	43	8	35	77	11	66	10.0	10.4	9.9
JEFF DAVIS	86	41	45	142	71	71	11.4	14.7	9.3
JONES	559	422	137	640	500	140	9.4	11.0	6.3
KEMPER	50	23	27	104	51	53	9.9	13.8	7.8
LAFAYETTE	578	433	145	372	283	89	7.8	8.3	6.6
LAMAR	466	385	81	383	343	40	6.9	8.0	3.2
LAUDERDALE	1,327	853	474	866	587	279	10.8	13.4	7.7
LAWRENCE	110	82	28	163	122	41	12.6	14.1	9.5
LEAKE	221	137	84	242	150	92	10.2	12.7	7.6
LEE	1,558	1,242	316	861	704	157	10.4	12.2	6.2
LEFLORE	456	159	297	336	137	199	10.4	17.0	8.2

TABLE 9 - PAGE 2
DEATHS - MISSISSIPPI - 2010

COUNTY	OCCURRENCE DATA			RESIDENCE DATA					
	NUMBER			NUMBER			RATE*		
	TOTAL	WHITE	NON WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
LINCOLN	307	229	78	405	309	96	11.6	12.9	8.7
LOWNDES	540	325	215	523	301	222	8.7	9.3	8.1
MADISON	948	656	292	1,006	661	345	10.6	12.2	8.4
MARION	275	201	74	352	252	100	13.0	14.1	10.8
MARSHALL	250	154	96	388	229	159	10.4	12.3	8.6
MONROE	306	218	88	391	275	116	10.6	11.0	9.7
MONTGOMERY	98	57	41	159	85	74	14.6	14.7	14.4
NESHOBA	214	146	68	312	224	88	10.5	12.5	7.5
NEWTON	145	94	51	238	157	81	11.0	11.4	10.1
NOXUBEE	82	33	49	126	50	76	10.9	16.0	9.0
OKTIBBEHA	257	129	128	261	134	127	5.5	4.7	6.5
PANOLA	239	158	81	348	226	122	10.0	13.2	7.0
PEARL RIVER	402	356	46	586	517	69	10.5	11.0	7.7
PERRY	94	83	11	149	118	31	12.2	12.3	11.6
PIKE	528	308	220	500	292	208	12.4	15.6	9.6
PONTOTOC	157	144	13	258	238	20	8.6	9.9	3.3
PRENTISS	226	209	17	304	272	32	12.0	12.8	8.1
QUITMAN	85	41	44	114	54	60	13.9	22.7	10.3
RANKIN	735	589	146	1,039	860	179	7.3	7.8	5.6
SCOTT	186	129	57	306	197	109	10.8	13.1	8.2
SHARKEY	54	29	25	59	30	29	12.0	21.9	8.2
SIMPSON	238	184	54	309	230	79	11.2	13.3	7.7
SMITH	89	67	22	156	118	38	9.5	9.4	9.5
STONE	105	89	16	170	147	23	9.6	10.5	6.0
SUNFLOWER	235	108	127	330	145	185	11.2	19.4	8.4
TALLAHATCHIE	89	55	34	146	77	69	9.5	12.8	7.3
TATE	176	132	44	274	207	67	9.5	10.7	7.0
TIPPAH	207	176	31	273	233	40	12.3	13.1	9.0
TISHOMINGO	196	188	8	259	250	9	13.2	13.5	8.3
TUNICA	62	34	28	116	53	63	10.8	20.8	7.7
UNION	231	200	31	289	250	39	10.6	11.4	7.6
WALTHALL	133	87	46	189	114	75	12.2	13.8	10.4
WARREN	528	293	235	507	295	212	10.4	12.0	8.8
WASHINGTON	567	229	338	602	247	355	11.8	17.9	9.5
WAYNE	189	132	57	216	146	70	10.4	11.9	8.3
WEBSTER	124	99	25	150	119	31	14.6	14.8	14.2
WILKINSON	102	39	63	130	46	84	13.2	16.2	11.9
WINSTON	162	96	66	213	118	95	11.1	11.8	10.3
YALOBUSHA	89	74	15	164	122	42	12.9	15.9	8.4
YAZOO	165	97	68	255	133	122	9.1	11.9	7.2
OUT OF STATE	1,522	1,122	400	874	594	280			

* DEATHS PER 1,000 POPULATION.

TABLE 9 - PAGE 3
DEATHS - MISSISSIPPI - 2010

TOWN**	NUMBER			RATE*		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
BILOXI	330	269	61	7.5	8.9	4.4
BRANDON	286	251	35	13.2	14.3	8.3
BROOKHAVEN	199	129	70	15.9	23.5	10.0
BYRAM	54	39	15	4.7	7.4	2.4
CANTON	126	38	88	9.6	14.8	8.3
CLARKSDALE	193	65	128	10.7	18.6	8.8
CLEVELAND	213	108	105	17.3	18.4	16.2
CLINTON	207	152	55	8.2	10.0	5.5
COLUMBUS	290	148	142	12.3	16.7	9.6
CORINTH	249	208	41	17.1	20.0	9.8
GAUTIER	111	88	23	6.0	7.8	3.2
GREENVILLE	416	154	262	12.1	22.1	9.5
GREENWOOD	178	78	100	11.7	16.7	9.5
GRENADA	172	96	76	13.1	16.4	10.5
GULFPORT	705	496	209	10.4	12.9	7.1
HATTIESBURG	495	295	200	10.8	15.3	7.5
HERNANDO	98	83	15	7.0	7.2	5.8
HORN LAKE	159	137	22	6.1	8.9	2.0
INDIANOLA	121	46	75	11.3	23.0	8.6
JACKSON	1,384	453	931	8.0	14.2	6.6
LAUREL	230	136	94	12.4	22.6	7.5
LONG BEACH	123	115	8	8.3	9.1	3.7
MADISON	171	159	12	7.1	7.7	3.4
MCCOMB	234	123	111	18.3	30.8	12.6
MERIDIAN	517	304	213	12.6	20.7	8.0
MOSS POINT	202	92	110	14.7	28.0	10.6
NATCHEZ	265	126	139	16.8	20.2	14.6
OCEAN SPRINGS	269	244	25	15.4	16.4	9.8
OLIVE BRANCH	253	218	35	7.6	9.1	3.7
OXFORD	219	182	37	11.6	13.3	7.0
PASCAGOULA	224	172	52	10.0	13.1	5.6
PEARL	196	163	33	7.8	9.3	4.4
PETAL	90	78	12	8.6	8.7	8.2
PICAYUNE	152	107	45	14.0	16.6	10.2
RIDGELAND	507	386	121	21.1	27.0	12.4
SOUTHAVEN	341	296	45	7.0	8.5	3.2
STARKVILLE	148	79	69	6.2	5.5	7.2
TUPELO	436	350	86	12.6	17.2	6.0
VICKSBURG	327	155	172	13.7	20.8	10.5
WEST POINT	140	81	59	12.4	19.1	8.4
YAZOO CITY	147	54	93	12.9	29.2	9.7

* DEATHS PER 1,000 POPULATION.

** TOWNS OF 10,000 POPULATION OR MORE.

TABLE 10A
DEATHS, BY CAUSE AND RACE,
(CAUSE GROUPINGS BASED ON NCHS LIST OF 358 SELECTED CAUSES)
MISSISSIPPI RESIDENTS, 2010

GROUP NUMBER*	CAUSE OF DEATH	TOTAL	WHITE	NON-WHITE
<u>001-358</u>	<u>ALL CAUSES</u>	<u>28,950</u>	<u>19,730</u>	<u>9,220</u>
<u>001-055</u>	<u>CERTAIN INFECTIOUS AND PARASITIC DISEASES</u>	<u>848</u>	<u>468</u>	<u>380</u>
<u>001-008</u>	<u>Intestinal infectious diseases</u>	<u>51</u>	<u>36</u>	<u>15</u>
<u>002-007</u>	<u>Other intestinal infectious diseases</u>	<u>23</u>	<u>19</u>	<u>4</u>
006	Amebiasis	1	0	1
007	Intestinal infections due to other specified organisms	22	19	3
008	Diarrhea and gastroenteritis of presumed infectious origin	28	17	11
<u>009-010</u>	<u>Tuberculosis</u>	<u>8</u>	<u>0</u>	<u>8</u>
009	Respiratory tuberculosis	7	0	7
010	Other tuberculosis	1	0	1
<u>011-019</u>	<u>Zoonotic and other bacterial diseases</u>	<u>575</u>	<u>352</u>	<u>223</u>
017	Meningococcal infection	1	1	0
018	Septicemia	554	338	216
019	Other zoonotic and bacterial diseases	20	13	7
<u>025-027</u>	<u>Other infections caused by spirochetes, chlamydia or rickettsia</u>	<u>1</u>	<u>1</u>	<u>0</u>
027	All other infections caused by spirochetes, chlamydia or rickettsia	1	1	0
<u>028-044</u>	<u>Viral diseases</u>	<u>180</u>	<u>60</u>	<u>120</u>
038	Viral hepatitis	52	36	16
<u>039-043</u>	<u>Human immunodeficiency virus [HIV] disease</u>	<u>118</u>	<u>17</u>	<u>101</u>
039	Human immunodeficiency virus (HIV) disease resulting in infectious and parasitic diseases	35	7	28
040	Human immunodeficiency virus (HIV) disease resulting in malignant neoplasms	8	1	7
041	Human immunodeficiency virus (HIV) disease resulting in other specified diseases	9	2	7
042	Human immunodeficiency virus (HIV) disease resulting in other conditions	28	2	26
043	Unspecified human immunodeficiency virus (HIV) disease	38	5	33
044	All other and unspecified viral diseases	10	7	3
<u>045-055</u>	<u>Other and unspecified infectious and parasitic diseases and their sequelae</u>	<u>33</u>	<u>19</u>	<u>14</u>
045	Mycoses	17	9	8
054	Sequelae of poliomyelitis	1	1	0
055	All other and unspecified infectious and parasitic diseases and their sequelae	15	9	6
<u>056-115</u>	<u>NEOPLASMS</u>	<u>6,374</u>	<u>4,328</u>	<u>2,046</u>
<u>056-108</u>	<u>Malignant neoplasms</u>	<u>6,264</u>	<u>4,240</u>	<u>2,024</u>
<u>056-059</u>	<u>Malignant neoplasms of lip, oral cavity and pharynx</u>	<u>101</u>	<u>63</u>	<u>38</u>
057	Malignant neoplasms of tongue	15	9	6
058	Malignant neoplasms of pharynx	65	38	27
059	Malignant neoplasms of other and unspecified sites within the lip, oral cavity and pharynx	21	16	5

Table 10A - Page 2
Deaths - Mississippi - 2010

GROUP NUMBER*	CAUSE OF DEATH	TOTAL	WHITE	NON-WHITE
<u>060-070</u>	<u>Malignant neoplasms of digestive organs</u>	<u>1,553</u>	<u>1,004</u>	<u>549</u>
060	Malignant neoplasms of esophagus	138	89	49
061	Malignant neoplasms of stomach	126	77	49
062	Malignant neoplasms of small intestine	3	2	1
063	Malignant neoplasms of colon	519	321	198
064	Malignant neoplasms of rectosigmoid junction and rectum	109	75	34
065	Malignant neoplasms of anus and anal canal	4	2	2
066	Malignant neoplasms of liver	207	141	66
067	Intrahepatic bile duct carcinoma	25	17	8
068	Malignant neoplasms of gallbladder and extrahepatic bile ducts	33	19	14
069	Malignant neoplasms of pancreas	376	250	126
070	Malignant neoplasms of other and ill-defined digestive organs	13	11	2
<u>071-075</u>	<u>Malignant neoplasms of respiratory and intrathoracic organs</u>	<u>2,006</u>	<u>1,430</u>	<u>576</u>
071	Malignant neoplasms of nasal cavity, middle ear and accessory sinuses	2	2	0
072	Malignant neoplasms of larynx	34	15	19
073	Malignant neoplasms of trachea, bronchus and lung	1,960	1,405	555
074	Malignant neoplasms of thymus, heart, mediastinum and pleura	8	6	2
075	Malignant neoplasms of other and ill-defined sites in respiratory system and intrathoracic organs	2	2	0
076	Malignant neoplasms of bone and articular cartilage	41	24	17
<u>077-078</u>	<u>Melanoma and other malignant neoplasms of skin</u>	<u>102</u>	<u>94</u>	<u>8</u>
077	Malignant melanoma of skin	71	68	3
078	Other malignant neoplasms of skin	31	26	5
<u>079-081</u>	<u>Malignant neoplasms of mesothelial and soft tissue</u>	<u>48</u>	<u>36</u>	<u>12</u>
079	Mesothelioma	13	12	1
081	Malignant neoplasms of other mesothelial and soft tissue	35	24	11
082	Malignant neoplasm of breast	438	262	176
<u>083-088</u>	<u>Malignant neoplasms of female genital organs</u>	<u>273</u>	<u>176</u>	<u>97</u>
083	Malignant neoplasms of vulva and vagina	18	15	3
084	Malignant neoplasms of cervix uteri	58	27	31
085	Malignant neoplasms of corpus uteri and uterus, part unspecified	74	41	33
086	Malignant neoplasms of ovary	119	89	30
087	Malignant neoplasms of other and unspecified female genital organs	4	4	0
<u>089-091</u>	<u>Malignant neoplasms of male genital organs</u>	<u>341</u>	<u>171</u>	<u>170</u>
089	Malignant neoplasms of prostate	335	166	169
090	Malignant neoplasms of testis	4	3	1
091	Malignant neoplasms of penis and other and unspecified male genital organs	2	2	0
<u>092-094</u>	<u>Malignant neoplasms of urinary tract</u>	<u>247</u>	<u>177</u>	<u>70</u>
092	Malignant neoplasms of kidney and renal pelvis	138	96	42
093	Malignant neoplasms of bladder	101	75	26
094	Malignant neoplasms of other and unspecified sites within the urinary tract	8	6	2
095	Malignant neoplasm of eye and adnexa	2	2	0
<u>096-097</u>	<u>Malignant neoplasms of meninges, brain and other parts of central nervous system</u>	<u>139</u>	<u>108</u>	<u>31</u>
096	Malignant neoplasms of brain	139	108	31

Table 10A - Page 3
Deaths - Mississippi - 2010

GROUP NUMBER*	CAUSE OF DEATH	TOTAL	WHITE	NON-WHITE
098	Malignant neoplasms of thyroid and other endocrine glands	22	16	6
099	Other malignant neoplasms of other and unspecified sites	422	292	130
<u>100-108</u>	<u>Malignant neoplasms of lymphoid, hematopoietic and related tissue</u>	<u>529</u>	<u>385</u>	<u>144</u>
100	Hodgkin's disease	15	10	5
101	Non-Hodgkin's lymphoma	181	146	35
103	Malignant immunoproliferative diseases	3	3	0
104	Multiple myeloma and malignant plasma cell neoplasms	115	61	54
<u>105-108</u>	<u>Leukemia</u>	<u>215</u>	<u>165</u>	<u>50</u>
105	Lymphoid leukemia	46	35	11
106	Myeloid leukemia	91	74	17
107	Monocytic leukemia	1	1	0
108	Other and unspecified leukemia	77	55	22
<u>111-113</u>	<u>Benign neoplasms</u>	<u>10</u>	<u>10</u>	<u>0</u>
112	Benign neoplasms of eye, brain and other parts of central nervous system	3	3	0
113	Benign neoplasms of other and unspecified sites	7	7	0
114	Neoplasms of uncertain or unknown behavior of specified sites	92	73	19
115	Neoplasm of uncertain or unknown behavior of unspecified sites	8	5	3
<u>116-122</u>	<u>DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS AND CERTAIN DISORDERS INVOLVING THE IMMUNE MECHANISM</u>	<u>131</u>	<u>72</u>	<u>59</u>
<u>116-119</u>	<u>Anemias</u>	<u>79</u>	<u>43</u>	<u>36</u>
116	Nutritional anemias	3	3	0
117	Hemolytic anemias	15	1	14
118	Aplastic anemias	14	9	5
119	Acute posthemorrhagic and other anemias	47	30	17
120	Coagulation defects, purpura and other hemorrhagic conditions	30	24	6
121	Other diseases of blood and blood-forming organs	9	3	6
122	Certain disorders involving the immune mechanism	13	2	11
<u>123-135</u>	<u>ENDOCRINE, NUTRITIONAL AND METABOLIC DISEASES</u>	<u>1,247</u>	<u>649</u>	<u>598</u>
<u>123-128</u>	<u>Endocrine diseases</u>	<u>972</u>	<u>491</u>	<u>481</u>
123	Disorders of thyroid gland	25	19	6
124	Diabetes mellitus	926	458	468
125	Disorders of pituitary gland	1	1	0
126	Disorders of adrenal glands	3	3	0
128	Other endocrine diseases	17	10	7
<u>129-131</u>	<u>Malnutrition and other nutritional deficiencies</u>	<u>41</u>	<u>24</u>	<u>17</u>
<u>129-130</u>	<u>Malnutrition</u>	<u>41</u>	<u>24</u>	<u>17</u>
129	Nutritional marasmus	1	1	0
130	Other and unspecified malnutrition	40	23	17
132	Obesity and other hyperalimentation	88	41	47
<u>133-135</u>	<u>Metabolic disorders</u>	<u>146</u>	<u>93</u>	<u>53</u>
133	Cystic fibrosis	6	5	1
134	Volume depletion, disorders of fluid, electrolyte and acid-base balance	81	51	30

Table 10A - Page 4
Deaths - Mississippi - 2010

GROUP NUMBER*	CAUSE OF DEATH	TOTAL	WHITE	NON-WHITE
135	Other metabolic disorders	59	37	22
<u>136-144</u>	<u>MENTAL AND BEHAVIORAL DISORDERS</u>	<u>909</u>	<u>700</u>	<u>209</u>
136	Organic dementia	802	625	177
137	Other and unspecified organic mental disorders	16	8	8
<u>138-139</u>	<u>Mental and behavioral disorders due to psychoactive substance abuse</u>	<u>68</u>	<u>49</u>	<u>19</u>
138	Mental and behavioral disorders due to use of alcohol	50	38	12
139	Mental and behavioral disorders due to other psychoactive substance use	18	11	7
140	Schizophrenia, schizotypal and delusional disorders	4	4	0
141	Mood (affective) disorders	10	8	2
143	Mental retardation	6	4	2
144	Other and unspecified mental and behavioral disorders	3	2	1
<u>145-153</u>	<u>DISEASES OF THE NERVOUS SYSTEM</u>	<u>1,455</u>	<u>1,124</u>	<u>331</u>
145	Meningitis	8	2	6
146	Other inflammatory diseases of central nervous system	9	7	2
147	Parkinson's disease	172	147	25
148	Alzheimer's disease	928	740	188
149	Multiple sclerosis	23	16	7
150	Epilepsy	18	12	6
151	Transient cerebral ischemic attacks and related syndromes	4	4	0
152	Infantile cerebral palsy	24	12	12
153	All other diseases of nervous system	269	184	85
<u>154</u>	<u>DISEASES OF THE EYE AND ADNEXA</u>	<u>0</u>	<u>0</u>	<u>0</u>
<u>155</u>	<u>DISEASES OF THE EAR AND MASTOID PROCESS</u>	<u>1</u>	<u>0</u>	<u>1</u>
<u>156-191</u>	<u>DISEASES OF THE CIRCULATORY SYSTEM</u>	<u>9,842</u>	<u>6,629</u>	<u>3,213</u>
<u>156-189</u>	<u>Major cardiovascular diseases</u>	<u>9,802</u>	<u>6,609</u>	<u>3,193</u>
156	Acute rheumatic fever	1	1	0
<u>157-160</u>	<u>Chronic rheumatic heart diseases</u>	<u>16</u>	<u>14</u>	<u>2</u>
157	Rheumatic mitral valve diseases	10	9	1
159	Disorders of both mitral and aortic valves	4	3	1
160	Other chronic rheumatic heart diseases	2	2	0
<u>161-164</u>	<u>Hypertensive diseases</u>	<u>1,185</u>	<u>583</u>	<u>602</u>
161	Essential (primary) hypertension	387	214	173
162	Hypertensive heart disease	576	283	293
163	Hypertensive renal disease	144	52	92
164	Hypertensive heart and renal disease	78	34	44
<u>165-168</u>	<u>Ischemic heart diseases</u>	<u>3,691</u>	<u>2,665</u>	<u>1,026</u>
165	Acute myocardial infarction	1,777	1,207	570
166	Other acute ischemic heart diseases	20	8	12
167	Atherosclerotic cardiovascular disease, so described	508	396	112
168	All other forms of chronic ischemic heart disease	1,386	1,054	332
<u>169-170</u>	<u>Pulmonary heart disease and diseases of pulmonary circulation</u>	<u>204</u>	<u>130</u>	<u>74</u>

Table 10A - Page 5
Deaths - Mississippi - 2010

GROUP NUMBER*	CAUSE OF DEATH	TOTAL	WHITE	NON-WHITE
169	Pulmonary embolism	140	87	53
170	Other pulmonary heart disease and diseases of pulmonary circulation	64	43	21
<u>171-181</u>	<u>Other forms of heart disease</u>	<u>2,985</u>	<u>2,112</u>	<u>873</u>
171	Acute and subacute endocarditis	12	7	5
172	Diseases of pericardium and acute myocarditis	3	2	1
173	Nonrheumatic mitral valve disorders	15	8	7
174	Nonrheumatic aortic valve disorders	88	78	10
175	All other diseases of endocardium	37	27	10
176	Cardiomyopathy	225	131	94
177	Conduction disorders and cardiac dysrhythmias	1,020	675	345
178	Congestive heart failure	1,065	807	258
179	Other and unspecified heart failure	227	170	57
180	Myocarditis, unspecified and myocardial degeneration	5	3	2
181	All other and ill-defined forms of heart disease	288	204	84
<u>182-186</u>	<u>Cerebrovascular diseases</u>	<u>1,523</u>	<u>968</u>	<u>555</u>
182	Subarachnoid hemorrhage	51	36	15
183	Intracerebral and other intracranial hemorrhage	327	190	137
184	Cerebral infarction	73	47	26
185	Stroke, not specified as hemorrhage or infarction	859	546	313
186	Other cerebrovascular diseases and their sequelae	213	149	64
<u>187-189</u>	<u>Diseases of arteries, arterioles and capillaries</u>	<u>197</u>	<u>136</u>	<u>61</u>
187	Atherosclerosis	18	14	4
188	Aortic aneurysm and dissection	89	65	24
189	Other diseases of arteries, arterioles and capillaries	90	57	33
<u>190-191</u>	<u>Other disorders of circulatory system</u>	<u>40</u>	<u>20</u>	<u>20</u>
190	Phlebitis, thrombophlebitis, venous embolism and thrombosis	29	13	16
191	All other and unspecified disorders of circulatory system	11	7	4
<u>192-214</u>	<u>DISEASES OF THE RESPIRATORY SYSTEM</u>	<u>2,858</u>	<u>2,255</u>	<u>603</u>
<u>192-194</u>	<u>Acute upper respiratory infections</u>	<u>2</u>	<u>2</u>	<u>0</u>
192	Acute pharyngitis and tonsillitis	1	1	0
193	Acute laryngitis and tracheitis	1	1	0
<u>195-214</u>	<u>Other diseases of the respiratory system</u>	<u>2,856</u>	<u>2,253</u>	<u>603</u>
195	Influenza	7	6	1
<u>196-198</u>	<u>Pneumonia</u>	<u>557</u>	<u>410</u>	<u>147</u>
196	Viral pneumonia, not elsewhere classified	1	1	0
197	Bacterial pneumonia	21	15	6
198	Pneumonia due to other or unspecified organisms	535	394	141
<u>199-200</u>	<u>Other acute lower respiratory infections</u>	<u>5</u>	<u>1</u>	<u>4</u>
199	Acute bronchitis and bronchiolitis	5	1	4
201	Other diseases of upper respiratory tract	5	2	3
<u>202-207</u>	<u>Chronic lower respiratory diseases</u>	<u>1,658</u>	<u>1,390</u>	<u>268</u>
202	Bronchitis, not specified as acute or chronic	8	5	3
203	Chronic bronchitis	3	1	2
204	Emphysema	76	66	10
205	Other chronic obstructive pulmonary disease	1,513	1,293	220
206	Asthma	49	17	32
207	Bronchiectasis	9	8	1
<u>208-211</u>	<u>Lung diseases due to external agents</u>	<u>189</u>	<u>137</u>	<u>52</u>
208	Pneumoconioses and chemical effects	15	13	2

Table 10A - Page 6
Deaths - Mississippi - 2010

GROUP NUMBER*	CAUSE OF DEATH	TOTAL	WHITE	NON-WHITE
209	Pneumonitis due to food and vomit	174	124	50
212	Suppurative and necrotic conditions of lower respiratory tract	4	3	1
213	Pleural effusion and plaque	7	7	0
214	All other diseases of respiratory system	424	297	127
<u>215-237</u>	<u>DISEASES OF THE DIGESTIVE SYSTEM</u>	<u>934</u>	<u>683</u>	<u>251</u>
215	Diseases of oral cavity, salivary glands and jaws	3	2	1
<u>216-237</u>	<u>Diseases of other parts of digestive system</u>	<u>931</u>	<u>681</u>	<u>250</u>
216	Diseases of esophagus	16	13	3
<u>217-220</u>	<u>Peptic ulcer</u>	<u>18</u>	<u>14</u>	<u>4</u>
217	Gastric ulcer	7	6	1
218	Duodenal ulcer	7	6	1
219	Peptic ulcer, site unspecified	4	2	2
221	Gastritis and duodenitis	2	1	1
222	Dyspepsia and other diseases of stomach and duodenum	7	4	3
223	Diseases of appendix	5	4	1
224	Hernia	15	10	5
225	Crohn's disease and ulcerative colitis	9	7	2
226	Vascular disorders and obstruction of intestine without hernia	144	103	41
227	Diverticular disease of intestine	15	11	4
228	Other diseases of intestines and peritoneum	33	20	13
229	Diseases of peritoneum	24	15	9
<u>230-233</u>	<u>Diseases of liver</u>	<u>440</u>	<u>336</u>	<u>104</u>
230	Alcoholic liver disease	99	70	29
231	Chronic hepatitis, not elsewhere classified	1	1	0
232	Fibrosis and cirrhosis of liver	190	153	37
233	Other diseases of liver	150	112	38
234	Cholelithiasis and other disorders of gallbladder	41	32	9
<u>235-236</u>	<u>Disorders of biliary tract and pancreas</u>	<u>47</u>	<u>30</u>	<u>17</u>
235	Pancreatitis	41	26	15
236	Other disorders of biliary tract and pancreas	6	4	2
237	All other diseases of digestive system	115	81	34
<u>238-239</u>	<u>DISEASES OF THE SKIN AND SUBCUTANEOUS TISSUE</u>	<u>53</u>	<u>26</u>	<u>27</u>
238	Infections of skin and subcutaneous tissue	14	10	4
239	Other and unspecified diseases of skin and subcutaneous tissue	39	16	23
<u>240-246</u>	<u>DISEASES OF THE MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE</u>	<u>101</u>	<u>62</u>	<u>39</u>
240	Rheumatoid arthritis and related inflammatory polyarthropathies	15	12	3
241	Systemic lupus erythematosus	18	9	9
242	Other arthropathies and related disorders	34	20	14
243	Dorsopathies	5	4	1
244	Soft tissue disorders	12	6	6
<u>245-246</u>	<u>Osteopathies, chondropathies and other disorders of musculoskeletal system and connective tissue</u>	<u>17</u>	<u>11</u>	<u>6</u>

Table 10A - Page 7
Deaths - Mississippi - 2010

GROUP NUMBER*	CAUSE OF DEATH	TOTAL	WHITE	NON-WHITE
245	Osteoporosis	8	6	2
246	Other osteopathies, chondropathies and disorders of musculoskeletal system and connective tissue	9	5	4
<u>247-260</u>	<u>DISEASES OF THE GENITOURINARY SYSTEM</u>	<u>925</u>	<u>552</u>	<u>373</u>
<u>247-255</u>	<u>Diseases of urinary system</u>	<u>917</u>	<u>546</u>	<u>371</u>
<u>247-249</u>	<u>Glomerular diseases</u>	<u>51</u>	<u>26</u>	<u>25</u>
249	Other and unspecified glomerular diseases	51	26	25
250	Renal tubulo-interstitial diseases	7	6	1
251	Renal failure	687	400	287
252	Urolithiasis	2	1	1
254	Urinary tract infection, site not specified	143	97	46
255	Other diseases of urinary system	27	16	11
<u>256-257</u>	<u>Diseases of male genital organs</u>	<u>6</u>	<u>5</u>	<u>1</u>
256	Hyperplasia of prostate	1	1	0
257	Other diseases of male genital organs	5	4	1
258	Disorders of breast	1	1	0
<u>259-260</u>	<u>Disorders of female genital organs</u>	<u>1</u>	<u>0</u>	<u>1</u>
259	Inflammatory diseases of female pelvic organs	1	0	1
<u>261-273</u>	<u>PREGNANCY, CHILDBIRTH AND THE PUERPERIUM</u>	<u>12</u>	<u>6</u>	<u>6</u>
<u>266-269</u>	<u>Other direct obstetric deaths</u>	<u>4</u>	<u>3</u>	<u>1</u>
<u>268-269</u>	<u>Complications predominantly related to the puerperium</u>	<u>4</u>	<u>3</u>	<u>1</u>
268	Obstetric embolism	2	1	1
269	Other complications predominately related to the puerperium	2	2	0
270	All other direct obstetric causes	5	3	2
271	Obstetric death of unspecified cause	1	0	1
272	Other deaths related to pregnancy, childbirth and the puerperium	1	0	1
273	Indirect obstetric deaths	1	0	1
<u>274-281</u>	<u>CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD</u>	<u>176</u>	<u>52</u>	<u>124</u>
274	Newborn affected by maternal factors and by complications of pregnancy, labor and delivery	18	6	12
275	Disorders related to short gestation and low birth weight, not elsewhere classified	57	13	44
277	Intrauterine hypoxia and birth asphyxia	8	4	4
278	Respiratory distress of newborn	14	6	8
279	Other respiratory conditions originating in the perinatal period	17	5	12
280	Infections specific to the perinatal period	14	5	9
281	Other and unspecified conditions originating in the perinatal period	48	13	35
<u>282-290</u>	<u>CONGENITAL MALFORMATIONS, DEFORMATIONS AND CHROMOSOMAL ABNORMALITIES</u>	<u>129</u>	<u>71</u>	<u>58</u>
283	Spina bifida	2	2	0

Table 10A - Page 8
Deaths - Mississippi - 2010

GROUP NUMBER*	CAUSE OF DEATH	TOTAL	WHITE	NON-WHITE
284	All other congenital malformations of nervous system	15	6	9
285	Congenital malformations of heart	31	15	16
286	Other congenital malformations of circulatory system	5	2	3
287	Congenital malformations of respiratory system	6	2	4
288	Other congenital malformations and deformations	34	19	15
289	Down's syndrome	19	13	6
290	All other chromosomal abnormalities, not elsewhere classified	17	12	5
<u>291-294</u>	<u>SYMPTOMS, SIGNS AND ABNORMAL CLINICAL AND LABORATORY FINDINGS, NOT ELSEWHERE CLASSIFIED</u>	<u>513</u>	<u>344</u>	<u>169</u>
291	Senility	13	7	6
<u>292-293</u>	<u>Ill-defined and unknown causes of mortality</u>	<u>157</u>	<u>91</u>	<u>66</u>
292	Sudden infant death syndrome	45	19	26
293	Other ill-defined and unknown causes of mortality	112	72	40
294	All other symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified	343	246	97
<u>295-358</u>	<u>EXTERNAL CAUSES OF MORTALITY</u>	<u>2,442</u>	<u>1,709</u>	<u>733</u>
<u>295-330</u>	<u>Accidents</u>	<u>1,670</u>	<u>1,195</u>	<u>475</u>
295	Railway accidents	6	1	5
<u>296-306</u>	<u>Motor vehicle accidents</u>	<u>674</u>	<u>430</u>	<u>244</u>
296	Pedestrian involved in collision with motor vehicle	59	24	35
297	Pedal cyclist involved in collision with motor vehicle	6	3	3
298	Motorcyclist involved in any accident except collision with railway train	48	34	14
300	Other motor vehicle accident involving collision with railway train	7	5	2
301	Occupant of motor vehicle involved in collision with other (non-motorized) road vehicle, streetcar, animal or pedestrian	156	94	62
302	Occupant of car, pickup truck or van involved in collision with other motor vehicle	176	119	57
303	Occupant of heavy transport vehicle or bus involved in collision with other motor vehicle	2	1	1
304	Occupant of motor vehicle involved in noncollision accident	120	80	40
305	Occupant of special-use motor vehicle involved in any accident	16	10	6
306	Other and unspecified motor vehicle accidents	84	60	24
308	Other and unspecified land transport accidents	6	5	1
309	Water transport accidents	16	12	4
310	Air and space transport accidents	4	3	1
311	Other and unspecified transport accidents and their sequelae	15	11	4
<u>312-314</u>	<u>Falls</u>	<u>279</u>	<u>245</u>	<u>34</u>
312	Fall on same level	133	118	15
313	Fall from one level to another	30	23	7
314	Unspecified fall	116	104	12
315	Accidental discharge of firearms	11	7	4
316	Accidental explosion	2	1	1

Table 10A - Page 9
Deaths - Mississippi - 2010

GROUP NUMBER*	CAUSE OF DEATH	TOTAL	WHITE	NON-WHITE
317	Accidental drowning and submersion	48	32	16
318	Accidental inhalation and ingestion of food or other objects causing obstruction of respiratory tract	89	53	36
319	Other accidental and unspecified threats to breathing	21	11	10
320	Accidental exposure to electric current	6	4	2
322	Accidental exposure to smoke, fire and flames	78	37	41
323	Accidental contact with heat and hot substances	1	1	0
324	Lightning	2	1	1
326	Cataclysmic storm and flood	14	6	8
<u>327-329</u>	<u>Accidental poisoning by and exposure to noxious substances</u>	<u>277</u>	<u>251</u>	<u>26</u>
327	Accidental poisoning by and exposure to drugs and other biological substances	259	237	22
328	Accidental poisoning by and exposure to other and unspecified solid or liquid substances	12	11	1
329	Accidental poisoning by and exposure to other gases and vapors	6	3	3
330	All other and unspecified accidents and their sequelae	121	84	37
<u>331-337</u>	<u>Intentional self-harm (suicide)</u>	<u>386</u>	<u>338</u>	<u>48</u>
331	Intentional self-poisoning (suicide) by and exposure to drugs and other biological substances	42	41	1
332	Intentional self-poisoning (suicide) by and exposure to other and unspecified solid or liquid substances and their vapors	1	1	0
333	Intentional self-poisoning (suicide) by and exposure to other gases and vapors	13	13	0
334	Intentional self-harm (suicide) by hanging, strangulation and suffocation	62	55	7
335	Intentional self-harm (suicide) by discharge of firearms	256	220	36
336	Intentional self-harm (suicide) by jumping from a high place	1	1	0
337	Intentional self-harm (suicide) by all other and unspecified means and their sequelae	11	7	4
<u>338-346</u>	<u>Assault (homicide)</u>	<u>280</u>	<u>98</u>	<u>182</u>
338	Assault (homicide) by drugs, biological substances and other and unspecified noxious substances	1	1	0
339	Assault (homicide) by hanging, strangulation and suffocation	2	2	0
340	Assault (homicide) by discharge of firearms	202	63	139
341	Assault (homicide) by sharp object	31	10	21
342	Assault (homicide) by blunt object	9	5	4
343	Assault (homicide) by bodily force	1	0	1
345	Neglect, abandonment and other maltreatment syndromes	1	0	1
346	Assault (homicide) by all other and unspecified means and their sequelae	33	17	16
<u>347-352</u>	<u>Event of undetermined intent</u>	<u>48</u>	<u>35</u>	<u>13</u>
347	Poisoning by and exposure to drugs and biological substances, undetermined intent	30	28	2
348	Poisoning by and exposure to other and unspecified solid or liquid substance, undetermined intent	3	3	0
350	Discharge of firearms, undetermined intent	3	1	2
351	Falling, jumping or pushed from a high place, undetermined intent	1	0	1
352	All other and unspecified events of undetermined intent and their sequelae	11	3	8

Table 10A - Page 10
 Deaths - Mississippi - 2010

GROUP NUMBER*	CAUSE OF DEATH	TOTAL	WHITE	NON-WHITE
<u>353-354</u>	<u>Legal intervention</u>	<u>4</u>	<u>4</u>	<u>0</u>
353	Legal execution	3	3	0
354	Other legal intervention and their sequelae	1	1	0
<u>356-358</u>	<u>Complications of medical and surgical care</u>	<u>54</u>	<u>39</u>	<u>15</u>
356	Drugs, medicaments and biological substances causing adverse effects in therapeutic use, and their sequelae	9	7	2
357	Misadventures to patients during medical and surgical care and their sequelae	2	1	1
358	Other complications of medical and surgical care and their sequelae	43	31	12
358	Other complications of medical and surgical care and their sequelae	43	31	12

* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

**TABLE 10B
DEATHS, BY CAUSE AND RACE,
MISSISSIPPI RESIDENTS, 2010**

INTERNATIONAL CLASSIFICATION NUMBER*	CAUSE OF DEATH*	TOTAL	WHITE	NON-WHITE
<u>A00-Y89</u>	<u>ALL CAUSES</u>	<u>28,950</u>	<u>19,730</u>	<u>9,220</u>
<u>A00-B99</u>	<u>CERTAIN INFECTIOUS AND PARASITIC DISEASES</u>	<u>848</u>	<u>468</u>	<u>380</u>
<u>A00-A09</u>	<u>Intestinal infectious diseases</u>	<u>51</u>	<u>36</u>	<u>15</u>
A04	Other bacterial intestinal infections	22	19	3
A06	Amebiasis	1	0	1
A09	Diarrhea and gastroenteritis of presumed infectious origin	28	17	11
<u>A16-A19</u>	<u>Tuberculosis</u>	<u>8</u>	<u>0</u>	<u>8</u>
A16	Respiratory tuberculosis, not confirmed bacteriologically or histologically	7	0	7
A18	Tuberculosis of other organs	1	0	1
<u>A20-A28</u>	<u>Certain zoonotic bacterial diseases</u>	<u>1</u>	<u>1</u>	<u>0</u>
A28	Other zoonotic bacterial diseases, not elsewhere classified	1	1	0
<u>A30-A49</u>	<u>Other bacterial diseases</u>	<u>574</u>	<u>351</u>	<u>223</u>
A31	Infection due to other mycobacteria	5	5	0
A39	Meningococcal infection	1	1	0
A40	Streptococcal septicemia	5	4	1
A41	Other septicemia	549	334	215
A48	Other bacterial diseases, not elsewhere classified	1	1	0
A49	Bacterial infection of unspecified site	13	6	7
<u>A65-A79</u>	<u>Other infections caused by spirochetes, chlamydia or rickettsia</u>	<u>1</u>	<u>1</u>	<u>0</u>
<u>A75-A79</u>	<u>Rickettsioses</u>	<u>1</u>	<u>1</u>	<u>0</u>
A77	Spotted fever [tick-borne rickettsioses]	1	1	0
<u>A80-A89</u>	<u>Viral infections of the central nervous system</u>	<u>6</u>	<u>4</u>	<u>2</u>
A81	Atypical virus infections of central nervous system	3	3	0
A86	Unspecified viral encephalitis	1	0	1
A87	Viral meningitis	2	1	1
<u>B15-B19</u>	<u>Viral hepatitis</u>	<u>52</u>	<u>36</u>	<u>16</u>
B16	Acute hepatitis B	5	2	3
B18	Chronic viral hepatitis	47	34	13
<u>B20-B24</u>	<u>Human immunodeficiency virus [HIV] disease</u>	<u>118</u>	<u>17</u>	<u>101</u>
B20	Human immunodeficiency virus [HIV] disease resulting in infectious and parasitic diseases	35	7	28
B21	Human immunodeficiency virus [HIV] disease resulting in malignant neoplasms	8	1	7
B22	Human immunodeficiency virus [HIV] disease resulting in other specified diseases	9	2	7
B23	Human immunodeficiency virus [HIV] disease resulting in other conditions	28	2	26
B24	Unspecified human immunodeficiency virus [HIV] disease	38	5	33
<u>B25-B34</u>	<u>Other viral diseases</u>	<u>4</u>	<u>3</u>	<u>1</u>
B25	Cytomegaloviral disease	1	1	0
B27	Infectious mononucleosis	1	0	1
B34	Viral infection of unspecified site	2	2	0

Table 10B - Page 2
Deaths - Mississippi - 2010

INTERNATIONAL CLASSIFICATION NUMBER*	CAUSE OF DEATH*	TOTAL	WHITE	NON-WHITE
<u>B35-B49</u>	<u>Mycoses</u>	<u>17</u>	<u>9</u>	<u>8</u>
B37	Candidiasis	3	2	1
B38	Coccidioidomycosis	1	0	1
B40	Blastomycosis	1	0	1
B44	Aspergillosis	3	3	0
B45	Cryptococcosis	3	2	1
B49	Unspecified mycosis	6	2	4
<u>B90-B94</u>	<u>Sequela of infectious and parasitic diseases</u>	<u>13</u>	<u>8</u>	<u>5</u>
B91	Sequelae of poliomyelitis	1	1	0
B94	Sequelae of other and unspecified infectious and parasitic diseases	12	7	5
B99	Other and unspecified infectious diseases	3	2	1
<u>C00-D48</u>	<u>NEOPLASMS</u>	<u>6,374</u>	<u>4,328</u>	<u>2,046</u>
<u>C00-C97</u>	<u>Malignant neoplasms</u>	<u>6,264</u>	<u>4,240</u>	<u>2,024</u>
<u>C00-C14</u>	<u>Malignant neoplasms of lip, oral cavity and pharynx</u>	<u>101</u>	<u>63</u>	<u>38</u>
C01	Malignant neoplasm of base of tongue	1	1	0
C02	Malignant neoplasm of other and unspecified parts of tongue	14	8	6
C04	Malignant neoplasm of floor of mouth	1	1	0
C05	Malignant neoplasm of palate	1	0	1
C06	Malignant neoplasm of other and unspecified parts of mouth	8	7	1
C07	Malignant neoplasm of parotid gland	4	3	1
C08	Malignant neoplasm of other and unspecified major salivary glands	3	3	0
C09	Malignant neoplasm of tonsil	4	2	2
C10	Malignant neoplasm of oropharynx	6	6	0
C11	Malignant neoplasm of nasopharynx	2	2	0
C12	Malignant neoplasm of pyriform sinus	1	0	1
C13	Malignant neoplasm of hypopharynx	1	0	1
C14	Malignant neoplasm of other and ill-defined sites in the lip, oral cavity, and pharynx	55	30	25
<u>C15-C26</u>	<u>Malignant neoplasms of digestive organs</u>	<u>1,553</u>	<u>1,004</u>	<u>549</u>
C15	Malignant neoplasm of esophagus	138	89	49
C16	Malignant neoplasm of stomach	126	77	49
C17	Malignant neoplasm of small intestine	3	2	1
C18	Malignant neoplasm of colon	519	321	198
C19	Malignant neoplasm of rectosigmoid junction	41	29	12
C20	Malignant neoplasm of rectum	68	46	22
C21	Malignant neoplasm of anus and anal canal	4	2	2
C22	Malignant neoplasm of liver and intrahepatic bile ducts	232	158	74
C23	Malignant neoplasm of gallbladder	26	15	11
C24	Malignant neoplasm of other and unspecified parts of biliary tract	7	4	3
C25	Malignant neoplasm of pancreas	376	250	126
C26	Malignant neoplasm of other and ill-defined digestive organs	13	11	2
<u>C30-C39</u>	<u>Malignant neoplasms of respiratory and intrathoracic organs</u>	<u>2,006</u>	<u>1,430</u>	<u>576</u>
C31	Malignant neoplasm of accessory sinuses	2	2	0

Table 10B - Page 3
Deaths - Mississippi - 2010

INTERNATIONAL CLASSIFICATION NUMBER*	CAUSE OF DEATH*	TOTAL	WHITE	NON-WHITE
C32	Malignant neoplasm of larynx	34	15	19
C33	Malignant neoplasm of trachea	1	1	0
C34	Malignant neoplasm of bronchus and lung	1,959	1,404	555
C37	Malignant neoplasm of thymus	4	3	1
C38	Malignant neoplasm of heart, mediastinum, and pleura	4	3	1
C39	Malignant neoplasm of other and ill-defined sites in the respiratory system and intrathoracic organs	2	2	0
<u>C40-C41</u>	<u>Malignant neoplasms of bone and articular cartilage</u>	<u>41</u>	<u>24</u>	<u>17</u>
C41	Malignant neoplasm of bone and articular cartilage of other and unspecified sites	41	24	17
<u>C43-C44</u>	<u>Melanoma and other malignant neoplasms of skin</u>	<u>102</u>	<u>94</u>	<u>8</u>
C43	Malignant melanoma of skin	71	68	3
C44	Other malignant neoplasms of skin	31	26	5
<u>C45-C49</u>	<u>Malignant neoplasms of mesothelial and soft tissue</u>	<u>48</u>	<u>36</u>	<u>12</u>
C45	Mesothelioma	13	12	1
C48	Malignant neoplasm of retroperitoneum and peritoneum	8	6	2
C49	Malignant neoplasm of other connective and soft tissue	27	18	9
C50	Malignant neoplasm of breast	438	262	176
<u>C51-C58</u>	<u>Malignant neoplasms of female genital organs</u>	<u>273</u>	<u>176</u>	<u>97</u>
C51	Malignant neoplasm of vulva	11	9	2
C52	Malignant neoplasm of vagina	7	6	1
C53	Malignant neoplasm of cervix uteri	58	27	31
C54	Malignant neoplasm of corpus uteri	23	13	10
C55	Malignant neoplasm of uterus, part unspecified	51	28	23
C56	Malignant neoplasm of ovary	119	89	30
C57	Malignant neoplasm of other and unspecified female genital organs	4	4	0
<u>C60-C63</u>	<u>Malignant neoplasms of male genital organs</u>	<u>341</u>	<u>171</u>	<u>170</u>
C60	Malignant neoplasm of penis	2	2	0
C61	Malignant neoplasm of prostate	335	166	169
C62	Malignant neoplasm of testis	4	3	1
<u>C64-C68</u>	<u>Malignant neoplasms of urinary tract</u>	<u>247</u>	<u>177</u>	<u>70</u>
C64	Malignant neoplasm of kidney, except renal pelvis	137	95	42
C65	Malignant neoplasm of renal pelvis	1	1	0
C66	Malignant neoplasm of ureter	2	2	0
C67	Malignant neoplasm of bladder	101	75	26
C68	Malignant neoplasm of other and unspecified urinary organs	6	4	2
<u>C69-C72</u>	<u>Malignant neoplasms of eye, brain and other parts of central nervous system</u>	<u>141</u>	<u>110</u>	<u>31</u>
C69	Malignant neoplasm of eye and adnexa	2	2	0
C71	Malignant neoplasm of brain	139	108	31
<u>C73-C75</u>	<u>Malignant neoplasms of thyroid and other endocrine glands</u>	<u>22</u>	<u>16</u>	<u>6</u>
C73	Malignant neoplasm of thyroid gland	14	11	3
C74	Malignant neoplasm of adrenal gland	6	4	2
C75	Malignant neoplasm of other endocrine glands and related structures	2	1	1
<u>C76-C80</u>	<u>Malignant neoplasms of ill-defined, secondary and unspecified sites</u>	<u>366</u>	<u>256</u>	<u>110</u>

Table 10B - Page 4
Deaths - Mississippi - 2010

INTERNATIONAL CLASSIFICATION NUMBER*	CAUSE OF DEATH*	TOTAL	WHITE	NON-WHITE
C76	Malignant neoplasm of other and ill-defined sites	25	20	5
C77	Secondary and unspecified malignant neoplasm of lymph nodes	1	1	0
C78	Secondary malignant neoplasm of respiratory and digestive organs	28	22	6
C79	Secondary malignant neoplasm of other sites	55	33	22
C80	Malignant neoplasm without specification of site	257	180	77
<u>C81-C96</u>	<u>Malignant neoplasms of lymphoid, hematopoietic and related tissue</u>	<u>529</u>	<u>385</u>	<u>144</u>
C81	Hodgkin's disease	15	10	5
C82	Follicular [nodular] non-Hodgkin's lymphoma	6	3	3
C83	Diffuse non-Hodgkin's lymphoma	22	19	3
C84	Peripheral and cutaneous T-cell lymphomas	16	10	6
C85	Other and unspecified types of non-Hodgkin's lymphoma	137	114	23
C88	Malignant immunoproliferative diseases	3	3	0
C90	Multiple myeloma and malignant plasma cell neoplasms	115	61	54
C91	Lymphoid leukemia	46	35	11
C92	Myeloid leukemia	91	74	17
C93	Monocytic leukemia	1	1	0
C94	Other leukemias of specified cell type	1	1	0
C95	Leukemia of unspecified cell type	76	54	22
C97	Malignant neoplasms of independent (primary) multiple sites	56	36	20
<u>D10-D36</u>	<u>Benign neoplasms</u>	<u>10</u>	<u>10</u>	<u>0</u>
D12	Benign neoplasm of colon, rectum, anus, and anal canal	1	1	0
D13	Benign neoplasm of other and ill-defined parts of digestive system	2	2	0
D15	Benign neoplasm of other and unspecified intrathoracic organs	1	1	0
D18	Hemangioma and lymphangioma, any site	1	1	0
D32	Benign neoplasm of meninges	2	2	0
D33	Benign neoplasm of brain and other parts of central nervous system	1	1	0
D35	Benign neoplasm of other and unspecified endocrine glands	2	2	0
<u>D37-D48</u>	<u>Neoplasms of uncertain or unknown behavior</u>	<u>100</u>	<u>78</u>	<u>22</u>
D37	Neoplasm of uncertain or unknown behavior of oral cavity and digestive organs	1	1	0
D38	Neoplasm of uncertain or unknown behavior of middle ear and respiratory and intrathoracic organs	1	1	0
D41	Neoplasm of uncertain or unknown behavior of urinary organs	1	1	0
D43	Neoplasm of uncertain or unknown behavior of brain and central nervous system	39	27	12
D44	Neoplasm of uncertain or unknown behavior of endocrine glands	2	2	0
D45	Polycythemia vera	2	2	0
D46	Myelodysplastic syndromes	38	32	6
D47	Other neoplasms of uncertain or unknown behavior of lymphoid, hematopoietic, and related tissue	8	7	1
D48	Neoplasm of uncertain or unknown behavior of other and unspecified sites	8	5	3

Table 10B - Page 5
Deaths - Mississippi - 2010

INTERNATIONAL CLASSIFICATION NUMBER*	CAUSE OF DEATH*	TOTAL	WHITE	NON-WHITE
<u>D50-D89</u>	<u>DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS AND CERTAIN DISORDERS INVOLVING THE IMMUNE MECHANISM</u>	<u>131</u>	<u>72</u>	<u>59</u>
<u>D50-D53</u>	<u>Nutritional anemias</u>	<u>3</u>	<u>3</u>	<u>0</u>
D50	Iron deficiency anemia	3	3	0
<u>D55-D59</u>	<u>Hemolytic anemias</u>	<u>15</u>	<u>1</u>	<u>14</u>
D57	Sickle-cell disorders	14	0	14
D59	Acquired hemolytic anemia	1	1	0
<u>D60-D64</u>	<u>Aplastic and other anemias</u>	<u>61</u>	<u>39</u>	<u>22</u>
D61	Other aplastic anemias	14	9	5
D62	Acute posthemorrhagic anemia	3	3	0
D64	Other anemias	44	27	17
<u>D65-D69</u>	<u>Coagulation defects, purpura and other hemorrhagic conditions</u>	<u>30</u>	<u>24</u>	<u>6</u>
D65	Disseminated intravascular coagulation [defibrination syndrome]	6	5	1
D66	Hereditary factor VIII deficiency	1	1	0
D68	Other coagulation defects	12	9	3
D69	Purpura and other hemorrhagic conditions	11	9	2
<u>D70-D77</u>	<u>Other diseases of blood and blood-forming organs</u>	<u>9</u>	<u>3</u>	<u>6</u>
D70	Agranulocytosis	5	1	4
D72	Other disorders of white blood cells	2	0	2
D75	Other diseases of blood and blood-forming organs	1	1	0
D76	Certain diseases involving lymphoreticular tissue and reticulohistiocytic system	1	1	0
<u>D80-D89</u>	<u>Certain disorders involving the immune mechanism</u>	<u>13</u>	<u>2</u>	<u>11</u>
D86	Sarcoidosis	12	2	10
D89	Other disorders involving the immune mechanism, not elsewhere classified	1	0	1
<u>E00-E88</u>	<u>ENDOCRINE, NUTRITIONAL AND METABOLIC DISEASES</u>	<u>1,247</u>	<u>649</u>	<u>598</u>
<u>E00-E07</u>	<u>Disorders of thyroid gland</u>	<u>25</u>	<u>19</u>	<u>6</u>
E03	Other hypothyroidism	18	15	3
E05	Thyrotoxicosis [hyperthyroidism]	6	3	3
E07	Other disorders of thyroid	1	1	0
<u>E10-E14</u>	<u>Diabetes mellitus</u>	<u>926</u>	<u>458</u>	<u>468</u>
E10	Insulin-dependent diabetes mellitus	42	22	20
E11	Noninsulin-dependent diabetes mellitus	69	34	35
E14	Unspecified diabetes mellitus	815	402	413
<u>E15-E16</u>	<u>Other disorders of glucose regulation and pancreatic internal secretion</u>	<u>14</u>	<u>8</u>	<u>6</u>
E15	Nondiabetic hypoglycemic coma	1	1	0
E16	Other disorders of pancreatic internal secretion	13	7	6
<u>E20-E35</u>	<u>Disorders of other endocrine glands</u>	<u>7</u>	<u>6</u>	<u>1</u>
E21	Hyperparathyroidism and other disorders of parathyroid gland	1	0	1

Table 10B - Page 6
Deaths - Mississippi - 2010

INTERNATIONAL CLASSIFICATION NUMBER*	CAUSE OF DEATH*	TOTAL	WHITE	NON-WHITE
E23	Hypofunction and other disorders of the pituitary gland	1	1	0
E27	Other disorders of adrenal gland	3	3	0
E34	Other endocrine disorders	2	2	0
<u>E40-E46</u>	<u>Malnutrition</u>	<u>41</u>	<u>24</u>	<u>17</u>
E41	Nutritional marasmus	1	1	0
E43	Unspecified severe protein-energy malnutrition	11	7	4
E46	Unspecified protein-energy malnutrition	29	16	13
<u>E65-E68</u>	<u>Obesity and other hyperalimentation</u>	<u>88</u>	<u>41</u>	<u>47</u>
E66	Obesity	88	41	47
<u>E70-E88</u>	<u>Metabolic disorders</u>	<u>146</u>	<u>93</u>	<u>53</u>
E71	Disorders of branched-chain amino-acid metabolism and fatty-acid metabolism	1	1	0
E72	Other disorders of amino-acid metabolism	1	1	0
E75	Disorders of sphingolipid metabolism and other lipid storage disorders	2	2	0
E76	Disorders of glycosaminoglycan metabolism	1	0	1
E78	Disorders of lipoprotein metabolism and other lipidemias	38	29	9
E80	Disorders of porphyrin and bilirubin metabolism	1	0	1
E83	Disorders of mineral metabolism	5	2	3
E84	Cystic fibrosis	6	5	1
E85	Amyloidosis	3	1	2
E86	Volume depletion	21	15	6
E87	Other disorders of fluid, electrolyte, and acid-base balance	60	36	24
E88	Other metabolic disorders	7	1	6
<u>F00-F99</u>	<u>MENTAL AND BEHAVIORAL DISORDERS</u>	<u>909</u>	<u>700</u>	<u>209</u>
<u>F00-F09</u>	<u>Organic, including symptomatic, mental disorders</u>	<u>818</u>	<u>633</u>	<u>185</u>
F01	Vascular dementia	33	21	12
F03	Unspecified dementia	769	604	165
F05	Delirium, not induced by alcohol and other psychoactive substances	8	4	4
F06	Other mental disorders due to brain damage and dysfunction and to physical disease	8	4	4
<u>F10-F19</u>	<u>Mental and behavioral disorders due to psychoactive substance use</u>	<u>68</u>	<u>49</u>	<u>19</u>
F10	Mental and behavioral disorders due to use of alcohol	50	38	12
F11	Mental and behavioral disorders due to use of opioids	1	1	0
F14	Mental and behavioral disorders due to use of cocaine	2	0	2
F19	Mental and behavioral disorders due to multiple-drug use and use of other psychoactive substances	15	10	5
<u>F20-F29</u>	<u>Schizophrenia, schizotypal and delusional disorders</u>	<u>4</u>	<u>4</u>	<u>0</u>
F20	Schizophrenia	3	3	0
F29	Unspecified nonorganic psychosis	1	1	0
<u>F30-F39</u>	<u>Mood [affective] disorders</u>	<u>10</u>	<u>8</u>	<u>2</u>
F32	Depressive episode	9	7	2
F33	Recurrent depressive disorder	1	1	0
<u>F50-F59</u>	<u>Behavioral syndromes associated with physiological disturbances and physical factors</u>	<u>2</u>	<u>1</u>	<u>1</u>

Table 10B - Page 7
Deaths - Mississippi - 2010

INTERNATIONAL CLASSIFICATION NUMBER*	CAUSE OF DEATH*	TOTAL	WHITE	NON-WHITE
F54	Psychological and behavioral factors associated with disorders or diseases classified elsewhere	2	1	1
<u>F70-F79</u>	<u>Mental retardation</u>	<u>6</u>	<u>4</u>	<u>2</u>
F71	Moderate mental retardation	1	1	0
F73	Profound mental retardation	1	0	1
F79	Unspecified mental retardation	4	3	1
F99	Mental disorder, not otherwise specified	1	1	0
<u>G00-G98</u>	<u>DISEASES OF THE NERVOUS SYSTEM</u>	<u>1,455</u>	<u>1,124</u>	<u>331</u>
<u>G00-G09</u>	<u>Inflammatory diseases of the central nervous system</u>	<u>17</u>	<u>9</u>	<u>8</u>
G00	Bacterial meningitis, not elsewhere classified	5	1	4
G03	Meningitis due to other and unspecified causes	3	1	2
G04	Encephalitis, myelitis, and encephalomyelitis	5	4	1
G06	Intracranial and intraspinal abscess and granuloma	2	2	0
G09	Sequelae of inflammatory diseases of central nervous system	2	1	1
<u>G10-G13</u>	<u>Systemic atrophies primarily affecting the central nervous system</u>	<u>76</u>	<u>64</u>	<u>12</u>
G10	Huntington's disease	8	6	2
G11	Hereditary ataxia	5	4	1
G12	Spinal muscular atrophy and related syndromes	63	54	9
<u>G20-G26</u>	<u>Extrapyramidal and movement disorders</u>	<u>177</u>	<u>151</u>	<u>26</u>
G20	Parkinson's disease	170	145	25
G21	Secondary parkinsonism	2	2	0
G23	Other degenerative diseases of basal ganglia	3	2	1
G24	Dystonia	2	2	0
<u>G30-G32</u>	<u>Other degenerative diseases of the nervous system</u>	<u>935</u>	<u>747</u>	<u>188</u>
G30	Alzheimer's disease	928	740	188
G31	Other degenerative diseases of nervous system, not elsewhere classified	7	7	0
<u>G35-G37</u>	<u>Demyelinating diseases of the central nervous system</u>	<u>25</u>	<u>18</u>	<u>7</u>
G35	Multiple sclerosis	23	16	7
G37	Other demyelinating diseases of central nervous system	2	2	0
<u>G40-G47</u>	<u>Episodic and paroxysmal disorders</u>	<u>31</u>	<u>21</u>	<u>10</u>
G40	Epilepsy	15	9	6
G41	Status epilepticus	3	3	0
G43	Migraine	2	2	0
G45	Transient cerebral ischemic attacks and related syndromes	4	4	0
G47	Sleep disorders	7	3	4
<u>G60-G64</u>	<u>Polyneuropathies and other disorders of the peripheral nervous system</u>	<u>7</u>	<u>6</u>	<u>1</u>
G61	Inflammatory polyneuropathy	6	5	1
G62	Other polyneuropathies	1	1	0
<u>G70-G73</u>	<u>Diseases of myoneural junction and muscle</u>	<u>22</u>	<u>14</u>	<u>8</u>
G70	Myasthenia gravis and other myoneural disorders	8	6	2
G71	Primary disorders of muscles	12	6	6
G72	Other myopathies	2	2	0
<u>G80-G83</u>	<u>Cerebral palsy and other paralytic syndromes</u>	<u>29</u>	<u>15</u>	<u>14</u>

Table 10B - Page 8
Deaths - Mississippi - 2010

INTERNATIONAL CLASSIFICATION NUMBER*	CAUSE OF DEATH*	TOTAL	WHITE	NON-WHITE
G80	Infantile cerebral palsy	24	12	12
G82	Paraplegia and tetraplegia	4	2	2
G83	Other paralytic syndromes	1	1	0
<u>G90-G99</u>	<u>Other disorders of the nervous system</u>	<u>136</u>	<u>79</u>	<u>57</u>
G90	Disorders of autonomic nervous system	6	6	0
G91	Hydrocephalus	11	7	4
G93	Other disorders of brain	119	66	53
<u>H00-H59</u>	<u>DISEASES OF THE EYE AND ADNEXA</u>	<u>0</u>	<u>0</u>	<u>0</u>
<u>H60-H95</u>	<u>DISEASES OF THE EAR AND MASTOID PROCESS</u>	<u>1</u>	<u>0</u>	<u>1</u>
<u>H65-H75</u>	<u>Diseases of middle ear and mastoid</u>	<u>1</u>	<u>0</u>	<u>1</u>
H70	Mastoiditis and related conditions	1	0	1
<u>I00-I99</u>	<u>DISEASES OF THE CIRCULATORY SYSTEM</u>	<u>9,842</u>	<u>6,629</u>	<u>3,213</u>
<u>I00-I02</u>	<u>Acute rheumatic fever</u>	<u>1</u>	<u>1</u>	<u>0</u>
I00	Rheumatic fever without mention of heart involvement	1	1	0
<u>I05-I09</u>	<u>Chronic rheumatic heart diseases</u>	<u>16</u>	<u>14</u>	<u>2</u>
I05	Rheumatic mitral valve diseases	10	9	1
I07	Rheumatic tricuspid valve diseases	1	1	0
I08	Multiple valve diseases	5	4	1
<u>I10-I13</u>	<u>Hypertensive diseases</u>	<u>1,185</u>	<u>583</u>	<u>602</u>
I10	Essential (primary) hypertension	387	214	173
I11	Hypertensive heart disease	576	283	293
I12	Hypertensive renal disease	144	52	92
I13	Hypertensive heart and renal disease	78	34	44
<u>I20-I25</u>	<u>Ischemic heart diseases</u>	<u>3,691</u>	<u>2,665</u>	<u>1,026</u>
I20	Angina pectoris	2	2	0
I21	Acute myocardial infarction	1,777	1,207	570
I24	Other acute ischemic heart diseases	20	8	12
I25	Chronic ischemic heart disease	1,892	1,448	444
<u>I26-I28</u>	<u>Pulmonary heart disease and diseases of pulmonary circulation</u>	<u>204</u>	<u>130</u>	<u>74</u>
I26	Pulmonary embolism	140	87	53
I27	Other pulmonary heart diseases	63	42	21
I28	Other diseases of pulmonary vessels	1	1	0
<u>I30-I51</u>	<u>Other forms of heart disease</u>	<u>2,985</u>	<u>2,112</u>	<u>873</u>
I31	Other diseases of pericardium	3	2	1
I33	Acute and subacute endocarditis	12	7	5
I34	Nonrheumatic mitral valve disorders	15	8	7
I35	Nonrheumatic aortic valve disorders	88	78	10
I38	Endocarditis, valve unspecified	37	27	10
I42	Cardiomyopathy	225	131	94
I45	Other conduction disorders	4	2	2
I46	Cardiac arrest	807	510	297

Table 10B - Page 9
Deaths - Mississippi - 2010

INTERNATIONAL CLASSIFICATION NUMBER*	CAUSE OF DEATH*	TOTAL	WHITE	NON-WHITE
I47	Paroxysmal tachycardia	7	2	5
I48	Atrial fibrillation and flutter	124	106	18
I49	Other cardiac arrhythmias	78	55	23
I50	Heart failure	1,292	977	315
I51	Complications and ill-defined descriptions of heart disease	293	207	86
<u>I60-I69</u>	<u>Cerebrovascular diseases</u>	<u>1,523</u>	<u>968</u>	<u>555</u>
I60	Subarachnoid hemorrhage	51	36	15
I61	Intracerebral hemorrhage	188	111	77
I62	Other nontraumatic intracranial hemorrhage	139	79	60
I63	Cerebral infarction	73	47	26
I64	Stroke, not specified as hemorrhage or infarction	859	546	313
I67	Other cerebrovascular diseases	89	72	17
I69	Sequelae of cerebrovascular disease	124	77	47
<u>I70-I78</u>	<u>Diseases of arteries, arterioles and capillaries</u>	<u>197</u>	<u>136</u>	<u>61</u>
I70	Atherosclerosis	18	14	4
I71	Aortic aneurysm and dissection	89	65	24
I72	Other aneurysm	11	8	3
I73	Other peripheral vascular diseases	52	28	24
I74	Arterial embolism and thrombosis	13	12	1
I77	Other disorders of arteries and arterioles	14	9	5
<u>I80-I89</u>	<u>Diseases of veins, lymphatic vessels and lymph nodes, not elsewhere classified</u>	<u>37</u>	<u>18</u>	<u>19</u>
I80	Phlebitis and thrombophlebitis	28	12	16
I82	Other venous embolism and thrombosis	1	1	0
I83	Varicose veins of lower extremities	2	2	0
I85	Esophageal varices	3	2	1
I87	Other disorders of veins	3	1	2
<u>I95-I99</u>	<u>Other and unspecified disorders of the circulatory system</u>	<u>3</u>	<u>2</u>	<u>1</u>
I95	Hypotension	1	0	1
I99	Other and unspecified disorders of circulatory system	2	2	0
<u>J00-J98</u>	<u>DISEASES OF THE RESPIRATORY SYSTEM</u>	<u>2,858</u>	<u>2,255</u>	<u>603</u>
<u>J00-J06</u>	<u>Acute upper respiratory infections</u>	<u>2</u>	<u>2</u>	<u>0</u>
J02	Acute pharyngitis	1	1	0
J04	Acute laryngitis and tracheitis	1	1	0
<u>J09-J18</u>	<u>Influenza and pneumonia</u>	<u>564</u>	<u>416</u>	<u>148</u>
J09	Influenza due to identified avian influenza virus	3	3	0
J11	Influenza, virus not identified	4	3	1
J12	Viral pneumonia, not elsewhere classified	1	1	0
J13	Pneumonia due to Streptococcus pneumoniae	3	2	1
J15	Bacterial pneumonia, not elsewhere classified	18	13	5
J18	Pneumonia, organism unspecified	535	394	141
<u>J20-J22</u>	<u>Other acute lower respiratory infections</u>	<u>5</u>	<u>1</u>	<u>4</u>
J20	Acute bronchitis	3	1	2
J21	Acute bronchiolitis	2	0	2
<u>J30-J39</u>	<u>Other diseases of upper respiratory tract</u>	<u>5</u>	<u>2</u>	<u>3</u>
J32	Chronic sinusitis	1	1	0

Table 10B - Page 10
 Deaths - Mississippi - 2010

INTERNATIONAL CLASSIFICATION NUMBER*	CAUSE OF DEATH*	TOTAL	WHITE	NON-WHITE
J38	Diseases of vocal cords and larynx, not elsewhere classified	2	1	1
J39	Other diseases of upper respiratory tract	2	0	2
<u>J40-J47</u>	<u>Chronic lower respiratory diseases</u>	<u>1,658</u>	<u>1,390</u>	<u>268</u>
J40	Bronchitis, not specified as acute or chronic	8	5	3
J41	Simple and mucopurulent chronic bronchitis	1	0	1
J42	Unspecified chronic bronchitis	2	1	1
J43	Emphysema	76	66	10
J44	Other chronic obstructive pulmonary disease	1,513	1,293	220
J45	Asthma	45	15	30
J46	Status asthmaticus	4	2	2
J47	Bronchiectasis	9	8	1
<u>J60-J70</u>	<u>Lung diseases due to external agents</u>	<u>189</u>	<u>137</u>	<u>52</u>
J61	Pneumoconiosis due to asbestos and other mineral fibers	13	12	1
J62	Pneumoconiosis due to dust containing silica	2	1	1
J69	Pneumonitis due to solids and liquids	174	124	50
<u>J80-J84</u>	<u>Other respiratory diseases principally affecting the interstitium</u>	<u>194</u>	<u>154</u>	<u>40</u>
J80	Adult respiratory distress syndrome	25	17	8
J81	Pulmonary edema	17	13	4
J82	Pulmonary eosinophilia, not elsewhere classified	9	8	1
J84	Other interstitial pulmonary diseases	143	116	27
<u>J85-J86</u>	<u>Suppurative and necrotic conditions of lower respiratory tract</u>	<u>4</u>	<u>3</u>	<u>1</u>
J85	Abscess of lung and mediastinum	1	0	1
J86	Pyothorax	3	3	0
<u>J90-J94</u>	<u>Other diseases of pleura</u>	<u>17</u>	<u>12</u>	<u>5</u>
J90	Pleural effusion, not elsewhere classified	7	7	0
J93	Pneumothorax	7	4	3
J94	Other pleural conditions	3	1	2
<u>J95-J99</u>	<u>Other diseases of the respiratory system</u>	<u>220</u>	<u>138</u>	<u>82</u>
J96	Respiratory failure, not elsewhere classified	160	97	63
J98	Other respiratory disorders	60	41	19
<u>K00-K92</u>	<u>DISEASES OF THE DIGESTIVE SYSTEM</u>	<u>934</u>	<u>683</u>	<u>251</u>
<u>K00-K14</u>	<u>Diseases of oral cavity, salivary glands and jaws</u>	<u>3</u>	<u>2</u>	<u>1</u>
K04	Diseases of pulp and periapical tissues	1	1	0
K08	Other disorders of the teeth and supporting structures	2	1	1
<u>K20-K31</u>	<u>Diseases of esophagus, stomach and duodenum</u>	<u>43</u>	<u>32</u>	<u>11</u>
K21	Gastroesophageal reflux disease	11	8	3
K22	Other diseases of esophagus	5	5	0
K25	Gastric ulcer	7	6	1
K26	Duodenal ulcer	7	6	1
K27	Peptic ulcer, site unspecified	4	2	2
K29	Gastritis and duodenitis	2	1	1
K31	Other diseases of stomach and duodenum	7	4	3
<u>K35-K38</u>	<u>Diseases of appendix</u>	<u>5</u>	<u>4</u>	<u>1</u>
K35	Acute appendicitis	3	2	1

Table 10B - Page 11
Deaths - Mississippi - 2010

INTERNATIONAL CLASSIFICATION NUMBER*	CAUSE OF DEATH*	TOTAL	WHITE	NON-WHITE
K37	Unspecified appendicitis	2	2	0
<u>K40-K46</u>	<u>Hernia</u>	<u>15</u>	<u>10</u>	<u>5</u>
K40	Inguinal hernia	2	1	1
K42	Umbilical hernia	1	1	0
K43	Ventral hernia	3	3	0
K44	Diaphragmatic hernia	6	2	4
K46	Unspecified abdominal hernia	3	3	0
<u>K50-K52</u>	<u>Noninfective enteritis and colitis</u>	<u>9</u>	<u>7</u>	<u>2</u>
K50	Crohn's disease [regional enteritis]	5	4	1
K51	Ulcerative colitis	4	3	1
<u>K55-K63</u>	<u>Other diseases of intestines</u>	<u>192</u>	<u>134</u>	<u>58</u>
K55	Vascular disorders of intestine	81	63	18
K56	Paralytic ileus and intestinal obstruction without hernia	63	40	23
K57	Diverticular disease of intestine	15	11	4
K61	Abscess of anal and rectal regions	2	1	1
K62	Other diseases of anus and rectum	3	2	1
K63	Other diseases of intestine	28	17	11
<u>K65-K67</u>	<u>Diseases of peritoneum</u>	<u>24</u>	<u>15</u>	<u>9</u>
K65	Peritonitis	19	12	7
K66	Other disorders of peritoneum	5	3	2
<u>K70-K76</u>	<u>Diseases of liver</u>	<u>440</u>	<u>336</u>	<u>104</u>
K70	Alcoholic liver disease	99	70	29
K72	Hepatic failure, not elsewhere classified	57	41	16
K73	Chronic hepatitis, not elsewhere classified	1	1	0
K74	Fibrosis and cirrhosis of liver	190	153	37
K75	Other inflammatory liver diseases	5	4	1
K76	Other diseases of liver	88	67	21
<u>K80-K87</u>	<u>Disorders of gallbladder, biliary tract and pancreas</u>	<u>88</u>	<u>62</u>	<u>26</u>
K80	Cholelithiasis	6	5	1
K81	Cholecystitis	27	19	8
K82	Other diseases of gallbladder	8	8	0
K83	Other diseases of biliary tract	4	2	2
K85	Acute pancreatitis	37	23	14
K86	Other diseases of pancreas	6	5	1
<u>K90-K93</u>	<u>Other diseases of the digestive system</u>	<u>115</u>	<u>81</u>	<u>34</u>
K90	Intestinal malabsorption	2	1	1
K92	Other diseases of the digestive system	113	80	33
<u>L00-L98</u>	<u>DISEASES OF THE SKIN AND SUBCUTANEOUS TISSUE</u>	<u>53</u>	<u>26</u>	<u>27</u>
<u>L00-L08</u>	<u>Infections of the skin and subcutaneous tissue</u>	<u>14</u>	<u>10</u>	<u>4</u>
L02	Cutaneous abscess, furuncle, and carbuncle	4	2	2
L03	Cellulitis	10	8	2
<u>L10-L14</u>	<u>Bullous disorders</u>	<u>1</u>	<u>1</u>	<u>0</u>
L12	Pemphigoid	1	1	0
<u>L20-L30</u>	<u>Dermatitis and eczema</u>	<u>1</u>	<u>0</u>	<u>1</u>
L30	Other dermatitis	1	0	1
<u>L50-L54</u>	<u>Urticaria and erythema</u>	<u>2</u>	<u>1</u>	<u>1</u>

Table 10B - Page 12
Deaths - Mississippi - 2010

INTERNATIONAL CLASSIFICATION NUMBER*	CAUSE OF DEATH*	TOTAL	WHITE	NON-WHITE
L51	Erythema multiforme	2	1	1
<u>L80-L99</u>	<u>Other disorders of the skin and subcutaneous tissue</u>	<u>35</u>	<u>14</u>	<u>21</u>
L89	Decubitus ulcer	22	6	16
L93	Lupus erythematosus	7	5	2
L97	Ulcer of lower limb, not elsewhere classified	2	1	1
L98	Other disorders of skin and subcutaneous tissue, not elsewhere classified	4	2	2
<u>M00-M99</u>	<u>DISEASES OF THE MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE</u>	<u>101</u>	<u>62</u>	<u>39</u>
<u>M00-M25</u>	<u>Arthropathies</u>	<u>26</u>	<u>20</u>	<u>6</u>
<u>M00-M03</u>	<u>Infectious arthropathies</u>	<u>3</u>	<u>3</u>	<u>0</u>
M00	Pyogenic arthritis	3	3	0
<u>M05-M14</u>	<u>Inflammatory polyarthropathies</u>	<u>18</u>	<u>14</u>	<u>4</u>
M05	Seropositive rheumatoid arthritis	2	1	1
M06	Other rheumatoid arthritis	13	11	2
M13	Other arthritis	3	2	1
<u>M15-M19</u>	<u>Arthrosis</u>	<u>5</u>	<u>3</u>	<u>2</u>
M19	Other arthrosis	5	3	2
<u>M30-M36</u>	<u>Systemic connective tissue disorders</u>	<u>41</u>	<u>21</u>	<u>20</u>
M31	Other necrotizing vasculopathies	4	3	1
M32	Systemic lupus erythematosus	18	9	9
M33	Dermatopolymyositis	5	1	4
M34	Systemic sclerosis	10	6	4
M35	Other systemic involvement of connective tissue	4	2	2
<u>M40-M54</u>	<u>Dorsopathies</u>	<u>5</u>	<u>4</u>	<u>1</u>
<u>M40-M43</u>	<u>Deforming dorsopathies</u>	<u>4</u>	<u>3</u>	<u>1</u>
M41	Scoliosis	4	3	1
<u>M45-M49</u>	<u>Spondylopathies</u>	<u>1</u>	<u>1</u>	<u>0</u>
M47	Spondylosis	1	1	0
<u>M60-M79</u>	<u>Soft tissue disorders</u>	<u>12</u>	<u>6</u>	<u>6</u>
<u>M60-M63</u>	<u>Disorders of muscles</u>	<u>6</u>	<u>4</u>	<u>2</u>
M62	Other disorders of muscle	6	4	2
<u>M70-M79</u>	<u>Other soft tissue disorders</u>	<u>6</u>	<u>2</u>	<u>4</u>
M72	Fibroblastic disorders	6	2	4
<u>M80-M94</u>	<u>Osteopathies and chondropathies</u>	<u>17</u>	<u>11</u>	<u>6</u>
<u>M80-M85</u>	<u>Disorders of bone density and structure</u>	<u>9</u>	<u>6</u>	<u>3</u>
M81	Osteoporosis without pathological fracture	8	6	2
M84	Disorders of continuity of bone	1	0	1
<u>M86-M90</u>	<u>Other osteopathies</u>	<u>8</u>	<u>5</u>	<u>3</u>
M86	Osteomyelitis	7	4	3
M89	Other disorders of bone	1	1	0
<u>N00-N98</u>	<u>DISEASES OF THE GENITOURINARY SYSTEM</u>	<u>925</u>	<u>552</u>	<u>373</u>
<u>N00-N07</u>	<u>Glomerular diseases</u>	<u>51</u>	<u>26</u>	<u>25</u>
N02	Recurrent and persistent hematuria	1	1	0

Table 10B - Page 13
Deaths - Mississippi - 2010

INTERNATIONAL CLASSIFICATION NUMBER*	CAUSE OF DEATH*	TOTAL	WHITE	NON-WHITE
N03	Chronic nephritic syndrome	50	25	25
<u>N10-N16</u>	<u>Renal tubulo-interstitial diseases</u>	<u>7</u>	<u>6</u>	<u>1</u>
N12	Tubulo-interstitial nephritis, not specified as acute or chronic	5	5	0
N13	Obstructive and reflux uropathy	2	1	1
<u>N17-N19</u>	<u>Renal failure</u>	<u>687</u>	<u>400</u>	<u>287</u>
N17	Acute renal failure	119	70	49
N18	Chronic renal failure	309	149	160
N19	Unspecified renal failure	259	181	78
<u>N20-N23</u>	<u>Urolithiasis</u>	<u>2</u>	<u>1</u>	<u>1</u>
N20	Calculus of kidney and ureter	2	1	1
<u>N25-N29</u>	<u>Other disorders of kidney and ureter</u>	<u>25</u>	<u>14</u>	<u>11</u>
N28	Other disorders of kidney and ureter, not elsewhere classified	25	14	11
<u>N30-N39</u>	<u>Other diseases of urinary system</u>	<u>145</u>	<u>99</u>	<u>46</u>
N32	Other disorders of bladder	2	2	0
N39	Other disorders of urinary system	143	97	46
<u>N40-N50</u>	<u>Diseases of male genital organs</u>	<u>6</u>	<u>5</u>	<u>1</u>
N40	Hyperplasia of prostate	1	1	0
N42	Other disorders of prostate	1	1	0
N49	Inflammatory disorders of male genital organs, not elsewhere classified	4	3	1
<u>N60-N64</u>	<u>Disorders of breast</u>	<u>1</u>	<u>1</u>	<u>0</u>
N63	Unspecified lump in breast	1	1	0
<u>N70-N77</u>	<u>Inflammatory diseases of female pelvic organs</u>	<u>1</u>	<u>0</u>	<u>1</u>
N73	Other female pelvic inflammatory diseases	1	0	1
<u>O00-O99</u>	<u>PREGNANCY, CHILDBIRTH AND THE PUERPERIUM</u>	<u>12</u>	<u>6</u>	<u>6</u>
<u>O10-O92</u>	<u>Other direct obstetric deaths</u>	<u>9</u>	<u>6</u>	<u>3</u>
<u>O20-O29</u>	<u>Other maternal disorders predominantly related to pregnancy</u>	<u>3</u>	<u>3</u>	<u>0</u>
O22	Venous complications in pregnancy	1	1	0
O26	Maternal care for other conditions predominantly related to pregnancy	2	2	0
<u>O60-O75</u>	<u>Complications of labor and delivery</u>	<u>2</u>	<u>0</u>	<u>2</u>
O75	Other complications of labor and delivery, not elsewhere classified	2	0	2
<u>O85-O92</u>	<u>Complications predominantly related to the puerperium</u>	<u>4</u>	<u>3</u>	<u>1</u>
O88	Obstetric embolism	2	1	1
O90	Complications of the puerperium, not elsewhere classified	2	2	0
<u>O95-O99</u>	<u>Other obstetric conditions, not elsewhere classified</u>	<u>3</u>	<u>0</u>	<u>3</u>
O95	Obstetric death of unspecified cause	1	0	1
O96	Death from any obstetric cause occurring more than 42 days but less than 1 year after delivery	1	0	1
O99	Other maternal diseases classifiable elsewhere but complicating pregnancy, childbirth, and the puerperium	1	0	1
<u>P00-P96</u>	<u>CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD</u>	<u>176</u>	<u>52</u>	<u>124</u>

Table 10B - Page 14
Deaths - Mississippi - 2010

INTERNATIONAL CLASSIFICATION NUMBER*	CAUSE OF DEATH*	TOTAL	WHITE	NON-WHITE
<u>P00-P04</u>	<u>Fetus and newborn affected by maternal factors and by complications of pregnancy, labor and delivery</u>	<u>18</u>	<u>6</u>	<u>12</u>
P00	Newborn affected by maternal conditions that may be unrelated to present pregnancy	3	0	3
P01	Newborn affected by maternal complications of pregnancy	8	5	3
P02	Newborn affected by complications of placenta, cord, and membranes	5	1	4
P03	Newborn affected by other complications of labor and delivery	1	0	1
P04	Newborn affected by noxious influences transmitted via placenta or breast milk	1	0	1
<u>P05-P08</u>	<u>Disorders related to length of gestation and fetal growth</u>	<u>60</u>	<u>14</u>	<u>46</u>
P05	Slow fetal growth and fetal malnutrition	3	1	2
P07	Disorders related to short gestation and low birthweight, not elsewhere classified	57	13	44
<u>P20-P29</u>	<u>Respiratory and cardiovascular disorders specific to the perinatal period</u>	<u>62</u>	<u>21</u>	<u>41</u>
P20	Intrauterine hypoxia	1	1	0
P21	Birth asphyxia	7	3	4
P22	Respiratory distress of newborn	14	6	8
P23	Congenital pneumonia	1	1	0
P24	Neonatal aspiration syndromes	1	0	1
P26	Pulmonary hemorrhage originating in the perinatal period	9	2	7
P27	Chronic respiratory disease originating in the perinatal period	2	1	1
P28	Other respiratory conditions originating in the perinatal period	4	1	3
P29	Cardiovascular disorders originating in the perinatal period	23	6	17
<u>P35-P39</u>	<u>Infections specific to the perinatal period</u>	<u>14</u>	<u>5</u>	<u>9</u>
P35	Congenital viral diseases	3	1	2
P36	Bacterial sepsis of newborn	10	3	7
P38	Omphalitis of newborn with or without mild hemorrhage	1	1	0
<u>P50-P61</u>	<u>Hemorrhagic and hematological disorders of fetus and newborn</u>	<u>3</u>	<u>0</u>	<u>3</u>
P52	Intracranial nontraumatic hemorrhage of fetus and newborn	2	0	2
P54	Other neonatal hemorrhages	1	0	1
<u>P75-P78</u>	<u>Digestive system disorders of fetus and newborn</u>	<u>9</u>	<u>3</u>	<u>6</u>
P77	Necrotizing enterocolitis of newborn	9	3	6
<u>P80-P83</u>	<u>Conditions involving the integument and temperature regulation of fetus and newborn</u>	<u>2</u>	<u>1</u>	<u>1</u>
P83	Other conditions of integument specific to newborn	2	1	1
<u>P90-P96</u>	<u>Other disorders originating in the perinatal period</u>	<u>8</u>	<u>2</u>	<u>6</u>
P91	Other disturbances of cerebral status of newborn	2	1	1
P96	Other conditions originating in the perinatal period	6	1	5
<u>Q00-Q99</u>	<u>CONGENITAL MALFORMATIONS, DEFORMATIONS AND CHROMOSOMAL ABNORMALITIES</u>	<u>129</u>	<u>71</u>	<u>58</u>
<u>Q00-Q07</u>	<u>Congenital malformations of the nervous system</u>	<u>17</u>	<u>8</u>	<u>9</u>

Table 10B - Page 15
Deaths - Mississippi - 2010

INTERNATIONAL CLASSIFICATION NUMBER*	CAUSE OF DEATH*	TOTAL	WHITE	NON-WHITE
Q02	Microcephaly	3	1	2
Q03	Congenital hydrocephalus	2	2	0
Q04	Other congenital malformations of brain	9	3	6
Q05	Spina bifida	2	2	0
Q07	Other congenital malformations of nervous system	1	0	1
<u>Q20-Q28</u>	<u>Congenital malformations of the circulatory system</u>	<u>36</u>	<u>17</u>	<u>19</u>
Q21	Congenital malformations of cardiac septa	6	2	4
Q23	Congenital malformations of aortic and mitral valves	8	6	2
Q24	Other congenital malformations of heart	17	7	10
Q25	Congenital malformations of great arteries	2	1	1
Q28	Other congenital malformations of circulatory system	3	1	2
<u>Q30-Q34</u>	<u>Congenital malformations of the respiratory system</u>	<u>6</u>	<u>2</u>	<u>4</u>
Q33	Congenital malformations of lung	6	2	4
<u>Q35-Q37</u>	<u>Cleft lip and cleft palate</u>	<u>1</u>	<u>0</u>	<u>1</u>
Q35	Cleft palate	1	0	1
<u>Q38-Q45</u>	<u>Other congenital malformations of the digestive system</u>	<u>3</u>	<u>2</u>	<u>1</u>
Q43	Other congenital malformations of intestine	2	2	0
Q44	Congenital malformations of gallbladder, bile ducts, and liver	1	0	1
<u>Q60-Q64</u>	<u>Congenital malformations of the urinary system</u>	<u>3</u>	<u>2</u>	<u>1</u>
Q61	Cystic kidney disease	3	2	1
<u>Q65-Q79</u>	<u>Congenital malformations and deformations of the musculoskeletal system</u>	<u>12</u>	<u>7</u>	<u>5</u>
Q74	Other congenital malformations of limb(s)	1	1	0
Q77	Osteochondrodysplasia with defects of growth of tubular bones and spine	1	1	0
Q78	Other osteochondrodysplasias	4	2	2
Q79	Congenital malformations of musculoskeletal system, not elsewhere classified	6	3	3
<u>Q80-Q89</u>	<u>Other congenital malformations</u>	<u>15</u>	<u>8</u>	<u>7</u>
Q85	Phakomatoses, not elsewhere classified	1	0	1
Q87	Other specified congenital malformation syndromes affecting multiple systems	3	3	0
Q89	Other congenital malformations, not elsewhere classified	11	5	6
<u>Q90-Q99</u>	<u>Chromosomal abnormalities, not elsewhere classified</u>	<u>36</u>	<u>25</u>	<u>11</u>
Q90	Down's syndrome	19	13	6
Q91	Edwards' syndrome and Patau's syndrome	13	10	3
Q92	Other trisomies and partial trisomies of autosomes, not elsewhere classified	2	1	1
Q93	Monosomies and deletions from the autosomes, not elsewhere classified	1	0	1
Q99	Other chromosome abnormalities, not elsewhere classified	1	1	0
<u>R00-R99</u>	<u>SYMPTOMS, SIGNS AND ABNORMAL CLINICAL AND LABORATORY FINDINGS NOT ELSEWHERE CLASSIFIED</u>	<u>513</u>	<u>344</u>	<u>169</u>
<u>R00-R09</u>	<u>Symptoms and signs involving the circulatory and respiratory systems</u>	<u>42</u>	<u>24</u>	<u>18</u>

Table 10B - Page 16
Deaths - Mississippi - 2010

INTERNATIONAL CLASSIFICATION NUMBER*	CAUSE OF DEATH*	TOTAL	WHITE	NON-WHITE
R00	Abnormalities of heart beat	1	0	1
R02	Gangrene, not elsewhere classified	1	1	0
R04	Hemorrhage from respiratory passages	1	1	0
R06	Abnormalities of breathing	6	5	1
R09	Other symptoms and signs involving the circulatory and respiratory systems	33	17	16
<u>R10-R19</u>	<u>Symptoms and signs involving the digestive system and abdomen</u>	<u>5</u>	<u>4</u>	<u>1</u>
R19	Other symptoms and signs involving the digestive system and abdomen	5	4	1
<u>R25-R29</u>	<u>Symptoms and signs involving the nervous and musculoskeletal systems</u>	<u>1</u>	<u>0</u>	<u>1</u>
R26	Abnormalities of gait and mobility	1	0	1
<u>R50-R69</u>	<u>General symptoms and signs</u>	<u>297</u>	<u>220</u>	<u>77</u>
R53	Malaise and fatigue	86	63	23
R54	Senility	13	7	6
R56	Convulsions, not elsewhere classified	21	7	14
R57	Shock, not elsewhere classified	9	7	2
R58	Hemorrhage, not elsewhere classified	1	1	0
R60	Edema, not elsewhere classified	1	0	1
R62	Lack of expected normal physiological development	141	117	24
R63	Symptoms and signs concerning food and fluid intake	1	0	1
R64	Cachexia	2	1	1
R68	Other general symptoms and signs	22	17	5
<u>R70-R79</u>	<u>Abnormal findings on examination of blood, without diagnosis</u>	<u>6</u>	<u>1</u>	<u>5</u>
R73	Elevated blood glucose level	4	1	3
R75	Laboratory evidence of human immunodeficiency virus [HIV]	2	0	2
<u>R90-R94</u>	<u>Abnormal findings on diagnostic imaging and in function studies, without diagnosis</u>	<u>5</u>	<u>4</u>	<u>1</u>
R90	Abnormal findings on diagnostic imaging of central nervous system	1	1	0
R91	Abnormal findings on diagnostic imaging of lung	4	3	1
<u>R95-R99</u>	<u>Ill-defined and unknown causes of mortality</u>	<u>157</u>	<u>91</u>	<u>66</u>
R95	Sudden infant death syndrome	45	19	26
R96	Other sudden death, cause unknown	4	3	1
R99	Other ill-defined and unspecified causes of mortality	108	69	39
<u>V01-Y89</u>	<u>EXTERNAL CAUSES OF MORTALITY</u>	<u>2,442</u>	<u>1,709</u>	<u>733</u>
<u>V01-V09</u>	<u>Pedestrian injured in transport accident</u>	<u>77</u>	<u>34</u>	<u>43</u>
V03	Pedestrian injured in collision with car, pickup truck, or van	52	21	31
V04	Pedestrian injured in collision with heavy transport vehicle or bus	7	3	4
V05	Pedestrian injured in collision with railway train or railway vehicle	6	1	5
V06	Pedestrian injured in collision with other nonmotor vehicle	2	2	0
V09	Pedestrian injured in other and unspecified transport accidents	10	7	3

Table 10B - Page 17
Deaths - Mississippi - 2010

INTERNATIONAL CLASSIFICATION NUMBER*	CAUSE OF DEATH*	TOTAL	WHITE	NON-WHITE
<u>V10-V19</u>	<u>Pedal cyclist injured in transport accident</u>	<u>7</u>	<u>3</u>	<u>4</u>
V13	Pedal cyclist injured in collision with car, pickup truck, or van	4	1	3
V14	Pedal cyclist injured in collision with heavy transport vehicle or bus	1	1	0
V19	Pedal cyclist injured in other and unspecified transport accidents	2	1	1
<u>V20-V29</u>	<u>Motorcycle rider injured in transport accident</u>	<u>46</u>	<u>32</u>	<u>14</u>
V22	Motorcycle rider injured in collision with two- or three-wheeled motor vehicle	1	1	0
V23	Motorcycle rider injured in collision with car, pickup truck, or van	16	11	5
V27	Motorcycle rider injured in collision with fixed or stationary object	14	8	6
V28	Motorcycle rider injured in noncollision transport accident	10	8	2
V29	Motorcycle rider injured in other and unspecified transport accidents	5	4	1
<u>V30-V39</u>	<u>Occupant of three-wheeled motor vehicle injured in transport accident</u>	<u>2</u>	<u>2</u>	<u>0</u>
V37	Occupant of three-wheeled motor vehicle injured in collision with fixed or stationary object	1	1	0
V38	Occupant of three-wheeled motor vehicle injured in noncollision transport accident	1	1	0
<u>V40-V49</u>	<u>Car occupant injured in transport accident</u>	<u>328</u>	<u>203</u>	<u>125</u>
V40	Car occupant injured in collision with pedestrian or animal	1	1	0
V43	Car occupant injured in collision with car, pickup truck, or van	108	72	36
V44	Car occupant injured in collision with heavy transport vehicle or bus	17	12	5
V45	Car occupant injured in collision with railway train or railway vehicle	4	2	2
V46	Car occupant injured in collision with other nonmotor vehicle	1	1	0
V47	Car occupant injured in collision with fixed or stationary object	113	62	51
V48	Car occupant injured in noncollision transport accident	75	46	29
V49	Car occupant injured in other and unspecified transport accidents	9	7	2
<u>V50-V59</u>	<u>Occupant of pick-up truck or van injured in transport accident</u>	<u>129</u>	<u>94</u>	<u>35</u>
V53	Occupant of pickup truck or van injured in collision with car, pickup truck, or van	28	18	10
V54	Occupant of pickup truck or van injured in collision with heavy transport vehicle or bus	10	6	4
V55	Occupant of pickup truck or van injured in collision with railway train or railway vehicle	3	3	0
V56	Occupant of pickup truck or van injured in collision with other nonmotor vehicle	1	1	0

Table 10B - Page 18
Deaths - Mississippi - 2010

INTERNATIONAL CLASSIFICATION NUMBER*	CAUSE OF DEATH*	TOTAL	WHITE	NON-WHITE
V57	Occupant of pickup truck or van injured in collision with fixed or stationary object	39	28	11
V58	Occupant of pickup truck or van injured in noncollision transport accident	44	34	10
V59	Occupant of pickup truck or van injured in other and unspecified transport accidents	4	4	0
<u>V60-V69</u>	<u>Occupant of heavy transport vehicle injured in transport accident</u>	<u>4</u>	<u>2</u>	<u>2</u>
V63	Occupant of heavy transport vehicle injured in collision with car, pickup truck, or van	2	1	1
V67	Occupant of heavy transport vehicle injured in collision with fixed or stationary object	1	1	0
V68	Occupant of heavy transport vehicle injured in noncollision transport accident	1	0	1
<u>V80-V89</u>	<u>Other land transport accidents</u>	<u>93</u>	<u>66</u>	<u>27</u>
V80	Animal-rider or occupant of animal-drawn vehicle injured in transport accident	1	1	0
V83	Occupant of special vehicle mainly used on industrial premises injured in transport accident	2	0	2
V84	Occupant of special vehicle mainly used in agriculture injured in transport accident	4	3	1
V85	Occupant of special construction vehicle injured in transport accident	1	1	0
V86	Occupant of special all-terrain or other motor vehicle designed primarily for off-road use, injured in transport accident	9	6	3
V87	Traffic accident of specified type but victim's mode of transport unknown	14	12	2
V89	Motor- or nonmotor-vehicle accident, type of vehicle unspecified	62	43	19
<u>V90-V94</u>	<u>Water transport accidents</u>	<u>16</u>	<u>12</u>	<u>4</u>
V90	Accident to watercraft causing drowning and submersion	9	8	1
V91	Accident to watercraft causing other injury	2	2	0
V92	Water-transport-related drowning and submersion without accident to watercraft	3	0	3
V94	Other and unspecified water transport accidents	2	2	0
<u>V95-V97</u>	<u>Air and space transport accidents</u>	<u>4</u>	<u>3</u>	<u>1</u>
V95	Accident to powered aircraft causing injury to occupant	4	3	1
<u>W00-W19</u>	<u>Falls</u>	<u>279</u>	<u>245</u>	<u>34</u>
W01	Fall on same level from slipping, tripping, and stumbling	19	16	3
W05	Fall involving wheelchair	7	7	0
W06	Fall involving bed	14	13	1
W07	Fall involving chair	2	2	0
W08	Fall involving other furniture	1	0	1
W10	Fall on and from stairs and steps	9	9	0
W11	Fall on and from ladder	4	3	1
W13	Fall from, out of, or through building or structure	13	9	4
W17	Other fall from one level to another	4	2	2

Table 10B - Page 19
Deaths - Mississippi - 2010

INTERNATIONAL CLASSIFICATION NUMBER*	CAUSE OF DEATH*	TOTAL	WHITE	NON-WHITE
W18	Other fall on same level	90	80	10
W19	Unspecified fall	116	104	12
<u>W20-W49</u>	<u>Exposure to inanimate mechanical forces</u>	<u>38</u>	<u>23</u>	<u>15</u>
W20	Struck by thrown, projected, or falling object	15	7	8
W22	Striking against or struck by other objects	1	0	1
W23	Caught, crushed, jammed, or pinched in or between objects	1	1	0
W28	Contact with powered lawn mower	1	1	0
W30	Contact with agricultural machinery	1	1	0
W31	Contact with other and unspecified machinery	4	4	0
W32	Handgun discharge	3	2	1
W33	Rifle, shotgun, and larger firearm discharge	3	2	1
W34	Discharge from other and unspecified firearms	5	3	2
W37	Explosion and rupture of pressurized tire, pipe, or hose	1	1	0
W38	Explosion and rupture of other specified pressurized devices	1	0	1
W40	Explosion of other materials	2	1	1
<u>W50-W64</u>	<u>Exposure to animate mechanical forces</u>	<u>4</u>	<u>1</u>	<u>3</u>
W51	Striking against or bumped into by another person	2	0	2
W54	Bitten or struck by dog	1	0	1
W55	Bitten or struck by other mammals	1	1	0
<u>W65-W74</u>	<u>Accidental drowning and submersion</u>	<u>48</u>	<u>32</u>	<u>16</u>
W65	Drowning and submersion while in bathtub	3	2	1
W66	Drowning and submersion following fall into bathtub	1	0	1
W67	Drowning and submersion while in swimming pool	5	4	1
W68	Drowning and submersion following fall into swimming pool	4	3	1
W69	Drowning and submersion while in natural water	22	14	8
W70	Drowning and submersion following fall into natural water	5	3	2
W74	Unspecified drowning and submersion	8	6	2
<u>W75-W84</u>	<u>Other accidental threats to breathing</u>	<u>110</u>	<u>64</u>	<u>46</u>
W75	Accidental suffocation and strangulation in bed	15	6	9
W76	Other accidental hanging and strangulation	3	3	0
W78	Inhalation of gastric contents	8	4	4
W79	Inhalation and ingestion of food causing obstruction of respiratory tract	17	11	6
W80	Inhalation and ingestion of other objects causing obstruction of respiratory tract	64	38	26
W83	Other specified threats to breathing	1	1	0
W84	Unspecified threat to breathing	2	1	1
<u>W85-W99</u>	<u>Exposure to electric current, radiation and extreme ambient air temperature and pressure</u>	<u>6</u>	<u>4</u>	<u>2</u>
W85	Exposure to electric transmission lines	2	0	2
W86	Exposure to other specified electric current	2	2	0
W87	Exposure to unspecified electric current	2	2	0
<u>X00-X09</u>	<u>Exposure to smoke, fire and flames</u>	<u>78</u>	<u>37</u>	<u>41</u>
X00	Exposure to uncontrolled fire in building or structure	68	29	39
X01	Exposure to uncontrolled fire, not in building or structure	2	1	1
X02	Exposure to controlled fire in building or structure	2	2	0
X03	Exposure to controlled fire, not in building or structure	1	1	0
X04	Exposure to ignition of highly flammable material	2	2	0

Table 10B - Page 20
Deaths - Mississippi - 2010

INTERNATIONAL CLASSIFICATION NUMBER*	CAUSE OF DEATH*	TOTAL	WHITE	NON-WHITE
X05	Exposure to ignition or melting of nightwear	1	1	0
X09	Exposure to unspecified smoke, fire, and flames	2	1	1
<u>X10-X19</u>	<u>Contact with heat and hot substances</u>	<u>1</u>	<u>1</u>	<u>0</u>
X12	Contact with other hot fluids	1	1	0
<u>X20-X29</u>	<u>Contact with venomous animals and plants</u>	<u>3</u>	<u>2</u>	<u>1</u>
X23	Contact with hornets, wasps, and bees	1	1	0
X25	Contact with other specified venomous arthropods	2	1	1
<u>X30-X39</u>	<u>Exposure to forces of nature</u>	<u>45</u>	<u>24</u>	<u>21</u>
X30	Exposure to excessive natural heat	23	13	10
X31	Exposure to excessive natural cold	6	4	2
X33	Victim of lightning	2	1	1
X37	Victim of cataclysmic storm	13	5	8
X38	Victim of flood	1	1	0
<u>X40-X49</u>	<u>Accidental poisoning by and exposure to noxious substances</u>	<u>277</u>	<u>251</u>	<u>26</u>
X40	Accidental poisoning by and exposure to nonopioid analgesics, antipyretics, and antirheumatics	5	4	1
X41	Accidental poisoning by and exposure to antiepileptic, sedative-hypnotic, antiparkinsonism, and psychotropic drugs, not elsewhere classified	9	7	2
X42	Accidental poisoning by and exposure to narcotics and psychodysleptics [hallucinogens], not elsewhere classified	58	50	8
X44	Accidental poisoning by and exposure to other and unspecified drugs, medicaments, and biological substances	187	176	11
X45	Accidental poisoning by and exposure to alcohol	11	10	1
X46	Accidental poisoning by and exposure to organic solvents and halogenated hydrocarbons and their vapors	1	1	0
X47	Accidental poisoning by and exposure to other gases and vapors	6	3	3
<u>X50-X57</u>	<u>Overexertion, travel and privation</u>	<u>1</u>	<u>1</u>	<u>0</u>
X50	Overexertion and strenuous or repetitive movements	1	1	0
<u>X58-X59</u>	<u>Accidental exposure to other and unspecified factors</u>	<u>51</u>	<u>42</u>	<u>9</u>
X58	Exposure to other specified factors	1	0	1
X59	Exposure to unspecified factor	50	42	8
<u>X60-X84</u>	<u>Intentional self-harm</u>	<u>386</u>	<u>338</u>	<u>48</u>
X60	Intentional self-poisoning (suicide) by and exposure to nonopioid analgesics, antipyretics, and antirheumatics	1	1	0
X61	Intentional self-poisoning (suicide) by and exposure to antiepileptic, sedative-hypnotic, antiparkinsonism, and psychotropic drugs, not elsewhere classified	5	5	0
X62	Intentional self-poisoning (suicide) by and exposure to narcotics and psychodysleptics [hallucinogens], not elsewhere classified	6	6	0
X64	Intentional self-poisoning (suicide) by and exposure to other and unspecified drugs, medicaments, and biological substances	30	29	1
X66	Intentional self-poisoning (suicide) by and exposure to organic solvents and halogenated hydrocarbons and their vapors	1	1	0

Table 10B - Page 21
Deaths - Mississippi - 2010

INTERNATIONAL CLASSIFICATION NUMBER*	CAUSE OF DEATH*	TOTAL	WHITE	NON-WHITE
X67	Intentional self-poisoning (suicide) by and exposure to other gases and vapors	13	13	0
X70	Intentional self harm (suicide) by hanging, strangulation, and suffocation	62	55	7
X71	Intentional self harm (suicide) by drowning and submersion	4	4	0
X72	Intentional self harm (suicide) by handgun discharge	85	71	14
X73	Intentional self harm (suicide) by rifle, shotgun, and larger firearm discharge	50	45	5
X74	Intentional self harm (suicide) by other and unspecified firearm discharge	121	104	17
X78	Intentional self harm (suicide) by sharp object	6	3	3
X80	Intentional self harm (suicide) by jumping from a high place	1	1	0
X83	Intentional self harm (suicide) by other specified means	1	0	1
<u>X85-Y09</u>	<u>Assault</u>	<u>278</u>	<u>97</u>	<u>181</u>
X85	Assault (homicide) by drugs, medicaments, and biological substances	1	1	0
X91	Assault (homicide) by hanging, strangulation, and suffocation	2	2	0
X92	Assault (homicide) by drowning and submersion	1	0	1
X93	Assault (homicide) by handgun discharge	54	12	42
X94	Assault (homicide) by rifle, shotgun, and larger firearm discharge	19	13	6
X95	Assault (homicide) by other and unspecified firearm discharge	129	38	91
X97	Assault (homicide) by smoke, fire, and flames	4	2	2
X99	Assault (homicide) by sharp object	31	10	21
Y00	Assault (homicide) by blunt object	9	5	4
Y04	Assault (homicide) by bodily force	1	0	1
Y06	Neglect and abandonment	1	0	1
Y08	Assault (homicide) by other specified means	9	3	6
Y09	Assault (homicide) by unspecified means	17	11	6
<u>Y10-Y34</u>	<u>Event of undetermined intent</u>	<u>48</u>	<u>35</u>	<u>13</u>
Y11	Poisoning by and exposure to antiepileptic, sedative-hypnotic, antiparkinsonism, and psychotropic drugs, not elsewhere classified, undetermined intent	3	3	0
Y12	Poisoning by and exposure to narcotics and psychodysleptics [hallucinogens], not elsewhere classified, undetermined intent	9	8	1
Y14	Poisoning by and exposure to other and unspecified drugs, medicaments, and biological substances, undetermined intent	18	17	1
Y15	Poisoning by and exposure to alcohol, undetermined intent	2	2	0
Y19	Poisoning by and exposure to other and unspecified chemicals and noxious substances, undetermined intent	1	1	0
Y20	Hanging, strangulation, and suffocation, undetermined intent	3	2	1
Y21	Drowning and submersion, undetermined intent	3	0	3
Y22	Handgun discharge, undetermined intent	1	1	0
Y23	Rifle, shotgun, and larger firearm discharge, undetermined intent	1	0	1

Table 10B - Page 22
Deaths - Mississippi - 2010

INTERNATIONAL CLASSIFICATION NUMBER*	CAUSE OF DEATH*	TOTAL	WHITE	NON-WHITE
Y24	Other and unspecified firearm discharge, undetermined intent	1	0	1
Y26	Exposure to smoke, fire, and flames, undetermined intent	2	1	1
Y30	Falling, jumping, or pushed from a high place, undetermined intent	1	0	1
Y32	Crashing of motor vehicle, undetermined intent	1	0	1
Y33	Other specified events, undetermined intent	1	0	1
Y34	Unspecified event, undetermined intent	1	0	1
<u>Y35-Y36</u>	<u>Legal intervention and operations of war</u>	<u>4</u>	<u>4</u>	<u>0</u>
Y35	Legal intervention	4	4	0
<u>Y40-Y59</u>	<u>Drugs, medicaments and biological substances causing adverse effects in therapeutic use</u>	<u>9</u>	<u>7</u>	<u>2</u>
Y40	Systemic antibiotics	1	1	0
Y42	Hormones and their synthetic substitutes and antagonists, not elsewhere classified	1	0	1
Y57	Other and unspecified drugs and medicaments	7	6	1
<u>Y60-Y69</u>	<u>Misadventures to patients during surgical and medical care</u>	<u>2</u>	<u>1</u>	<u>1</u>
Y60	Unintentional cut, puncture, perforation, or hemorrhage during surgical and medical care	1	1	0
Y65	Other misadventures during surgical and medical care	1	0	1
<u>Y83-Y84</u>	<u>Surgical and other medical procedures as the cause of abnormal reaction of the patient, or of later complication, without mention of misadventure at the time of the procedure</u>	<u>42</u>	<u>30</u>	<u>12</u>
Y83	Surgical operation and other surgical procedures as the cause of abnormal reaction of the patient, or of later complication, without mention of misadventure at the time of the procedure	32	24	8
Y84	Other medical procedures as the cause of abnormal reaction of the patient, or of later complication, without mention of misadventure at the time of the procedure	10	6	4
<u>Y85-Y89</u>	<u>Sequelae of external causes of mortality</u>	<u>26</u>	<u>19</u>	<u>7</u>
Y85	Sequelae of transport accidents	15	11	4
Y86	Sequelae of other accidents	8	6	2
Y87	Sequelae of intentional self harm, assault, and events of undetermined intent	2	1	1
Y88	Sequelae with surgical and medical care as external cause	1	1	0
Y88	Sequelae with surgical and medical care as external cause	1	1	0

* NUMBERS AND CAUSES ARE FROM THE TENTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES AND RELATED HEALTH PROBLEMS.

TABLE 11
DEATHS FROM MAJOR CAUSE GROUPS AND CERTAIN SELECTED CAUSES, BY RACE, SEX, AND AGE,
ALSO RATES FOR MAJOR CAUSE GROUPS AND CERTAIN SELECTED CAUSES,
MISSISSIPPI RESIDENTS, 2010

GROUP NUMBER*	CAUSE OF DEATH	TOTAL		RACE	TOTAL BY RACE	SEX	TOTAL BY RACE AND SEX	AGE													
								NO.	RATE#	UNDER	1-	5-	10-	15-	25-	35-	45-	55-	65	UNKNOWN	
		1	4							9	14	24	34	44	54	64	AND OVER				
001-358	ALL CAUSES	28,950	9.8	W	19,730	M	9,708	63	17	11	10	165	229	330	931	1,546	6,406	0			
							F	10,022	77	13	7	9	56	109	191	597	1,001	7,962	0		
							NW	9,220	M	4,765	151	26	10	14	131	212	295	663	1,008	2,254	1
							F	4,455	F	4,455	95	17	8	7	58	104	210	452	657	2,846	1
001-055	INFECTIOUS AND PARASITIC DISEASES	848	28.6	W	468	M	213	1	0	0	0	1	5	12	33	35	126	0			
							F	255	3	0	0	0	2	2	4	21	30	193	0		
							NW	380	M	191	5	0	0	0	4	19	30	37	34	62	0
							F	189	F	189	5	1	0	1	3	10	19	18	29	103	0
009,010	TUBERCULOSIS	8	0.3	W	0	M	0	0	0	0	0	0	0	0	0	0	0	0			
							F	0	0	0	0	0	0	0	0	0	0	0	0		
							NW	8	M	7	0	0	0	0	1	0	1	1	2	2	0
							F	1	F	1	0	0	0	0	0	0	1	0	0	0	0
039-043	HUMAN IMMUNODEFICIENCY VIRUS (HIV) DISEASE	118	4.0	W	17	M	14	0	0	0	0	2	5	4	2	1	0				
							F	3	0	0	0	0	0	1	1	1	0	0			
							NW	101	M	72	0	0	0	0	1	15	24	20	9	3	0
							F	29	F	29	0	0	0	0	1	8	7	5	7	1	0
056-108	MALIGNANT NEOPLASMS	6,264	211.1	W	4,240	M	2,297	0	0	1	0	3	16	38	201	459	1,579	0			
							F	1,943	0	0	2	3	1	11	26	174	339	1,387	0		
							NW	2,024	M	1,095	0	0	0	0	7	3	28	140	298	619	0
							F	929	F	929	0	1	0	2	3	9	47	133	212	522	0
109-115	IN SITU NEOPLASMS, BENIGN NEOPLASMS, AND NEOPLASMS OF UNDETERMINED NATURE	110	3.7	W	88	M	43	0	0	0	0	0	0	2	0	5	36	0			
							F	45	0	0	0	1	0	0	2	5	4	33	0		
							NW	22	M	9	0	1	0	0	0	1	1	1	1	4	0
							F	13	F	13	0	0	0	0	0	0	2	0	1	10	0

TABLE 11 - PAGE 2
DEATHS - MISSISSIPPI - 2010

GROUP NUMBER*	CAUSE OF DEATH	TOTAL		RACE	TOTAL BY RACE	SEX	TOTAL BY RACE AND SEX	AGE										UNKNOW			
		NO.	RATE#					UNDER 1	1-4	5-9	10-14	15-24	25-34	35-44	45-54	55-64	65 AND OVER				
116-122	DISEASES OF BLOOD AND BLOOD-FORMING ORGANS	131	4.4	W	72	M	26	0	0	0	0	1	0	2	3	3	17	0			
							46	0	1	0	0	0	0	2	4	39	0				
							NW	59	M	31	1	0	0	1	3	3	3	7	5	8	0
										F	28	1	0	0	0	4	1	1	3	0	18
116-119	ANEMIAS	79	2.7	W	43	M	16	0	0	0	0	0	0	0	1	2	13	0			
							27	0	0	0	0	0	0	1	3	23	0				
							NW	36	M	18	0	0	0	1	3	3	2	4	2	3	0
										F	18	1	0	0	0	3	1	1	0	0	12
123-135	ENDOCRINE, NUTRITIONAL AND METABOLIC DISEASES	1,247	42.0	W	649	M	330	0	0	1	2	0	3	7	38	63	216	0			
							319	1	0	0	0	1	3	9	23	42	240	0			
							NW	598	M	248	0	0	0	1	5	5	17	33	63	124	0
										F	350	0	0	0	0	2	9	18	43	50	228
124	DIABETES MELLITUS	926	31.2	W	458	M	253	0	0	0	1	0	3	3	25	51	170	0			
							205	0	0	0	0	0	1	5	17	29	153	0			
							NW	468	M	197	0	0	0	0	1	3	13	28	49	103	0
										F	271	0	0	0	0	0	5	13	31	40	182
129-131	MALNUTRITION AND OTHER NUTRITIONAL DEFICIENCIES	41	1.4	W	24	M	11	0	0	0	0	0	0	0	3	1	7	0			
							13	0	0	0	0	0	0	0	0	0	13	0			
							NW	17	M	6	0	0	0	0	0	0	0	0	2	4	0
										F	11	0	0	0	0	0	0	0	1	0	10
136-144	MENTAL AND BEHAVIORAL DISORDERS	909	30.6	W	700	M	209	0	0	0	0	2	0	7	17	16	167	0			
							491	0	0	0	0	0	0	2	10	7	472	0			
							NW	209	M	83	0	0	0	0	0	3	3	7	10	59	1
										F	126	0	0	0	0	0	3	1	1	7	114
138	MENTAL AND BEHAVIORAL DISORDERS DUE TO USE OF ALCOHOL	50	1.7	W	38	M	29	0	0	0	0	0	0	5	12	9	3	0			
							9	0	0	0	0	0	0	1	4	2	2	0			
							NW	12	M	10	0	0	0	0	0	2	0	2	3	2	1
										F	2	0	0	0	0	0	0	1	0	1	0

TABLE 11 - PAGE 3
DEATHS - MISSISSIPPI - 2010

GROUP NUMBER*	CAUSE OF DEATH	TOTAL		RACE	TOTAL BY RACE	SEX	TOTAL BY RACE AND SEX	AGE												
		NO.	RATE#					UNDER 1	1-4	5-9	10-14	15-24	25-34	35-44	45-54	55-64	65 AND OVER	UNKNOWN		
145-153	<u>DISEASES OF THE NERVOUS SYSTEM</u>	1,455	49.0	W	1,124	M	411	0	0	1	1	5	4	5	22	27	346	0		
								F	713	0	1	2	1	3	6	4	14	32	650	0
				NW	331	M	122	2	2	2	1	9	4	4	4	4	17	77	77	0
								F	209	4	1	1	0	2	4	8	11	15	163	0
145	MENINGITIS	8	0.3	W	2	M	1	0	0	0	0	0	0	0	0	0	1	0		
								F	1	0	0	0	0	0	0	1	0	0	0	
				NW	6	M	2	1	0	0	0	0	0	0	0	0	1	0	0	
								F	4	1	0	0	0	1	0	1	0	1	0	
147	PARKINSONS DISEASE	172	5.8	W	147	M	87	0	0	0	0	0	0	1	0	4	82	0		
								F	60	0	0	0	0	0	0	0	3	57	0	
				NW	25	M	13	0	0	0	0	0	0	0	0	0	2	11	0	
								F	12	0	0	0	0	0	0	0	0	0	12	0
148	ALZHEIMERS DISEASE	928	31.3	W	740	M	214	0	0	0	0	0	0	0	1	2	211	0		
								F	526	0	0	0	0	0	0	0	6	520	0	
				NW	188	M	52	0	0	0	0	0	0	0	0	0	0	52	0	
								F	136	0	0	0	0	0	0	0	2	134	0	
150	EPILEPSY	18	0.6	W	12	M	6	0	0	0	0	0	1	0	2	1	2	0		
								F	6	0	0	0	0	2	0	2	1	1	0	
				NW	6	M	5	0	1	0	0	1	1	0	0	1	1	1	0	
								F	1	0	0	0	0	0	0	0	0	1	0	
154	<u>DISEASES OF THE EYE AND ADNEXA</u>	0	-	W	0	M	0	0	0	0	0	0	0	0	0	0	0	0		
								F	0	0	0	0	0	0	0	0	0	0	0	
				NW	0	M	0	0	0	0	0	0	0	0	0	0	0	0	0	
								F	0	0	0	0	0	0	0	0	0	0	0	
155	<u>DISEASES OF THE EAR AND MASTOID PROCESS</u>	1	**	W	0	M	0	0	0	0	0	0	0	0	0	0	0	0		
								F	0	0	0	0	0	0	0	0	0	0	0	
				NW	1	M	0	0	0	0	0	0	0	0	0	0	0	0		
								F	1	0	0	0	0	0	0	0	0	1	0	

TABLE 11 - PAGE 4
DEATHS - MISSISSIPPI - 2010

GROUP NUMBER*	CAUSE OF DEATH	TOTAL		RACE	TOTAL BY RACE	SEX	TOTAL BY RACE AND SEX	AGE													
								NO.	RATE#	UNDER	1	1-	5-	10-	15-	25-	35-	45-	55-	65	UNKNOWN
		1	4							9	14	24	34	44	54	64	AND OVER				
156-191	DISEASES OF THE CIRCULATORY SYSTEM	9,842	331.7	W	6,629	M	3,182	0	0	1	0	5	18	74	285	505	2,294	0			
							F	2	1	0	1	3	15	38	150	246	2,991	0			
							NW	3,213	M	1,604	0	1	1	0	7	30	86	269	388	822	0
							F	1,609	F	1,609	0	0	1	0	5	21	56	147	219	1,160	0
156-189	MAJOR CARDIO-VASCULAR DISEASES	9,802	330.3	W	6,609	M	3,174	0	0	1	0	5	18	74	283	503	2,290	0			
							F	2	1	0	1	2	15	37	147	245	2,985	0			
							NW	3,193	M	1,594	0	1	1	0	7	30	84	268	384	819	0
							F	1,599	F	1,599	0	0	1	0	5	20	56	145	218	1,154	0
156-160, 162, 164-181	HEART DISEASES	7,551	254.5	W	5,239	M	2,643	0	0	1	0	4	18	58	246	435	1,881	0			
							F	2	0	0	1	1	10	26	113	205	2,238	0			
							NW	2,312	M	1,186	0	1	1	0	6	23	62	199	288	606	0
							F	1,126	F	1,126	0	0	1	0	4	16	39	98	159	809	0
161,163	HYPERTENSION	531	17.9	W	266	M	114	0	0	0	0	0	0	3	12	16	83	0			
							F	0	0	0	0	0	0	1	7	7	137	0			
							NW	265	M	121	0	0	0	0	0	1	7	18	36	59	0
							F	144	F	144	0	0	0	0	0	1	5	14	15	109	0
182-186	CEREBROVASCULAR DISEASES	1,523	51.3	W	968	M	354	0	0	0	0	1	0	12	19	40	282	0			
							F	0	1	0	0	0	4	9	24	29	547	0			
							NW	555	M	260	0	0	0	0	1	6	13	45	54	141	0
							F	295	F	295	0	0	0	0	1	2	11	30	41	210	0
187	ATHEROSCLEROSIS	18	0.6	W	14	M	5	0	0	0	0	0	0	0	0	1	4	0			
							F	0	0	0	0	0	0	0	0	0	0	9	0		
							NW	4	M	1	0	0	0	0	0	0	0	0	0	1	0
							F	3	F	3	0	0	0	0	0	0	0	0	0	3	0
192-214	DISEASES OF THE RESPIRATORY SYSTEM	2,858	96.3	W	2,255	M	1,080	2	1	0	1	6	5	10	35	131	889	0			
							F	1	0	0	0	3	1	6	53	120	991	0			
							NW	603	M	328	5	1	1	1	5	4	9	25	56	221	0
							F	275	F	275	4	4	1	1	2	7	9	21	28	198	0

TABLE 11 - PAGE 5
DEATHS - MISSISSIPPI - 2010

GROUP NUMBER*	CAUSE OF DEATH	TOTAL		RACE	TOTAL BY RACE	SEX	TOTAL BY RACE AND SEX	AGE													
								UNDER 1	1-4	5-9	10-14	15-24	25-34	35-44	45-54	55-64	65 AND OVER	UNKNOWN			
		NO.	RATE#																		
195	INFLUENZA	7	0.2	W	6	M	2	0	0	0	0	0	0	0	0	1	1	0	0		
						F	4	0	0	0	0	0	0	1	2	1	0				
					NW	1	M	0	0	0	0	0	0	0	0	0	0	0	0	0	0
							F	1	0	0	0	1	0	0	0	0	0	0	0	0	
196-198	PNEUMONIA	557	18.8	W	410	M	171	0	0	0	0	2	2	5	8	16	138	0			
						F	239	0	0	0	0	2	1	2	8	17	209	0			
					NW	147	M	76	1	0	0	0	2	0	4	5	16	48	0		
							F	71	1	0	0	0	1	0	4	3	5	57	0		
204	EMPHYSEMA	76	2.6	W	66	M	36	0	0	0	0	0	0	0	3	8	25	0			
						F	30	0	0	0	0	0	0	4	7	19	0				
					NW	10	M	8	0	0	0	0	0	0	2	2	4	0			
							F	2	0	0	0	0	1	0	0	0	1	0			
<u>215-237</u>	<u>DISEASES OF THE DIGESTIVE SYSTEM</u>	<u>934</u>	<u>31.5</u>	<u>W</u>	<u>683</u>	<u>M</u>	<u>373</u>	<u>0</u>	<u>1</u>	<u>0</u>	<u>0</u>	<u>1</u>	<u>2</u>	<u>12</u>	<u>70</u>	<u>94</u>	<u>193</u>	<u>0</u>			
						<u>F</u>	<u>310</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>1</u>	<u>0</u>	<u>3</u>	<u>13</u>	<u>24</u>	<u>52</u>	<u>217</u>	<u>0</u>			
					<u>NW</u>	<u>251</u>	<u>M</u>	<u>145</u>	<u>2</u>	<u>0</u>	<u>0</u>	<u>1</u>	<u>2</u>	<u>2</u>	<u>19</u>	<u>32</u>	<u>35</u>	<u>52</u>	<u>0</u>		
							<u>F</u>	<u>106</u>	<u>2</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>1</u>	<u>2</u>	<u>8</u>	<u>17</u>	<u>22</u>	<u>54</u>	<u>0</u>		
217-220	PEPTIC ULCER	18	0.6	W	14	M	1	0	0	0	0	0	0	0	0	0	1	0			
						F	13	0	0	0	0	0	0	0	1	12	0				
					NW	4	M	1	0	0	0	0	0	0	0	1	0	0			
							F	3	0	0	0	0	0	1	1	0	1	0			
230-232	CHRONIC LIVER DISEASE AND CIRRHOSIS	290	9.8	W	224	M	149	0	0	0	0	1	8	43	53	44	0				
						F	75	0	0	0	0	2	4	18	20	31	0				
					NW	66	M	42	0	0	0	0	0	5	19	12	6	0			
							F	24	0	0	0	0	0	3	10	7	4	0			
<u>238-239</u>	<u>DISEASES OF THE SKIN AND SUBCUTANEOUS TISSUE</u>	<u>53</u>	<u>1.8</u>	<u>W</u>	<u>26</u>	<u>M</u>	<u>7</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>1</u>	<u>1</u>	<u>1</u>	<u>4</u>	<u>0</u>				
						<u>F</u>	<u>19</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>1</u>	<u>0</u>	<u>1</u>	<u>5</u>	<u>10</u>	<u>0</u>				
					<u>NW</u>	<u>27</u>	<u>M</u>	<u>10</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>2</u>	<u>8</u>	<u>0</u>		
							<u>F</u>	<u>17</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>1</u>	<u>0</u>	<u>3</u>	<u>13</u>	<u>0</u>		

TABLE 11 - PAGE 6
DEATHS - MISSISSIPPI - 2010

GROUP NUMBER*	CAUSE OF DEATH	TOTAL		RACE	TOTAL BY RACE	SEX	TOTAL BY RACE AND SEX	AGE											
								UNDER 1	1-4	5-9	10-14	15-24	25-34	35-44	45-54	55-64	65 AND OVER	UNKNOWN	
		NO.	RATE#																
240-246	DISEASES OF THE MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE	101	3.4	W	62	M	19	0	0	0	0	0	0	0	1	2	16	0	
						F	43	0	0	0	0	2	3	3	3	32	0		
					NW	39	M	13	0	0	0	0	0	2	2	2	3	4	0
							F	26	0	0	0	0	4	3	3	1	15	0	
247-260	DISEASES OF THE GENITOURINARY SYSTEM	925	31.2	W	552	M	248	0	0	0	0	2	3	12	33	198	0		
						F	304	0	1	0	1	4	6	16	275	0			
					NW	373	M	158	1	0	0	0	0	8	14	28	107	0	
							F	215	0	0	0	1	3	8	17	32	154	0	
247-249	NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS	738	24.9	W	426	M	206	0	0	0	0	2	3	8	28	165	0		
						F	220	0	0	0	1	4	4	13	197	0			
					NW	312	M	129	1	0	0	0	0	6	13	25	84	0	
							F	183	0	0	0	1	3	8	14	29	128	0	
261-273	PREGNANCY, CHILDBIRTH AND THE PUERPERIUM	12	30.0	W	6	M	0	0	0	0	0	0	0	0	0	0	0		
						F	6	0	0	0	0	2	3	1	0	0	0		
					NW	6	M	0	0	0	0	0	0	0	0	0	0	0	
							F	6	0	0	0	0	2	2	2	0	0	0	
274-281	CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD	176	4.4	W	52	M	23	23	0	0	0	0	0	0	0	0	0		
						F	29	29	0	0	0	0	0	0	0	0	0		
					NW	124	M	75	74	1	0	0	0	0	0	0	0	0	
							F	49	49	0	0	0	0	0	0	0	0	0	
282-290	CONGENITAL MALFORMATIONS, DEFORMATIONS, AND CHROMOSOMAL ABNORMALITIES	129	4.3	W	71	M	24	10	2	0	0	2	0	3	2	4	1		
						F	47	21	0	1	1	2	1	2	3	8	8		
					NW	58	M	35	20	3	1	1	0	3	2	1	4	0	
							F	23	14	2	1	0	1	2	0	1	2	0	
291-294	SYMPTOMS, SIGNS AND ABNORMAL CLINICAL AND LABORATORY FINDINGS, NEC	513	17.3	W	344	M	134	23	1	0	0	3	7	5	16	12	67		
						F	210	11	3	1	0	1	2	5	3	8	176		
					NW	169	M	95	30	0	1	0	6	7	3	12	6	30	
							F	74	10	1	0	0	4	0	2	9	4	44	

TABLE 11 - PAGE 7
DEATHS - MISSISSIPPI - 2010

GROUP NUMBER*	CAUSE OF DEATH	TOTAL		RACE	TOTAL BY RACE	SEX	TOTAL BY RACE AND SEX	AGE										
								UNDER 1	1-4	5-9	10-14	15-24	25-34	35-44	45-54	55-64	65 AND OVER	UNKNOWN
		NO.	RATE#															
295-358	ALL EXTERNAL CAUSES	2,442	82.3	W	1,709	M	1,089	4	12	7	6	136	167	149	195	156	257	0
							620	9	6	1	0	37	59	70	105	85	248	0
				NW	733	M	523	11	17	4	8	83	126	80	79	58	57	0
							F	210	6	7	4	3	28	27	25	28	32	49
296-306	MOTOR VEHICLE ACCIDENTS	674	22.7	W	430	M	296	0	2	4	2	55	57	41	57	41	37	0
							F	134	1	3	1	0	26	23	16	15	15	34
				NW	244	M	172	0	5	1	2	26	36	34	29	23	16	0
							F	72	1	2	2	0	15	13	6	15	12	6
295, 307-330	ALL OTHER ACCIDENTS	996	33.6	W	765	M	429	3	8	1	3	43	56	47	56	53	159	0
							F	336	7	2	0	0	4	20	27	54	34	188
				NW	231	M	146	10	9	2	3	11	13	18	30	20	30	0
							F	85	4	5	2	2	3	2	9	8	13	37
331-337	SUICIDE	386	13.0	W	338	M	262	0	0	1	0	25	41	42	67	46	40	0
							F	76	0	0	0	0	5	4	17	19	22	9
				NW	48	M	43	0	0	0	1	6	16	4	4	9	3	0
							F	5	0	0	0	0	2	1	1	0	1	0
338-346	HOMICIDE	280	9.4	W	98	M	63	0	2	1	1	10	8	15	11	9	6	0
							F	35	1	1	0	0	2	10	5	5	3	8
				NW	182	M	148	1	2	1	2	37	60	20	16	5	4	0
							F	34	0	0	0	0	8	10	6	5	2	2
353,354	LEGAL INTERVENTION	4	0.1	W	4	M	4	0	0	0	0	0	0	1	1	1	1	0
							F	0	0	0	0	0	0	0	0	0	0	0
				NW	0	M	0	0	0	0	0	0	0	0	0	0	0	0
							F	0	0	0	0	0	0	0	0	0	0	0

* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

** LESS THAN 0.06.

TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES PER 100,000 POPULATION, EXCEPT DEATHS FROM PREGNANCY, CHILDBIRTH AND THE PUERPERIUM (GROUP NUMBERS 261-273) ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (GROUP NUMBERS 274-281) ARE PER 1,000 LIVE BIRTHS.

TABLE 12A
INFANT, NEONATAL, AND POSTNEONATAL DEATHS*,
BY COUNTY OF RESIDENCE AND RACE,
MISSISSIPPI, 2010

COUNTY	INFANT DEATHS			NEONATAL DEATHS			POSTNEONATAL DEATHS		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>STATE</u>	<u>386</u>	<u>140</u>	<u>246</u>	<u>220</u>	<u>73</u>	<u>147</u>	<u>166</u>	<u>67</u>	<u>99</u>
ADAMS	7	1	6	5	1	4	2	0	2
ALCORN	2	1	1	1	0	1	1	1	0
AMITE	0	0	0	0	0	0	0	0	0
ATTALA	4	3	1	2	1	1	2	2	0
BENTON	1	0	1	1	0	1	0	0	0
BOLIVAR	6	0	6	1	0	1	5	0	5
CALHOUN	2	1	1	2	1	1	0	0	0
CARROLL	0	0	0	0	0	0	0	0	0
CHICKASAW	0	0	0	0	0	0	0	0	0
CHOCTAW	6	1	5	5	1	4	1	0	1
CLAIBORNE	2	0	2	2	0	2	0	0	0
CLARKE	1	0	1	1	0	1	0	0	0
CLAY	1	0	1	0	0	0	1	0	1
COAHOMA	5	0	5	3	0	3	2	0	2
COPIAH	4	1	3	3	0	3	1	1	0
COVINGTON	2	1	1	2	1	1	0	0	0
DESOTO	13	8	5	8	6	2	5	2	3
FORREST	12	3	9	9	2	7	3	1	2
FRANKLIN	0	0	0	0	0	0	0	0	0
GEORGE	3	3	0	1	1	0	2	2	0
GREENE	0	0	0	0	0	0	0	0	0
GRENADA	2	0	2	2	0	2	0	0	0
HANCOCK	3	2	1	2	1	1	1	1	0
HARRISON	25	11	14	17	8	9	8	3	5
HINDS	26	6	20	14	3	11	12	3	9
HOLMES	5	0	5	4	0	4	1	0	1
HUMPHREYS	1	0	1	1	0	1	0	0	0
ISSAQUENA	0	0	0	0	0	0	0	0	0
ITAWAMBA	1	1	0	0	0	0	1	1	0
JACKSON	14	7	7	7	5	2	7	2	5
JASPER	2	1	1	1	1	0	1	0	1
JEFFERSON	2	0	2	1	0	1	1	0	1
JEFF DAVIS	1	0	1	1	0	1	0	0	0
JONES	7	4	3	3	1	2	4	3	1
KEMPER	0	0	0	0	0	0	0	0	0
LAFAYETTE	4	1	3	2	1	1	2	0	2
LAMAR	7	7	0	6	6	0	1	1	0
LAUDERDALE	15	5	10	5	1	4	10	4	6
LAWRENCE	5	3	2	3	2	1	2	1	1
LEAKE	5	1	4	3	0	3	2	1	1
LEE	8	6	2	4	3	1	4	3	1
LEFLORE	7	2	5	5	1	4	2	1	1

TABLE 12A - PAGE 2
 INFANT, NEONATAL, AND POSTNEONATAL DEATHS - MISSISSIPPI - 2010

COUNTY	INFANT DEATHS			NEONATAL DEATHS			POSTNEONATAL DEATHS		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
LINCOLN	7	2	5	3	0	3	4	2	2
LOWNDES	8	3	5	5	2	3	3	1	2
MADISON	12	1	11	4	0	4	8	1	7
MARION	6	2	4	4	1	3	2	1	1
MARSHALL	2	1	1	0	0	0	2	1	1
MONROE	7	3	4	5	2	3	2	1	1
MONTGOMERY	1	0	1	1	0	1	0	0	0
NESHOBA	5	1	4	2	0	2	3	1	2
NEWTON	2	1	1	2	1	1	0	0	0
NOXUBEE	4	0	4	3	0	3	1	0	1
OKTIBBEHA	2	0	2	1	0	1	1	0	1
PANOLA	5	3	2	2	0	2	3	3	0
PEARL RIVER	5	2	3	0	0	0	5	2	3
PERRY	4	1	3	1	0	1	3	1	2
PIKE	13	3	10	8	2	6	5	1	4
PONTOTOC	3	3	0	2	2	0	1	1	0
PRENTISS	3	2	1	1	1	0	2	1	1
QUITMAN	1	1	0	1	1	0	0	0	0
RANKIN	12	7	5	7	3	4	5	4	1
SCOTT	3	2	1	1	1	0	2	1	1
SHARKEY	0	0	0	0	0	0	0	0	0
SIMPSON	7	3	4	5	2	3	2	1	1
SMITH	3	0	3	2	0	2	1	0	1
STONE	2	2	0	2	2	0	0	0	0
SUNFLOWER	4	0	4	3	0	3	1	0	1
TALLAHATCHIE	2	0	2	2	0	2	0	0	0
TATE	4	3	1	2	1	1	2	2	0
TIPPAH	2	0	2	1	0	1	1	0	1
TISHOMINGO	2	2	0	1	1	0	1	1	0
TUNICA	3	1	2	1	0	1	2	1	1
UNION	4	2	2	1	0	1	3	2	1
WALTHALL	5	1	4	4	0	4	1	1	0
WARREN	4	3	1	2	2	0	2	1	1
WASHINGTON	12	2	10	7	1	6	5	1	4
WAYNE	3	1	2	1	0	1	2	1	1
WEBSTER	1	0	1	0	0	0	1	0	1
WILKINSON	5	1	4	2	1	1	3	0	3
WINSTON	4	1	3	1	0	1	3	1	2
YALOBUSHA	1	0	1	1	0	1	0	0	0
YAZOO	2	0	2	2	0	2	0	0	0

* INFANT DEATHS ARE THOSE OF CHILDREN UNDER ONE YEAR OF AGE; NEONATAL DEATHS ARE THOSE OF INFANTS UNDER 28 DAYS OF AGE; POSTNEONATAL DEATHS ARE THOSE OF INFANTS AGES 28 DAYS TO ONE YEAR.

**TABLE 12B
 INFANT, NEONATAL, AND POSTNEONATAL MORTALITY RATES*,
 BY COUNTY OF RESIDENCE AND RACE,
 MISSISSIPPI, 2006-2010 (5-YEAR AVERAGE)**

COUNTY	INFANT **			NEONATAL**			POSTNEONATAL**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>STATE</u>	<u>10.0</u>	<u>6.9</u>	<u>13.7</u>	<u>6.0</u>	<u>3.9</u>	<u>8.3</u>	<u>4.1</u>	<u>3.0</u>	<u>5.4</u>
ADAMS	13.1	5.3	17.3	7.0	1.3	10.1	6.1	4.0	7.2
ALCORN	7.9	6.4	16.0	3.3	1.5	13.3	4.6	4.9	2.7
AMITE	5.0	-	9.5	3.7	-	7.2	1.2	-	2.4
ATTALA	10.4	8.6	11.8	5.8	2.9	8.3	4.5	5.7	3.6
BENTON	5.4	3.2	8.5	3.6	3.2	4.3	1.8	-	4.3
BOLIVAR	13.8	6.5	16.1	7.0	1.3	8.9	6.7	5.2	7.2
CALHOUN	10.8	6.2	18.9	7.9	3.1	16.2	3.0	3.1	2.7
CARROLL	6.8	8.4	4.4	3.4	2.8	4.4	3.4	5.6	-
CHICKASAW	9.8	8.1	11.6	8.4	6.7	10.1	1.4	1.3	1.4
CHOCTAW	18.4	6.2	32.6	13.4	6.2	21.7	5.0	-	10.9
CLAIBORNE	7.9	-	8.4	6.6	-	7.0	1.3	-	1.4
CLARKE	9.8	4.8	16.2	6.3	-	14.2	3.6	4.8	2.0
CLAY	10.5	6.7	12.3	5.6	-	8.2	4.9	6.7	4.1
COAHOMA	11.7	11.1	11.8	7.8	11.1	7.3	3.9	-	4.6
COPIAH	10.6	9.2	11.4	3.5	1.2	5.0	7.1	8.1	6.4
COVINGTON	10.3	9.0	11.9	7.1	5.6	9.0	3.2	3.4	3.0
DESOTO	7.9	6.9	11.0	5.3	4.6	7.4	2.6	2.3	3.7
FORREST	11.7	7.7	16.5	8.4	4.7	12.9	3.2	3.0	3.6
FRANKLIN	7.1	3.4	11.3	3.6	3.4	3.8	3.6	-	7.5
GEORGE	6.2	6.8	-	2.1	2.3	-	4.1	4.5	-
GREENE	3.9	3.4	6.0	3.9	3.4	6.0	-	-	-
GRENADA	11.5	1.3	20.6	8.3	1.3	14.5	3.2	-	6.0
HANCOCK	6.1	5.3	15.2	3.7	3.1	10.2	2.4	2.2	5.1
HARRISON	8.3	7.0	11.4	4.7	3.9	6.6	3.6	3.1	4.8
HINDS	11.2	7.2	12.4	6.8	4.0	7.6	4.4	3.2	4.8
HOLMES	14.4	6.5	15.1	10.1	6.5	10.4	4.3	-	4.6
HUMPHREYS	10.6	8.1	11.0	5.8	8.1	5.5	4.8	-	5.5
ISSAQUENA	-	-	-	-	-	-	-	-	-
ITAWAMBA	9.9	9.1	21.3	3.5	3.0	10.6	6.4	6.1	10.6
JACKSON	9.4	7.6	14.0	5.8	4.8	8.3	3.6	2.7	5.7
JASPER	11.8	8.4	13.9	7.9	8.4	7.6	3.9	-	6.3
JEFFERSON	15.2	-	16.3	10.2	-	10.9	5.1	-	5.4
JEFF DAVIS	10.9	11.0	10.9	8.7	7.4	9.3	2.2	3.7	1.6
JONES	8.5	5.8	13.3	4.9	3.9	6.6	3.6	1.9	6.6
KEMPER	11.7	6.1	13.8	6.7	-	9.2	5.0	6.1	4.6
LAFAYETTE	8.4	3.5	17.6	3.8	3.0	5.5	4.6	0.6	12.1
LAMAR	5.8	5.0	8.4	3.8	4.0	3.1	2.0	1.0	5.2
LAUDERDALE	10.8	8.0	13.3	5.8	4.0	7.3	5.1	4.0	6.0
LAWRENCE	17.3	14.6	21.7	11.2	8.1	16.3	6.1	6.5	5.4
LEAKE	11.3	4.2	18.2	4.6	2.1	7.1	6.7	2.1	11.2
LEE	10.7	5.9	19.4	7.5	3.7	14.4	3.2	2.2	5.0
LEFLORE	10.7	13.4	10.1	6.7	10.1	5.9	4.0	3.4	4.2

TABLE 12B - PAGE 2

INFANT, NEONATAL, AND POSTNEONATAL MORTALITY RATES - MISSISSIPPI - 2006-2010 AVERAGE

COUNTY	INFANT **			NEONATAL**			POSTNEONATAL**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
LINCOLN	11.3	11.0	11.9	6.8	6.7	7.0	4.5	4.3	5.0
LOWNDES	9.8	5.1	14.4	5.2	2.8	7.7	4.6	2.3	6.8
MADISON	7.6	2.7	13.0	4.6	1.9	7.6	3.0	0.8	5.5
MARION	12.4	7.8	19.4	7.6	3.1	14.6	4.8	4.7	4.8
MARSHALL	8.7	4.8	12.3	4.9	1.6	8.0	3.8	3.2	4.4
MONROE	12.5	10.5	15.8	7.3	5.9	9.4	5.2	4.6	6.3
MONTGOMERY	17.7	6.7	24.4	11.4	6.7	14.2	6.3	-	10.2
NESHOPA	10.1	4.3	14.9	5.4	3.4	7.1	4.6	0.8	7.8
NEWTON	10.0	1.1	20.5	8.2	1.1	16.7	1.8	-	3.8
NOXUBEE	13.3	-	17.3	8.2	-	10.6	5.1	-	6.6
OKTIBBEHA	8.9	6.4	11.1	5.5	4.3	6.6	3.4	2.1	4.6
PANOLA	9.3	4.3	12.8	5.5	0.8	8.7	3.8	3.4	4.1
PEARL RIVER	9.9	8.4	17.4	5.5	4.7	9.5	4.4	3.7	7.9
PERRY	11.1	9.1	16.5	4.4	3.0	8.3	6.7	6.1	8.3
PIKE	13.8	6.2	18.3	8.2	3.9	10.8	5.6	2.3	7.5
PONTOTOC	10.7	10.3	13.0	6.2	6.2	6.5	4.5	4.1	6.5
PRENTISS	6.9	6.2	10.7	2.9	2.7	3.6	4.0	3.4	7.1
QUITMAN	9.0	8.5	9.1	6.0	8.5	5.4	3.0	-	3.6
RANKIN	7.4	7.1	8.7	4.2	3.7	6.0	3.2	3.4	2.7
SCOTT	10.1	6.7	15.0	6.6	4.0	10.3	3.5	2.7	4.7
SHARKEY	15.2	-	18.0	4.3	-	5.1	10.8	-	12.8
SIMPSON	12.3	9.1	16.8	8.3	5.0	13.2	3.9	4.1	3.6
SMITH	14.7	12.2	19.9	8.2	6.8	11.4	6.4	5.4	8.5
STONE	12.4	10.1	21.6	7.1	5.6	13.0	5.3	4.5	8.6
SUNFLOWER	13.7	18.5	12.8	9.4	18.5	7.7	4.3	-	5.1
TALLAHATCHIE	12.3	12.7	12.2	10.6	8.5	11.1	1.8	4.2	1.1
TATE	8.7	9.3	7.9	5.6	5.0	6.6	3.1	4.2	1.3
TIPPAH	6.5	5.6	11.2	3.9	4.0	3.7	2.6	1.6	7.5
TISHOMINGO	6.5	5.7	37.0	1.8	1.9	-	4.6	3.8	37.0
TUNICA	20.7	26.0	19.9	9.9	19.5	8.4	10.8	6.5	11.5
UNION	8.1	6.1	18.0	3.6	2.4	9.0	4.6	3.7	9.0
WALTHALL	14.4	7.5	20.7	9.9	3.7	15.5	4.5	3.7	5.2
WARREN	9.3	8.7	9.6	3.3	6.0	1.4	6.0	2.7	8.2
WASHINGTON	12.8	11.8	13.0	6.9	6.5	7.1	5.9	5.4	6.0
WAYNE	11.3	6.0	17.1	6.9	2.4	11.8	4.4	3.6	5.2
WEBSTER	14.5	6.1	35.4	8.7	2.0	25.2	5.8	4.0	10.1
WILKINSON	13.0	16.3	12.3	4.3	8.1	3.5	8.6	8.1	8.8
WINSTON	11.9	4.3	16.0	7.5	2.2	10.3	4.5	2.2	5.7
YALOBUSHA	8.6	1.9	16.9	5.4	1.9	9.6	3.2	-	7.2
YAZOO	8.0	1.6	10.6	4.0	-	5.6	4.0	1.6	5.0

* DEATHS PER 1,000 LIVE BIRTHS.

** INFANT - AGE LESS THAN ONE YEAR; NEONATAL - AGE LESS THAN 28 DAYS; POSTNEONATAL - AGE 28 DAYS TO ONE YEAR.

TABLE 13
INFANT DEATHS* FROM SELECTED CAUSES, BY RACE AND AGE,
ALSO MORTALITY RATES FOR SELECTED CAUSES,
MISSISSIPPI RESIDENTS, 2010

CAUSE OF DEATH AND GROUP NUMBER**	TOTAL		RACE	TOTAL BY RACE	UNDER 28 DAYS OF AGE						28 DAYS AND OVER
	NUMBER	RATE#			TO- TAL	< 1 DAY	1- 6	7- 13	14- 20	21- 27	
<u>ALL CAUSES</u>	<u>386</u>	<u>9.6</u>	<u>W</u>	<u>140</u>	<u>73</u>	<u>36</u>	<u>16</u>	<u>9</u>	<u>8</u>	<u>4</u>	<u>67</u>
			<u>NW</u>	<u>246</u>	<u>147</u>	<u>90</u>	<u>26</u>	<u>15</u>	<u>10</u>	<u>6</u>	<u>99</u>
DIARRHEA AND GASTROENTERITIS OF PRESUMED INFECTIOUS ORIGIN (002)	8	0.2	W	1	0	0	0	0	0	0	1
			NW	7	1	0	1	0	0	0	6
MENINGOCOCCAL INFECTION (007)	1	##	W	1	0	0	0	0	0	0	1
			NW	0	0	0	0	0	0	0	0
SEPTICEMIA (008)	3	0.1	W	2	0	0	0	0	0	0	2
			NW	1	0	0	0	0	0	0	1
DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS AND CERTAIN DISORDERS INVOLVING THE IMMUNE MECHANISM (025-027)	2	##	W	0	0	0	0	0	0	0	0
			NW	2	1	0	0	1	0	0	1
MENINGITIS (033)	2	##	W	0	0	0	0	0	0	0	0
			NW	2	0	0	0	0	0	0	2
INFANTILE CEREBRAL PALSY (035)	1	##	W	0	0	0	0	0	0	0	0
			NW	1	0	0	0	0	0	0	1
DISEASES OF THE CIRCULATORY SYSTEM (039-044)	2	##	W	2	0	0	0	0	0	0	2
			NW	0	0	0	0	0	0	0	0
INFLUENZA AND PNEUMONIA (046,047)	2	##	W	0	0	0	0	0	0	0	0
			NW	2	0	0	0	0	0	0	2
ACUTE BRONCHITIS AND ACUTE BRONCHIOLITIS (048)	1	##	W	0	0	0	0	0	0	0	0
			NW	1	0	0	0	0	0	0	1
ASTHMA (050)	1	##	W	0	0	0	0	0	0	0	0
			NW	1	0	0	0	0	0	0	1
HERNIA OF ABDOMINAL CAVITY AND INTESTINAL OBSTRUCTION WITHOUT HERNIA (054)	2	##	W	0	0	0	0	0	0	0	0
			NW	2	0	0	0	0	0	0	2
RENAL FAILURE AND OTHER DISORDERS OF KIDNEY (056)	1	##	W	0	0	0	0	0	0	0	0
			NW	1	1	0	1	0	0	0	0

TABLE 13 - PAGE 2
 INFANT DEATHS - MISSISSIPPI - 2010

CAUSE OF DEATH AND GROUP NUMBER**	TOTAL		RACE	TOTAL BY RACE	UNDER 28 DAYS OF AGE						28 DAYS AND OVER
	NUMBER	RATE#			TO- TAL	< 1 DAY	1- 6	7- 13	14- 20	21- 27	
NEWBORN AFFECTED BY MATERNAL HYPERTENSIVE DISORDERS (058)	3	0.1	W	0	0	0	0	0	0	0	0
			NW	3	3	3	0	0	0	0	
NEWBORN AFFECTED BY MATERNAL COMPLICATIONS OF PREGNANCY (060-063)	8	0.2	W	5	5	4	1	0	0	0	0
			NW	3	3	2	1	0	0	0	
NEWBORN AFFECTED BY COMPLICATIONS OF PLACENTA, CORD AND MEMBRANES (064-067)	5	0.1	W	1	1	1	0	0	0	0	0
			NW	4	4	4	0	0	0	0	
NEWBORN AFFECTED BY OTHER COMPLICATIONS OF LABOR AND DELIVERY (068)	1	##	W	0	0	0	0	0	0	0	0
			NW	1	1	1	0	0	0	0	
NEWBORN AFFECTED BY NOXIOUS INFLUENCES TRANSMITTED VIA PLACENTA OR BREAST MILK (069)	1	##	W	0	0	0	0	0	0	0	0
			NW	1	1	0	1	0	0	0	
SLOW FETAL GROWTH AND FETAL MALNUTRITION (070)	3	0.1	W	1	1	0	1	0	0	0	0
			NW	2	1	1	0	0	0	0	1
DISORDERS RELATED TO SHORT GESTATION AND LOW BIRTH WEIGHT, NOT ELSEWHERE CLASSIFIED (071,072)	56	1.4	W	13	13	11	1	0	1	0	0
			NW	43	42	40	1	0	0	1	1
INTRAUTERINE HYPOXIA AND BIRTH ASPHYXIA (075,076)	8	0.2	W	4	4	2	1	0	0	1	0
			NW	4	4	1	3	0	0	0	
RESPIRATORY DISTRESS OF NEWBORN (077)	14	0.4	W	6	6	1	4	1	0	0	0
			NW	8	7	1	4	1	1	0	1
CONGENITAL PNEUMONIA (078)	1	##	W	1	1	0	1	0	0	0	0
			NW	0	0	0	0	0	0	0	
NEONATAL ASPIRATION SYNDROME (079)	1	##	W	0	0	0	0	0	0	0	0
			NW	1	1	0	0	1	0	0	
PULMONARY HEMORRHAGE ORIGINATING IN THE PERINATAL PERIOD (081)	9	0.2	W	2	2	0	0	0	2	0	0
			NW	7	7	0	6	1	0	0	

TABLE 13 - PAGE 3
 INFANT DEATHS - MISSISSIPPI - 2010

CAUSE OF DEATH AND GROUP NUMBER**	TOTAL		RACE	TOTAL BY RACE	UNDER 28 DAYS OF AGE						28 DAYS AND OVER
	NUMBER	RATE#			TO- TAL	< 1 DAY	1- 6	7- 13	14- 20	21- 27	
CHRONIC RESPIRATORY DISEASE ORIGINATING IN THE PERINATAL PERIOD (082)	2	##	W	1	1	0	0	0	1	0	0
			NW	1	0	0	0	0	0	0	1
ATELECTASIS (083)	4	0.1	W	1	1	0	1	0	0	0	0
			NW	3	3	2	0	0	0	1	0
BACTERIAL SEPSIS OF NEWBORN (085)	10	0.2	W	3	3	0	1	1	1	0	0
			NW	7	7	0	0	3	4	0	0
OMPHALITIS OF NEWBORN WITH OR WITHOUT MILD HEMORRHAGE (086)	1	##	W	1	1	0	0	0	0	1	0
			NW	0	0	0	0	0	0	0	0
NEONATAL HEMORRHAGE (088)	3	0.1	W	0	0	0	0	0	0	0	0
			NW	3	3	1	1	0	1	0	0
NECROTIZING ENTEROCOLITIS OF NEWBORN (093)	9	0.2	W	3	3	1	1	0	1	0	0
			NW	6	5	0	0	1	2	2	1
HYDROPS FETALIS NOT DUE TO HEMOLYTIC DISEASE (094)	2	##	W	1	1	0	1	0	0	0	0
			NW	1	1	0	0	0	1	0	0
CONGENITAL MALFORMATIONS, DEFORMATIONS AND CHROMOSOMAL ABNORMALITIES (096-110)	65	1.6	W	31	19	10	2	3	2	2	12
			NW	34	23	13	5	4	1	0	11
SUDDEN INFANT DEATH SYNDROME (111)	45	1.1	W	19	0	0	0	0	0	0	19
			NW	26	1	0	0	0	0	1	25
ACCIDENTS (114-124)	26	0.6	W	11	0	0	0	0	0	0	11
			NW	15	1	0	0	1	0	0	14
ASSAULT (HOMICIDE) (125-128)	2	##	W	1	0	0	0	0	0	0	1
			NW	1	1	1	0	0	0	0	0
ALL OTHER CAUSES	81	2.0	W	29	11	6	1	4	0	0	18
			NW	52	25	20	2	2	0	1	27

* DEATHS OF CHILDREN UNDER 1 YEAR OF AGE.

** SEE APPENDIX C FOR EXPLANATION OF GROUP NUMBERS.

DEATHS PER 1,000 LIVE BIRTHS.

LESS THAN 0.06.

**TABLE 14
ACCIDENTAL DEATHS, BY COUNTY OF OCCURRENCE AND TYPE OF ACCIDENT,
MISSISSIPPI, 2010**

COUNTY	TOTAL	MOTOR VEHICLE	OTHER TRANS- PORT	POISON- ING	FALLS	SMOKE, FIRE, FLAMES	DROWNING AND SUB- MERSION	FIRE- ARMS	ALL OTHER
<u>STATE</u>	<u>1,610</u>	<u>675</u>	<u>48</u>	<u>267</u>	<u>257</u>	<u>66</u>	<u>46</u>	<u>13</u>	<u>238</u>
ADAMS	14	6	1	1	1	2	0	1	2
ALCORN	20	7	2	3	6	0	0	0	2
AMITE	4	4	0	0	0	0	0	0	0
ATTALA	14	9	0	1	2	1	0	0	1
BENTON	7	2	0	0	0	3	0	0	2
BOLIVAR	14	5	3	1	2	0	0	0	3
CALHOUN	4	2	0	2	0	0	0	0	0
CARROLL	3	3	0	0	0	0	0	0	0
CHICKASAW	5	5	0	0	0	0	0	0	0
CHOCTAW	7	0	0	1	0	0	0	1	5
CLAIBORNE	5	3	0	0	1	1	0	0	0
CLARKE	6	5	0	0	0	0	0	0	1
CLAY	4	1	0	1	1	0	0	0	1
COAHOMA	14	4	1	2	4	2	1	0	0
COPIAH	12	10	0	1	1	0	0	0	0
COVINGTON	15	9	0	4	0	1	0	1	0
DESOTO	41	15	0	12	4	0	0	1	9
FORREST	78	43	3	10	19	0	0	0	3
FRANKLIN	3	0	0	2	0	0	1	0	0
GEORGE	12	8	0	3	0	1	0	0	0
GREENE	6	4	0	0	0	1	1	0	0
GRENADA	8	3	0	1	1	0	2	0	1
HANCOCK	27	11	3	7	1	0	4	1	0
HARRISON	105	24	7	36	12	4	4	0	18
HINDS	201	96	2	8	50	5	3	5	32
HOLMES	13	8	1	1	0	0	1	0	2
HUMPHREYS	4	2	0	1	0	0	0	0	1
ISSAQUENA	0	0	0	0	0	0	0	0	0
ITAWAMBA	15	6	0	5	0	3	0	0	1
JACKSON	107	24	3	46	21	0	4	1	8
JASPER	8	3	0	1	2	0	0	0	2
JEFFERSON	3	3	0	0	0	0	0	0	0
JEFF DAVIS	7	5	0	0	0	1	1	0	0
JONES	29	14	0	2	5	0	0	1	7
KEMPER	4	2	0	1	1	0	0	0	0
LAFAYETTE	28	3	3	1	13	0	0	0	8
LAMAR	19	12	2	3	1	0	0	0	1
LAUDERDALE	50	13	3	4	8	3	2	0	17
LAWRENCE	5	3	0	1	1	0	0	0	0
LEAKE	15	10	0	0	0	1	3	0	1
LEE	83	21	2	5	41	1	1	0	12
LEFLORE	24	11	0	2	6	2	0	0	3

TABLE 14 - PAGE 2
 ACCIDENTAL DEATHS - MISSISSIPPI - 2010

COUNTY	TOTAL	MOTOR VEHICLE	OTHER TRANS- PORT	POISON- ING	FALLS	SMOKE, FIRE, FLAMES	DROWNING AND SUB- MERSION	FIRE- ARMS	ALL OTHER
LINCOLN	15	6	0	5	0	0	0	0	4
LOWNDES	22	10	0	3	2	4	0	0	3
MADISON	21	4	1	4	6	2	2	0	2
MARION	21	12	0	5	1	1	1	0	1
MARSHALL	24	21	0	0	0	0	1	0	2
MONROE	16	6	1	1	3	0	0	0	5
MONTGOMERY	6	6	0	0	0	0	0	0	0
NESHOBA	19	9	0	4	3	1	0	0	2
NEWTON	6	5	0	0	0	0	0	0	1
NOXUBEE	4	2	0	0	0	0	0	0	2
OKTIBBEHA	19	11	0	0	3	1	1	0	3
PANOLA	25	14	0	4	2	0	1	0	4
PEARL RIVER	26	10	0	10	1	3	0	0	2
PERRY	8	5	0	0	1	0	1	0	1
PIKE	18	8	1	3	3	0	0	0	3
PONTOTOC	11	2	0	2	1	0	1	0	5
PRENTISS	18	8	0	3	2	2	0	0	3
QUITMAN	6	3	0	3	0	0	0	0	0
RANKIN	61	17	2	21	8	2	0	0	11
SCOTT	16	10	0	2	1	0	2	0	1
SHARKEY	5	3	0	0	0	2	0	0	0
SIMPSON	15	7	0	0	3	0	3	0	2
SMITH	6	4	0	1	0	0	0	0	1
STONE	3	3	0	0	0	0	0	0	0
SUNFLOWER	12	2	1	1	1	3	0	0	4
TALLAHATCHIE	6	3	0	2	0	1	0	0	0
TATE	14	9	0	3	0	1	1	0	0
TIPPAH	8	5	0	3	0	0	0	0	0
TISHOMINGO	15	6	1	6	0	0	1	0	1
TUNICA	7	3	1	3	0	0	0	0	0
UNION	10	4	0	1	1	0	1	0	3
WALTHALL	10	4	1	1	0	1	1	0	2
WARREN	22	5	0	4	3	1	1	0	8
WASHINGTON	29	14	0	1	4	6	0	0	4
WAYNE	4	1	0	1	0	0	0	0	2
WEBSTER	5	2	0	0	0	0	0	0	3
WILKINSON	4	2	0	0	1	0	0	0	1
WINSTON	12	3	2	0	1	3	0	1	2
YALOBUSHA	4	3	0	0	1	0	0	0	0
YAZOO	14	4	1	1	1	0	0	0	7

**TABLE 15
MARRIAGES, BY COUNTY OF LICENSURE AND RACE OF BRIDE,
ALSO BY COUNTY OF RESIDENCE OF BRIDE AND RACE OF BRIDE,
MISSISSIPPI, 2010**

COUNTY	LICENSURE DATA			OCCURRENCE DATA			RESIDENCE DATA		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>STATE</u>	<u>14,575</u>	<u>9,964</u>	<u>4,611</u>	<u>14,575</u>	<u>9,964</u>	<u>4,611</u>	<u>13,611</u>	<u>9,211</u>	<u>4,400</u>
ADAMS	232	148	84	283	192	91	150	80	70
ALCORN	136	124	12	131	120	11	111	103	8
AMITE	58	39	19	57	41	16	50	33	17
ATTALA	114	68	46	107	69	38	102	61	41
BENTON	21	16	5	26	20	6	25	20	5
BOLIVAR	140	72	68	121	56	65	123	63	60
CALHOUN	74	56	18	69	47	22	78	58	20
CARROLL	32	27	5	41	33	8	42	35	7
CHICKASAW	86	49	37	92	57	35	78	46	32
CHOCTAW	39	22	17	40	22	18	38	23	15
CLAIBORNE	43	8	35	45	13	32	42	8	34
CLARKE	58	46	12	69	51	18	66	52	14
CLAY	87	34	53	110	45	65	83	31	52
COAHOMA	84	32	52	84	34	50	72	26	46
COPIAH	148	81	67	162	90	72	173	105	68
COVINGTON	129	88	41	132	94	38	117	84	33
DESOTO	623	509	114	502	413	89	519	421	98
FORREST	578	388	190	517	347	170	432	287	145
FRANKLIN	60	48	12	56	46	10	65	52	13
GEORGE	151	138	13	143	130	13	129	124	5
GREENE	61	38	23	74	50	24	41	33	8
GRENADA	112	75	37	110	75	35	98	65	33
HANCOCK	227	212	15	220	203	17	205	194	11
HARRISON	1,140	875	265	1,174	915	259	936	695	241
HINDS	1,142	401	741	1,205	486	719	1,042	341	701
HOLMES	71	11	60	76	13	63	64	9	55
HUMPHREYS	20	7	13	34	15	19	21	8	13
ISSAQUENA	0	0	0	0	0	0	1	1	0
ITAWAMBA	82	82	0	88	87	1	82	80	2
JACKSON	613	514	99	658	554	104	647	537	110
JASPER	86	44	42	102	55	47	88	51	37
JEFFERSON	47	5	42	48	4	44	34	7	27
JEFF DAVIS	67	27	40	75	36	39	70	27	43
JONES	364	266	98	361	275	86	359	263	96
KEMPER	40	15	25	49	22	27	34	15	19
LAFAYETTE	266	197	69	282	218	64	231	162	69
LAMAR	257	225	32	248	218	30	349	287	62
LAUDERDALE	420	275	145	377	243	134	378	238	140
LAWRENCE	76	51	25	80	55	25	73	50	23
LEAKE	14	9	5	43	27	16	25	12	13
LEE	448	324	124	421	311	110	389	276	113
LEFLORE	129	56	73	135	58	77	105	47	58

TABLE 15 - PAGE 2
MARRIAGES - MISSISSIPPI - 2010

COUNTY	LICENSURE DATA			OCCURRENCE DATA			RESIDENCE DATA		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
LINCOLN	200	142	58	195	135	60	185	131	54
LOWNDES	232	151	81	243	150	93	205	130	75
MADISON	403	267	136	385	252	133	451	284	167
MARION	178	122	56	164	110	54	159	110	49
MARSHALL	128	73	55	145	90	55	123	74	49
MONROE	161	113	48	186	138	48	161	111	50
MONTGOMERY	62	43	19	56	37	19	56	37	19
NESHOBA	197	136	61	204	141	63	187	129	58
NEWTON	104	74	30	106	74	32	116	84	32
NOXUBEE	40	18	22	43	24	19	36	14	22
OKTIBBEHA	259	172	87	219	135	84	241	152	89
PANOLA	166	92	74	192	115	77	168	95	73
PEARL RIVER	260	233	27	249	224	25	252	226	26
PERRY	61	57	4	52	46	6	68	61	7
PIKE	275	147	128	291	151	140	246	116	130
PONTOTOC	168	152	16	158	139	19	179	159	20
PRENTISS	121	116	5	111	106	5	127	121	6
QUITMAN	27	15	12	35	13	22	25	12	13
RANKIN	932	805	127	713	593	120	935	810	125
SCOTT	186	119	67	203	131	72	189	117	72
SHARKEY	11	8	3	15	9	6	9	8	1
SIMPSON	151	104	47	166	114	52	151	103	48
SMITH	77	70	7	80	66	14	89	74	15
STONE	128	107	21	140	118	22	115	95	20
SUNFLOWER	58	11	47	70	16	54	61	13	48
TALLAHATCHIE	33	16	17	47	28	19	30	16	14
TATE	113	84	29	144	118	26	109	82	27
TIPPAH	72	67	5	74	63	11	73	68	5
TISHOMINGO	96	91	5	103	98	5	70	69	1
TUNICA	33	12	21	37	17	20	37	14	23
UNION	138	120	18	137	121	16	134	119	15
WALTHALL	72	49	23	75	48	27	75	48	27
WARREN	258	156	102	284	186	98	222	126	96
WASHINGTON	142	55	87	145	58	87	134	51	83
WAYNE	89	65	24	78	57	21	79	57	22
WEBSTER	45	35	10	47	35	12	45	35	10
WILKINSON	55	22	33	54	24	30	39	14	25
WINSTON	82	46	36	98	54	44	71	38	33
YALOBUSHA	66	47	19	60	40	20	77	54	23
YAZOO	121	50	71	124	50	74	115	44	71
OUT OF STATE	*	*	*	*	*	*	940	735	205

* INFORMATION ON MISSISSIPPI BRIDES WHO OBTAINED LICENSES AND/OR MARRIED IN OTHER STATES IS NOT AVAILABLE.

NOTE: DUE TO INCONSISTENT REPORTING BY COUNTIES, STATISTICS ON MARRIAGES MAY BE INCOMPLETE.

**TABLE 16
DIVORCES, BY COUNTY OF OCCURRENCE AND RACE*,
MISSISSIPPI, 2010**

COUNTY	TOTAL	WHITE	NON-WHITE	UN-KNOWN	COUNTY	TOTAL	WHITE	NON-WHITE	UN-KNOWN
<u>STATE</u>	<u>12,703</u>	<u>7,462</u>	<u>2,770</u>	<u>2,471</u>					
ADAMS	123	51	63	9	LINCOLN	167	103	29	35
ALCORN	236	196	18	22	LOWNDES	301	179	107	15
AMITE	31	25	6	0	MADISON	296	200	81	15
ATTALA	101	56	18	27	MARION	157	121	24	12
BENTON	39	23	10	6	MARSHALL	168	89	49	30
BOLIVAR	156	49	80	27	MONROE	199	155	38	6
CALHOUN	76	59	15	2	MONTGOMERY	40	26	14	0
CARROLL	37	26	11	0	NESHOBA	134	102	29	3
CHICKASAW	44	19	12	13	NEWTON	100	74	19	7
CHOCTAW	44	33	5	6	NOXUBEE	13	5	8	0
CLAIBORNE	22	6	16	0	OKTIBBEHA	117	41	51	25
CLARKE	98	57	23	18	PANOLA	204	134	62	8
CLAY	72	38	28	6	PEARL RIVER	271	247	22	2
COAHOMA	97	34	59	4	PERRY	59	54	5	0
COPIAH	114	52	36	26	PIKE	183	107	62	14
COVINGTON	69	44	11	14	PONTOTOC	0	0	0	0
DESOTO	874	569	89	216	PRENTISS	171	127	10	34
FORREST	318	184	70	64	QUITMAN	26	7	18	1
FRANKLIN	37	29	8	0	RANKIN	791	702	85	4
GEORGE	51	49	2	0	SCOTT	134	95	36	3
GREENE	0	0	0	0	SHARKEY	13	3	10	0
GRENADA	135	116	19	0	SIMPSON	119	85	33	1
HANCOCK	182	127	4	51	SMITH	107	89	11	7
HARRISON	978	331	90	557	STONE	95	77	8	10
HINDS	792	187	451	154	SUNFLOWER	0	0	0	0
HOLMES	49	10	38	1	TALLAHATCHIE	56	31	25	0
HUMPHREYS	19	2	15	2	TATE	119	84	24	11
ISSAQUENA	0	0	0	0	TIPPAH	129	108	12	9
ITAWAMBA	133	119	4	10	TISHOMINGO	105	100	3	2
JACKSON	764	0	0	764	TUNICA	50	15	30	5
JASPER	87	51	35	1	UNION	167	134	13	20
JEFFERSON	0	0	0	0	WALTHALL	59	39	20	0
JEFF DAVIS	16	11	5	0	WARREN	21	15	4	2
JONES	405	325	77	3	WASHINGTON	28	7	18	3
KEMPER	0	0	0	0	WAYNE	140	88	51	1
LAFAYETTE	147	101	37	9	WEBSTER	72	56	9	7
LAMAR	311	244	44	23	WILKINSON	0	0	0	0
LAUDERDALE	310	165	84	61	WINSTON	65	40	25	0
LAWRENCE	77	63	14	0	YALOBUSHA	85	59	26	0
LEAKE	69	44	22	3	YAZOO	28	16	8	4
LEE	513	322	119	72					
LEFLORE	88	31	53	4					

* DIVORCES OF MIXED-RACE COUPLES ARE INCLUDED IN FIGURES FOR NONWHITES.

NOTE: DUE TO INCONSISTENT REPORTING BY COUNTIES, STATISTICS ON DIVORCES MAY BE INCOMPLETE.

**TABLE 17
 REPORTED INDUCED TERMINATIONS OF PREGNANCY PERFORMED IN MISSISSIPPI
 ON MISSISSIPPI RESIDENTS, BY COUNTY OF RESIDENCE AND RACE, 2010**

COUNTY	TOTAL	WHITE	NON- WHITE	UN- KNOWN	COUNTY	TOTAL	WHITE	NON- WHITE	UN- KNOWN
<u>STATE</u>	<u>2,251</u>	<u>435</u>	<u>1,815</u>	<u>1</u>					
ADAMS	36	7	29	0	LINCOLN	45	15	30	0
ALCORN	0	0	0	0	LOWNDES	4	1	3	0
AMITE	3	1	2	0	MADISON	208	43	165	0
ATTALA	17	3	14	0	MARION	15	9	6	0
BENTON	0	0	0	0	MARSHALL	0	0	0	0
BOLIVAR	5	4	1	0	MONROE	2	2	0	0
CALHOUN	3	1	2	0	MONTGOMERY	6	1	5	0
CARROLL	9	2	7	0	NESHOBA	16	5	11	0
CHICKASAW	3	2	1	0	NEWTON	8	5	3	0
CHOCTAW	2	1	1	0	NOXUBEE	1	0	1	0
CLAIBORNE	20	0	20	0	OKTIBBEHA	9	2	7	0
CLARKE	3	2	1	0	PANOLA	0	0	0	0
CLAY	4	1	3	0	PEARL RIVER	6	4	2	0
COAHOMA	2	0	2	0	PERRY	3	2	1	0
COPIAH	47	3	44	0	PIKE	44	11	33	0
COVINGTON	17	4	13	0	PONTOTOC	0	0	0	0
DESOTO	0	0	0	0	PRENTISS	0	0	0	0
FORREST	84	23	60	1	QUITMAN	0	0	0	0
FRANKLIN	3	0	3	0	RANKIN	175	81	94	0
GEORGE	0	0	0	0	SCOTT	34	11	23	0
GREENE	1	0	1	0	SHARKEY	4	0	4	0
GRENADA	6	2	4	0	SIMPSON	30	11	19	0
HANCOCK	2	1	1	0	SMITH	13	8	5	0
HARRISON	11	5	6	0	STONE	4	2	2	0
HINDS	854	66	788	0	SUNFLOWER	17	0	17	0
HOLMES	56	1	55	0	TALLAHATCHIE	1	0	1	0
HUMPHREYS	12	1	11	0	TATE	0	0	0	0
ISSAQUENA	0	0	0	0	TIPPAH	1	1	0	0
ITAWAMBA	0	0	0	0	TISHOMINGO	0	0	0	0
JACKSON	8	6	2	0	TUNICA	0	0	0	0
JASPER	9	1	8	0	UNION	0	0	0	0
JEFFERSON	20	0	20	0	WALTHALL	8	2	6	0
JEFF DAVIS	19	2	17	0	WARREN	76	14	62	0
JONES	30	14	16	0	WASHINGTON	20	4	16	0
KEMPER	2	0	2	0	WAYNE	10	2	8	0
LAFAYETTE	4	1	3	0	WEBSTER	2	2	0	0
LAMAR	29	15	14	0	WILKINSON	6	0	6	0
LAUDERDALE	36	9	27	0	WINSTON	3	1	2	0
LAWRENCE	11	1	10	0	YALOBUSHA	0	0	0	0
LEAKE	29	9	20	0	YAZOO	55	5	50	0
LEE	2	1	1	0					
LEFLORE	26	2	24	0					

TABLE 18A
TEENAGE PREGNANCIES*, BY COUNTY OF RESIDENCE,
RACE, AND AGE GROUP OF MOTHER,
MISSISSIPPI, 2010

COUNTY	TOTAL**			WHITE			NONWHITE		
	TOTAL	UNDER 15	15 - 19	TOTAL	UNDER 15	15 - 19	TOTAL	UNDER 15	15 - 19
<u>STATE</u>	<u>7,095</u>	<u>167</u>	<u>6,928</u>	<u>2,820</u>	<u>44</u>	<u>2,776</u>	<u>4,270</u>	<u>123</u>	<u>4,147</u>
ADAMS	96	4	92	17	0	17	79	4	75
ALCORN	83	4	79	64	4	60	19	0	19
AMITE	17	0	17	6	0	6	11	0	11
ATTALA	57	1	56	22	0	22	35	1	34
BENTON	23	2	21	13	1	12	10	1	9
BOLIVAR	125	2	123	17	0	17	108	2	106
CALHOUN	28	1	27	15	0	15	13	1	12
CARROLL	20	0	20	7	0	7	13	0	13
CHICKASAW	69	3	66	38	3	35	31	0	31
CHOCTAW	18	0	18	9	0	9	9	0	9
CLAIBORNE	38	1	37	0	0	0	38	1	37
CLARKE	33	1	32	23	1	22	10	0	10
CLAY	39	1	38	6	0	6	33	1	32
COAHOMA	117	5	112	8	0	8	109	5	104
COPIAH	67	1	66	19	0	19	48	1	47
COVINGTON	53	1	52	24	1	23	29	0	29
DESOTO	272	7	265	171	4	167	100	3	97
FORREST	187	2	185	76	0	76	111	2	109
FRANKLIN	16	0	16	7	0	7	9	0	9
GEORGE	75	0	75	64	0	64	11	0	11
GREENE	25	0	25	22	0	22	3	0	3
GRENADA	71	4	67	23	0	23	48	4	44
HANCOCK	59	0	59	53	0	53	6	0	6
HARRISON	379	13	366	218	4	214	161	9	152
HINDS	685	19	666	59	1	58	626	18	608
HOLMES	66	3	63	0	0	0	66	3	63
HUMPHREYS	39	1	38	3	0	3	36	1	35
ISSAQUENA	2	0	2	0	0	0	2	0	2
ITAWAMBA	43	0	43	39	0	39	4	0	4
JACKSON	284	1	283	190	0	190	94	1	93
JASPER	37	2	35	9	0	9	28	2	26
JEFFERSON	20	0	20	1	0	1	19	0	19
JEFF DAVIS	29	0	29	7	0	7	22	0	22
JONES	193	5	188	99	2	97	94	3	91
KEMPER	22	1	21	1	0	1	21	1	20
LAFAYETTE	66	1	65	27	1	26	39	0	39
LAMAR	72	1	71	48	1	47	24	0	24
LAUDERDALE	197	5	192	54	1	53	143	4	139
LAWRENCE	28	0	28	14	0	14	14	0	14
LEAKE	74	2	72	24	0	24	50	2	48
LEE	226	3	223	109	1	108	116	2	114
LEFLORE	124	8	116	8	0	8	116	8	108

TABLE 18A - PAGE 2
TEENAGE PREGNANCIES - MISSISSIPPI - 2010

COUNTY	TOTAL**			WHITE			NONWHITE		
	TOTAL	UNDER 15	15 - 19	TOTAL	UNDER 15	15 - 19	TOTAL	UNDER 15	15 - 19
LINCOLN	89	0	89	33	0	33	56	0	56
LOWNDES	147	0	147	40	0	40	107	0	107
MADISON	127	0	127	29	0	29	98	0	98
MARION	69	2	67	35	1	34	34	1	33
MARSHALL	79	2	77	33	1	32	45	1	44
MONROE	68	1	67	29	0	29	39	1	38
MONTGOMERY	28	1	27	8	0	8	20	1	19
NESHOBA	83	3	80	36	0	36	47	3	44
NEWTON	57	4	53	26	0	26	31	4	27
NOXUBEE	33	0	33	2	0	2	31	0	31
OKTIBBEHA	67	1	66	16	0	16	51	1	50
PANOLA	129	1	128	36	0	36	93	1	92
PEARL RIVER	111	3	108	84	2	82	27	1	26
PERRY	26	0	26	22	0	22	4	0	4
PIKE	116	3	113	31	0	31	85	3	82
PONTOTOC	84	4	80	77	4	73	7	0	7
PRENTISS	70	1	69	58	1	57	12	0	12
QUITMAN	40	1	39	5	0	5	35	1	34
RANKIN	207	2	205	154	1	153	53	1	52
SCOTT	69	1	68	36	1	35	33	0	33
SHARKEY	13	0	13	1	0	1	12	0	12
SIMPSON	77	2	75	39	1	38	38	1	37
SMITH	35	2	33	22	1	21	13	1	12
STONE	40	1	39	32	1	31	8	0	8
SUNFLOWER	96	1	95	10	0	10	86	1	85
TALLAHATCHIE	47	1	46	5	0	5	42	1	41
TATE	66	1	65	31	0	31	35	1	34
TIPPAH	43	0	43	35	0	35	8	0	8
TISHOMINGO	30	1	29	30	1	29	0	0	0
TUNICA	47	3	44	4	0	4	42	3	39
UNION	62	1	61	47	1	46	14	0	14
WALTHALL	27	0	27	11	0	11	16	0	16
WARREN	130	5	125	46	1	45	84	4	80
WASHINGTON	217	8	209	16	0	16	201	8	193
WAYNE	65	0	65	33	0	33	32	0	32
WEBSTER	28	2	26	19	2	17	9	0	9
WILKINSON	27	1	26	3	0	3	24	1	23
WINSTON	30	0	30	5	0	5	25	0	25
YALOBUSHA	35	1	34	12	0	12	23	1	22
YAZOO	107	2	105	15	0	15	92	2	90

* LIVE BIRTHS PLUS REPORTABLE SPONTANEOUS FETAL DEATHS PLUS INDUCED TERMINATIONS TO MOTHERS UNDER AGE 20.

** TOTAL FIGURES INCLUDE SOME FOR WHICH THE RACE OF THE MOTHER WAS UNKNOWN.

TABLE 18B
TEENAGE PREGNANCY RATES*, BY COUNTY OF RESIDENCE,
RACE, AND AGE GROUP OF MOTHER,
MISSISSIPPI, 2010

COUNTY	TOTAL**			WHITE			NONWHITE		
	TOTAL	UNDER 15	15 - 19	TOTAL	UNDER 15	15 - 19	TOTAL	UNDER 15	15 - 19
<u>STATE</u>	<u>33.4</u>	<u>1.6</u>	<u>62.7</u>	<u>26.1</u>	<u>0.8</u>	<u>49.8</u>	<u>41.0</u>	<u>2.5</u>	<u>75.7</u>
ADAMS	48.1	4.2	87.4	28.4	-	54.8	56.6	6.1	100.9
ALCORN	34.9	3.4	65.9	33.2	4.2	61.7	42.1	-	84.4
AMITE	22.5	-	43.2	16.3	-	31.9	28.5	-	53.6
ATTALA	44.1	1.6	85.6	34.6	-	69.2	53.4	3.1	101.2
BENTON	38.8	6.4	74.2	40.9	6.5	72.7	36.4	6.4	76.3
BOLIVAR	49.0	1.8	87.5	26.2	-	45.2	56.9	2.3	102.9
CALHOUN	27.6	2.0	52.9	25.5	-	53.0	30.5	5.0	52.9
CARROLL	31.8	-	58.5	20.6	-	39.3	45.0	-	79.3
CHICKASAW	55.5	5.0	102.3	64.4	10.4	115.9	47.5	-	90.4
CHOCTAW	30.4	-	61.2	24.1	-	50.8	40.9	-	76.9
CLAIBORNE	45.4	3.2	71.0	-	-	-	48.5	3.5	74.6
CLARKE	28.1	1.7	55.1	34.8	3.0	66.3	19.4	-	40.2
CLAY	24.6	1.3	47.8	13.4	-	27.1	29.1	1.8	55.7
COAHOMA	51.9	4.7	93.9	26.8	-	47.0	55.7	5.4	101.7
COPIAH	30.7	1.1	52.4	22.7	-	39.7	35.7	1.8	60.2
COVINGTON	36.4	1.5	66.8	30.2	2.7	54.2	43.9	-	81.9
DESOTO	22.0	1.1	46.1	21.3	1.0	43.8	23.2	1.2	50.3
FORREST	33.1	0.8	55.8	25.9	-	43.8	40.9	1.8	68.9
FRANKLIN	30.4	-	64.8	24.7	-	51.1	37.0	-	81.8
GEORGE	44.9	-	90.7	42.9	-	85.9	62.1	-	134.1
GREENE	28.4	-	59.5	31.2	-	64.7	17.2	-	37.5
GRENADA	45.6	5.4	81.9	28.9	-	59.9	63.0	12.2	101.4
HANCOCK	20.6	-	40.2	21.9	-	42.7	13.6	-	26.4
HARRISON	31.2	2.2	58.5	28.7	1.1	55.0	35.3	4.1	64.4
HINDS	36.1	2.2	65.3	16.3	0.6	29.2	40.7	2.5	74.0
HOLMES	39.5	3.9	70.5	-	-	-	44.5	4.3	80.9
HUMPHREYS	57.9	3.2	106.4	29.4	-	50.0	62.9	3.6	117.8
ISSAQUENA	27.8	-	52.6	-	-	-	32.8	-	60.6
ITAWAMBA	24.0	-	41.9	24.5	-	43.8	20.1	-	29.6
JACKSON	29.0	0.2	57.2	29.4	-	58.8	28.1	0.6	54.3
JASPER	30.3	3.3	56.5	20.6	-	40.2	35.6	5.1	65.8
JEFFERSON	38.5	-	75.5	27.0	-	83.3	39.3	-	75.1
JEFF DAVIS	34.4	-	65.5	33.8	-	63.1	34.5	-	66.3
JONES	40.8	2.2	76.3	35.1	1.5	66.4	49.1	3.3	90.7
KEMPER	30.3	3.1	51.5	5.6	-	9.2	38.4	4.0	66.9
LAFAYETTE	17.2	0.9	24.1	10.3	1.4	13.4	32.5	-	51.2
LAMAR	18.7	0.5	37.1	17.4	0.7	34.6	21.8	-	43.1
LAUDERDALE	35.0	1.9	64.5	22.0	0.8	42.4	45.0	2.8	80.6
LAWRENCE	32.5	-	64.8	27.8	-	53.4	39.1	-	82.4
LEAKE	47.6	2.6	91.4	35.6	-	77.2	56.9	5.0	100.6
LEE	38.4	1.0	77.0	30.2	0.5	62.0	50.9	1.8	98.6
LEFLORE	50.3	7.0	88.1	24.0	-	52.3	54.4	8.3	92.8

TABLE 18B - PAGE 2
TEENAGE PREGNANCY RATES - MISSISSIPPI - 2010

COUNTY	TOTAL**			WHITE			NONWHITE		
	TOTAL	UNDER 15	15 - 19	TOTAL	UNDER 15	15 - 19	TOTAL	UNDER 15	15 - 19
LINCOLN	34.7	-	69.7	20.4	-	41.6	59.4	-	116.2
LOWNDES	33.6	-	64.6	20.7	-	40.8	43.6	-	82.6
MADISON	18.3	-	37.8	8.5	-	18.8	27.9	-	54.0
MARION	38.2	2.2	74.2	32.9	1.8	66.0	45.7	2.8	85.0
MARSHALL	30.3	1.7	54.4	34.3	2.1	65.2	27.4	1.4	47.7
MONROE	26.9	0.8	51.4	18.5	-	36.4	40.5	2.2	74.8
MONTGOMERY	37.4	2.9	67.3	23.6	-	43.5	48.8	5.2	87.6
NESHOBA	37.4	2.6	74.2	31.5	-	63.3	43.8	5.3	86.4
NEWTON	35.2	5.7	57.7	29.4	-	52.0	42.1	12.6	64.4
NOXUBEE	37.7	-	80.9	11.2	-	24.1	44.5	-	95.4
OKTIBBEHA	18.0	0.9	25.2	7.8	-	10.0	30.6	1.5	49.5
PANOLA	49.5	0.8	95.9	37.0	-	73.2	56.9	1.3	109.1
PEARL RIVER	28.8	1.6	53.2	27.6	1.3	52.7	33.7	3.0	54.8
PERRY	30.8	-	61.6	36.2	-	70.1	16.9	-	37.0
PIKE	39.0	2.1	72.2	27.8	-	54.7	45.7	3.5	82.2
PONTOTOC	40.0	3.6	79.6	46.7	4.6	93.0	15.4	-	31.8
PRENTISS	40.1	1.3	70.4	41.6	1.6	75.0	34.1	-	54.5
QUITMAN	63.0	3.3	116.8	48.1	-	89.3	65.9	4.0	122.3
RANKIN	22.6	0.4	47.3	23.1	0.3	49.1	21.2	0.8	42.6
SCOTT	34.9	1.0	67.9	42.2	2.3	83.3	29.4	-	56.7
SHARKEY	33.8	-	66.0	15.4	-	33.3	37.5	-	71.8
SIMPSON	41.2	2.2	78.9	39.0	1.9	79.5	43.8	2.5	78.4
SMITH	30.8	3.5	58.6	29.1	2.6	56.2	34.2	5.2	63.5
STONE	27.7	1.6	47.3	30.7	2.2	53.6	19.8	-	32.4
SUNFLOWER	48.0	1.1	86.6	26.5	-	43.3	53.0	1.3	98.2
TALLAHATCHIE	46.8	2.2	84.7	18.0	-	36.2	57.9	3.1	101.2
TATE	28.5	1.0	50.0	22.2	-	40.3	38.0	2.5	64.3
TIPPAH	28.6	-	56.7	31.2	-	59.6	21.0	-	46.8
TISHOMINGO	22.8	1.5	44.5	24.2	1.6	47.7	-	-	-
TUNICA	57.7	6.5	125.7	44.0	-	153.8	58.1	7.5	120.4
UNION	33.9	1.1	68.2	33.6	1.4	67.8	32.5	-	64.8
WALTHALL	24.9	-	50.2	24.4	-	52.6	25.3	-	48.6
WARREN	36.4	2.8	70.7	31.6	1.4	62.0	39.7	3.7	76.8
WASHINGTON	54.3	4.1	101.3	24.8	-	48.0	60.0	4.9	111.6
WAYNE	42.2	-	87.4	41.2	-	86.4	43.2	-	88.4
WEBSTER	41.5	5.5	83.9	37.1	7.0	74.9	55.2	-	108.4
WILKINSON	47.3	3.7	87.0	25.0	-	49.2	53.2	4.7	96.6
WINSTON	24.4	-	46.6	9.5	-	18.2	35.6	-	67.6
YALOBUSHA	42.5	2.5	80.8	28.6	-	60.6	56.8	5.5	98.6
YAZOO	58.1	2.2	114.9	30.1	-	69.8	68.6	3.1	128.8

* LIVE BIRTHS PLUS REPORTABLE SPONTANEOUS FETAL DEATHS PLUS INDUCED TERMINATIONS PER 1,000 FEMALES IN SPECIFIED AGE/RACE GROUP.

** TOTAL FIGURES INCLUDE SOME FOR WHICH THE RACE OF THE MOTHER WAS UNKNOWN.

NOTE:

Table 19 extends from page 138 through 158 with identical data for each county as well as for the state.

**TABLE 19
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE
RESIDENTS OF ADAMS, ALCORN, AMITE, AND ATTALA COUNTIES, MISSISSIPPI, 2010**

CAUSE AND GROUP NUMBER*	ADAMS COUNTY						ALCORN COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
ALL CAUSES	409	192	217	12.7	13.9	11.7	450	401	49	12.1	12.7	9.1
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	11	5	6	34.0	36.2	32.4	14	12	2	37.8	37.9	37.0
HIV DISEASE (039-043)	0	0	0	-	-	-	0	0	0	-	-	-
MALIGNANT NEOPLASMS (056-108)	92	47	45	284.8	340.8	243.2	97	87	10	261.8	274.8	185.2
DIABETES MELLITUS (124)	4	0	4	12.4	-	21.6	3	3	0	8.1	9.5	-
ALZHEIMERS DISEASE (148)	19	11	8	58.8	79.8	43.2	16	15	1	43.2	47.4	18.5
MAJOR CARDIOVASCULAR DISEASES# (156-189)	139	63	76	430.4	456.8	410.7	145	132	13	391.3	417.0	240.7
HEART DISEASES (156-160,162, 164-181)	103	49	54	318.9	355.2	291.8	123	112	11	331.9	353.8	203.7
HYPERTENSION (161,163)	5	0	5	15.5	-	27.0	2	2	0	5.4	6.3	-
CEREBROVASCULAR DISEASES (182-186)	28	11	17	86.7	79.8	91.9	17	15	2	45.9	47.4	37.0
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	12	8	4	37.2	58.0	21.6	10	8	2	27.0	25.3	37.0
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	15	11	4	46.4	79.8	21.6	29	24	5	78.2	75.8	92.6
PEPTIC ULCER (217-220)	0	0	0	-	-	-	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	2	1	1	6.2	7.2	5.4	5	5	0	13.5	15.8	-
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	9	1	8	27.9	7.2	43.2	19	13	6	51.3	41.1	111.1
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	5	1	4	12.7	7.6	15.3	0	0	0	-	-	-
CONGENITAL MALFORMATIONS (282-290)	1	1	0	3.1	7.2	-	2	1	1	5.4	3.2	18.5
SUDDEN INFANT DEATH SYNDROME# (292)	1	0	1	2.5	-	3.8	1	1	0	2.3	2.7	-
ACCIDENTS (295-330)	16	8	8	49.5	58.0	43.2	23	18	5	62.1	56.9	92.6
MOTOR VEHICLE ACCIDENTS# (296-306)	7	5	2	21.7	36.2	10.8	5	4	1	13.5	12.6	18.5
SUICIDE (331-337)	5	3	2	15.5	21.8	10.8	7	7	0	18.9	22.1	-
HOMICIDE (338-346)	4	0	4	12.4	-	21.6	1	1	0	2.7	3.2	-

CAUSE AND GROUP NUMBER*	AMITE COUNTY						ATTALA COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
ALL CAUSES	115	74	41	8.8	9.8	7.4	291	200	91	14.9	18.2	10.6
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	2	0	2	15.2	-	36.0	3	2	1	15.3	18.2	11.7
HIV DISEASE (039-043)	0	0	0	-	-	-	1	0	1	5.1	-	11.7
MALIGNANT NEOPLASMS (056-108)	29	18	11	220.8	237.6	197.9	64	44	20	327.1	400.0	233.5
DIABETES MELLITUS (124)	4	4	0	30.5	52.8	-	11	5	6	56.2	45.4	70.1
ALZHEIMERS DISEASE (148)	5	3	2	38.1	39.6	36.0	27	23	4	138.0	209.1	46.7
MAJOR CARDIOVASCULAR DISEASES# (156-189)	47	29	18	357.9	382.9	323.9	86	53	33	439.6	481.8	385.3
HEART DISEASES (156-160,162, 164-181)	37	22	15	281.8	290.5	269.9	62	37	25	316.9	336.4	291.9
HYPERTENSION (161,163)	4	3	1	30.5	39.6	18.0	4	3	1	20.4	27.3	11.7
CEREBROVASCULAR DISEASES (182-186)	5	3	2	38.1	39.6	36.0	16	11	5	81.8	100.0	58.4
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	1	1	0	7.6	13.2	-	4	3	1	20.4	27.3	11.7
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	4	3	1	30.5	39.6	18.0	15	15	0	76.7	136.4	-
PEPTIC ULCER (217-220)	0	0	0	-	-	-	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	1	1	0	7.6	13.2	-	1	1	0	5.1	9.1	-
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	4	3	1	30.5	39.6	18.0	3	2	1	15.3	18.2	11.7
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	1	0	1	354.6	-	657.9
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	0	0	0	-	-	-	1	0	1	3.5	-	6.6
CONGENITAL MALFORMATIONS (282-290)	0	0	0	-	-	-	3	2	1	15.3	18.2	11.7
SUDDEN INFANT DEATH SYNDROME# (292)	0	0	0	-	-	-	0	0	0	-	-	-
ACCIDENTS (295-330)	4	3	1	30.5	39.6	18.0	16	8	8	81.8	72.7	93.4
MOTOR VEHICLE ACCIDENTS# (296-306)	3	2	1	22.8	26.4	18.0	9	3	6	46.0	27.3	70.1
SUICIDE (331-337)	0	0	0	-	-	-	0	0	0	-	-	-
HOMICIDE (338-346)	0	0	0	-	-	-	3	0	3	15.3	-	35.0

* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

** TOTAL DEATHS ARE PER 1,000 POPULATION; DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD AND DEATHS FROM SUDDEN INFANT DEATH SYNDROME ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

**TABLE 19
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE
RESIDENTS OF BENTON, BOLIVAR, CALHOUN, AND CARROLL COUNTIES, MISSISSIPPI, 2010**

CAUSE AND GROUP NUMBER*	BENTON COUNTY						BOLIVAR COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
ALL CAUSES	101	62	39	11.6	11.7	11.3	436	182	254	12.8	15.9	11.2
TUBERCULOSIS (009,010)	0	0	0	-	-	-	1	0	1	2.9	-	4.4
SEPTICEMIA (018)	0	0	0	-	-	-	12	4	8	35.1	34.9	35.2
HIV DISEASE (039-043)	0	0	0	-	-	-	1	0	1	2.9	-	4.4
MALIGNANT NEOPLASMS (056-108)	20	11	9	229.1	208.2	261.2	82	34	48	240.2	297.0	211.5
DIABETES MELLITUS (124)	6	2	4	68.7	37.8	116.1	37	10	27	108.4	87.4	118.9
ALZHEIMERS DISEASE (148)	3	1	2	34.4	18.9	58.0	10	7	3	29.3	61.2	13.2
MAJOR CARDIOVASCULAR DISEASES# (156-189)	40	27	13	458.2	511.0	377.4	135	56	79	395.4	489.2	348.0
HEART DISEASES (156-160,162, 164-181)	35	24	11	401.0	454.2	319.3	86	39	47	251.9	340.7	207.0
HYPERTENSION (161,163)	2	1	1	22.9	18.9	29.0	17	5	12	49.8	43.7	52.9
CEREBROVASCULAR DISEASES (182-186)	3	2	1	34.4	37.8	29.0	26	10	16	76.1	87.4	70.5
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	3	1	2	8.8	8.7	8.8
INFLUENZA AND PNEUMONIA (195-198)	1	1	0	11.4	18.9	-	10	3	7	29.3	26.2	30.8
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	3	3	0	34.4	56.8	-	21	12	9	61.5	104.8	39.6
PEPTIC ULCER (217-220)	0	0	0	-	-	-	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	0	0	0	-	-	-	7	4	3	20.5	34.9	13.2
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	1	0	1	11.4	-	29.0	14	3	11	41.0	26.2	48.5
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	1	0	1	10.6	-	23.2	1	0	1	1.7	-	2.3
CONGENITAL MALFORMATIONS (282-290)	0	0	0	-	-	-	0	0	0	-	-	-
SUDDEN INFANT DEATH SYNDROME# (292)	0	0	0	-	-	-	2	0	2	3.4	-	4.6
ACCIDENTS (295-330)	9	7	2	103.1	132.5	58.0	23	12	11	67.4	104.8	48.5
MOTOR VEHICLE ACCIDENTS# (296-306)	3	3	0	34.4	56.8	-	10	4	6	29.3	34.9	26.4
SUICIDE (331-337)	2	2	0	22.9	37.8	-	4	2	2	11.7	17.5	8.8
HOMICIDE (338-346)	2	1	1	22.9	18.9	29.0	6	0	6	17.6	-	26.4

CAUSE AND GROUP NUMBER*	CALHOUN COUNTY						CARROLL COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
ALL CAUSES	176	135	41	11.8	13.4	8.4	94	54	40	8.9	7.8	11.0
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	2	2	0	13.4	19.8	-	1	0	1	9.4	-	27.5
HIV DISEASE (039-043)	0	0	0	-	-	-	0	0	0	-	-	-
MALIGNANT NEOPLASMS (056-108)	34	22	12	227.2	217.9	246.6	36	24	12	339.7	345.0	329.6
DIABETES MELLITUS (124)	5	1	4	33.4	9.9	82.2	1	1	0	9.4	14.4	-
ALZHEIMERS DISEASE (148)	7	6	1	46.8	59.4	20.6	1	1	0	9.4	14.4	-
MAJOR CARDIOVASCULAR DISEASES# (156-189)	77	59	18	514.6	584.4	369.9	25	11	14	235.9	158.1	384.5
HEART DISEASES (156-160,162, 164-181)	51	38	13	340.9	376.4	267.2	20	10	10	188.7	143.8	274.6
HYPERTENSION (161,163)	8	7	1	53.5	69.3	20.6	1	0	1	9.4	-	27.5
CEREBROVASCULAR DISEASES (182-186)	16	12	4	106.9	118.8	82.2	4	1	3	37.7	14.4	82.4
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	1	1	0	6.7	9.9	-	3	3	0	28.3	43.1	-
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	16	13	3	106.9	128.8	61.6	4	2	2	37.7	28.8	54.9
PEPTIC ULCER (217-220)	0	0	0	-	-	-	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	1	1	0	6.7	9.9	-	1	0	1	9.4	-	27.5
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	3	3	0	20.0	29.7	-	3	0	3	28.3	-	82.4
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	1	0	1	5.2	-	15.4	0	0	0	-	-	-
CONGENITAL MALFORMATIONS (282-290)	2	2	0	13.4	19.8	-	0	0	0	-	-	-
SUDDEN INFANT DEATH SYNDROME# (292)	0	0	0	-	-	-	0	0	0	-	-	-
ACCIDENTS (295-330)	9	8	1	60.2	79.2	20.6	7	3	4	66.0	43.1	109.9
MOTOR VEHICLE ACCIDENTS# (296-306)	5	4	1	33.4	39.6	20.6	4	1	3	37.7	14.4	82.4
SUICIDE (331-337)	2	2	0	13.4	19.8	-	4	4	0	37.7	57.5	-
HOMICIDE (338-346)	0	0	0	-	-	-	0	0	0	-	-	-

* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

** TOTAL DEATHS ARE PER 1,000 POPULATION; DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD AND DEATHS FROM SUDDEN INFANT DEATH SYNDROME ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

**TABLE 19
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE
RESIDENTS OF CHICKASAW, CHOCTAW, CLAIBORNE, AND CLARKE COUNTIES, MISSISSIPPI, 2010**

CAUSE AND GROUP NUMBER*	CHICKASAW COUNTY						CHOCTAW COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
ALL CAUSES	182	119	63	10.5	12.7	7.9	98	70	28	11.5	12.0	10.4
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	2	2	0	11.5	21.3	-	2	0	2	23.4	-	74.0
HIV DISEASE (039-043)	0	0	0	-	-	-	1	0	1	11.7	-	37.0
MALIGNANT NEOPLASMS (056-108)	42	28	14	241.5	298.3	174.9	21	17	4	245.7	290.8	148.1
DIABETES MELLITUS (124)	3	1	2	17.2	10.6	25.0	5	5	0	58.5	85.5	-
ALZHEIMERS DISEASE (148)	1	0	1	5.8	-	12.5	5	5	0	58.5	85.5	-
MAJOR CARDIOVASCULAR DISEASES# (156-189)	59	38	21	339.2	404.8	262.3	34	23	11	397.8	393.4	407.2
HEART DISEASES (156-160,162, 164-181)	48	33	15	276.0	351.6	187.4	27	19	8	315.9	325.0	296.2
HYPERTENSION (161,163)	1	0	1	5.8	-	12.5	1	0	1	11.7	-	37.0
CEREBROVASCULAR DISEASES (182-186)	9	4	5	51.7	42.6	62.4	5	4	1	58.5	68.4	37.0
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	10	6	4	57.5	63.9	50.0	2	1	1	23.4	17.1	37.0
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	11	7	4	63.2	74.6	50.0	1	1	0	11.7	17.1	-
PEPTIC ULCER (217-220)	0	0	0	-	-	-	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	1	0	1	5.8	-	12.5	1	1	0	11.7	17.1	-
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	9	7	2	51.7	74.6	25.0	1	1	0	11.7	17.1	-
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	0	0	0	-	-	-	4	0	4	35.7	-	85.1
CONGENITAL MALFORMATIONS (282-290)	1	0	1	5.8	-	12.5	1	1	0	11.7	17.1	-
SUDDEN INFANT DEATH SYNDROME# (292)	0	0	0	-	-	-	0	0	0	-	-	-
ACCIDENTS (295-330)	9	6	3	51.7	63.9	37.5	10	5	5	117.0	85.5	185.1
MOTOR VEHICLE ACCIDENTS# (296-306)	5	3	2	28.7	32.0	25.0	3	1	2	35.1	17.1	74.0
SUICIDE (331-337)	1	1	0	5.8	10.6	-	3	3	0	35.1	51.3	-
HOMICIDE (338-346)	1	0	1	5.8	-	12.5	0	0	0	-	-	-

CAUSE AND GROUP NUMBER*	CLAIBORNE COUNTY						CLARKE COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
ALL CAUSES	96	31	65	10.0	22.7	7.9	197	130	67	11.8	12.1	11.2
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	3	1	2	31.2	73.2	24.3	3	1	2	17.9	9.3	33.4
HIV DISEASE (039-043)	0	0	0	-	-	-	0	0	0	-	-	-
MALIGNANT NEOPLASMS (056-108)	16	7	9	166.6	512.1	109.3	47	28	19	280.9	260.7	317.1
DIABETES MELLITUS (124)	1	0	1	10.4	-	12.1	1	1	0	6.0	9.3	-
ALZHEIMERS DISEASE (148)	0	0	0	-	-	-	9	7	2	53.8	65.2	33.4
MAJOR CARDIOVASCULAR DISEASES# (156-189)	41	11	30	426.9	804.7	364.2	79	54	25	472.1	502.7	417.3
HEART DISEASES (156-160,162, 164-181)	34	10	24	354.0	731.5	291.4	59	40	19	352.6	372.4	317.1
HYPERTENSION (161,163)	0	0	0	-	-	-	7	3	4	41.8	27.9	66.8
CEREBROVASCULAR DISEASES (182-186)	5	0	5	52.1	-	60.7	11	9	2	65.7	83.8	33.4
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	2	2	0	12.0	18.6	-
INFLUENZA AND PNEUMONIA (195-198)	0	0	0	-	-	-	2	2	0	12.0	18.6	-
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	5	1	4	52.1	73.2	48.6	5	4	1	29.9	37.2	16.7
PEPTIC ULCER (217-220)	0	0	0	-	-	-	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	0	0	0	-	-	-	2	2	0	12.0	18.6	-
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	7	5	2	72.9	365.8	24.3	4	2	2	23.9	18.6	33.4
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	2	0	2	14.5	-	15.0	1	0	1	5.0	-	14.7
CONGENITAL MALFORMATIONS (282-290)	0	0	0	-	-	-	0	0	0	-	-	-
SUDDEN INFANT DEATH SYNDROME# (292)	0	0	0	-	-	-	0	0	0	-	-	-
ACCIDENTS (295-330)	5	2	3	52.1	146.3	36.4	10	7	3	59.8	65.2	50.1
MOTOR VEHICLE ACCIDENTS# (296-306)	3	2	1	31.2	146.3	12.1	6	4	2	35.8	37.2	33.4
SUICIDE (331-337)	2	2	0	20.8	146.3	-	1	0	1	6.0	-	16.7
HOMICIDE (338-346)	3	0	3	31.2	-	36.4	1	0	1	6.0	-	16.7

* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

** TOTAL DEATHS ARE PER 1,000 POPULATION; DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD AND DEATHS FROM SUDDEN INFANT DEATH SYNDROME ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

**TABLE 19
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE
RESIDENTS OF CLAY, COAHOMA, COPIAH, AND COVINGTON COUNTIES, MISSISSIPPI, 2010**

CAUSE AND GROUP NUMBER*	CLAY COUNTY						COAHOMA COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
ALL CAUSES	214	112	102	10.4	13.4	8.3	274	95	179	10.5	15.9	8.9
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	2	1	1	9.7	12.0	8.1	5	1	4	19.1	16.7	19.8
HIV DISEASE (039-043)	0	0	0	-	-	-	3	0	3	11.5	-	14.9
MALIGNANT NEOPLASMS (056-108)	48	24	24	232.6	287.4	195.4	75	33	42	286.8	551.0	208.3
DIABETES MELLITUS (124)	5	3	2	24.2	35.9	16.3	24	4	20	91.8	66.8	99.2
ALZHEIMERS DISEASE (148)	7	7	0	33.9	83.8	-	4	2	2	15.3	33.4	9.9
MAJOR CARDIOVASCULAR DISEASES# (156-189)	88	41	47	426.5	491.0	382.6	79	22	57	302.1	367.3	282.7
HEART DISEASES (156-160,162, 164-181)	59	28	31	285.9	335.3	252.4	57	19	38	218.0	317.2	188.5
HYPERTENSION (161,163)	8	5	3	38.8	59.9	24.4	15	3	12	57.4	50.1	59.5
CEREBROVASCULAR DISEASES (182-186)	18	8	10	87.2	95.8	81.4	7	0	7	26.8	-	34.7
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	11	7	4	53.3	83.8	32.6	3	2	1	11.5	33.4	5.0
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	9	6	3	43.6	71.8	24.4	13	6	7	49.7	100.2	34.7
PEPTIC ULCER (217-220)	0	0	0	-	-	-	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	2	2	0	9.7	24.0	-	2	1	1	7.6	16.7	5.0
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	4	1	3	19.4	12.0	24.4	8	3	5	30.6	50.1	24.8
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	1	0	1	4.1	-	5.9	1	0	1	2.2	-	2.7
CONGENITAL MALFORMATIONS (282-290)	0	0	0	-	-	-	4	0	4	15.3	-	19.8
SUDDEN INFANT DEATH SYNDROME# (292)	0	0	0	-	-	-	0	0	0	-	-	-
ACCIDENTS (295-330)	9	5	4	43.6	59.9	32.6	15	8	7	57.4	133.6	34.7
MOTOR VEHICLE ACCIDENTS# (296-306)	3	1	2	14.5	12.0	16.3	5	2	3	19.1	33.4	14.9
SUICIDE (331-337)	4	3	1	19.4	35.9	8.1	5	3	2	19.1	50.1	9.9
HOMICIDE (338-346)	1	1	0	4.8	12.0	-	6	0	6	22.9	-	29.8

CAUSE AND GROUP NUMBER*	COPIAH COUNTY						COVINGTON COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
ALL CAUSES	317	192	125	10.8	14.1	7.9	228	181	47	11.6	14.7	6.5
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	2	1	1	6.8	7.3	6.3	8	6	2	40.9	48.7	27.6
HIV DISEASE (039-043)	0	0	0	-	-	-	2	0	2	10.2	-	27.6
MALIGNANT NEOPLASMS (056-108)	72	44	28	244.5	322.9	177.0	41	29	12	209.5	235.4	165.5
DIABETES MELLITUS (124)	8	3	5	27.2	22.0	31.6	0	0	0	-	-	-
ALZHEIMERS DISEASE (148)	16	11	5	54.3	80.7	31.6	14	11	3	71.5	89.3	41.4
MAJOR CARDIOVASCULAR DISEASES# (156-189)	113	64	49	383.7	469.6	309.7	78	63	15	398.6	511.4	206.9
HEART DISEASES (156-160,162, 164-181)	92	55	37	312.4	403.6	233.8	53	42	11	270.8	340.9	151.7
HYPERTENSION (161,163)	4	0	4	13.6	-	25.3	0	0	0	-	-	-
CEREBROVASCULAR DISEASES (182-186)	12	6	6	40.7	44.0	37.9	21	18	3	107.3	146.1	41.4
ATHEROSCLEROSIS (187)	1	1	0	3.4	7.3	-	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	7	4	3	23.8	29.4	19.0	5	3	2	25.6	24.4	27.6
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	15	11	4	50.9	80.7	25.3	19	15	4	97.1	121.8	55.2
PEPTIC ULCER (217-220)	0	0	0	-	-	-	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	4	4	0	13.6	29.4	-	3	2	1	15.3	16.2	13.8
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	5	1	4	17.0	7.3	25.3	6	5	1	30.7	40.6	13.8
MATERNAL CAUSES (261-273)	1	1	0	274.7	653.6	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	2	0	2	5.5	-	9.5	2	1	1	7.1	6.0	8.8
CONGENITAL MALFORMATIONS (282-290)	3	2	1	10.2	14.7	6.3	2	2	0	10.2	16.2	-
SUDDEN INFANT DEATH SYNDROME# (292)	0	0	0	-	-	-	0	0	0	-	-	-
ACCIDENTS (295-330)	12	9	3	40.7	66.0	19.0	14	12	2	71.5	97.4	27.6
MOTOR VEHICLE ACCIDENTS# (296-306)	6	5	1	20.4	36.7	6.3	5	4	1	25.6	32.5	13.8
SUICIDE (331-337)	3	3	0	10.2	22.0	-	5	5	0	25.6	40.6	-
HOMICIDE (338-346)	2	1	1	6.8	7.3	6.3	2	2	0	10.2	16.2	-

* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

** TOTAL DEATHS ARE PER 1,000 POPULATION; DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD AND DEATHS FROM SUDDEN INFANT DEATH SYNDROME ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

**TABLE 19
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE
RESIDENTS OF DESOTO, FORREST, FRANKLIN, AND GEORGE COUNTIES, MISSISSIPPI, 2010**

CAUSE AND GROUP NUMBER*	DESOTO COUNTY						FORREST COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
ALL CAUSES	1,129	969	160	7.0	8.3	3.6	713	493	220	9.5	11.0	7.3
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	13	9	4	8.1	7.7	8.9	22	15	7	29.4	33.5	23.2
HIV DISEASE (039-043)	4	2	2	2.5	1.7	4.5	8	0	8	10.7	-	26.5
MALIGNANT NEOPLASMS (056-108)	267	228	39	165.6	195.8	87.0	154	102	52	205.5	228.0	172.1
DIABETES MELLITUS (124)	69	55	14	42.8	47.2	31.2	33	14	19	44.0	31.3	62.9
ALZHEIMERS DISEASE (148)	37	31	6	22.9	26.6	13.4	33	23	10	44.0	51.4	33.1
MAJOR CARDIOVASCULAR DISEASES# (156-189)	388	335	53	240.6	287.7	118.3	195	149	46	260.2	333.1	152.3
HEART DISEASES (156-160,162, 164-181)	305	265	40	189.1	227.6	89.3	142	113	29	189.5	252.6	96.0
HYPERTENSION (161,163)	16	13	3	9.9	11.2	6.7	15	10	5	20.0	22.4	16.6
CEREBROVASCULAR DISEASES (182-186)	58	48	10	36.0	41.2	22.3	35	24	11	46.7	53.7	36.4
ATHEROSCLEROSIS (187)	1	1	0	0.6	0.8	-	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	12	11	1	7.4	9.4	2.2	14	8	6	18.7	17.9	19.9
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	62	59	3	38.4	50.7	6.7	46	43	3	61.4	96.1	9.9
PEPTIC ULCER (217-220)	0	0	0	-	-	-	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	9	9	0	5.6	7.7	-	5	4	1	6.7	8.9	3.3
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	19	18	1	11.8	15.4	2.2	24	16	8	32.0	35.8	26.5
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	1	0	1	85.1	-	188.7
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	4	3	1	2.0	2.0	1.9	7	1	6	6.0	1.6	11.3
CONGENITAL MALFORMATIONS (282-290)	8	4	4	5.0	3.4	8.9	1	0	1	1.3	-	3.3
SUDDEN INFANT DEATH SYNDROME# (292)	1	0	1	0.5	-	1.9	0	0	0	-	-	-
ACCIDENTS (295-330)	73	66	7	45.3	56.7	15.6	39	28	11	52.0	62.6	36.4
MOTOR VEHICLE ACCIDENTS# (296-306)	28	24	4	17.4	20.6	8.9	18	10	8	24.0	22.4	26.5
SUICIDE (331-337)	24	23	1	14.9	19.8	2.2	7	6	1	9.3	13.4	3.3
HOMICIDE (338-346)	6	3	3	3.7	2.6	6.7	3	1	2	4.0	2.2	6.6

CAUSE AND GROUP NUMBER*	FRANKLIN COUNTY						GEORGE COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
ALL CAUSES	88	67	21	10.8	12.7	7.3	251	240	11	11.1	11.8	4.8
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	1	1	0	12.3	19.0	-	4	4	0	17.7	19.7	-
HIV DISEASE (039-043)	1	0	1	12.3	-	35.0	1	1	0	4.4	4.9	-
MALIGNANT NEOPLASMS (056-108)	18	10	8	221.7	190.2	279.6	52	51	1	230.3	251.6	43.2
DIABETES MELLITUS (124)	5	4	1	61.6	76.1	35.0	16	13	3	70.9	64.1	129.8
ALZHEIMERS DISEASE (148)	0	0	0	-	-	-	5	5	0	22.1	24.7	-
MAJOR CARDIOVASCULAR DISEASES# (156-189)	34	29	5	418.8	551.6	174.8	72	68	4	318.9	335.5	173.0
HEART DISEASES (156-160,162, 164-181)	30	25	5	369.5	475.6	174.8	47	45	2	208.2	222.0	86.5
HYPERTENSION (161,163)	0	0	0	-	-	-	4	3	1	17.7	14.8	43.2
CEREBROVASCULAR DISEASES (182-186)	4	4	0	49.3	76.1	-	20	19	1	88.6	93.8	43.2
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	2	2	0	24.6	38.0	-	3	3	0	13.3	14.8	-
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	3	3	0	37.0	57.1	-	32	32	0	141.7	157.9	-
PEPTIC ULCER (217-220)	0	0	0	-	-	-	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	0	0	0	-	-	-	1	1	0	4.4	4.9	-
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	2	1	1	24.6	19.0	35.0	3	3	0	13.3	14.8	-
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	0	0	0	-	-	-	1	1	0	2.6	3.0	-
CONGENITAL MALFORMATIONS (282-290)	0	0	0	-	-	-	0	0	0	-	-	-
SUDDEN INFANT DEATH SYNDROME# (292)	0	0	0	-	-	-	0	0	0	-	-	-
ACCIDENTS (295-330)	7	4	3	86.2	76.1	104.8	20	20	0	88.6	98.7	-
MOTOR VEHICLE ACCIDENTS# (296-306)	3	1	2	37.0	19.0	69.9	11	11	0	48.7	54.3	-
SUICIDE (331-337)	1	1	0	12.3	19.0	-	2	2	0	8.8	9.9	-
HOMICIDE (338-346)	1	1	0	12.3	19.0	-	3	3	0	13.3	14.8	-

* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

** TOTAL DEATHS ARE PER 1,000 POPULATION; DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD AND DEATHS FROM SUDDEN INFANT DEATH SYNDROME ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

**TABLE 19
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE
RESIDENTS OF GREENE, GRENADA, HANCOCK, AND HARRISON COUNTIES, MISSISSIPPI, 2010**

CAUSE AND GROUP NUMBER*	GREENE COUNTY						GRENADA COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
ALL CAUSES	118	100	18	8.2	9.6	4.5	228	137	91	10.4	11.0	9.6
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	3	3	0	20.8	28.7	-	6	2	4	27.4	16.0	42.4
HIV DISEASE (039-043)	0	0	0	-	-	-	4	0	4	18.3	-	42.4
MALIGNANT NEOPLASMS (056-108)	25	19	6	173.6	182.0	151.6	55	41	14	251.1	328.9	148.3
DIABETES MELLITUS (124)	1	1	0	6.9	9.6	-	6	2	4	27.4	16.0	42.4
ALZHEIMERS DISEASE (148)	8	6	2	55.6	57.5	50.5	6	5	1	27.4	40.1	10.6
MAJOR CARDIOVASCULAR DISEASES# (156-189)	42	36	6	291.7	344.8	151.6	80	45	35	365.2	361.0	370.7
HEART DISEASES (156-160,162, 164-181)	37	31	6	256.9	296.9	151.6	65	40	25	296.7	320.9	264.8
HYPERTENSION (161,163)	0	0	0	-	-	-	4	2	2	18.3	16.0	21.2
CEREBROVASCULAR DISEASES (182-186)	5	5	0	34.7	47.9	-	10	3	7	45.6	24.1	74.1
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	3	3	0	20.8	28.7	-	5	1	4	22.8	8.0	42.4
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	6	6	0	41.7	57.5	-	6	6	0	27.4	48.1	-
PEPTIC ULCER (217-220)	0	0	0	-	-	-	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	0	0	0	-	-	-	3	2	1	13.7	16.0	10.6
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	4	3	1	27.8	28.7	25.2	4	1	3	18.3	8.0	31.8
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	0	0	0	-	-	-	2	0	2	7.8	-	15.4
CONGENITAL MALFORMATIONS (282-290)	0	0	0	-	-	-	0	0	0	-	-	-
SUDDEN INFANT DEATH SYNDROME# (292)	0	0	0	-	-	-	0	0	0	-	-	-
ACCIDENTS (295-330)	10	8	2	69.4	76.6	50.5	8	4	4	36.5	32.1	42.4
MOTOR VEHICLE ACCIDENTS# (296-306)	6	4	2	41.7	38.3	50.5	2	1	1	9.1	8.0	10.6
SUICIDE (331-337)	3	3	0	20.8	28.7	-	2	2	0	9.1	16.0	-
HOMICIDE (338-346)	2	2	0	13.9	19.2	-	4	1	3	18.3	8.0	31.8

CAUSE AND GROUP NUMBER*	HANCOCK COUNTY						HARRISON COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
ALL CAUSES	418	390	28	9.5	10.0	5.5	1,608	1,286	322	8.6	9.9	5.7
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	6	4	2	13.6	10.3	39.3	44	37	7	23.5	28.4	12.3
HIV DISEASE (039-043)	1	1	0	2.3	2.6	-	8	3	5	4.3	2.3	8.8
MALIGNANT NEOPLASMS (056-108)	101	96	5	229.9	247.2	98.3	386	315	71	206.3	241.6	125.1
DIABETES MELLITUS (124)	3	2	1	6.8	5.1	19.6	12	8	4	6.4	6.1	7.0
ALZHEIMERS DISEASE (148)	10	10	0	22.8	25.7	-	24	22	2	12.8	16.9	3.5
MAJOR CARDIOVASCULAR DISEASES# (156-189)	139	130	9	316.4	334.7	176.9	527	408	119	281.7	313.0	209.7
HEART DISEASES (156-160,162, 164-181)	122	113	9	277.7	290.9	176.9	415	328	87	221.8	251.6	153.3
HYPERTENSION (161,163)	1	1	0	2.3	2.6	-	2	2	0	1.1	1.5	-
CEREBROVASCULAR DISEASES (182-186)	9	9	0	20.5	23.2	-	101	70	31	54.0	53.7	54.6
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	1	1	0	0.5	0.8	-
INFLUENZA AND PNEUMONIA (195-198)	5	3	2	11.4	7.7	39.3	33	28	5	17.6	21.5	8.8
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	35	33	2	79.7	85.0	39.3	93	87	6	49.7	66.7	10.6
PEPTIC ULCER (217-220)	0	0	0	-	-	-	1	1	0	0.5	0.8	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	4	4	0	9.1	10.3	-	20	18	2	10.7	13.8	3.5
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	11	9	2	25.0	23.2	39.3	53	41	12	28.3	31.4	21.1
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	1	0	1	2.3	-	27.0	13	7	6	4.7	3.8	6.7
CONGENITAL MALFORMATIONS (282-290)	1	1	0	2.3	2.6	-	6	2	4	3.2	1.5	7.0
SUDDEN INFANT DEATH SYNDROME# (292)	1	1	0	2.3	2.5	-	5	2	3	1.8	1.1	3.4
ACCIDENTS (295-330)	28	26	2	63.7	66.9	39.3	98	84	14	52.4	64.4	24.7
MOTOR VEHICLE ACCIDENTS# (296-306)	7	7	0	15.9	18.0	-	26	22	4	13.9	16.9	7.0
SUICIDE (331-337)	10	10	0	22.8	25.7	-	37	32	5	19.8	24.5	8.8
HOMICIDE (338-346)	2	2	0	4.6	5.1	-	12	6	6	6.4	4.6	10.6

* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

** TOTAL DEATHS ARE PER 1,000 POPULATION; DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD AND DEATHS FROM SUDDEN INFANT DEATH SYNDROME ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

**TABLE 19
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE
RESIDENTS OF HINDS, HOLMES, HUMPHREYS, AND ISSAQUENA COUNTIES, MISSISSIPPI, 2010**

CAUSE AND GROUP NUMBER*	HINDS COUNTY						HOLMES COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
ALL CAUSES	1,938	827	1,111	7.9	11.8	6.3	197	53	144	10.3	17.7	8.9
TUBERCULOSIS (009,010)	3	0	3	1.2	-	1.7	0	0	0	-	-	-
SEPTICEMIA (018)	47	20	27	19.2	28.7	15.4	3	0	3	15.6	-	18.5
HIV DISEASE (039-043)	24	1	23	9.8	1.4	13.1	1	0	1	5.2	-	6.2
MALIGNANT NEOPLASMS (056-108)	403	170	233	164.3	243.7	132.8	47	11	36	244.8	366.5	222.3
DIABETES MELLITUS (124)	62	18	44	25.3	25.8	25.1	3	0	3	15.6	-	18.5
ALZHEIMERS DISEASE (148)	32	16	16	13.0	22.9	9.1	6	4	2	31.2	133.3	12.3
MAJOR CARDIOVASCULAR DISEASES# (156-189)	680	297	383	277.2	425.7	218.2	58	13	45	302.1	433.2	277.8
HEART DISEASES (156-160,162, 164-181)	490	223	267	199.8	319.6	152.1	37	10	27	192.7	333.2	166.7
HYPERTENSION (161,163)	84	31	53	34.2	44.4	30.2	9	2	7	46.9	66.6	43.2
CEREBROVASCULAR DISEASES (182-186)	99	41	58	40.4	58.8	33.0	9	1	8	46.9	33.3	49.4
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	41	24	17	16.7	34.4	9.7	4	2	2	20.8	66.6	12.3
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	81	49	32	33.0	70.2	18.2	13	7	6	67.7	233.2	37.0
PEPTIC ULCER (217-220)	0	0	0	-	-	-	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	20	9	11	8.2	12.9	6.3	4	3	1	20.8	100.0	6.2
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	45	15	30	18.3	21.5	17.1	3	0	3	15.6	-	18.5
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	10	2	8	2.8	2.5	2.9	2	0	2	6.5	-	6.9
CONGENITAL MALFORMATIONS (282-290)	6	3	3	2.4	4.3	1.7	2	0	2	10.4	-	12.3
SUDDEN INFANT DEATH SYNDROME# (292)	2	0	2	0.6	-	0.7	0	0	0	-	-	-
ACCIDENTS (295-330)	81	36	45	33.0	51.6	25.6	20	5	15	104.2	166.6	92.6
MOTOR VEHICLE ACCIDENTS# (296-306)	42	17	25	17.1	24.4	14.2	12	3	9	62.5	100.0	55.6
SUICIDE (331-337)	21	15	6	8.6	21.5	3.4	1	0	1	5.2	-	6.2
HOMICIDE (338-346)	45	5	40	18.3	7.2	22.8	3	1	2	15.6	33.3	12.3

CAUSE AND GROUP NUMBER*	HUMPHREYS COUNTY						ISSAQUENA COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
ALL CAUSES	99	34	65	10.6	15.4	9.1	13	5	8	9.2	10.3	8.7
TUBERCULOSIS (009,010)	2	0	2	21.3	-	27.9	0	0	0	-	-	-
SEPTICEMIA (018)	1	0	1	10.7	-	13.9	0	0	0	-	-	-
HIV DISEASE (039-043)	2	0	2	21.3	-	27.9	0	0	0	-	-	-
MALIGNANT NEOPLASMS (056-108)	25	7	18	266.7	317.7	251.0	3	2	1	213.4	411.5	108.7
DIABETES MELLITUS (124)	4	1	3	42.7	45.4	41.8	0	0	0	-	-	-
ALZHEIMERS DISEASE (148)	4	4	0	42.7	181.6	-	0	0	0	-	-	-
MAJOR CARDIOVASCULAR DISEASES# (156-189)	37	14	23	394.7	635.5	320.7	7	2	5	497.9	411.5	543.5
HEART DISEASES (156-160,162, 164-181)	30	12	18	320.0	544.7	251.0	4	2	2	284.5	411.5	217.4
HYPERTENSION (161,163)	2	1	1	21.3	45.4	13.9	0	0	0	-	-	-
CEREBROVASCULAR DISEASES (182-186)	5	1	4	53.3	45.4	55.8	3	0	3	213.4	-	326.1
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	2	2	0	21.3	90.8	-	0	0	0	-	-	-
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	4	1	3	42.7	45.4	41.8	0	0	0	-	-	-
PEPTIC ULCER (217-220)	0	0	0	-	-	-	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	1	0	1	10.7	-	13.9	0	0	0	-	-	-
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	1	1	0	10.7	45.4	-	0	0	0	-	-	-
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	1	0	1	6.5	-	7.2	0	0	0	-	-	-
CONGENITAL MALFORMATIONS (282-290)	1	1	0	10.7	45.4	-	0	0	0	-	-	-
SUDDEN INFANT DEATH SYNDROME# (292)	0	0	0	-	-	-	0	0	0	-	-	-
ACCIDENTS (295-330)	4	1	3	42.7	45.4	41.8	1	0	1	71.1	-	108.7
MOTOR VEHICLE ACCIDENTS# (296-306)	3	0	3	32.0	-	41.8	1	0	1	71.1	-	108.7
SUICIDE (331-337)	1	1	0	10.7	45.4	-	1	1	0	71.1	205.8	-
HOMICIDE (338-346)	2	0	2	21.3	-	27.9	0	0	0	-	-	-

* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

** TOTAL DEATHS ARE PER 1,000 POPULATION; DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD AND DEATHS FROM SUDDEN INFANT DEATH SYNDROME ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

**TABLE 19
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE
RESIDENTS OF ITAWAMBA, JACKSON, JASPER, AND JEFFERSON COUNTIES, MISSISSIPPI, 2010**

CAUSE AND GROUP NUMBER*	ITAWAMBA COUNTY						JACKSON COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
ALL CAUSES	283	272	11	12.1	12.6	6.2	1,251	1,028	223	9.0	10.2	5.7
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	1	1	0	4.3	4.6	-	36	26	10	25.8	25.8	25.7
HIV DISEASE (039-043)	0	0	0	-	-	-	2	1	1	1.4	1.0	2.6
MALIGNANT NEOPLASMS (056-108)	58	55	3	247.8	254.4	168.7	286	234	52	204.8	232.3	133.6
DIABETES MELLITUS (124)	8	8	0	34.2	37.0	-	12	8	4	8.6	7.9	10.3
ALZHEIMERS DISEASE (148)	11	11	0	47.0	50.9	-	38	33	5	27.2	32.8	12.8
MAJOR CARDIOVASCULAR DISEASES# (156-189)	100	95	5	427.3	439.3	281.2	365	282	83	261.3	279.9	213.2
HEART DISEASES (156-160,162, 164-181)	76	72	4	324.8	333.0	225.0	267	216	51	191.2	214.4	131.0
HYPERTENSION (161,163)	6	5	1	25.6	23.1	56.2	28	18	10	20.0	17.9	25.7
CEREBROVASCULAR DISEASES (182-186)	14	14	0	59.8	64.7	-	60	41	19	43.0	40.7	48.8
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	1	1	0	0.7	1.0	-
INFLUENZA AND PNEUMONIA (195-198)	7	7	0	29.9	32.4	-	20	17	3	14.3	16.9	7.7
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	20	20	0	85.5	92.5	-	72	68	4	51.6	67.5	10.3
PEPTIC ULCER (217-220)	0	0	0	-	-	-	1	1	0	0.7	1.0	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	3	3	0	12.8	13.9	-	17	15	2	12.2	14.9	5.1
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	9	8	1	38.5	37.0	56.2	25	20	5	17.9	19.8	12.8
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	0	0	0	-	-	-	5	4	1	2.9	3.2	2.2
CONGENITAL MALFORMATIONS (282-290)	0	0	0	-	-	-	11	6	5	7.9	6.0	12.8
SUDDEN INFANT DEATH SYNDROME# (292)	1	1	0	4.1	4.2	-	4	1	3	2.4	0.8	6.6
ACCIDENTS (295-330)	13	12	1	55.6	55.5	56.2	112	101	11	80.2	100.3	28.2
MOTOR VEHICLE ACCIDENTS# (296-306)	2	2	0	8.5	9.2	-	26	22	4	18.6	21.8	10.3
SUICIDE (331-337)	2	2	0	8.5	9.2	-	21	19	2	15.0	18.9	5.1
HOMICIDE (338-346)	1	1	0	4.3	4.6	-	8	6	2	5.7	6.0	5.1

CAUSE AND GROUP NUMBER*	JASPER COUNTY						JEFFERSON COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
ALL CAUSES	180	109	71	10.6	13.8	7.7	77	11	66	10.0	10.4	9.9
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	3	1	2	17.6	12.7	21.8	1	0	1	12.9	-	15.0
HIV DISEASE (039-043)	1	0	1	5.9	-	10.9	0	0	0	-	-	-
MALIGNANT NEOPLASMS (056-108)	38	25	13	222.7	316.7	141.8	14	2	12	181.2	188.7	180.0
DIABETES MELLITUS (124)	5	3	2	29.3	38.0	21.8	6	1	5	77.7	94.3	75.0
ALZHEIMERS DISEASE (148)	4	3	1	23.4	38.0	10.9	0	0	0	-	-	-
MAJOR CARDIOVASCULAR DISEASES# (156-189)	73	42	31	427.8	532.0	338.1	29	5	24	375.4	471.7	360.0
HEART DISEASES (156-160,162, 164-181)	60	34	26	351.6	430.7	283.6	20	4	16	258.9	377.4	240.0
HYPERTENSION (161,163)	6	5	1	35.2	63.3	10.9	6	1	5	77.7	94.3	75.0
CEREBROVASCULAR DISEASES (182-186)	5	2	3	29.3	25.3	32.7	3	0	3	38.8	-	45.0
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	4	3	1	23.4	38.0	10.9	3	0	3	38.8	-	45.0
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	5	3	2	29.3	38.0	21.8	2	0	2	25.9	-	30.0
PEPTIC ULCER (217-220)	0	0	0	-	-	-	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	2	2	0	11.7	25.3	-	0	0	0	-	-	-
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	4	1	3	23.4	12.7	32.7	4	0	4	51.8	-	60.0
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	1	1	0	4.5	12.0	-	1	0	1	9.5	-	10.6
CONGENITAL MALFORMATIONS (282-290)	0	0	0	-	-	-	0	0	0	-	-	-
SUDDEN INFANT DEATH SYNDROME# (292)	0	0	0	-	-	-	1	0	1	9.5	-	10.6
ACCIDENTS (295-330)	13	8	5	76.2	101.3	54.5	4	2	2	51.8	188.7	30.0
MOTOR VEHICLE ACCIDENTS# (296-306)	6	3	3	35.2	38.0	32.7	2	0	2	25.9	-	30.0
SUICIDE (331-337)	1	1	0	5.9	12.7	-	0	0	0	-	-	-
HOMICIDE (338-346)	0	0	0	-	-	-	1	0	1	12.9	-	15.0

* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

** TOTAL DEATHS ARE PER 1,000 POPULATION; DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD AND DEATHS FROM SUDDEN INFANT DEATH SYNDROME ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

**TABLE 19
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE
RESIDENTS OF JEFF DAVIS, JONES, KEMPER, AND LAFAYETTE COUNTIES, MISSISSIPPI, 2010**

CAUSE AND GROUP NUMBER*	JEFF DAVIS COUNTY						JONES COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
ALL CAUSES	142	71	71	11.4	14.7	9.3	640	500	140	9.4	11.0	6.3
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	2	0	2	16.0	-	26.1	25	17	8	36.9	37.3	36.0
HIV DISEASE (039-043)	1	0	1	8.0	-	13.1	2	0	2	3.0	-	9.0
MALIGNANT NEOPLASMS (056-108)	32	16	16	256.3	331.0	209.1	128	98	30	188.9	215.2	135.0
DIABETES MELLITUS (124)	2	0	2	16.0	-	26.1	16	10	6	23.6	22.0	27.0
ALZHEIMERS DISEASE (148)	4	2	2	32.0	41.4	26.1	22	20	2	32.5	43.9	9.0
MAJOR CARDIOVASCULAR DISEASES# (156-189)	59	31	28	472.5	641.3	365.9	200	154	46	295.2	338.2	206.9
HEART DISEASES (156-160,162, 164-181)	45	25	20	360.4	517.2	261.3	154	121	33	227.3	265.8	148.4
HYPERTENSION (161,163)	2	1	1	16.0	20.7	13.1	8	6	2	11.8	13.2	9.0
CEREBROVASCULAR DISEASES (182-186)	10	4	6	80.1	82.7	78.4	38	27	11	56.1	59.3	49.5
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	1	1	0	8.0	20.7	-	31	28	3	45.7	61.5	13.5
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	4	3	1	32.0	62.1	13.1	38	36	2	56.1	79.1	9.0
PEPTIC ULCER (217-220)	0	0	0	-	-	-	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	2	1	1	16.0	20.7	13.1	6	6	0	8.8	13.2	-
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	4	1	3	32.0	20.7	39.2	11	7	4	16.2	15.4	18.0
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	1	0	1	6.0	-	8.8	4	1	3	3.9	1.6	7.7
CONGENITAL MALFORMATIONS (282-290)	0	0	0	-	-	-	3	3	0	4.4	6.6	-
SUDDEN INFANT DEATH SYNDROME# (292)	0	0	0	-	-	-	0	0	0	-	-	-
ACCIDENTS (295-330)	9	5	4	72.1	103.4	52.3	41	31	10	60.5	68.1	45.0
MOTOR VEHICLE ACCIDENTS# (296-306)	6	3	3	48.0	62.1	39.2	19	13	6	28.0	28.6	27.0
SUICIDE (331-337)	0	0	0	-	-	-	6	6	0	8.8	13.2	-
HOMICIDE (338-346)	1	0	1	8.0	-	13.1	2	0	2	3.0	-	9.0

CAUSE AND GROUP NUMBER*	KEMPER COUNTY						LAFAYETTE COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
ALL CAUSES	104	51	53	9.9	13.8	7.8	372	283	89	7.8	8.3	6.6
TUBERCULOSIS (009,010)	0	0	0	-	-	-	1	0	1	2.1	-	7.5
SEPTICEMIA (018)	0	0	0	-	-	-	3	1	2	6.3	2.9	15.0
HIV DISEASE (039-043)	0	0	0	-	-	-	0	0	0	-	-	-
MALIGNANT NEOPLASMS (056-108)	16	8	8	153.0	216.9	118.2	62	46	16	130.9	135.4	119.6
DIABETES MELLITUS (124)	1	1	0	9.6	27.1	-	12	5	7	25.3	14.7	52.3
ALZHEIMERS DISEASE (148)	1	1	0	9.6	27.1	-	34	33	1	71.8	97.1	7.5
MAJOR CARDIOVASCULAR DISEASES# (156-189)	48	25	23	459.1	677.7	339.9	122	88	34	257.6	259.0	254.2
HEART DISEASES (156-160,162, 164-181)	40	21	19	382.6	569.3	280.8	86	65	21	181.6	191.3	157.0
HYPERTENSION (161,163)	1	0	1	9.6	-	14.8	5	3	2	10.6	8.8	15.0
CEREBROVASCULAR DISEASES (182-186)	7	4	3	66.9	108.4	44.3	28	19	9	59.1	55.9	67.3
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	3	1	2	28.7	27.1	29.6	7	4	3	14.8	11.8	22.4
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	3	2	1	28.7	54.2	14.8	33	29	4	69.7	85.4	29.9
PEPTIC ULCER (217-220)	1	1	0	9.6	27.1	-	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	0	0	0	-	-	-	2	1	1	4.2	2.9	7.5
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	4	2	2	38.2	54.2	29.6	15	10	5	31.7	29.4	37.4
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	0	0	0	-	-	-	2	1	1	3.9	2.9	6.0
CONGENITAL MALFORMATIONS (282-290)	0	0	0	-	-	-	2	1	1	4.2	2.9	7.5
SUDDEN INFANT DEATH SYNDROME# (292)	0	0	0	-	-	-	0	0	0	-	-	-
ACCIDENTS (295-330)	6	4	2	57.4	108.4	29.6	23	19	4	48.6	55.9	29.9
MOTOR VEHICLE ACCIDENTS# (296-306)	1	0	1	9.6	-	14.8	4	3	1	8.4	8.8	7.5
SUICIDE (331-337)	1	0	1	9.6	-	14.8	2	1	1	4.2	2.9	7.5
HOMICIDE (338-346)	2	0	2	19.1	-	29.6	3	2	1	6.3	5.9	7.5

* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

** TOTAL DEATHS ARE PER 1,000 POPULATION; DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD AND DEATHS FROM SUDDEN INFANT DEATH SYNDROME ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

**TABLE 19
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE
RESIDENTS OF LAMAR, LAUDERDALE, LAWRENCE, AND LEAKE COUNTIES, MISSISSIPPI, 2010**

CAUSE AND GROUP NUMBER*	LAMAR COUNTY						LAUDERDALE COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
ALL CAUSES	383	343	40	6.9	8.0	3.2	866	587	279	10.8	13.4	7.7
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	4	3	1	7.2	7.0	7.9	8	4	4	10.0	9.1	11.0
HIV DISEASE (039-043)	0	0	0	-	-	-	2	0	2	2.5	-	5.5
MALIGNANT NEOPLASMS (056-108)	93	83	10	167.1	193.0	79.1	132	93	39	164.5	211.6	107.4
DIABETES MELLITUS (124)	23	21	2	41.3	48.8	15.8	6	3	3	7.5	6.8	8.3
ALZHEIMERS DISEASE (148)	13	13	0	23.4	30.2	-	45	35	10	56.1	79.6	27.5
MAJOR CARDIOVASCULAR DISEASES# (156-189)	117	103	14	210.2	239.5	110.7	341	227	114	424.9	516.4	314.0
HEART DISEASES (156-160,162, 164-181)	95	87	8	170.7	202.3	63.2	306	210	96	381.2	477.7	264.4
HYPERTENSION (161,163)	5	2	3	9.0	4.6	23.7	1	0	1	1.2	-	2.8
CEREBROVASCULAR DISEASES (182-186)	17	14	3	30.5	32.6	23.7	31	15	16	38.6	34.1	44.1
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	7	5	2	12.6	11.6	15.8	23	18	5	28.6	40.9	13.8
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	32	32	0	57.5	74.4	-	44	39	5	54.8	88.7	13.8
PEPTIC ULCER (217-220)	0	0	0	-	-	-	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	7	6	1	12.6	14.0	7.9	5	5	0	6.2	11.4	-
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	6	5	1	10.8	11.6	7.9	25	12	13	31.1	27.3	35.8
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	5	5	0	6.6	8.8	-	5	0	5	4.7	-	8.9
CONGENITAL MALFORMATIONS (282-290)	2	2	0	3.6	4.6	-	6	3	3	7.5	6.8	8.3
SUDDEN INFANT DEATH SYNDROME# (292)	0	0	0	-	-	-	6	3	3	5.6	5.9	5.3
ACCIDENTS (295-330)	18	17	1	32.3	39.5	7.9	38	24	14	47.3	54.6	38.6
MOTOR VEHICLE ACCIDENTS# (296-306)	10	10	0	18.0	23.2	-	10	5	5	12.4	11.4	13.8
SUICIDE (331-337)	8	8	0	14.4	18.6	-	9	9	0	11.2	20.5	-
HOMICIDE (338-346)	1	0	1	1.8	-	7.9	14	6	8	17.4	13.6	22.0

CAUSE AND GROUP NUMBER*	LAWRENCE COUNTY						LEAKE COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
ALL CAUSES	163	122	41	12.6	14.1	9.5	242	150	92	10.2	12.7	7.6
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	3	3	0	23.2	34.8	-	3	2	1	12.6	17.0	8.3
HIV DISEASE (039-043)	0	0	0	-	-	-	0	0	0	-	-	-
MALIGNANT NEOPLASMS (056-108)	33	18	15	255.2	208.7	348.4	60	36	24	252.0	305.3	199.8
DIABETES MELLITUS (124)	4	3	1	30.9	34.8	23.2	10	4	6	42.0	33.9	50.0
ALZHEIMERS DISEASE (148)	2	2	0	15.5	23.2	-	7	3	4	29.4	25.4	33.3
MAJOR CARDIOVASCULAR DISEASES# (156-189)	56	45	11	433.1	521.8	255.5	73	45	28	306.6	381.6	233.1
HEART DISEASES (156-160,162, 164-181)	44	37	7	340.3	429.0	162.6	61	42	19	256.2	356.1	158.2
HYPERTENSION (161,163)	0	0	0	-	-	-	5	0	5	21.0	-	41.6
CEREBROVASCULAR DISEASES (182-186)	11	7	4	85.1	81.2	92.9	7	3	4	29.4	25.4	33.3
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	3	2	1	23.2	23.2	23.2	9	6	3	37.8	50.9	25.0
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	6	5	1	46.4	58.0	23.2	17	13	4	71.4	110.2	33.3
PEPTIC ULCER (217-220)	0	0	0	-	-	-	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	4	4	0	30.9	46.4	-	1	1	0	4.2	8.5	-
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	3	2	1	23.2	23.2	23.2	7	5	2	29.4	42.4	16.6
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	3	2	1	17.1	18.5	14.9	3	0	3	8.9	-	18.9
CONGENITAL MALFORMATIONS (282-290)	1	0	1	7.7	-	23.2	2	1	1	8.4	8.5	8.3
SUDDEN INFANT DEATH SYNDROME# (292)	0	0	0	-	-	-	0	0	0	-	-	-
ACCIDENTS (295-330)	8	6	2	61.9	69.6	46.4	14	7	7	58.8	59.4	58.3
MOTOR VEHICLE ACCIDENTS# (296-306)	4	3	1	30.9	34.8	23.2	5	2	3	21.0	17.0	25.0
SUICIDE (331-337)	2	2	0	15.5	23.2	-	3	2	1	12.6	17.0	8.3
HOMICIDE (338-346)	2	1	1	15.5	11.6	23.2	3	1	2	12.6	8.5	16.6

* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

** TOTAL DEATHS ARE PER 1,000 POPULATION; DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD AND DEATHS FROM SUDDEN INFANT DEATH SYNDROME ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

**TABLE 19
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE
RESIDENTS OF LEE, LEFLORE, LINCOLN, AND LOWNDES COUNTIES, MISSISSIPPI, 2010**

CAUSE AND GROUP NUMBER*	LEE COUNTY						LEFLORE COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
ALL CAUSES	861	704	157	10.4	12.2	6.2	336	137	199	10.4	17.0	8.2
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	11	9	2	13.3	15.6	7.9	4	1	3	12.4	12.4	12.4
HIV DISEASE (039-043)	1	0	1	1.2	-	3.9	0	0	0	-	-	-
MALIGNANT NEOPLASMS (056-108)	227	173	54	273.8	300.9	212.5	71	31	40	219.7	385.7	164.8
DIABETES MELLITUS (124)	13	9	4	15.7	15.6	15.7	11	4	7	34.0	49.8	28.8
ALZHEIMERS DISEASE (148)	23	21	2	27.7	36.5	7.9	7	4	3	21.7	49.8	12.4
MAJOR CARDIOVASCULAR DISEASES# (156-189)	269	215	54	324.4	373.9	212.5	145	57	88	448.7	709.1	362.4
HEART DISEASES (156-160,162, 164-181)	182	143	39	219.5	248.7	153.5	116	49	67	358.9	609.6	276.0
HYPERTENSION (161,163)	20	14	6	24.1	24.3	23.6	5	0	5	15.5	-	20.6
CEREBROVASCULAR DISEASES (182-186)	62	53	9	74.8	92.2	35.4	22	8	14	68.1	99.5	57.7
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	10	10	0	12.1	17.4	-	7	3	4	21.7	37.3	16.5
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	53	48	5	63.9	83.5	19.7	15	9	6	46.4	112.0	24.7
PEPTIC ULCER (217-220)	1	1	0	1.2	1.7	-	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	11	11	0	13.3	19.1	-	2	1	1	6.2	12.4	4.1
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	10	8	2	12.1	13.9	7.9	5	2	3	15.5	24.9	12.4
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	4	3	1	3.3	3.9	2.3	5	1	4	9.3	8.6	9.5
CONGENITAL MALFORMATIONS (282-290)	1	1	0	1.2	1.7	-	0	0	0	-	-	-
SUDDEN INFANT DEATH SYNDROME# (292)	3	2	1	2.5	2.6	2.3	0	0	0	-	-	-
ACCIDENTS (295-330)	39	28	11	47.0	48.7	43.3	20	11	9	61.9	136.8	37.1
MOTOR VEHICLE ACCIDENTS# (296-306)	13	8	5	15.7	13.9	19.7	8	1	7	24.8	12.4	28.8
SUICIDE (331-337)	10	10	0	12.1	17.4	-	1	0	1	3.1	-	4.1
HOMICIDE (338-346)	8	4	4	9.6	7.0	15.7	6	1	5	18.6	12.4	20.6

CAUSE AND GROUP NUMBER*	LINCOLN COUNTY						LOWNDES COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
ALL CAUSES	405	309	96	11.6	12.9	8.7	523	301	222	8.7	9.3	8.1
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	7	7	0	20.1	29.3	-	5	2	3	8.4	6.2	10.9
HIV DISEASE (039-043)	3	1	2	8.6	4.2	18.2	3	0	3	5.0	-	10.9
MALIGNANT NEOPLASMS (056-108)	94	69	25	269.6	289.1	227.2	109	62	47	182.3	192.2	170.8
DIABETES MELLITUS (124)	16	10	6	45.9	41.9	54.5	15	7	8	25.1	21.7	29.1
ALZHEIMERS DISEASE (148)	9	5	4	25.8	21.0	36.3	18	12	6	30.1	37.2	21.8
MAJOR CARDIOVASCULAR DISEASES# (156-189)	127	96	31	364.2	402.3	281.7	183	104	79	306.1	322.4	287.1
HEART DISEASES (156-160,162, 164-181)	91	72	19	261.0	301.7	172.6	143	84	59	239.2	260.4	214.4
HYPERTENSION (161,163)	13	10	3	37.3	41.9	27.3	7	1	6	11.7	3.1	21.8
CEREBROVASCULAR DISEASES (182-186)	18	11	7	51.6	46.1	63.6	30	17	13	50.2	52.7	47.2
ATHEROSCLEROSIS (187)	1	1	0	2.9	4.2	-	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	7	7	0	20.1	29.3	-	14	9	5	23.4	27.9	18.2
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	33	29	4	94.6	121.5	36.3	25	21	4	41.8	65.1	14.5
PEPTIC ULCER (217-220)	0	0	0	-	-	-	1	1	0	1.7	3.1	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	1	1	0	2.9	4.2	-	5	3	2	8.4	9.3	7.3
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	13	10	3	37.3	41.9	27.3	15	3	12	25.1	9.3	43.6
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	1	0	1	126.6	-	269.5
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	3	0	3	6.4	-	15.2	5	2	3	6.3	4.8	8.1
CONGENITAL MALFORMATIONS (282-290)	4	3	1	11.5	12.6	9.1	2	1	1	3.3	3.1	3.6
SUDDEN INFANT DEATH SYNDROME# (292)	0	0	0	-	-	-	0	0	0	-	-	-
ACCIDENTS (295-330)	18	15	3	51.6	62.8	27.3	26	16	10	43.5	49.6	36.3
MOTOR VEHICLE ACCIDENTS# (296-306)	7	5	2	20.1	21.0	18.2	8	5	3	13.4	15.5	10.9
SUICIDE (331-337)	7	6	1	20.1	25.1	9.1	7	6	1	11.7	18.6	3.6
HOMICIDE (338-346)	6	4	2	17.2	16.8	18.2	3	0	3	5.0	-	10.9

* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

** TOTAL DEATHS ARE PER 1,000 POPULATION; DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD AND DEATHS FROM SUDDEN INFANT DEATH SYNDROME ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

**TABLE 19
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE
RESIDENTS OF MADISON, MARION, MARSHALL, AND MONROE COUNTIES, MISSISSIPPI, 2010**

CAUSE AND GROUP NUMBER*	MADISON COUNTY						MARION COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
ALL CAUSES	1,006	661	345	10.6	12.2	8.4	352	252	100	13.0	14.1	10.8
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	17	9	8	17.8	16.6	19.5	14	9	5	51.7	50.5	54.0
HIV DISEASE (039-043)	4	0	4	4.2	-	9.8	2	1	1	7.4	5.6	10.8
MALIGNANT NEOPLASMS (056-108)	264	171	93	277.3	315.1	227.2	71	54	17	262.1	303.0	183.5
DIABETES MELLITUS (124)	43	14	29	45.2	25.8	70.8	6	4	2	22.2	22.4	21.6
ALZHEIMERS DISEASE (148)	44	39	5	46.2	71.9	12.2	18	16	2	66.4	89.8	21.6
MAJOR CARDIOVASCULAR DISEASES# (156-189)	265	172	93	278.4	316.9	227.2	98	69	29	361.8	387.2	313.0
HEART DISEASES (156-160,162, 164-181)	199	126	73	209.0	232.2	178.3	74	53	21	273.2	297.4	226.6
HYPERTENSION (161,163)	11	5	6	11.6	9.2	14.6	1	1	0	3.7	5.6	-
CEREBROVASCULAR DISEASES (182-186)	54	41	13	56.7	75.5	31.8	22	15	7	81.2	84.2	75.5
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	18	16	2	18.9	29.5	4.9	9	6	3	33.2	33.7	32.4
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	50	44	6	52.5	81.1	14.6	9	7	2	33.2	39.3	21.6
PEPTIC ULCER (217-220)	0	0	0	-	-	-	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	6	4	2	6.3	7.4	4.9	3	2	1	11.1	11.2	10.8
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	23	12	11	24.2	22.1	26.9	16	9	7	59.1	50.5	75.5
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	4	0	4	3.3	-	6.9	4	1	3	10.8	4.5	20.3
CONGENITAL MALFORMATIONS (282-290)	4	1	3	4.2	1.8	7.3	3	3	0	11.1	16.8	-
SUDDEN INFANT DEATH SYNDROME# (292)	2	0	2	1.7	-	3.4	0	0	0	-	-	-
ACCIDENTS (295-330)	33	23	10	34.7	42.4	24.4	28	20	8	103.4	112.2	86.3
MOTOR VEHICLE ACCIDENTS# (296-306)	11	8	3	11.6	14.7	7.3	16	11	5	59.1	61.7	54.0
SUICIDE (331-337)	11	9	2	11.6	16.6	4.9	4	3	1	14.8	16.8	10.8
HOMICIDE (338-346)	10	2	8	10.5	3.7	19.5	5	1	4	18.4	5.6	43.2

CAUSE AND GROUP NUMBER*	MARSHALL COUNTY						MONROE COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
ALL CAUSES	388	229	159	10.4	12.3	8.6	391	275	116	10.6	11.0	9.7
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	4	4	0	10.8	21.5	-	6	3	3	16.2	12.0	25.1
HIV DISEASE (039-043)	2	1	1	5.4	5.4	5.4	1	0	1	2.7	-	8.4
MALIGNANT NEOPLASMS (056-108)	88	52	36	236.9	279.4	194.3	89	58	31	240.6	231.7	259.3
DIABETES MELLITUS (124)	29	12	17	78.1	64.5	91.7	11	6	5	29.7	24.0	41.8
ALZHEIMERS DISEASE (148)	15	12	3	40.4	64.5	16.2	16	13	3	43.2	51.9	25.1
MAJOR CARDIOVASCULAR DISEASES# (156-189)	140	87	53	376.9	467.4	286.0	137	99	38	370.4	395.4	317.9
HEART DISEASES (156-160,162, 164-181)	91	58	33	245.0	311.6	178.1	102	71	31	275.8	283.6	259.3
HYPERTENSION (161,163)	26	16	10	70.0	86.0	54.0	7	5	2	18.9	20.0	16.7
CEREBROVASCULAR DISEASES (182-186)	21	11	10	56.5	59.1	54.0	22	18	4	59.5	71.9	33.5
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	5	2	3	13.5	10.7	16.2	4	4	0	10.8	16.0	-
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	20	17	3	53.8	91.3	16.2	22	18	4	59.5	71.9	33.5
PEPTIC ULCER (217-220)	0	0	0	-	-	-	1	1	0	2.7	4.0	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	3	3	0	8.1	16.1	-	4	2	2	10.8	8.0	16.7
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	6	2	4	16.2	10.7	21.6	4	2	2	10.8	8.0	16.7
MATERNAL CAUSES (261-273)	1	1	0	218.8	454.5	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	0	0	0	-	-	-	3	1	2	7.4	3.8	14.0
CONGENITAL MALFORMATIONS (282-290)	0	0	0	-	-	-	2	2	0	5.4	8.0	-
SUDDEN INFANT DEATH SYNDROME# (292)	1	1	0	2.2	4.5	-	1	0	1	2.5	-	7.0
ACCIDENTS (295-330)	26	14	12	70.0	75.2	64.8	23	14	9	62.2	55.9	75.3
MOTOR VEHICLE ACCIDENTS# (296-306)	17	8	9	45.8	43.0	48.6	6	3	3	16.2	12.0	25.1
SUICIDE (331-337)	4	4	0	10.8	21.5	-	6	6	0	16.2	24.0	-
HOMICIDE (338-346)	4	1	3	10.8	5.4	16.2	1	0	1	2.7	-	8.4

* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

** TOTAL DEATHS ARE PER 1,000 POPULATION; DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD AND DEATHS FROM SUDDEN INFANT DEATH SYNDROME ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

**TABLE 19
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE
RESIDENTS OF MONTGOMERY, NESHOMA, NEWTON, AND NOXUBEE COUNTIES, MISSISSIPPI, 2010**

CAUSE AND GROUP NUMBER*	MONTGOMERY COUNTY						NESHOMA COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
ALL CAUSES	159	85	74	14.6	14.7	14.4	312	224	88	10.5	12.5	7.5
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	1	0	1	9.2	-	19.5	11	5	6	37.1	27.8	51.3
HIV DISEASE (039-043)	1	0	1	9.2	-	19.5	0	0	0	-	-	-
MALIGNANT NEOPLASMS (056-108)	30	15	15	274.6	259.1	292.1	51	39	12	171.8	217.0	102.5
DIABETES MELLITUS (124)	3	0	3	27.5	-	58.4	6	2	4	20.2	11.1	34.2
ALZHEIMERS DISEASE (148)	2	2	0	18.3	34.5	-	21	18	3	70.8	100.1	25.6
MAJOR CARDIOVASCULAR DISEASES# (156-189)	55	34	21	503.4	587.2	409.0	124	92	32	417.8	511.8	273.4
HEART DISEASES (156-160,162, 164-181)	49	33	16	448.5	569.9	311.6	105	81	24	353.8	450.6	205.1
HYPERTENSION (161,163)	2	1	1	18.3	17.3	19.5	0	0	0	-	-	-
CEREBROVASCULAR DISEASES (182-186)	3	0	3	27.5	-	58.4	16	9	7	53.9	50.1	59.8
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	3	2	1	27.5	34.5	19.5	5	4	1	16.8	22.2	8.5
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	7	6	1	64.1	103.6	19.5	7	7	0	23.6	38.9	-
PEPTIC ULCER (217-220)	0	0	0	-	-	-	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	2	1	1	18.3	17.3	19.5	4	2	2	13.5	11.1	17.1
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	7	1	6	64.1	17.3	116.8	9	7	2	30.3	38.9	17.1
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	1	0	1	7.8	-	13.2	2	0	2	4.6	-	8.3
CONGENITAL MALFORMATIONS (282-290)	0	0	0	-	-	-	0	0	0	-	-	-
SUDDEN INFANT DEATH SYNDROME# (292)	0	0	0	-	-	-	1	0	1	2.3	-	4.1
ACCIDENTS (295-330)	12	6	6	109.8	103.6	116.8	22	12	10	74.1	66.8	85.4
MOTOR VEHICLE ACCIDENTS# (296-306)	6	3	3	54.9	51.8	58.4	11	5	6	37.1	27.8	51.3
SUICIDE (331-337)	5	3	2	45.8	51.8	38.9	3	2	1	10.1	11.1	8.5
HOMICIDE (338-346)	1	1	0	9.2	17.3	-	3	1	2	10.1	5.6	17.1

CAUSE AND GROUP NUMBER*	NEWTON COUNTY						NOXUBEE COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
ALL CAUSES	238	157	81	11.0	11.4	10.1	126	50	76	10.9	16.0	9.0
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	4	1	3	18.4	7.3	37.6	1	0	1	8.7	-	11.9
HIV DISEASE (039-043)	1	0	1	4.6	-	12.5	0	0	0	-	-	-
MALIGNANT NEOPLASMS (056-108)	39	27	12	179.6	196.6	150.3	23	9	14	199.2	287.3	166.4
DIABETES MELLITUS (124)	6	3	3	27.6	21.8	37.6	1	0	1	8.7	-	11.9
ALZHEIMERS DISEASE (148)	15	10	5	69.1	72.8	62.6	6	4	2	52.0	127.7	23.8
MAJOR CARDIOVASCULAR DISEASES# (156-189)	95	62	33	437.4	451.4	413.2	54	21	33	467.7	670.3	392.3
HEART DISEASES (156-160,162, 164-181)	73	50	23	336.1	364.1	288.0	44	16	28	381.1	510.7	332.8
HYPERTENSION (161,163)	11	4	7	50.6	29.1	87.6	2	2	0	17.3	63.8	-
CEREBROVASCULAR DISEASES (182-186)	11	8	3	50.6	58.2	37.6	7	3	4	60.6	95.8	47.6
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	5	4	1	23.0	29.1	12.5	2	0	2	17.3	-	23.8
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	15	9	6	69.1	65.5	75.1	4	3	1	34.6	95.8	11.9
PEPTIC ULCER (217-220)	1	1	0	4.6	7.3	-	1	1	0	8.7	31.9	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	4	2	2	18.4	14.6	25.0	1	1	0	8.7	31.9	-
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	8	6	2	36.8	43.7	25.0	2	0	2	17.3	-	23.8
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	1	1	0	3.4	5.9	-	3	0	3	19.1	-	25.6
CONGENITAL MALFORMATIONS (282-290)	1	0	1	4.6	-	12.5	1	0	1	8.7	-	11.9
SUDDEN INFANT DEATH SYNDROME# (292)	0	0	0	-	-	-	0	0	0	-	-	-
ACCIDENTS (295-330)	9	6	3	41.4	43.7	37.6	5	1	4	43.3	31.9	47.6
MOTOR VEHICLE ACCIDENTS# (296-306)	3	2	1	13.8	14.6	12.5	2	0	2	17.3	-	23.8
SUICIDE (331-337)	2	2	0	9.2	14.6	-	0	0	0	-	-	-
HOMICIDE (338-346)	2	1	1	9.2	7.3	12.5	2	2	0	17.3	63.8	-

* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

** TOTAL DEATHS ARE PER 1,000 POPULATION; DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD AND DEATHS FROM SUDDEN INFANT DEATH SYNDROME ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

**TABLE 19
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE
RESIDENTS OF OKTIBBEHA, PANOLA, PEARL RIVER, AND PERRY COUNTIES, MISSISSIPPI, 2010**

CAUSE AND GROUP NUMBER*	OKTIBBEHA COUNTY						PANOLA COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
ALL CAUSES	261	134	127	5.5	4.7	6.5	348	226	122	10.0	13.2	7.0
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	4	1	3	8.4	3.5	15.4	8	2	6	23.0	11.6	34.2
HIV DISEASE (039-043)	0	0	0	-	-	-	2	0	2	5.8	-	11.4
MALIGNANT NEOPLASMS (056-108)	50	27	23	104.9	95.7	118.3	72	45	27	207.4	262.2	153.9
DIABETES MELLITUS (124)	9	1	8	18.9	3.5	41.1	8	4	4	23.0	23.3	22.8
ALZHEIMERS DISEASE (148)	10	8	2	21.0	28.3	10.3	6	6	0	17.3	35.0	-
MAJOR CARDIOVASCULAR DISEASES# (156-189)	99	46	53	207.7	163.0	272.5	132	84	48	380.3	489.5	273.6
HEART DISEASES (156-160,162, 164-181)	79	39	40	165.7	138.2	205.7	105	67	38	302.5	390.4	216.6
HYPERTENSION (161,163)	5	0	5	10.5	-	25.7	3	1	2	8.6	5.8	11.4
CEREBROVASCULAR DISEASES (182-186)	13	6	7	27.3	21.2	36.0	17	10	7	49.0	58.3	39.9
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	9	5	4	18.9	17.7	20.6	7	5	2	20.2	29.1	11.4
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	6	4	2	12.6	14.2	10.3	23	18	5	66.3	104.9	28.5
PEPTIC ULCER (217-220)	0	0	0	-	-	-	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	2	2	0	4.2	7.1	-	2	1	1	5.8	5.8	5.7
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	8	4	4	16.8	14.2	20.6	6	3	3	17.3	17.5	17.1
MATERNAL CAUSES (261-273)	2	0	2	366.3	-	749.1	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	1	0	1	1.8	-	3.7	1	0	1	1.9	-	3.2
CONGENITAL MALFORMATIONS (282-290)	0	0	0	-	-	-	1	1	0	2.9	5.8	-
SUDDEN INFANT DEATH SYNDROME# (292)	0	0	0	-	-	-	2	2	0	3.8	9.0	-
ACCIDENTS (295-330)	17	9	8	35.7	31.9	41.1	31	23	8	89.3	134.0	45.6
MOTOR VEHICLE ACCIDENTS# (296-306)	10	3	7	21.0	10.6	36.0	15	9	6	43.2	52.4	34.2
SUICIDE (331-337)	9	8	1	18.9	28.3	5.1	7	5	2	20.2	29.1	11.4
HOMICIDE (338-346)	1	0	1	2.1	-	5.1	3	1	2	8.6	5.8	11.4

CAUSE AND GROUP NUMBER*	PEARL RIVER COUNTY						PERRY COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
ALL CAUSES	586	517	69	10.5	11.0	7.7	149	118	31	12.2	12.3	11.6
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	9	9	0	16.1	19.2	-	4	3	1	32.6	31.3	37.4
HIV DISEASE (039-043)	0	0	0	-	-	-	1	0	1	8.2	-	37.4
MALIGNANT NEOPLASMS (056-108)	134	122	12	240.0	260.0	134.7	35	29	6	285.7	302.9	224.3
DIABETES MELLITUS (124)	12	12	0	21.5	25.6	-	5	3	2	40.8	31.3	74.8
ALZHEIMERS DISEASE (148)	21	19	2	37.6	40.5	22.4	6	5	1	49.0	52.2	37.4
MAJOR CARDIOVASCULAR DISEASES# (156-189)	191	158	33	342.1	336.7	370.4	42	34	8	342.8	355.1	299.1
HEART DISEASES (156-160,162, 164-181)	164	135	29	293.7	287.7	325.5	31	25	6	253.1	261.1	224.3
HYPERTENSION (161,163)	3	3	0	5.4	6.4	-	2	0	2	16.3	-	74.8
CEREBROVASCULAR DISEASES (182-186)	21	17	4	37.6	36.2	44.9	5	5	0	40.8	52.2	-
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	1	1	0	8.2	10.4	-
INFLUENZA AND PNEUMONIA (195-198)	8	8	0	14.3	17.0	-	3	0	3	24.5	-	112.2
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	41	37	4	73.4	78.8	44.9	9	8	1	73.5	83.6	37.4
PEPTIC ULCER (217-220)	1	1	0	1.8	2.1	-	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	5	5	0	9.0	10.6	-	4	4	0	32.6	41.8	-
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	11	11	0	19.7	23.4	-	4	4	0	32.6	41.8	-
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL MALFORMATIONS (282-290)	2	1	1	3.6	2.1	11.2	1	0	1	8.2	-	37.4
SUDDEN INFANT DEATH SYNDROME# (292)	3	2	1	4.5	3.6	9.4	0	0	0	-	-	-
ACCIDENTS (295-330)	43	42	1	77.0	89.5	11.2	11	11	0	89.8	114.9	-
MOTOR VEHICLE ACCIDENTS# (296-306)	16	16	0	28.6	34.1	-	7	7	0	57.1	73.1	-
SUICIDE (331-337)	8	8	0	14.3	17.0	-	1	1	0	8.2	10.4	-
HOMICIDE (338-346)	1	1	0	1.8	2.1	-	2	0	2	16.3	-	74.8

* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

** TOTAL DEATHS ARE PER 1,000 POPULATION; DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD AND DEATHS FROM SUDDEN INFANT DEATH SYNDROME ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

**TABLE 19
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE
RESIDENTS OF PIKE, PONTOTOC, PRENTISS, AND QUITMAN COUNTIES, MISSISSIPPI, 2010**

CAUSE AND GROUP NUMBER*	PIKE COUNTY						PONTOTOC COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
ALL CAUSES	500	292	208	12.4	15.6	9.6	258	238	20	8.6	9.9	3.3
TUBERCULOSIS (009,010)	1	0	1	2.5	-	4.6	0	0	0	-	-	-
SEPTICEMIA (018)	8	6	2	19.8	32.0	9.2	3	3	0	10.0	12.5	-
HIV DISEASE (039-043)	1	0	1	2.5	-	4.6	0	0	0	-	-	-
MALIGNANT NEOPLASMS (056-108)	108	58	50	267.3	309.4	230.8	56	52	4	186.9	216.8	67.0
DIABETES MELLITUS (124)	52	24	28	128.7	128.0	129.3	4	3	1	13.4	12.5	16.7
ALZHEIMERS DISEASE (148)	9	7	2	22.3	37.3	9.2	10	10	0	33.4	41.7	-
MAJOR CARDIOVASCULAR DISEASES# (156-189)	143	88	55	353.9	469.4	253.9	74	65	9	247.0	271.0	150.7
HEART DISEASES (156-160,162, 164-181)	85	54	31	210.4	288.1	143.1	54	48	6	180.2	200.1	100.4
HYPERTENSION (161,163)	21	17	4	52.0	90.7	18.5	4	3	1	13.4	12.5	16.7
CEREBROVASCULAR DISEASES (182-186)	34	14	20	84.2	74.7	92.3	14	12	2	46.7	50.0	33.5
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	10	7	3	24.8	37.3	13.8	3	3	0	10.0	12.5	-
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	30	20	10	74.2	106.7	46.2	23	23	0	76.8	95.9	-
PEPTIC ULCER (217-220)	1	1	0	2.5	5.3	-	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	8	5	3	19.8	26.7	13.8	3	3	0	10.0	12.5	-
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	15	5	10	37.1	26.7	46.2	6	4	2	20.0	16.7	33.5
MATERNAL CAUSES (261-273)	1	0	1	165.8	-	262.5	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	6	1	5	10.0	4.5	13.1	1	1	0	2.3	2.6	-
CONGENITAL MALFORMATIONS (282-290)	4	1	3	9.9	5.3	13.8	1	1	0	3.3	4.2	-
SUDDEN INFANT DEATH SYNDROME# (292)	1	0	1	1.6	-	2.6	0	0	0	-	-	-
ACCIDENTS (295-330)	22	16	6	54.4	85.4	27.7	20	20	0	66.8	83.4	-
MOTOR VEHICLE ACCIDENTS# (296-306)	11	8	3	27.2	42.7	13.8	5	5	0	16.7	20.8	-
SUICIDE (331-337)	1	1	0	2.5	5.3	-	7	7	0	23.4	29.2	-
HOMICIDE (338-346)	7	5	2	17.3	26.7	9.2	1	1	0	3.3	4.2	-

CAUSE AND GROUP NUMBER*	PRENTISS COUNTY						QUITMAN COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
ALL CAUSES	304	272	32	12.0	12.8	8.1	114	54	60	13.9	22.7	10.3
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	2	2	0	7.9	9.4	-	3	1	2	36.5	42.0	34.2
HIV DISEASE (039-043)	0	0	0	-	-	-	0	0	0	-	-	-
MALIGNANT NEOPLASMS (056-108)	71	60	11	280.9	281.5	277.5	26	7	19	316.2	294.0	325.2
DIABETES MELLITUS (124)	12	11	1	47.5	51.6	25.2	7	4	3	85.1	168.0	51.4
ALZHEIMERS DISEASE (148)	11	10	1	43.5	46.9	25.2	4	4	0	48.6	168.0	-
MAJOR CARDIOVASCULAR DISEASES# (156-189)	87	83	4	344.2	389.4	100.9	50	24	26	608.0	1,008.0	445.0
HEART DISEASES (156-160,162, 164-181)	78	75	3	308.6	351.9	75.7	39	20	19	474.3	840.0	325.2
HYPERTENSION (161,163)	4	3	1	15.8	14.1	25.2	1	1	0	12.2	42.0	-
CEREBROVASCULAR DISEASES (182-186)	2	2	0	7.9	9.4	-	8	2	6	97.3	84.0	102.7
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	3	3	0	11.9	14.1	-	0	0	0	-	-	-
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	34	32	2	134.5	150.2	50.4	6	5	1	73.0	210.0	17.1
PEPTIC ULCER (217-220)	0	0	0	-	-	-	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	4	3	1	15.8	14.1	25.2	1	0	1	12.2	-	17.1
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	10	8	2	39.6	37.5	50.4	1	1	0	12.2	42.0	-
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	0	0	0	-	-	-	1	1	0	9.4	50.0	-
CONGENITAL MALFORMATIONS (282-290)	1	1	0	4.0	4.7	-	0	0	0	-	-	-
SUDDEN INFANT DEATH SYNDROME# (292)	0	0	0	-	-	-	0	0	0	-	-	-
ACCIDENTS (295-330)	21	19	2	83.1	89.2	50.4	6	4	2	73.0	168.0	34.2
MOTOR VEHICLE ACCIDENTS# (296-306)	9	7	2	35.6	32.8	50.4	4	3	1	48.6	126.0	17.1
SUICIDE (331-337)	3	3	0	11.9	14.1	-	0	0	0	-	-	-
HOMICIDE (338-346)	1	1	0	4.0	4.7	-	1	0	1	12.2	-	17.1

* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

** TOTAL DEATHS ARE PER 1,000 POPULATION; DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD AND DEATHS FROM SUDDEN INFANT DEATH SYNDROME ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

**TABLE 19
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE
RESIDENTS OF RANKIN, SCOTT, SHARKEY, AND SIMPSON COUNTIES, MISSISSIPPI, 2010**

CAUSE AND GROUP NUMBER*	RANKIN COUNTY						SCOTT COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
ALL CAUSES	1,039	860	179	7.3	7.8	5.6	306	197	109	10.8	13.1	8.2
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	26	20	6	18.4	18.3	18.7	5	4	1	17.7	26.6	7.6
HIV DISEASE (039-043)	6	3	3	4.2	2.7	9.3	0	0	0	-	-	-
MALIGNANT NEOPLASMS (056-108)	195	154	41	137.7	140.6	127.8	56	38	18	198.1	252.5	136.2
DIABETES MELLITUS (124)	19	8	11	13.4	7.3	34.3	10	5	5	35.4	33.2	37.8
ALZHEIMERS DISEASE (148)	10	9	1	7.1	8.2	3.1	4	3	1	14.2	19.9	7.6
MAJOR CARDIOVASCULAR DISEASES# (156-189)	381	323	58	269.0	294.9	180.7	116	73	43	410.4	485.0	325.4
HEART DISEASES (156-160,162, 164-181)	322	275	47	227.4	251.1	146.4	91	58	33	322.0	385.4	249.8
HYPERTENSION (161,163)	8	5	3	5.6	4.6	9.3	5	3	2	17.7	19.9	15.1
CEREBROVASCULAR DISEASES (182-186)	47	40	7	33.2	36.5	21.8	17	10	7	60.1	66.4	53.0
ATHEROSCLEROSIS (187)	2	2	0	1.4	1.8	-	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	23	21	2	16.2	19.2	6.2	7	7	0	24.8	46.5	-
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	57	53	4	40.2	48.4	12.5	18	15	3	63.7	99.7	22.7
PEPTIC ULCER (217-220)	2	2	0	1.4	1.8	-	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	11	9	2	7.8	8.2	6.2	4	1	3	14.2	6.6	22.7
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	22	14	8	15.5	12.8	24.9	14	9	5	49.5	59.8	37.8
MATERNAL CAUSES (261-273)	2	2	0	102.4	129.2	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	6	2	4	3.1	1.3	9.9	0	0	0	-	-	-
CONGENITAL MALFORMATIONS (282-290)	7	5	2	4.9	4.6	6.2	1	1	0	3.5	6.6	-
SUDDEN INFANT DEATH SYNDROME# (292)	1	1	0	0.5	0.6	-	1	1	0	2.3	3.7	-
ACCIDENTS (295-330)	73	67	6	51.5	61.2	18.7	19	9	10	67.2	59.8	75.7
MOTOR VEHICLE ACCIDENTS# (296-306)	16	15	1	11.3	13.7	3.1	12	5	7	42.4	33.2	53.0
SUICIDE (331-337)	23	23	0	16.2	21.0	-	5	4	1	17.7	26.6	7.6
HOMICIDE (338-346)	5	4	1	3.5	3.6	3.1	9	3	6	31.8	19.9	45.4

CAUSE AND GROUP NUMBER*	SHARKEY COUNTY						SIMPSON COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
ALL CAUSES	59	30	29	12.0	21.9	8.2	309	230	79	11.2	13.3	7.7
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	0	0	0	-	-	-	4	1	3	14.5	5.8	29.3
HIV DISEASE (039-043)	0	0	0	-	-	-	0	0	0	-	-	-
MALIGNANT NEOPLASMS (056-108)	12	6	6	244.1	438.0	169.2	59	40	19	214.5	231.8	185.5
DIABETES MELLITUS (124)	2	0	2	40.7	-	56.4	3	3	0	10.9	17.4	-
ALZHEIMERS DISEASE (148)	6	1	5	122.0	73.0	141.0	4	3	1	14.5	17.4	9.8
MAJOR CARDIOVASCULAR DISEASES# (156-189)	16	9	7	325.5	656.9	197.4	154	121	33	559.9	701.0	322.2
HEART DISEASES (156-160,162, 164-181)	11	6	5	223.8	438.0	141.0	136	107	29	494.5	619.9	283.1
HYPERTENSION (161,163)	0	0	0	-	-	-	1	1	0	3.6	5.8	-
CEREBROVASCULAR DISEASES (182-186)	5	3	2	101.7	219.0	56.4	12	9	3	43.6	52.1	29.3
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	1	1	0	20.3	73.0	-	5	5	0	18.2	29.0	-
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	4	3	1	81.4	219.0	28.2	15	10	5	54.5	57.9	48.8
PEPTIC ULCER (217-220)	0	0	0	-	-	-	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	0	0	0	-	-	-	2	2	0	7.3	11.6	-
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	4	4	0	81.4	292.0	-	2	1	1	7.3	5.8	9.8
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	0	0	0	-	-	-	5	2	3	13.7	9.1	20.7
CONGENITAL MALFORMATIONS (282-290)	2	1	1	40.7	73.0	28.2	0	0	0	-	-	-
SUDDEN INFANT DEATH SYNDROME# (292)	0	0	0	-	-	-	0	0	0	-	-	-
ACCIDENTS (295-330)	5	1	4	101.7	73.0	112.8	19	14	5	69.1	81.1	48.8
MOTOR VEHICLE ACCIDENTS# (296-306)	2	0	2	40.7	-	56.4	11	7	4	40.0	40.6	39.0
SUICIDE (331-337)	0	0	0	-	-	-	2	2	0	7.3	11.6	-
HOMICIDE (338-346)	0	0	0	-	-	-	1	1	0	3.6	5.8	-

* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

** TOTAL DEATHS ARE PER 1,000 POPULATION; DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD AND DEATHS FROM SUDDEN INFANT DEATH SYNDROME ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

**TABLE 19
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE
RESIDENTS OF SMITH, STONE, SUNFLOWER, AND TALLAHATCHIE COUNTIES, MISSISSIPPI, 2010**

CAUSE AND GROUP NUMBER*	SMITH COUNTY						STONE COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
ALL CAUSES	156	118	38	9.5	9.4	9.5	170	147	23	9.6	10.5	6.0
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	0	0	0	-	-	-	9	8	1	50.6	57.2	26.3
HIV DISEASE (039-043)	0	0	0	-	-	-	1	0	1	5.6	-	26.3
MALIGNANT NEOPLASMS (056-108)	42	34	8	254.7	271.9	200.6	48	41	7	269.9	293.2	184.0
DIABETES MELLITUS (124)	2	2	0	12.1	16.0	-	1	1	0	5.6	7.2	-
ALZHEIMERS DISEASE (148)	2	2	0	12.1	16.0	-	3	2	1	16.9	14.3	26.3
MAJOR CARDIOVASCULAR DISEASES# (156-189)	66	50	16	400.2	399.9	401.2	58	47	11	326.1	336.1	289.2
HEART DISEASES (156-160,162, 164-181)	56	44	12	339.6	351.9	300.9	45	37	8	253.0	264.6	210.3
HYPERTENSION (161,163)	0	0	0	-	-	-	2	1	1	11.2	7.2	26.3
CEREBROVASCULAR DISEASES (182-186)	8	4	4	48.5	32.0	100.3	9	7	2	50.6	50.1	52.6
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	4	2	2	24.2	16.0	50.2	3	3	0	16.9	21.4	-
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	11	11	0	66.7	88.0	-	9	9	0	50.6	64.4	-
PEPTIC ULCER (217-220)	0	0	0	-	-	-	1	0	1	5.6	-	26.3
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	1	1	0	6.1	8.0	-	3	3	0	16.9	21.4	-
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	3	0	3	18.2	-	75.2	3	3	0	16.9	21.4	-
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	1	0	1	4.4	-	12.2	1	1	0	4.6	5.6	-
CONGENITAL MALFORMATIONS (282-290)	1	0	1	6.1	-	25.1	0	0	0	-	-	-
SUDDEN INFANT DEATH SYNDROME# (292)	0	0	0	-	-	-	0	0	0	-	-	-
ACCIDENTS (295-330)	9	5	4	54.6	40.0	100.3	5	5	0	28.1	35.8	-
MOTOR VEHICLE ACCIDENTS# (296-306)	7	4	3	42.4	32.0	75.2	3	3	0	16.9	21.4	-
SUICIDE (331-337)	0	0	0	-	-	-	4	4	0	22.5	28.6	-
HOMICIDE (338-346)	0	0	0	-	-	-	0	0	0	-	-	-

CAUSE AND GROUP NUMBER*	SUNFLOWER COUNTY						TALLAHATCHIE COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
ALL CAUSES	330	145	185	11.2	19.4	8.4	146	77	69	9.5	12.8	7.3
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	4	0	4	13.6	-	18.2	3	1	2	19.5	16.7	21.3
HIV DISEASE (039-043)	5	0	5	17.0	-	22.8	1	1	0	6.5	16.7	-
MALIGNANT NEOPLASMS (056-108)	59	18	41	200.3	240.2	186.7	35	18	17	227.6	300.6	181.0
DIABETES MELLITUS (124)	32	7	25	108.6	93.4	113.8	9	4	5	58.5	66.8	53.2
ALZHEIMERS DISEASE (148)	10	7	3	34.0	93.4	13.7	5	3	2	32.5	50.1	21.3
MAJOR CARDIOVASCULAR DISEASES# (156-189)	106	54	52	359.9	720.7	236.8	50	27	23	325.1	450.9	244.9
HEART DISEASES (156-160,162, 164-181)	79	42	37	268.2	560.5	168.5	39	22	17	253.6	367.4	181.0
HYPERTENSION (161,163)	7	3	4	23.8	40.0	18.2	6	3	3	39.0	50.1	31.9
CEREBROVASCULAR DISEASES (182-186)	17	8	9	57.7	106.8	41.0	5	2	3	32.5	33.4	31.9
ATHEROSCLEROSIS (187)	1	1	0	3.4	13.3	-	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	5	4	1	17.0	53.4	4.6	0	0	0	-	-	-
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	17	13	4	57.7	173.5	18.2	10	8	2	65.0	133.6	21.3
PEPTIC ULCER (217-220)	0	0	0	-	-	-	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	2	0	2	6.8	-	9.1	2	1	1	13.0	16.7	10.6
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	17	6	11	57.7	80.1	50.1	2	0	2	13.0	-	21.3
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	2	0	2	5.0	-	6.2	2	0	2	10.0	-	13.0
CONGENITAL MALFORMATIONS (282-290)	3	0	3	10.2	-	13.7	0	0	0	-	-	-
SUDDEN INFANT DEATH SYNDROME# (292)	0	0	0	-	-	-	0	0	0	-	-	-
ACCIDENTS (295-330)	15	7	8	50.9	93.4	36.4	6	3	3	39.0	50.1	31.9
MOTOR VEHICLE ACCIDENTS# (296-306)	4	3	1	13.6	40.0	4.6	1	0	1	6.5	-	10.6
SUICIDE (331-337)	3	1	2	10.2	13.3	9.1	1	0	1	6.5	-	10.6
HOMICIDE (338-346)	1	0	1	3.4	-	4.6	3	0	3	19.5	-	31.9

* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

** TOTAL DEATHS ARE PER 1,000 POPULATION; DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD AND DEATHS FROM SUDDEN INFANT DEATH SYNDROME ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

**TABLE 19
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE
RESIDENTS OF TATE, TIPPAAH, TISHOMINGO, AND TUNICA COUNTIES, MISSISSIPPI, 2010**

CAUSE AND GROUP NUMBER*	TATE COUNTY						TIPPAAH COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
ALL CAUSES	274	207	67	9.5	10.7	7.0	273	233	40	12.3	13.1	9.0
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	6	6	0	20.8	31.1	-	2	2	0	9.0	11.2	-
HIV DISEASE (039-043)	0	0	0	-	-	-	0	0	0	-	-	-
MALIGNANT NEOPLASMS (056-108)	77	58	19	266.6	300.3	198.5	44	39	5	197.9	219.4	112.3
DIABETES MELLITUS (124)	7	5	2	24.2	25.9	20.9	13	11	2	58.5	61.9	44.9
ALZHEIMERS DISEASE (148)	11	11	0	38.1	57.0	-	10	8	2	45.0	45.0	44.9
MAJOR CARDIOVASCULAR DISEASES# (156-189)	91	60	31	315.0	310.7	323.8	108	90	18	485.8	506.2	404.2
HEART DISEASES (156-160,162, 164-181)	79	55	24	273.5	284.8	250.7	72	60	12	323.8	337.5	269.5
HYPERTENSION (161,163)	4	1	3	13.8	5.2	31.3	6	4	2	27.0	22.5	44.9
CEREBROVASCULAR DISEASES (182-186)	7	3	4	24.2	15.5	41.8	28	25	3	125.9	140.6	67.4
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	1	1	0	4.5	5.6	-
INFLUENZA AND PNEUMONIA (195-198)	2	2	0	6.9	10.4	-	3	3	0	13.5	16.9	-
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	24	20	4	83.1	103.6	41.8	27	25	2	121.4	140.6	44.9
PEPTIC ULCER (217-220)	0	0	0	-	-	-	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	4	4	0	13.8	20.7	-	2	2	0	9.0	11.2	-
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	4	3	1	13.8	15.5	10.4	10	6	4	45.0	33.7	89.8
MATERNAL CAUSES (261-273)	1	1	0	274.0	440.5	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	2	1	1	5.5	4.4	7.2	0	0	0	-	-	-
CONGENITAL MALFORMATIONS (282-290)	4	4	0	13.8	20.7	-	1	0	1	4.5	-	22.4
SUDDEN INFANT DEATH SYNDROME# (292)	0	0	0	-	-	-	0	0	0	-	-	-
ACCIDENTS (295-330)	17	12	5	58.8	62.1	52.2	13	13	0	58.5	73.1	-
MOTOR VEHICLE ACCIDENTS# (296-306)	9	5	4	31.2	25.9	41.8	8	8	0	36.0	45.0	-
SUICIDE (331-337)	5	5	0	17.3	25.9	-	4	4	0	18.0	22.5	-
HOMICIDE (338-346)	1	1	0	3.5	5.2	-	2	1	1	9.0	5.6	22.4

CAUSE AND GROUP NUMBER*	TISHOMINGO COUNTY						TUNICA COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
ALL CAUSES	259	250	9	13.2	13.5	8.3	116	53	63	10.8	20.8	7.7
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	3	3	0	15.3	16.2	-	0	0	0	-	-	-
HIV DISEASE (039-043)	0	0	0	-	-	-	0	0	0	-	-	-
MALIGNANT NEOPLASMS (056-108)	51	50	1	260.3	270.1	92.2	27	10	17	250.5	391.7	206.7
DIABETES MELLITUS (124)	8	8	0	40.8	43.2	-	7	2	5	64.9	78.3	60.8
ALZHEIMERS DISEASE (148)	10	10	0	51.0	54.0	-	3	1	2	27.8	39.2	24.3
MAJOR CARDIOVASCULAR DISEASES# (156-189)	88	83	5	449.1	448.4	461.2	46	23	23	426.8	900.9	279.6
HEART DISEASES (156-160,162, 164-181)	74	69	5	377.7	372.8	461.2	42	21	21	389.7	822.6	255.3
HYPERTENSION (161,163)	0	0	0	-	-	-	1	1	0	9.3	39.2	-
CEREBROVASCULAR DISEASES (182-186)	12	12	0	61.2	64.8	-	3	1	2	27.8	39.2	24.3
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	5	5	0	25.5	27.0	-	1	1	0	9.3	39.2	-
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	24	24	0	122.5	129.7	-	11	6	5	102.1	235.0	60.8
PEPTIC ULCER (217-220)	0	0	0	-	-	-	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	6	6	0	30.6	32.4	-	4	2	2	37.1	78.3	24.3
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	8	8	0	40.8	43.2	-	2	1	1	18.6	39.2	12.2
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	1	1	0	5.4	5.5	-	0	0	0	-	-	-
CONGENITAL MALFORMATIONS (282-290)	0	0	0	-	-	-	1	0	1	9.3	-	12.2
SUDDEN INFANT DEATH SYNDROME# (292)	0	0	0	-	-	-	0	0	0	-	-	-
ACCIDENTS (295-330)	13	13	0	66.4	70.2	-	5	3	2	46.4	117.5	24.3
MOTOR VEHICLE ACCIDENTS# (296-306)	5	5	0	25.5	27.0	-	3	2	1	27.8	78.3	12.2
SUICIDE (331-337)	2	2	0	10.2	10.8	-	0	0	0	-	-	-
HOMICIDE (338-346)	0	0	0	-	-	-	2	1	1	18.6	39.2	12.2

* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

** TOTAL DEATHS ARE PER 1,000 POPULATION; DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD AND DEATHS FROM SUDDEN INFANT DEATH SYNDROME ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

**TABLE 19
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE
RESIDENTS OF UNION, WALTHALL, WARREN, AND WASHINGTON COUNTIES, MISSISSIPPI, 2010**

CAUSE AND GROUP NUMBER*	UNION COUNTY						WALTHALL COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
ALL CAUSES	289	250	39	10.6	11.4	7.6	189	114	75	12.2	13.8	10.4
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	6	6	0	22.1	27.3	-	5	0	5	32.4	-	69.5
HIV DISEASE (039-043)	0	0	0	-	-	-	0	0	0	-	-	-
MALIGNANT NEOPLASMS (056-108)	46	39	7	169.5	177.5	135.6	41	22	19	265.5	266.7	264.1
DIABETES MELLITUS (124)	3	3	0	11.0	13.6	-	6	2	4	38.8	24.2	55.6
ALZHEIMERS DISEASE (148)	4	4	0	14.7	18.2	-	2	2	0	13.0	24.2	-
MAJOR CARDIOVASCULAR DISEASES# (156-189)	102	86	16	375.9	391.4	310.0	70	46	24	453.3	557.6	333.6
HEART DISEASES (156-160,162, 164-181)	79	68	11	291.1	309.5	213.1	60	40	20	388.5	484.8	278.0
HYPERTENSION (161,163)	6	4	2	22.1	18.2	38.8	1	0	1	6.5	-	13.9
CEREBROVASCULAR DISEASES (182-186)	15	13	2	55.3	59.2	38.8	8	6	2	51.8	72.7	27.8
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	2	1	1	7.4	4.6	19.4	4	3	1	25.9	36.4	13.9
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	22	20	2	81.1	91.0	38.8	10	8	2	64.8	97.0	27.8
PEPTIC ULCER (217-220)	1	0	1	3.7	-	19.4	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	1	1	0	3.7	4.6	-	0	0	0	-	-	-
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	11	9	2	40.5	41.0	38.8	5	3	2	32.4	36.4	27.8
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	1	0	1	2.9	-	15.2	3	0	3	14.8	-	30.0
CONGENITAL MALFORMATIONS (282-290)	0	0	0	-	-	-	1	0	1	6.5	-	13.9
SUDDEN INFANT DEATH SYNDROME# (292)	1	1	0	2.9	3.6	-	0	0	0	-	-	-
ACCIDENTS (295-330)	18	15	3	66.3	68.3	58.1	21	15	6	136.0	181.8	83.4
MOTOR VEHICLE ACCIDENTS# (296-306)	5	5	0	18.4	22.8	-	11	7	4	71.2	84.8	55.6
SUICIDE (331-337)	5	5	0	18.4	22.8	-	2	2	0	13.0	24.2	-
HOMICIDE (338-346)	3	3	0	11.0	13.6	-	3	1	2	19.4	12.1	27.8

CAUSE AND GROUP NUMBER*	WARREN COUNTY						WASHINGTON COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
ALL CAUSES	507	295	212	10.4	12.0	8.8	602	247	355	11.8	17.9	9.5
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	12	5	7	24.6	20.4	28.9	7	2	5	13.7	14.5	13.4
HIV DISEASE (039-043)	6	1	5	12.3	4.1	20.6	2	0	2	3.9	-	5.4
MALIGNANT NEOPLASMS (056-108)	101	59	42	207.1	240.3	173.4	125	53	72	244.4	384.5	192.8
DIABETES MELLITUS (124)	8	7	1	16.4	28.5	4.1	47	15	32	91.9	108.8	85.7
ALZHEIMERS DISEASE (148)	18	10	8	36.9	40.7	33.0	17	11	6	33.2	79.8	16.1
MAJOR CARDIOVASCULAR DISEASES# (156-189)	187	108	79	383.4	440.0	326.1	151	64	87	295.3	464.3	232.9
HEART DISEASES (156-160,162, 164-181)	143	85	58	293.2	346.3	239.4	95	44	51	185.8	319.2	136.5
HYPERTENSION (161,163)	8	2	6	16.4	8.1	24.8	26	9	17	50.8	65.3	45.5
CEREBROVASCULAR DISEASES (182-186)	33	20	13	67.7	81.5	53.7	26	10	16	50.8	72.5	42.8
ATHEROSCLEROSIS (187)	1	0	1	2.0	-	4.1	1	0	1	2.0	-	2.7
INFLUENZA AND PNEUMONIA (195-198)	11	7	4	22.6	28.5	16.5	8	3	5	15.6	21.8	13.4
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	33	22	11	67.7	89.6	45.4	38	25	13	74.3	181.4	34.8
PEPTIC ULCER (217-220)	1	0	1	2.0	-	4.1	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	4	2	2	8.2	8.1	8.2	4	2	2	7.8	14.5	5.4
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	6	2	4	12.3	8.1	16.5	27	9	18	52.8	65.3	48.2
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	1	1	0	1.6	3.7	-	6	1	5	7.2	6.5	7.4
CONGENITAL MALFORMATIONS (282-290)	2	2	0	4.1	8.1	-	2	1	1	3.9	7.2	2.7
SUDDEN INFANT DEATH SYNDROME# (292)	0	0	0	-	-	-	0	0	0	-	-	-
ACCIDENTS (295-330)	27	18	9	55.4	73.3	37.2	37	8	29	72.4	58.0	77.6
MOTOR VEHICLE ACCIDENTS# (296-306)	10	8	2	20.5	32.6	8.2	21	4	17	41.1	29.0	45.5
SUICIDE (331-337)	8	6	2	16.4	24.4	8.2	3	1	2	5.9	7.2	5.4
HOMICIDE (338-346)	2	0	2	4.1	-	8.2	15	2	13	29.3	14.5	34.8

* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

** TOTAL DEATHS ARE PER 1,000 POPULATION; DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD AND DEATHS FROM SUDDEN INFANT DEATH SYNDROME ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

**TABLE 19
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE
RESIDENTS OF WAYNE, WEBSTER, WILKINSON, AND WINSTON COUNTIES, MISSISSIPPI, 2010**

CAUSE AND GROUP NUMBER*	WAYNE COUNTY						WEBSTER COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
ALL CAUSES	216	146	70	10.4	11.9	8.3	150	119	31	14.6	14.8	14.2
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	3	1	2	14.5	8.1	23.7	6	5	1	58.5	62.0	45.7
HIV DISEASE (039-043)	0	0	0	-	-	-	1	0	1	9.8	-	45.7
MALIGNANT NEOPLASMS (056-108)	53	37	16	255.4	300.8	189.4	29	23	6	282.8	285.2	274.2
DIABETES MELLITUS (124)	6	3	3	28.9	24.4	35.5	2	0	2	19.5	-	91.4
ALZHEIMERS DISEASE (148)	7	7	0	33.7	56.9	-	10	8	2	97.5	99.2	91.4
MAJOR CARDIOVASCULAR DISEASES# (156-189)	70	47	23	337.4	382.1	272.3	58	49	9	565.7	607.6	411.3
HEART DISEASES (156-160,162, 164-181)	53	37	16	255.4	300.8	189.4	41	35	6	399.9	434.0	274.2
HYPERTENSION (161,163)	4	1	3	19.3	8.1	35.5	0	0	0	-	-	-
CEREBROVASCULAR DISEASES (182-186)	11	7	4	53.0	56.9	47.4	16	13	3	156.0	161.2	137.1
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	5	3	2	24.1	24.4	23.7	2	1	1	19.5	12.4	45.7
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	9	8	1	43.4	65.0	11.8	6	4	2	58.5	49.6	91.4
PEPTIC ULCER (217-220)	1	1	0	4.8	8.1	-	1	0	1	9.8	-	45.7
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	5	5	0	24.1	40.6	-	3	3	0	29.3	37.2	-
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	6	2	4	28.9	16.3	47.4	2	2	0	19.5	24.8	-
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	1	0	1	3.2	-	6.5	0	0	0	-	-	-
CONGENITAL MALFORMATIONS (282-290)	2	1	1	9.6	8.1	11.8	0	0	0	-	-	-
SUDDEN INFANT DEATH SYNDROME# (292)	0	0	0	-	-	-	0	0	0	-	-	-
ACCIDENTS (295-330)	8	6	2	38.6	48.8	23.7	7	5	2	68.3	62.0	91.4
MOTOR VEHICLE ACCIDENTS# (296-306)	5	5	0	24.1	40.6	-	4	3	1	39.0	37.2	45.7
SUICIDE (331-337)	1	1	0	4.8	8.1	-	1	1	0	9.8	12.4	-
HOMICIDE (338-346)	5	2	3	24.1	16.3	35.5	0	0	0	-	-	-

CAUSE AND GROUP NUMBER*	WILKINSON COUNTY						WINSTON COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
ALL CAUSES	130	46	84	13.2	16.2	11.9	213	118	95	11.1	11.8	10.3
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	2	0	2	20.2	-	28.4	4	2	2	20.8	20.0	21.7
HIV DISEASE (039-043)	0	0	0	-	-	-	1	0	1	5.2	-	10.8
MALIGNANT NEOPLASMS (056-108)	27	6	21	273.3	211.7	298.1	41	24	17	213.6	240.7	184.3
DIABETES MELLITUS (124)	8	0	8	81.0	-	113.6	6	3	3	31.2	30.1	32.5
ALZHEIMERS DISEASE (148)	7	3	4	70.9	105.8	56.8	13	9	4	67.7	90.2	43.4
MAJOR CARDIOVASCULAR DISEASES# (156-189)	43	14	29	435.3	494.0	411.7	68	35	33	354.2	351.0	357.7
HEART DISEASES (156-160,162, 164-181)	37	13	24	374.6	458.7	340.7	49	28	21	255.2	280.8	227.6
HYPERTENSION (161,163)	1	0	1	10.1	-	14.2	4	1	3	20.8	10.0	32.5
CEREBROVASCULAR DISEASES (182-186)	4	1	3	40.5	35.3	42.6	14	5	9	72.9	50.1	97.6
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	1	1	0	5.2	10.0	-
INFLUENZA AND PNEUMONIA (195-198)	3	1	2	30.4	35.3	28.4	8	8	0	41.7	80.2	-
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	8	6	2	81.0	211.7	28.4	11	9	2	57.3	90.2	21.7
PEPTIC ULCER (217-220)	0	0	0	-	-	-	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	2	1	1	20.2	35.3	14.2	1	1	0	5.2	10.0	-
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	2	1	1	20.2	35.3	14.2	8	2	6	41.7	20.0	65.0
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	1	1	0	469.5	1,388.9	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	3	1	2	24.2	43.5	19.8	1	0	1	4.7	-	7.1
CONGENITAL MALFORMATIONS (282-290)	1	0	1	10.1	-	14.2	1	1	0	5.2	10.0	-
SUDDEN INFANT DEATH SYNDROME# (292)	1	0	1	8.1	-	9.9	2	0	2	9.4	-	14.2
ACCIDENTS (295-330)	3	2	1	30.4	70.6	14.2	15	6	9	78.1	60.2	97.6
MOTOR VEHICLE ACCIDENTS# (296-306)	1	1	0	10.1	35.3	-	5	1	4	26.0	10.0	43.4
SUICIDE (331-337)	1	1	0	10.1	35.3	-	1	1	0	5.2	10.0	-
HOMICIDE (338-346)	3	2	1	30.4	70.6	14.2	1	1	0	5.2	10.0	-

* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

** TOTAL DEATHS ARE PER 1,000 POPULATION; DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD AND DEATHS FROM SUDDEN INFANT DEATH SYNDROME ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

**TABLE 19
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE
RESIDENTS OF YALOBUSHA AND YAZOO COUNTIES AND THE STATE OF MISSISSIPPI, 2010**

CAUSE AND GROUP NUMBER*	YALOBUSHA COUNTY						YAZOO COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
ALL CAUSES	164	122	42	12.9	15.9	8.4	255	133	122	9.1	11.9	7.2
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	2	0	2	15.8	-	39.9	8	4	4	28.5	35.7	23.7
HIV DISEASE (039-043)	1	0	1	7.9	-	20.0	2	0	2	7.1	-	11.9
MALIGNANT NEOPLASMS (056-108)	40	28	12	315.5	365.2	239.5	44	20	24	156.8	178.4	142.4
DIABETES MELLITUS (124)	4	3	1	31.6	39.1	20.0	17	5	12	60.6	44.6	71.2
ALZHEIMERS DISEASE (148)	6	5	1	47.3	65.2	20.0	5	4	1	17.8	35.7	5.9
MAJOR CARDIOVASCULAR DISEASES# (156-189)	59	49	10	465.4	639.1	199.6	97	47	50	345.6	419.2	296.7
HEART DISEASES (156-160,162, 164-181)	50	42	8	394.4	547.8	159.6	70	34	36	249.4	303.2	213.6
HYPERTENSION (161,163)	1	1	0	7.9	13.0	-	3	1	2	10.7	8.9	11.9
CEREBROVASCULAR DISEASES (182-186)	8	6	2	63.1	78.2	39.9	24	12	12	85.5	107.0	71.2
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	3	3	0	23.7	39.1	-	3	2	1	10.7	17.8	5.9
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	6	6	0	47.3	78.2	-	14	10	4	49.9	89.2	23.7
PEPTIC ULCER (217-220)	1	1	0	7.9	13.0	-	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	0	0	0	-	-	-	5	3	2	17.8	26.8	11.9
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	5	3	2	39.4	39.1	39.9	10	5	5	35.6	44.6	29.7
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	1	0	1	6.0	-	14.7	1	0	1	2.5	-	3.5
CONGENITAL MALFORMATIONS (282-290)	1	1	0	7.9	13.0	-	0	0	0	-	-	-
SUDDEN INFANT DEATH SYNDROME# (292)	0	0	0	-	-	-	0	0	0	-	-	-
ACCIDENTS (295-330)	9	6	3	71.0	78.2	59.9	15	13	2	53.4	115.9	11.9
MOTOR VEHICLE ACCIDENTS# (296-306)	5	3	2	39.4	39.1	39.9	5	5	0	17.8	44.6	-
SUICIDE (331-337)	3	3	0	23.7	39.1	-	3	2	1	10.7	17.8	5.9
HOMICIDE (338-346)	2	1	1	15.8	13.0	20.0	1	0	1	3.6	-	5.9

CAUSE AND GROUP NUMBER*	STATE OF MISSISSIPPI					
	NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
ALL CAUSES	28,950	19,730	9,220	9.8	11.2	7.6
TUBERCULOSIS (009,010)	8	0	8	0.3	-	0.7
SEPTICEMIA (018)	554	338	216	18.7	19.3	17.8
HIV DISEASE (039-043)	118	17	101	4.0	1.0	8.3
MALIGNANT NEOPLASMS (056-108)	6,264	4,240	2,024	211.1	241.6	166.9
DIABETES MELLITUS (124)	926	458	468	31.2	26.1	38.6
ALZHEIMERS DISEASE (148)	928	740	188	31.3	42.2	15.5
MAJOR CARDIOVASCULAR DISEASES# (156-189)	9,802	6,609	3,193	330.3	376.6	263.3
HEART DISEASES (156-160,162, 164-181)	7,551	5,239	2,312	254.5	298.6	190.7
HYPERTENSION (161,163)	531	266	265	17.9	15.2	21.8
CEREBROVASCULAR DISEASES (182-186)	1,523	968	555	51.3	55.2	45.8
ATHEROSCLEROSIS (187)	18	14	4	0.6	0.8	0.3
INFLUENZA AND PNEUMONIA (195-198)	564	416	148	19.0	23.7	12.2
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	1,658	1,390	268	55.9	79.2	22.1
PEPTIC ULCER (217-220)	18	14	4	0.6	0.8	0.3
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	290	224	66	9.8	12.8	5.4
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	738	426	312	24.9	24.3	25.7
MATERNAL CAUSES (261-273)	12	6	6	30.0	27.6	32.8
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	176	52	124	4.4	2.4	6.8
CONGENITAL MALFORMATIONS (282-290)	129	71	58	4.3	4.0	4.8
SUDDEN INFANT DEATH SYNDROME# (292)	45	19	26	1.1	0.9	1.4
ACCIDENTS (295-330)	1,670	1,195	475	56.3	68.1	39.2
MOTOR VEHICLE ACCIDENTS# (296-306)	674	430	244	22.7	24.5	20.1
SUICIDE (331-337)	386	338	48	13.0	19.3	4.0
HOMICIDE (338-346)	280	98	182	9.4	5.6	15.0

* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

** TOTAL DEATHS ARE PER 1,000 POPULATION; DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD AND DEATHS FROM SUDDEN INFANT DEATH SYNDROME ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

TIME SERIES TABLES

TABLE 20
LIVE BIRTHS AND RATES, BY YEAR AND RACE
MISSISSIPPI, 1913-2010
(OCCURRENCE DATA 1913-1943, RESIDENCE DATA 1944-2010)

YEAR	NUMBER			RATE*		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
1913	41,103	21,874	19,229	21.9	26.6	18.2
1914	40,623	21,360	19,263	21.4	25.7	18.0
1915	39,484	20,999	18,485	20.5	23.8	17.1
1916	39,033	20,130	18,903	20.0	23.6	17.2
1917	37,141	19,056	18,085	18.8	22.0	16.3
1918	39,391	20,005	19,386	19.7	22.8	17.2
1919	42,491	22,028	20,463	21.0	24.9	18.0
1920	43,743	22,438	21,305	24.4	26.3	22.7
1921	46,482	23,703	22,779	25.6	27.3	24.1
1922	43,723	21,286	22,437	23.8	24.1	23.6
1923	43,266	21,140	22,126	23.3	23.6	23.1
1924	43,960	22,180	21,780	23.4	24.3	22.5
1925	45,563	22,265	23,298	24.0	24.1	23.9
1926	50,449	24,600	25,849	26.2	26.2	26.3
1927	49,204	24,163	25,041	25.3	25.3	25.3
1928	48,126	23,642	24,484	24.5	24.4	24.5
1929	45,570	22,105	23,465	22.9	22.5	23.3
1930	47,982	23,192	24,790	23.8	23.2	24.0
1931	45,123	21,637	23,486	22.2	21.4	22.9
1932	46,481	21,883	24,598	22.6	21.4	23.9
1933	44,184	20,407	23,777	21.3	19.7	22.9
1934	47,905	22,342	25,563	23.0	21.4	24.6
1935	48,291	21,972	26,319	23.0	20.8	25.1
1936	49,261	22,194	27,067	23.3	20.8	25.7
1937	52,170	23,285	28,885	24.4	21.6	27.3
1938	53,729	24,046	29,683	25.0	22.1	27.8
1939	52,288	23,505	28,783	24.1	21.4	26.8
1940	52,526	23,084	29,442	24.0	20.9	27.3
1941	54,561	24,167	30,394	24.7	21.6	28.0
1942	56,521	25,306	31,215	25.4	22.4	28.6
1943	59,408	27,611	31,797	28.9	26.4	31.6
1944	56,586	25,647	30,939	28.3	25.2	31.6
1945	53,540	23,426	30,114	26.9	23.1	30.9
1946	61,430	29,715	31,715	26.8	25.4	28.2
1947	66,291	32,423	33,868	28.6	27.5	29.9
1948	65,291	29,666	35,625	28.0	24.9	31.2
1949	66,128	28,786	37,342	28.1	24.0	32.5
1950	64,427	27,188	37,239	29.6	22.9	37.6
1951	65,512	27,798	37,714	30.1	23.4	38.1
1952	64,509	28,073	36,436	29.6	23.6	36.8
1953	64,061	28,312	35,749	29.4	23.8	36.1
1954	64,748	28,781	35,967	29.7	24.2	36.3
1955	63,244	27,546	35,698	29.0	23.2	36.0
1956	62,178	27,278	34,900	29.5	23.8	36.2
1957	60,712	26,804	33,908	28.8	23.4	35.2
1958	59,189	26,812	32,377	27.1	20.9	35.9
1959	60,562	27,979	32,583	27.2	20.9	36.6
1960	59,210	27,198	32,012	27.2	21.6	34.8
1961	59,523	27,435	32,088	27.3	21.8	34.8

TABLE 20 - PAGE 2
LIVE BIRTHS - MISSISSIPPI - 1913-2010

YEAR	NUMBER			RATE*		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
1962	58,921	27,512	31,409	26.1	20.8	33.5
1963	57,316	26,823	30,493	25.0	19.9	32.4
1964	56,650	25,942	30,708	24.5	18.9	32.5
1965	51,171	23,369	27,802	22.0	17.4	28.2
1966	48,230	22,736	25,494	20.4	16.5	25.9
1967	46,594	22,675	23,919	19.7	15.9	25.6
1968	45,719	22,807	22,912	19.4	15.7	25.4
1969	47,120	24,025	23,095	21.2	17.2	28.0
1970	48,141	24,893	23,248	21.7	17.9	28.2
1971	48,601	25,199	23,402	21.9	18.1	28.4
1972	45,907	23,745	22,162	20.3	NOT AVAILABLE	
1973	44,638	23,119	21,519	19.3	NOT AVAILABLE	
1974	44,032	23,023	21,009	18.9	NOT AVAILABLE	
1975	43,336	22,559	20,777	18.5	NOT AVAILABLE	
1976	42,983	22,605	20,378	18.2	NOT AVAILABLE	
1977	45,532	23,369	22,163	19.1	NOT AVAILABLE	
1978	44,373	22,632	21,741	18.5	NOT AVAILABLE	
1979	45,919	23,487	22,432	19.1	NOT AVAILABLE	
1980	47,821	24,687	23,134	19.0	15.3	25.5
1981	46,228	23,777	22,451	18.3	14.7	24.8
1982	45,926	24,028	21,898	18.0	NOT AVAILABLE	
1983	43,992	22,659	21,333	17.0	NOT AVAILABLE	
1984	43,742	22,672	21,070	16.9	NOT AVAILABLE	
1985	43,432	22,943	20,489	16.3	13.5	21.5
1986	41,868	22,060	19,808	15.8	13.0	20.8
1987	41,279	21,576	19,703	15.2	12.4	20.2
1988	42,040	21,685	20,355	15.3	12.3	20.6
1989**	43,026	22,069	20,957	15.5	12.4	20.9
1990**	43,547	22,280	21,267	16.9	13.6	22.6
1991**	43,184	21,908	21,276	16.8	13.4	22.6
1992**	42,676	21,700	20,976	16.6	13.3	22.3
1993**	42,134	21,246	20,888	16.4	13.0	22.2
1994**	41,938	21,536	20,402	16.3	13.2	21.7
1995**	41,332	21,571	19,761	15.3	12.7	19.8
1996**	40,978	21,447	19,531	15.2	12.7	19.5
1997**	41,527	22,021	19,506	15.4	13.0	19.5
1998**	42,917	22,950	19,967	15.6	13.3	19.3
1999**	42,678	22,652	20,026	15.4	13.1	19.2
2000**	44,075	23,540	20,535	15.5	13.5	18.7
2001**	42,277	22,798	19,479	14.9	13.0	17.7
2002**	41,511	22,620	18,891	14.4	12.8	17.0
2003**	42,321	23,118	19,203	14.7	13.1	17.2
2004**	42,809	23,524	19,285	14.8	13.2	17.2
2005**	42,327	23,015	19,312	14.5	12.9	17.0
2006**	46,046	24,195	21,851	15.8	13.7	19.2
2007**	46,455	24,783	21,672	15.9	14.0	18.9
2008**	44,904	24,229	20,675	15.3	13.6	17.8
2009**	42,809	22,846	19,963	14.5	12.8	17.1
2010**	39,984	21,696	18,288	13.5	12.4	15.1

* BIRTHS PER 1,000 POPULATION.

** FIGURES SHOWN ARE BY RACE OF MOTHER; FIGURES FOR YEARS PRIOR TO 1989 ARE BY RACE OF CHILD.

TABLE 21
DEATHS AND RATES, BY YEAR AND RACE,
MISSISSIPPI, 1913-2010
(OCCURRENCE DATA 1913-1943, RESIDENCE DATA 1944-2010)

YEAR	NUMBER			RATE*		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
1913	21,305	7,643	13,662	11.4	9.3	13.0
1914	21,485	7,442	14,043	11.3	8.9	13.1
1915	24,001	8,088	15,913	12.5	9.6	14.7
1916	21,794	7,588	14,206	11.2	8.9	13.0
1917	23,579	8,048	15,531	11.9	9.3	14.0
1918	30,437	10,177	20,260	15.2	11.6	18.0
1919	22,667	8,142	14,525	12.7	9.5	15.5
1920	22,072	7,916	14,156	12.3	9.3	15.1
1921	19,991	7,308	12,683	11.0	8.4	13.4
1922	19,278	7,312	11,966	10.5	8.3	12.6
1923	20,363	7,688	12,675	11.0	8.6	13.2
1924	21,155	7,809	13,346	11.3	8.6	13.8
1925	22,229	8,143	14,086	11.7	8.8	14.4
1926	23,929	9,133	14,796	12.5	9.7	15.1
1927	23,257	8,765	14,492	12.0	9.2	14.6
1928	25,965	10,111	15,854	13.2	10.4	15.9
1929	25,868	10,048	15,820	13.0	10.2	15.7
1930	24,098	9,072	15,026	11.9	9.0	14.8
1931	22,007	8,641	13,366	10.8	8.5	13.0
1932	20,322	8,295	12,027	9.9	8.1	11.6
1933	21,617	8,898	12,719	10.4	8.6	12.2
1934	21,786	9,350	12,436	10.5	9.0	12.0
1935	21,285	9,186	12,099	10.1	8.7	11.6
1936	24,127	10,367	13,760	11.4	9.7	13.1
1937	24,005	10,055	13,950	11.2	9.3	13.2
1938	22,814	9,471	13,343	10.6	8.7	12.5
1939	22,701	9,464	13,237	10.5	8.6	12.3
1940	23,185	9,565	13,620	10.6	8.6	12.6
1941	22,573	9,442	13,131	10.2	8.4	12.1
1942	20,693	8,750	11,943	9.3	7.7	10.9
1943	20,850	9,139	11,711	10.2	8.7	11.6
1944	20,199	8,830	11,369	10.1	8.7	11.6
1945	19,024	8,452	10,572	9.6	8.3	10.8
1946	19,321	8,995	10,326	8.4	7.7	9.2
1947	20,007	9,238	10,769	8.6	7.8	9.5
1948	20,183	9,216	10,967	8.6	7.7	9.6
1949	20,489	9,233	11,256	8.7	7.7	9.8
1950	20,567	9,466	11,101	9.4	8.0	11.2
1951	21,007	9,593	11,414	9.6	8.1	11.5
1952	20,657	9,387	11,270	9.5	7.9	11.4
1953	20,492	9,495	10,997	9.4	8.0	11.1
1954	19,353	9,453	9,900	8.9	8.0	10.0
1955	19,403	9,501	9,902	8.9	8.0	10.0
1956	19,780	9,969	9,811	9.4	8.7	10.2
1957	20,476	10,339	10,137	9.7	9.0	10.5
1958	21,541	10,811	10,730	9.9	8.4	11.9
1959	20,890	10,742	10,148	9.4	8.0	11.4
1960	21,713	11,204	10,509	10.0	8.9	11.4
1961	21,232	11,063	10,169	9.7	8.8	11.0

TABLE 21 - PAGE 2
DEATHS - MISSISSIPPI - 1913-2010

YEAR	NUMBER			RATE*		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
1962	22,713	11,868	10,845	10.0	9.0	11.6
1963	23,339	12,118	11,221	10.2	9.0	11.9
1964	22,559	12,039	10,520	9.7	8.8	11.1
1965	22,652	12,376	10,276	9.7	9.2	10.4
1966	23,350	12,976	10,374	9.9	9.4	10.5
1967	22,609	12,816	9,793	9.6	9.0	10.5
1968	23,986	13,468	10,518	10.2	9.3	11.7
1969	23,865	13,873	9,992	10.8	10.0	12.1
1970	23,305	13,623	9,682	10.5	9.8	11.8
1971	23,426	13,980	9,446	10.6	10.0	11.5
1972	23,663	14,077	9,586	10.5	NOT AVAILABLE	
1973	24,007	14,461	9,546	10.4	NOT AVAILABLE	
1974	23,153	14,268	8,885	9.9	NOT AVAILABLE	
1975	22,768	13,790	8,978	9.7	NOT AVAILABLE	
1976	23,124	14,307	8,817	9.8	NOT AVAILABLE	
1977	23,022	14,318	8,704	9.6	NOT AVAILABLE	
1978	23,363	14,631	8,732	9.7	NOT AVAILABLE	
1979	22,932	14,348	8,584	9.5	NOT AVAILABLE	
1980	23,576	14,531	9,045	9.4	9.0	10.0
1981	23,405	14,876	8,529	9.3	9.2	9.4
1982	23,173	14,863	8,310	9.1	NOT AVAILABLE	
1983	23,831	15,250	8,581	9.2	NOT AVAILABLE	
1984	23,781	15,225	8,556	9.2	NOT AVAILABLE	
1985	24,568	15,803	8,765	9.2	9.3	9.2
1986	24,341	15,694	8,647	9.2	9.2	9.1
1987	24,525	15,835	8,690	9.0	9.1	8.9
1988	24,706	16,034	8,672	9.0	9.1	8.8
1989	25,273	16,386	8,887	9.1	9.2	8.9
1990	24,994	16,088	8,906	9.7	9.8	9.5
1991	25,503	16,393	9,110	9.9	10.0	9.7
1992	25,163	16,417	8,746	9.8	10.0	9.3
1993	26,271	17,003	9,268	10.2	10.4	9.9
1994	26,657	17,210	9,447	10.4	10.5	10.0
1995	26,910	17,729	9,181	10.0	10.5	9.2
1996	26,566	17,488	9,078	9.9	10.3	9.1
1997	27,380	18,034	9,346	10.2	10.6	9.3
1998	27,737	18,343	9,394	10.1	10.7	9.1
1999	28,090	18,693	9,397	10.1	10.8	9.0
2000	28,529	19,189	9,340	10.0	11.0	8.5
2001	28,134	18,774	9,360	9.9	10.8	8.5
2002	28,765	19,168	9,597	10.0	10.9	8.6
2003	28,333	19,013	9,320	9.8	10.8	8.3
2004	27,748	18,689	9,059	9.6	10.5	8.1
2005	29,047	19,524	9,523	9.9	10.9	8.4
2006	28,343	18,859	9,484	9.7	10.6	8.3
2007	27,994	18,705	9,289	9.6	10.6	8.1
2008	28,867	19,434	9,433	9.8	10.9	8.1
2009	28,164	18,946	9,218	9.5	10.6	7.9
2010	28,950	19,730	9,220	9.8	11.2	7.6

* DEATHS PER 1,000 POPULATION.

TABLE 22
MATERNAL DEATHS* AND MORTALITY RATES, BY YEAR AND RACE,
MISSISSIPPI, 1913-2010
(OCCURRENCE DATA 1913-1943, RESIDENCE DATA 1944-2010)

YEAR	NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
1913	447	162	285	1,087.5	740.6	1,482.1
1914	413	124	289	1,016.7	580.5	1,500.3
1915	289	88	201	731.9	419.1	1,087.4
1916	326	102	224	835.2	506.7	1,185.0
1917	297	105	192	799.6	551.0	1,061.6
1918	302	82	220	766.7	409.9	1,134.8
1919	407	173	234	957.8	785.4	1,143.5
1920	393	127	266	898.4	566.0	1,248.5
1921	391	145	246	841.2	611.7	1,079.9
1922	313	110	203	715.9	516.8	904.8
1923	321	108	213	741.9	510.9	962.7
1924	413	137	276	939.5	617.7	1,267.2
1925	435	143	292	954.7	642.3	1,253.3
1926	388	153	235	769.1	622.0	909.1
1927	409	134	275	831.2	554.6	1,098.2
1928	421	161	260	874.8	681.0	1,061.9
1929	410	152	258	899.7	687.6	1,099.5
1930	489	171	318	1,019.1	737.3	1,282.8
1931	352	131	221	780.1	605.4	941.0
1932	279	103	176	600.2	470.7	715.5
1933	315	116	199	712.9	568.4	836.9
1934	306	116	190	638.8	519.2	743.3
1935	334	137	197	691.6	623.5	748.5
1936	358	134	224	726.7	603.8	827.6
1937	370	150	220	709.2	644.2	761.6
1938	333	116	217	619.8	482.4	731.0
1939	311	97	214	594.8	412.7	743.5
1940	327	106	221	622.5	459.2	750.6
1941	293	93	200	537.0	384.8	658.0
1942	248	77	171	438.8	304.3	547.8
1943	233	66	167	392.2	239.0	525.2
1944	225	72	153	397.6	280.7	494.5
1945	216	64	152	403.4	273.2	504.7
1946	199	67	132	323.9	225.5	416.2
1947	175	50	125	264.0	154.2	369.1
1948	177	38	139	271.1	128.1	390.2
1949	147	32	115	222.3	111.2	308.0
1950	165	30	135	256.1	110.3	362.5
1951	143	28	115	218.3	100.7	304.9
1952	119	15	104	184.5	53.4	285.4
1953	119	24	95	185.8	84.8	265.7
1954	104	11	93	160.6	38.2	258.6
1955	76	12	64	120.2	43.6	179.3
1956	74	12	62	119.0	44.0	177.6
1957	75	14	61	123.5	52.2	179.9
1958	53	10	43	89.5	37.3	132.8
1959	55	9	46	90.8	32.2	141.2
1960	59	8	51	99.6	29.4	159.3
1961	49	9	40	82.3	32.8	124.6

TABLE 22 - PAGE 2
 MATERNAL DEATHS - MISSISSIPPI - 1913-2010

YEAR	NUMBER			RATE**		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
1962	55	7	48	93.3	25.4	152.8
1963	44	9	35	76.8	33.6	114.8
1964	57	9	48	100.6	34.7	156.3
1965	40	3	37	78.2	12.8	133.1
1966	27	6	21	56.0	26.4	82.4
1967	36	10	26	77.3	44.1	108.7
1968	21	3	18	45.9	13.2	78.6
1969	23	3	20	48.8	12.5	86.6
1970	34	5	29	70.6	20.1	124.7
1971	21	5	16	43.2	19.8	68.4
1972	24	5	19	52.3	21.0	85.7
1973	12	4	8	26.9	17.3	37.2
1974	12	4	8	27.2	17.4	38.1
1975	6	0	6	13.8	-	28.9
1976	8	4	4	18.6	17.7	19.6
1977	10	2	8	22.0	8.6	36.1
1978	6	1	5	13.5	4.4	23.0
1979	10	3	7	21.8	12.8	31.2
1980	2	1	1	4.2	4.0	4.3
1981	7	5	2	15.1	21.0	8.9
1982	1	1	0	2.2	4.2	-
1983	1	0	1	2.3	-	4.7
1984	3	1	2	6.8	4.4	9.5
1985	3	2	1	6.9	8.7	4.9
1986	3	0	3	7.2	-	15.1
1987	4	2	2	9.7	9.3	10.2
1988	7	2	5	16.6	9.2	24.6
1989	6	1	5	13.9	4.5	23.8
1990	6	0	6	13.8	-	28.2
1991	3	2	1	6.9	9.1	4.7
1992	4	1	3	9.4	4.6	14.3
1993	11	2	9	26.1	9.4	43.1
1994	4	1	3	9.5	4.6	14.7
1995	5	0	5	12.1	-	25.3
1996	1	0	1	2.4	-	5.1
1997	11	4	7	26.5	18.2	35.9
1998	4	2	2	9.3	8.7	10.0
1999	6	2	4	14.0	8.8	20.0
2000	8	2	6	18.2	8.5	29.2
2001	12	4	8	28.4	17.5	41.1
2002	9	2	7	21.7	8.8	37.0
2003	7	3	4	16.5	13.0	20.8
2004	11	4	7	25.7	17.0	36.3
2005	12	2	10	28.4	8.7	51.8
2006	14	3	11	30.4	12.4	50.3
2007	10	3	7	21.5	12.1	32.3
2008	14	3	11	31.2	12.4	53.2
2009	13	6	7	30.4	26.3	35.1
2010	12	6	6	30.0	27.6	32.8

* DEATHS RESULTING FROM DELIVERIES AND COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM.

** DEATHS PER 100,000 LIVE BIRTHS.

TABLE 23
INFANT DEATHS* AND MORTALITY RATES, BY YEAR AND RACE,
MISSISSIPPI, 1917-2010
(OCCURRENCE DATA 1917-1944, RESIDENCE DATA 1945-2010)

YEAR	NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
1917	3,689	1,296	2,393	99.3	68.0	132.3
1918	#	#	#	#	#	#
1919	3,554	#	#	83.6	#	#
1920	3,499	1,344	2,155	80.0	59.9	101.1
1921	3,157	1,243	1,914	67.9	52.4	84.0
1922	2,826	1,067	1,759	64.6	50.1	78.4
1923	2,908	1,104	1,804	67.2	52.2	81.5
1924	3,137	1,188	1,949	71.4	53.6	89.5
1925	3,176	1,179	1,997	69.7	53.0	85.7
1926	3,578	1,447	2,131	70.9	58.8	82.4
1927	3,291	1,303	1,988	66.9	54.0	79.4
1928	3,567	1,416	2,151	74.1	59.9	87.9
1929	3,275	1,268	2,007	71.9	57.4	85.5
1930	3,276	1,182	2,094	68.3	51.0	84.5
1931	2,547	961	1,586	56.4	44.4	67.5
1932	2,482	965	1,517	53.4	44.1	61.7
1933	2,800	1,035	1,765	63.4	50.7	74.2
1934	3,070	1,199	1,871	64.1	53.7	73.2
1935	2,587	1,044	1,543	53.6	47.5	58.6
1936	2,883	1,105	1,778	58.5	49.8	65.7
1937	3,098	1,174	1,924	59.4	50.4	66.6
1938	3,051	1,205	1,846	56.8	50.1	62.2
1939	2,908	1,135	1,773	55.6	48.3	61.6
1940	2,864	1,070	1,794	54.5	46.4	60.9
1941	2,969	1,113	1,856	54.4	46.1	61.1
1942	2,654	957	1,697	47.0	37.8	54.4
1943	2,774	1,137	1,637	46.7	41.2	51.5
1944	2,481	965	1,516	43.6	37.1	49.0
1945	2,192	846	1,346	40.9	36.1	44.7
1946	2,298	1,005	1,293	37.4	33.8	40.8
1947	2,428	1,009	1,419	36.6	31.1	41.9
1948	2,470	988	1,482	37.8	33.3	41.6
1949	2,612	900	1,712	39.5	31.3	45.8
1950	2,348	763	1,585	36.4	28.1	42.6
1951	2,589	814	1,775	39.5	29.3	47.1
1952	2,592	760	1,832	40.2	27.1	50.3
1953	2,534	807	1,727	39.6	28.5	48.3
1954	2,360	744	1,616	36.4	25.8	44.9
1955	2,338	680	1,658	37.0	24.7	46.4
1956	2,353	734	1,619	37.8	26.9	46.4
1957	2,257	694	1,563	37.2	25.9	46.1
1958	2,424	706	1,718	41.0	26.3	53.1
1959	2,355	677	1,678	38.9	24.2	51.5
1960	2,457	714	1,743	41.5	26.2	54.4
1961	2,250	645	1,605	37.8	23.5	50.0
1962	2,353	705	1,648	39.9	25.6	52.5
1963	2,372	610	1,762	41.4	22.7	57.8
1964	2,230	599	1,631	39.4	23.1	53.1

TABLE 23 - PAGE 2
 INFANT DEATHS - MISSISSIPPI - 1917-2010

YEAR	NUMBER			RATE**		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
1965	2,126	593	1,533	41.5	25.4	55.1
1966	1,856	520	1,336	38.5	22.9	52.4
1967	1,645	512	1,133	35.3	22.6	47.4
1968	1,613	517	1,096	35.3	22.7	47.8
1969	1,513	530	983	32.1	22.1	42.6
1970	1,403	480	923	29.1	19.3	39.7
1971	1,311	460	851	27.0	18.2	36.4
1972	1,187	459	728	25.8	19.3	32.8
1973	1,154	392	762	25.8	17.0	35.4
1974	1,024	356	668	23.2	15.5	31.8
1975	975	356	619	22.5	15.8	29.8
1976	927	331	596	21.6	14.6	29.2
1977	834	285	549	18.3	12.2	24.8
1978	846	266	580	19.1	11.8	26.7
1979	809	280	529	17.6	11.9	23.6
1980	812	272	540	17.0	11.0	23.3
1981	711	248	463	15.4	10.4	20.6
1982	706	249	457	15.4	10.4	20.9
1983	664	240	424	15.1	10.6	19.9
1984	629	224	405	14.4	9.9	19.2
1985	596	213	383	13.7	9.3	18.7
1986	517	197	320	12.3	8.9	16.2
1987	565	212	353	13.7	9.8	17.9
1988	516	189	327	12.3	8.7	16.1
1989	498	190	308	11.6	8.6	14.7
1990	528	189	339	12.1	8.5	15.9
1991	493	163	330	11.4	7.4	15.5
1992	508	170	338	11.9	7.8	16.1
1993	482	178	304	11.4	8.4	14.6
1994	459	158	301	10.9	7.3	14.8
1995	435	149	286	10.5	6.9	14.5
1996	451	169	282	11.0	7.9	14.4
1997	440	156	284	10.6	7.1	14.6
1998	436	146	290	10.2	6.4	14.5
1999	435	152	283	10.2	6.7	14.1
2000	468	157	311	10.6	6.7	15.1
2001	443	157	286	10.5	6.9	14.7
2002	428	155	273	10.3	6.8	14.4
2003	453	158	295	10.7	6.8	15.4
2004	417	144	273	9.7	6.1	14.2
2005	481	153	328	11.4	6.6	17.0
2006	483	168	315	10.5	6.9	14.4
2007	469	164	305	10.1	6.6	14.1
2008	446	180	266	9.9	7.4	12.9
2009	427	159	268	10.0	7.0	13.4
2010	386	140	246	9.6	6.4	13.4

* DEATHS OF CHILDREN UNDER 1 YEAR OF AGE.

** DEATHS PER 1,000 LIVE BIRTHS.

NOT AVAILABLE.

TABLE 24
NEONATAL DEATHS* AND MORTALITY RATES, BY YEAR AND RACE,
MISSISSIPPI, 1924-2010
(OCCURRENCE DATA 1924-1944, RESIDENCE DATA 1945-2010)

YEAR	NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
1924	1,598	730	868	36.4	32.9	39.8
1925	1,639	701	938	36.0	31.5	40.3
1926	1,731	823	908	34.3	33.4	35.1
1927	1,644	786	858	33.4	32.5	34.3
1928	1,788	804	984	37.2	34.0	40.2
1929	1,662	773	889	36.5	35.0	37.9
1930	1,692	715	977	35.3	30.8	39.4
1931	1,339	590	749	29.7	27.3	31.9
1932	1,361	572	789	29.3	26.1	32.1
1933	1,540	636	904	34.8	31.2	38.0
1934	1,505	644	861	31.4	28.8	33.7
1935	1,446	642	804	29.9	29.2	30.5
1936	1,494	676	818	30.3	30.4	30.2
1937	1,678	755	923	32.2	32.4	32.0
1938	1,688	747	941	31.4	31.1	31.7
1939	1,637	735	902	31.3	31.3	31.3
1940	1,613	680	933	30.7	29.4	31.7
1941	1,663	734	929	30.5	30.4	30.6
1942	1,544	638	906	27.3	25.2	29.0
1943	1,652	791	861	27.8	28.6	27.1
1944	1,436	661	775	25.2	25.4	25.1
1945	1,351	624	727	25.2	26.6	24.1
1946	1,561	794	767	25.4	26.7	24.2
1947	1,595	750	845	24.1	23.1	24.9
1948	1,674	773	901	25.6	26.0	25.3
1949	1,594	661	933	24.1	23.0	25.0
1950	1,446	560	886	22.4	20.6	23.8
1951	1,679	626	1,053	25.6	22.5	27.9
1952	1,658	581	1,077	25.7	20.7	29.6
1953	1,630	635	995	25.4	22.4	27.8
1954	1,521	601	920	23.5	20.9	25.6
1955	1,440	527	913	22.8	19.1	25.6
1956	1,451	581	870	23.3	21.3	24.9
1957	1,425	540	885	23.5	20.1	26.1
1958	1,475	540	935	24.9	20.1	28.9
1959	1,450	515	935	23.9	18.4	28.7
1960	1,497	550	947	25.3	20.2	29.6
1961	1,401	509	892	23.5	18.6	27.8
1962	1,456	550	906	24.7	20.0	28.8
1963	1,449	470	979	25.3	17.5	32.1
1964	1,372	460	912	24.2	17.7	29.7
1965	1,283	470	813	25.1	20.1	29.2
1966	1,123	386	737	23.3	17.0	28.9
1967	1,053	388	665	22.6	17.1	27.8
1968	1,116	424	692	24.4	18.6	30.2
1969	1,066	441	625	22.6	18.4	27.1

TABLE 24 - PAGE 2
 NEONATAL DEATHS - MISSISSIPPI - 1924-2010

YEAR	NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
1970	976	391	585	20.3	15.7	25.2
1971	940	382	558	19.3	15.2	23.8
1972	837	362	475	18.2	15.2	21.4
1973	793	301	492	17.8	13.0	22.9
1974	710	276	434	16.1	12.0	20.6
1975	677	257	420	15.6	11.4	20.2
1976	626	243	383	14.6	10.7	18.8
1977	588	222	366	12.9	9.5	16.5
1978	559	191	368	12.6	8.4	16.9
1979	514	191	323	11.2	8.1	14.4
1980	523	189	334	10.9	7.6	14.4
1981	486	166	320	10.5	7.0	14.2
1982	467	166	301	10.2	6.9	13.7
1983	410	160	250	9.3	7.1	11.7
1984	395	158	237	9.0	7.0	11.2
1985	368	127	241	8.5	5.5	11.8
1986	323	133	190	7.7	6.0	9.6
1987	363	128	235	8.8	5.9	11.9
1988	318	118	200	7.6	5.4	9.8
1989	309	132	177	7.2	6.0	8.4
1990	332	111	221	7.6	5.0	10.4
1991	303	95	208	7.0	4.3	9.8
1992	320	97	223	7.5	4.5	10.6
1993	298	111	187	7.1	5.2	9.0
1994	273	93	180	6.5	4.3	8.8
1995	254	88	166	6.1	4.1	8.4
1996	294	103	191	7.2	4.8	9.8
1997	269	96	173	6.5	4.4	8.9
1998	265	76	189	6.2	3.3	9.5
1999	267	91	176	6.2	4.0	8.8
2000	289	91	198	6.6	3.9	9.6
2001	277	96	181	6.6	4.2	9.3
2002	281	100	181	6.8	4.4	9.6
2003	246	78	168	5.8	3.4	8.7
2004	256	82	174	6.0	3.5	9.0
2005	283	70	213	6.7	3.0	11.0
2006	300	102	198	6.5	4.2	9.1
2007	272	94	178	5.8	3.8	8.2
2008	256	96	160	5.7	4.0	7.7
2009	263	97	166	6.1	4.2	8.3
2010	220	73	147	5.5	3.4	8.0

* DEATHS OF INFANTS UNDER 28 DAYS OF AGE, BUT FIGURES FOR 1924-1948 INCLUDE DEATHS OF INFANTS UNDER ONE MONTH OF AGE.

** DEATHS PER 1,000 LIVE BIRTHS.

TABLE 25
POSTNEONATAL DEATHS* AND MORTALITY RATES, BY YEAR AND RACE,
MISSISSIPPI, 1924-2010
(OCCURRENCE DATA 1924-1944, RESIDENCE DATA 1945-2010)

YEAR	NUMBER			RATE**		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
1924	1,539	458	1,081	35.0	20.6	49.6
1925	1,537	478	1,059	33.7	21.5	45.4
1926	1,847	624	1,223	36.6	25.4	47.3
1927	1,647	517	1,130	33.5	21.4	45.1
1928	1,779	612	1,167	37.0	25.9	47.7
1929	1,613	495	1,118	35.4	22.4	47.6
1930	1,584	467	1,117	33.0	20.1	45.0
1931	1,208	371	837	26.8	17.1	35.6
1932	1,121	393	728	24.1	18.0	29.6
1933	1,260	399	861	28.5	19.6	36.2
1934	1,565	555	1,010	32.7	24.8	39.5
1935	1,141	402	739	23.6	18.3	28.1
1936	1,389	429	960	28.2	19.3	35.5
1937	1,420	419	1,001	27.2	18.0	34.6
1938	1,363	458	905	25.4	19.0	30.5
1939	1,271	400	871	24.3	17.0	30.3
1940	1,251	390	861	23.8	16.9	29.2
1941	1,306	379	927	23.9	15.7	30.5
1942	1,110	319	791	19.6	12.6	25.3
1943	1,122	346	776	18.9	12.5	24.4
1944	1,045	304	741	18.4	11.7	24.0
1945	841	222	619	15.7	9.5	20.6
1946	737	211	526	12.0	7.1	16.6
1947	833	259	574	12.6	8.0	16.9
1948	796	215	581	12.2	7.2	16.3
1949	1,018	239	779	15.4	8.3	20.9
1950	902	203	699	14.0	7.5	18.8
1951	910	188	722	13.9	6.8	19.1
1952	934	179	755	14.5	6.4	20.7
1953	904	172	732	14.1	6.1	20.5
1954	839	143	696	13.0	5.0	19.4
1955	898	153	745	14.2	5.6	20.9
1956	902	153	749	14.5	5.6	21.5
1957	832	154	678	13.7	5.7	20.0
1958	949	166	783	16.0	6.2	24.2
1959	905	162	743	14.9	5.8	22.8
1960	960	164	796	16.2	6.0	24.9
1961	849	136	713	14.3	5.0	22.2
1962	897	155	742	15.2	5.6	23.6
1963	923	140	783	16.1	5.2	25.7
1964	858	139	719	15.1	5.4	23.4
1965	843	123	720	16.5	5.3	25.9
1966	733	134	599	15.2	5.9	23.5
1967	592	124	468	12.7	5.5	19.6
1968	497	93	404	10.9	4.1	17.6
1969	447	89	358	9.5	3.7	15.5

TABLE 25 - PAGE 2
 POSTNEONATAL DEATHS - MISSISSIPPI - 1924 - 2010

YEAR	NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
1970	427	89	338	8.9	3.6	14.5
1971	371	78	293	7.6	3.1	12.5
1972	350	97	253	7.6	4.1	11.4
1973	361	91	270	8.1	3.9	12.5
1974	314	80	234	7.1	3.5	11.1
1975	298	99	199	6.9	4.4	9.6
1976	301	88	213	7.0	3.9	10.4
1977	246	63	183	5.4	2.7	8.2
1978	287	75	212	6.5	3.3	9.8
1979	295	89	206	6.4	3.8	9.2
1980	289	83	206	6.0	3.4	8.9
1981	225	82	143	4.9	3.4	6.4
1982	239	83	156	5.2	3.4	7.1
1983	254	80	174	5.8	3.5	8.2
1984	234	66	168	5.4	2.9	8.0
1985	228	86	142	5.2	3.7	6.9
1986	194	64	130	4.6	2.9	6.6
1987	202	84	118	4.9	3.9	6.0
1988	198	71	127	4.7	3.3	6.2
1989	189	58	131	4.4	2.6	6.2
1990	196	78	118	4.5	3.5	5.5
1991	190	68	122	4.4	3.1	5.7
1992	188	73	115	4.4	3.4	5.5
1993	184	67	117	4.4	3.2	5.6
1994	186	65	121	4.4	3.0	5.9
1995	181	61	120	4.4	2.8	6.1
1996	157	66	91	3.8	3.1	4.6
1997	171	60	111	4.1	2.7	5.7
1998	171	70	101	4.0	3.0	5.0
1999	168	61	107	3.9	2.7	5.3
2000	179	66	113	4.1	2.8	5.5
2001	166	61	105	3.9	2.7	5.4
2002	147	55	92	3.5	2.4	4.9
2003	207	80	127	4.9	3.5	6.6
2004	161	62	99	3.8	2.6	5.1
2005	198	83	115	4.7	3.6	6.0
2006	183	66	117	4.0	2.7	5.4
2007	197	70	127	4.2	2.8	5.9
2008	190	84	106	4.2	3.5	5.1
2009	164	62	102	3.8	2.7	5.1
2010	166	67	99	4.2	3.1	5.4

* DEATHS OF INFANTS 28 DAYS OF AGE OR OLDER, BUT FIGURES FOR 1924-1948 ONLY INCLUDE DEATHS OF INFANTS ONE MONTH OF AGE OR OLDER.

** DEATHS PER 1,000 LIVE BIRTHS.

TABLE 26
MARRIAGES AND DIVORCES, BY YEAR AND RACE, OCCURRENCE DATA,
MISSISSIPPI, 1926-2010

YEAR	MARRIAGES			DIVORCES		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
1926*	28,712			2,766		
1927*	29,048**	11,402	17,383	2,895		
1928	30,231**	11,662	18,257	3,009	1,435	1,574
1929	31,495**	12,864	18,388	3,172	1,598	1,574
1930	25,728**	10,815	14,751	2,743	1,487	1,256
1931	21,589**	9,952	11,629	2,015	1,308	707
1932	22,688**	10,147	12,453	1,918	1,308	610
1933	27,567**	12,201	15,300	1,955	1,396	559
1934	30,149**	13,497	16,541	2,446	1,704	742
1935	28,722**	12,955	15,635	2,425	1,681	744
1936	32,480**	14,120	18,196	2,520	1,690	830
1937	32,055**	14,802	17,246	2,977	1,984	993
1938	31,495	14,224	17,271	2,916	2,069	847
1939	31,956	15,370	16,586	3,034	2,166	868
1940	34,088	16,834	17,254	3,251	2,295	956
1941	42,142	21,611	20,531	3,831	2,444	1,387
1942	49,565	27,227	22,338	4,326	2,606	1,720
1943	46,030	23,445	22,585	5,851	3,062	2,789
1944	41,559	21,173	20,386	6,742	3,425	3,317
1945	44,871	24,738	20,133	6,727	3,919	2,808
1946	64,204	37,099	27,105	9,495	5,867	3,628
1947	53,584	30,514	23,070	7,004	4,323	2,681
1948	53,645	31,504	22,141	6,697	3,864	2,833
1949	52,765	32,191	20,574	6,285	3,621	2,664
1950	56,738	37,871	18,867	6,065	3,711	2,354
1951	57,321	37,857	19,464	5,464	3,601	1,863
1952	58,116	39,162	18,954	5,419	3,607	1,812
1953	61,751	42,961	18,790	5,204	3,515	1,689
1954	61,381	43,268	18,113	5,001	3,424	1,577
1955	66,423	47,618	18,805	4,845	3,372	1,473
1956	66,223	48,140	18,083	5,027	3,452	1,575
1957	62,495	46,868	15,627	4,974	3,350	1,624
1958	36,402	26,998	9,404	5,016	3,485	1,531
1959	20,447	13,547	6,900	5,108	3,557	1,551
1960	21,233	14,029	7,204	5,260	3,553	1,707
1961	21,610	14,438	7,172	5,213	3,545	1,668
1962	22,007	14,432	7,575	5,467	3,827	1,640
1963	22,140	14,508	7,632	5,452	3,930	1,522
1964	22,784	15,159	7,625	5,631	4,077	1,554
1965	23,343	15,613	7,730	5,730	4,220	1,510
1966	23,476	15,860	7,616	6,306	4,650	1,656
1967	23,535	15,752	7,783	6,455	4,704	1,751
1968	25,355	17,142	8,213	7,020	5,202	1,818
1969	25,956	17,582	8,374	7,506	5,616	1,890

TABLE 26 - PAGE 2
MARRIAGES AND DIVORCES - MISSISSIPPI - 1926-2010

YEAR	MARRIAGES			DIVORCES		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
1970	26,328	17,883	8,445	8,211	6,227	1,984
1971	27,597	18,668	8,929	8,936	6,705	2,231
1972	28,703	19,178	9,525	10,097	7,510	2,587
1973	28,513	19,276	9,237	10,787	8,138	2,649
1974	27,613	19,236	8,377	11,866	9,203	2,663
1975	26,279	18,602	7,677	12,303	9,570	2,733
1976	26,772	18,969	7,803	12,243	9,399	2,844
1977	26,843	19,200	7,643	12,759	9,921	2,838
1978	27,280	19,762	7,518	13,313	10,339	2,974
1979	27,279	19,843	7,436	13,628	10,402	3,226
1980	27,908	20,620	7,288	13,846	10,760	3,086
1981	28,002	20,877	7,125	14,182**	10,403	2,795
1982	27,584	20,547	7,037	12,861**	10,239	2,570
1983	26,921	19,950	6,971	13,436**	10,709	2,674
1984	26,025	19,255	6,770	12,911**	10,205	2,664
1985	24,750	18,241	6,509	12,535**	9,766	2,662
1986	24,283	17,729	6,554	12,871**	10,155	2,630
1987	23,729	17,286	6,443	12,142**	9,542	2,420
1988	24,919	18,335	6,584	12,097**	9,454	2,473
1989	24,240	17,735	6,505	12,945**	9,823	2,755
1990	24,348	17,766	6,582	12,735**	9,498	2,804
1991	23,446	17,235	6,211	13,027**	9,926	2,689
1992	22,995	16,776	6,219	12,758**	9,785	2,667
1993	23,271	17,066	6,205	13,860**	10,513	2,940
1994	22,872	16,479	6,393	13,302**	10,110	2,890
1995	22,150	15,714	6,436	13,182**	10,073	2,850
1996	21,550	15,219	6,331	14,263**	10,658	3,180
1997	21,338	14,630	6,708	13,860**	10,376	3,101
1998	20,911	14,222	6,689	13,748**	10,310	3,004
1999	21,828	14,436	7,392	14,056**	10,625	3,221
2000	19,879	13,232	6,647	14,177**	10,666	3,312
2001	18,605	12,483	6,122	14,198**	10,683	3,370
2002	18,447	12,451	5,996	14,196**	10,548	3,466
2003	17,827	12,081	5,746	13,330**	9,737	3,325
2004	17,705	12,055	5,650	13,003**	8,876	3,123
2005	16,862	11,318	5,544	12,798**	8,305	3,053
2006	16,550	11,071	5,479	13,891**	8,858	3,138
2007	15,827	11,093	4,734	13,060**	8,362	2,961
2008	15,057	10,549	4,508	12,597**	8,388	3,084
2009	14,110	9,894	4,216	12,223**	7,206	2,698
2010	14,575	9,964	4,611	12,703**	7,462	2,770

* TOTAL NUMBER OF MARRIAGES FOR 1926 AND TOTAL NUMBER OF DIVORCES FOR 1926 AND 1927 FURNISHED BY U.S. BUREAU OF CENSUS; DISTRIBUTION BY RACE NOT AVAILABLE.

** INCLUDES SOME RECORDS ON WHICH THE RACE OF THE COUPLE WAS NOT STATED.

NOTE: DUE TO INCONSISTENT REPORTING BY COUNTIES, STATISTICS ON MARRIAGES AND DIVORCES MAY BE INCOMPLETE.

TABLE 27
REPORTED INDUCED TERMINATIONS OF PREGNANCY
AND INDUCED TERMINATION RATIOS, BY YEAR AND RACE,
PROCEDURES PERFORMED IN MISSISSIPPI, 1976-2010

YEAR	NUMBER				RATIO*		
	TOTAL	WHITE	NON- WHITE	UNK. RACE	TOTAL	WHITE	NON- WHITE
1976	1,510	976	515	19	35.1	43.2	25.3
1977	2,446	1,531	907	8	53.7	65.5	40.9
1978	3,280	1,998	1,270	12	73.9	88.3	58.4
1979	4,411	2,765	1,636	10	96.1	117.7	72.9
1980	5,543	3,283	2,250	10	115.9	133.0	97.2
1981	5,561	3,236	2,263	62	120.3	136.1	100.8
1982	5,145	2,954	2,174	17	112.0	122.9	99.3
1983	4,560	2,473	2,084	3	103.6	109.1	97.7
1984	4,585	2,633	1,945	7	104.8	116.1	92.3
1985	5,288	2,922	2,359	7	121.8	127.4	115.1
1986	4,521	2,505	2,013	3	108.0	113.6	101.6
1987	5,469	2,950	2,517	2	132.5	136.7	127.7
1988	5,170	2,561	2,588	21	123.0	118.1	127.1
1989	5,490	2,674	2,802	14	127.6	121.2	133.7
1990	6,842	3,334	3,485	23	157.1	149.6	163.9
1991	8,184	3,910	4,244	30	189.5	178.5	199.5
1992	7,555	3,425	4,127	3	177.0	157.8	196.7
1993	6,002	2,425	3,551	26	142.4	114.1	170.0
1994	3,979	1,414	2,558	7	94.9	65.6	125.4
1995	3,563	1,288	2,274	1	86.2	59.7	115.1
1996	4,206	1,340	2,859	7	102.6	62.5	146.4
1997	4,325	1,418	2,906	1	104.1	64.4	149.0
1998	3,955	1,215	2,737	3	92.2	52.9	137.1
1999	3,878	1,060	2,810	8	90.9	46.8	140.3
2000	3,758	1,039	2,711	8	85.3	44.1	132.0
2001	3,566	960	2,598	8	84.3	42.1	133.4
2002	3,605	970	2,633	2	85.3	42.5	135.2
2003	3,753	957	2,769	27	88.7	41.4	144.2
2004	3,493	837	2,655	1	81.6	35.6	137.7
2005	3,041	672	2,356	13	71.8	29.2	122.0
2006	2,949	665	2,278	6	64.0	27.5	104.2
2007	2,932	632	2,289	11	63.1	25.5	105.6
2008	2,772	654	2,116	2	61.7	27.0	102.3
2009	2,438	529	1,906	3	57.0	23.2	95.5
2010	2,297	451	1,845	1	57.4	20.8	100.9

* INDUCED TERMINATIONS OF PREGNANCY PER 1,000 LIVE BIRTHS.

**TABLE 28
TEENAGE PREGNANCIES AND PREGNANCY RATES,
BY YEAR AND RACE, RESIDENCE DATA,
MISSISSIPPI, 1979-2010**

YEAR	NUMBER			RATE*		
	TOTAL**	WHITE	NON-WHITE	TOTAL**	WHITE	NON-WHITE
1979	13,347	5,401	7,895	55.9	40.4	75.2
1980	13,544	5,712	7,808	56.8	42.7	74.4
1981	12,804	5,399	7,365	53.7	40.4	70.2
1982	12,217	5,125	7,080	51.2	38.4	67.4
1983	11,435	4,708	6,727	52.6	38.1	71.4
1984	11,091	4,382	6,709	51.0	35.5	71.3
1985	10,998	4,455	6,543	50.5	36.1	69.5
1986	10,231	4,077	6,154	47.0	33.0	65.4
1987	10,244	4,057	6,187	47.6	33.2	66.4
1988	10,565	4,174	6,391	49.3	34.3	69.0
1989#	11,267	4,403	6,855	52.9	36.4	74.4
1990#	11,379	4,457	6,916	53.1	39.0	69.3
1991#	11,545	4,485	7,056	53.9	39.2	70.7
1992#	11,089	4,119	6,969	51.8	36.0	69.8
1993#	10,962	3,911	7,046	51.2	34.2	70.6
1994#	10,802	3,889	6,911	50.4	34.0	69.3
1995#	10,778	3,984	6,789	49.9	34.5	67.5
1996#	10,401	3,787	6,612	48.1	32.8	65.7
1997#	9,989	3,681	6,305	46.2	31.9	62.7
1998#	9,891	3,748	6,143	45.9	32.8	60.5
1999#	9,675	3,646	6,027	45.2	32.1	59.8
2000#	9,508	3,618	5,889	42.9	31.1	55.9
2001#	8,624	3,309	5,314	38.9	28.4	50.4
2002#	8,192	3,266	4,925	38.2	29.1	48.3
2003#	7,743	3,070	4,666	36.3	27.6	45.8
2004#	7,673	3,131	4,538	36.4	28.3	45.3
2005#	7,405	2,900	4,502	35.5	26.6	45.3
2006#	8,701	3,382	5,312	41.0	30.7	52.0
2007#	9,060	3,606	5,443	43.0	32.9	53.8
2008#	8,528	3,449	5,069	40.6	31.4	50.4
2009#	8,112	3,215	4,894	39.0	29.6	49.1
2010#	7,095	2,820	4,270	33.4	26.1	41.0

* NUMBER OF LIVE BIRTHS PLUS REPORTABLE SPONTANEOUS FETAL DEATHS PLUS INDUCED TERMINATIONS PER 1,000 FEMALES AGES 10-19 IN SPECIFIED RACE GROUP.

** TOTAL FIGURES INCLUDE SOME FOR WHICH THE RACE WAS UNKNOWN.

FIGURES SHOWN ARE BY RACE OF MOTHER; FIGURES FOR YEARS PRIOR TO 1989 ARE BY RACE OF CHILD.

APPENDICES

**APPENDIX A.
LIST OF 358 SELECTED CAUSES OF DEATH USED FOR TABULATING MORTALITY STATISTICS,
SHOWING GROUP NUMBER, CAUSE OF DEATH, AND ICD-10 CODES INCLUDED**

This list of causes of death for the tabulation and dissemination of mortality data was prepared by the National Center for Health Statistics based on the Tenth Revision of the International Classification of Diseases (ICD-10) and recommendations by the World Health Organization (WHO).

The purpose of this list of 358 selected causes is threefold: (1) to separately identify causes of death specified by the WHO in its recommended mortality tabulation lists, (2) to the greatest extent possible, to maintain continuity with past lists (ie, NCHS's List of 282 Selected Causes of Death used with ICD-9) for historic continuity and to facilitate trend analysis, and (3) to separately identify causes of death that are of public health and medical importance.

Group	Cause of Death	ICD-10 Codes Included
001	Cholera	A00
002	Typhoid fever	A01.0
003	Paratyphoid fevers and other salmonella infections	A01.1-A01.4, A02
004	Shigellosis	A03
005	Other bacterial food-borne intoxications	A05
006	Amebiasis	A06
007	Intestinal infections due to other specified organisms	A04, A07-A08
008	Diarrhea and gastroenteritis of presumed infectious origin	A09
009	Respiratory tuberculosis	A16
010	Other tuberculosis	A17-A19
011	Plague	A20
012	Brucellosis	A23
013	Tetanus	A33-A35
014	Diphtheria	A36
015	Whooping cough	A37
016	Scarlet fever and erysipelas	A38, A46
017	Meningococcal infection	A39
018	Septicemia	A40-A41
019	Other zoonotic and bacterial diseases	A21-A22, A24-A32, A42-A44, A48-A49
020	Cardiovascular syphilis	A52.0
021	Neurosyphilis	A52.1-A52.3
022	Other and unspecified syphilis	A50-A51, A52.7-A52.9, A53

Group	Cause of Death	ICD-10 Codes Included
023	Gonococcal infection	A54
024	Other infections with a predominately sexual mode of transmission	A55-A64
025	Lyme disease	A69.2
026	Typhus fever	A75
027	All other infections caused by spirochetes, chlamydia or rickettsia	A65-A68, A69.0-A69.1, A69.8-A69.9, A70-A74, A77-A79
028	Acute poliomyelitis	A80
029	Rabies	A82
030	Arthropod-borne viral encephalitis	A83-A84, A85.2
031	Yellow fever	A95
032	Other and unspecified arthropod-borne viral and hemorrhagic fevers	A90-A94, A96-A99
033	Herpesviral (herpes simplex) infections	B00
034	Zoster (herpes zoster)	B02
035	Smallpox	B03
036	Measles	B05
037	Rubella (German measles)	B06
038	Viral hepatitis	B15-B19
039	Human immunodeficiency virus (HIV) disease resulting in infectious and parasitic diseases	B20
040	Human immunodeficiency virus (HIV) disease resulting in malignant neoplasms	B21
041	Human immunodeficiency virus (HIV) disease resulting in other specified diseases	B22
042	Human immunodeficiency virus (HIV) disease resulting in other conditions	B23
043	Unspecified human immunodeficiency virus (HIV) disease	B24
044	All other and unspecified viral diseases	A85.0-A85.1, A85.8, A86-A89, B01, B04, B07-B09, B25-B34
045	Mycoses	B35-B49
046	Malaria	B50-B54
047	Leishmaniasis	B55
048	Trypanosomiasis	B56-B57
049	Pneumocystosis	B59

Group	Cause of Death	ICD-10 Codes Included
050	Other and unspecified protozoal diseases	B58, B60-B64
051	Schistosomiasis (bilharziasis)	B65
052	Other and unspecified helminthiases	B66-B83
053	Sequelae of tuberculosis	B90
054	Sequelae of poliomyelitis	B91
055	All other and unspecified infectious and parasitic diseases and their sequela	B85-B89, B92-B99
056	Malignant neoplasms of lip	C00
057	Malignant neoplasms of tongue	C01-C02
058	Malignant neoplasms of pharynx	C10-C13, C14.0
059	Malignant neoplasms of other and unspecified sites within the lip, oral cavity and pharynx	C03-C09, C14.2-C14.8
060	Malignant neoplasms of esophagus	C15
061	Malignant neoplasms of stomach	C16
062	Malignant neoplasms of small intestine	C17
063	Malignant neoplasms of colon	C18
064	Malignant neoplasms of rectosigmoid junction and rectum	C19-C20
065	Malignant neoplasms of anus and anal canal	C21
066	Malignant neoplasms of liver	C22.0, C22.2-C22.9
067	Intrahepatic bile duct carcinoma	C22.1
068	Malignant neoplasms of gallbladder and extrahepatic bile ducts	C23-C24
069	Malignant neoplasms of pancreas	C25
070	Malignant neoplasms of other and ill-defined digestive organs	C26
071	Malignant neoplasms of nasal cavity, middle ear and accessory sinuses	C30-C31
072	Malignant neoplasms of larynx	C32
073	Malignant neoplasms of trachea, bronchus and lung	C33-C34
074	Malignant neoplasms of thymus, heart, mediastinum and pleura	C37-C38
075	Malignant neoplasms of other and ill-defined sites in respiratory system and intrathoracic organs	C39
076	Malignant neoplasms of bone and articular cartilage	C40-C41

Group	Cause of Death	ICD-10 Codes Included
077	Malignant melanoma of skin	C43
078	Other malignant neoplasms of skin	C44
079	Mesothelioma	C45
080	Kaposi's sarcoma	C46
081	Malignant neoplasms of other mesothelial and soft tissue	C47-C49
082	Malignant neoplasm of breast	C50
083	Malignant neoplasms of vulva and vagina	C51-C52
084	Malignant neoplasms of cervix uteri	C53
085	Malignant neoplasms of corpus uteri and uterus, part unspecified	C54-C55
086	Malignant neoplasms of ovary	C56
087	Malignant neoplasms of other and unspecified female genital organs	C57
088	Malignant neoplasms of placenta	C58
089	Malignant neoplasms of prostate	C61
090	Malignant neoplasms of testis	C62
091	Malignant neoplasms of penis and other and unspecified male genital organs	C60, C63
092	Malignant neoplasms of kidney and renal pelvis	C64-C65
093	Malignant neoplasms of bladder	C67
094	Malignant neoplasms of other and unspecified sites within the urinary tract	C66, C68
095	Malignant neoplasm of eye and adnexa	C69
096	Malignant neoplasms of brain	C71
097	Malignant neoplasms of other parts of central nervous system	C70, C72
098	Malignant neoplasms of thyroid and other endocrine glands	C73-C75
099	Other malignant neoplasms of other and unspecified sites	C76-C80, C97
100	Hodgkin's disease	C81
101	Non-Hodgkin's lymphoma	C82-C85
102	Malignant neoplasms of other and unspecified lymphoid, hematopoietic and related tissue	C96
103	Malignant immunoproliferative diseases	C88
104	Multiple myeloma and malignant plasma cell neoplasms	C90

Group	Cause of Death	ICD-10 Codes Included
105	Lymphoid leukemia	C91
106	Myeloid leukemia	C92
107	Monocytic leukemia	C93
108	Other and unspecified leukemia	C94-C95
109	Carcinoma in situ of breast and genitourinary system	D05-D07
110	Carcinoma in situ of other and unspecified sites	D00-D04, D09
111	Benign neoplasms of female genital organs	D25-D28
112	Benign neoplasms of eye, brain and other parts of central nervous system	D31-D33
113	Benign neoplasms of other and unspecified sites	D10-D24, D29-D30, D34-D36
114	Neoplasms of uncertain or unknown behavior of specified sites	D37-D47
115	Neoplasm of uncertain or unknown behavior of unspecified sites	D48
116	Nutritional anemias	D50-D53
117	Hemolytic anemias	D55-D59
118	Aplastic anemias	D60-D61
119	Acute posthemorrhagic and other anemias	D62, D64
120	Coagulation defects, purpura and other hemorrhagic conditions	D65-D69
121	Other diseases of blood and blood-forming organs	D70-D76
122	Certain disorders involving the immune mechanism	D80-D89
123	Disorders of thyroid gland	E00-E07
124	Diabetes mellitus	E10-E14
125	Disorders of pituitary gland	E22-E23
126	Disorders of adrenal glands	E24-E27
127	Diseases of thymus	E32
128	Other endocrine diseases	E15-E21, E28-E31, E34
129	Nutritional marasmus	E41
130	Other and unspecified malnutrition	E40, E42-E46
131	Other nutritional deficiencies	E50-E64
132	Obesity and other hyperalimentation	E65-E68
133	Cystic fibrosis	E84

Group	Cause of Death	ICD-10 Codes Included
134	Volume depletion, disorders of fluid, electrolyte and acid-base balance	E86-E87
135	Other metabolic disorders	E70-E83, E85, E88
136	Organic dementia	F01, F03
137	Other and unspecified organic mental disorders	F04-F09
138	Mental and behavioral disorders due to use of alcohol	F10
139	Mental and behavioral disorders due to other psychoactive substance use	F11-F19
140	Schizophrenia, schizotypal and delusional disorders	F20-F29
141	Mood (affective) disorders	F30-F39
142	Neurotic, stress-related and somatoform disorders	F40-F48
143	Mental retardation	F70-F79
144	Other and unspecified mental and behavioral disorders	F50-F69, F80-F99
145	Meningitis	G00, G03
146	Other inflammatory diseases of central nervous system	G04-G09
147	Parkinson's disease	G20-G21
148	Alzheimer's disease	G30
149	Multiple sclerosis	G35
150	Epilepsy	G40-G41
151	Transient cerebral ischemic attacks and related syndromes	G45
152	Infantile cerebral palsy	G80
153	All other diseases of nervous system	G10-G12, G23-G25, G31, G36-G37, G43-G44, G47-G72, G81-G98
154	Diseases of the eye and adnexa	H00-H57
155	Diseases of the ear and mastoid process	H60-H93
156	Acute rheumatic fever	I00-I02
157	Rheumatic mitral valve diseases	I05
158	Rheumatic aortic valve diseases	I06
159	Disorders of both mitral and aortic valves	I08.0
160	Other chronic rheumatic heart diseases	I07, I08.1-I08.9, I09
161	Essential (primary) hypertension	I10

Group	Cause of Death	ICD-10 Codes Included
162	Hypertensive heart disease	I11
163	Hypertensive renal disease	I12
164	Hypertensive heart and renal disease	I13
165	Acute myocardial infarction	I21-I22
166	Other acute ischemic heart diseases	I24
167	Atherosclerotic cardiovascular disease, so described	I25.0
168	All other forms of chronic ischemic heart disease	I20, I25.1-I25.9
169	Pulmonary embolism	I26
170	Other pulmonary heart disease and diseases of pulmonary circulation	I27-I28
171	Acute and subacute endocarditis	I33
172	Diseases of pericardium and acute myocarditis	I30-I31, I40
173	Nonrheumatic mitral valve disorders	I34
174	Nonrheumatic aortic valve disorders	I35
175	All other diseases of endocardium	I36-I38
176	Cardiomyopathy	I42
177	Conduction disorders and cardiac dysrhythmias	I44-I49
178	Congestive heart failure	I50.0
179	Other and unspecified heart failure	I50.1-I50.9
180	Myocarditis, unspecified and myocardial degeneration	I51.4-I51.5
181	All other and ill-defined forms of heart disease	I51.0-I51.3, I51.6-I51.9
182	Subarachnoid hemorrhage	I60
183	Intracerebral and other intracranial hemorrhage	I61-I62
184	Cerebral infarction	I63
185	Stroke, not specified as hemorrhage or infarction	I64
186	Other cerebrovascular diseases and their sequelae	I67, I69
187	Atherosclerosis	I70
188	Aortic aneurysm and dissection	I71
189	Other diseases of arteries, arterioles and capillaries	I72-I78

Group	Cause of Death	ICD-10 Codes Included
190	Phlebitis, thrombophlebitis, venous embolism and thrombosis	I80-I82
191	All other and unspecified disorders of circulatory system	I83-I99
192	Acute pharyngitis and tonsillitis	J02-J03
193	Acute laryngitis and tracheitis	J04
194	Other and unspecified acute upper respiratory infections	J00-J01, J05-J06
195	Influenza	J09-J11
196	Viral pneumonia, not elsewhere classified	J12
197	Bacterial pneumonia	J13-J15
198	Pneumonia due to other or unspecified organisms	J16, J18
199	Acute bronchitis and bronchiolitis	J20-J21
200	Unspecified acute lower respiratory infection	J22
201	Other diseases of upper respiratory tract	J30-J39
202	Bronchitis, not specified as acute or chronic	J40
203	Chronic bronchitis	J41-J42
204	Emphysema	J43
205	Other chronic obstructive pulmonary disease	J44
206	Asthma	J45-J46
207	Bronchiectasis	J47
208	Pneumoconioses and chemical effects	J60-J66, J68
209	Pneumonitis due to food and vomit	J69.0
210	Other pneumonitis due to solids and liquids	J69.1-J69.8
211	Other lung diseases due to external agents	J67, J70
212	Suppurative and necrotic conditions of lower respiratory tract	J85-J86
213	Pleural effusion and plaque	J90, J92
214	All other diseases of respiratory system	J80-J84, J93-J98
215	Diseases of oral cavity, salivary glands and jaws	K00-K14
216	Diseases of esophagus	K20-K22
217	Gastric ulcer	K25
218	Duodenal ulcer	K26
219	Peptic ulcer, site unspecified	K27

Group	Cause of Death	ICD-10 Codes Included
220	Gastrojejunal ulcer	K28
221	Gastritis and duodenitis	K29
222	Dyspepsia and other diseases of stomach and duodenum	K30-K31
223	Diseases of appendix	K35-K38
224	Hernia	K40-K46
225	Crohn's disease and ulcerative colitis	K50-K51
226	Vascular disorders and obstruction of intestine without hernia	K55-K56
227	Diverticular disease of intestine	K57
228	Other diseases of intestines and peritoneum	K52, K58-K63
229	Diseases of peritoneum	K65-K66
230	Alcoholic liver disease	K70
231	Chronic hepatitis, not elsewhere classified	K73
232	Fibrosis and cirrhosis of liver	K74
233	Other diseases of liver	K71-K72, K75-K76
234	Cholelithiasis and other disorders of gallbladder	K80-K82
235	Pancreatitis	K85, K86.0-K86.1
236	Other disorders of biliary tract and pancreas	K83, K86.2-K86.9
237	All other diseases of digestive system	K90, K92
238	Infections of skin and subcutaneous tissue	L00-L08
239	Other and unspecified diseases of skin and subcutaneous tissue	L10-L98
240	Rheumatoid arthritis and related inflammatory polyarthropathies	M05-M08
241	Systemic lupus erythematosus	M32
242	Other arthropathies and related disorders	M00, M02, M10-M31, M33-M35
243	Dorsopathies	M40-M54
244	Soft tissue disorders	M60-M79
245	Osteoporosis	M80-M81
246	Other osteopathies, chondropathies and disorders of musculoskeletal system and connective tissue	M83-M99
247	Acute and rapidly progressive nephritic syndrome	N00-N01
248	Nephrotic syndrome	N04

Group	Cause of Death	ICD-10 Codes Included
249	Other and unspecified glomerular diseases	N02-N03, N05-N07
250	Renal tubulo-interstitial diseases	N10-N15
251	Renal failure	N17-N19
252	Urolithiasis	N20-N23
253	Other and unspecified disorders of kidney	N25-N27
254	Urinary tract infection, site not specified	N39.0
255	Other diseases of urinary system	N28-N36, N39.1-N39.9
256	Hyperplasia of prostate	N40
257	Other diseases of male genital organs	N41-N50
258	Disorders of breast	N60-N64
259	Inflammatory diseases of female pelvic organs	N70-N76
260	Noninflammatory disorders of female genital tract	N80-N98
261	Ectopic pregnancy	000
262	Spontaneous abortion	003
263	Medical abortion	004
264	Other abortion	005
265	Other and unspecified pregnancy with abortive outcome	001-002, 006-007
266	Eclampsia and pre-eclampsia	011, 013-016
267	Hemorrhage of pregnancy and childbirth and placenta previa	020, 044-046, 067, 072
268	Obstetric embolism	088
269	Other complications predominately related to the puerperium	085-087, 089-092
270	All other direct obstetric causes	010, 012, 021-043, 047-066, 068-071, 073-075
271	Obstetric death of unspecified cause	095
272	Other deaths related to pregnancy, childbirth and the puerperium	096-097
273	Indirect obstetric deaths	098-099
274	Newborn affected by maternal factors and by complications of pregnancy, labor and delivery	P00-P04
275	Disorders related to short gestation and low birth weight, not elsewhere classified	P07
276	Birth trauma	P10-P15
277	Intrauterine hypoxia and birth asphyxia	P20-P21

Group	Cause of Death	ICD-10 Codes Included
278	Respiratory distress of newborn	P22
279	Other respiratory conditions originating in the perinatal period	P23-P28
280	Infections specific to the perinatal period	P35-P39
281	Other and unspecified conditions originating in the perinatal period	P05, P08, P29, P50-P96
282	Anencephaly and similar malformations	Q00
283	Spina bifida	Q05
284	All other congenital malformations of nervous system	Q01-Q04, Q06-Q07
285	Congenital malformations of heart	Q20-Q24
286	Other congenital malformations of circulatory system	Q25-Q28
287	Congenital malformations of respiratory system	Q30-Q34
288	Other congenital malformations and deformations	Q10-Q18, Q35-Q89
289	Down's syndrome	Q90
290	All other chromosomal abnormalities, not elsewhere classified	Q91-Q99
291	Senility	R54
292	Sudden infant death syndrome	R95
293	Other ill-defined and unknown causes of mortality	R96-R99
294	All other symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified	R00-R53, R55-R94
295	Railway accidents	V05, V15, V80.6, V81.2-V81.9
296	Pedestrian involved in collision with motor vehicle	V02-V04
297	Pedal cyclist involved in collision with motor vehicle	V12-V14, V19.0-V19.2, V19.4-V19.6
298	Motorcyclist involved in any accident except collision with railway train	V20-V24, V26-V34, V36-V39
299	Motorcyclist involved in collision with railway train	V25, V35
300	Other motor vehicle accident involving collision with railway train	V45, V55, V65, V75, V81.0-V81.1, V87.6, V88.6
301	Occupant of motor vehicle involved in collision with other (non-motorized) road vehicle, streetcar, animal or pedestrian	V40-V41, V46-V47, V50-V51, V56-V57, V60-V61, V66-V67, V70-V71, V76-V77

Group	Cause of Death	ICD-10 Codes Included
302	Occupant of car, pickup truck or van involved in collision with other motor vehicle	V42-V44, V49, V52-V54, V59
303	Occupant of heavy transport vehicle or bus involved in collision with other motor vehicle	V62-V64, V69, V72-V74, V79
304	Occupant of motor vehicle involved in noncollision accident	V48, V58, V68, V78
305	Occupant of special-use motor vehicle involved in any accident	V83-V86
306	Other and unspecified motor vehicle accidents	V09.0, V09.2, V80.3-V80.5, V82.0-V82.1, V87.0-V87.5, V87.7-V87.8, V88.0-V88.5, V88.7-V88.8, V89.0, V89.2
307	Streetcar accidents	V82.2-V82.9
308	Other and unspecified land transport accidents	V01, V06, V09.1, V09.3, V09.9, V10-V11, V16-V18, V19.3, V19.8-V19.9, V80.0-V80.2, V80.7-V80.9, V87.9, V88.9, V89.1, V89.3, V89.9
309	Water transport accidents	V90-V94
310	Air and space transport accidents	V95-V97
311	Other and unspecified transport accidents and their sequelae	V98-V99, Y85
312	Fall on same level	W00-W09, W18
313	Fall from one level to another	W10-W17
314	Unspecified fall	W19
315	Accidental discharge of firearms	W32-W34
316	Accidental explosion	W39-W40
317	Accidental drowning and submersion	W65-W74
318	Accidental inhalation and ingestion of food or other objects causing obstruction of respiratory tract	W78-W80
319	Other accidental and unspecified threats to breathing	W75-W77, W81-W84
320	Accidental exposure to electric current	W85-W87
321	Accidental exposure to radiation	W88-W91
322	Accidental exposure to smoke, fire and flames	X00-X09
323	Accidental contact with heat and hot substances	X10-X19
324	Lightning	X33

Group	Cause of Death	ICD-10 Codes Included
325	Earthquake, volcanic eruption, avalanche, landslide and other earth movements	X34-X36
326	Cataclysmic storm and flood	X37-X38
327	Accidental poisoning by and exposure to drugs and other biological substances	X40-X44
328	Accidental poisoning by and exposure to other and unspecified solid or liquid substances	X45-X46, X48-X49
329	Accidental poisoning by and exposure to other gases and vapors	X47
330	All other and unspecified accidents and their sequelae	W20-W31, W35-W38, W41-W64, W92-W99, X20-X32, X39, X50-X59, Y86
331	Intentional self-poisoning (suicide) by and exposure to drugs and other biological substances	X60-X64
332	Intentional self-poisoning (suicide) by and exposure to other and unspecified solid or liquid substances and their vapors	X65-X66, X68-X69
333	Intentional self-poisoning (suicide) by and exposure to other gases and vapors	X67
334	Intentional self-harm (suicide) by hanging, strangulation and suffocation	X70
335	Intentional self-harm (suicide) by discharge of firearms	X72-X74
336	Intentional self-harm (suicide) by jumping from a high place	X80
337	Intentional self-harm (suicide) by all other and unspecified means and their sequelae	X71, X75-X79, X81-X84, Y87.0
338	Assault (homicide) by drugs, biological substances and other and unspecified noxious substances	X85-X90
339	Assault (homicide) by hanging, strangulation and suffocation	X91
340	Assault (homicide) by discharge of firearms	X93-X95
341	Assault (homicide) by sharp object	X99
342	Assault (homicide) by blunt object	Y00
343	Assault (homicide) by bodily force	Y04
344	Sexual assault (homicide) by bodily force	Y05
345	Neglect, abandonment and other maltreatment syndromes	Y06-Y07
346	Assault (homicide) by all other and unspecified means and their sequelae	X92, X96-X98, Y01-Y03, Y08-Y09, Y87.1

Group	Cause of Death	ICD-10 Codes Included
347	Poisoning by and exposure to drugs and biological substances, undetermined intent	Y10-Y14
348	Poisoning by and exposure to other and unspecified solid or liquid substance, undetermined intent	Y15-Y16, Y18-Y19
349	Poisoning by and exposure to other gases and vapors, undetermined intent	Y17
350	Discharge of firearms, undetermined intent	Y22-Y24
351	Falling, jumping or pushed from a high place, undetermined intent	Y30
352	All other and unspecified events of undetermined intent and their sequelae	Y20-Y21, Y25-Y29, Y31-Y34, Y87.2, Y89.9
353	Legal execution	Y35.5
354	Other legal intervention and their sequelae	Y35.0-Y35.4, Y35.6-Y35.7, Y89.0
355	Operations of war and their sequelae	Y36, Y89.1
356	Drugs, medicaments and biological substances causing adverse effects in therapeutic use, and their sequelae	Y40-Y59, Y88.0
357	Misadventures to patients during medical and surgical care and their sequelae	Y60-Y69, Y88.1
358	Other complications of medical and surgical care and their sequelae	Y70-Y84, Y88.2-Y88.3

**APPENDIX B.
LIST OF 50 SELECTED CATEGORIES OF CAUSES OF DEATH
USED FOR RANKING LEADING CAUSES,
SHOWING GROUP NUMBERS, CAUSES OF DEATH,
AND ICD-10 CODES INCLUDED IN EACH CATEGORY**

These cause-of-death categories were adapted from the National Center for Health Statistics List of 358 Selected Causes of Death (see Appendix A), and were constructed in part by combining certain titles from that list.

These categories are used for ranking leading causes of death.

Group Numbers Included*	Cause of Death	ICD-10 Codes Included
002, 003	Salmonella infections	A01-A02
004, 006	Shigellosis and amebiasis	A03, A06
009, 010	Tuberculosis	A16-A19
015	Whooping cough	A37
016	Scarlet fever and erysipelas	A38, A46
017	Meningococcal infection	A39
018	Septicemia	A40-A41
020-022	Syphilis	A50-A53
028	Acute poliomyelitis	A80
030	Arthropod-borne viral encephalitis	A83-A84, A85.2
036	Measles	B05
038	Viral hepatitis	B15-B19
039-043	Human immunodeficiency virus (HIV) disease	B20-B24
046	Malaria	B50-B54
056-108	Malignant neoplasms	C00-C97
110-115	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior	D00-D48
116-119	Anemias	D50-D64
124	Diabetes mellitus	E10-E14
129-131	Nutritional deficiencies	E40-E64
145	Meningitis	G00, G03
147	Parkinson's disease	G20-G21
148	Alzheimer's disease	G30
156-160, 162, 164-181	Diseases of heart	I00-I09, I11, I13, I20-I51
161, 163	Essential (primary) hypertension and hypertensive renal disease	I10, I12

Group Numbers Included*	Cause of Death	ICD-10 Codes Included
182-186	Cerebrovascular diseases	I60-I69
187	Atherosclerosis	I70
188	Aortic aneurysm and dissection	I71
195-198	Influenza and pneumonia	J09-J18
199	Acute bronchitis and bronchiolitis	J20-J21
202-207	Chronic lower respiratory diseases	J40-J47
208	Pneumoconioses and chemical effects	J60-J66, J68
209, 210	Pneumonitis due to solids and liquids	J69
217-220	Peptic ulcer	K25-K28
223	Diseases of appendix	K35-K38
224	Hernia	K40-K46
230-232	Chronic liver disease and cirrhosis	K70, K73-K74
234	Cholelithiasis and other disorders of gallbladder	K80-K82
247-249, 251, 253	Nephritis, nephrotic syndrome and nephrosis	N00-N07, N17-N19, N25-N27
**	Infections of kidney	N10-N12, N13.6, N15.1
256	Hyperplasia of prostate	N40
259	Inflammatory diseases of female pelvic organs	N70-N76
261-273	Pregnancy, childbirth and the puerperium	000-099
274-281	Certain conditions originating in the perinatal period	P00-P96
282-290	Congenital malformations, deformations and chromosomal abnormalities	Q00-Q99
295-330	Accidents	V01-X59, Y85, Y86
331-337	Intentional self-harm (suicide)	X60-X84, Y87.0
338-346	Assault (homicide)	X85-Y09, Y87.1
353-354	Legal intervention	Y35, Y89.0
335	Operations of war and their sequelae	Y36, Y89.1
356-358	Complications of medical and surgical care	Y40-Y84, Y88

* Refer to Appendix A for the cause(s) of death and ICD-10 codes included in each individual group number.

** The ICD-10 codes included in this category have no corresponding group number.

**APPENDIX C.
LIST OF 130 SELECTED CAUSES OF INFANT DEATH
USED FOR TABULATING INFANT MORTALITY STATISTICS,
SHOWING GROUP NUMBER, CAUSE OF DEATH, AND ICD-10 CODES INCLUDED**

This list of causes of death for the tabulation and dissemination of infant mortality data was prepared by the National Center for Health Statistics based on the Tenth Revision of the International Classification of Diseases (ICD-10) and recommendations by the World Health Organization (WHO).

This list is used for the analysis of infant mortality and for ranking leading causes of infant death, and contains more detailed titles for Certain conditions originating in the perinatal period and Congenital malformations, deformations and chromosomal abnormalities than the List of 358 Selected Causes of Death (see Appendix A). The categories used for ranking leading causes of infant death are marked with a #, and may include one or more group numbers.

Group	Cause of Death	ICD-10 Codes Included
	<u>Certain infectious and parasitic diseases</u>	<u>A00-B99</u>
001	Certain intestinal infectious diseases	A00-A08
002	# Diarrhea and gastroenteritis of presumed infectious origin	A09
003	# Tuberculosis	A16-A19
004	# Tetanus	A33, A35
005	# Diphtheria	A36
006	# Whooping cough	A37
007	# Meningococcal infection	A39
008	# Septicemia	A40-A41
009	# Congenital syphilis	A50
010	# Gonococcal infection	A54
	<u>Viral diseases</u>	<u>A80-B34</u>
011	# Acute poliomyelitis	A80
012	# Varicella (chickenpox)	B01
013	# Measles	B05
014	# Human immunodeficiency virus (HIV) disease	B20-B24
015	# Mumps	B26
016	Other and unspecified viral diseases	A81-B00, B02-B04, B06-B19, B25, B27-B34
017	# Candidiasis	B37
018	# Malaria	B50-B54
019	# Pneumocystosis	B59

Group	Cause of Death	ICD-10 Codes Included
020	Other and unspecified infectious and parasitic diseases and their sequelae	A20-A32, A38, A42-A49, A51-A53, A55-A79, B35-B36, B38-B49, B55-B58, B60-B99
	<u>Neoplasms</u>	<u>C00-D48</u>
	# <u>Malignant neoplasms</u>	<u>C00-C97</u>
021	Hodgkin's disease and non-Hodgkin's lymphomas	C81-C85
022	Leukemia	C91-C95
023	Other and unspecified malignant neoplasms	C00-C80, C88, C90, C96-C97
024	# In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior	D00-D48
	# <u>Diseases of the blood and blood-forming organs and certain disorders involving the immune mechanism</u>	<u>D50-D89</u>
025	Anemias	D50-D64
026	Hemorrhagic conditions and other diseases of blood and blood-forming organs	D65-D76
027	Certain disorders involving the immune mechanism	D80-D89
	<u>Endocrine, nutritional and metabolic diseases</u>	<u>E00-E88</u>
028	# Short stature, not elsewhere classified	E34.3
029	# Nutritional deficiencies	E40-E64
030	# Cystic fibrosis	E84
031	# Volume depletion, disorders of fluid, electrolyte and acid-base balance	E86-E87
032	All other endocrine, nutritional and metabolic diseases	E00-E32, E34.0-E34.2, E34.4-E34.9, E65-E83, E85, E88
	<u>Diseases of the nervous system</u>	<u>G00-G98</u>
033	# Meningitis	G00, G03
034	# Infantile spinal muscular atrophy, type I (Werdnig-Hoffman)	G12.0
035	# Infantile cerebral palsy	G80
036	# Anoxic brain damage, not elsewhere classified	G93.1
037	Other diseases of nervous system	G04, G06-G11, G12.1-G12.9, G20-G72, G81-G92, G93.0, G93.2-G93.9, G95-G98
038	# Diseases of the ear and mastoid process	H60-H93
	# <u>Diseases of the circulatory system</u>	<u>I00-I99</u>

Group	Cause of Death	ICD-10 Codes Included
039	Pulmonary heart disease and diseases of pulmonary circulation	I26-I28
040	Pericarditis, endocarditis and myocarditis	I30, I33, I40
041	Cardiomyopathy	I42
042	Cardiac arrest	I46
043	Cerebrovascular diseases	I60-I69
044	All other diseases of circulatory system	I00-I25, I31, I34-I38, I44-I45, I47-I51, I70-I99
	<u>Diseases of the respiratory system</u>	<u>J00-J98</u>
045	Acute upper respiratory infections	J00-J06
	# <u>Influenza and pneumonia</u>	<u>J09-J18</u>
046	Influenza	J09-J11
047	Pneumonia	J12-J18
048	# Acute bronchitis and acute bronchiolitis	J20-J21
049	# Bronchitis, chronic and unspecified	J40-J42
050	# Asthma	J45-J46
051	# Pneumonitis due to solids and liquids	J69
052	Other and unspecified diseases of respiratory system	J22, J30-J39, J43-J44, J47-J68, J70-J98
	<u>Diseases of the digestive system</u>	<u>K00-K92</u>
053	# Gastritis, duodenitis, and noninfective enteritis and colitis	K29, K50-K55
054	# Hernia of abdominal cavity and intestinal obstruction without hernia	K40-K46, K56
055	All other and unspecified diseases of digestive system	K00-K28, K30-K38, K57-K92
	<u>Diseases of the genitourinary system</u>	<u>N00-N98</u>
056	# Renal failure and other disorders of kidney	N17-N19, N25, N27
057	Other and unspecified diseases of genitourinary system	N00-N15, N20-N23, N26, N28-N98
	<u>Certain conditions originating in the perinatal period</u>	<u>P00-P96</u>
	<u>Newborn affected by maternal factors and by complications of pregnancy, labor and delivery</u>	<u>P00-P04</u>
058	# Newborn affected by maternal hypertensive disorders	P00.0

Group	Cause of Death	ICD-10 Codes Included
059	# Newborn affected by other maternal conditions which may be unrelated to present pregnancy	P00.1-P00.9
	<u># Newborn affected by maternal complications of pregnancy</u>	<u>P01</u>
060	Newborn affected by incompetent cervix	P01.0
061	Newborn affected by premature rupture of membranes	P01.1
062	Newborn affected by multiple pregnancy	P01.5
063	Newborn affected by other maternal complications of pregnancy	P01.2-P01.4, P01.6-P01.9
	<u># Newborn affected by complications of placenta, cord and membranes</u>	<u>P02</u>
064	Newborn affected by complications involving placenta	P02.0-P02.3
065	Newborn affected by complications involving cord	P02.4-P02.6
066	Newborn affected by chorioamnionitis	P02.7
067	Newborn affected by other and unspecified abnormalities of membranes	P02.8-P02.9
068	# Newborn affected by other complications of labor and delivery	P03
069	# Newborn affected by noxious influences transmitted via placenta or breast milk	P04
	<u>Disorders related to length of gestation and fetal malnutrition</u>	<u>P05-P08</u>
070	# Slow fetal growth and fetal malnutrition	P05
	# Disorders related to short gestation and low birth weight, not elsewhere classified	P07
071	Extremely low birth weight or extreme immaturity	P07.0, P07.2
072	Other low birth weight or preterm	P07.1, P07.3
073	# Disorders related to long gestation and high birth weight	P08
074	# Birth trauma	P10-P15
	<u># Intrauterine hypoxia and birth asphyxia</u>	<u>P20-P21</u>
075	Intrauterine hypoxia	P20
076	Birth asphyxia	P21
077	# Respiratory distress of newborn	P22
	<u>Other respiratory conditions originating in the perinatal period</u>	<u>P23-P28</u>

Group	Cause of Death	ICD-10 Codes Included
078	# Congenital pneumonia	P23
079	# Neonatal aspiration syndromes	P24
080	# Interstitial emphysema and related conditions originating in the perinatal period	P25
081	# Pulmonary hemorrhage originating in the perinatal period	P26
082	# Chronic respiratory disease originating in the perinatal period	P27
083	# Atelectasis	P28.0-P28.1
084	All other respiratory conditions originating in the perinatal period	P28.2-P28.9
	<u>Infections specific to the perinatal period</u>	<u>P35-P39</u>
085	# Bacterial sepsis of newborn	P36
086	# Omphalitis of newborn with or without mild hemorrhage	P38
087	All other infections specific to the perinatal period	P35, P37, P39
	<u>Hemorrhagic and hematological disorders of newborn</u>	<u>P50-P61</u>
088	# Neonatal hemorrhage	P50-P52, P54
089	# Hemorrhagic disease of newborn	P53
090	# Hemolytic disease of newborn due to isoimmunization and other perinatal jaundice	P55-P59
091	# Hematological disorders	P60-P61
092	# Syndrome of infant of a diabetic mother and neonatal diabetes mellitus	P70.0-P70.2
093	# Necrotizing enterocolitis of newborn	P77
094	# Hydrops fetalis not due to hemolytic disease	P83.2
095	Other perinatal conditions	P29, P70.3-P70.9, P71-P76, P78-P81, P83.0-P83.1, P83.3-P83.9, P90-P96
	<u># Congenital malformations, deformations and chromosomal abnormalities</u>	<u>Q00-Q99</u>
096	Anencephaly and similar malformations	Q00
097	Congenital hydrocephalus	Q03
098	Spina bifida	Q05
099	Other congenital malformations of nervous system	Q01-Q02, Q04, Q06-Q07
100	Congenital malformations of heart	Q20-Q24

Group	Cause of Death	ICD-10 Codes Included
101	Other congenital malformations of circulatory system	Q25-Q28
102	Congenital malformations of respiratory system	Q30-Q34
103	Congenital malformations of digestive system	Q35-Q45
104	Congenital malformations of genitourinary system	Q50-Q64
105	Congenital malformations and deformations of musculoskeletal system, limbs and integument	Q65-Q85
106	Down's syndrome	Q90
107	Edward's syndrome	Q91.0-Q91.3
108	Patau's syndrome	Q91.4-Q91.7
109	Other congenital malformations and deformations	Q10-Q18, Q86-Q89
110	Other chromosomal abnormalities, not elsewhere classified	Q92-Q99
	<u>Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified</u>	<u>R00-R99</u>
111	# Sudden infant death syndrome	R95
112	Other symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified	R00-R53, R55-R94, R96-R99
113	All other diseases (Residual)	F01-F99, H00-H57, L00-M99
	<u>External causes of mortality</u>	<u>V01-Y89</u>
	# <u>Accidents</u>	<u>V01-X59, Y85-Y86</u>
	<u>Transport accidents</u>	<u>V01-V99, Y85</u>
114	Motor vehicle accidents	V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2
115	Other and unspecified transport accidents and their sequelae	V01, V05-V06, V09.1, V09.3-V09.9, V10-V11, V15-V18, V19.3, V19.8-V19.9, V80.0-V80.2, V80.6-V80.9, V81.2-V81.9, V82.2-V82.9, V87.9, V88.9, V89.1, V89.3, V89.9, V90-V99, Y85
116	Falls	W00-W19
117	Accidental discharge of firearms	W32-W34
118	Accidental drowning and submersion	W65-W74

Group	Cause of Death	ICD-10 Codes Included
119	Accidental suffocation and strangulation in bed	W75
120	Other accidental suffocation and strangulation	W76-W77, W81-W84
121	Accidental inhalation and ingestion of food or other objects causing obstruction of respiratory tract	W78-W80
122	Accidents caused by exposure to smoke, fire and flames	X00-X09
123	Accidental poisoning and exposure to noxious substances	X40-X49
124	Other and unspecified accidents and their sequelae	W20-W31, W35-W64, W85-W99, X10-X39, X50-X59, Y86
	<u># Assault (homicide)</u>	<u>X85-Y09, Y87.1</u>
125	Assault (homicide) by hanging, strangulation and suffocation	X91
126	Assault (homicide) by discharge of firearms	X93-X95
127	Neglect, abandonment and other maltreatment syndromes	Y06-Y07
128	Assault (homicide) by other and unspecified means and their sequelae	X85-X90, X92, X96-X99, Y00-Y05, Y08-Y09, Y87.1
129	<u># Complications of medical and surgical care</u>	<u>Y40-Y84, Y88</u>
130	Other external causes and their sequelae	X60-X84, Y10-Y36, Y87.0, Y87.2, Y89

Category is used for ranking leading causes of infant death.

Appendix D
Finalized Adoptions by Chancery Court District
as Reported to the Administrative Office of Courts by the Chancery Clerks, 2010

District	Jan-10	Feb-10	Mar-10	Apr-10	May-10	Jun-10	Jul-10	Aug-10	Sep-10	Oct-10	Nov-10	Dec-10	TOTAL
1	0	27	25	14	30	30	13	16	6	17	16	17	211
2	0	4	3	2	2	1	4	5	7	2	0	2	32
3	1	8	14	12	15	13	22	7	7	14	15	12	140
4	0	3	0	6	3	2	2	2	5	2	8	8	41
5	0	8	11	7	15	16	11	10	11	2	2	4	97
6	0	2	3	4	4	3	8	4	3	3	4	1	39
7	0	3	8	4	2	1	4	5	8	7	8	8	58
8	0	10	26	18	19	15	16	22	24	11	24	20	205
9	0	4	8	2	5	4	2	5	3	3	2	1	39
10	0	10	17	21	2	23	11	23	13	15	27	19	181
11	0	0	2	0	0	2	3	0	1	3	3	2	16
12	0	8	5	5	6	7	7	4	5	0	9	8	64
13	0	5	7	6	5	3	1	0	3	4	2	6	42
14	0	3	9	14	7	4	3	1	7	6	11	12	77
15	0	3	7	7	4	2	2	1	2	4	4	3	39
16	0	8	18	10	9	16	19	20	13	8	10	13	144
17	0	6	7	7	8	0	8	3	2	2	0	0	43
18	0	6	7	4	5	4	5	2	6	3	4	3	49
19	0	1	5	7	13	12	8	6	10	1	5	6	74
20	0	12	5	5	7	15	13	11	12	7	8	3	98
TOTAL	1	131	187	155	161	173	162	147	148	114	162	148	1,689

Source: Administrative Office of Courts

Map of Chancery Court Districts: http://www.sos.state.ms.us/ed_pubs/ctcalendar/Chancery%20and%20Circuit%20Judges.pdf