




Vital Statistics Mississippi 1992

MISSISSIPPI
STATE DEPARTMENT OF
HEALTH



Vital Statistics Mississippi 1992

MISSISSIPPI
STATE DEPARTMENT OF
HEALTH

Bureau of Information Resources
Division of Public Health Statistics
P. O. Box 1700
Jackson, Mississippi 39215-1700

Telephone: 601/960-7960

TABLE OF CONTENTS

	Page
INTRODUCTION	
Description of Bulletin	1
Definitions of Live Birth, Fetal Death, Induced Termination, and Death	1
Occurrence and Residence Allocation	2
Population	2
Race	2
Rates	3
Classification of Cause of Death	3
 SUMMARY TABLES, 1992	
POPULATION	
Table P1. Census Population and Percentage Distribution, by Age, Race, and Sex	7
 LIVE BIRTHS	
Table A1. Live Births and Average per Day, by Month	8
Table A2. Percentage of Live Births in Hospitals or Clinics, by Year and Race, 1940, 1950, 1960, 1970-1992	8
Table A3. Live Births and Percentage Distribution, by Place of Delivery, Attendant, and Race of Mother	9
Table A4. Live Births, Percentage Distribution, and Fertility Rates, by Age and Race of Mother	10
Table A5. Live Births and Percentage Distribution, by Years of School Completed by Mother and Race of Mother	10
Table A6. Live Births to Unmarried Mothers and Percent of Total Live Births in Specified Group, by Age and Race of Mother	11
Table A7. Live Births, Percentage Distribution, Fertility Rates, and Median Age of Mother, by Total-Birth Order and Race of Mother	11
Table A8. Live Births and Percentage Distribution, by Whether Mother Received Prenatal Care, Time during Pregnancy Care Began, and Race of Mother	12
Table A9. Live Births and Percentage Distribution, by Maturity and Race of Mother	12
Table A10. Congenital Anomalies Reported on Live Birth Certificates, by Anomaly and Race of Mother	13
Table A11. Medical Risk Factors Reported on Live Birth Certificates, by Risk Factor and Race of Mother	14
Table A12. Other Risk Factors Reported on Live Birth Certificates and Percentage Distribution, by Risk Factor and Race of Mother	15
Table A13. Complications of Labor and Delivery Reported on Live Birth Certificates, by Complication and Race of Mother	16
Table A14. Methods of Delivery Reported on Live Birth Certificates, by Method and Race of Mother	16
Table A15. Obstetric Procedures Reported on Live Birth Certificates, by Procedure and Race of Mother	17
Table A16. Abnormal Conditions of Newborn Reported on Live Birth Certificates, by Condition and Race of Mother	17
 FETAL DEATHS	
Table B1. Reportable Fetal Deaths and Percentage Distribution, by Place of Delivery, Attendant, and Race of Mother	18

SUMMARY TABLES, 1992

FETAL DEATHS (continued)

Table B2.	Reportable Fetal Deaths and Fetal Death Ratios, by Age and Race of Mother	19
Table B3.	Percentage Distribution of Live Births and Reportable Fetal Deaths, by Whether Mother Received Prenatal Care and Race of Mother	19
Table B4.	Reportable Fetal Deaths and Fetal Death Ratios, by Completed Weeks of Gestation and Race of Mother, 1990-1992	20

DEATHS

Table C1.	Deaths and Average per Day, by Month	21
Table C2.	Deaths, Percentage Distribution, and Rates, by Age and Race	21
Table C3A.	Deaths by Age, Race, and Sex, and Male/Female Ratios by Age and Race	22
Table C3B.	Death Rates, by Age, Race, and Sex	22
Table C4.	Deaths and Percent of Total Deaths from Ten Leading Causes, by Cause and Race	23
Table C5.	Deaths, Percent of Total Deaths, and Rates for Five Leading Causes, by Age and Cause	24
Table C6.	Deaths and Rates from Malignant Neoplasms, by Primary Site, Sex, and Race	25
Table C7.	Deaths from Major Chronic Respiratory Diseases, 1967, 1972, 1977, 1982, 1987, 1992	25
Table C8.	Deaths and Percent of Total Accidental Deaths from Five Leading Causes of Accidental Death, by Cause and Race	26
Table C9.	Deaths from Selected Types of Accidents, by Sex, also by Age	27
Table C10.	Motor Vehicle Accident Deaths Occurring in Mississippi and Rates, also Motor Vehicle Accident Deaths of Mississippi Residents and Rates, by Year, 1950, 1955, 1960, 1965, 1970-1992	28
Table C11.	Infant Deaths, Percentage Distribution, and Mortality Rates by Age and Race	29
Table C12.	Deaths and Mortality Rates for Ten Leading Causes of Infant Death, by Cause and Race	29

MARRIAGES

Table D1.	Marriages and Average per Day, by Month	30
Table D2.	Brides and Grooms and Percentage Distribution, by Age and Race ..	31
Table D3.	Median Age of Bride and Groom, for All Marriages and First Marriages, by Race	32
Table D4.	Brides and Grooms and Percentage Distribution, by Marriage Order and Race	33
Table D5.	Brides and Grooms and Percentage Distribution, by Previous Marital Status and Race	34
Table D6.	Marriages and Percentage Distribution, by Residence of Bride and Groom and Race of Bride	35

DIVORCES

Table E1.	Divorces and Percentage Distribution, by Cause and Race	36
Table E2.	Divorces and Percentage Distribution, by Number of Minor Children and Race	36
Table E3.	Divorces and Percentage Distribution, by Number of Years Married and Race	37

SUMMARY TABLES, 1992

Page

INDUCED TERMINATIONS OF PREGNANCY

Table F1.	Reported Induced Terminations of Pregnancy, Percentage Distribution, and Induced Termination Ratios, by Age and Race of Patient, Procedures Performed in Mississippi	38
Table F2.	Reported Induced Terminations of Pregnancy and Percentage Distribution, by Characteristics of Patient and Race, Procedures Performed in Mississippi	39
Table F3.	Reported Induced Terminations of Pregnancy and Percentage Distribution, by Medical Characteristics and Race, Procedures Performed in Mississippi	40

MAJOR TABLES, 1992

POPULATION

Table i.	1990 Census Population and Percent Change Since 1980 Census, by Place (Counties, Towns of 10,000 or More) and Race, Mississippi, As of April 1, 1990	43
----------	--	----

LIVE BIRTHS

Table 1A.	Live Births, by Place of Occurrence and Race of Mother, also Live Births and Rates, by Place of Residence and Race of Mother, (Place Includes Counties, Out of State, Towns of 10,000 or More), Mississippi, 1992	46
Table 1B.	Fertility Rates, by County of Residence and Race of Mother, Mississippi, 1992	49
Table 2.	Live Births, by County of Residence, Race of Mother, and Attendant, also by County of Residence and Sex, Mississippi, 1992	50
Table 3A.	Total Live Births, by County of Residence and Age of Mother, Mississippi, 1992	53
Table 3B.	Live Births to White Mothers, by County of Residence and Age of Mother, Mississippi, 1992	55
Table 3C.	Live Births to Nonwhite Mothers, by County of Residence and Age of Mother, Mississippi, 1992	57
Table 4.	Live Births to Unmarried Mothers and Percent of Total Live Births, by County of Residence and Race of Mother, Mississippi, 1992 ...	59
Table 5A.	Total Live Births to Unmarried Mothers, by County of Residence and Age of Mother, Mississippi, 1992	61
Table 5B.	Live Births to Unmarried White Mothers, by County of Residence and Age of Mother, Mississippi, 1992	63
Table 5C.	Live Births to Unmarried Nonwhite Mothers, by County of Residence and Age of Mother, Mississippi, 1992	65
Table 6A.	Live Births Weighing Less Than 2,500 Grams at Birth and Percent of Total Live Births, by County of Residence and Race of Mother, Mississippi, 1992	67
Table 6B.	Live Births Weighing Less Than 1,500 Grams at Birth and Percent of Total Live Births, by County of Residence and Race of Mother, Mississippi, 1992	69
Table 7.	Premature Live Births and Percent of Total Live Births, by County of Residence and Race of Mother, Mississippi, 1992	71

FETAL DEATHS

Table 8.	Reportable Fetal Deaths, by County of Occurrence and Race of Mother, also Reportable Fetal Deaths and Fetal Death Ratios, by County of Residence and Race of Mother, Mississippi, 1992	73
----------	--	----

MAJOR TABLES, 1992

DEATHS

Table 9.	Deaths, by Place of Occurrence and Race, also Deaths and Rates, by Place of Residence and Race, (Place Includes Counties, Out of State, Towns of 10,000 or More), Mississippi, 1992	75
Table 10.	Deaths, by Cause and Race, Mississippi Residents, 1992	78
Table 11.	Deaths from Major Cause Groups and Certain Selected Causes, by Race, Sex, and Age, also Rates for Major Cause Groups and Certain Selected Causes, Mississippi Residents, 1992	93
Table 12A.	Infant, Neonatal, and Postneonatal Deaths, by County of Residence and Race, Mississippi, 1992	100
Table 12B.	Infant, Neonatal, and Postneonatal Mortality Rates, by County of Residence and Race, Mississippi, 1988-1992 (5-Year Average)	102
Table 13.	Infant Deaths from Selected Causes, by Race and Age, also Mortality Rates for Selected Causes, Mississippi Residents, 1992	104
Table 14.	Accidental Deaths, by County of Occurrence and Type of Accident, Mississippi, 1992	106

MARRIAGES

Table 15.	Marriages, by County of Licensure and Race of Bride, also by County of Occurrence and Race of Bride, also by County of Residence of Bride and Race of Bride, Mississippi, 1992	108
-----------	--	-----

DIVORCES

Table 16.	Divorces, by County of Occurrence and Race, Mississippi, 1992	110
-----------	--	-----

INDUCED TERMINATIONS

Table 17.	Reported Induced Terminations of Pregnancy Performed in Mississippi on Mississippi Residents, by County of Residence and Race, 1992	111
-----------	---	-----

DEATHS (COUNTY AND STATE SUMMARIES)

Table 18.	Deaths from Selected Causes Used for Ranking Leading Causes, by Race, Residents The Counties (in alphabetical order)	113
	The State	133

TIME SERIES TABLES

Table 19.	Live Births and Rates, by Year and Race, Mississippi, 1913-1992, (Occurrence Data 1913-1943, Residence Data 1944-1992)	137
Table 20.	Deaths and Rates, by Year and Race, Mississippi, 1913-1992, (Occurrence Data 1913-1943, Residence Data 1944-1992)	139
Table 21.	Maternal Deaths and Mortality Rates, by Year and Race, Mississippi, 1913-1992, (Occurrence Data 1913-1943, Residence Data 1944-1992)	141
Table 22.	Infant Deaths and Mortality Rates, by Year and Race, Mississippi, 1917-1992, (Occurrence Data 1917-1943, Residence Data 1944-1992)	143
Table 23.	Neonatal Deaths and Mortality Rates, by Year and Race, Mississippi, 1924-1992, (Occurrence Data 1924-1944, Residence Data 1945-1992)	145

TIME SERIES TABLES

Page

Table 24.	Postneonatal Deaths and Mortality Rates, by Year and Race, Mississippi, 1924-1992, (Occurrence Data 1924-1943, Residence Data 1944-1992)	147
Table 25.	Marriages and Divorces, by Year and Race, Occurrence Data, Mississippi, 1926-1992	149
Table 26.	Reported Induced Terminations of Pregnancy and Induced Termination Ratios, by Year and Race, Procedures Performed in Mississippi, 1976-1992	151

VITAL STATISTICS MISSISSIPPI, 1992

INTRODUCTION

Description of Bulletin

The information on live births, fetal deaths, induced terminations of pregnancy, deaths, marriages, and divorces which is presented in this bulletin was obtained from official records submitted to the Mississippi State Department of Health as required by statute and regulation. Live birth and fetal death records were prepared by hospitals, clinics, physicians, and midwives. Reports of induced terminations of pregnancy were prepared by hospitals, clinic staff, and physicians. Responsibility for the preparation of death certificates was shared by hospitals, nursing homes and other institutions which provide care or custody, funeral homes, physicians, medical examiners, and medical examiner investigators. Marriage records were completed partly by brides and grooms, partly by persons who performed marriage ceremonies, and partly by circuit clerks. Chancery clerks prepared the statistical records of divorce.

This publication consists of three parts. The first part includes summary tables for the state as a whole for 1992; the second part contains major statistical tables for 1992. Time series tables numbered 19 through 26 are presented in the third part.

Definitions of Live Birth, Fetal Death, Induced Termination, and Death

The definitions of live birth, fetal death, and induced termination of pregnancy adopted by the Mississippi State Department of Health for use in Mississippi are those formulated by the World Health Organization and recommended by the National Center for Health Statistics. The definition of death was adopted by the Mississippi Legislature in 1982, statute number 41-36-3.

Live Birth - the complete expulsion or extraction from its mother of a product of human conception, irrespective of the duration of pregnancy, which, after such expulsion or extraction, breathes or shows any other evidence of life such as beating of the heart, pulsation of the umbilical cord, or definite movement of voluntary muscles, whether or not the umbilical cord has been cut or the placenta is attached.

Fetal Death - death prior to the complete expulsion or extraction from its mother of a product of human conception, irrespective of the duration of pregnancy; the death is indicated by the fact that after such expulsion or extraction the fetus does not breathe or show any other evidence of life such as beating of the heart, pulsation of the umbilical cord, or definite movement of voluntary muscles.

Induced Termination of Pregnancy - the intentional termination of pregnancy with the intention other than to produce a live-born infant or to remove a dead fetus.

Death - an individual who has sustained either (a) irreversible cessation of circulatory and respiratory functions or (b) irreversible cessation of all functions of the entire brain, including the brain stem, is dead. A determination of death must be made in accordance with accepted medical standards.

Even though the definition of fetal death is all-inclusive, the State Department of Health does not require the reporting of all fetal deaths. Since January 1, 1976, fetal death reports have been required only for spontaneous fetal deaths of 20 weeks or more gestation or weight of 350 grams or more. There is a separate reporting system (with no names or addresses) for all induced terminations of pregnancy.

Occurrence and Residence Allocation

Live births, fetal deaths, and deaths were classified by place of occurrence and by place of residence. Some of the tables contain both occurrence and residence figures, but most of the tables are based on residence data only, as these data are considered more suitable for studying public health problems.

Occurrence data were obtained from certificates filed in Mississippi at the place of the event. Residence data include transcripts of records of events that occurred in other states to Mississippi residents and exclude records filed in this state for nonresidents. Residence assignment for live births and fetal deaths was determined by the usual residence of the mother. For deaths it was determined by the usual residence of the decedent except that deaths of inmates of institutions were reallocated to the location of the institution regardless of length of stay.

Figures on induced terminations of pregnancy refer only to procedures performed in Mississippi, and do not include transcripts of records of events that occurred in other states to Mississippi residents. Residence assignment was determined by the usual residence of the patient.

Marriages were classified according to place of issuance of the marriage license, place of occurrence of marriage, and place of residence of the bride. However, the figures on brides who were Mississippi residents are incomplete since there is no exchange among the states of transcripts of marriage records for nonresidents and the out-of-state marriages of Mississippi brides could not be included. Divorces were classified only according to place where the decree was granted, as there is no information regarding place of residence on the record.

Population

Figures from the U.S. Census of April 1, 1990 were used in this bulletin, and several types of rates and special compilations were prepared which can be done only when detailed population data of the type which comes from the decennial census are available.

Race

The two categories for race used in this publication are white and nonwhite. White includes such groups as Caucasian, Anglo-American, Canadian, Cuban, French, Greek, Hispanic, Latin American, Mexican, Puerto Rican, Swedish, etc. Nonwhite includes such groups as Black, Afro-American, American Indian, Chinese, Japanese, Hawaiian, Filipino, and all other groups not considered as white.

Prior to 1989, all statistics regarding live births and fetal deaths were broken down by race of the child or fetus; however, beginning with 1989 and continuing with subsequent years all statistics on live births and fetal deaths will be reported by race of the mother. This includes any rates or ratios that involve figures for live births or fetal deaths. For example, the infant mortality rate for white infants will now be calculated using the number of live births to white mothers as the denominator.

Rates

Population-based rates for the state include those for live births, total deaths, and deaths from specific causes, except maternal deaths and deaths from certain conditions originating in the perinatal period. Figures on live births were used as the base for calculating fetal death ratios as well as rates for maternal deaths, infant, neonatal, and postneonatal deaths, and deaths from certain conditions originating in the perinatal period, as the birth counts represent the groups at risk more accurately than do general population figures.

Classification of Cause of Death

Causes of death were assigned according to the Ninth Revision International Statistical Classification of Diseases, Injuries, and Causes of Death. The Ninth Revision was first used in 1979, and is not markedly different from the Eighth Revision. However, the periodic changes in the classification system which have occurred through the years have resulted in an unavoidable lack of comparability for some causes, and caution should be used in analyzing long-term trends.

SUMMARY TABLES, 1992

In this section, all tables on live births, fetal deaths, and deaths represent residence data unless otherwise specified; all information on induced terminations of pregnancy, marriages, and divorces is occurrence data.

POPULATION

TABLE P1. CENSUS POPULATION AND PERCENTAGE DISTRIBUTION, BY AGE, RACE, AND SEX
MISSISSIPPI, 1990

AGE	NUMBER					PERCENT				
	TOTAL	WHITE		NONWHITE		TOTAL	WHITE		NONWHITE	
		MALE	FEMALE	MALE	FEMALE		MALE	FEMALE	MALE	FEMALE
TOTAL	2, 573, 216	795, 255	838, 206	435, 362	504, 393	100. 0	100. 0	100. 0	100. 0	100. 0
UNDER 1	34, 036	9, 384	9, 011	7, 776	7, 865	1. 3	1. 2	1. 1	1. 8	1. 6
1- 4	161, 329	44, 899	42, 487	37, 456	36, 487	6. 3	5. 6	5. 1	8. 6	7. 2
5- 9	211, 918	58, 653	54, 791	49, 561	48, 913	8. 2	7. 4	6. 5	11. 4	9. 7
10- 14	213, 305	58, 658	54, 606	50, 415	49, 626	8. 3	7. 4	6. 5	11. 6	9. 8
15- 19	222, 879	63, 645	59, 806	49, 274	50, 154	8. 7	8. 0	7. 1	11. 3	9. 9
20- 24	196, 640	60, 737	57, 673	36, 056	42, 174	7. 6	7. 6	6. 9	8. 3	8. 4
25- 29	197, 740	62, 879	62, 057	32, 526	40, 278	7. 7	7. 9	7. 4	7. 5	8. 0
30- 34	202, 280	64, 398	64, 074	32, 557	41, 251	7. 9	8. 1	7. 6	7. 5	8. 2
35- 39	185, 402	60, 117	60, 569	29, 324	35, 392	7. 2	7. 6	7. 2	6. 7	7. 0
40- 44	164, 162	57, 422	57, 650	22, 354	26, 736	6. 4	7. 2	6. 9	5. 1	5. 3
45- 49	131, 627	47, 517	48, 592	15, 963	19, 555	5. 1	6. 0	5. 8	3. 7	3. 9
50- 54	116, 118	41, 672	43, 396	13, 327	17, 723	4. 5	5. 2	5. 2	3. 1	3. 5
55- 59	107, 784	38, 456	41, 766	11, 435	16, 127	4. 2	4. 8	5. 0	2. 6	3. 2
60- 64	106, 712	37, 021	42, 284	11, 212	16, 195	4. 1	4. 6	5. 0	2. 6	3. 2
65- 69	99, 777	32, 639	40, 739	10, 664	15, 735	3. 9	4. 1	4. 9	2. 4	3. 1
70- 74	80, 372	24, 247	33, 801	8, 974	13, 350	3. 1	3. 0	4. 0	2. 1	2. 6
75- 79	65, 389	17, 176	28, 980	7, 572	11, 661	2. 5	2. 2	3. 4	1. 7	2. 3
80- 84	43, 411	10, 117	20, 066	5, 158	8, 070	1. 7	1. 3	2. 4	1. 2	1. 6
85 & OVER	32, 335	5, 618	15, 858	3, 758	7, 101	1. 2	0. 7	1. 9	0. 9	1. 4
UNDER 15	620, 588	171, 594	160, 895	145, 208	142, 891	24. 1	21. 6	19. 2	33. 4	28. 3
15- 64	1, 631, 344	533, 864	537, 867	254, 028	305, 585	63. 4	67. 1	64. 2	58. 3	60. 6
65 & OVER	321, 284	89, 797	139, 444	36, 126	55, 917	12. 5	11. 3	16. 6	8. 3	11. 1
MEDIAN AGE	31. 2	33. 0	36. 2	23. 2	27. 1					

LIVE BIRTHS

TABLE A1. BIRTHS AND AVERAGE PER DAY, BY MONTH
MISSISSIPPI, 1992

MONTH	BIRTHS	AVERAGE PER DAY	MONTH	BIRTHS	AVERAGE PER DAY
TOTAL	42, 676	117			
JANUARY	3, 507	113	JULY	3, 823	123
FEBRUARY	3, 200	110	AUGUST	3, 809	123
MARCH	3, 311	107	SEPTEMBER	3, 827	128
APRIL	3, 232	108	OCTOBER	3, 783	122
MAY	3, 332	107	NOVEMBER	3, 641	121
JUNE	3, 398	113	DECEMBER	3, 813	123

TABLE A2. PERCENTAGE OF LIVE BIRTHS IN HOSPITALS OR CLINICS,
BY YEAR AND RACE*
MISSISSIPPI, 1940, 1950, 1960, 1970-1992

YEAR	TOTAL	WHITE	NON- WHITE	YEAR	TOTAL	WHITE	NON- WHITE
1940	14. 1	27. 1	3. 9				
1950	46. 1	83. 3	18. 9				
1960	73. 2	99. 0	51. 3				
1970#	90. 0	99. 7	79. 7	1980#	99. 4	99. 7	99. 1
1971#	92. 2	99. 6	84. 2	1981#	99. 3	99. 6	99. 0
1972#	95. 2	99. 8	90. 4	1982#	99. 4	99. 6	99. 2
1973#	96. 4	99. 7	92. 8	1983#	99. 5	99. 6	99. 4
1974#	97. 4	99. 7	94. 8	1984#	99. 5	99. 6	99. 4
1975#	97. 9	99. 6	96. 0	1985#	99. 6	99. 7	99. 4
1976#	98. 5	99. 7	97. 3	1986#	99. 6	99. 7	99. 5
1977#	98. 9	99. 7	98. 1	1987#	99. 6	99. 8	99. 5
1978#	99. 1	99. 7	98. 4	1988#	99. 6	99. 7	99. 6
1979#	99. 3	99. 7	98. 9	1989#	99. 6	99. 8	99. 5
				1990#	99. 6	99. 6	99. 6
				1991#	99. 6	99. 6	99. 6
				1992#	99. 7	99. 7	99. 7

* FIGURES FOR YEARS PRIOR TO 1989 ARE BY RACE OF CHILD;
BEGINNING IN 1989 FIGURES SHOWN ARE BY RACE OF MOTHER.

INCLUDES BIRTHS IN ANY FACILITY WHICH PROVIDES MEDICAL
CARE; PRIOR TO 1970 ONLY BIRTHS IN FACILITIES PROVIDING
INPATIENT CARE WERE INCLUDED.

TABLE A3. LIVE BIRTHS AND PERCENTAGE DISTRIBUTION, BY PLACE OF DELIVERY, ATTENDANT, AND RACE OF MOTHER
MISSISSIPPI, 1992

PLACE OF DELIVERY AND RACE	NUMBER						PERCENT					
	TOTAL	PHYSI-CIAN	CERTI-FIED NURSE MIDWIFE	GRANNY MIDWIFE	OTHER NAMED PERSON	UN-KNOWN	TOTAL	PHYSI-CIAN	CERTI-FIED NURSE MIDWIFE	GRANNY MIDWIFE	OTHER NAMED PERSON	UN-KNOWN
<u>TOTAL</u>	<u>42,676</u>	<u>42,021</u>	<u>494</u>	<u>20</u>	<u>124</u>	<u>17</u>	<u>100.0</u>	<u>98.5</u>	<u>1.2</u>	<u>*</u>	<u>0.3</u>	<u>*</u>
HOSPITAL CLINIC/DOCTOR'S OFFICE	42,535	41,995	489	0	43	8	99.7	98.4	1.1	-	0.1	*
HOME	2	2	0	0	0	0	*	*	-	-	-	-
OTHER PLACE	126	22	5	19	75	5	0.3	*	*	*	0.2	*
UNKNOWN PLACE	9	2	0	1	4	2	*	*	-	*	*	*
	4	0	0	0	2	2	*	-	-	-	*	*
<u>WHITE</u>	<u>21,700</u>	<u>21,482</u>	<u>145</u>	<u>19</u>	<u>45</u>	<u>9</u>	<u>100.0</u>	<u>99.0</u>	<u>0.7</u>	<u>0.1</u>	<u>0.2</u>	<u>*</u>
HOSPITAL CLINIC/DOCTOR'S OFFICE	21,630	21,475	140	0	10	5	99.7	99.0	0.6	-	*	*
HOME	0	0	0	0	0	0	-	-	-	-	-	-
OTHER PLACE	64	6	5	18	33	2	0.3	*	*	0.1	0.2	*
UNKNOWN PLACE	4	1	0	1	1	1	*	*	-	*	*	*
	2	0	0	0	1	1	*	-	-	-	*	*
<u>NONWHITE</u>	<u>20,976</u>	<u>20,539</u>	<u>349</u>	<u>1</u>	<u>79</u>	<u>8</u>	<u>100.0</u>	<u>97.9</u>	<u>1.7</u>	<u>*</u>	<u>0.4</u>	<u>*</u>
HOSPITAL CLINIC/DOCTOR'S OFFICE	20,905	20,520	349	0	33	3	99.7	97.8	1.7	-	0.2	*
HOME	2	2	0	0	0	0	*	*	-	-	-	-
OTHER PLACE	62	16	0	1	42	3	0.3	0.1	-	*	0.2	*
UNKNOWN PLACE	5	1	0	0	3	1	*	*	-	-	*	*
	2	0	0	0	1	1	*	-	-	-	*	*

* LESS THAN 0.06 PERCENT.

**TABLE A4. LIVE BIRTHS, PERCENTAGE DISTRIBUTION, AND FERTILITY RATES,
BY AGE AND RACE OF MOTHER
MISSISSIPPI, 1992**

AGE OF MOTHER	NUMBER			PERCENT			FERTILITY RATE*		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	42,676	21,700	20,976	100.0	100.0	100.0	71.4	60.0	88.9
UNDER 15	344	40	304	0.8	0.2	1.4	3.3	0.7	6.1
15-19	8,810	3,190	5,620	20.6	14.7	26.8	80.1	53.3	112.0
20-24	14,412	6,989	7,423	33.8	32.2	35.4	144.3	121.2	176.0
25-29	10,458	6,329	4,129	24.5	29.2	19.7	102.2	102.0	102.5
30-34	6,202	3,859	2,343	14.5	17.8	11.2	58.9	60.2	56.8
35-39	2,085	1,124	961	4.9	5.2	4.6	21.7	18.6	27.2
40-44	331	143	188	0.8	0.6	0.9	3.9	2.5	7.0
45-49	11	8	3	**	**	**	0.2	0.2	0.2
UNKNOWN	23	18	5	**	0.1	**			

* FOR TOTAL GROUP, LIVE BIRTHS PER 1,000 FEMALES 15-44 YEARS OF AGE; FOR SPECIFIC AGE GROUPS, LIVE BIRTHS PER 1,000 FEMALES IN SPECIFIED GROUP.

** LESS THAN 0.06 PERCENT.

**TABLE A5. LIVE BIRTHS AND PERCENTAGE DISTRIBUTION,
BY YEARS OF SCHOOL COMPLETED BY MOTHER AND RACE OF MOTHER
MISSISSIPPI, 1992**

YEARS OF SCHOOL COMPLETED BY MOTHER	NUMBER			PERCENT*			CUMULATIVE PERCENT*		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL BIRTHS	42,676	21,700	20,976	100.0	100.0	100.0			
0-6 YEARS	286	128	158	0.7	0.6	0.8	0.7	0.6	0.8
7-9 YEARS	4,599	2,070	2,529	10.8	9.6	12.1	11.5	10.2	12.9
10, 11 YEARS	7,293	2,734	4,559	17.1	12.6	21.8	28.6	22.8	34.7
12 YEARS	15,756	7,569	8,187	37.0	35.0	39.2	65.7	57.7	73.9
1-3 YEARS COLLEGE	9,515	5,349	4,166	22.4	24.7	19.9	88.0	82.4	93.8
4 OR MORE YEARS COLLEGE	5,090	3,802	1,288	12.0	17.6	6.2	100.0	100.0	100.0
UNKNOWN	137	48	89						
MEDIAN YEARS COMPLETED*	12.6	12.8	12.4						

* CALCULATIONS EXCLUDE BIRTHS TO MOTHERS WITH EDUCATION UNKNOWN.

**TABLE A6. LIVE BIRTHS TO UNMARRIED MOTHERS
AND PERCENT OF TOTAL LIVE BIRTHS IN
SPECIFIED GROUP, BY AGE AND RACE OF MOTHER
MISSISSIPPI, 1992**

AGE OF MOTHER	NUMBER			PERCENT		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>TOTAL</u>	<u>18,306</u>	<u>3,287</u>	<u>15,019</u>	<u>42.9</u>	<u>15.1</u>	<u>71.6</u>
UNDER 15	332	28	304	96.5	70.0	100.0
15-19	6,576	1,225	5,351	74.6	38.4	95.2
20-24	6,859	1,212	5,647	47.6	17.3	76.1
25-29	2,703	495	2,208	25.8	7.8	53.5
30-34	1,246	229	1,017	20.1	5.9	43.4
35-39	496	80	416	23.8	7.1	43.3
40-44	87	16	71	26.3	11.2	37.8
45-49	1	0	1	9.1	-	33.3
UNKNOWN	6	2	4			

**TABLE A7. LIVE BIRTHS, PERCENTAGE DISTRIBUTION, FERTILITY RATES,
AND MEDIAN AGE OF MOTHER, BY TOTAL-BIRTH ORDER AND RACE OF MOTHER
MISSISSIPPI, 1992**

TOTAL-BIRTH ORDER*	NUMBER						PERCENT			FERTILITY RATE**			MEDIAN AGE OF MOTHER		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE			
<u>TOTAL</u>	<u>42,676</u>	<u>21,700</u>	<u>20,976</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>	<u>71.4</u>	<u>60.0</u>	<u>88.9</u>	<u>24.1</u>	<u>25.5</u>	<u>22.7</u>			
FIRST	14,583	7,906	6,677	34.2	36.4	31.8	24.4	21.8	28.3	20.9	22.4	19.6			
SECOND	12,978	7,122	5,856	30.4	32.8	27.9	21.7	19.7	24.8	24.3	25.9	22.6			
THIRD	8,126	3,919	4,207	19.0	18.1	20.0	13.6	10.8	17.8	26.2	27.8	24.5			
FOURTH	3,873	1,658	2,215	9.1	7.6	10.6	6.5	4.6	9.4	27.6	29.3	26.1			
FIFTH	1,675	620	1,055	3.9	2.8	5.0	2.8	1.7	4.5	28.9	30.2	27.8			
SIXTH	741	248	493	1.7	1.1	2.4	1.2	0.7	2.1	29.9	30.8	29.3			
SEVENTH	326	115	211	0.8	0.5	1.0	0.5	0.3	0.9	31.3	32.2	30.4			
EIGHTH	158	40	118	0.4	0.2	0.6	0.3	0.1	0.5	32.6	33.5	32.6			
NINTH	77	22	55	0.2	0.1	0.3	0.1	0.1	0.2	32.7	32.8	32.8			
TENTH & OVER	97	25	72	0.2	0.1	0.3	0.2	0.1	0.3	36.0	36.5	35.9			
UNKNOWN	42	25	17	0.1	0.1	0.1	0.1	0.1	0.1						

* INCLUDES ALL LIVE BIRTHS PLUS ALL FETAL DEATHS REGARDLESS OF LENGTH OF GESTATION.

** LIVE BIRTHS PER 1,000 FEMALES 15-44 YEARS OF AGE (1990 CENSUS).

**TABLE A8. LIVE BIRTHS AND PERCENTAGE DISTRIBUTION,
BY WHETHER MOTHER RECEIVED PRENATAL CARE,
TIME DURING PREGNANCY CARE BEGAN, AND RACE OF MOTHER
MISSISSIPPI, 1992**

PRENATAL CARE AND TIME CARE BEGAN	NUMBER			PERCENT		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>TOTAL</u>	<u>42, 676</u>	<u>21, 700</u>	<u>20, 976</u>	<u>100. 0</u>	<u>100. 0</u>	<u>100. 0</u>
NO PRENATAL CARE	616	135	481	1. 4	0. 6	2. 3
<u>SOME PRENATAL CARE</u>	<u>41, 947</u>	<u>21, 523</u>	<u>20, 424</u>	<u>98. 3</u>	<u>99. 2</u>	<u>97. 4</u>
FIRST TRIMESTER	31, 815	18, 349	13, 466	74. 6	84. 6	64. 2
SECOND TRIMESTER	8, 528	2, 767	5, 761	20. 0	12. 8	27. 5
THIRD TRIMESTER	1, 488	379	1, 109	3. 5	1. 7	5. 3
UNKNOWN MONTH	116	28	88	0. 3	0. 1	0. 4
UNKNOWN WHETHER ANY PRENATAL CARE	113	42	71	0. 3	0. 2	0. 3

**TABLE A9. LIVE BIRTHS AND PERCENTAGE DISTRIBUTION,
BY MATURITY AND RACE OF MOTHER
MISSISSIPPI, 1992**

MATURITY*	NUMBER			PERCENT		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>TOTAL</u>	<u>42, 676</u>	<u>21, 700</u>	<u>20, 976</u>	<u>100. 0</u>	<u>100. 0</u>	<u>100. 0</u>
IMMATURE ONLY**	1, 672	617	1, 055	3. 9	2. 8	5. 0
PREMATURE ONLY**	3, 919	1, 434	2, 485	9. 2	6. 6	11. 8
BOTH IMMATURE AND PREMATURE	2, 560	855	1, 705	6. 0	3. 9	8. 1
TOTAL IMMATURE	4, 232	1, 472	2, 760	9. 9	6. 8	13. 2
TOTAL PREMATURE	6, 479	2, 289	4, 190	15. 2	10. 5	20. 0
TOTAL IMMATURE AND/OR PREMATURE	8, 151	2, 906	5, 245	19. 1	13. 4	25. 0
NEITHER IMMATURE NOR PREMATURE**	34, 525	18, 794	15, 731	80. 9	86. 6	75. 0

* IMMATURE - BIRTHWEIGHT LESS THAN 5 1/2 POUNDS (2, 500 GRAMS); PREMATURE - GESTATION LESS THAN 37 WEEKS (CALCULATED BY SUBTRACTING THE DATE OF THE LAST NORMAL MENSTRUAL PERIOD PRIOR TO DELIVERY FROM THE DATE OF BIRTH).

** BIRTHS CLASSIFIED AS IMMATURE ONLY OR AS PREMATURE ONLY INCLUDE SOME FOR WHICH THE OTHER MEASUREMENT WAS UNKNOWN. THOSE CLASSIFIED AS NEITHER IMMATURE NOR PREMATURE INCLUDE SOME FOR WHICH ONE OR BOTH MEASUREMENTS WERE UNKNOWN.

**TABLE A10. CONGENITAL ANOMALIES REPORTED ON LIVE BIRTH CERTIFICATES,
BY ANOMALY AND RACE OF MOTHER
MISSISSIPPI, 1992**

CONGENITAL ANOMALY	TOTAL	WHITE	NON- WHITE
<u>TOTAL ANOMALIES REPORTED</u>	<u>639</u>	<u>311</u>	<u>328</u>
ANENCEPHALUS	4	1	3
SPINA BIFIDA/MENINGOCELE	15	10	5
HYDROCEPHALUS	17	11	6
MICROCEPHALUS	7	3	4
OTHER CENTRAL NERVOUS SYSTEM ANOMALIES	9	7	2
HEART MALFORMATIONS	45	26	19
OTHER CIRCULATORY/RESPIRATORY ANOMALIES	45	22	23
RECTAL ATRESIA/STENOSIS	8	6	2
TRACHEO- ESOPHAGEAL FISTULA/ESOPHAGEAL ATRESIA	3	1	2
OMPHALOCELE/GASTROSCHISIS	23	6	17
OTHER GASTROINTESTINAL ANOMALIES	23	11	12
MALFORMED GENITALIA	83	43	40
RENAL AGENESIS	7	5	2
OTHER UROGENITAL ANOMALIES	19	14	5
CLEFT LIP/PALATE	36	30	6
POLYDACTYLY/SYNDACTYLY/ADACTYLY	108	19	89
CLUB FOOT	28	16	12
DIAPHRAGMATIC HERNIA	5	2	3
OTHER MUSCULOSKELETAL/INTEGUMENTAL ANOMALIES	70	29	41
DOWNS SYNDROME	23	13	10
OTHER CHROMOSOMAL ANOMALIES	5	4	1
<u>OTHER</u>	<u>56</u>	<u>32</u>	<u>24</u>

**TABLE A11. MEDICAL RISK FACTORS REPORTED ON LIVE BIRTH CERTIFICATES,
BY RISK FACTOR AND RACE OF MOTHER
MISSISSIPPI, 1992**

MEDICAL RISK FACTOR	TOTAL	WHITE	NON- WHITE
<u>TOTAL RISK FACTORS REPORTED</u>	<u>8, 382</u>	<u>3, 892</u>	<u>4, 490</u>
ANEMIA (HCT. < 30/HGB. < 10)	774	303	471
CARDIAC DISEASE	188	124	64
ACUTE OR CHRONIC LUNG DISEASE	188	84	104
DIABETES	844	481	363
GENITAL HERPES	186	125	61
HYDRAMNIOS/OLIGOHYDRAMNIOS	278	118	160
HEMOGLOBINOPATHY	132	4	128
HYPERTENSION, CHRONIC	516	171	345
HYPERTENSION, PREGNANCY- ASSOCIATED	1, 814	898	916
ECLAMPSIA	142	71	71
INCOMPETENT CERVIX	91	38	53
PREVIOUS INFANT 4000+ GRAMS	289	199	90
PREVIOUS PRETERM OR SMALL- FOR- GESTATIONAL- AGE INFANT	563	209	354
RENAL DISEASE	69	49	20
RH SENSITIZATION	133	95	38
UTERINE BLEEDING	198	114	84
<u>OTHER</u>	<u>1, 977</u>	<u>809</u>	<u>1, 168</u>

**TABLE A12. OTHER RISK FACTORS REPORTED ON LIVE BIRTH CERTIFICATES
AND PERCENTAGE DISTRIBUTION, BY RISK FACTOR AND RACE OF MOTHER,
MISSISSIPPI, 1992**

RISK FACTOR	NUMBER			PERCENT		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	42, 676	21, 700	20, 976	100. 0	100. 0	100. 0
TOBACCO USE DURING PREGNANCY						
NONE	36, 237	16, 993	19, 244	84. 9	78. 3	91. 7
<u>SOME</u>	<u>6, 324</u>	<u>4, 645</u>	<u>1, 679</u>	<u>14. 8</u>	<u>21. 4</u>	<u>8. 0</u>
1- 9 CIGARETTES PER DAY	1, 559	904	655	3. 6	4. 2	3. 1
10- 19 CIGARETTES PER DAY	2, 564	1, 890	674	6. 0	8. 7	3. 2
20- 29 CIGARETTES PER DAY	1, 788	1, 516	272	4. 2	7. 0	1. 3
30- 39 CIGARETTES PER DAY	214	193	21	0. 5	0. 9	0. 1
40- 49 CIGARETTES PER DAY	99	81	18	0. 2	0. 4	0. 1
50- 59 CIGARETTES PER DAY	3	3	0	*	*	-
60 OR MORE PER DAY	7	6	1	*	*	*
UNKNOWN AMOUNT	90	52	38	0. 2	0. 2	0. 2
NOT STATED	115	62	53	0. 3	0. 3	0. 2
ALCOHOL USE DURING PREGNANCY						
NONE	42, 031	21, 458	20, 573	98. 5	98. 9	98. 1
<u>SOME</u>	<u>493</u>	<u>155</u>	<u>338</u>	<u>1. 2</u>	<u>0. 7</u>	<u>1. 6</u>
1 DRINK PER WEEK	159	67	92	0. 4	0. 3	0. 4
2 DRINKS PER WEEK	96	23	73	0. 2	0. 1	0. 3
3 DRINKS PER WEEK	47	9	38	0. 1	*	0. 2
4 DRINKS PER WEEK	24	6	18	*	*	0. 1
5 DRINKS PER WEEK	26	5	21	0. 1	*	0. 1
6 OR MORE PER WEEK	83	20	63	0. 2	0. 1	0. 3
UNKNOWN AMOUNT	58	25	33	0. 1	0. 1	0. 2
NOT STATED	152	87	65	0. 4	0. 4	0. 3
WEIGHT GAINED DURING PREGNANCY						
NONE OR LOST WEIGHT	545	179	366	1. 3	0. 8	1. 7
1- 4 POUNDS	309	109	200	0. 7	0. 5	1. 0
5- 9 POUNDS	935	369	566	2. 2	1. 7	2. 7
10- 14 POUNDS	2, 341	876	1, 465	5. 5	4. 0	7. 0
15- 19 POUNDS	3, 466	1, 503	1, 963	8. 1	6. 9	9. 4
20- 24 POUNDS	6, 546	3, 057	3, 489	15. 3	14. 1	16. 6
25- 29 POUNDS	6, 340	3, 415	2, 925	14. 8	15. 7	13. 9
30- 34 POUNDS	7, 570	3, 981	3, 589	17. 7	18. 3	17. 1
35- 39 POUNDS	4, 158	2, 511	1, 647	9. 7	11. 6	7. 8
40- 44 POUNDS	3, 646	2, 171	1, 475	8. 5	10. 0	7. 0
45 OR MORE POUNDS	4, 414	2, 709	1, 705	10. 3	12. 5	8. 1
UNKNOWN AMOUNT	2, 406	820	1, 586	5. 6	3. 8	7. 6
MEDIAN WEIGHT GAIN (LBS) **	29. 7	31. 2	27. 8			

* LESS THAN 0. 06 PERCENT.

** EXCLUDES MOTHERS WHOSE WEIGHT GAIN WAS UNKNOWN.

**TABLE A13. COMPLICATIONS OF LABOR AND DELIVERY
REPORTED ON LIVE BIRTH CERTIFICATES,
BY COMPLICATION AND RACE OF MOTHER
MISSISSIPPI, 1992**

<u>COMPLICATION</u>	<u>TOTAL</u>	<u>WHITE</u>	<u>NON- WHITE</u>
<u>TOTAL COMPLICATONS REPORTED</u>	<u>15, 017</u>	<u>7, 621</u>	<u>7, 396</u>
FEBRILE (> 100 DEGREES F. OR 38 DEGREES C.)	405	205	200
MECONIUM, MODERATE/HEAVY	2, 471	1, 135	1, 336
PREMATURE RUPTURE OF MEMBRANE (> 12 HOURS)	1, 222	591	631
ABRUPTIO PLACENTA	299	147	152
PLACENTA PREVIA	134	72	62
OTHER EXCESSIVE BLEEDING	90	45	45
SEIZURES DURING LABOR	37	7	30
PRECIPITOUS LABOR (< 3 HOURS)	643	277	366
PROLONGED LABOR (> 20 HOURS)	235	145	90
DYSFUNCTIONAL LABOR	960	526	434
BREECH/MALPRESENTATION	1, 657	960	697
CEPHALOPELVIC DISPROPORTION	2, 676	1, 485	1, 191
CORD PROLAPSE	86	40	46
ANESTHETIC COMPLICATIONS	12	12	0
FETAL DISTRESS	2, 705	1, 217	1, 488
OTHER	1, 385	757	628

**TABLE A14. METHOD OF DELIVERY REPORTED ON LIVE BIRTH CERTIFICATES,
BY METHOD AND RACE OF MOTHER
MISSISSIPPI, 1992**

<u>METHOD OF DELIVERY</u>	<u>TOTAL</u>	<u>WHITE</u>	<u>NON- WHITE</u>
<u>TOTAL METHODS OF DELIVERY REPORTED</u>	<u>46, 566</u>	<u>24, 517</u>	<u>22, 049</u>
VAGINAL	29, 551	14, 766	14, 785
VAGINAL BIRTH AFTER PREVIOUS C-SECTION	714	332	382
PRIMARY C-SECTION	7, 050	3, 779	3, 271
REPEAT C-SECTION	4, 574	2, 482	2, 092
FORCEPS	3, 530	2, 418	1, 112
VACUUM	1, 147	740	407

**TABLE A15. OBSTETRIC PROCEDURES REPORTED ON LIVE BIRTH CERTIFICATES,
BY PROCEDURE AND RACE OF MOTHER
MISSISSIPPI, 1992**

<u>OBSTETRIC PROCEDURE</u>	<u>TOTAL</u>	<u>WHITE</u>	<u>NON- WHITE</u>
<u>TOTAL OBSTETRIC PROCEDURES REPORTED</u>	<u>71, 485</u>	<u>39, 313</u>	<u>32, 172</u>
AMNIOCENTESIS	491	318	173
ELECTRONIC FETAL MONITORING	36, 191	19, 028	17, 163
INDUCTION OF LABOR	2, 993	2, 136	857
STIMULATION OF LABOR	5, 573	3, 155	2, 418
TOCOLYSIS	535	285	250
ULTRASOUND	25, 111	14, 071	11, 040
OTHER	591	320	271

**TABLE A16. ABNORMAL CONDITIONS OF NEWBORN
REPORTED ON LIVE BIRTH CERTIFICATES,
BY CONDITION AND RACE OF MOTHER
MISSISSIPPI, 1992**

<u>ABNORMAL CONDITION OF NEWBORN</u>	<u>TOTAL</u>	<u>WHITE</u>	<u>NON- WHITE</u>
<u>TOTAL ABNORMAL CONDITIONS REPORTED</u>	<u>2, 997</u>	<u>1, 517</u>	<u>1, 480</u>
ANEMIA (HCT. < 39/HGB. < 13)	163	67	96
BIRTH INJURY	165	90	75
FETAL ALCOHOL SYNDROME	1	1	0
HYALINE MEMBRANE DISEASE/RDS	510	274	236
MECONIUM ASPIRATION SYNDROME	94	47	47
ASSISTED VENTILATION < 30 MINUTES	117	57	60
ASSISTED VENTILATION 30 MINUTES OR MORE	240	116	124
SEIZURES	34	11	23
OTHER	1, 673	854	819

FETAL DEATHS

TABLE B1. REPORTABLE* FETAL DEATHS AND PERCENTAGE DISTRIBUTION,
BY PLACE OF DELIVERY, ATTENDANT, AND RACE OF MOTHER
MISSISSIPPI, 1992

PLACE OF DELIVERY AND RACE	NUMBER						PERCENT					
	TOTAL	PHYSI-CIAN	CERTI-FIED NURSE MIDWIFE	GRANNY MIDWIFE	OTHER NAMED PERSON	UN-KNOWN	TOTAL	PHYSI-CIAN	CERTI-FIED NURSE MIDWIFE	GRANNY MIDWIFE	OTHER NAMED PERSON	UN-KNOWN
<u>TOTAL</u>	<u>519</u>	<u>502</u>	<u>3</u>	<u>0</u>	<u>9</u>	<u>5</u>	<u>100.0</u>	<u>96.7</u>	<u>0.6</u>	-	<u>1.7</u>	<u>1.0</u>
HOSPITAL CLINIC/DOCTOR'S OFFICE	509	500	3	0	1	5	98.1	96.3	0.6	-	0.2	1.0
HOME	1	1	0	0	0	0	0.2	0.2	-	-	-	-
OTHER PLACE	9	1	0	0	8	0	1.7	0.2	-	-	1.5	-
UNKNOWN PLACE	0	0	0	0	0	0	-	-	-	-	-	-
<u>WHITE</u>	<u>151</u>	<u>147</u>	<u>0</u>	<u>0</u>	<u>1</u>	<u>3</u>	<u>100.0</u>	<u>97.4</u>	-	-	<u>0.7</u>	<u>2.0</u>
HOSPITAL CLINIC/DOCTOR'S OFFICE	148	145	0	0	0	3	98.0	96.0	-	-	-	2.0
HOME	1	1	0	0	0	0	0.7	0.7	-	-	-	-
OTHER PLACE	2	1	0	0	1	0	1.3	0.7	-	-	0.7	-
UNKNOWN PLACE	0	0	0	0	0	0	-	-	-	-	-	-
<u>NONWHITE</u>	<u>368</u>	<u>355</u>	<u>3</u>	<u>0</u>	<u>8</u>	<u>2</u>	<u>100.0</u>	<u>96.5</u>	<u>0.8</u>	-	<u>2.2</u>	<u>0.5</u>
HOSPITAL CLINIC/DOCTOR'S OFFICE	361	355	3	0	1	2	98.1	96.5	0.8	-	0.3	0.5
HOME	0	0	0	0	0	0	-	-	-	-	-	-
OTHER PLACE	7	0	0	0	7	0	1.9	-	-	-	1.9	-
UNKNOWN PLACE	0	0	0	0	0	0	-	-	-	-	-	-

* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

**TABLE B2. REPORTABLE* FETAL DEATHS AND FETAL DEATH RATIOS,
BY AGE AND RACE OF MOTHER
MISSISSIPPI, 1992**

AGE OF MOTHER	NUMBER			RATIO**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	519	151	368	12.2	7.0	17.5
UNDER 15	13	1	12	37.8	#	39.5
15- 19	117	24	93	13.3	7.5	16.5
20- 24	132	38	94	9.2	5.4	12.7
25- 29	106	41	65	10.1	6.5	15.7
30- 34	99	29	70	16.0	7.5	29.9
35- 39	37	16	21	17.7	14.2	21.8
40- 44	13	2	11	39.3	14.0	58.5
UNKNOWN	2	0	2	#	-	#

* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

** REPORTABLE FETAL DEATHS PER 1,000 LIVE BIRTHS TO MOTHERS IN SPECIFIED GROUP.

RATIO NOT CALCULATED ON LESS THAN 100 LIVE BIRTHS.

**TABLE B3. PERCENTAGE DISTRIBUTION OF LIVE BIRTHS AND REPORTABLE* FETAL DEATHS,
BY WHETHER MOTHER RECEIVED PRENATAL CARE AND RACE OF MOTHER
MISSISSIPPI, 1992**

PRENATAL CARE	LIVE BIRTHS			REPORTABLE* FETAL DEATHS		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	100.0	100.0	100.0	100.0	100.0	100.0
NO CARE	1.4	0.6	2.3	10.0	2.0	13.3
SOME CARE	98.0	99.0	96.9	74.4	86.8	69.3
UNKNOWN WHETHER ANY CARE	0.5	0.3	0.8	15.6	11.2	17.4

* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS

**TABLE B4. REPORTABLE* FETAL DEATHS AND FETAL DEATH RATIOS,
BY COMPLETED WEEKS OF GESTATION AND RACE OF MOTHER,
MISSISSIPPI, 1990-1992**

COMPLETED WEEKS OF GESTATION**	TOTAL			WHITE			NONWHITE		
	1990	1991	1992	1990	1991	1992	1990	1991	1992
REPORTABLE* FETAL DEATHS									
<u>TOTAL</u>	<u>523</u>	<u>481</u>	<u>519</u>	<u>157</u>	<u>134</u>	<u>151</u>	<u>366</u>	<u>347</u>	<u>368</u>
UNDER 20	40	18	33	7	2	6	33	16	27
<u>20 AND OVER</u>	<u>403</u>	<u>394</u>	<u>406</u>	<u>126</u>	<u>115</u>	<u>124</u>	<u>277</u>	<u>279</u>	<u>282</u>
20- 22	76	74	92	14	17	21	62	57	71
23- 27	96	108	95	26	29	20	70	79	75
28- 36	135	124	126	47	37	44	88	87	82
37 AND OVER	96	88	93	39	32	39	57	56	54
UNKNOWN	80	69	80	24	17	21	56	52	59
FETAL DEATH RATI OS#									
<u>TOTAL</u>	<u>12.0</u>	<u>11.1</u>	<u>12.2</u>	<u>7.0</u>	<u>6.1</u>	<u>7.0</u>	<u>17.2</u>	<u>16.3</u>	<u>17.5</u>
UNDER 20	0.9	0.4	0.8	0.3	0.1	0.3	1.6	0.8	1.3
<u>20 AND OVER</u>	<u>9.2</u>	<u>9.1</u>	<u>9.5</u>	<u>5.6</u>	<u>5.2</u>	<u>5.7</u>	<u>13.0</u>	<u>13.1</u>	<u>13.4</u>
20- 22	1.7	1.7	2.2	0.6	0.8	1.0	2.9	2.7	3.4
23- 27	2.2	2.5	2.2	1.2	1.3	0.9	3.3	3.7	3.6
28- 36	3.1	2.9	3.0	2.1	1.7	2.0	4.1	4.1	3.9
37 AND OVER	2.2	2.0	2.2	1.8	1.5	1.8	2.7	2.6	2.6
UNKNOWN	1.8	1.6	1.9	1.1	0.8	1.0	2.6	2.4	2.8

* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

** CALCULATED BY SUBTRACTING THE DATE OF THE LAST NORMAL MENSTRUAL PERIOD PRIOR TO DELIVERY FROM THE DATE OF DELIVERY.

REPORTABLE FETAL DEATHS PER 1,000 LIVE BIRTHS.

DEATHS

**TABLE C1. DEATHS AND AVERAGE PER DAY, BY MONTH
MISSISSIPPI, 1992**

MONTH	DEATHS	AVERAGE PER DAY	MONTH	DEATHS	AVERAGE PER DAY
TOTAL	25, 163	69			
JANUARY	2, 362	76	JULY	2, 016	65
FEBRUARY	2, 052	71	AUGUST	1, 968	63
MARCH	2, 210	71	SEPTEMBER	1, 931	64
APRIL	2, 055	68	OCTOBER	2, 127	69
MAY	2, 153	69	NOVEMBER	2, 106	70
JUNE	1, 954	65	DECEMBER	2, 229	72

**TABLE C2. DEATHS, PERCENTAGE DISTRIBUTION, AND RATES, BY AGE AND RACE
MISSISSIPPI, 1992**

AGE	NUMBER			PERCENT			RATE*		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	25, 163	16, 417	8, 746	100. 0	100. 0	100. 0	9. 8	10. 0	9. 3
UNDER 1	508	170	338	2. 0	1. 0	3. 9	14. 9	9. 2	21. 6
1- 4	113	43	70	0. 4	0. 3	0. 8	0. 7	0. 5	0. 9
5- 9	71	34	37	0. 3	0. 2	0. 4	0. 3	0. 3	0. 4
10- 14	71	36	35	0. 3	0. 2	0. 4	0. 3	0. 3	0. 4
15- 24	591	262	329	2. 3	1. 6	3. 8	1. 4	1. 1	1. 8
25- 34	799	400	399	3. 2	2. 4	4. 6	2. 0	1. 6	2. 7
35- 44	1, 080	557	523	4. 3	3. 4	6. 0	3. 1	2. 4	4. 6
45- 54	1, 580	930	650	6. 3	5. 7	7. 4	6. 4	5. 1	9. 8
55- 64	3, 064	2, 019	1, 045	12. 2	12. 3	11. 9	14. 3	12. 6	19. 0
65- 74	5, 507	3, 762	1, 745	21. 9	22. 9	20. 0	30. 6	28. 6	35. 8
75- 84	6, 722	4, 673	2, 049	26. 7	28. 5	23. 4	61. 8	61. 2	63. 1
85 AND OVER	5, 049	3, 528	1, 521	20. 1	21. 5	17. 4	156. 1	164. 3	140. 1
UNKNOWN	8	3	5	**	**	**			

* DEATHS PER 1, 000 POPULATION IN SPECIFIED GROUP.

** LESS THAN 0. 06 PERCENT.

**TABLE C3A. DEATHS BY AGE, RACE, AND SEX, AND MALE/FEMALE RATIOS
BY AGE AND RACE
MISSISSIPPI, 1992**

AGE	TOTAL			WHITE			NONWHITE		
	MALE	FEMALE	MALES PER FEMALE	MALE	FEMALE	MALES PER FEMALE	MALE	FEMALE	MALES PER FEMALE
TOTAL	13,316	11,847	1.12	8,646	7,771	1.11	4,670	4,076	1.14
UNDER 1	262	246	1.06	90	80	1.12	172	166	1.04
1-4	60	53	1.13	23	20	1.15	37	33	1.12
5-9	40	31	1.29	19	15	1.27	21	16	1.31
10-14	53	18	2.94	27	9	3.00	26	9	2.89
15-24	437	154	2.84	190	72	2.64	247	82	3.01
25-34	535	264	2.03	276	124	2.22	259	140	1.85
35-44	723	357	2.02	391	166	2.36	332	191	1.74
45-54	983	597	1.65	594	336	1.77	389	261	1.49
55-64	1,938	1,126	1.72	1,332	687	1.94	606	439	1.38
65-74	3,283	2,224	1.48	2,315	1,447	1.60	968	777	1.24
75-84	3,270	3,452	0.95	2,256	2,417	0.93	1,014	1,035	0.98
85 AND OVER	1,727	3,322	0.52	1,131	2,397	0.47	596	925	0.64
UNKNOWN	5	3		2	1		3	2	
MEDIAN AGE	69.9	77.5		71.0	78.8		67.5	74.0	

**TABLE C3B. DEATH RATES*, BY AGE, RACE, AND SEX
MISSISSIPPI, 1992**

AGE	TOTAL		WHITE		NONWHITE	
	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE
TOTAL	10.8	8.8	10.9	9.3	10.7	8.1
UNDER 1	15.3	14.6	9.6	8.9	22.1	21.1
1-4	0.7	0.7	0.5	0.5	1.0	0.9
5-9	0.4	0.3	0.3	0.3	0.4	0.3
10-14	0.5	0.2	0.5	0.2	0.5	0.2
15-24	2.1	0.7	1.5	0.6	2.9	0.9
25-34	2.8	1.3	2.2	1.0	4.0	1.7
35-44	4.3	2.0	3.3	1.4	6.4	3.1
45-54	8.3	4.6	6.7	3.6	13.3	7.0
55-64	19.8	9.7	17.6	8.2	26.8	13.6
65-74	42.9	21.5	40.7	19.4	49.3	26.7
75-84	81.7	50.2	82.6	49.3	79.6	52.4
85 AND OVER	184.2	144.7	201.3	151.2	158.6	130.3

* DEATHS PER 1,000 POPULATION IN SPECIFIED GROUP.

**TABLE C4. DEATHS AND PERCENT OF TOTAL DEATHS FROM TEN LEADING CAUSES,
BY CAUSE AND RACE
MISSISSIPPI, 1992**

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER	NUMBER			PERCENT		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF TEN LEADING CAUSES	21,157	13,980	7,177	84.1	85.2	82.1
1. HEART DISEASES (390-398, 402, 404-429)	9,096	6,075	3,021	36.1	37.0	34.5
2. MALIGNANT NEOPLASMS (140-208)	5,536	3,718	1,818	22.0	22.6	20.8
3. CEREBROVASCULAR DISEASES (430-438)	1,715	1,105	610	6.8	6.7	7.0
4. ACCIDENTS (800-949)	1,538	960	578	6.1	5.8	6.6
5. EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	873	727	146	3.5	4.4	1.7
6. PNEUMONIA AND INFLUENZA (480-487)	807	579	228	3.2	3.5	2.6
7. DIABETES MELLITUS (250)	469	234	235	1.9	1.4	2.7
8. HOMICIDE AND LEGAL INTERVENTION (960-978)	455	138	317	1.8	0.8	3.6
9. NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	337	176	161	1.3	1.1	1.8
10. SUICIDE (950-959)	331	268	63	1.3	1.6	0.7

**TABLE C5. DEATHS, PERCENT OF TOTAL DEATHS, AND RATES
FOR FIVE LEADING CAUSES, BY AGE AND CAUSE
MISSISSIPPI, 1992**

<u>AGE</u>	<u>CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER</u>	<u>NUMBER</u>	<u>PERCENT</u>	<u>RATE*</u>
1-4	<u>ALL CAUSES</u>	<u>113</u>	<u>100.0</u>	<u>0.7</u>
	1. ACCIDENTS (800-949)	61	54.0	37.8
	2. CONGENITAL ANOMALIES (740-759)	13	11.5	8.1
	3T. HEART DISEASES (390-398, 402, 404-429)	6	5.3	3.7
	3T. HOMICIDE AND LEGAL INTERVENTION (960-978)	6	5.3	3.7
	5. MALIGNANT NEOPLASMS (140-208)	3	2.7	1.9
5-14	<u>ALL CAUSES</u>	<u>142</u>	<u>100.0</u>	<u>0.3</u>
	1. ACCIDENTS (800-949)	84	59.2	19.8
	2. MALIGNANT NEOPLASMS (140-208)	14	9.9	3.3
	3. HOMICIDE AND LEGAL INTERVENTION (960-978)	4	2.8	0.9
	4T. HEART DISEASES (390-398, 402, 404-429)	3	2.1	0.7
	4T. EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	3	2.1	0.7
15-24	<u>ALL CAUSES</u>	<u>591</u>	<u>100.0</u>	<u>1.4</u>
	1. ACCIDENTS (800-949)	282	47.7	67.2
	2. HOMICIDE AND LEGAL INTERVENTION (960-978)	143	24.2	34.1
	3. SUICIDE (950-959)	60	10.2	14.3
	4. HEART DISEASES (390-398, 402, 404-429)	27	4.6	6.4
	5. MALIGNANT NEOPLASMS (140-208)	16	2.7	3.8
25-44	<u>ALL CAUSES</u>	<u>1,879</u>	<u>100.0</u>	<u>2.5</u>
	1. ACCIDENTS (800-949)	448	23.8	59.8
	2. HEART DISEASES (390-398, 402, 404-429)	306	16.3	40.8
	3. MALIGNANT NEOPLASMS (140-208)	278	14.8	37.1
	4. HOMICIDE AND LEGAL INTERVENTION (960-978)	183	9.7	24.4
	5. SUICIDE (950-959)	146	7.8	19.5
45-64	<u>ALL CAUSES</u>	<u>4,644</u>	<u>100.0</u>	<u>10.0</u>
	1. HEART DISEASES (390-398, 402, 404-429)	1,578	34.0	341.4
	2. MALIGNANT NEOPLASMS (140-208)	1,520	32.7	328.8
	3. ACCIDENTS (800-949)	247	5.3	53.4
	4. CEREBROVASCULAR DISEASES (430-438)	222	4.8	48.0
	5. EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	138	3.0	29.9
65 & OVER	<u>ALL CAUSES</u>	<u>17,278</u>	<u>100.0</u>	<u>53.8</u>
	1. HEART DISEASES (390-398, 402, 404-429)	7,155	41.4	2,227.0
	2. MALIGNANT NEOPLASMS (140-208)	3,705	21.4	1,153.2
	3. CEREBROVASCULAR DISEASES (430-438)	1,434	8.3	446.3
	4. EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	720	4.2	224.1
	5. PNEUMONIA AND INFLUENZA (480-487)	707	4.1	220.1

* DEATHS FROM ALL CAUSES PER 1,000 POPULATION IN SPECIFIED GROUP AND DEATHS FROM SPECIFIC CAUSES PER 100,000 POPULATION IN SPECIFIED GROUP.

**TABLE C6. DEATHS AND RATES FROM MALIGNANT NEOPLASMS,
BY PRIMARY SITE, SEX, AND RACE
MISSISSIPPI, 1992**

PRIMARY SITE (RANKED ACCORDING TO NUMBER OF DEATHS AMONG TOTAL POPULATION) AND INTERNATIONAL CLASSIFICATION NUMBER	NUMBER				RATE*			
	MALE		FEMALE		MALE		FEMALE	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL	2, 124	1, 056	1, 594	762	267. 1	242. 6	190. 2	151. 1
1. RESPIRATORY AND INTRA- THORACIC ORGANS (160- 165)	866	323	352	119	99. 1	68. 3	38. 9	22. 5
2. DIGESTIVE ORGANS AND PERITONEUM (150- 159)	420	267	319	223	48. 1	56. 5	35. 2	42. 2
3. GENITAL ORGANS (179- 187)	214	225	153	105	24. 5	47. 6	16. 9	19. 9
4. LYMPHATIC AND HEMATOPOIETIC TISSUE (200- 208)	194	71	165	59	22. 2	15. 0	18. 2	11. 2
5. BREAST (174, 175)	1	1	268	124	0. 1	0. 2	29. 6	23. 5
6. URINARY ORGANS (188, 189)	100	26	47	15	11. 4	5. 5	5. 2	2. 8
7. BRAIN (191)	52	9	51	15	6. 0	1. 9	5. 6	2. 8
8. LIP, ORAL CAVITY, AND PHARYNX (140- 149)	47	33	27	4	5. 4	7. 0	3. 0	0. 8
9. SKIN (172, 173)	41	8	20	5	4. 7	1. 7	2. 2	0. 9
10. BONE AND CONNECTIVE TISSUE (170, 171)	12	7	20	5	1. 4	1. 5	2. 2	0. 9
- OTHER AND UNSPECIFIED SITES (190, 192- 199)	177	86	172	88	20. 3	18. 2	19. 0	16. 7

* DEATHS PER 100, 000 POPULATION IN SPECIFIED GROUP.

**TABLE C7. DEATHS FROM MAJOR CHRONIC RESPIRATORY DISEASES,
1967, 1972, 1977, 1982, 1987, 1992**

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER	1967	1972	1977	1982	1987	1992
TUBERCULOSIS OF RESPIRATORY SYSTEM (010-012)	76	41	41	19	17	27
MALIGNANT NEOPLASMS OF RESPIRATORY SYSTEM (160- 165)	588	764	1, 069	1, 333	1, 601	1, 660
MALIGNANT NEOPLASMS OF TRACHEA, BRONCHUS, AND LUNG (162)	556	736	1, 019	1, 268	1, 555	1, 615
CHRONIC AND UNQUALIFIED BRONCHITIS (490, 491)	43	54	39	18	43	44
EMPHYSEMA (492)	194	170	146	82	104	134
ASTHMA (493)	50	22	15	29	34	53
(ADJUSTED FIGURES*)			(35)			

* ADJUSTED ACCORDING TO COMPARABILITY RATIOS PREPARED BY THE NATIONAL CENTER FOR HEALTH STATISTICS IN ORDER TO COMPENSATE FOR BREAKS IN COMPARABILITY CAUSED BY REVISIONS OF THE CAUSE-OF-DEATH CLASSIFICATION SYSTEM IN 1968.

**TABLE C8. DEATHS AND PERCENT OF TOTAL ACCIDENTAL DEATHS FROM
FIVE LEADING CAUSES OF ACCIDENTAL DEATH, BY CAUSE AND RACE
MISSISSIPPI, 1992**

TYPE OF ACCIDENT AND INTERNATIONAL CLASSIFICATION NUMBER	NUMBER			PERCENT		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>TOTAL OF FIVE LEADING CAUSES</u>	<u>1,206</u>	<u>755</u>	<u>451</u>	<u>78.4</u>	<u>78.6</u>	<u>78.0</u>
1. MOTOR VEHICLE (810-825)	826	526	300	53.7	54.8	51.9
2. FALLS (880-888)	141	120	21	9.2	12.5	3.6
3. FIRES AND FLAMES (890-899)	118	43	75	7.7	4.5	13.0
4. INHALATION AND INGESTION OF FOOD OR OTHER OBJECT CAUSING OBSTRUCTION OF RESPIRATORY TRACT OR SUFFOCATION (911, 912)	63	38	25	4.1	4.0	4.3
5. DROWNING AND SUBMERSION (EXCEPT IN TRANSPORT ACCIDENTS) (910)	58	28	30	3.8	2.9	5.2

**TABLE C9. DEATHS FROM SELECTED TYPES OF ACCIDENTS, BY SEX, ALSO BY AGE
MISSISSIPPI RESIDENTS, 1992**

TYPE OF ACCIDENT AND INTERNATIONAL CLASSIFICATION NUMBER	TOTAL	SEX		AGE							
		MALE	FEMALE	UNDER 1	1-4	5-14	15- 24	25- 34	35- 44	45- 64	65 & OVER
ALL ACCIDENTS	1,538	1,043	495	24	61	84	282	245	203	247	392
MOTOR VEHICLE (810-825)	826	579	247	6	22	43	213	165	135	130	112
WATER TRANSPORT (830-838)	22	20	2	1	0	1	3	8	4	3	2
SUBMERSION, DROWNING (830, 832)	19	18	1	1	0	1	2	6	4	3	2
OTHER (831, 833-838)	3	2	1	0	0	0	1	2	0	0	0
AIR AND SPACE TRANSPORT (840-845)	8	7	1	0	0	0	2	3	1	2	0
POISONING (850-869)	43	33	10	0	1	0	4	10	15	8	5
BY DRUGS, MEDICAMENTS, AND BIO- LOGICALS (850-858)	35	26	9	0	1	0	4	8	14	5	3
BY OTHER SOLID AND LIQUID SUB- STANCES, GASES, AND VAPORS (860-869)	8	7	1	0	0	0	0	2	1	3	2
FALLS (880-888)	141	62	79	3	1	2	3	2	6	22	102
FIRES AND FLAMES (890-899)	118	77	41	3	18	10	5	13	8	26	35
DROWNING AND SUBMERSION (EXCEPT IN TRANSPORT ACCIDENTS) (910)	58	45	13	2	10	6	15	8	4	5	8
INHALATION AND INGESTION OF FOOD OR OTHER OBJECT CAUSING OBSTRUCTION OF RESPIRATORY TRACT OR SUFFOCA- TION (911, 912)	63	32	31	6	3	0	1	7	5	7	34
MECHANICAL SUFFOCATION (INCLUDING IN BED OR CRADLE) (913)	9	5	4	3	0	4	0	0	1	0	1
STRUCK BY, STRIKING AGAINST, AND CAUGHT IN OR BETWEEN OBJECTS (916-918)	12	12	0	0	0	0	1	1	3	3	4
CAUSED BY MACHINERY (919)	25	24	1	0	0	0	1	2	3	7	12
CAUSED BY FIREARM MISSILE (922)	49	45	4	0	2	9	22	8	4	2	2
CAUSED BY ELECTRIC CURRENT (925)	10	9	1	0	1	0	5	1	1	2	0

TABLE C10. MOTOR VEHICLE ACCIDENT DEATHS OCCURRING IN MISSISSIPPI AND RATES, ALSO MOTOR VEHICLE ACCIDENT DEATHS OF MISSISSIPPI RESIDENTS AND RATES, BY YEAR, 1950, 1955, 1960, 1965, 1970-1992

YEAR	OCCURRENCE DATA		RESIDENCE DATA	
	NUMBER	RATE*	NUMBER	RATE*
1950	530	**	515	23.6
1955	568	**	541	24.8
1960	676	9.3	620	28.5
1965	748	8.4	742	31.8
1970	960	8.2	937	42.3
1971	1,011	8.2	984	44.4
1972	1,019	7.8	989	43.8
1973	956	7.0	954	41.2
1974	711	5.2	717	30.7
1975	671	4.7	681	29.1
1976	725	4.7	696	29.4
1977	763	4.8	771	32.3
1978	884	5.2	877	36.5
1979	801	4.7	783	32.5
1980	796	4.8	743	29.5
1981	792	4.7	793	31.5
1982	777	4.5	755	29.6
1983	744	4.2	725	28.0
1984	707	3.8	697	26.9
1985	691	4.0	683	25.7
1986	785	5.7	782	29.4
1987	802	4.0	804	29.6
1988	791	3.6	776	28.2
1989	806	3.5	797	28.7
1990	863	3.5	854	33.2
1991	811	3.3	810	31.5
1992	838	3.2	826	32.1

* DEATHS IN MISSISSIPPI PER 100,000,000 MILES OF VEHICLE TRAVEL; DEATHS OF RESIDENTS PER 100,000 POPULATION.

** NOT AVAILABLE.

**TABLE C11. INFANT DEATHS, PERCENTAGE DISTRIBUTION, AND MORTALITY RATES,
BY AGE AND RACE,
MISSISSIPPI, 1992**

AGE	NUMBER			PERCENT			RATE*		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>TOTAL UNDER 1 YEAR</u>	<u>508</u>	<u>170</u>	<u>338</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>	<u>11.9</u>	<u>7.8</u>	<u>16.1</u>
<u>NEONATAL (UNDER 28 DAYS)</u>	<u>320</u>	<u>97</u>	<u>223</u>	<u>63.0</u>	<u>57.0</u>	<u>66.0</u>	<u>7.5</u>	<u>4.5</u>	<u>10.6</u>
<u>HEBDOMADAL (UNDER 7 DAYS)</u>	<u>274</u>	<u>82</u>	<u>192</u>	<u>53.9</u>	<u>48.2</u>	<u>56.8</u>	<u>6.4</u>	<u>3.8</u>	<u>9.2</u>
UNDER 1 DAY	186	63	123	36.6	37.0	36.4	4.4	2.9	5.9
1-6 DAYS	88	19	69	17.3	11.2	20.4	2.1	0.9	3.3
7-27 DAYS	46	15	31	9.0	8.8	9.2	1.1	0.7	1.5
<u>POSTNEONATAL (28 DAYS TO 1 YEAR)</u>	<u>188</u>	<u>73</u>	<u>115</u>	<u>37.0</u>	<u>42.9</u>	<u>34.0</u>	<u>4.4</u>	<u>3.4</u>	<u>5.5</u>

* DEATHS PER 1,000 LIVE BIRTHS.

**TABLE C12. DEATHS AND MORTALITY RATES FOR TEN LEADING CAUSES
OF INFANT DEATH, BY CAUSE AND RACE
MISSISSIPPI, 1992**

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER	NUMBER			RATE*		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>ALL CAUSES</u>	<u>508</u>	<u>170</u>	<u>338</u>	<u>11.9</u>	<u>7.8</u>	<u>16.1</u>
1. CONGENITAL ANOMALIES (740-759)	96	42	54	2.2	1.9	2.6
2. SUDDEN INFANT DEATH SYNDROME (798.0)	83	26	57	1.9	1.2	2.7
3. DISORDERS RELATING TO SHORT GESTATION AND UNSPECIFIED LOW BIRTHWEIGHT (765)	59	14	45	1.4	0.6	2.1
4. RESPIRATORY DISTRESS SYNDROME (769)	28	6	22	0.6	0.3	1.0
5. ACCIDENTS (800-949)	24	9	15	0.6	0.4	0.7
6. INFECTIONS SPECIFIC TO THE PERINATAL PERIOD (771)	18	5	13	0.4	0.2	0.6
7. MATERNAL COMPLICATIONS OF PREGNANCY (761)	14	7	7	0.3	0.3	0.3
8. INTRAUTERINE HYPOXIA AND BIRTH ASPHYXIA (768)	11	0	11	0.2	0.0	0.5
9. COMPLICATIONS OF PLACENTA, CORD, AND MEMBRANES (762)	9	3	6	0.2	0.1	0.3
10. PNEUMONIA AND INFLUENZA (480- 487)	7	2	5	0.2	0.1	0.2

* DEATHS PER 1,000 LIVE BIRTHS.

MARRIAGES

TABLE D1. MARRIAGES AND AVERAGE PER DAY, BY MONTH
MISSISSIPPI, 1992

<u>MONTH</u>	<u>MARRIAGES</u>	<u>AVERAGE PER DAY</u>	<u>MONTH</u>	<u>MARRIAGES</u>	<u>AVERAGE PER DAY</u>
<u>TOTAL</u>	<u>22, 995</u>	<u>63</u>			
JANUARY	1, 286	41	JULY	2, 115	68
FEBRUARY	1, 862	64	AUGUST	2, 274	73
MARCH	1, 722	56	SEPTEMBER	1, 701	57
APRIL	1, 725	58	OCTOBER	1, 676	54
MAY	2, 190	71	NOVEMBER	1, 766	59
JUNE	2, 584	86	DECEMBER	2, 094	68

TABLE D2. BRIDES AND GROOMS AND PERCENTAGE DISTRIBUTION, BY AGE AND RACE
MISSISSIPPI, 1992

AGE	NUMBER						PERCENT					
	BRIDE			GROOM			BRIDE			GROOM		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	22,995	16,776	6,219	22,995	16,742	6,253	100.0	100.0	100.0	100.0	100.0	100.0
UNDER 20	3,588	3,093	495	1,337	1,160	177	15.6	18.4	8.0	5.8	6.9	2.8
13	3	2	1	0	0	0	*	*	*	-	-	-
14	29	27	2	0	0	0	0.1	0.2	*	-	-	-
15	189	179	10	2	2	0	0.8	1.1	0.2	*	*	-
16	323	303	20	27	25	2	1.4	1.8	0.3	0.1	0.1	*
17	596	532	64	178	170	8	2.6	3.2	1.0	0.8	1.0	0.1
18	1,152	997	155	415	371	44	5.0	5.9	2.5	1.8	2.2	0.7
19	1,296	1,053	243	715	592	123	5.6	6.3	3.9	3.1	3.5	2.0
20-24	6,939	5,095	1,844	6,700	5,043	1,657	30.2	30.4	29.6	29.1	30.1	26.5
25-34	7,158	4,726	2,432	8,236	5,700	2,536	31.1	28.2	39.1	35.8	34.0	40.6
35-44	3,287	2,264	1,023	3,725	2,594	1,131	14.3	13.5	16.4	16.2	15.5	18.1
45-54	1,275	986	289	1,741	1,307	434	5.5	5.9	4.6	7.6	7.8	6.9
55-64	482	394	88	740	558	182	2.1	2.3	1.4	3.2	3.3	2.9
65-74	223	187	36	387	287	100	1.0	1.1	0.6	1.7	1.7	1.6
75 & OVER	43	31	12	129	93	36	0.2	0.2	0.2	0.6	0.6	0.6

* LESS THAN 0.06 PERCENT.

**TABLE D3. MEDIAN AGE OF BRIDE AND GROOM
FOR ALL MARRIAGES AND FIRST MARRIAGES, BY RACE
MISSISSIPPI, 1992**

ALL AND FIRST MARRIAGES	BRIDE			GROOM		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
ALL MARRIAGES	26.4	25.4	28.2	29.2	28.8	30.1
FIRST MARRIAGES	22.7	21.8	24.9	24.4	23.8	26.9

**TABLE D4. BRIDES AND GROOMS AND PERCENTAGE DISTRIBUTION,
BY MARRIAGE ORDER AND RACE
MISSISSIPPI, 1992**

MARRIAGE ORDER	NUMBER						PERCENT					
	BRIDE			GROOM			BRIDE			GROOM		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	22,995	16,776	6,219	22,995	16,742	6,253	100.0	100.0	100.0	100.0	100.0	100.0
FIRST	13,359	8,896	4,463	13,466	9,131	4,335	58.1	53.0	71.8	58.6	54.5	69.3
REMARRIAGE	9,626	7,875	1,751	9,523	7,608	1,915	41.9	46.9	28.2	41.4	45.4	30.6
SECOND	6,492	5,054	1,438	6,463	4,943	1,520	28.2	30.1	23.1	28.1	29.5	24.3
OVER TWO	3,128	2,816	312	3,058	2,663	395	13.6	16.8	5.0	13.3	15.9	6.3
THIRD	2,250	1,986	264	2,179	1,860	319	9.8	11.8	4.2	9.5	11.1	5.1
FOURTH	681	640	41	642	587	55	3.0	3.8	0.6	2.8	3.5	0.9
FIFTH	152	147	5	168	152	16	0.7	0.9	0.1	0.7	0.9	0.2
SIXTH	31	29	2	49	46	3	0.1	0.2	#	0.2	0.3	#
SEVENTH	11	11	0	9	9	0	#	0.1	-	#	#	-
EIGHTH	2	2	0	7	5	2	#	#	-	#	#	#
NINTH	0	0	0	2	2	0	-	-	-	#	#	-
TENTH	1	1	0	1	1	0	#	#	-	#	#	-
OVER TEN	0	0	0	1	1	0	-	-	-	#	#	-
UNKNOWN*	6	5	1	2	2	0	#	#	#	#	#	-
UNKNOWN**	10	5	5	6	3	3	#	#	0.1	#	#	#

* PREVIOUSLY MARRIED BUT NUMBER OF PREVIOUS MARRIAGES UNKNOWN.

** UNKNOWN WHETHER PREVIOUSLY MARRIED.

LESS THAN 0.06 PERCENT.

**TABLE D5. BRIDES AND GROOMS AND PERCENTAGE DISTRIBUTION,
BY PREVIOUS MARITAL STATUS AND RACE
MISSISSIPPI, 1992**

PREVIOUS MARITAL STATUS	BRIDE			GROOM		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
NUMBER						
<u>TOTAL</u>	<u>22,995</u>	<u>16,776</u>	<u>6,219</u>	<u>22,995</u>	<u>16,742</u>	<u>6,253</u>
NOT PREVIOUSLY MARRIED	13,359	8,896	4,463	13,466	9,131	4,335
<u>REMARRIAGES</u>	<u>9,626</u>	<u>7,875</u>	<u>1,751</u>	<u>9,523</u>	<u>7,608</u>	<u>1,915</u>
WIDOWED	967	760	207	775	594	181
DIVORCED*	8,644	7,107	1,537	8,732	7,004	1,728
UNKNOWN**	15	8	7	16	10	6
UNKNOWN#	10	5	5	6	3	3
PERCENT						
<u>TOTAL</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>
NOT PREVIOUSLY MARRIED	58.1	53.0	71.8	58.6	54.5	69.3
<u>REMARRIAGES</u>	<u>41.9</u>	<u>46.9</u>	<u>28.2</u>	<u>41.4</u>	<u>45.4</u>	<u>30.6</u>
WIDOWED	4.2	4.5	3.3	3.4	3.5	2.9
DIVORCED*	37.6	42.4	24.7	38.0	41.8	27.6
UNKNOWN**	0.1	##	0.1	0.1	0.1	0.1
UNKNOWN#	##	##	0.1	##	##	##

* INCLUDES THOSE WHOSE LAST MARRIAGE WAS ANNULLED.

** UNKNOWN WHETHER WIDOWED OR DIVORCED.

UNKNOWN WHETHER ANY PREVIOUS MARRIAGE.

LESS THAN 0.06 PERCENT.

**TABLE D6. MARRIAGES AND PERCENTAGE DISTRIBUTION,
BY RESIDENCE OF BRIDE AND GROOM AND RACE OF BRIDE
MISSISSIPPI, 1992**

RESIDENCE OF GROOM	RACE AND RESIDENCE OF BRIDE											
	TOTAL				WHITE				NONWHITE			
	TOTAL	MISSIS- SIPPI	OTHER	UN- KNOWN	TOTAL	MISSIS- SIPPI	OTHER	UN- KNOWN	TOTAL	MISSIS- SIPPI	OTHER	UN- KNOWN
NUMBER												
<u>TOTAL</u>	<u>22,995</u>	<u>21,402</u>	<u>1,592</u>	<u>1</u>	<u>16,776</u>	<u>15,545</u>	<u>1,230</u>	<u>1</u>	<u>6,219</u>	<u>5,857</u>	<u>362</u>	<u>0</u>
MISSISSIPPI	20,804	20,391	412	1	15,101	14,790	310	1	5,703	5,601	102	0
OTHER	2,190	1,010	1,180	0	1,674	754	920	0	516	256	260	0
UNKNOWN	1	1	0	0	1	1	0	0	0	0	0	0
PERCENT												
<u>TOTAL</u>	<u>100.0</u>	<u>93.1</u>	<u>6.9</u>	<u>*</u>	<u>100.0</u>	<u>92.7</u>	<u>7.3</u>	<u>*</u>	<u>100.0</u>	<u>94.2</u>	<u>5.8</u>	<u>-</u>
MISSISSIPPI	90.5	88.7	1.8	*	90.0	88.2	1.8	*	91.7	90.1	1.6	-
OTHER	9.5	4.4	5.1	-	10.0	4.5	5.5	-	8.3	4.1	4.2	-
UNKNOWN	*	*	-	-	*	*	-	-	-	-	-	-

* LESS THAN 0.06 PERCENT.

DIVORCES

**TABLE E1. DIVORCES AND PERCENTAGE DISTRIBUTION, BY CAUSE AND RACE*
MISSISSIPPI, 1992**

CAUSE	NUMBER				PERCENT			
	TOTAL	WHITE	NON- WHITE	UN- KNOWN	TOTAL	WHITE	NON- WHITE	UN- KNOWN
TOTAL	12,758	9,785	2,667	306	100.0	100.0	100.0	100.0
IRRECONCILABLE DIFFERENCES	10,121	8,109	1,786	226	79.3	82.9	67.0	73.8
CRUEL AND INHUMAN TREATMENT	1,701	1,152	498	51	13.3	11.8	18.7	16.7
DESERTION	501	230	255	16	3.9	2.4	9.6	5.2
ADULTERY	251	181	66	4	2.0	1.8	2.5	1.3
DRUNKENNESS	87	60	25	2	0.7	0.6	0.9	0.6
PENITENTIARY	53	28	24	1	0.4	0.3	0.9	0.3
ANNULMENT	18	9	4	5	0.1	0.1	0.2	1.6
BIGAMY	6	5	1	0	**	**	**	-
MISCELLANEOUS AND OTHER	8	5	2	1	0.1	**	0.1	0.3
UNKNOWN	12	6	6	0	0.1	0.1	0.2	-

* DIVORCES OF MIXED-RACE COUPLES ARE INCLUDED IN FIGURES FOR NONWHITES.

** LESS THAN 0.06 PERCENT.

**TABLE E2. DIVORCES AND PERCENTAGE DISTRIBUTION,
BY NUMBER OF MINOR CHILDREN AND RACE*
MISSISSIPPI, 1992**

NUMBER OF MINOR CHILDREN	NUMBER				PERCENT			
	TOTAL	WHITE	NON- WHITE	UN- KNOWN	TOTAL	WHITE	NON- WHITE	UN- KNOWN
TOTAL DIVORCES	12,758	9,785	2,667	306	100.0	100.0	100.0	100.0
NONE	6,056	4,855	1,061	140	47.5	49.6	39.8	45.8
ONE	3,388	2,565	732	91	26.6	26.2	27.4	29.7
TWO	2,374	1,741	575	58	18.6	17.8	21.6	19.0
THREE OR MORE	938	623	298	17	7.4	6.4	11.2	5.6
UNKNOWN	2	1	1	0	**	**	**	-

* DIVORCES OF MIXED-RACE COUPLES ARE INCLUDED IN FIGURES FOR NONWHITES.

** LESS THAN 0.06 PERCENT.

**TABLE E3. DIVORCES AND PERCENTAGE DISTRIBUTION,
BY NUMBER OF YEARS MARRIED AND RACE*
MISSISSIPPI, 1992**

NUMBER OF YEARS MARRIED	NUMBER				PERCENT			
	TOTAL	WHITE	NON- WHITE	UN- KNOWN	TOTAL	WHITE	NON- WHITE	UN- KNOWN
<u>TOTAL DIVORCES</u>	<u>12, 758</u>	<u>9, 785</u>	<u>2, 667</u>	<u>306</u>	<u>100. 0</u>	<u>100. 0</u>	<u>100. 0</u>	<u>100. 0</u>
<u>UNDER FIVE</u>	<u>5, 189</u>	<u>4, 255</u>	<u>812</u>	<u>122</u>	<u>40. 7</u>	<u>43. 5</u>	<u>30. 4</u>	<u>39. 9</u>
<u>UNDER ONE</u>	<u>667</u>	<u>580</u>	<u>65</u>	<u>22</u>	<u>5. 2</u>	<u>5. 9</u>	<u>2. 4</u>	<u>7. 2</u>
<u>ONE</u>	<u>1, 235</u>	<u>1, 055</u>	<u>147</u>	<u>33</u>	<u>9. 7</u>	<u>10. 8</u>	<u>5. 5</u>	<u>10. 8</u>
<u>TWO</u>	<u>1, 258</u>	<u>1, 022</u>	<u>206</u>	<u>30</u>	<u>9. 9</u>	<u>10. 4</u>	<u>7. 7</u>	<u>9. 8</u>
<u>THREE</u>	<u>1, 116</u>	<u>898</u>	<u>199</u>	<u>19</u>	<u>8. 7</u>	<u>9. 2</u>	<u>7. 5</u>	<u>6. 2</u>
<u>FOUR</u>	<u>913</u>	<u>700</u>	<u>195</u>	<u>18</u>	<u>7. 2</u>	<u>7. 2</u>	<u>7. 3</u>	<u>5. 9</u>
<u>FIVE-NINE</u>	<u>3, 214</u>	<u>2, 398</u>	<u>730</u>	<u>86</u>	<u>25. 2</u>	<u>24. 5</u>	<u>27. 4</u>	<u>28. 1</u>
<u>TEN-NINETEEN</u>	<u>2, 900</u>	<u>2, 076</u>	<u>771</u>	<u>53</u>	<u>22. 7</u>	<u>21. 2</u>	<u>28. 9</u>	<u>17. 3</u>
<u>TWENTY AND OVER</u>	<u>1, 347</u>	<u>985</u>	<u>335</u>	<u>27</u>	<u>10. 6</u>	<u>10. 1</u>	<u>12. 6</u>	<u>8. 8</u>
<u>UNKNOWN</u>	<u>108</u>	<u>71</u>	<u>19</u>	<u>18</u>	<u>0. 8</u>	<u>0. 7</u>	<u>0. 7</u>	<u>5. 9</u>

* DIVORCES OF MIXED-RACE COUPLES ARE INCLUDED IN FIGURES FOR NONWHITES.

INDUCED TERMINATIONS OF PREGNANCY

**TABLE F1. REPORTED INDUCED TERMINATIONS OF PREGNANCY,
PERCENTAGE DISTRIBUTION, AND INDUCED TERMINATION RATIOS,
BY AGE AND RACE OF PATIENT
PROCEDURES PERFORMED IN MISSISSIPPI, 1992**

AGE OF PATIENT	NUMBER				PERCENT			INDUCED TERMINATION RATIO*		
	TOTAL	WHITE	NON-WHITE	UNK. RACE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	7,555	3,425	4,127	3	100.0	100.0	100.0	177.0	157.8	196.7
UNDER 15	108	21	87	0	1.4	0.6	2.1	314.0	525.0	286.2
15-19	1,731	817	914	0	22.9	23.8	22.1	196.5	256.1	162.6
20-24	2,840	1,271	1,567	2	37.6	37.1	38.0	197.0	181.8	211.1
25-29	1,431	625	806	0	18.9	18.2	19.5	136.8	98.8	195.2
30-34	853	399	453	1	11.3	11.6	11.0	137.5	103.4	193.3
35-39	466	223	243	0	6.2	6.5	5.9	223.5	198.4	252.9
40-44	115	64	51	0	1.5	1.9	1.2	347.4	447.6	271.3
45-49	4	3	1	0	**	0.1	**	363.6	375.0	333.3
UNKNOWN	7	2	5	0	0.1	**	0.1			

* INDUCED TERMINATIONS PER 1,000 LIVE BIRTHS IN SPECIFIED GROUP.

** LESS THAN 0.06 PERCENT.

**TABLE F2. REPORTED INDUCED TERMINATIONS OF PREGNANCY
AND PERCENTAGE DISTRIBUTION,
BY CHARACTERISTICS OF PATIENT AND RACE
PROCEDURES PERFORMED IN MISSISSIPPI, 1992**

CHARACTERISTICS OF PATIENT	NUMBER				PERCENT		
	TOTAL	WHITE	NON- WHITE	UNK. RACE	TOTAL	WHITE	NON- WHITE
TOTAL	7, 555	3, 425	4, 127	3	100. 0	100. 0	100. 0
MISSISSIPPI RESIDENT	5, 795	2, 515	3, 279	1	76. 7	73. 4	79. 4
NONRESIDENT	1, 760	910	848	2	23. 3	26. 6	20. 5
BORDER STATE	1, 692	876	814	2	22. 4	25. 6	19. 7
OTHER STATE	68	34	34	0	0. 9	1. 0	0. 8
MARITAL STATUS							
MARRIED	1, 094	640	453	1	14. 5	18. 7	11. 0
NOT MARRIED	6, 451	2, 780	3, 670	1	85. 4	81. 2	88. 9
UNKNOWN	10	5	4	1	0. 1	0. 1	0. 1
EDUCATION (COMPLETED YEARS)							
0- 6 YEARS	11	2	9	0	0. 1	*	0. 2
7- 9 YEARS	281	140	141	0	3. 7	4. 1	3. 4
10, 11 YEARS	619	329	290	0	8. 2	9. 6	7. 0
12 YEARS	1, 742	820	922	0	23. 0	23. 9	22. 3
1- 3 YEARS COLLEGE	2, 133	922	1, 209	2	28. 2	26. 9	29. 3
4 OR MORE YEARS COLLEGE	709	337	372	0	9. 4	9. 8	9. 0
UNKNOWN	2, 060	875	1, 184	1	27. 3	25. 5	28. 7
NUMBER OF LIVING CHILDREN							
NONE	3, 450	1, 819	1, 630	1	45. 7	53. 1	39. 5
ONE	2, 140	889	1, 251	0	28. 3	26. 0	30. 3
TWO	1, 357	572	785	0	18. 0	16. 7	19. 0
THREE	401	108	292	1	5. 3	3. 2	7. 1
FOUR	146	26	120	0	1. 9	0. 8	2. 9
FIVE OR MORE	58	9	49	0	0. 8	0. 3	1. 2
UNKNOWN	1	0	0	1	*	-	-
NUMBER OF PREVIOUS INDUCED TERMINATIONS							
NONE	5, 497	2, 446	3, 050	1	72. 8	71. 4	73. 9
ONE	1, 524	704	819	1	20. 2	20. 6	19. 8
TWO	384	187	197	0	5. 1	5. 5	4. 8
THREE OR MORE	143	84	59	0	1. 9	2. 4	1. 4
UNKNOWN	1	0	0	1	*	-	-

* LESS THAN 0. 06 PERCENT.

**TABLE F3. REPORTED INDUCED TERMINATIONS OF PREGNANCY
AND PERCENTAGE DISTRIBUTION,
BY MEDICAL CHARACTERISTICS AND RACE
PROCEDURES PERFORMED IN MISSISSIPPI, 1992**

<u>MEDICAL CHARACTERISTICS</u>	<u>NUMBER</u>				<u>PERCENT</u>		
	<u>TOTAL</u>	<u>WHITE</u>	<u>NON- WHITE</u>	<u>UNK. RACE</u>	<u>TOTAL</u>	<u>WHITE</u>	<u>NON- WHITE</u>
<u>TOTAL</u>	<u>7, 555</u>	<u>3, 425</u>	<u>4, 127</u>	<u>3</u>	<u>100. 0</u>	<u>100. 0</u>	<u>100. 0</u>
<u>COMPLETED WEEKS OF GESTATION*</u>							
UNDER 9	3, 965	1, 951	2, 013	1	52. 5	57. 0	48. 8
9, 10	1, 722	706	1, 015	1	22. 8	20. 6	24. 6
11, 12	836	347	489	0	11. 1	10. 1	11. 8
13- 15	582	236	346	0	7. 7	6. 9	8. 4
16- 20	267	95	171	1	3. 5	2. 8	4. 1
21 OR MORE	54	23	31	0	0. 7	0. 7	0. 8
UNKNOWN	129	67	62	0	1. 7	2. 0	1. 5
<u>PRIMARY PROCEDURE</u>							
SUCTION CURRETTAGE	7, 033	3, 193	3, 837	3	93. 1	93. 2	93. 0
SHARP CURRETTAGE	281	130	151	0	3. 7	3. 8	3. 6
INTRA-UTERINE SALINE INSTILLATION	184	79	105	0	2. 4	2. 3	2. 5
INTRA-UTERINE PROSTA- GLANDIN INSTILLATION	1	0	1	0	**	-	**
HYSTEROTOMY	41	19	22	0	0. 5	0. 6	0. 5
HYSTERECTOMY	1	1	0	0	**	**	-
UNKNOWN	14	3	11	0	0. 2	0. 1	0. 3
<u>COMPLICATIONS</u>							
NO KNOWN COMPLICATIONS	7, 543	3, 419	4, 121	3	99. 8	99. 8	99. 8
SOME COMPLICATIONS	5	2	3	0	0. 1	**	0. 1
UTERINE PERFORATION	1#	0	1#	0	**	-	**
RETAINED PRODUCTS	4#	1	3#	0	**	**	0. 1
OTHER	1	1	0	0	**	**	-
UNKNOWN	7	4	3	0	0. 1	0. 1	0. 1

* CALCULATED BY SUBTRACTING DATE OF LAST NORMAL MENSTRUAL PERIOD PRIOR TO TERMINATION FROM DATE OF TERMINATION.

** LESS THAN 0. 06 PERCENT.

ONE PATIENT HAD BOTH UTERINE PERFORATION AND RETAINED PRODUCTS.

MAJOR TABLES

1992

TABLE i
1990 CENSUS POPULATION AND PERCENT CHANGE SINCE 1980 CENSUS,
BY PLACE (COUNTIES, TOWNS OF 10,000 OR MORE) AND RACE,
MISSISSIPPI, AS OF APRIL 1, 1990

COUNTY	POPULATION			PERCENT CHANGE SINCE 1980		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
STATE TOTAL	2, 573, 216	1, 633, 461	939, 755	2. 1	1. 1	3. 8
ADAMS	35, 356	18, 028	17, 328	- 7. 0	- 7. 7	- 6. 4
ALCORN	31, 722	28, 085	3, 637	- 4. 0	- 4. 7	1. 7
AMITE	13, 328	7, 272	6, 056	- 0. 3	3. 9	- 5. 0
ATTALA	18, 481	11, 114	7, 367	- 7. 0	- 7. 8	- 5. 7
BENTON	8, 046	4, 869	3, 177	- 1. 3	- 3. 7	2. 5
BOLI VAR	41, 875	15, 259	26, 616	- 8. 9	- 10. 2	- 8. 2
CALHOUN	14, 908	10, 829	4, 079	- 4. 8	- 7. 0	1. 6
CARROLL	9, 237	5, 560	3, 677	- 5. 5	4. 3	- 17. 3
CHI CKASAW	18, 085	11, 060	7, 025	1. 3	- 2. 8	8. 6
CHOCTAW	9, 071	6, 319	2, 752	0. 8	- 2. 0	8. 0
CLAI BORNE	11, 370	1, 994	9, 376	- 7. 4	- 35. 1	1. 8
CLARKE	17, 313	11, 312	6, 001	2. 2	2. 8	1. 0
CLAY	21, 120	9, 789	11, 331	0. 2	- 6. 5	6. 8
COAHOMA	31, 665	11, 001	20, 664	- 14. 2	- 15. 9	- 13. 3
COPI AH	27, 592	13, 602	13, 990	4. 1	- 0. 3	8. 8
COVINGTON	16, 527	10, 699	5, 828	3. 8	2. 8	5. 6
DESOTO	67, 910	58, 860	9, 050	25. 9	33. 2	- 7. 0
FORREST	68, 314	46, 672	21, 642	3. 5	- 2. 2	18. 3
FRANKLIN	8, 377	5, 290	3, 087	2. 0	2. 8	0. 7
GEORGE	16, 673	15, 025	1, 648	9. 0	8. 8	10. 7
GREENE	10, 220	7, 999	2, 221	4. 0	2. 1	11. 6
GRENADA	21, 555	12, 563	8, 992	2. 4	3. 0	1. 7
HANCOCK	31, 760	28, 625	3, 135	29. 4	30. 8	18. 5
HARRI SON	165, 365	127, 630	37, 735	4. 9	2. 9	12. 2
HI NDS	254, 441	123, 177	131, 264	1. 4	- 9. 6	14. 4
HOLMES	21, 604	5, 176	16, 428	- 5. 9	- 21. 3	0. 2
HUMPHREYS	12, 134	3, 856	8, 278	- 12. 9	- 18. 3	- 10. 1
I SSAQUENA	1, 909	833	1, 076	- 24. 0	- 24. 8	- 23. 5
I TAWAMBA	20, 017	18, 596	1, 421	- 2. 4	- 3. 1	7. 5
JACKSON	115, 243	90, 114	25, 129	- 2. 3	- 4. 9	7. 8
JASPER	17, 114	8, 410	8, 704	- 0. 9	- 4. 0	2. 4
JEFFERSON	8, 653	1, 185	7, 468	- 5. 8	- 28. 0	- 0. 9
JEFF DAVIS	14, 051	6, 330	7, 721	1. 5	- 1. 1	3. 7
JONES	62, 031	46, 193	15, 838	0. 2	- 2. 4	8. 5
KEMPER	10, 356	4, 407	5, 949	2. 0	- 3. 3	6. 4
LAFAYETTE	31, 826	23, 151	8, 675	2. 6	2. 7	2. 2
LAMAR	30, 424	26, 599	3, 825	27. 7	25. 9	41. 9
LAUDERDALE	75, 555	48, 706	26, 849	- 2. 2	- 7. 0	7. 8
LAWRENCE	12, 458	8, 300	4, 158	- 0. 5	- 3. 8	7. 0
LEAKE	18, 436	11, 086	7, 350	- 1. 9	- 3. 2	0. 2
LEE	65, 581	51, 260	14, 321	14. 9	13. 3	21. 0
LEFLORE	37, 341	14, 516	22, 825	- 10. 1	- 13. 2	- 8. 0

TABLE i - PAGE 2
 CENSUS POPULATION - MISSISSIPPI - APRIL 1, 1990

COUNTY	POPULATION			PERCENT CHANGE SINCE 1980		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
LINCOLN	30,278	21,162	9,116	0.3	0.4	0.2
LOWNDES	59,308	36,736	22,572	3.5	-1.1	12.0
MADISON	53,794	29,789	24,005	29.3	63.2	2.7
MARION	25,544	17,733	7,811	-0.6	-1.3	0.9
MARSHALL	30,361	14,842	15,519	3.6	8.8	-0.8
MONROE	36,582	25,394	11,188	0.5	-0.6	3.0
MONTGOMERY	12,388	6,916	5,472	-7.3	-12.3	-0.2
NESHOBA	24,800	16,945	7,855	4.2	-0.8	17.0
NEWTON	20,291	13,697	6,594	1.7	-2.2	10.9
NOXUBEE	12,604	3,959	8,645	-4.6	-14.9	1.0
OKTIBBEHA	38,375	24,064	14,311	6.5	4.0	11.1
PANOLA	29,996	15,376	14,620	6.5	7.4	5.5
PEARL RIVER	38,714	32,888	5,826	14.6	14.9	12.6
PERRY	10,865	8,333	2,532	10.1	8.0	17.6
PIKE	36,882	19,931	16,951	2.0	-2.3	7.5
PONTOTOC	22,237	18,917	3,320	6.3	7.4	0.6
PRENTISS	23,278	20,477	2,801	-3.1	-4.2	6.0
QUITMAN	10,490	4,250	6,240	-17.0	-23.1	-12.2
RANKIN	87,161	72,033	15,128	25.5	28.0	15.1
SCOTT	24,137	14,829	9,308	-1.7	-6.4	6.9
SHARKEY	7,066	2,339	4,727	-11.3	-13.4	-10.2
SIMPSON	23,953	16,124	7,829	2.2	-0.5	8.1
SMITH	14,798	11,516	3,282	-1.9	-2.9	2.1
STONE	10,750	8,362	2,388	10.6	12.0	6.0
SUNFLOWER	32,867	11,604	21,263	-5.7	-11.1	-2.4
TALLAHATCHIE	15,210	6,257	8,953	-11.3	-13.7	-9.6
TATE	21,432	13,945	7,487	6.5	13.0	-3.8
TIPPAH	19,523	16,251	3,272	4.2	3.2	9.2
TISHOMINGO	17,683	17,010	673	-4.1	-3.8	-11.2
TUNICA	8,164	1,992	6,172	-15.4	-22.4	-12.9
UNION	22,085	18,804	3,281	1.6	0.6	7.9
WALTHALL	14,352	8,252	6,100	4.3	1.9	7.7
WARREN	47,880	28,879	19,001	-7.3	-9.4	-3.8
WASHINGTON	67,935	28,334	39,601	-6.1	-10.4	-2.8
WAYNE	19,517	12,506	7,011	2.0	-1.5	8.9
WEBSTER	10,222	7,953	2,269	-0.8	-3.8	11.5
WILKINSON	9,678	3,123	6,555	-3.4	-5.1	-2.6
WINSTON	19,433	11,151	8,282	-0.2	-4.4	6.0
YALOBUSHA	12,033	7,479	4,554	-8.4	-7.6	-9.7
YAZOO	25,506	11,958	13,548	-6.7	-9.4	-4.3

TABLE 1A
LIVE BIRTHS, BY PLACE OF OCCURRENCE AND RACE OF MOTHER,
ALSO LIVE BIRTHS AND RATES, BY PLACE OF RESIDENCE AND RACE OF MOTHER,
(PLEASE INCLUDES COUNTIES, OUT OF STATE, TOWNS OF 10,000 OR MORE),
MISSISSIPPI, 1992

COUNTY	OCCURRENCE DATA			RESIDENCE DATA					
	NUMBER			NUMBER			RATE*		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>STATE</u>	<u>42, 153</u>	<u>20, 921</u>	<u>21, 232</u>	<u>42, 676</u>	<u>21, 700</u>	<u>20, 976</u>	<u>16. 6</u>	<u>13. 3</u>	<u>22. 3</u>
ADAMS	951	362	589	589	231	358	16. 6	12. 8	20. 7
ALCORN	464	366	98	442	357	85	13. 9	12. 7	23. 4
AMITE	0	0	0	165	79	86	12. 4	10. 9	14. 2
ATTALA	249	135	114	261	118	143	14. 1	10. 6	19. 4
BENTON	0	0	0	124	61	63	15. 4	12. 5	19. 8
BOLIVAR	679	108	571	734	160	574	17. 5	10. 5	21. 6
CALHOUN	0	0	0	202	103	99	13. 6	9. 5	24. 3
CARROLL	1	0	1	108	45	63	11. 7	8. 1	17. 1
CHICKASAW	2	0	2	313	159	154	17. 3	14. 4	21. 9
CHOCTAW	0	0	0	123	65	58	13. 6	10. 3	21. 1
CLAIBORNE	70	4	66	170	20	150	15. 0	10. 0	16. 0
CLARKE	1	0	1	248	142	106	14. 3	12. 6	17. 7
CLAY	361	86	275	403	129	274	19. 1	13. 2	24. 2
COAHOMA	1, 323	270	1, 053	611	118	493	19. 3	10. 7	23. 8
COPIAH	310	105	205	474	184	290	17. 2	13. 5	20. 7
COVINGTON	346	162	184	300	154	146	18. 2	14. 4	25. 0
DESOTO	618	443	175	1, 163	962	201	17. 1	16. 3	22. 2
FORREST	2, 829	1, 869	960	1, 050	585	465	15. 4	12. 5	21. 5
FRANKLIN	1	1	0	123	58	65	14. 7	11. 0	21. 0
GEORGE	7	4	3	335	304	31	20. 1	20. 2	18. 8
GREENE	0	0	0	147	113	34	14. 4	14. 1	15. 3
GRENADA	873	368	505	339	146	193	15. 7	11. 6	21. 5
HANCOCK	13	10	3	461	404	57	14. 5	14. 1	18. 2
HARRISON	3, 841	2, 801	1, 040	2, 960	2, 096	864	17. 9	16. 4	22. 9
HINDS	7, 360	2, 354	5, 006	4, 254	1, 354	2, 900	16. 7	11. 0	22. 1
HOLMES	170	11	159	420	44	376	19. 4	8. 5	22. 9
HUMPHREYS	14	0	14	244	49	195	20. 1	12. 7	23. 6
ISSAQUENA	1	0	1	32	11	21	16. 8	13. 2	19. 5
ITAWAMBA	0	0	0	281	271	10	14. 0	14. 6	7. 0
JACKSON	1, 610	1, 098	512	1, 899	1, 322	577	16. 5	14. 7	23. 0
JASPER	0	0	0	305	105	200	17. 8	12. 5	23. 0
JEFFERSON	0	0	0	154	8	146	17. 8	6. 8	19. 6
JEFF DAVIS	3	0	3	229	82	147	16. 3	13. 0	19. 0
JONES	1, 117	519	598	864	510	354	13. 9	11. 0	22. 4
KEMPER	0	0	0	118	30	88	11. 4	6. 8	14. 8
LAFAYETTE	626	334	292	392	204	188	12. 3	8. 8	21. 7
LAMAR	2	1	1	490	403	87	16. 1	15. 2	22. 7
LAUDERDALE	2, 281	1, 198	1, 083	1, 222	594	628	16. 2	12. 2	23. 4
LAWRENCE	2	0	2	203	121	82	16. 3	14. 6	19. 7
LEAKE	7	1	6	297	116	181	16. 1	10. 5	24. 6
LEE	2, 357	1, 843	514	1, 198	817	381	18. 3	15. 9	26. 6
LEFLORE	743	153	590	724	175	549	19. 4	12. 0	24. 0

TABLE 1A - PAGE 2
LIVE BIRTHS - MISSISSIPPI - 1992

COUNTY	OCCURRENCE DATA			RESIDENCE DATA					
	NUMBER			NUMBER			RATE*		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
LINCOLN	670	394	276	462	261	201	15.2	12.3	22.0
LOWNDES	1,186	565	621	1,080	547	533	18.2	14.9	23.6
MADISON	377	4	373	1,095	500	595	20.4	16.8	24.8
MARION	2	0	2	362	208	154	14.2	11.7	19.7
MARSHALL	5	1	4	526	234	292	17.3	15.8	18.8
MONROE	955	652	303	549	334	215	15.0	13.2	19.2
MONTGOMERY	86	9	77	217	94	123	17.5	13.6	22.5
NESHOBA	16	4	12	395	184	211	15.9	10.8	26.9
NEWTON	6	2	4	341	156	185	16.8	11.4	28.0
NOXUBEE	4	0	4	241	47	194	19.1	11.9	22.4
OKTIBBEHA	1,174	531	643	521	237	284	13.6	9.8	19.8
PANOLA	3	0	3	551	184	367	18.4	12.0	25.1
PEARL RIVER	398	294	104	596	484	112	15.4	14.7	19.2
PERRY	0	0	0	193	133	60	17.8	16.0	23.7
PIKE	969	380	589	645	247	398	17.5	12.4	23.5
PONTOTOC	1	1	0	343	290	53	15.4	15.3	16.0
PRENTISS	0	0	0	328	289	39	14.1	14.1	13.9
QUITMAN	3	1	2	201	47	154	19.2	11.0	24.7
RANKIN	1,618	1,407	211	1,279	966	313	14.7	13.4	20.7
SCOTT	13	2	11	452	209	243	18.7	14.1	26.1
SHARKEY	3	0	3	143	30	113	20.2	12.8	23.9
SIMPSON	9	2	7	395	192	203	16.5	11.9	25.9
SMITH	3	1	2	229	134	95	15.5	11.6	28.9
STONE	0	0	0	188	128	60	17.5	15.3	25.1
SUNFLOWER	530	126	404	643	133	510	19.6	11.5	24.0
TALLAHATCHIE	2	0	2	289	61	228	19.0	9.7	25.5
TATE	422	86	336	318	177	141	14.8	12.7	18.8
TIPPAH	3	3	0	265	212	53	13.6	13.0	16.2
TISHOMINGO	0	0	0	250	237	13	14.1	13.9	19.3
TUNICA	2	1	1	177	22	155	21.7	11.0	25.1
UNION	1,048	730	318	359	292	67	16.2	15.5	20.4
WALTHALL	9	9	0	248	100	148	17.3	12.1	24.3
WARREN	1,473	544	929	804	376	428	16.8	13.0	22.5
WASHINGTON	1,352	386	966	1,273	340	933	18.7	12.0	23.6
WAYNE	264	114	150	315	154	161	16.1	12.3	23.0
WEBSTER	1	1	0	148	96	52	14.5	12.1	22.9
WILKINSON	229	57	172	149	34	115	15.4	10.9	17.5
WINSTON	3	0	3	262	119	143	13.5	10.7	17.3
YALOBUSHA	0	0	0	198	86	112	16.4	11.5	24.6
YAZOO	82	8	74	475	117	358	18.6	9.8	26.4
OUT OF STATE	2,204	1,784	420	1,681	1,005	676			

TABLE 1A - PAGE 3
LIVE BIRTHS - MISSISSIPPI - 1992

TOWN**	RESIDENCE DATA					
	NUMBER			RATE*		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
BILOXI	957	672	285	20.7	19.4	24.2
BRANDON	221	137	84	20.0	14.2	58.8
BROOKHAVEN	186	62	124	18.2	11.0	26.7
CANTON	349	39	310	34.7	11.9	45.6
CLARKSDALE	396	83	313	20.1	11.2	25.4
CLEVELAND	232	82	150	15.1	9.9	21.0
CLINTON	302	205	97	13.8	11.5	24.3
COLUMBUS	462	144	318	19.4	12.5	25.8
CORINTH	171	104	67	14.5	11.3	25.4
GAUTIER	213	144	69	21.1	19.2	26.6
GREENVILLE	847	213	634	18.7	11.8	23.3
GREENWOOD	424	81	343	22.4	10.7	30.3
GRENADA	189	59	130	17.4	10.8	24.1
GULFPORT	922	527	395	22.6	18.5	32.2
HATTIESBURG	715	278	437	17.1	11.4	25.0
INDIANOLA	266	50	216	22.5	12.6	27.5
JACKSON	3,409	911	2,498	17.3	10.6	22.5
LAUREL	318	86	232	16.9	8.8	25.5
LONG BEACH	212	179	33	13.4	12.3	25.4
MCCOMB	205	61	144	17.7	9.8	26.7
MERIDIAN	715	232	483	17.4	10.5	25.6
MOSS POINT	298	57	241	16.7	9.3	20.6
NATCHEZ	324	119	205	16.6	12.4	20.8
OCEAN SPRINGS	211	185	26	14.4	13.9	19.5
PASCAGOULA	572	378	194	22.1	18.9	32.9
PEARL	331	281	50	16.9	15.8	27.3
PICAYUNE	173	95	78	16.3	14.2	19.9
RIDGELAND	216	180	36	18.4	17.7	23.6
SOUTHAVEN	272	255	17	15.2	14.7	29.0
STARKVILLE	305	145	160	16.5	11.4	28.1
TUPELO	571	338	233	18.6	14.6	30.6
VICKSBURG	495	157	338	23.7	18.5	27.2
YAZOO CITY	295	33	262	23.7	7.6	32.3

* BIRTHS PER 1,000 POPULATION.

** TOWNS OF 10,000 POPULATION OR MORE.

TABLE 1B
FERTILITY RATES*, BY COUNTY OF RESIDENCE AND RACE OF MOTHER,
MISSISSIPPI, 1992

COUNTY	TOTAL	WHITE	NON- WHITE	COUNTY	TOTAL	WHITE	NON- WHITE
<u>STATE</u>	<u>71.4</u>	<u>60.0</u>	<u>88.9</u>				
ADAMS	74.6	62.3	85.4	LINCOLN	69.9	59.7	89.6
ALCORN	63.9	59.4	93.7	LOWNDES	72.8	62.7	87.3
AMITE	60.0	56.6	63.6	MADISON	77.8	62.6	97.5
ATTALA	69.2	57.2	83.5	MARION	65.9	56.9	84.0
BENTON	73.6	64.6	85.2	MARSHALL	73.8	74.6	73.2
BOLIVAR	71.9	45.5	85.6	MONROE	67.6	62.8	76.8
CALHOUN	65.0	49.1	97.7	MONTGOMERY	83.9	73.2	94.6
CARROLL	55.8	40.7	75.9	NESHOBA	73.2	52.8	110.5
CHICKASAW	77.8	69.5	88.9	NEWTON	78.2	56.2	116.8
CHOCTAW	64.4	50.5	93.2	NOXUBEE	87.2	65.5	94.9
CLAIBORNE	52.8	59.0	52.1	OKTIBBEHA	48.2	34.7	71.4
CLARKE	65.7	60.6	73.9	PANOLA	82.4	58.8	103.2
CLAY	82.6	64.1	95.5	PEARL RIVER	68.7	67.4	75.2
COAHOMA	87.0	54.2	101.6	PERRY	78.0	71.2	98.8
COPIAH	75.9	67.0	82.8	PIKE	78.0	60.0	95.9
COVINGTON	83.6	69.6	106.0	PONTOTOC	69.7	71.0	63.4
DESOTO	70.3	66.8	93.6	PRENTISS	62.2	63.8	52.6
FORREST	58.5	49.1	77.1	QUITMAN	89.4	57.6	107.6
FRANKLIN	71.3	57.6	90.4	RANKIN	59.6	54.6	82.8
GEORGE	89.8	90.2	86.4	SCOTT	85.2	68.8	107.0
GREENE	69.2	66.7	79.2	SHARKEY	88.2	63.6	98.3
GRENADA	69.3	54.7	86.8	SIMPSON	75.5	57.3	108.0
HANCOCK	69.8	68.9	76.9	SMITH	73.5	57.3	122.1
HARRISON	76.9	72.7	89.6	STONE	75.3	68.3	96.5
HINDS	65.8	47.8	79.9	SUNFLOWER	93.7	61.1	108.9
HOLMES	87.8	47.0	97.8	TALLAHATCHIE	89.1	52.1	110.0
HUMPHREYS	90.3	63.1	101.3	TATE	62.5	55.9	73.4
ISSAQUENA	82.5	64.7	96.3	TIPPAH	62.9	61.9	67.3
ITAWAMBA	65.6	68.3	31.6	TISHOMINGO	67.2	66.8	76.5
JACKSON	70.6	65.2	87.4	TUNICA	96.0	57.0	106.4
JASPER	82.7	63.2	98.8	UNION	75.1	73.3	83.6
JEFFERSON	77.9	41.9	81.7	WALTHALL	84.6	64.4	107.2
JEFF DAVIS	74.9	65.0	81.8	WARREN	73.2	59.5	91.8
JONES	62.8	51.6	91.5	WASHINGTON	81.6	56.8	97.0
KEMPER	52.6	37.7	60.8	WAYNE	70.2	56.6	91.2
LAFAYETTE	42.4	30.0	76.9	WEBSTER	69.7	60.5	97.0
LAMAR	65.9	63.2	82.2	WILKINSON	72.4	60.0	77.2
LAUDERDALE	70.3	56.0	92.6	WINSTON	63.0	55.5	70.9
LAWRENCE	74.2	71.0	79.6	YALOBUSHA	78.8	62.0	99.6
LEAKE	77.1	53.8	106.8	YAZOO	88.6	50.3	118.1
LEE	77.4	69.0	104.8				
LEFLORE	86.0	60.7	99.2				

* LIVE BIRTHS PER 1,000 FEMALE POPULATION 15-44 YEARS OF AGE (1990 CENSUS).

TABLE 2
LIVE BIRTHS, BY COUNTY OF RESIDENCE, RACE OF MOTHER, AND ATTENDANT,
ALSO BY COUNTY OF RESIDENCE AND SEX,
MISSISSIPPI, 1992

COUNTY	TOTAL	WHITE			NONWHITE			SEX			
		TOTAL	HOSP. OR CLINIC	PHYS. , OTHER PLACE	OTHER	TOTAL	HOSP. OR CLINIC	PHYS. , OTHER PLACE	OTHER	MALE	FEMALE
<u>STATE</u>	<u>42, 676</u>	<u>21, 700</u>	<u>21, 630</u>	<u>7</u>	<u>63</u>	<u>20, 976</u>	<u>20, 905</u>	<u>19</u>	<u>52</u>	<u>21, 864</u>	<u>20, 812</u>
ADAMS	589	231	231	0	0	358	358	0	0	295	294
ALCORN	442	357	353	0	4	85	85	0	0	219	223
AMITE	165	79	79	0	0	86	86	0	0	70	95
ATTALA	261	118	118	0	0	143	142	0	1	126	135
BENTON	124	61	61	0	0	63	63	0	0	53	71
BOLIVAR	734	160	160	0	0	574	573	0	1	385	349
CALHOUN	202	103	103	0	0	99	99	0	0	94	108
CARROLL	108	45	45	0	0	63	62	1	0	52	56
CHICKASAW	313	159	159	0	0	154	154	0	0	142	171
CHOCTAW	123	65	65	0	0	58	58	0	0	66	57
CLAIBORNE	170	20	20	0	0	150	150	0	0	87	83
CLARKE	248	142	142	0	0	106	106	0	0	126	122
CLAY	403	129	128	0	1	274	272	1	1	214	189
COAHOMA	611	118	117	0	1	493	493	0	0	322	289
COPIAH	474	184	184	0	0	290	290	0	0	254	220
COVINGTON	300	154	154	0	0	146	146	0	0	150	150
DESOTO	1, 163	962	959	0	3	201	199	0	2	605	558
FORREST	1, 050	585	583	0	2	465	465	0	0	561	489
FRANKLIN	123	58	57	0	1	65	65	0	0	60	63
GEORGE	335	304	304	0	0	31	31	0	0	176	159
GREENE	147	113	113	0	0	34	34	0	0	61	86
GRENADA	339	146	146	0	0	193	192	0	1	187	152
HANCOCK	461	404	404	0	0	57	56	1	0	248	213
HARRISON	2, 960	2, 096	2, 083	1	12	864	863	0	1	1, 520	1, 440

TABLE 2 - PAGE 2
LIVE BIRTHS - MISSISSIPPI - 1992

COUNTY	TOTAL	WHITE				NONWHITE				SEX	
		TOTAL	HOSP. OR CLINIC	PHYS. , OTHER PLACE	OTHER	TOTAL	HOSP. OR CLINIC	PHYS. , OTHER PLACE	OTHER	MALE	FEMALE
HINDS	4,254	1,354	1,350	0	4	2,900	2,888	2	10	2,165	2,089
HOLMES	420	44	44	0	0	376	374	0	2	211	209
HUMPHREYS	244	49	49	0	0	195	195	0	0	127	117
ISSAQUENA	32	11	11	0	0	21	20	0	1	16	16
ITAWAMBA	281	271	271	0	0	10	10	0	0	143	138
JACKSON	1,899	1,322	1,318	0	4	577	576	0	1	985	914
JASPER	305	105	105	0	0	200	200	0	0	151	154
JEFFERSON	154	8	8	0	0	146	146	0	0	73	81
JEFF DAVIS	229	82	82	0	0	147	146	0	1	123	106
JONES	864	510	506	0	4	354	354	0	0	417	447
KEMPER	118	30	30	0	0	88	88	0	0	59	59
LAFAYETTE	392	204	204	0	0	188	186	0	2	209	183
LAMAR	490	403	401	0	2	87	86	0	1	258	232
LAUDERDALE	1,222	594	594	0	0	628	628	0	0	615	607
LAWRENCE	203	121	121	0	0	82	81	0	1	104	99
LEAKE	297	116	116	0	0	181	178	1	2	147	150
LEE	1,198	817	814	2	1	381	378	3	0	606	592
LEFLORE	724	175	175	0	0	549	546	2	1	400	324
LINCOLN	462	261	261	0	0	201	201	0	0	245	217
LOWNDES	1,080	547	546	0	1	533	530	0	3	555	525
MADISON	1,095	500	500	0	0	595	593	1	1	557	538
MARION	362	208	208	0	0	154	152	0	2	182	180
MARSHALL	526	234	233	0	1	292	292	0	0	259	267
MONROE	549	334	334	0	0	215	213	0	2	284	265
MONTGOMERY	217	94	94	0	0	123	122	0	1	105	112
NESHOBA	395	184	184	0	0	211	211	0	0	204	191
NEWTON	341	156	156	0	0	185	185	0	0	177	164
NOXUBEE	241	47	47	0	0	194	192	0	2	130	111
OKTIBBEHA	521	237	237	0	0	284	283	0	1	263	258
PANOLA	551	184	184	0	0	367	366	1	0	263	288

TABLE 2 - PAGE 3
LIVE BIRTHS - MISSISSIPPI - 1992

COUNTY	TOTAL	WHITE				NONWHITE				SEX	
		TOTAL	HOSP. OR CLINIC	PHYS. , OTHER PLACE	OTHER	TOTAL	HOSP. OR CLINIC	PHYS. , OTHER PLACE	OTHER	MALE	FEMALE
PEARL RIVER	596	484	481	0	3	112	111	1	0	300	296
PERRY	193	133	133	0	0	60	59	0	1	97	96
PIKE	645	247	247	0	0	398	398	0	0	339	306
PONTOTOC	343	290	289	0	1	53	53	0	0	184	159
PRENTISS	328	289	289	0	0	39	39	0	0	169	159
QUITMAN	201	47	46	0	1	154	154	0	0	100	101
RANKIN	1, 279	966	965	1	0	313	312	0	1	660	619
SCOTT	452	209	207	1	1	243	242	1	0	243	209
SHARKEY	143	30	30	0	0	113	113	0	0	70	73
SIMPSON	395	192	192	0	0	203	203	0	0	200	195
SMITH	229	134	133	0	1	95	93	0	2	116	113
STONE	188	128	128	0	0	60	60	0	0	99	89
SUNFLOWER	643	133	132	1	0	510	508	2	0	316	327
TALLAHATCHIE	289	61	61	0	0	228	227	0	1	133	156
TATE	318	177	177	0	0	141	141	0	0	167	151
TIPPAH	265	212	209	1	2	53	53	0	0	141	124
TISHOMINGO	250	237	237	0	0	13	13	0	0	130	120
TUNICA	177	22	21	0	1	155	154	1	0	91	86
UNI ON	359	292	292	0	0	67	67	0	0	183	176
WALTHALL	248	100	91	0	9	148	148	0	0	132	116
WARREN	804	376	376	0	0	428	428	0	0	424	380
WASHINGTON	1, 273	340	340	0	0	933	927	0	6	648	625
WAYNE	315	154	152	0	2	161	161	0	0	168	147
WEBSTER	148	96	95	0	1	52	52	0	0	86	62
WILKINSON	149	34	34	0	0	115	115	0	0	80	69
WINSTON	262	119	119	0	0	143	142	1	0	131	131
YALOBUSHA	198	86	86	0	0	112	112	0	0	97	101
YAZOO	475	117	117	0	0	358	358	0	0	254	221

NOTE: "HOSP. OR CLINIC" INCLUDES DELIVERY BY PHYSICIAN, CNM, OR ANY OTHER NAMED PERSON. "OTHER" INCLUDES DELIVERY BY ANY PERSON OTHER THAN A PHYSICIAN, AT ANY PLACE OTHER THAN A HOSPITAL OR CLINIC.

TABLE 3A
TOTAL LIVE BIRTHS, BY COUNTY OF RESIDENCE AND AGE OF MOTHER,
MISSISSIPPI, 1992

COUNTY	TOTAL	AGE OF MOTHER								UN- KNOWN
		UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	
STATE	42,676	344	8,810	14,412	10,458	6,202	2,085	331	11	23
ADAMS	589	5	129	197	122	99	34	3	0	0
ALCORN	442	3	84	142	126	56	27	2	1	1
AMITE	165	0	22	65	37	26	13	2	0	0
ATTALA	261	1	49	95	67	34	12	3	0	0
BENTON	124	0	29	54	21	17	2	1	0	0
BOLIVAR	734	6	187	299	121	95	21	4	1	0
CALHOUN	202	7	59	63	40	22	11	0	0	0
CARROLL	108	1	22	34	32	11	6	2	0	0
CHICKASAW	313	0	71	113	85	33	10	1	0	0
CHOCTAW	123	1	22	47	30	14	9	0	0	0
CLAIBORNE	170	2	49	54	30	25	9	1	0	0
CLARKE	248	1	55	66	77	40	9	0	0	0
CLAY	403	7	97	137	81	63	13	5	0	0
COAHOMA	611	10	180	211	100	86	20	4	0	0
COPIAH	474	5	90	166	117	67	26	2	1	0
COVINGTON	300	5	63	116	57	45	13	1	0	0
DESOTO	1,163	5	166	342	358	218	57	6	0	11
FORREST	1,050	11	200	361	271	148	52	7	0	0
FRANKLIN	123	0	22	46	33	14	6	1	1	0
GEORGE	335	1	72	125	80	42	14	1	0	0
GREENE	147	0	36	45	39	26	1	0	0	0
GRENADA	339	2	94	112	85	35	10	1	0	0
HANCOCK	461	3	79	151	124	72	28	2	2	0
HARRISON	2,960	13	546	992	762	481	141	24	1	0
HINDS	4,254	40	793	1,211	1,088	785	282	53	0	2
HOLMES	420	10	104	144	86	42	28	6	0	0
HUMPHREYS	244	5	64	94	48	27	4	2	0	0
ISSAQUENA	32	1	6	11	7	5	2	0	0	0
ITAWAMBA	281	1	59	100	72	38	11	0	0	0
JACKSON	1,899	10	356	657	470	291	102	12	1	0
JASPER	305	3	66	119	67	38	11	1	0	0
JEFFERSON	154	2	31	62	32	11	12	4	0	0
JEFF DAVIS	229	0	52	81	59	27	8	2	0	0
JONES	864	7	181	301	193	135	41	6	0	0
KEMPER	118	0	25	47	22	20	3	1	0	0
LAFAYETTE	392	2	61	124	101	74	24	5	0	1
LAMAR	490	2	58	154	151	93	30	2	0	0
LAUDERDALE	1,222	9	222	432	313	178	61	7	0	0
LAWRENCE	203	3	44	68	49	28	10	1	0	0
LEAKE	297	1	62	109	76	29	14	6	0	0
LEE	1,198	11	212	389	324	195	55	11	1	0
LEFLORE	724	6	216	256	143	63	35	5	0	0

TABLE 3A - PAGE 2
TOTAL LIVE BIRTHS - MISSISSIPPI - 1992

COUNTY	TOTAL	AGE OF MOTHER								UN- KNOWN
		UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	
LINCOLN	462	3	97	153	116	68	20	5	0	0
LOWNDES	1,080	8	208	366	280	156	51	11	0	0
MADISON	1,095	12	174	265	322	238	72	12	0	0
MARION	362	1	73	146	83	46	13	0	0	0
MARSHALL	526	1	108	202	125	59	25	4	0	2
MONROE	549	3	106	205	123	85	24	3	0	0
MONTGOMERY	217	2	51	71	54	26	11	2	0	0
NESHOBA	395	5	99	134	101	41	12	3	0	0
NEWTON	341	2	77	130	77	36	16	3	0	0
NOXUBEE	241	3	53	88	56	29	10	2	0	0
OKTIBBEHA	521	3	98	159	132	95	31	3	0	0
PANOLA	551	3	157	201	112	51	21	4	0	2
PEARL RIVER	596	2	119	214	156	75	23	6	0	1
PERRY	193	0	37	68	48	26	14	0	0	0
PIKE	645	7	144	220	159	77	33	5	0	0
PONTOTOC	343	1	69	126	83	46	15	3	0	0
PRENTISS	328	1	61	131	86	34	11	3	1	0
QUITMAN	201	0	72	69	30	25	5	0	0	0
RANKIN	1,279	7	172	394	380	229	81	15	1	0
SCOTT	452	3	111	166	108	49	9	5	0	1
SHARKEY	143	5	37	49	26	24	2	0	0	0
SIMPSON	395	4	77	148	101	47	15	3	0	0
SMITH	229	1	49	83	66	24	5	1	0	0
STONE	188	1	39	72	47	16	13	0	0	0
SUNFLOWER	643	3	205	217	123	66	28	1	0	0
TALLAHATCHIE	289	9	87	102	52	29	10	0	0	0
TATE	318	1	63	113	88	34	15	3	0	1
TIPPAH	265	0	53	99	67	34	9	3	0	0
TISHOMINGO	250	1	41	89	71	31	16	1	0	0
TUNICA	177	3	57	70	28	12	5	1	0	1
UNION	359	3	63	137	92	43	18	3	0	0
WALTHALL	248	1	50	95	61	36	4	1	0	0
WARREN	804	4	161	248	207	136	37	11	0	0
WASHINGTON	1,273	20	351	417	269	139	69	8	0	0
WAYNE	315	4	78	124	61	31	16	1	0	0
WEBSTER	148	3	27	54	38	20	6	0	0	0
WILKINSON	149	1	25	60	32	24	3	4	0	0
WINSTON	262	5	55	95	62	32	12	1	0	0
YALOBUSHA	198	2	47	72	45	23	8	1	0	0
YAZOO	475	4	124	168	95	62	20	2	0	0

TABLE 3B
LIVE BIRTHS TO WHITE MOTHERS, BY COUNTY OF RESIDENCE AND AGE OF MOTHER,
MISSISSIPPI, 1992

COUNTY	AGE OF MOTHER									UN- KNOWN
	TOTAL	UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	
STATE	21,700	40	3,190	6,989	6,329	3,859	1,124	143	8	18
ADAMS	231	1	40	69	61	46	13	1	0	0
ALCORN	357	2	63	116	110	45	17	2	1	1
AMITE	79	0	5	26	20	20	7	1	0	0
ATTALA	118	1	20	39	37	15	5	1	0	0
BENTON	61	0	14	24	13	9	1	0	0	0
BOLIVAR	160	0	22	70	34	28	5	1	0	0
CALHOUN	103	2	26	32	28	12	3	0	0	0
CARROLL	45	0	8	11	17	6	2	1	0	0
CHICKASAW	159	0	38	49	45	20	6	1	0	0
CHOCTAW	65	0	9	27	16	9	4	0	0	0
CLAIBORNE	20	0	4	4	3	7	2	0	0	0
CLARKE	142	1	25	38	52	23	3	0	0	0
CLAY	129	1	15	43	34	27	8	1	0	0
COAHOMA	118	0	26	28	23	35	6	0	0	0
COPIAH	184	1	24	64	56	29	9	0	1	0
COVINGTON	154	1	28	56	33	28	8	0	0	0
DESOTO	962	1	117	281	313	188	47	5	0	10
FORREST	585	0	80	201	165	99	37	3	0	0
FRANKLIN	58	0	5	22	19	7	3	1	1	0
GEORGE	304	1	64	113	70	41	14	1	0	0
GREENE	113	0	26	35	34	18	0	0	0	0
GRENADA	146	0	31	47	48	18	1	1	0	0
HANCOCK	404	2	68	132	114	64	21	1	2	0
HARRISON	2,096	3	327	692	582	375	104	13	0	0
HINDS	1,354	0	124	286	436	381	112	15	0	0
HOLMES	44	0	4	15	15	6	4	0	0	0
HUMPHREYS	49	0	10	19	9	9	2	0	0	0
ISSAQUENA	11	0	1	5	2	2	1	0	0	0
ITAWAMBA	271	1	54	98	71	38	9	0	0	0
JACKSON	1,322	1	181	459	370	225	74	11	1	0
JASPER	105	0	16	38	28	18	5	0	0	0
JEFFERSON	8	0	0	3	1	2	1	1	0	0
JEFF DAVIS	82	0	9	31	29	9	4	0	0	0
JONES	510	0	82	173	138	92	22	3	0	0
KEMPER	30	0	3	10	10	6	0	1	0	0
LAFAYETTE	204	0	22	57	57	55	11	1	0	1
LAMAR	403	1	42	119	134	78	28	1	0	0
LAUDERDALE	594	2	57	187	199	109	37	3	0	0
LAWRENCE	121	0	17	40	37	22	4	1	0	0
LEAKE	116	1	21	44	38	9	3	0	0	0
LEE	817	3	114	249	246	156	43	6	0	0
LEFLORE	175	0	22	64	58	21	10	0	0	0

TABLE 3B - PAGE 2
LIVE BIRTHS TO WHITE MOTHERS - MISSISSIPPI - 1992

COUNTY	TOTAL	AGE OF MOTHER								UN- KNOWN
		UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	
LINCOLN	261	0	37	86	67	57	11	3	0	0
LOWNDES	547	0	69	171	168	104	32	3	0	0
MADISON	500	0	24	70	179	176	45	6	0	0
MARION	208	0	37	88	48	30	5	0	0	0
MARSHALL	234	0	37	97	58	28	12	1	0	1
MONROE	334	1	60	129	82	50	11	1	0	0
MONTGOMERY	94	0	21	29	27	11	6	0	0	0
NESHOBA	184	0	39	60	54	27	4	0	0	0
NEWTON	156	0	31	61	45	8	9	2	0	0
NOXUBEE	47	1	1	11	20	12	1	1	0	0
OKTIBBEHA	237	0	21	65	84	51	15	1	0	0
PANOLA	184	1	39	70	46	18	7	1	0	2
PEARL RIVER	484	0	89	174	130	65	20	5	0	1
PERRY	133	0	29	48	31	17	8	0	0	0
PIKE	247	0	41	76	71	42	15	2	0	0
PONTOTOC	290	1	56	107	70	40	14	2	0	0
PRENTISS	289	1	52	121	73	28	10	3	1	0
QUITMAN	47	0	14	12	12	8	1	0	0	0
RANKIN	966	2	108	287	312	189	57	10	1	0
SCOTT	209	1	40	76	62	23	4	3	0	0
SHARKEY	30	0	9	9	5	7	0	0	0	0
SIMPSON	192	0	36	73	52	24	6	1	0	0
SMITH	134	0	26	45	42	15	5	1	0	0
STONE	128	0	19	53	35	14	7	0	0	0
SUNFLOWER	133	1	23	39	35	24	10	1	0	0
TALLAHATCHIE	61	0	8	21	20	8	4	0	0	0
TATE	177	0	31	58	55	21	9	2	0	1
TIPPAH	212	0	39	80	54	29	8	2	0	0
TISHOMINGO	237	0	37	84	69	30	16	1	0	0
TUNICA	22	0	3	6	3	7	2	0	0	1
UNION	292	1	48	110	82	34	14	3	0	0
WALTHALL	100	0	16	34	34	13	3	0	0	0
WARREN	376	0	39	104	129	80	18	6	0	0
WASHINGTON	340	1	47	105	110	58	16	3	0	0
WAYNE	154	0	31	60	36	18	9	0	0	0
WEBSTER	96	1	11	32	34	14	4	0	0	0
WILKINSON	34	0	3	9	11	9	0	2	0	0
WINSTON	119	0	19	43	31	22	4	0	0	0
YALOBUSHA	86	1	20	30	17	16	2	0	0	0
YAZOO	117	1	16	40	31	25	4	0	0	0

TABLE 3C
LIVE BIRTHS TO NONWHITE MOTHERS, BY COUNTY OF RESIDENCE AND AGE OF MOTHER,
MISSISSIPPI, 1992

COUNTY	AGE OF MOTHER									UN- KNOWN
	TOTAL	UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	
<u>STATE</u>	<u>20,976</u>	<u>304</u>	<u>5,620</u>	<u>7,423</u>	<u>4,129</u>	<u>2,343</u>	<u>961</u>	<u>188</u>	<u>3</u>	<u>5</u>
ADAMS	358	4	89	128	61	53	21	2	0	0
ALCORN	85	1	21	26	16	11	10	0	0	0
AMITE	86	0	17	39	17	6	6	1	0	0
ATTALA	143	0	29	56	30	19	7	2	0	0
BENTON	63	0	15	30	8	8	1	1	0	0
BOLIVAR	574	6	165	229	87	67	16	3	1	0
CALHOUN	99	5	33	31	12	10	8	0	0	0
CARROLL	63	1	14	23	15	5	4	1	0	0
CHICKASAW	154	0	33	64	40	13	4	0	0	0
CHOCTAW	58	1	13	20	14	5	5	0	0	0
CLAIBORNE	150	2	45	50	27	18	7	1	0	0
CLARKE	106	0	30	28	25	17	6	0	0	0
CLAY	274	6	82	94	47	36	5	4	0	0
COAHOMA	493	10	154	183	77	51	14	4	0	0
COPIAH	290	4	66	102	61	38	17	2	0	0
COVINGTON	146	4	35	60	24	17	5	1	0	0
DESOTO	201	4	49	61	45	30	10	1	0	1
FORREST	465	11	120	160	106	49	15	4	0	0
FRANKLIN	65	0	17	24	14	7	3	0	0	0
GEORGE	31	0	8	12	10	1	0	0	0	0
GREENE	34	0	10	10	5	8	1	0	0	0
GRENADA	193	2	63	65	37	17	9	0	0	0
HANCOCK	57	1	11	19	10	8	7	1	0	0
HARRISON	864	10	219	300	180	106	37	11	1	0
HINDS	2,900	40	669	925	652	404	170	38	0	2
HOLMES	376	10	100	129	71	36	24	6	0	0
HUMPHREYS	195	5	54	75	39	18	2	2	0	0
ISSAQUENA	21	1	5	6	5	3	1	0	0	0
ITAWAMBA	10	0	5	2	1	0	2	0	0	0
JACKSON	577	9	175	198	100	66	28	1	0	0
JASPER	200	3	50	81	39	20	6	1	0	0
JEFFERSON	146	2	31	59	31	9	11	3	0	0
JEFF DAVIS	147	0	43	50	30	18	4	2	0	0
JONES	354	7	99	128	55	43	19	3	0	0
KEMPER	88	0	22	37	12	14	3	0	0	0
LAFAYETTE	188	2	39	67	44	19	13	4	0	0
LAMAR	87	1	16	35	17	15	2	1	0	0
LAUDERDALE	628	7	165	245	114	69	24	4	0	0
LAWRENCE	82	3	27	28	12	6	6	0	0	0
LEAKE	181	0	41	65	38	20	11	6	0	0
LEE	381	8	98	140	78	39	12	5	1	0
LEFLORE	549	6	194	192	85	42	25	5	0	0

TABLE 3C - PAGE 2
LIVE BIRTHS TO NONWHITE MOTHERS - MISSISSIPPI - 1992

COUNTY	TOTAL	AGE OF MOTHER								UN- KNOWN
		UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	
LINCOLN	201	3	60	67	49	11	9	2	0	0
LOWNDES	533	8	139	195	112	52	19	8	0	0
MADISON	595	12	150	195	143	62	27	6	0	0
MARION	154	1	36	58	35	16	8	0	0	0
MARSHALL	292	1	71	105	67	31	13	3	0	1
MONROE	215	2	46	76	41	35	13	2	0	0
MONTGOMERY	123	2	30	42	27	15	5	2	0	0
NESHOBA	211	5	60	74	47	14	8	3	0	0
NEWTON	185	2	46	69	32	28	7	1	0	0
NOXUBEE	194	2	52	77	36	17	9	1	0	0
OKTIBBEHA	284	3	77	94	48	44	16	2	0	0
PANOLA	367	2	118	131	66	33	14	3	0	0
PEARL RIVER	112	2	30	40	26	10	3	1	0	0
PERRY	60	0	8	20	17	9	6	0	0	0
PIKE	398	7	103	144	88	35	18	3	0	0
PONTOTOC	53	0	13	19	13	6	1	1	0	0
PRENTISS	39	0	9	10	13	6	1	0	0	0
QUITMAN	154	0	58	57	18	17	4	0	0	0
RANKIN	313	5	64	107	68	40	24	5	0	0
SCOTT	243	2	71	90	46	26	5	2	0	1
SHARKEY	113	5	28	40	21	17	2	0	0	0
SIMPSON	203	4	41	75	49	23	9	2	0	0
SMITH	95	1	23	38	24	9	0	0	0	0
STONE	60	1	20	19	12	2	6	0	0	0
SUNFLOWER	510	2	182	178	88	42	18	0	0	0
TALLAHATCHIE	228	9	79	81	32	21	6	0	0	0
TATE	141	1	32	55	33	13	6	1	0	0
TIPPAH	53	0	14	19	13	5	1	1	0	0
TISHOMINGO	13	1	4	5	2	1	0	0	0	0
TUNICA	155	3	54	64	25	5	3	1	0	0
UNION	67	2	15	27	10	9	4	0	0	0
WALTHALL	148	1	34	61	27	23	1	1	0	0
WARREN	428	4	122	144	78	56	19	5	0	0
WASHINGTON	933	19	304	312	159	81	53	5	0	0
WAYNE	161	4	47	64	25	13	7	1	0	0
WEBSTER	52	2	16	22	4	6	2	0	0	0
WILKINSON	115	1	22	51	21	15	3	2	0	0
WINSTON	143	5	36	52	31	10	8	1	0	0
YALOBUSHA	112	1	27	42	28	7	6	1	0	0
YAZOO	358	3	108	128	64	37	16	2	0	0

TABLE 4
LIVE BIRTHS TO UNMARRIED MOTHERS AND PERCENT OF TOTAL LIVE BIRTHS,
BY COUNTY OF RESIDENCE AND RACE OF MOTHER,
MISSISSIPPI, 1992

COUNTY	NUMBER			PERCENT		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>STATE</u>	<u>18,306</u>	<u>3,287</u>	<u>15,019</u>	<u>42.9</u>	<u>15.1</u>	<u>71.6</u>
ADAMS	308	39	269	52.3	16.9	75.1
ALCORN	103	48	55	23.3	13.4	64.7
AMITE	65	1	64	39.4	1.3	74.4
ATTALA	105	18	87	40.2	15.2	60.8
BENTON	50	13	37	40.3	21.3	58.7
BOLIVAR	501	30	471	68.2	18.8	82.0
CALHOUN	77	9	68	38.1	8.7	68.7
CARROLL	49	4	45	45.4	8.9	71.4
CHICKASAW	116	21	95	37.1	13.2	61.7
CHOCTAW	56	11	45	45.5	16.9	77.6
CLAYBORNE	125	4	121	73.5	20.0	80.7
CLARKE	88	17	71	35.5	12.0	67.0
CLAY	200	16	184	49.6	12.4	67.2
COAHOMA	428	22	406	70.0	18.6	82.4
COPIAH	211	22	189	44.5	12.0	65.2
COVINGTON	128	23	105	42.7	14.9	71.9
DESOTO	295	152	143	25.4	15.8	71.1
FORREST	424	95	329	40.4	16.2	70.8
FRANKLIN	47	4	43	38.2	6.9	66.2
GEORGE	59	46	13	17.6	15.1	41.9
GREENE	42	18	24	28.6	15.9	70.6
GRENADA	154	21	133	45.4	14.4	68.9
HANCOCK	131	96	35	28.4	23.8	61.4
HARRISON	1,027	467	560	34.7	22.3	64.8
HINDS	2,184	192	1,992	51.3	14.2	68.7
HOLMES	297	8	289	70.7	18.2	76.9
HUMPHREYS	165	11	154	67.6	22.4	79.0
ISSAQUENA	19	2	17	59.4	18.2	81.0
ITAWAMBA	33	26	7	11.7	9.6	70.0
JACKSON	699	290	409	36.8	21.9	70.9
JASPER	135	8	127	44.3	7.6	63.5
JEFFERSON	117	0	117	76.0	0.0	80.1
JEFF DAVIS	116	13	103	50.6	15.8	70.1
JONES	320	70	250	37.0	13.7	70.6
KEMPER	62	4	58	52.5	13.3	65.9
LAFAYETTE	143	21	122	36.5	10.3	64.9
LAMAR	105	48	57	21.4	11.9	65.5
LAUDERDALE	529	77	452	43.3	13.0	72.0
LAWRENCE	66	9	57	32.5	7.4	69.5
LEAKE	132	17	115	44.4	14.6	63.5
LEE	411	139	272	34.3	17.0	71.4
LEFLORE	450	16	434	62.2	9.1	79.0

TABLE 4 - PAGE 2
LIVE BIRTHS TO UNMARRIED MOTHERS - MISSISSIPPI - 1992

COUNTY	NUMBER			PERCENT		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
LINCOLN	160	29	131	34.6	11.1	65.2
LOWNDES	444	79	365	41.1	14.4	68.5
MADISON	448	22	426	40.9	4.4	71.6
MARION	121	22	99	33.4	10.6	64.3
MARSHALL	255	47	208	48.5	20.1	71.2
MONROE	196	45	151	35.7	13.5	70.2
MONTGOMERY	95	12	83	43.8	12.8	67.5
NESHOBA	161	21	140	40.8	11.4	66.4
NEWTON	155	23	132	45.4	14.7	71.4
NOXUBEE	151	3	148	62.6	6.4	76.3
OKTIBBEHA	203	17	186	39.0	7.2	65.5
PANOLA	317	33	284	57.5	17.9	77.4
PEARL RIVER	179	100	79	30.0	20.7	70.5
PERRY	47	10	37	24.4	7.5	61.7
PIKE	307	36	271	47.6	14.6	68.1
PONTOTOC	66	33	33	19.2	11.4	62.3
PRENTISS	59	32	27	18.0	11.1	69.2
QUITMAN	140	12	128	69.6	25.5	83.1
RANKIN	294	127	167	23.0	13.1	53.4
SCOTT	211	40	171	46.7	19.1	70.4
SHARKEY	104	7	97	72.7	23.3	85.8
SIMPSON	150	23	127	38.0	12.0	62.6
SMITH	77	11	66	33.6	8.2	69.5
STONE	66	18	48	35.1	14.1	80.0
SUNFLOWER	446	18	428	69.4	13.5	83.9
TALLAHATCHIE	193	5	188	66.8	8.2	82.4
TATE	118	22	96	37.1	12.4	68.1
TIPPAH	61	26	35	23.0	12.3	66.0
TISHOMINGO	38	29	9	15.2	12.2	69.2
TUNICA	139	5	134	78.5	22.7	86.4
UNION	73	34	39	20.3	11.6	58.2
WALTHALL	103	13	90	41.5	13.0	60.8
WARREN	355	43	312	44.2	11.4	72.9
WASHINGTON	825	61	764	64.8	17.9	81.9
WAYNE	133	26	107	42.2	16.9	66.5
WEBSTER	48	9	39	32.4	9.4	75.0
WILKINSON	86	3	83	57.7	8.8	72.2
WINSTON	109	8	101	41.6	6.7	70.6
YALOBUSHA	101	19	82	51.0	22.1	73.2
YAZOO	300	16	284	63.2	13.7	79.3

TABLE 5A
TOTAL LIVE BIRTHS TO UNMARRIED MOTHERS,
BY COUNTY OF RESIDENCE AND AGE OF MOTHER,
MISSISSIPPI, 1992

COUNTY	TOTAL	AGE OF MOTHER								UN- KNOWN
		UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	
<u>STATE</u>	<u>18,306</u>	<u>332</u>	<u>6,576</u>	<u>6,859</u>	<u>2,703</u>	<u>1,246</u>	<u>496</u>	<u>87</u>	<u>1</u>	<u>6</u>
ADAMS	308	4	100	129	33	30	11	1	0	0
ALCORN	103	3	32	37	20	4	6	0	0	1
AMITE	65	0	16	30	9	5	5	0	0	0
ATTALA	105	0	36	42	17	6	4	0	0	0
BENTON	50	0	20	20	6	4	0	0	0	0
BOLIVAR	501	6	174	207	62	42	9	1	0	0
CALHOUN	77	7	37	21	7	1	4	0	0	0
CARROLL	49	1	16	18	11	2	1	0	0	0
CHICKASAW	116	0	40	49	20	5	2	0	0	0
CHOCTAW	56	1	18	22	11	3	1	0	0	0
CLAIBORNE	125	2	47	44	19	8	4	1	0	0
CLARKE	88	1	38	29	10	8	2	0	0	0
CLAY	200	7	78	72	22	16	4	1	0	0
COAHOMA	428	10	164	157	54	34	8	1	0	0
COPIAH	211	4	67	88	28	18	6	0	0	0
COVINGTON	128	5	40	58	19	4	2	0	0	0
DESOTO	295	5	100	110	48	21	10	1	0	0
FORREST	424	11	143	169	65	26	10	0	0	0
FRANKLIN	47	0	16	22	7	1	1	0	0	0
GEORGE	59	1	30	15	7	5	1	0	0	0
GREENE	42	0	15	18	4	5	0	0	0	0
GRENADA	154	2	69	52	19	7	5	0	0	0
HANCOCK	131	2	42	55	18	10	3	1	0	0
HARRISON	1,027	12	372	364	175	70	28	6	0	0
HINDS	2,184	40	703	808	369	169	77	16	0	2
HOLMES	297	10	100	108	42	18	14	5	0	0
HUMPHREYS	165	5	58	63	24	12	2	1	0	0
ISSAQUENA	19	1	6	7	4	1	0	0	0	0
ITAWAMBA	33	1	15	13	3	1	0	0	0	0
JACKSON	699	10	263	252	105	50	15	4	0	0
JASPER	135	3	48	53	17	11	2	1	0	0
JEFFERSON	117	2	30	52	20	3	8	2	0	0
JEFF DAVIS	116	0	44	43	18	6	5	0	0	0
JONES	320	7	123	115	39	25	10	1	0	0
KEMPER	62	0	25	27	5	5	0	0	0	0
LAFAYETTE	143	2	42	56	22	11	7	3	0	0
LAMAR	105	2	31	42	16	11	3	0	0	0
LAUDERDALE	529	9	178	220	65	44	12	1	0	0
LAWRENCE	66	3	29	21	6	5	2	0	0	0
LEAKE	132	0	43	48	21	11	6	3	0	0
LEE	411	11	129	163	65	29	10	3	1	0
LEFLORE	450	6	195	166	49	25	8	1	0	0

TABLE 5A - PAGE 2

TOTAL LIVE BIRTHS TO UNMARRIED MOTHERS - MISSISSIPPI - 1992

COUNTY	TOTAL	AGE OF MOTHER								UN- KNOWN
		UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	
LINCOLN	160	3	65	58	23	8	3	0	0	0
LOWNDES	444	8	164	170	68	26	6	2	0	0
MADISON	448	12	162	159	72	26	13	4	0	0
MARION	121	1	42	46	19	9	4	0	0	0
MARSHALL	255	1	83	94	45	17	12	2	0	1
MONROE	196	3	60	76	31	18	8	0	0	0
MONTGOMERY	95	2	32	36	11	11	2	1	0	0
NESHOBA	161	5	61	60	25	5	5	0	0	0
NEWTON	155	2	53	54	24	19	2	1	0	0
NOXUBEE	151	2	52	62	21	6	8	0	0	0
OKTIBBEHA	203	3	83	67	30	15	5	0	0	0
PANOLA	317	2	131	118	38	20	7	1	0	0
PEARL RIVER	179	2	71	61	24	16	2	2	0	1
PERRY	47	0	14	18	9	5	1	0	0	0
PIKE	307	7	109	116	51	16	7	1	0	0
PONTOTOC	66	1	33	19	9	3	1	0	0	0
PRENTISS	59	0	24	16	12	4	2	1	0	0
QUITMAN	140	0	65	49	16	8	2	0	0	0
RANKIN	294	7	110	99	50	16	9	3	0	0
SCOTT	211	3	74	80	36	16	1	0	0	1
SHARKEY	104	5	30	37	17	13	2	0	0	0
SIMPSON	150	4	48	59	26	11	2	0	0	0
SMITH	77	1	26	31	13	6	0	0	0	0
STONE	66	1	26	25	9	1	4	0	0	0
SUNFLOWER	446	2	187	160	56	28	12	1	0	0
TALLAHATCHIE	193	9	79	67	22	12	4	0	0	0
TATE	118	1	40	50	20	3	2	2	0	0
TIPPAH	61	0	22	21	14	3	1	0	0	0
TISHOMINGO	38	1	11	14	9	2	0	1	0	0
TUNICA	139	3	53	55	19	5	3	1	0	0
UNION	73	2	29	29	8	4	1	0	0	0
WALTHALL	103	1	34	45	15	8	0	0	0	0
WARREN	355	4	132	129	48	32	10	0	0	0
WASHINGTON	825	20	320	292	120	44	25	4	0	0
WAYNE	133	4	58	50	13	4	3	1	0	0
WEBSTER	48	3	16	20	6	3	0	0	0	0
WILKINSON	86	1	21	42	16	3	2	1	0	0
WINSTON	109	5	38	38	19	4	4	1	0	0
YALOBUSHA	101	2	35	41	17	4	1	1	0	0
YAZOO	300	3	111	111	41	20	12	2	0	0

TABLE 5B
LIVE BIRTHS TO UNMARRIED WHITE MOTHERS,
BY COUNTY OF RESIDENCE AND AGE OF MOTHER,
MISSISSIPPI, 1992

COUNTY	TOTAL	AGE OF MOTHER								UN- KNOWN
		UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	
<u>STATE</u>	<u>3,287</u>	<u>28</u>	<u>1,225</u>	<u>1,212</u>	<u>495</u>	<u>229</u>	<u>80</u>	<u>16</u>	<u>0</u>	<u>2</u>
ADAMS	39	0	13	18	2	6	0	0	0	0
ALCORN	48	2	12	15	15	2	1	0	0	1
AMITE	1	0	0	0	0	0	1	0	0	0
ATTALA	18	0	8	9	0	1	0	0	0	0
BENTON	13	0	5	4	3	1	0	0	0	0
BOLIVAR	30	0	9	17	3	1	0	0	0	0
CALHOUN	9	2	5	1	0	0	1	0	0	0
CARROLL	4	0	2	1	1	0	0	0	0	0
CHICKASAW	21	0	8	9	4	0	0	0	0	0
CHOCTAW	11	0	5	4	2	0	0	0	0	0
CLAIBORNE	4	0	2	1	0	1	0	0	0	0
CLARKE	17	1	9	5	0	1	1	0	0	0
CLAY	16	1	5	6	2	1	1	0	0	0
COAHOMA	22	0	15	6	0	1	0	0	0	0
COPIAH	22	0	6	10	3	2	1	0	0	0
COVINGTON	23	1	7	11	3	1	0	0	0	0
DESOTO	152	1	54	60	21	9	6	1	0	0
FORREST	95	0	31	41	14	5	4	0	0	0
FRANKLIN	4	0	1	0	2	0	1	0	0	0
GEORGE	46	1	23	12	5	4	1	0	0	0
GREENE	18	0	5	10	3	0	0	0	0	0
GRENADA	21	0	9	7	4	0	1	0	0	0
HANCOCK	96	1	33	39	14	8	1	0	0	0
HARRISON	467	2	173	162	77	35	15	3	0	0
HINDS	192	0	65	72	31	15	9	0	0	0
HOLMES	8	0	0	4	1	3	0	0	0	0
HUMPHREYS	11	0	6	3	2	0	0	0	0	0
ISSAQUENA	2	0	1	1	0	0	0	0	0	0
ITAWAMBA	26	1	10	12	2	1	0	0	0	0
JACKSON	290	1	92	113	55	20	5	4	0	0
JASPER	8	0	3	4	0	1	0	0	0	0
JEFFERSON	0	0	0	0	0	0	0	0	0	0
JEFF DAVIS	13	0	5	6	0	0	2	0	0	0
JONES	70	0	26	25	10	5	4	0	0	0
KEMPER	4	0	3	1	0	0	0	0	0	0
LAFAYETTE	21	0	7	9	1	3	1	0	0	0
LAMAR	48	1	15	16	9	5	2	0	0	0
LAUDERDALE	77	2	20	32	11	11	1	0	0	0
LAWRENCE	9	0	6	2	0	1	0	0	0	0
LEAKE	17	0	9	4	3	0	1	0	0	0
LEE	139	3	38	60	23	12	3	0	0	0
LEFLORE	16	0	5	6	3	2	0	0	0	0

TABLE 5B - PAGE 2

LIVE BIRTHS TO UNMARRIED WHITE MOTHERS - MISSISSIPPI - 1992

COUNTY	TOTAL	AGE OF MOTHER								UN- KNOWN
		UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	
LINCOLN	29	0	9	13	2	4	1	0	0	0
LOWNDES	79	0	31	28	13	7	0	0	0	0
MADISON	22	0	13	6	1	2	0	0	0	0
MARION	22	0	10	7	2	3	0	0	0	0
MARSHALL	47	0	13	21	7	3	2	1	0	0
MONROE	45	1	16	17	4	5	2	0	0	0
MONTGOMERY	12	0	6	5	1	0	0	0	0	0
NESHOBA	21	0	10	9	2	0	0	0	0	0
NEWTON	23	0	12	6	4	1	0	0	0	0
NOXUBEE	3	0	1	2	0	0	0	0	0	0
OKTIBBEHA	17	0	9	5	3	0	0	0	0	0
PANOLA	33	0	17	11	4	1	0	0	0	0
PEARL RIVER	100	0	43	29	13	12	0	2	0	1
PERRY	10	0	6	3	1	0	0	0	0	0
PIKE	36	0	15	16	3	2	0	0	0	0
PONTOTOC	33	1	20	8	3	1	0	0	0	0
PRENTISS	32	0	15	9	5	0	2	1	0	0
QUITMAN	12	0	8	2	2	0	0	0	0	0
RANKIN	127	2	49	41	24	6	4	1	0	0
SCOTT	40	1	17	14	5	3	0	0	0	0
SHARKEY	7	0	4	1	1	1	0	0	0	0
SIMPSON	23	0	9	9	5	0	0	0	0	0
SMITH	11	0	5	2	2	2	0	0	0	0
STONE	18	0	8	7	2	1	0	0	0	0
SUNFLOWER	18	0	8	4	3	1	1	1	0	0
TALLAHATCHIE	5	0	1	2	1	1	0	0	0	0
TATE	22	0	9	9	3	0	0	1	0	0
TIPPAH	26	0	10	8	7	1	0	0	0	0
TISHOMINGO	29	0	7	11	8	2	0	1	0	0
TUNICA	5	0	0	3	0	2	0	0	0	0
UNION	34	0	15	13	5	1	0	0	0	0
WALTHALL	13	0	3	4	4	2	0	0	0	0
WARREN	43	0	17	20	3	1	2	0	0	0
WASHINGTON	61	1	23	23	13	0	1	0	0	0
WAYNE	26	0	13	10	1	1	1	0	0	0
WEBSTER	9	1	1	3	3	1	0	0	0	0
WILKINSON	3	0	1	1	1	0	0	0	0	0
WINSTON	8	0	4	3	0	1	0	0	0	0
YALOBUSHA	19	1	9	5	3	1	0	0	0	0
YAZOO	16	0	7	4	2	2	1	0	0	0

TABLE 5C
LIVE BIRTHS TO UNMARRIED NONWHITE MOTHERS,
BY COUNTY OF RESIDENCE AND AGE OF MOTHER,
MISSISSIPPI, 1992

COUNTY	TOTAL	AGE OF MOTHER								UN- KNOWN
		UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	
<u>STATE</u>	<u>15, 019</u>	<u>304</u>	<u>5, 351</u>	<u>5, 647</u>	<u>2, 208</u>	<u>1, 017</u>	<u>416</u>	<u>71</u>	<u>1</u>	<u>4</u>
ADAMS	269	4	87	111	31	24	11	1	0	0
ALCORN	55	1	20	22	5	2	5	0	0	0
AMITE	64	0	16	30	9	5	4	0	0	0
ATTALA	87	0	28	33	17	5	4	0	0	0
BENTON	37	0	15	16	3	3	0	0	0	0
BOLIVAR	471	6	165	190	59	41	9	1	0	0
CALHOUN	68	5	32	20	7	1	3	0	0	0
CARROLL	45	1	14	17	10	2	1	0	0	0
CHICKASAW	95	0	32	40	16	5	2	0	0	0
CHOCTAW	45	1	13	18	9	3	1	0	0	0
CLAI BORNE	121	2	45	43	19	7	4	1	0	0
CLARKE	71	0	29	24	10	7	1	0	0	0
CLAY	184	6	73	66	20	15	3	1	0	0
COAHOMA	406	10	149	151	54	33	8	1	0	0
COPIAH	189	4	61	78	25	16	5	0	0	0
COVINGTON	105	4	33	47	16	3	2	0	0	0
DESOTO	143	4	46	50	27	12	4	0	0	0
FORREST	329	11	112	128	51	21	6	0	0	0
FRANKLIN	43	0	15	22	5	1	0	0	0	0
GEORGE	13	0	7	3	2	1	0	0	0	0
GREENE	24	0	10	8	1	5	0	0	0	0
GRENADA	133	2	60	45	15	7	4	0	0	0
HANCOCK	35	1	9	16	4	2	2	1	0	0
HARRISON	560	10	199	202	98	35	13	3	0	0
HINDS	1, 992	40	638	736	338	154	68	16	0	2
HOLMES	289	10	100	104	41	15	14	5	0	0
HUMPHREYS	154	5	52	60	22	12	2	1	0	0
ISSAQUENA	17	1	5	6	4	1	0	0	0	0
ITAWAMBA	7	0	5	1	1	0	0	0	0	0
JACKSON	409	9	171	139	50	30	10	0	0	0
JASPER	127	3	45	49	17	10	2	1	0	0
JEFFERSON	117	2	30	52	20	3	8	2	0	0
JEFF DAVIS	103	0	39	37	18	6	3	0	0	0
JONES	250	7	97	90	29	20	6	1	0	0
KEMPER	58	0	22	26	5	5	0	0	0	0
LAFAYETTE	122	2	35	47	21	8	6	3	0	0
LAMAR	57	1	16	26	7	6	1	0	0	0
LAUDERDALE	452	7	158	188	54	33	11	1	0	0
LAWRENCE	57	3	23	19	6	4	2	0	0	0
LEAKE	115	0	34	44	18	11	5	3	0	0
LEE	272	8	91	103	42	17	7	3	1	0
LEFLORE	434	6	190	160	46	23	8	1	0	0

TABLE 5C - PAGE 2

LIVE BIRTHS TO UNMARRIED NONWHITE MOTHERS - MISSISSIPPI - 1992

COUNTY	TOTAL	AGE OF MOTHER								UN- KNOWN
		UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	
LINCOLN	131	3	56	45	21	4	2	0	0	0
LOWNDES	365	8	133	142	55	19	6	2	0	0
MADISON	426	12	149	153	71	24	13	4	0	0
MARION	99	1	32	39	17	6	4	0	0	0
MARSHALL	208	1	70	73	38	14	10	1	0	1
MONROE	151	2	44	59	27	13	6	0	0	0
MONTGOMERY	83	2	26	31	10	11	2	1	0	0
NESHOBA	140	5	51	51	23	5	5	0	0	0
NEWTON	132	2	41	48	20	18	2	1	0	0
NOXUBEE	148	2	51	60	21	6	8	0	0	0
OKTIBBEHA	186	3	74	62	27	15	5	0	0	0
PANOLA	284	2	114	107	34	19	7	1	0	0
PEARL RIVER	79	2	28	32	11	4	2	0	0	0
PERRY	37	0	8	15	8	5	1	0	0	0
PIKE	271	7	94	100	48	14	7	1	0	0
PONTOTOC	33	0	13	11	6	2	1	0	0	0
PRENTISS	27	0	9	7	7	4	0	0	0	0
QUITMAN	128	0	57	47	14	8	2	0	0	0
RANKIN	167	5	61	58	26	10	5	2	0	0
SCOTT	171	2	57	66	31	13	1	0	0	1
SHARKEY	97	5	26	36	16	12	2	0	0	0
SIMPSON	127	4	39	50	21	11	2	0	0	0
SMITH	66	1	21	29	11	4	0	0	0	0
STONE	48	1	18	18	7	0	4	0	0	0
SUNFLOWER	428	2	179	156	53	27	11	0	0	0
TALLAHATCHIE	188	9	78	65	21	11	4	0	0	0
TATE	96	1	31	41	17	3	2	1	0	0
TIPPAH	35	0	12	13	7	2	1	0	0	0
TISHOMINGO	9	1	4	3	1	0	0	0	0	0
TUNICA	134	3	53	52	19	3	3	1	0	0
UNION	39	2	14	16	3	3	1	0	0	0
WALTHALL	90	1	31	41	11	6	0	0	0	0
WARREN	312	4	115	109	45	31	8	0	0	0
WASHINGTON	764	19	297	269	107	44	24	4	0	0
WAYNE	107	4	45	40	12	3	2	1	0	0
WEBSTER	39	2	15	17	3	2	0	0	0	0
WILKINSON	83	1	20	41	15	3	2	1	0	0
WINSTON	101	5	34	35	19	3	4	1	0	0
YALOBUSHA	82	1	26	36	14	3	1	1	0	0
YAZOO	284	3	104	107	39	18	11	2	0	0

TABLE 6A
LIVE BIRTHS WEIGHING LESS THAN 2,500 GRAMS AT BIRTH
AND PERCENT OF TOTAL LIVE BIRTHS,
BY COUNTY OF RESIDENCE AND RACE OF MOTHER,
MISSISSIPPI, 1992

COUNTY	NUMBER			PERCENT		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>STATE</u>	<u>4, 232</u>	<u>1, 472</u>	<u>2, 760</u>	<u>9. 9</u>	<u>6. 8</u>	<u>13. 2</u>
ADAMS	75	18	57	12. 7	7. 8	15. 9
ALCORN	38	28	10	8. 6	7. 8	11. 8
AMITE	17	6	11	10. 3	7. 6	12. 8
ATTALA	24	7	17	9. 2	5. 9	11. 9
BENTON	22	8	14	17. 7	13. 1	22. 2
BOLIVAR	85	10	75	11. 6	6. 2	13. 1
CALHOUN	20	6	14	9. 9	5. 8	14. 1
CARROLL	11	3	8	10. 2	6. 7	12. 7
CHICKASAW	26	11	15	8. 3	6. 9	9. 7
CHOCTAW	9	3	6	7. 3	4. 6	10. 3
CLAIBORNE	23	3	20	13. 5	15. 0	13. 3
CLARKE	21	5	16	8. 5	3. 5	15. 1
CLAY	40	4	36	9. 9	3. 1	13. 1
COAHOMA	80	11	69	13. 1	9. 3	14. 0
COPIAH	56	15	41	11. 8	8. 2	14. 1
COVINGTON	23	5	18	7. 7	3. 2	12. 3
DESOTO	72	51	21	6. 2	5. 3	10. 4
FORREST	88	30	58	8. 4	5. 1	12. 5
FRANKLIN	21	7	14	17. 1	12. 1	21. 5
GEORGE	16	15	1	4. 8	4. 9	3. 2
GREENE	17	8	9	11. 6	7. 1	26. 5
GRENADA	40	15	25	11. 8	10. 3	13. 0
HANCOCK	34	29	5	7. 4	7. 2	8. 8
HARRISON	246	133	113	8. 3	6. 3	13. 1
HINDS	503	92	411	11. 8	6. 8	14. 2
HOLMES	56	0	56	13. 3	-	14. 9
HUMPHREYS	29	6	23	11. 9	12. 2	11. 8
ISSAQUENA	5	0	5	15. 6	-	23. 8
ITAWAMBA	17	17	0	6. 0	6. 3	-
JACKSON	174	88	86	9. 2	6. 6	14. 9
JASPER	37	9	28	12. 1	8. 6	14. 0
JEFFERSON	29	0	29	18. 8	-	19. 9
JEFF DAVIS	14	3	11	6. 1	3. 6	7. 5
JONES	86	34	52	10. 0	6. 7	14. 7
KEMPER	13	2	11	11. 0	6. 7	12. 5
LAFAYETTE	36	10	26	9. 2	4. 9	13. 8
LAMAR	34	23	11	6. 9	5. 7	12. 6
LAUDERDALE	108	39	69	8. 8	6. 6	11. 0
LAWRENCE	18	13	5	8. 9	10. 7	6. 1
LEAKE	29	7	22	9. 8	6. 0	12. 2
LEE	125	62	63	10. 4	7. 6	16. 5
LEFLORE	81	7	74	11. 2	4. 0	13. 5

TABLE 6A - PAGE 2
LIVE BIRTHS LESS THAN 2,500 GRAMS - MISSISSIPPI - 1992

COUNTY	NUMBER			PERCENT		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
LINCOLN	30	11	19	6.5	4.2	9.4
LOWNDES	99	32	67	9.2	5.8	12.6
MADISON	102	34	68	9.3	6.8	11.4
MARION	38	14	24	10.5	6.7	15.6
MARSHALL	73	30	43	13.9	12.8	14.7
MONROE	50	27	23	9.1	8.1	10.7
MONTGOMERY	25	10	15	11.5	10.6	12.2
NESHOBA	37	16	21	9.4	8.7	10.0
NEWTON	30	6	24	8.8	3.8	13.0
NOXUBEE	30	1	29	12.4	2.1	14.9
OKTIBBEHA	44	12	32	8.4	5.1	11.3
PANOLA	52	10	42	9.4	5.4	11.4
PEARL RIVER	42	27	15	7.0	5.6	13.4
PERRY	21	12	9	10.9	9.0	15.0
PIKE	77	24	53	11.9	9.7	13.3
PONTOTOC	33	26	7	9.6	9.0	13.2
PRENTISS	36	31	5	11.0	10.7	12.8
QUITMAN	26	5	21	12.9	10.6	13.6
RANKIN	99	56	43	7.7	5.8	13.7
SCOTT	51	21	30	11.3	10.0	12.3
SHARKEY	9	0	9	6.3	-	8.0
SIMPSON	39	15	24	9.9	7.8	11.8
SMITH	17	10	7	7.4	7.5	7.4
STONE	14	5	9	7.4	3.9	15.0
SUNFLOWER	62	6	56	9.6	4.5	11.0
TALLAHATCHIE	40	3	37	13.8	4.9	16.2
TATE	42	18	24	13.2	10.2	17.0
TIPPAH	32	19	13	12.1	9.0	24.5
TISHOMINGO	18	16	2	7.2	6.8	15.4
TUNICA	27	4	23	15.2	18.2	14.8
UNION	46	31	15	12.8	10.6	22.4
WALTHALL	21	6	15	8.5	6.0	10.1
WARREN	72	24	48	9.0	6.4	11.2
WASHINGTON	158	23	135	12.4	6.8	14.5
WAYNE	24	6	18	7.6	3.9	11.2
WEBSTER	14	7	7	9.4	7.3	13.5
WILKINSON	17	1	16	11.4	2.9	13.9
WINSTON	24	10	14	9.2	8.4	9.8
YALOBUSHA	13	8	5	6.6	9.3	4.5
YAZOO	50	12	38	10.5	10.2	10.6

TABLE 6B
LIVE BIRTHS WEIGHING LESS THAN 1,500 GRAMS AT BIRTH
AND PERCENT OF TOTAL LIVE BIRTHS,
BY COUNTY OF RESIDENCE AND RACE OF MOTHER,
MISSISSIPPI, 1992

COUNTY	NUMBER			PERCENT		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>STATE</u>	<u>808</u>	<u>222</u>	<u>586</u>	<u>1.9</u>	<u>1.0</u>	<u>2.8</u>
ADAMS	19	4	15	3.2	1.7	4.2
ALCORN	5	5	0	1.1	1.4	-
AMITE	2	0	2	1.2	-	2.3
ATTALA	4	0	4	1.5	-	2.8
BENTON	4	1	3	3.2	1.6	4.8
BOLIVAR	11	0	11	1.5	-	1.9
CALHOUN	4	0	4	2.0	-	4.0
CARROLL	5	2	3	4.6	4.4	4.8
CHICKASAW	2	1	1	0.6	0.6	0.6
CHOCTAW	1	1	0	0.8	1.5	-
CLAIBORNE	6	0	6	3.5	-	4.0
CLARKE	4	1	3	1.6	0.7	2.8
CLAY	11	3	8	2.7	2.3	2.9
COAHOMA	22	3	19	3.6	2.5	3.8
COPIAH	16	1	15	3.4	0.5	5.2
COVINGTON	7	1	6	2.3	0.6	4.1
DESOTO	13	11	2	1.1	1.1	1.0
FORREST	25	5	20	2.4	0.8	4.3
FRANKLIN	5	1	4	4.1	1.7	6.2
GEORGE	1	1	0	0.3	0.3	-
GREENE	3	1	2	2.0	0.9	5.9
GRENADA	9	2	7	2.6	1.4	3.6
HANCOCK	2	2	0	0.4	0.5	-
HARRISON	48	25	23	1.6	1.2	2.7
HINDS	96	13	83	2.2	1.0	2.9
HOLMES	11	0	11	2.6	-	2.9
HUMPHREYS	8	2	6	3.3	4.1	3.1
ISSAQUENA	2	0	2	6.2	-	9.5
ITAWAMBA	5	5	0	1.8	1.8	-
JACKSON	33	19	14	1.7	1.4	2.4
JASPER	7	1	6	2.3	1.0	3.0
JEFFERSON	6	0	6	3.9	-	4.1
JEFF DAVIS	3	1	2	1.3	1.2	1.4
JONES	10	2	8	1.2	0.4	2.3
KEMPER	1	0	1	0.8	-	1.1
LAFAYETTE	2	0	2	0.5	-	1.1
LAMAR	5	3	2	1.0	0.7	2.3
LAUDERDALE	17	4	13	1.4	0.7	2.1
LAWRENCE	6	3	3	3.0	2.5	3.6
LEAKE	4	3	1	1.3	2.6	0.6
LEE	25	10	15	2.1	1.2	3.9
LEFLORE	22	2	20	3.0	1.1	3.6

TABLE 6B - PAGE 2
LIVE BIRTHS LESS THAN 1,500 GRAMS - MISSISSIPPI - 1992

COUNTY	NUMBER			PERCENT		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
LINCOLN	7	2	5	1.5	0.8	2.5
LOWNDES	21	5	16	1.9	0.9	3.0
MADISON	25	7	18	2.3	1.4	3.0
MARION	8	2	6	2.2	1.0	3.9
MARSHALL	11	6	5	2.1	2.6	1.7
MONROE	10	4	6	1.8	1.2	2.8
MONTGOMERY	8	2	6	3.7	2.1	4.9
NESHOBA	8	0	8	2.0	-	3.8
NEWTON	5	0	5	1.5	-	2.7
NOXUBEE	8	0	8	3.3	-	4.1
OKTIBBEHA	3	1	2	0.6	0.4	0.7
PANOLA	5	0	5	0.9	-	1.4
PEARL RIVER	7	3	4	1.2	0.6	3.6
PERRY	6	2	4	3.1	1.5	6.7
PIKE	17	4	13	2.6	1.6	3.3
PONTOTOC	8	7	1	2.3	2.4	1.9
PRENTISS	5	4	1	1.5	1.4	2.6
QUITMAN	4	0	4	2.0	-	2.6
RANKIN	14	7	7	1.1	0.7	2.2
SCOTT	12	3	9	2.6	1.4	3.7
SHARKEY	0	0	0	-	-	-
SIMPSON	8	2	6	2.0	1.0	3.0
SMITH	1	1	0	0.4	0.7	-
STONE	2	0	2	1.1	-	3.3
SUNFLOWER	15	1	14	2.3	0.8	2.7
TALLAHATCHIE	8	1	7	2.8	1.6	3.1
TATE	8	4	4	2.5	2.3	2.8
TIPPAH	7	4	3	2.6	1.9	5.7
TISHOMINGO	1	0	1	0.4	-	7.7
TUNICA	3	0	3	1.7	-	1.9
UNION	7	3	4	2.0	1.0	6.0
WALTHALL	1	0	1	0.4	-	0.7
WARREN	13	2	11	1.6	0.5	2.6
WASHINGTON	26	1	25	2.0	0.3	2.7
WAYNE	5	0	5	1.6	-	3.1
WEBSTER	3	2	1	2.0	2.1	1.9
WILKINSON	1	0	1	0.7	-	0.9
WINSTON	5	0	5	1.9	-	3.5
YALOBUSHA	0	0	0	-	-	-
YAZOO	10	3	7	2.1	2.6	2.0

TABLE 7
PREMATURE* LIVE BIRTHS AND PERCENT OF TOTAL LIVE BIRTHS,
BY COUNTY OF RESIDENCE AND RACE OF MOTHER,
MISSISSIPPI, 1992

COUNTY	NUMBER			PERCENT		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>STATE</u>	<u>6, 479</u>	<u>2, 289</u>	<u>4, 190</u>	<u>15. 2</u>	<u>10. 5</u>	<u>20. 0</u>
ADAMS	102	25	77	17. 3	10. 8	21. 5
ALCORN	67	48	19	15. 2	13. 4	22. 4
AMITE	22	5	17	13. 3	6. 3	19. 8
ATTALA	38	11	27	14. 6	9. 3	18. 9
BENTON	33	13	20	26. 6	21. 3	31. 7
BOLIVAR	135	17	118	18. 4	10. 6	20. 6
CALHOUN	29	12	17	14. 4	11. 6	17. 2
CARROLL	21	10	11	19. 4	22. 2	17. 5
CHICKASAW	48	18	30	15. 3	11. 3	19. 5
CHOCTAW	15	6	9	12. 2	9. 2	15. 5
CLAIBORNE	38	4	34	22. 4	20. 0	22. 7
CLARKE	32	14	18	12. 9	9. 8	17. 0
CLAY	61	11	50	15. 1	8. 5	18. 2
COAHOMA	147	13	134	24. 0	11. 0	27. 2
COPIAH	77	21	56	16. 2	11. 4	19. 3
COVINGTON	43	8	35	14. 3	5. 2	24. 0
DESOTO	125	92	33	10. 7	9. 6	16. 4
FORREST	154	52	102	14. 7	8. 9	21. 9
FRANKLIN	21	7	14	17. 1	12. 1	21. 5
GEORGE	32	29	3	9. 6	9. 5	9. 7
GREENE	23	10	13	15. 6	8. 8	38. 2
GRENADA	58	20	38	17. 1	13. 7	19. 7
HANCOCK	41	36	5	8. 9	8. 9	8. 8
HARRISON	365	212	153	12. 3	10. 1	17. 7
HINDS	694	120	574	16. 3	8. 9	19. 8
HOLMES	95	4	91	22. 6	9. 1	24. 2
HUMPHREYS	42	6	36	17. 2	12. 2	18. 5
ISSAQUENA	5	1	4	15. 6	9. 1	19. 0
ITAWAMBA	30	29	1	10. 7	10. 7	10. 0
JACKSON	275	150	125	14. 5	11. 3	21. 7
JASPER	39	6	33	12. 8	5. 7	16. 5
JEFFERSON	30	0	30	19. 5	-	20. 5
JEFF DAVIS	24	7	17	10. 5	8. 5	11. 6
JONES	103	44	59	11. 9	8. 6	16. 7
KEMPER	20	2	18	16. 9	6. 7	20. 4
LAFAYETTE	53	22	31	13. 5	10. 8	16. 5
LAMAR	56	37	19	11. 4	9. 2	21. 8
LAUDERDALE	152	50	102	12. 4	8. 4	16. 2
LAWRENCE	25	13	12	12. 3	10. 7	14. 6
LEAKE	47	13	34	15. 8	11. 2	18. 8
LEE	183	99	84	15. 3	12. 1	22. 0
LEFLORE	146	15	131	20. 2	8. 6	23. 9

TABLE 7 - PAGE 2
 PREMATURE LIVE BIRTHS - MISSISSIPPI - 1992

COUNTY	NUMBER			PERCENT		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
LINCOLN	66	29	37	14.3	11.1	18.4
LOWNDES	170	61	109	15.7	11.2	20.4
MADISON	152	43	109	13.9	8.6	18.3
MARION	48	18	30	13.3	8.6	19.5
MARSHALL	107	39	68	20.3	16.7	23.3
MONROE	81	29	52	14.8	8.7	24.2
MONTGOMERY	33	12	21	15.2	12.8	17.1
NESHOBA	59	15	44	14.9	8.2	20.8
NEWTON	44	12	32	12.9	7.7	17.3
NOXUBEE	51	4	47	21.2	8.5	24.2
OKTIBBEHA	74	23	51	14.2	9.7	18.0
PANOLA	82	22	60	14.9	12.0	16.3
PEARL RIVER	56	43	13	9.4	8.9	11.6
PERRY	22	14	8	11.4	10.5	13.3
PIKE	118	37	81	18.3	15.0	20.4
PONTOTOC	55	44	11	16.0	15.2	20.8
PRENTISS	47	40	7	14.3	13.8	17.9
QUITMAN	45	4	41	22.4	8.5	26.6
RANKIN	153	95	58	12.0	9.8	18.5
SCOTT	86	30	56	19.0	14.4	23.0
SHARKEY	21	2	19	14.7	6.7	16.8
SIMPSON	57	18	39	14.4	9.4	19.2
SMITH	26	10	16	11.4	7.5	16.8
STONE	18	7	11	9.6	5.5	18.3
SUNFLOWER	119	15	104	18.5	11.3	20.4
TALLAHATCHIE	66	3	63	22.8	4.9	27.6
TATE	47	23	24	14.8	13.0	17.0
TIPPAH	61	39	22	23.0	18.4	41.5
TISHOMINGO	36	34	2	14.4	14.3	15.4
TUNICA	47	4	43	26.6	18.2	27.7
UNION	71	53	18	19.8	18.2	26.9
WALTHALL	36	13	23	14.5	13.0	15.5
WARREN	118	42	76	14.7	11.2	17.8
WASHINGTON	248	42	206	19.5	12.4	22.1
WAYNE	39	12	27	12.4	7.8	16.8
WEBSTER	16	7	9	10.8	7.3	17.3
WILKINSON	21	3	18	14.1	8.8	15.6
WINSTON	34	12	22	13.0	10.1	15.4
YALOBUSHA	23	7	16	11.6	8.1	14.3
YAZOO	80	17	63	16.8	14.5	17.6

* GESTATION LESS THAN 37 WEEKS.

TABLE 8
REPORTABLE* FETAL DEATHS, BY COUNTY OF OCCURRENCE AND RACE OF MOTHER,
ALSO REPORTABLE* FETAL DEATHS AND FETAL DEATH RATIOS,
BY COUNTY OF RESIDENCE AND RACE OF MOTHER,
MISSISSIPPI, 1992

COUNTY	OCCURRENCE DATA			RESIDENCE DATA					
	NUMBER			NUMBER			RATIO**		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
STATE	519	146	373	519	151	368	12.2	7.0	17.5
ADAMS	5	1	4	6	1	5	10.2	4.3	14.0
ALCORN	9	6	3	6	4	2	13.6	11.2	23.5
AMITE	0	0	0	0	0	0	-	-	-
ATTALA	2	1	1	4	1	3	15.3	8.5	21.0
BENTON	0	0	0	1	1	0	8.1	16.4	-
BOLIVAR	22	0	22	24	1	23	32.7	6.2	40.1
CALHOUN	0	0	0	0	0	0	-	-	-
CARROLL	0	0	0	0	0	0	-	-	-
CHICKASAW	0	0	0	3	2	1	9.6	12.6	6.5
CHOCTAW	0	0	0	2	1	1	16.3	15.4	17.2
CLAIBORNE	0	0	0	6	0	6	35.3	-	40.0
CLARKE	0	0	0	1	1	0	4.0	7.0	-
CLAY	5	1	4	8	2	6	19.8	15.5	21.9
COAHOMA	17	1	16	9	0	9	14.7	-	18.2
COPIAH	2	0	2	10	2	8	21.1	10.9	27.6
COVINGTON	4	0	4	5	1	4	16.7	6.5	27.4
DESOTO	3	2	1	8	7	1	6.9	7.3	5.0
FORREST	28	14	14	7	3	4	6.7	5.1	8.6
FRANKLIN	0	0	0	1	0	1	8.1	-	15.4
GEORGE	0	0	0	3	2	1	9.0	6.6	32.2
GREENE	0	0	0	1	1	0	6.8	8.8	-
GRENADA	5	1	4	2	0	2	5.9	-	10.4
HANCOCK	0	0	0	5	5	0	10.8	12.4	-
HARRISON	46	28	18	33	17	16	11.1	8.1	18.5
HINDS	168	25	143	64	9	55	15.0	6.6	19.0
HOLMES	4	0	4	16	0	16	38.1	-	42.6
HUMPHREYS	1	0	1	4	0	4	16.4	-	20.5
ISSAQUENA	0	0	0	1	0	1	31.2	-	47.6
ITAWAMBA	0	0	0	1	1	0	3.6	3.7	-
JACKSON	10	5	5	13	9	4	6.8	6.8	6.9
JASPER	1	0	1	5	1	4	16.4	9.5	20.0
JEFFERSON	0	0	0	1	0	1	6.5	-	6.8
JEFF DAVIS	0	0	0	8	3	5	34.9	36.6	34.0
JONES	11	4	7	16	7	9	18.5	13.7	25.4
KEMPER	0	0	0	2	1	1	16.9	33.3	11.4
LAFAYETTE	6	3	3	4	2	2	10.2	9.8	10.6
LAMAR	0	0	0	1	0	1	2.0	-	11.5
LAUDERDALE	15	7	8	8	2	6	6.5	3.4	9.6
LAWRENCE	0	0	0	1	0	1	4.9	-	12.2
LEAKE	0	0	0	5	2	3	16.8	17.2	16.6
LEE	19	13	6	13	9	4	10.8	11.0	10.5
LEFLORE	14	0	14	16	0	16	22.1	-	29.1

TABLE 8 - PAGE 2
 FETAL DEATHS - MISSISSIPPI - 1992

COUNTY	OCCURRENCE DATA			RESIDENCE DATA					
	NUMBER			NUMBER			RATIO**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
LINCOLN	4	0	4	4	0	4	8.6	-	19.9
LOWNDES	9	1	8	9	1	8	8.3	1.8	15.0
MADISON	4	0	4	12	2	10	11.0	4.0	16.8
MARION	1	0	1	8	3	5	22.1	14.4	32.5
MARSHALL	0	0	0	4	1	3	7.6	4.3	10.3
MONROE	13	7	6	7	2	5	12.8	6.0	23.2
MONTGOMERY	1	0	1	2	0	2	9.2	-	16.3
NESHOBA	1	0	1	4	0	4	10.1	-	19.0
NEWTON	0	0	0	3	1	2	8.8	6.4	10.8
NOXUBEE	0	0	0	3	0	3	12.4	-	15.5
OKTIBBEHA	12	5	7	4	2	2	7.7	8.4	7.0
PANOLA	0	0	0	7	2	5	12.7	10.9	13.6
PEARL RIVER	2	1	1	6	3	3	10.1	6.2	26.8
PERRY	0	0	0	1	1	0	5.2	7.5	-
PIKE	14	3	11	8	1	7	12.4	4.0	17.6
PONTOTOC	0	0	0	1	0	1	2.9	-	18.9
PRENTISS	0	0	0	4	3	1	12.2	10.4	25.6
QUITMAN	0	0	0	2	0	2	10.0	-	13.0
RANKIN	7	3	4	12	5	7	9.4	5.2	22.4
SCOTT	0	0	0	3	1	2	6.6	4.8	8.2
SHARKEY	0	0	0	1	0	1	7.0	-	8.8
SIMPSON	1	0	1	3	2	1	7.6	10.4	4.9
SMITH	0	0	0	2	1	1	8.7	7.5	10.5
STONE	1	0	1	2	1	1	10.6	7.8	16.7
SUNFLOWER	1	0	1	9	1	8	14.0	7.5	15.7
TALLAHATCHIE	1	0	1	4	0	4	13.8	-	17.5
TATE	1	0	1	1	1	0	3.1	5.6	-
TIPPAH	0	0	0	3	2	1	11.3	9.4	18.9
TISHOMINGO	0	0	0	4	3	1	16.0	12.6	76.9
TUNICA	1	1	0	1	1	0	5.6	45.4	-
UNION	8	6	2	2	2	0	5.6	6.8	-
WALTHALL	0	0	0	6	1	5	24.2	10.0	33.8
WARREN	20	5	15	9	3	6	11.2	8.0	14.0
WASHINGTON	16	1	15	18	2	16	14.1	5.9	17.1
WAYNE	3	1	2	5	2	3	15.9	13.0	18.6
WEBSTER	0	0	0	1	1	0	6.8	10.4	-
WILKINSON	0	0	0	1	0	1	6.7	-	8.7
WINSTON	0	0	0	3	2	1	11.4	16.8	7.0
YALOBUSHA	0	0	0	2	0	2	10.1	-	17.8
YAZOO	1	0	1	14	0	14	29.5	-	39.1
OUT OF STATE	21	15	6	21	10	11			

* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

** REPORTABLE FETAL DEATHS PER 1,000 LIVE BIRTHS.

TABLE 9
DEATHS, BY PLACE OF OCCURRENCE AND RACE,
ALSO DEATHS AND RATES, BY PLACE OF RESIDENCE AND RACE,
(PLACE INCLUDES COUNTIES, OUT OF STATE, TOWNS OF 10,000 OR MORE),
MISSISSIPPI, 1992

COUNTY	OCCURRENCE DATA			RESIDENCE DATA					
	NUMBER			NUMBER			RATE*		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>STATE</u>	<u>24, 419</u>	<u>15, 880</u>	<u>8, 539</u>	<u>25, 163</u>	<u>16, 417</u>	<u>8, 746</u>	<u>9. 8</u>	<u>10. 0</u>	<u>9. 3</u>
ADAMS	515	275	240	424	214	210	12. 0	11. 9	12. 1
ALCORN	326	293	33	338	304	34	10. 6	10. 8	9. 3
AMITE	41	20	21	120	69	51	9. 0	9. 5	8. 4
ATTALA	187	128	59	246	164	82	13. 3	14. 8	11. 1
BENTON	27	19	8	70	51	19	8. 7	10. 5	6. 0
BOLIVAR	413	138	275	466	159	307	11. 1	10. 4	11. 5
CALHOUN	95	75	20	169	133	36	11. 3	12. 3	8. 8
CARROLL	23	15	8	70	48	22	7. 6	8. 6	6. 0
CHICKASAW	133	89	44	192	120	72	10. 6	10. 8	10. 2
CHOCTAW	68	47	21	87	63	24	9. 6	10. 0	8. 7
CLAI BORNE	71	19	52	119	33	86	10. 5	16. 6	9. 2
CLARKE	115	75	40	177	120	57	10. 2	10. 6	9. 5
CLAY	169	87	82	223	108	115	10. 6	11. 0	10. 1
COAHOMA	344	121	223	346	128	218	10. 9	11. 6	10. 6
COPIAH	190	96	94	271	139	132	9. 8	10. 2	9. 4
COVINGTON	119	93	26	170	124	46	10. 3	11. 6	7. 9
DESOTO	348	280	68	472	399	73	7. 0	6. 8	8. 1
FORREST	977	687	290	692	480	212	10. 1	10. 3	9. 8
FRANKLIN	73	52	21	116	82	34	13. 8	15. 5	11. 0
GEORGE	112	106	6	145	136	9	8. 7	9. 0	5. 5
GREENE	43	34	9	97	74	23	9. 5	9. 2	10. 4
GRENADA	229	153	76	249	165	84	11. 6	13. 1	9. 3
HANCOCK	189	160	29	287	249	38	9. 0	8. 7	12. 1
HARRISON	1, 746	1, 432	314	1, 471	1, 195	276	8. 9	9. 4	7. 3
HINDS	3, 991	2, 246	1, 745	2, 212	1, 186	1, 026	8. 7	9. 6	7. 8
HOLMES	204	62	142	272	82	190	12. 6	15. 8	11. 6
HUMPHREYS	74	24	50	103	40	63	8. 5	10. 4	7. 6
ISSAQUENA	7	3	4	18	6	12	9. 4	7. 2	11. 2
ITAWAMBA	117	105	12	231	211	20	11. 5	11. 3	14. 1
JACKSON	739	587	152	867	701	166	7. 5	7. 8	6. 6
JASPER	104	61	43	199	110	89	11. 6	13. 1	10. 2
JEFFERSON	48	6	42	81	17	64	9. 4	14. 3	8. 6
JEFF DAVIS	90	40	50	148	64	84	10. 5	10. 1	10. 9
JONES	625	464	161	694	535	159	11. 2	11. 6	10. 0
KEMPER	73	43	30	127	75	52	12. 3	17. 0	8. 7
LAFAYETTE	332	251	81	235	167	68	7. 4	7. 2	7. 8
LAMAR	329	271	58	212	188	24	7. 0	7. 1	6. 3
LAUDERDALE	1, 125	772	353	769	520	249	10. 2	10. 7	9. 3
LAWRENCE	95	62	33	131	91	40	10. 5	11. 0	9. 6
LEAKE	178	129	49	253	173	80	13. 7	15. 6	10. 9
LEE	1, 274	998	276	617	493	124	9. 4	9. 6	8. 6
LEFLORE	426	180	246	410	188	222	11. 0	13. 0	9. 7

TABLE 9 - PAGE 2
DEATHS - MISSISSIPPI - 1992

COUNTY	OCCURRENCE DATA			RESIDENCE DATA					
	NUMBER			NUMBER			RATE*		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
LINCOLN	312	230	82	338	250	88	11.2	11.8	9.6
LOWNDES	477	273	204	464	277	187	7.8	7.5	8.3
MADISON	211	94	117	450	222	228	8.4	7.4	9.5
MARION	179	127	52	263	180	83	10.3	10.2	10.6
MARSHALL	153	82	71	291	158	133	9.6	10.6	8.6
MONROE	324	235	89	429	301	128	11.7	11.8	11.4
MONTGOMERY	131	81	50	161	97	64	13.0	14.0	11.7
NESHOBA	154	103	51	307	224	83	12.4	13.2	10.6
NEWTON	173	121	52	201	147	54	9.9	10.7	8.2
NOXUBEE	110	43	67	148	55	93	11.7	13.9	10.8
OKTIBBEHA	213	119	94	242	130	112	6.3	5.4	7.8
PANOLA	185	110	75	313	189	124	10.4	12.3	8.5
PEARL RIVER	274	234	40	381	318	63	9.8	9.7	10.8
PERRY	62	45	17	97	69	28	8.9	8.3	11.0
PIKE	416	257	159	446	260	186	12.1	13.0	11.0
PONTOTOC	117	103	14	223	199	24	10.0	10.5	7.2
PRENTISS	174	160	14	220	196	24	9.4	9.6	8.6
QUITMAN	78	29	49	119	50	69	11.3	11.8	11.0
RANKIN	522	406	116	659	524	135	7.6	7.3	8.9
SCOTT	195	137	58	285	184	101	11.8	12.4	10.8
SHARKEY	48	19	29	74	29	45	10.5	12.4	9.5
SIMPSON	211	158	53	274	192	82	11.4	11.9	10.5
SMITH	42	34	8	156	130	26	10.5	11.3	7.9
STONE	59	49	10	107	86	21	10.0	10.3	8.8
SUNFLOWER	277	112	165	358	145	213	10.9	12.5	10.0
TALLAHATCHIE	82	43	39	158	83	75	10.4	13.3	8.4
TATE	122	69	53	207	137	70	9.6	9.8	9.4
TIPPAH	178	159	19	250	219	31	12.8	13.5	9.5
TISHOMINGO	115	110	5	200	195	5	11.3	11.5	7.4
TUNICA	34	11	23	92	25	67	11.3	12.6	10.8
UNION	228	200	28	256	228	28	11.6	12.1	8.5
WALTHALL	109	71	38	159	102	57	11.1	12.4	9.3
WARREN	517	293	224	493	287	206	10.3	9.9	10.8
WASHINGTON	765	310	455	714	313	401	10.5	11.0	10.1
WAYNE	145	86	59	162	101	61	8.3	8.1	8.7
WEBSTER	98	78	20	119	100	19	11.6	12.6	8.4
WILKINSON	106	47	59	106	38	68	11.0	12.2	10.4
WINSTON	150	105	45	210	148	62	10.8	13.3	7.5
YALOBUSHA	68	46	22	140	94	46	11.6	12.6	10.1
YAZOO	221	93	128	295	131	164	11.6	11.0	12.1
OUT OF STATE	1,606	1,146	460	862	609	253			

TABLE 9 - PAGE 3
DEATHS - MISSISSIPPI - 1992

TOWN**	RESIDENCE DATA					
	NUMBER			RATE*		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
BILOXI	435	356	79	9.4	10.3	6.7
BRANDON	183	154	29	16.5	16.0	20.3
BROOKHAVEN	180	117	63	17.6	20.9	13.6
CANTON	160	58	102	15.9	17.8	15.0
CLARKSDALE	265	106	159	13.4	14.3	12.9
CLEVELAND	156	80	76	10.1	9.7	10.7
CLINTON	151	112	39	6.9	6.3	9.8
COLUMBUS	277	156	121	11.6	13.6	9.8
CORINTH	171	146	25	14.5	15.9	9.5
GAUTIER	74	64	10	7.3	8.5	3.8
GREENVILLE	515	228	287	11.4	12.7	10.5
GREENWOOD	250	123	127	13.2	16.2	11.2
GRENADA	173	110	63	15.9	20.1	11.7
GULFPORT	476	368	108	11.7	12.9	8.8
HATTIESBURG	502	310	192	12.0	12.7	11.0
INDIANOLA	137	50	87	11.6	12.6	11.1
JACKSON	1,835	979	856	9.3	11.4	7.7
LAUREL	316	210	106	16.8	21.6	11.6
LONG BEACH	89	81	8	5.6	5.6	6.2
MCCOMB	209	131	78	18.0	21.1	14.5
MERIDIAN	514	317	197	12.5	14.3	10.4
MOSS POINT	175	81	94	9.8	13.2	8.0
NATCHEZ	279	141	138	14.3	14.7	14.0
OCEAN SPRINGS	135	121	14	9.2	9.1	10.5
PASCAGOULA	218	180	38	8.4	9.0	6.4
PEARL	128	121	7	6.5	6.8	3.8
PI CAYUNE	126	84	42	11.8	12.5	10.7
RIDGELAND	48	44	4	4.1	4.3	2.6
SOUTHAVEN	138	137	1	7.7	7.9	1.7
STARKVILLE	115	67	48	6.2	5.2	8.4
TUPELO	298	244	54	9.7	10.6	7.1
VICKSBURG	334	168	166	16.0	19.8	13.4
YAZOO CITY	190	70	120	15.3	16.2	14.8

* DEATHS PER 1,000 POPULATION.

** TOWNS OF 10,000 POPULATION OR MORE.

TABLE 10
DEATHS, BY CAUSE AND RACE,
MISSISSIPPI RESIDENTS, 1992

International Classification Number*	Cause*	Total	White	Non- white
<u>001-999</u>	<u>ALL CAUSES</u>	<u>25,163</u>	<u>16,417</u>	<u>8,746</u>
<u>001-139</u>	<u>INFECTIOUS AND PARASITIC DISEASES</u>	<u>486</u>	<u>257</u>	<u>229</u>
<u>001-009</u>	<u>Intestinal infectious diseases</u>	<u>4</u>	<u>1</u>	<u>3</u>
<u>008, 009</u>	<u>Other and ill-defined intestinal infections</u>	<u>4</u>	<u>1</u>	<u>3</u>
008	Intestinal infections due to other organisms	2	1	1
009	Ill-defined intestinal infections	2	0	2
<u>010-018</u>	<u>Tuberculosis</u>	<u>35</u>	<u>17</u>	<u>18</u>
<u>010-012</u>	<u>Respiratory</u>	<u>27</u>	<u>14</u>	<u>13</u>
011	Pulmonary	26	14	12
012	Other	1	0	1
<u>013-018</u>	<u>Other forms</u>	<u>8</u>	<u>3</u>	<u>5</u>
013	Meninges and central nervous system	1	0	1
017	Other organs	1	1	0
018	Miliary	6	2	4
<u>020-027</u>	<u>Zoonotic bacterial diseases</u>	<u>0</u>	<u>0</u>	<u>0</u>
<u>030-041</u>	<u>Other bacterial diseases</u>	<u>207</u>	<u>117</u>	<u>90</u>
031	Other diseases due to mycobacteria	1	0	1
036	Meningococcal infection	1	0	1
038	Septicemia	199	115	84
040	Other bacterial diseases	1	0	1
041	Bacterial infection of unspecified site	5	2	3
<u>042-044</u>	<u>Human immunodeficiency virus infection</u>	<u>154</u>	<u>69</u>	<u>85</u>
042	With specified conditions	147	67	80
043	Causing other specified conditions	1	1	0
044	Other human immunodeficiency virus infections	6	1	5
<u>045-049</u>	<u>Polio myelitis and other non-arthropod-borne diseases of central nervous system</u>	<u>6</u>	<u>3</u>	<u>3</u>
046	Slow virus infection	4	3	1
047	Meningitis due to enterovirus	1	0	1
049	Other non-arthropod-borne diseases	1	0	1
<u>050-057</u>	<u>Viral diseases accompanied by exanthem</u>	<u>3</u>	<u>3</u>	<u>0</u>
054	Herpes simplex	2	2	0
057	Other viral exanthemata	1	1	0
<u>060-066</u>	<u>Arthropod-borne viral diseases</u>	<u>0</u>	<u>0</u>	<u>0</u>
<u>070-079</u>	<u>Other diseases due to viruses and Chlamydiae</u>	<u>26</u>	<u>18</u>	<u>8</u>
070	Viral hepatitis	20	13	7
078	Other diseases due to viruses and Chlamydiae	3	2	1
079	Viral infection in conditions classified elsewhere and of unspecified site	3	3	0
<u>080-088</u>	<u>Rickettsioses and other arthropod-borne diseases</u>	<u>0</u>	<u>0</u>	<u>0</u>
<u>090-099</u>	<u>Syphilis and other venereal diseases</u>	<u>3</u>	<u>0</u>	<u>3</u>
<u>090-097</u>	<u>Syphilis and its sequelae</u>	<u>3</u>	<u>0</u>	<u>3</u>
090	Congenital	1	0	1
094	Neurosyphilis	1	0	1
097	Other and unspecified syphilis	1	0	1
<u>100-104</u>	<u>Other spirochetal diseases</u>	<u>0</u>	<u>0</u>	<u>0</u>

Table 10 - Page 2
Deaths - Mississippi - 1992

International Classification		Total	White	Non-white
Number*	Cause*			
<u>110-118</u>	<u>Mycoses</u>	<u>29</u>	<u>17</u>	<u>12</u>
112	Candidiasis	7	3	4
115	Histoplasmosis	1	1	0
116	Blastomycotic infection	8	3	5
117	Other mycoses	13	10	3
<u>120-129</u>	<u>Helminthiases</u>	<u>1</u>	<u>1</u>	<u>0</u>
127	Other intestinal helminthiases	1	1	0
<u>130-139</u>	<u>Other infectious and parasitic diseases</u>	<u>18</u>	<u>11</u>	<u>7</u>
130	Toxoplasmosis	1	1	0
135	Sarcoidosis	7	2	5
136	Other and unspecified infectious and parasitic diseases	8	6	2
138	Late effects of acute poliomyelitis	2	2	0
<u>140-239</u>	<u>NEOPLASMS</u>	<u>5,596</u>	<u>3,757</u>	<u>1,839</u>
<u>140-208</u>	<u>Malignant neoplasms</u>	<u>5,536</u>	<u>3,718</u>	<u>1,818</u>
<u>140-149</u>	<u>Lip, oral cavity, and pharynx</u>	<u>111</u>	<u>74</u>	<u>37</u>
140	Lip	2	2	0
141	Tongue	18	14	4
142	Major salivary glands	4	3	1
144	Floor of mouth	2	0	2
145	Other and unspecified parts of mouth	22	16	6
146	Oropharynx	13	8	5
147	Nasopharynx	2	2	0
148	Hypopharynx	7	5	2
149	Other and ill-defined sites	41	24	17
<u>150-159</u>	<u>Digestive organs and peritoneum</u>	<u>1,229</u>	<u>739</u>	<u>490</u>
150	Esophagus	88	40	48
151	Stomach	176	84	92
152	Small intestine, including duodenum	13	13	0
153	Colon	435	272	163
154	Rectum, rectosigmoid junction, and anus	61	42	19
155	Liver and intrahepatic bile ducts	116	79	37
156	Gallbladder and extrahepatic bile ducts	27	17	10
157	Pancreas	294	180	114
158	Retroperitoneum and peritoneum	7	6	1
159	Other and ill-defined sites	12	6	6
<u>160-165</u>	<u>Respiratory and intrathoracic organs</u>	<u>1,660</u>	<u>1,218</u>	<u>442</u>
160	Nasal cavities, middle ear, and accessory sinuses	4	3	1
161	Larynx	26	19	7
162	Trachea, bronchus, and lung	1,615	1,183	432
163	Pleura	7	6	1
164	Thymus, heart, and mediastinum	8	7	1
<u>170-175</u>	<u>Bone, connective tissue, skin, and breast</u>	<u>512</u>	<u>362</u>	<u>150</u>
170	Bone and articular cartilage	32	23	9
171	Connective and other soft tissue	12	9	3
172	Melanoma of skin	52	46	6
173	Skin, other	22	15	7
174	Female breast	392	268	124

Table 10 - Page 3
Deaths - Mississippi - 1992

International Classification		Total	White	Non- white
Number*	Cause*			
175	Male breast	2	1	1
<u>179-189</u>	<u>Genitourinary organs</u>	<u>885</u>	<u>514</u>	<u>371</u>
<u>(179-187)</u>	<u>(Genital organs)</u>	<u>697</u>	<u>367</u>	<u>330</u>
179	Uterus, part unspecified	32	15	17
180	Cervix uteri	69	28	41
182	Body of uterus	24	13	11
183	Ovary and other uterine adnexa	125	91	34
184	Other and unspecified female genital organs	8	6	2
185	Prostate	437	212	225
187	Penis and other male genital organs	2	2	0
<u>(188,189)</u>	<u>(Urinary organs)</u>	<u>188</u>	<u>147</u>	<u>41</u>
188	Bladder	79	62	17
189	Kidney and other and unspecified urinary organs	109	85	24
<u>190-199</u>	<u>Other and unspecified sites</u>	<u>650</u>	<u>452</u>	<u>198</u>
190	Eye	4	4	0
191	Brain	127	103	24
192	Other and unspecified parts of nervous system	1	1	0
193	Thyroid gland	10	8	2
194	Other endocrine glands and related structures	13	10	3
195	Other and ill-defined sites	31	21	10
199	Site unspecified	464	305	159
<u>200-208</u>	<u>Lymphatic and hematopoietic tissue</u>	<u>489</u>	<u>359</u>	<u>130</u>
200	Lymphosarcoma and reticulosarcoma	11	9	2
201	Hodgkin's disease	15	11	4
202	Other lymphoid and histiocytic tissue	153	127	26
203	Multiple myeloma and immunoproliferative neoplasms	111	61	50
<u>(204-208)</u>	<u>(Leukemia)</u>	<u>199</u>	<u>151</u>	<u>48</u>
204	Lymphatic	57	47	10
205	Myeloid	75	58	17
206	Monocytic	2	1	1
207	Other specified	4	2	2
208	Unspecified cell type	61	43	18
<u>210-229</u>	<u>Benign neoplasms</u>	<u>16</u>	<u>10</u>	<u>6</u>
211	Benign neoplasm of other parts of digestive system	3	3	0
212	Benign neoplasm of respiratory and intrathoracic organs	1	1	0
213	Benign neoplasm of bone and articular cartilage	1	1	0
220	Benign neoplasm of ovary	1	1	0
225	Benign neoplasm of brain and other parts of nervous system	8	2	6
227	Benign neoplasm of other endocrine glands and related structures	2	2	0
<u>230-234</u>	<u>Carcinoma in situ</u>	<u>1</u>	<u>1</u>	<u>0</u>
233	Carcinoma in situ of breast and genitourinary system	1	1	0
<u>235-239</u>	<u>Neoplasms of uncertain behavior and unspecified nature</u>	<u>43</u>	<u>28</u>	<u>15</u>

Table 10 - Page 4
Deaths - Mississippi - 1992

International Classification Number*	Cause*	Total	White	Non- white
<u>235- 238</u>	<u>Uncertain behavior</u>	<u>10</u>	<u>7</u>	<u>3</u>
235	Digestive and respiratory systems	1	1	0
237	Endocrine glands and nervous system	1	0	1
238	Other and unspecified sites and tissues	8	6	2
239	Unspecified nature	33	21	12
<u>240- 279</u>	<u>ENDOCRINE, NUTRITIONAL, AND METABOLIC DISEASES</u>	<u>670</u>	<u>327</u>	<u>343</u>
<u>240- 246</u>	<u>Diseases of thyroid gland</u>	<u>7</u>	<u>1</u>	<u>6</u>
240	Simple and unspecified goiter	1	0	1
241	Nontoxic nodular goiter	1	0	1
242	Thyrotoxicosis with or without goiter	1	0	1
244	Acquired hypothyroidism	4	1	3
<u>250- 259</u>	<u>Diseases of other endocrine glands</u>	<u>478</u>	<u>236</u>	<u>242</u>
250	Diabetes mellitus	469	234	235
251	Other disorders of pancreatic internal secretion	2	0	2
252	Disorders of parathyroid gland	1	0	1
253	Disorders of pituitary gland and its hypothalamic control	2	0	2
254	Diseases of thymus gland	1	1	0
255	Disorders of adrenal glands	3	1	2
<u>260- 269</u>	<u>Nutritional deficiencies</u>	<u>37</u>	<u>18</u>	<u>19</u>
261	Nutritional marasmus	4	0	4
262	Other severe protein-calorie malnutrition	1	1	0
263	Other and unspecified protein-calorie malnutrition	29	15	14
269	Other nutritional deficiencies	3	2	1
<u>270- 279</u>	<u>Other metabolic disorders and immunity disorders</u>	<u>148</u>	<u>72</u>	<u>76</u>
271	Disorders of carbohydrate transport and metabolism	1	0	1
272	Disorders of lipid metabolism	3	3	0
273	Disorders of plasma protein metabolism	5	2	3
274	Gout	1	0	1
275	Disorders of mineral metabolism	4	1	3
276	Disorders of fluid, electrolyte, and acid-base balance	91	41	50
277	Other and unspecified disorders of metabolism	19	12	7
278	Obesity and other hyperalimentation	17	10	7
279	Disorders involving the immune mechanism	7	3	4
<u>280- 289</u>	<u>DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS</u>	<u>109</u>	<u>64</u>	<u>45</u>
<u>280- 285</u>	<u>Anemias</u>	<u>54</u>	<u>25</u>	<u>29</u>
281	Other deficiency anemias	2	2	0
282	Hereditary hemolytic	13	1	12
283	Acquired hemolytic	3	2	1
284	Aplastic	15	11	4
285	Other and unspecified	21	9	12
286	Coagulation defects	14	9	5
287	Purpura and other hemorrhagic conditions	10	5	5

Table 10 - Page 5
Deaths - Mississippi - 1992

International Classification Number*	Cause*	Total	White	Non- white
288	Diseases of white blood cells	5	5	0
289	Other diseases of blood and blood-forming organs	26	20	6
<u>290-319</u>	<u>MENTAL DISORDERS</u>	<u>223</u>	<u>147</u>	<u>76</u>
<u>290-299</u>	<u>Psychoses</u>	<u>88</u>	<u>67</u>	<u>21</u>
290	Senile and presenile organic psychotic conditions	55	45	10
291	Alcoholic psychoses	4	1	3
295	Schizophrenic psychoses	3	1	2
298	Other nonorganic psychoses	26	20	6
<u>300-316</u>	<u>Neurotic disorders, personality disorders, and other nonpsychotic mental disorders</u>	<u>131</u>	<u>77</u>	<u>54</u>
303	Alcohol dependence syndrome	52	27	25
305	Nondependent abuse of drugs	15	6	9
308	Acute reaction to stress	3	2	1
310	Specific nonpsychotic mental disorders following organic brain damage	59	40	19
311	Depressive disorder, not elsewhere classified	2	2	0
<u>317-319</u>	<u>Mental retardation</u>	<u>4</u>	<u>3</u>	<u>1</u>
318	Other specified	2	2	0
319	Unspecified	2	1	1
<u>320-389</u>	<u>DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS</u>	<u>346</u>	<u>258</u>	<u>88</u>
<u>320-326</u>	<u>Inflammatory diseases of central nervous system</u>	<u>15</u>	<u>10</u>	<u>5</u>
320	Bacterial meningitis	6	4	2
322	Meningitis of unspecified cause	4	3	1
323	Encephalitis, myelitis, and encephalomyelitis	4	2	2
324	Intracranial and intraspinal abscess	1	1	0
<u>330-337</u>	<u>Hereditary and degenerative diseases of the central nervous system</u>	<u>229</u>	<u>187</u>	<u>42</u>
330	Cerebral degenerations usually manifest in childhood	3	3	0
331	Other cerebral degenerations	128	107	21
332	Parkinson's disease	49	39	10
333	Other extrapyramidal disease and abnormal movement disorders	6	4	2
334	Spinocerebellar disease	7	6	1
335	Anterior horn cell disease	34	28	6
336	Other diseases of spinal cord	1	0	1
337	Disorders of the autonomic nervous system	1	0	1
<u>340-349</u>	<u>Other disorders of the central nervous system</u>	<u>79</u>	<u>42</u>	<u>37</u>
340	Multiple sclerosis	11	5	6
342	Hemiplegia	2	2	0
343	Infantile cerebral palsy	10	5	5
344	Other paralytic syndromes	6	5	1
345	Epilepsy	15	6	9
348	Other conditions of brain	32	18	14
349	Other and unspecified disorders of the nervous system	3	1	2

Table 10 - Page 6
Deaths - Mississippi - 1992

International Classification		Total	White	Non-white
Number*	Cause*			
<u>350-359</u>	<u>Disorders of peripheral nervous system</u>	<u>23</u>	<u>19</u>	<u>4</u>
354	Mononeuritis of upper limb and mononeuritis multiplex	1	1	0
355	Mononeuritis of lower limb	1	1	0
356	Hereditary and idiopathic peripheral neuropathy	2	2	0
357	Inflammatory and toxic neuropathy	1	0	1
358	Myoneural disorders	4	2	2
359	Muscular dystrophies and other myopathies	14	13	1
<u>360-379</u>	<u>Disorders of the eye and adnexa</u>	<u>0</u>	<u>0</u>	<u>0</u>
<u>380-389</u>	<u>Diseases of the ear and mastoid process</u>	<u>0</u>	<u>0</u>	<u>0</u>
<u>390-459</u>	<u>DISEASES OF THE CIRCULATORY SYSTEM</u>	<u>11,330</u>	<u>7,523</u>	<u>3,807</u>
<u>390-392</u>	<u>Active rheumatic fever</u>	<u>1</u>	<u>1</u>	<u>0</u>
391	Rheumatic fever with heart involvement	1	1	0
<u>393-398</u>	<u>Chronic rheumatic heart disease</u>	<u>30</u>	<u>26</u>	<u>4</u>
394	Diseases of mitral valve	18	16	2
395	Diseases of aortic valve	2	2	0
396	Diseases of mitral and aortic valves	8	6	2
397	Diseases of other endocardial structures	1	1	0
398	Other rheumatic heart disease	1	1	0
<u>401-405</u>	<u>Hypertensive disease</u>	<u>473</u>	<u>228</u>	<u>245</u>
<u>401, 403</u>	<u>Hypertension with or without renal disease</u>	<u>122</u>	<u>60</u>	<u>62</u>
401	Essential hypertension	80	41	39
403	Hypertensive renal disease	42	19	23
<u>402, 404</u>	<u>Hypertensive heart disease with or without renal disease</u>	<u>351</u>	<u>168</u>	<u>183</u>
402	Hypertensive heart disease	320	155	165
404	Hypertensive heart and renal disease	31	13	18
<u>410-414</u>	<u>Ischemic heart disease</u>	<u>4,600</u>	<u>3,272</u>	<u>1,328</u>
410	Acute myocardial infarction	3,070	2,105	965
411	Other acute and subacute forms of ischemic heart disease	12	8	4
412	Old myocardial infarction	13	9	4
413	Angina pectoris	10	8	2
414	Other forms of chronic ischemic heart disease	1,495	1,142	353
<u>415-417</u>	<u>Diseases of pulmonary circulation</u>	<u>211</u>	<u>126</u>	<u>85</u>
415	Acute pulmonary heart disease	176	104	72
416	Chronic pulmonary heart disease	32	20	12
417	Other diseases of pulmonary circulation	3	2	1
<u>420-429</u>	<u>Other forms of heart disease</u>	<u>3,903</u>	<u>2,482</u>	<u>1,421</u>
421	Acute and subacute endocarditis	6	5	1
422	Acute myocarditis	3	2	1
423	Other diseases of pericardium	5	2	3
424	Other diseases of endocardium	95	71	24
425	Cardiomyopathy	337	199	138
426	Conduction disorders	6	5	1
427	Cardiac dysrhythmias	847	489	358
428	Heart failure	893	623	270
429	Ill-defined heart diseases	1,711	1,086	625

Table 10 - Page 7
Deaths - Mississippi - 1992

International Classification		Total	White	Non- white
Number*	Cause*			
<u>430- 438</u>	<u>Cerebrovascular diseases</u>	<u>1, 715</u>	<u>1, 105</u>	<u>610</u>
430	Subarachnoid hemorrhage	63	40	23
431	Intracerebral hemorrhage	230	143	87
432	Other and unspecified intracranial hemorrhage	28	20	8
433	Occlusion and stenosis of precerebral arteries	8	8	0
434	Occlusion of cerebral arteries	158	97	61
435	Transient cerebral ischemia	2	0	2
436	Acute but ill-defined cerebrovascular disease	1, 071	691	380
437	Other and ill-defined cerebrovascular disease	80	56	24
438	Late effects of cerebrovascular disease	75	50	25
<u>440- 448</u>	<u>Diseases of arteries, arterioles, and capillaries</u>	<u>352</u>	<u>254</u>	<u>98</u>
440	Atherosclerosis	118	87	31
<u>441- 448</u>	<u>Other diseases of arteries, arterioles, and capillaries</u>	<u>234</u>	<u>167</u>	<u>67</u>
441	Aortic aneurysm	133	106	27
442	Other aneurysm	15	10	5
443	Other peripheral vascular disease	45	24	21
444	Arterial embolism and thrombosis	16	14	2
446	Polyarteritis nodosa and allied conditions	16	9	7
447	Other disorders of arteries and arterioles	9	4	5
<u>451- 459</u>	<u>Diseases of veins and lymphatics, and other diseases of circulatory system</u>	<u>45</u>	<u>29</u>	<u>16</u>
<u>451- 453</u>	<u>Venous thrombosis and embolism</u>	<u>15</u>	<u>11</u>	<u>4</u>
451	Phlebitis and thrombophlebitis	9	6	3
452	Portal vein thrombosis	1	1	0
453	Other venous embolism and thrombosis	5	4	1
<u>454- 459</u>	<u>Other diseases of the circulatory system</u>	<u>30</u>	<u>18</u>	<u>12</u>
455	Hemorrhoids	1	1	0
456	Varicose veins of other sites	4	4	0
457	Noninfective disorders of lymphatic channels	1	1	0
458	Hypotension	14	6	8
459	Other disorders of circulatory system	10	6	4
<u>460- 519</u>	<u>DISEASES OF THE RESPIRATORY SYSTEM</u>	<u>1, 975</u>	<u>1, 504</u>	<u>471</u>
<u>460- 466</u>	<u>Acute respiratory infections</u>	<u>9</u>	<u>8</u>	<u>1</u>
464	Acute laryngitis and tracheitis	1	1	0
465	Acute upper respiratory infection of multiple or unspecified sites	1	1	0
466	Acute bronchitis and bronchiolitis	7	6	1
<u>470- 478</u>	<u>Other diseases of upper respiratory tract</u>	<u>4</u>	<u>3</u>	<u>1</u>
478	Other diseases of upper respiratory tract	4	3	1
<u>480- 487</u>	<u>Pneumonia and influenza</u>	<u>807</u>	<u>579</u>	<u>228</u>
<u>480- 486</u>	<u>Pneumonia</u>	<u>805</u>	<u>578</u>	<u>227</u>
480	Viral	8	4	4
481	Pneumococcal	5	3	2
482	Other bacterial	39	24	15
483	Due to other specified organism	2	1	1
485	Broncho, organism unspecified	24	19	5
486	Organism unspecified	727	527	200

Table 10 - Page 8
Deaths - Mississippi - 1992

International Classification Number*	Cause*	Total	White	Non- white
487	Influenza	2	1	1
<u>490- 496</u>	<u>Chronic obstructive pulmonary disease and allied conditions</u>	<u>873</u>	<u>727</u>	<u>146</u>
<u>490, 491</u>	<u>Chronic and unqualified bronchitis</u>	<u>44</u>	<u>39</u>	<u>5</u>
490	Unqualified	5	4	1
491	Chronic	39	35	4
492	Emphysema	134	114	20
493	Asthma	53	23	30
494	Bronchiectasis	14	13	1
496	Chronic airways obstruction, not elsewhere classified	628	538	90
<u>500- 508</u>	<u>Pneumoconioses and other lung diseases due to external agents</u>	<u>112</u>	<u>75</u>	<u>37</u>
500	Coalworkers' pneumoconiosis	1	1	0
501	Asbestosis	4	4	0
502	Pneumoconiosis due to other silica or silicates	1	1	0
507	Pneumonitis due to solids and liquids	106	69	37
<u>510- 519</u>	<u>Other diseases of respiratory system</u>	<u>170</u>	<u>112</u>	<u>58</u>
510	Empyema	1	0	1
511	Pleurisy	9	9	0
512	Pneumothorax	1	0	1
513	Abscess of lung and mediastinum	8	5	3
514	Pulmonary congestion and hypostasis	16	10	6
515	Postinflammatory pulmonary fibrosis	49	33	16
516	Other alveolar and parietoalveolar pneumopathy	8	6	2
518	Other diseases of lung	69	45	24
519	Other diseases of respiratory system	9	4	5
<u>520- 579</u>	<u>DISEASES OF THE DIGESTIVE SYSTEM</u>	<u>750</u>	<u>544</u>	<u>206</u>
<u>520- 529</u>	<u>Diseases of oral cavity, salivary glands, and jaws</u>	<u>1</u>	<u>1</u>	<u>0</u>
527	Diseases of the salivary glands	1	1	0
<u>530- 537</u>	<u>Diseases of esophagus, stomach, and duodenum</u>	<u>83</u>	<u>62</u>	<u>21</u>
530	Diseases of esophagus	16	14	2
<u>531- 533</u>	<u>Peptic ulcer</u>	<u>55</u>	<u>42</u>	<u>13</u>
531	Gastric ulcer	22	17	5
532	Duodenal ulcer	11	9	2
533	Peptic ulcer, site unspecified	22	16	6
534	Gastrojejunal ulcer	1	1	0
535	Gastritis and duodenitis	5	2	3
536	Disorders of function of stomach	2	1	1
537	Other disorders of stomach and duodenum	4	2	2
<u>540- 543</u>	<u>Appendicitis</u>	<u>4</u>	<u>3</u>	<u>1</u>
540	Acute appendicitis	3	3	0
541	Appendicitis, unqualified	1	0	1
<u>550- 553</u>	<u>Hernia of abdominal cavity</u>	<u>12</u>	<u>8</u>	<u>4</u>
550	Inguinal	4	2	2
551	Other, of abdominal cavity, with gangrene	2	2	0
552	Other, of abdominal cavity with obstruction, without mention of gangrene	2	1	1

Table 10 - Page 9
Deaths - Mississippi - 1992

International Classification Number*	Cause*	Total	White	Non- white
553	Other, of abdominal cavity without mention of obstruction or gangrene	4	3	1
<u>555-558</u>	<u>Noninfective enteritis and colitis</u>	<u>101</u>	<u>77</u>	<u>24</u>
555	Regional enteritis	4	2	2
556	Idiopathic proctocolitis	4	2	2
557	Vascular insufficiency of intestine	77	61	16
558	Other noninfective gastroenteritis and colitis	16	12	4
<u>560-569</u>	<u>Other diseases of intestine and peritoneum</u>	<u>134</u>	<u>92</u>	<u>42</u>
560	Intestinal obstruction without mention of hernia	59	38	21
562	Diverticula of intestine	29	22	7
564	Functional digestive disorders, not elsewhere classified	3	3	0
566	Abscess of anal and rectal regions	2	0	2
567	Peritonitis	14	6	8
568	Other disorders of peritoneum	4	4	0
569	Other disorders of intestine	23	19	4
<u>570-579</u>	<u>Other diseases of digestive system</u>	<u>415</u>	<u>301</u>	<u>114</u>
570	Acute and subacute necrosis of liver	4	2	2
571	Chronic liver disease and cirrhosis	224	168	56
572	Liver abscess and sequelae of chronic liver disease	40	28	12
573	Other disorders of liver	12	10	2
<u>574, 575</u>	<u>Cholelithiasis and other disorders of gallbladder</u>	<u>31</u>	<u>21</u>	<u>10</u>
574	Cholelithiasis	13	8	5
575	Other disorders of gallbladder	18	13	5
576	Other disorders of biliary tract	16	13	3
577	Diseases of pancreas	28	20	8
578	Gastrointestinal hemorrhage	59	38	21
579	Intestinal malabsorption	1	1	0
<u>580-629</u>	<u>DISEASES OF THE GENITOURINARY SYSTEM</u>	<u>596</u>	<u>339</u>	<u>257</u>
<u>580-589</u>	<u>Nephritis, nephrotic syndrome, and nephrosis</u>	<u>337</u>	<u>176</u>	<u>161</u>
581	Nephrotic syndrome	4	4	0
582	Chronic glomerulonephritis	18	5	13
583	Nephritis and nephropathy, unqualified	1	1	0
<u>584-587</u>	<u>Renal failure and renal sclerosis</u>	<u>313</u>	<u>166</u>	<u>147</u>
584	Acute	47	28	19
585	Chronic	74	40	34
586	Unspecified	192	98	94
588	Disorders resulting from impaired renal function	1	0	1
<u>590-599</u>	<u>Other diseases of urinary system</u>	<u>248</u>	<u>157</u>	<u>91</u>
590	Infections of kidney	6	2	4
<u>592, 594</u>	<u>Calculus of urinary system</u>	<u>2</u>	<u>2</u>	<u>0</u>
592	Of kidney and ureter	2	2	0
593	Other disorders of kidney and ureter	61	29	32
595	Cystitis	4	2	2
596	Other disorders of bladder	3	3	0
598	Urethral stricture	1	1	0
599	Other disorders of urethra and urinary tract	171	118	53

Table 10 - Page 10
Deaths - Mississippi - 1992

International Classification Number*	Cause*	Total	White	Non- white
<u>600-608</u>	<u>Diseases of male genital organs</u>	<u>9</u>	<u>6</u>	<u>3</u>
600	Hyperplasia of prostate	4	3	1
602	Other disorders of prostate	5	3	2
<u>610, 611</u>	<u>Disorders of breast</u>	<u>0</u>	<u>0</u>	<u>0</u>
<u>614-616</u>	<u>Inflammatory disease of female pelvic organs</u>	<u>2</u>	<u>0</u>	<u>2</u>
614	Inflammatory disease of ovary, fallopian tube, pelvic cellular tissue, and peritoneum	1	0	1
615	Inflammatory diseases of uterus, except cervix	1	0	1
<u>617-629</u>	<u>Other disorders of female genital tract</u>	<u>0</u>	<u>0</u>	<u>0</u>
<u>630-676</u>	<u>COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM</u>	<u>4</u>	<u>1</u>	<u>3</u>
<u>630-639</u>	<u>Pregnancy with abortive outcome</u>	<u>0</u>	<u>0</u>	<u>0</u>
<u>640-648</u>	<u>Complications mainly related to pregnancy</u>	<u>1</u>	<u>0</u>	<u>1</u>
642	Hypertension complicating pregnancy, childbirth, and the puerperium	1	0	1
<u>650-659</u>	<u>Normal delivery, and other indications for care in pregnancy, labor, and delivery</u>	<u>0</u>	<u>0</u>	<u>0</u>
<u>660-669</u>	<u>Complications occurring mainly in the course of labor and delivery</u>	<u>0</u>	<u>0</u>	<u>0</u>
<u>670-676</u>	<u>Complications of the puerperium</u>	<u>3</u>	<u>1</u>	<u>2</u>
671	Venous complications in pregnancy and the puerperium	1	0	1
673	Obstetrical pulmonary embolism	2	1	1
<u>680-709</u>	<u>DISEASES OF THE SKIN AND SUBCUTANEOUS TISSUE</u>	<u>48</u>	<u>14</u>	<u>34</u>
<u>680-686</u>	<u>Infections of skin and subcutaneous tissue</u>	<u>10</u>	<u>5</u>	<u>5</u>
682	Other cellulitis and abscess	10	5	5
<u>690-698</u>	<u>Other inflammatory conditions of skin and subcutaneous tissue</u>	<u>2</u>	<u>1</u>	<u>1</u>
694	Bullous dermatoses	1	0	1
695	Erythematous conditions	1	1	0
<u>700-709</u>	<u>Other diseases of skin and subcutaneous tissue</u>	<u>36</u>	<u>8</u>	<u>28</u>
707	Chronic ulcer of skin	36	8	28
<u>710-739</u>	<u>DISEASES OF THE MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE</u>	<u>82</u>	<u>48</u>	<u>34</u>
<u>710-719</u>	<u>Arthropathies and related disorders</u>	<u>59</u>	<u>35</u>	<u>24</u>
710	Diffuse diseases of connective tissue	35	13	22
<u>711-716</u>	<u>Arthropathy, rheumatoid arthritis, and osteoarthritis</u>	<u>24</u>	<u>22</u>	<u>2</u>
711	Arthropathy associated with infections	1	1	0
714	Rheumatoid arthritis and other inflammatory polyarthropathies	14	13	1
715	Osteoarthritis and allied disorders	8	7	1
716	Other and unspecified arthropathies	1	1	0
<u>720-724</u>	<u>Dorsopathies</u>	<u>4</u>	<u>3</u>	<u>1</u>

Table 10 - Page 11
Deaths - Mississippi - 1992

International Classification Number*	Cause*	Total	White	Non- white
720	Ankylosing spondylitis and other inflammatory spondylopathies	2	2	0
721	Spondylosis and allied disorders	1	1	0
724	Other and unspecified disorders of back	1	0	1
<u>725-729</u>	<u>Rheumatism, excluding the back</u>	<u>10</u>	<u>4</u>	<u>6</u>
725	Polymyalgia rheumatica	1	1	0
728	Disorders of muscle, ligament, and fascia	5	2	3
729	Other disorders of soft tissues	4	1	3
<u>730-739</u>	<u>Osteopathies, chondropathies, and acquired musculoskeletal deformities</u>	<u>9</u>	<u>6</u>	<u>3</u>
730	Osteomyelitis, periostitis, and other infections involving bone	5	3	2
732	Osteochondropathies	1	1	0
733	Other disorders of bone and cartilage	2	2	0
737	Curvature of spine	1	0	1
<u>740-759</u>	<u>CONGENITAL ANOMALIES</u>	<u>138</u>	<u>66</u>	<u>72</u>
<u>740-742</u>	<u>Nervous system</u>	<u>15</u>	<u>6</u>	<u>9</u>
740	Anencephalus and similar anomalies	4	2	2
741	Spina bifida	3	2	1
742	Other congenital anomalies of nervous system	8	2	6
<u>743, 744</u>	<u>Eye, ear, face, and neck</u>	<u>0</u>	<u>0</u>	<u>0</u>
<u>745-747</u>	<u>Circulatory system</u>	<u>67</u>	<u>32</u>	<u>35</u>
745	Bulbus cordis anomalies and anomalies of cardiac septal closure	13	7	6
746	Heart	45	20	25
747	Other congenital anomalies of circulatory system	9	5	4
748	Respiratory system	10	5	5
<u>749-751</u>	<u>Digestive system</u>	<u>4</u>	<u>1</u>	<u>3</u>
750	Other congenital anomalies of upper alimentary tract	1	1	0
751	Other congenital anomalies of digestive system	3	0	3
<u>752, 753</u>	<u>Genitourinary system</u>	<u>5</u>	<u>1</u>	<u>4</u>
753	Urinary system	5	1	4
<u>754-756</u>	<u>Musculoskeletal system</u>	<u>6</u>	<u>4</u>	<u>2</u>
755	Other congenital anomalies of limbs	1	1	0
756	Other congenital musculoskeletal anomalies	5	3	2
757	Congenital anomalies of the integument	1	0	1
758	Chromosomal anomalies	16	8	8
759	Other and unspecified congenital anomalies	14	9	5
<u>760-779</u>	<u>CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD</u>	<u>226</u>	<u>62</u>	<u>164</u>
760	Maternal conditions unrelated to present pregnancy	1	0	1
<u>761-763</u>	<u>Complications of pregnancy, labor, and delivery</u>	<u>24</u>	<u>10</u>	<u>14</u>
761	Maternal complications of pregnancy	14	7	7
762	Complications of placenta, cord, and membranes	9	3	6

Table 10 - Page 12
Deaths - Mississippi - 1992

International Classification Number*	Cause*	Total	White	Non- white
763	Other complications of labor and delivery	1	0	1
764	Slow fetal growth and fetal malnutrition	2	1	1
<u>765, 766</u>	<u>Disorders relating to gestation</u>	<u>59</u>	<u>14</u>	<u>45</u>
765	Short gestation and unspecified low birthweight	59	14	45
767	Birth trauma	4	3	1
<u>768- 770</u>	<u>Respiratory conditions of fetus and newborn</u>	<u>77</u>	<u>17</u>	<u>60</u>
768	Intrauterine hypoxia and birth asphyxia	11	0	11
769	Respiratory distress syndrome	28	6	22
770	Other respiratory conditions of fetus and newborn	38	11	27
771	Infections specific to the perinatal period	18	5	13
772	Fetal and neonatal hemorrhage	3	2	1
776	Hematological disorders of fetus and newborn	2	1	1
777	Perinatal disorders of digestive system	9	1	8
778	Conditions involving the integument and temperature regulation of fetus and newborn	4	2	2
779	Other and ill-defined conditions originating in the perinatal period	23	6	17
<u>780- 799</u>	<u>SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS</u>	<u>243</u>	<u>131</u>	<u>112</u>
<u>780- 789</u>	<u>Symptoms</u>	<u>17</u>	<u>8</u>	<u>9</u>
780	General	4	3	1
785	Involving cardiovascular system	9	5	4
786	Involving respiratory system and other chest symptoms	2	0	2
788	Involving urinary system	1	0	1
789	Other involving abdomen and pelvis	1	0	1
<u>790- 796</u>	<u>Nonspecific abnormal findings</u>	<u>1</u>	<u>0</u>	<u>1</u>
790	Nonspecific findings on examination of blood	1	0	1
<u>797- 799</u>	<u>Ill-defined and unknown causes of morbidity and mortality</u>	<u>225</u>	<u>123</u>	<u>102</u>
797	Senility without mention of psychosis	12	11	1
798	Sudden death, cause unknown	86	27	59
799	Other ill-defined and unknown causes	127	85	42
<u>800- 999</u>	<u>EXTERNAL CAUSES OF INJURY AND POISONING</u>	<u>2, 341</u>	<u>1, 375</u>	<u>966</u>
<u>800- 949</u>	<u>Accidents and adverse effects</u>	<u>1, 538</u>	<u>960</u>	<u>578</u>
<u>800- 807</u>	<u>Railway</u>	<u>11</u>	<u>5</u>	<u>6</u>
805	Hit by rolling stock	11	5	6
<u>810- 825</u>	<u>Motor vehicle</u>	<u>886</u>	<u>526</u>	<u>300</u>
<u>(810- 819)</u>	<u>(Traffic)</u>	<u>809</u>	<u>512</u>	<u>297</u>
810	Involving collision with train	24	21	3
812	Involving collision with another motor vehicle	425	266	159
813	Involving collision with other vehicle	11	6	5
814	Involving collision with pedestrian	60	36	24
815	Other involving collision on the highway	17	9	8
816	Due to loss of control, without collision on the highway	196	124	72

Table 10 - Page 13
Deaths - Mississippi - 1992

International Classification		Total	White	Non-white
Number*	Cause*			
818	Other noncollision	13	10	3
819	Of unspecified nature	63	40	23
(820-825)	(Nontraffic)	<u>17</u>	<u>14</u>	<u>3</u>
821	Involving other off-road motor vehicle	8	8	0
822	Involving collision of other motor vehicle with moving object	6	4	2
824	Other while boarding and alighting	1	0	1
825	Of other and unspecified nature	2	2	0
<u>826-829</u>	<u>Other road vehicle</u>	<u>2</u>	<u>2</u>	<u>0</u>
826	Pedal cycle accident	1	1	0
828	Involving animal being ridden	1	1	0
<u>830-838</u>	<u>Water transport</u>	<u>22</u>	<u>18</u>	<u>4</u>
830	Accident to watercraft causing submersion	7	5	2
832	Other submersion or drowning in water transport	12	10	2
838	Other and unspecified	3	3	0
<u>840-845</u>	<u>Air and space transport</u>	<u>8</u>	<u>8</u>	<u>0</u>
841	Accident to powered aircraft, other and unspecified	7	7	0
844	Other specified air transport accidents	1	1	0
<u>846-848</u>	<u>Vehicle accidents not elsewhere classifiable</u>	<u>1</u>	<u>1</u>	<u>0</u>
848	Accidents involving other vehicles not elsewhere classifiable	1	1	0
<u>850-869</u>	<u>Poisoning</u>	<u>43</u>	<u>25</u>	<u>18</u>
(850-858)	(By drugs, medicaments, and biologicals)	<u>35</u>	<u>20</u>	<u>15</u>
850	Analgesics, antipyretics, antirheumatics	6	4	2
853	Tranquillizers	1	0	1
854	Other psychotropic agents	3	1	2
855	Other drugs acting on central and autonomic nervous systems	7	1	6
856	Antibiotics	2	1	1
858	Other drugs	16	13	3
(860-869)	(By other solid and liquid substances, gases, and vapors)	<u>8</u>	<u>5</u>	<u>3</u>
860	Alcohol, not elsewhere classified	1	1	0
863	Agricultural and horticultural chemical and pharmaceutical preparations other than plant foods and fertilizers	1	0	1
866	Other and unspecified solid and liquid substances	1	1	0
868	Other utility gas and other carbon monoxide	4	2	2
869	Other gases and vapors	1	1	0
<u>870-876</u>	<u>Misadventures to patients during surgical and medical care</u>	<u>7</u>	<u>6</u>	<u>1</u>
870	Accidental cut, puncture, perforation, or hemorrhage during medical care	7	6	1
<u>878, 879</u>	<u>Surgical and medical procedures as the cause of abnormal reaction of patient or later complication, without mention of misadventures at the time of procedure</u>	<u>29</u>	<u>20</u>	<u>9</u>
878	Surgical operation or other surgical procedure	24	16	8

Table 10 - Page 14
Deaths - Mississippi - 1992

International Classification		Total	White	Non- white
Number*	Cause*			
879	Other procedures	5	4	1
<u>880- 888</u>	<u>Falls</u>	<u>141</u>	<u>120</u>	<u>21</u>
880	On or from stairs or steps	3	3	0
881	On or from ladders or scaffolding	1	1	0
882	From or out of building or other structure	8	7	1
883	Into hole or other opening in surface	3	3	0
884	Other from one level to another	15	11	4
885	On same level from slipping, tripping, or stumbling	6	4	2
887	Fracture, cause unspecified	32	30	2
888	Other and unspecified fall	73	61	12
<u>890- 899</u>	<u>Caused by fires and flames</u>	<u>118</u>	<u>43</u>	<u>75</u>
890	Conflagration in private dwelling	102	39	63
891	Conflagration in other and unspecified building or structure	2	1	1
892	Conflagration not in building or structure	2	1	1
893	Ignition of clothing	5	2	3
895	Controlled fire in private dwelling	1	0	1
897	Controlled fire not in building or structure	1	0	1
898	Other specified fire and flames	1	0	1
899	Unspecified fire	4	0	4
<u>900- 909</u>	<u>Due to natural and environmental factors</u>	<u>49</u>	<u>29</u>	<u>20</u>
900	Excessive heat	10	4	6
901	Excessive cold	10	2	8
904	Hunger, thirst, exposure, and neglect	4	1	3
905	Venomous animals and plants as the cause of poisoning and toxic reactions	2	0	2
906	Other injury caused by animals	1	1	0
907	Lightning	2	2	0
908	Cataclysmic storms and floods resulting from storms	20	19	1
<u>910- 915</u>	<u>Accidents caused by submersion, suffocation, and foreign bodies</u>	<u>131</u>	<u>75</u>	<u>56</u>
910	Drowning and submersion	58	28	30
911	Inhalation and ingestion of food causing obstruction of respiratory tract or suffocation	24	11	13
912	Inhalation and ingestion of other object causing obstruction of respiratory tract or suffocation	39	27	12
913	Mechanical suffocation	9	8	1
915	Foreign body accidentally entering other orifice	1	1	0
<u>916- 929</u>	<u>Other accidents</u>	<u>147</u>	<u>81</u>	<u>66</u>
916	Struck by falling object	11	8	3
918	Caught accidentally in or between objects	1	0	1
919	Caused by machinery	25	20	5
920	Caused by cutting and piercing instruments or objects	3	2	1
921	Caused by explosion of pressure vessel	2	1	1
922	Caused by firearm missile	49	16	33

Table 10 - Page 15
Deaths - Mississippi - 1992

International Classification		Total	White	Non-white
Number*	Cause*			
923	Caused by explosive material	8	4	4
924	Caused by hot substance or object, caustic or corrosive material, and steam	2	1	1
925	Caused by electric current	10	8	2
928	Other and unspecified environmental and accidental causes	27	16	11
929	Late effects of accidental injury	9	5	4
<u>930-949</u>	<u>Drugs, medicaments, and biological substances causing adverse effects in therapeutic use</u>	<u>3</u>	<u>1</u>	<u>2</u>
947	Other and unspecified drugs and medicaments	3	1	2
<u>950-959</u>	<u>Suicide and self-inflicted injury</u>	<u>331</u>	<u>268</u>	<u>63</u>
<u>950-952</u>	<u>By poisoning</u>	<u>32</u>	<u>27</u>	<u>5</u>
950	By solid or liquid substances	22	18	4
952	By other gases and vapors	10	9	1
953	By hanging, strangulation, and suffocation	34	22	12
954	By submersion (drowning)	4	3	1
955	By firearms and explosives	255	211	44
956	By cutting and piercing instruments	2	2	0
958	By other and unspecified means	4	3	1
<u>960-978</u>	<u>Homicide and injury purposely inflicted by other persons; legal intervention</u>	<u>455</u>	<u>138</u>	<u>317</u>
<u>960-969</u>	<u>Homicide and injury purposely inflicted by other persons</u>	<u>451</u>	<u>136</u>	<u>315</u>
960	Fight, brawl, rape	3	2	1
963	Assault by hanging and strangulation	19	5	14
964	Assault by submersion (drowning)	1	1	0
965	Assault by firearms and explosives	296	89	207
966	Assault by cutting and piercing instrument	60	12	48
967	Child battering and other maltreatment	4	0	4
968	Assault by other and unspecified means	64	26	38
969	Late effects of injury purposely inflicted by other person	4	1	3
<u>970-978</u>	<u>Legal intervention</u>	<u>4</u>	<u>2</u>	<u>2</u>
970	Injury by firearms	3	2	1
975	Injury by other specified means	1	0	1
<u>980-989</u>	<u>Injury undetermined whether accidentally or purposely inflicted</u>	<u>17</u>	<u>9</u>	<u>8</u>
980	Poisoning by solid or liquid substances	2	2	0
984	Submersion (drowning)	5	1	4
985	Injury by firearms and explosives	5	3	2
988	Injury by other and unspecified means	5	3	2
<u>990-999</u>	<u>Injury resulting from operations of war</u>	<u>0</u>	<u>0</u>	<u>0</u>

* Numbers and causes are from the Ninth Revision International Statistical Classification of Diseases, Injuries, and Causes of Death. If no deaths were reported for a specific three-digit category, number and cause were omitted from this listing.

TABLE 11
DEATHS FROM MAJOR CAUSE GROUPS AND CERTAIN SELECTED CAUSES, BY RACE, SEX, AND AGE,
ALSO RATES FOR MAJOR CAUSE GROUPS AND CERTAIN SELECTED CAUSES,
MISSISSIPPI RESIDENTS, 1992

INTER- NATIONAL CLASSI- FICATION NUMBER*	CAUSE*	TOTAL		R A C E	T O T A L B Y R A C E S E X	T O T A L B Y R A C E S E X	AGE													
		NUMBER	RATE#				<1	1-4	5-9	10-14	15-24	25-34	35-44	45-54	55-64	65 AND OVER	U N K			
001-999	<u>ALL CAUSES</u>	<u>25,163</u>	<u>9.8</u>	W	16,417	M	<u>8,646</u>	<u>90</u>	<u>23</u>	<u>19</u>	<u>27</u>	<u>190</u>	<u>276</u>	<u>391</u>	<u>594</u>	<u>1,332</u>	<u>5,702</u>	<u>2</u>		
						F	<u>7,771</u>	<u>80</u>	<u>20</u>	<u>15</u>	<u>9</u>	<u>72</u>	<u>124</u>	<u>166</u>	<u>336</u>	<u>687</u>	<u>6,261</u>	<u>1</u>		
						NW	<u>8,746</u>	M	<u>4,670</u>	<u>172</u>	<u>37</u>	<u>21</u>	<u>26</u>	<u>247</u>	<u>259</u>	<u>332</u>	<u>389</u>	<u>606</u>	<u>2,578</u>	<u>3</u>
						F	<u>4,076</u>	<u>166</u>	<u>33</u>	<u>16</u>	<u>9</u>	<u>82</u>	<u>140</u>	<u>191</u>	<u>261</u>	<u>439</u>	<u>2,737</u>	<u>2</u>		
001-139	<u>INFECTIOUS AND PARASITIC DISEASES</u>	<u>486</u>	<u>18.9</u>	W	257	M	<u>162</u>	<u>0</u>	<u>1</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>28</u>	<u>36</u>	<u>14</u>	<u>13</u>	<u>70</u>	<u>0</u>		
						F	<u>95</u>	<u>0</u>	<u>1</u>	<u>0</u>	<u>0</u>	<u>1</u>	<u>2</u>	<u>1</u>	<u>5</u>	<u>8</u>	<u>77</u>	<u>0</u>		
						NW	<u>229</u>	M	<u>149</u>	<u>5</u>	<u>2</u>	<u>2</u>	<u>0</u>	<u>7</u>	<u>30</u>	<u>33</u>	<u>13</u>	<u>8</u>	<u>49</u>	<u>0</u>
						F	<u>80</u>	<u>2</u>	<u>1</u>	<u>1</u>	<u>0</u>	<u>2</u>	<u>8</u>	<u>9</u>	<u>6</u>	<u>7</u>	<u>44</u>	<u>0</u>		
010-018	TUBERCULOSIS	35	1.4	W	17	M	10	0	0	0	0	0	0	0	0	1	9	0		
						F	7	0	0	0	0	0	0	0	0	0	7	0		
						NW	18	M	15	0	0	0	0	0	0	0	2	13	0	
						F	3	0	0	0	0	0	0	1	0	1	1	0		
042-044	HUMAN IMMUNODEFICIENCY VIRUS INFECTION	154	6.0	W	69	M	66	0	0	0	0	24	31	7	3	1	0			
						F	3	0	0	0	0	2	0	1	0	0	0			
						NW	85	M	72	0	2	1	0	6	28	28	5	1	1	0
						F	13	0	0	0	0	2	5	4	1	1	0	0		
140-208	<u>MALIGNANT NEOPLASMS</u>	<u>5,536</u>	<u>215.1</u>	W	<u>3,718</u>	M	<u>2,124</u>	<u>0</u>	<u>0</u>	<u>2</u>	<u>3</u>	<u>5</u>	<u>21</u>	<u>52</u>	<u>158</u>	<u>446</u>	<u>1,437</u>	<u>0</u>		
						F	<u>1,594</u>	<u>0</u>	<u>3</u>	<u>3</u>	<u>0</u>	<u>4</u>	<u>21</u>	<u>61</u>	<u>132</u>	<u>289</u>	<u>1,081</u>	<u>0</u>		
						NW	<u>1,818</u>	M	<u>1,056</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>5</u>	<u>9</u>	<u>45</u>	<u>103</u>	<u>193</u>	<u>701</u>	<u>0</u>
						F	<u>762</u>	<u>0</u>	<u>0</u>	<u>3</u>	<u>3</u>	<u>2</u>	<u>20</u>	<u>49</u>	<u>84</u>	<u>115</u>	<u>486</u>	<u>0</u>		
210-239	<u>BENIGN NEOPLASMS AND NEOPLASMS OF UNDETERMINED NATURE</u>	<u>60</u>	<u>2.3</u>	W	<u>39</u>	M	<u>20</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>1</u>	<u>2</u>	<u>2</u>	<u>2</u>	<u>13</u>	<u>0</u>		
						F	<u>19</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>1</u>	<u>1</u>	<u>4</u>	<u>2</u>	<u>2</u>	<u>9</u>	<u>0</u>		
						NW	<u>21</u>	M	<u>6</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>1</u>	<u>1</u>	<u>1</u>	<u>0</u>	<u>3</u>	<u>0</u>
						F	<u>15</u>	<u>0</u>	<u>0</u>	<u>1</u>	<u>0</u>	<u>1</u>	<u>1</u>	<u>1</u>	<u>0</u>	<u>2</u>	<u>9</u>	<u>0</u>		

TABLE 11 - PAGE 2
DEATHS - MISSISSIPPI - 1992

INTER- NATIONAL CLASSI- FICATION NUMBER*	CAUSE*	TOTAL		R A C E	TOTAL BY RACE	SEX	TOTAL BY RACE AND SEX	AGE										65 AND OVER	U N K
		NUMBER	RATE#					<1	1-4	5-9	10-14	15-24	25-34	35-44	45-54	55-64			
<u>240-279</u>	<u>ENDOCRINE, NUTRITIONAL, AND METABOLIC DISEASES AND IMMUNITY DISORDERS</u>	<u>670</u>	<u>26.0</u>	W	M	137	<u>2</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>1</u>	<u>4</u>	<u>11</u>	<u>20</u>	<u>19</u>	<u>80</u>	<u>0</u>		
					F	190	<u>0</u>	<u>1</u>	<u>0</u>	<u>0</u>	<u>1</u>	<u>3</u>	<u>1</u>	<u>16</u>	<u>22</u>	<u>146</u>	<u>0</u>		
				NW	M	144	<u>3</u>	<u>0</u>	<u>1</u>	<u>1</u>	<u>3</u>	<u>6</u>	<u>6</u>	<u>15</u>	<u>17</u>	<u>92</u>	<u>0</u>		
					F	199	<u>1</u>	<u>2</u>	<u>1</u>	<u>0</u>	<u>5</u>	<u>2</u>	<u>9</u>	<u>11</u>	<u>22</u>	<u>146</u>	<u>0</u>		
250	DIABETES MELLITUS	469	18.2	W	M	98	0	0	0	0	0	2	5	14	15	62	0		
					F	136	0	0	0	0	1	2	1	13	18	101	0		
				NW	M	95	0	0	0	0	1	5	4	13	14	58	0		
					F	140	0	0	0	0	0	1	8	9	18	104	0		
260-269	NUTRITIONAL DEFICIENCIES	37	1.4	W	M	6	0	0	0	0	0	0	0	1	0	5	0		
					F	12	0	0	0	0	0	0	0	0	1	11	0		
				NW	M	9	0	0	1	0	1	0	0	0	2	5	0		
					F	10	0	0	0	0	0	0	0	0	0	10	0		
<u>280-289</u>	<u>DISEASES OF BLOOD AND BLOOD-FORMING ORGANS</u>	<u>109</u>	<u>4.2</u>	W	M	32	<u>1</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>1</u>	<u>1</u>	<u>1</u>	<u>1</u>	<u>27</u>	<u>0</u>		
					F	32	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>1</u>	<u>2</u>	<u>2</u>	<u>1</u>	<u>26</u>	<u>0</u>			
				NW	M	20	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>1</u>	<u>4</u>	<u>1</u>	<u>2</u>	<u>1</u>	<u>11</u>	<u>0</u>		
					F	25	<u>0</u>	<u>0</u>	<u>1</u>	<u>0</u>	<u>3</u>	<u>2</u>	<u>2</u>	<u>2</u>	<u>3</u>	<u>12</u>	<u>0</u>		
280-285	ANEMIAS	54	2.1	W	M	13	0	0	0	0	0	0	0	1	12	0			
					F	12	0	0	0	0	0	1	2	0	9	0			
				NW	M	13	0	0	0	0	0	2	1	1	1	8	0		
					F	16	0	0	1	0	2	1	2	1	2	7	0		
<u>290-319</u>	<u>MENTAL DISORDERS</u>	<u>223</u>	<u>8.7</u>	W	M	71	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>1</u>	<u>4</u>	<u>5</u>	<u>7</u>	<u>12</u>	<u>42</u>	<u>0</u>		
					F	76	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>2</u>	<u>4</u>	<u>70</u>	<u>0</u>			
				NW	M	46	<u>0</u>	<u>0</u>	<u>0</u>	<u>1</u>	<u>3</u>	<u>2</u>	<u>7</u>	<u>9</u>	<u>3</u>	<u>21</u>	<u>0</u>		
					F	30	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>1</u>	<u>4</u>	<u>3</u>	<u>2</u>	<u>1</u>	<u>19</u>	<u>0</u>		
303	ALCOHOLISM	52	2.0	W	M	23	0	0	0	0	0	2	4	5	7	5	0		
					F	4	0	0	0	0	0	0	0	1	2	1	0		
				NW	M	19	0	0	0	0	0	2	7	5	1	4	0		
					F	6	0	0	0	0	0	2	2	2	0	0	0		

TABLE 11 - PAGE 3
DEATHS - MISSISSIPPI - 1992

INTER- NATIONAL CLASSI- FICATION NUMBER*	CAUSE*	TOTAL		R A C E	TOTAL BY RACE	SEX	TOTAL BY RACE AND SEX	AGE										65 AND OVER	U N K		
		NUMBER	RATE#					<1	1-4	5-9	10-14	15-24	25-34	35-44	45-54	55-64					
320- 389	<u>DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS</u>	346	13.4	W	258	M	113	3	1	2	0	3	3	6	5	13	77	0			
							F	145	2	1	3	1	0	2	3	8	10	115	0		
							NW	88	M	50	2	2	2	2	2	3	7	3	4	23	0
									F	38	1	2	0	0	1	1	4	2	4	23	0
320- 322	MENINGITIS	10	0.4	W	7	M	4	1	0	0	0	0	0	1	0	0	2	0			
							F	3	1	0	0	0	0	0	1	0	1	0	0		
							NW	3	M	0	0	0	0	0	0	0	0	0	0	0	0
									F	3	1	0	0	0	0	0	0	0	0	2	0
345	EPILEPSY	15	0.6	W	6	M	3	0	0	0	0	1	0	1	0	0	1	0			
							F	3	0	0	0	0	1	0	0	0	2	0			
							NW	9	M	8	0	2	0	0	0	1	3	1	1	0	0
									F	1	0	0	0	0	1	0	0	0	0	0	0
390- 459	<u>DISEASES OF THE CIRCULATORY SYSTEM</u>	11,330	440.3	W	7,523	M	3,651	3	2	1	2	8	24	83	243	572	2,713	0			
							F	3,872	6	1	0	1	2	19	25	90	231	3,496	1		
							NW	3,807	M	1,786	4	2	0	0	7	35	92	158	262	1,224	2
									F	2,021	9	1	0	0	11	30	66	99	219	1,586	0
390- 398, 402, 404- 429	HEART DISEASES	9,096	353.5	W	6,075	M	3,026	3	2	1	1	8	19	72	218	509	2,193	0			
							F	3,049	5	1	0	1	1	13	20	72	192	2,743	1		
							NW	3,021	M	1,426	3	2	0	0	7	28	79	124	208	974	1
									F	1,595	8	1	0	0	11	26	49	78	177	1,245	0
401, 403	HYPERTENSION	122	4.7	W	60	M	26	0	0	0	0	0	0	3	1	5	17	0			
							F	34	0	0	0	0	0	0	0	1	0	33	0		
							NW	62	M	33	0	0	0	0	0	1	0	4	5	23	0
									F	29	0	0	0	0	0	0	0	0	7	22	0
430- 438	CEREBROVASCULAR DISEASES	1,715	66.6	W	1,105	M	437	0	0	0	1	0	4	6	19	40	367	0			
							F	668	1	0	0	0	1	5	5	14	34	608	0		
							NW	610	M	265	1	0	0	0	0	5	11	22	44	181	1
									F	345	1	0	0	0	0	3	14	19	30	278	0

TABLE 11 - PAGE 4
DEATHS - MISSISSIPPI - 1992

INTER- NATIONAL CLASSI- FICATION NUMBER*	CAUSE*	TOTAL		R A C E	TOTAL BY RACE	SEX	TOTAL BY RACE AND SEX	AGE										65 AND OVER	U N K
		NUMBER	RATE#					<1	1-4	5-9	10-14	15-24	25-34	35-44	45-54	55-64			
440	ATHEROSCLEROSIS	118	4.6	W	87	M	35	0	0	0	0	0	0	0	1	1	33	0	
						F	52	0	0	0	0	0	0	0	0	1	51	0	
				NW	31	M	12	0	0	0	0	0	0	0	1	0	11	0	
						F	19	0	0	0	0	0	0	1	0	1	17	0	
460-519	DISEASES OF THE RESPIRATORY SYSTEM	1,975	76.8	W	1,504	M	802	4	1	0	0	3	7	7	25	81	674	0	
						F	702	1	0	1	0	2	2	5	16	45	630	0	
				NW	471	M	278	4	2	2	2	3	7	12	14	32	200	0	
						F	193	3	3	1	1	2	3	4	14	16	145	1	
480-486	PNEUMONIA	805	31.3	W	578	M	261	1	1	0	0	1	2	3	7	14	232	0	
						F	317	1	0	0	0	1	1	1	5	8	300	0	
				NW	227	M	131	3	1	2	0	2	5	6	7	10	95	0	
						F	96	2	0	0	0	0	2	2	8	3	79	0	
487	INFLUENZA	2	0.1	W	1	M	0	0	0	0	0	0	0	0	0	0	0	0	
						F	1	0	0	0	0	0	0	1	0	0	0	0	
				NW	1	M	0	0	0	0	0	0	0	0	0	0	0	0	
						F	1	0	0	0	0	0	0	0	0	0	1	0	
492	EMPHYSEMA	134	5.2	W	114	M	77	0	0	0	0	0	0	0	2	12	63	0	
						F	37	0	0	0	0	0	0	0	3	9	25	0	
				NW	20	M	17	0	0	0	0	0	0	0	0	2	15	0	
						F	3	0	0	0	0	0	0	0	0	1	2	0	
490, 491 493-496	OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES AND ALLIED CONDITIONS	739	28.7	W	613	M	361	1	0	0	0	0	2	0	11	40	307	0	
						F	252	0	0	1	0	1	0	0	7	23	220	0	
				NW	126	M	77	1	0	0	1	1	1	1	4	10	58	0	
						F	49	0	2	0	1	0	1	1	4	10	30	0	
520-579	DISEASES OF THE DIGESTIVE SYSTEM	750	29.1	W	544	M	266	2	0	0	0	2	0	18	26	52	166	0	
						F	278	0	0	0	0	0	5	9	17	20	227	0	
				NW	206	M	106	0	1	0	1	0	8	20	10	19	47	0	
						F	100	3	1	1	0	0	5	15	9	4	61	1	

TABLE 11 - PAGE 5
DEATHS - MISSISSIPPI - 1992

INTER- NATIONAL CLASSI- FICATION NUMBER*	CAUSE*	TOTAL		R A C E	TOTAL BY RACE	SEX	TOTAL BY RACE AND SEX	AGE										65 AND OVER	U N K		
		NUMBER	RATE#					<1	1-4	5-9	10-14	15-24	25-34	35-44	45-54	55-64					
531-533	ULCER OF STOMACH AND DUODENUM	55	2.1	W	42	M	20	0	0	0	0	0	0	1	0	1	18	0			
							F	22	0	0	0	0	0	0	0	0	1	21	0		
							NW	13	M	4	0	0	0	0	0	0	1	0	2	1	0
									F	9	0	0	0	0	0	0	0	1	1	7	0
571	CHRONIC LIVER DISEASE AND CIRRHOSIS	224	8.7	W	168	M	99	1	0	0	0	0	0	13	13	39	33	0			
							F	69	0	0	0	0	0	1	5	13	8	42	0		
							NW	56	M	36	0	0	0	0	0	4	14	4	11	3	0
									F	20	0	0	0	0	0	3	10	2	0	5	0
<u>580-629</u>	<u>DISEASES OF THE GENITOURINARY SYSTEM</u>	<u>596</u>	<u>23.2</u>	W	<u>339</u>	M	<u>151</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>1</u>	<u>2</u>	<u>16</u>	<u>132</u>	<u>0</u>			
							F	<u>188</u>	<u>3</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>1</u>	<u>4</u>	<u>10</u>	<u>170</u>	<u>0</u>		
							NW	<u>257</u>	M	<u>122</u>	<u>1</u>	<u>0</u>	<u>1</u>	<u>1</u>	<u>0</u>	<u>3</u>	<u>3</u>	<u>9</u>	<u>18</u>	<u>86</u>	<u>0</u>
									F	<u>135</u>	<u>1</u>	<u>0</u>	<u>1</u>	<u>1</u>	<u>0</u>	<u>1</u>	<u>1</u>	<u>5</u>	<u>14</u>	<u>111</u>	<u>0</u>
580-589	NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS	337	13.1	W	176	M	89	0	0	0	0	0	0	1	1	7	80	0			
							F	87	3	0	0	0	0	0	0	4	7	73	0		
							NW	161	M	73	1	0	1	0	0	2	3	7	14	45	0
									F	88	1	0	1	0	0	0	0	4	11	71	0
590	INFECTIONS OF KIDNEY	6	0.2	W	2	M	1	0	0	0	0	0	0	0	0	0	1	0			
							F	1	0	0	0	0	0	0	0	0	0	1	0		
							NW	4	M	1	0	0	0	0	0	0	0	0	0	1	0
									F	3	0	0	0	1	0	0	1	0	0	1	0
<u>630-676</u>	<u>COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM</u>	<u>4</u>	<u>9.4</u>	W	<u>1</u>	M	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>			
							F	<u>1</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>1</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>		
							NW	<u>3</u>	M	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>
									F	<u>3</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>2</u>	<u>0</u>	<u>1</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>
<u>680-709</u>	<u>DISEASES OF THE SKIN AND SUBCUTANEOUS TISSUE</u>	<u>48</u>	<u>1.9</u>	W	<u>14</u>	M	<u>9</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>2</u>	<u>7</u>	<u>0</u>			
							F	<u>5</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>5</u>	<u>0</u>		
							NW	<u>34</u>	M	<u>26</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>1</u>	<u>25</u>	<u>0</u>
									F	<u>8</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>1</u>	<u>0</u>	<u>1</u>	<u>6</u>	<u>0</u>

TABLE 11 - PAGE 6
DEATHS - MISSISSIPPI - 1992

INTER- NATIONAL CLASSI- FICATION NUMBER*	CAUSE*	TOTAL		R A C E	TOTAL BY RACE	SEX	TOTAL BY RACE AND SEX	AGE										65 AND OVER	U N K
		NUMBER	RATE#					<1	1-4	5-9	10-14	15-24	25-34	35-44	45-54	55-64			
710-739	<u>DISEASES OF THE MUSCULO- SKELETAL SYSTEM</u>	<u>82</u>	<u>3.2</u>	W	<u>48</u>	M	<u>24</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>1</u>	<u>0</u>	<u>4</u>	<u>19</u>	<u>0</u>	
							F	<u>24</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>4</u>	<u>4</u>	<u>16</u>	<u>0</u>	
							NW	M	<u>11</u>	<u>0</u>	<u>0</u>	<u>1</u>	<u>1</u>	<u>1</u>	<u>1</u>	<u>2</u>	<u>0</u>	<u>5</u>	<u>0</u>
								F	<u>23</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>1</u>	<u>7</u>	<u>2</u>	<u>1</u>	<u>4</u>	<u>8</u>	<u>0</u>
740-759	<u>CONGENITAL ANOMALIES</u>	<u>138</u>	<u>5.4</u>	W	<u>66</u>	M	<u>33</u>	<u>21</u>	<u>5</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>3</u>	<u>1</u>	<u>1</u>	<u>1</u>	<u>1</u>	<u>0</u>	
							F	<u>33</u>	<u>21</u>	<u>1</u>	<u>1</u>	<u>0</u>	<u>1</u>	<u>3</u>	<u>1</u>	<u>1</u>	<u>0</u>	<u>4</u>	<u>0</u>
							NW	M	<u>33</u>	<u>24</u>	<u>3</u>	<u>0</u>	<u>0</u>	<u>2</u>	<u>1</u>	<u>1</u>	<u>2</u>	<u>0</u>	<u>0</u>
								F	<u>39</u>	<u>30</u>	<u>4</u>	<u>0</u>	<u>0</u>	<u>1</u>	<u>1</u>	<u>1</u>	<u>0</u>	<u>1</u>	<u>1</u>
760-779	<u>CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD</u>	<u>226</u>	<u>5.3</u>	W	<u>62</u>	M	<u>30</u>	<u>30</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	
							F	<u>32</u>	<u>32</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	
							NW	M	<u>90</u>	<u>90</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>
								F	<u>74</u>	<u>74</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>
780-799	<u>SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS</u>	<u>243</u>	<u>9.4</u>	W	<u>131</u>	M	<u>67</u>	<u>18</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>2</u>	<u>3</u>	<u>5</u>	<u>6</u>	<u>32</u>	<u>1</u>	
							F	<u>64</u>	<u>10</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>1</u>	<u>0</u>	<u>0</u>	<u>2</u>	<u>1</u>	<u>50</u>	<u>0</u>
							NW	M	<u>57</u>	<u>33</u>	<u>2</u>	<u>0</u>	<u>0</u>	<u>1</u>	<u>1</u>	<u>1</u>	<u>2</u>	<u>2</u>	<u>15</u>
								F	<u>55</u>	<u>29</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>1</u>	<u>1</u>	<u>0</u>	<u>4</u>	<u>5</u>	<u>15</u>
800-999	<u>ALL EXTERNAL CAUSES</u>	<u>2,341</u>	<u>91.0</u>	W	<u>1,375</u>	M	<u>954</u>	<u>6</u>	<u>13</u>	<u>14</u>	<u>22</u>	<u>167</u>	<u>178</u>	<u>164</u>	<u>85</u>	<u>92</u>	<u>212</u>	<u>1</u>	
							F	<u>421</u>	<u>5</u>	<u>12</u>	<u>7</u>	<u>7</u>	<u>59</u>	<u>64</u>	<u>53</u>	<u>35</u>	<u>40</u>	<u>139</u>	<u>0</u>
							NW	M	<u>690</u>	<u>6</u>	<u>23</u>	<u>13</u>	<u>17</u>	<u>212</u>	<u>148</u>	<u>102</u>	<u>46</u>	<u>46</u>	<u>76</u>
								F	<u>276</u>	<u>13</u>	<u>19</u>	<u>6</u>	<u>4</u>	<u>49</u>	<u>54</u>	<u>23</u>	<u>22</u>	<u>21</u>	<u>65</u>
810-825	<u>OTOR VEHICLE ACCIDENTS</u>	<u>826</u>	<u>32.1</u>	W	<u>526</u>	M	<u>366</u>	<u>2</u>	<u>6</u>	<u>8</u>	<u>10</u>	<u>82</u>	<u>79</u>	<u>65</u>	<u>30</u>	<u>25</u>	<u>59</u>	<u>0</u>	
							F	<u>160</u>	<u>1</u>	<u>4</u>	<u>6</u>	<u>6</u>	<u>44</u>	<u>27</u>	<u>22</u>	<u>12</u>	<u>13</u>	<u>25</u>	
							NW	M	<u>213</u>	<u>1</u>	<u>6</u>	<u>2</u>	<u>4</u>	<u>64</u>	<u>44</u>	<u>39</u>	<u>14</u>	<u>20</u>	<u>19</u>
								F	<u>87</u>	<u>2</u>	<u>6</u>	<u>3</u>	<u>4</u>	<u>23</u>	<u>15</u>	<u>9</u>	<u>9</u>	<u>7</u>	<u>9</u>
800-807, 826-949	<u>ALL OTHER ACCIDENTS AND ADVERSE EFFECTS</u>	<u>712</u>	<u>27.7</u>	W	<u>434</u>	M	<u>280</u>	<u>3</u>	<u>7</u>	<u>6</u>	<u>12</u>	<u>25</u>	<u>37</u>	<u>37</u>	<u>23</u>	<u>31</u>	<u>99</u>	<u>0</u>	
							F	<u>154</u>	<u>3</u>	<u>8</u>	<u>1</u>	<u>0</u>	<u>5</u>	<u>11</u>	<u>7</u>	<u>6</u>	<u>15</u>	<u>98</u>	
							NW	M	<u>184</u>	<u>2</u>	<u>14</u>	<u>11</u>	<u>9</u>	<u>36</u>	<u>25</u>	<u>21</u>	<u>15</u>	<u>14</u>	<u>37</u>
								F	<u>94</u>	<u>10</u>	<u>10</u>	<u>2</u>	<u>0</u>	<u>3</u>	<u>7</u>	<u>3</u>	<u>7</u>	<u>6</u>	<u>46</u>

TABLE 11 - PAGE 7
DEATHS - MISSISSIPPI - 1992

INTER- NATIONAL CLASSI- FICATION NUMBER*	CAUSE*	TOTAL		R A C E	TOTAL BY RACE	SEX	TOTAL BY RACE AND SEX	AGE									65 U AND N OVER K		
		NUMBER	RATE#					<1	1-4	5-9	10-14	15-24	25-34	35-44	45-54	55-64			
950- 959	SUICIDE	331	12.9	W	268	M	211	0	0	0	0	41	44	37	19	27	43	0	
						F	57	0	0	0	1	3	15	18	6	5	9	0	
					63	NW	M	49	0	0	0	1	12	20	6	2	4	4	0
						F	14	0	0	0	0	4	3	3	1	3	0	0	
960- 978	HOMICIDE AND LEGAL INTERVENTION	455	17.7	W	138	M	92	1	0	0	0	19	16	25	12	9	10	0	
						F	46	1	0	0	0	7	11	4	11	7	5	0	
					317	NW	M	237	3	3	0	3	98	55	36	15	8	15	1
						F	80	1	3	1	0	19	29	7	5	5	10	0	

* NUMBERS AND CAUSES ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.

TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES (CLASSIFICATION NUMBERS 630-676) ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (CLASSIFICATION NUMBERS 760-779) ARE PER 1,000 LIVE BIRTHS.

TABLE 12A
 INFANT, NEONATAL, AND POSTNEONATAL DEATHS*,
 BY COUNTY OF RESIDENCE AND RACE,
 MISSISSIPPI, 1992

COUNTY	INFANT DEATHS			NEONATAL DEATHS			POSTNEONATAL DEATHS		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>STATE</u>	<u>508</u>	<u>170</u>	<u>338</u>	<u>320</u>	<u>97</u>	<u>223</u>	<u>188</u>	<u>73</u>	<u>115</u>
ADAMS	7	1	6	6	0	6	1	1	0
ALCORN	1	1	0	0	0	0	1	1	0
AMITE	0	0	0	0	0	0	0	0	0
ATTALA	3	0	3	3	0	3	0	0	0
BENTON	1	1	0	0	0	0	1	1	0
BOLIVAR	12	0	12	5	0	5	7	0	7
CALHOUN	2	0	2	2	0	2	0	0	0
CARROLL	3	1	2	3	1	2	0	0	0
CHICKASAW	4	3	1	3	2	1	1	1	0
CHOCTAW	1	1	0	1	1	0	0	0	0
CLAIBORNE	4	0	4	2	0	2	2	0	2
CLARKE	2	2	0	0	0	0	2	2	0
CLAY	8	2	6	4	1	3	4	1	3
COAHOMA	12	3	9	10	1	9	2	2	0
COPIAH	4	2	2	3	1	2	1	1	0
COVINGTON	9	2	7	5	1	4	4	1	3
DESOTO	11	7	4	7	5	2	4	2	2
FORREST	12	1	11	10	0	10	2	1	1
FRANKLIN	1	0	1	1	0	1	0	0	0
GEORGE	0	0	0	0	0	0	0	0	0
GREENE	3	1	2	1	0	1	2	1	1
GRENADA	4	0	4	3	0	3	1	0	1
HANCOCK	3	3	0	2	2	0	1	1	0
HARRISON	29	16	13	16	9	7	13	7	6
HINDS	46	4	42	33	3	30	13	1	12
HOLMES	7	0	7	5	0	5	2	0	2
HUMPHREYS	5	1	4	0	0	0	5	1	4
ISSAQUENA	1	0	1	1	0	1	0	0	0
ITAWAMBA	3	2	1	2	2	0	1	0	1
JACKSON	28	15	13	18	12	6	10	3	7
JASPER	5	2	3	2	1	1	3	1	2
JEFFERSON	3	0	3	2	0	2	1	0	1
JEFF DAVIS	3	1	2	1	0	1	2	1	1
JONES	8	2	6	4	1	3	4	1	3
KEMPER	1	0	1	1	0	1	0	0	0
LAFAYETTE	3	0	3	3	0	3	0	0	0
LAMAR	6	5	1	2	1	1	4	4	0
LAUDERDALE	16	4	12	8	1	7	8	3	5
LAWRENCE	1	1	0	0	0	0	1	1	0
LEAKE	4	2	2	3	2	1	1	0	1
LEE	12	7	5	9	4	5	3	3	0
LEFLORE	12	2	10	9	1	8	3	1	2

TABLE 12A - PAGE 2

INFANT, NEONATAL, AND POSTNEONATAL DEATHS - MISSISSIPPI - 1992

COUNTY	INFANT DEATHS			NEONATAL DEATHS			POSTNEONATAL DEATHS		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
LINCOLN	5	4	1	4	3	1	1	1	0
LOWNDES	14	4	10	9	3	6	5	1	4
MADISON	9	2	7	7	2	5	2	0	2
MARION	7	2	5	3	1	2	4	1	3
MARSHALL	9	3	6	8	3	5	1	0	1
MONROE	10	4	6	7	3	4	3	1	2
MONTGOMERY	7	3	4	6	3	3	1	0	1
NESHOBA	8	1	7	8	1	7	0	0	0
NEWTON	4	1	3	1	0	1	3	1	2
NOXUBEE	3	1	2	1	0	1	2	1	1
OKTIBBEHA	5	1	4	3	0	3	2	1	1
PANOLA	4	1	3	1	1	0	3	0	3
PEARL RIVER	3	2	1	2	2	0	1	0	1
PERRY	4	2	2	4	2	2	0	0	0
PIKE	4	1	3	2	0	2	2	1	1
PONTOTOC	4	3	1	4	3	1	0	0	0
PRENTISS	2	2	0	1	1	0	1	1	0
QUITMAN	1	0	1	0	0	0	1	0	1
RANKIN	9	6	3	5	4	1	4	2	2
SCOTT	6	1	5	2	1	1	4	0	4
SHARKEY	0	0	0	0	0	0	0	0	0
SIMPSON	5	1	4	4	0	4	1	1	0
SMITH	2	2	0	1	1	0	1	1	0
STONE	3	1	2	2	0	2	1	1	0
SUNFLOWER	8	1	7	4	1	3	4	0	4
TALLAHATCHIE	1	0	1	1	0	1	0	0	0
TATE	4	1	3	3	1	2	1	0	1
TIPPAH	2	2	0	2	2	0	0	0	0
TISHOMINGO	2	2	0	1	1	0	1	1	0
TUNICA	7	0	7	3	0	3	4	0	4
UNION	10	9	1	4	3	1	6	6	0
WALTHALL	2	0	2	1	0	1	1	0	1
WARREN	17	5	12	10	1	9	7	4	3
WASHINGTON	11	2	9	8	1	7	3	1	2
WAYNE	2	0	2	2	0	2	0	0	0
WEBSTER	2	2	0	0	0	0	2	2	0
WILKINSON	0	0	0	0	0	0	0	0	0
WINSTON	4	1	3	2	1	1	2	0	2
YALOBUSHA	2	2	0	0	0	0	2	2	0
YAZOO	6	0	6	4	0	4	2	0	2

* INFANT DEATHS ARE THOSE OF CHILDREN UNDER ONE YEAR OF AGE; NEONATAL DEATHS ARE THOSE OF INFANTS UNDER 28 DAYS OF AGE; POSTNEONATAL DEATHS ARE THOSE OF INFANTS AGES 28 DAYS TO ONE YEAR.

TABLE 12B
INFANT, NEONATAL, AND POSTNEONATAL MORTALITY RATES*,
BY COUNTY OF RESIDENCE AND RACE,
MISSISSIPPI, 1988-1992 (5-YEAR AVERAGE)

COUNTY	INFANT**			NEONATAL**			POSTNEONATAL**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>STATE</u>	<u>11.8</u>	<u>8.2</u>	<u>15.7</u>	<u>7.4</u>	<u>5.0</u>	<u>9.8</u>	<u>4.5</u>	<u>3.2</u>	<u>5.8</u>
ADAMS	13.7	9.5	16.4	10.3	8.7	11.3	3.4	0.9	5.1
ALCORN	7.6	6.3	14.1	3.8	4.0	2.8	3.8	2.3	11.3
AMITE	6.9	4.8	8.9	4.6	2.4	6.7	2.3	2.4	2.2
ATTALA	10.3	3.2	15.6	5.5	-	9.6	4.8	3.2	6.0
BENTON	6.5	6.2	6.8	3.2	3.1	3.4	3.2	3.1	3.4
BOLI VAR	16.5	5.7	19.5	10.1	4.5	11.6	6.4	1.1	7.9
CALHOUN	13.1	3.4	25.1	9.3	-	20.9	3.7	3.4	4.2
CARROLL	18.4	13.0	22.4	11.0	8.6	12.8	7.4	4.3	9.6
CHICKASAW	14.4	14.2	14.6	9.4	7.8	10.9	5.0	6.5	3.6
CHOCTAW	8.2	6.4	10.1	1.6	3.2	-	6.6	3.2	10.1
CLAIBORNE	14.5	-	16.3	7.8	-	8.8	6.7	-	7.5
CLARKE	11.7	9.8	14.1	7.0	5.6	8.8	4.7	4.2	5.3
CLAY	14.2	9.2	16.7	10.2	3.1	13.7	4.1	6.1	3.0
COAHOMA	17.4	6.0	20.3	11.5	3.0	13.7	5.9	3.0	6.6
COPIAH	13.1	13.1	13.1	7.8	8.3	7.6	5.2	4.8	5.5
COVINGTON	12.0	7.6	16.9	6.6	2.5	11.3	5.3	5.0	5.6
DESOTO	9.7	8.9	13.3	5.2	5.4	4.1	4.5	3.5	9.2
FORREST	10.8	7.4	15.0	7.0	4.0	10.6	3.8	3.3	4.5
FRANKLIN	11.0	7.0	14.4	6.3	7.0	5.7	4.7	-	8.6
GEORGE	2.0	2.3	-	1.4	1.6	-	0.7	0.8	-
GREENE	11.5	8.0	20.0	5.7	2.0	15.0	5.7	6.0	5.0
GRENADA	10.4	5.0	14.4	6.8	3.8	9.0	3.6	1.2	5.4
HANCOCK	9.4	10.3	3.3	5.6	5.9	3.3	3.8	4.4	-
HARRISON	11.5	8.7	18.1	6.5	4.8	10.5	5.0	3.9	7.6
HINDS	11.7	7.7	13.8	7.3	5.3	8.4	4.4	2.4	5.4
HOLMES	13.1	7.5	13.9	9.5	7.5	9.8	3.6	-	4.1
HUMPHREYS	21.8	15.6	23.4	11.3	11.7	11.2	10.5	3.9	12.2
ISSAQUENA	5.8	-	8.1	5.8	-	8.1	-	-	-
ITAWAMBA	7.4	6.3	21.5	4.4	4.0	10.8	3.0	2.4	10.8
JACKSON	9.5	7.2	15.0	5.2	4.4	7.1	4.3	2.8	7.8
JASPER	11.7	6.5	14.3	7.3	4.3	8.8	4.4	2.2	5.5
JEFFERSON	12.0	-	13.2	8.0	-	8.8	4.0	-	4.4
JEFF DAVIS	13.5	10.9	14.7	5.4	2.7	6.7	8.1	8.2	8.0
JONES	9.2	8.2	10.8	6.3	5.2	8.0	2.9	3.0	2.8
KEMPER	14.0	4.6	18.1	11.2	4.6	14.1	2.8	-	4.0
LAFAYETTE	7.5	3.9	11.8	4.3	1.9	7.1	3.2	1.9	4.7
LAMAR	7.8	7.6	9.0	4.5	4.0	6.7	3.3	3.5	2.2
LAUDERDALE	11.2	7.4	15.3	7.4	3.4	11.7	3.8	4.0	3.6
LAWRENCE	14.4	5.5	25.9	9.3	1.8	18.9	5.2	3.7	7.1
LEAKE	13.2	8.8	16.9	7.9	7.3	8.5	5.3	1.5	8.5
LEE	13.2	10.7	18.6	8.4	7.0	11.5	4.8	3.7	7.1
LEFLORE	17.4	13.2	18.9	11.9	11.0	12.2	5.5	2.2	6.6

INFANT, NEONATAL, AND POSTNEONATAL MORTALITY RATES - MISSISSIPPI
1988- 1992 AVERAGE

COUNTY	INFANT**			NEONATAL**			POSTNEONATAL**		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
LINCOLN	9.4	7.4	12.2	6.7	6.7	6.6	2.7	0.7	5.5
LOWNDES	11.4	6.8	16.0	6.8	4.6	9.1	4.5	2.1	6.9
MADISON	9.6	6.4	12.4	6.7	5.2	8.1	2.8	1.2	4.2
MARION	16.1	13.9	19.6	8.8	6.9	11.7	7.3	6.9	7.8
MARSHALL	19.2	12.2	24.1	14.2	8.7	18.1	5.0	3.5	6.0
MONROE	14.4	11.3	19.4	8.8	6.8	12.0	5.6	4.5	7.4
MONTGOMERY	16.8	12.0	20.2	11.9	9.6	13.5	5.0	2.4	6.7
NESHOBA	16.0	9.3	22.5	9.0	4.1	13.7	7.0	5.2	8.8
NEWTON	9.6	5.9	13.5	5.4	2.4	8.6	4.2	3.5	4.9
NOXUBEE	15.2	7.9	17.1	8.8	-	11.1	6.4	7.9	6.0
OKTIBBEHA	11.6	9.0	13.7	9.8	7.3	11.7	1.8	1.6	2.0
PANOLA	10.7	5.8	13.6	6.4	2.9	8.5	4.3	2.9	5.1
PEARL RIVER	8.1	7.2	11.5	3.4	3.4	3.3	4.7	3.8	8.2
PERRY	12.9	8.1	22.7	11.9	6.5	22.7	1.1	1.6	-
PIKE	9.1	7.5	10.2	6.4	5.0	7.4	2.7	2.5	2.8
PONTOTOC	11.4	10.8	14.6	9.6	8.6	14.6	1.8	2.2	-
PRENTISS	10.8	9.8	16.7	4.8	4.2	8.3	6.0	5.6	8.3
QUITMAN	12.0	9.9	12.8	9.2	6.6	10.3	2.8	3.3	2.6
RANKIN	8.9	7.4	14.0	5.1	5.2	4.9	3.7	2.2	9.1
SCOTT	12.0	6.2	17.5	5.2	4.4	5.8	6.9	1.8	11.7
SHARKEY	12.2	22.9	9.8	6.8	7.6	6.6	5.4	15.3	3.3
SIMPSON	11.7	9.7	14.0	7.1	5.8	8.6	4.6	3.9	5.4
SMITH	10.2	6.1	16.5	8.3	4.6	14.2	1.8	1.5	2.4
STONE	9.4	8.3	12.1	7.1	5.0	12.1	2.4	3.3	-
SUNFLOWER	18.8	12.4	20.4	10.8	10.8	10.8	8.0	1.6	9.6
TALLAHATCHIE	15.0	10.9	16.2	11.1	8.2	12.0	3.9	2.7	4.3
TATE	9.5	5.5	14.1	5.3	4.4	6.4	4.1	1.1	7.7
TIPPAH	16.5	18.0	10.5	12.2	12.6	10.5	4.3	5.4	-
TISHOMINGO	12.2	10.9	51.3	7.9	7.2	25.6	4.4	3.6	25.6
TUNICA	16.2	8.1	17.5	6.5	-	7.5	9.8	8.1	10.0
UNION	16.1	14.1	24.6	9.6	6.7	21.5	6.6	7.4	3.1
WALTHALL	10.9	8.6	12.3	5.0	4.3	5.5	5.9	4.3	6.8
WARREN	10.8	7.4	14.1	7.2	2.5	11.7	3.6	4.9	2.3
WASHINGTON	10.7	4.9	13.0	6.8	2.7	8.5	3.9	2.2	4.6
WAYNE	13.2	2.4	23.7	9.6	2.4	16.6	3.6	-	7.1
WEBSTER	18.2	12.4	30.2	14.0	8.3	25.9	4.2	4.1	4.3
WILKINSON	8.0	-	10.1	8.0	-	10.1	-	-	-
WINSTON	10.7	4.9	15.2	8.6	4.9	11.4	2.1	-	3.8
YALOBUSHA	16.6	8.7	23.0	7.8	4.3	10.6	8.8	4.3	12.4
YAZOO	13.1	4.2	16.9	5.5	1.4	7.3	7.6	2.8	9.7

* DEATHS PER 1,000 LIVE BIRTHS.

** INFANT - AGE LESS THAN ONE YEAR; NEONATAL - AGE LESS THAN 28 DAYS;
POSTNEONATAL - AGE 28 DAYS TO ONE YEAR.

TABLE 13
INFANT DEATHS* FROM SELECTED CAUSES, BY RACE AND AGE,
ALSO MORTALITY RATES FOR SELECTED CAUSES,
MISSISSIPPI RESIDENTS, 1992

CAUSE OF DEATH AND INTERNATIONAL CLASSI- FICATION NUMBER**	TOTAL		R A C E	TOTAL BY RACE	UNDER 28 DAYS OF AGE					28 DAYS AND OVER	
	NUMBER	RATE#			UNDER 1 DAY	1- 6	7- 13	14- 20	21- 27		
ALL CAUSES	508	11.9	W	170	97	63	19	6	3	6	73
			NW	338	223	123	69	11	11	9	115
MENINGOCOCCAL INFECTION (036)	0	-	W	0	0	0	0	0	0	0	0
			NW	0	0	0	0	0	0	0	0
SEPTICEMIA (038)	1	##	W	0	0	0	0	0	0	0	0
			NW	1	0	0	0	0	0	0	1
OTHER INFECTIOUS AND PARASITIC DISEASES (001-035, 037, 039-139)	6	0.1	W	0	0	0	0	0	0	0	0
			NW	6	1	0	0	1	0	0	5
MENINGITIS (320-322)	3	0.1	W	2	0	0	0	0	0	0	2
			NW	1	1	0	0	1	0	0	0
ACUTE UPPER RESPIRATORY INFECTIONS (460-465)	1	##	W	1	0	0	0	0	0	0	1
			NW	0	0	0	0	0	0	0	0
BRONCHITIS AND BRONCHIO- LITIS (466, 490, 491)	1	##	W	1	0	0	0	0	0	0	1
			NW	0	0	0	0	0	0	0	0
PNEUMONIA AND INFLUENZA (480-487)	7	0.2	W	2	0	0	0	0	0	0	2
			NW	5	1	0	1	0	0	0	4
HERNIA AND INTESTINAL OBSTRUCTION (550-553, 560)	1	##	W	0	0	0	0	0	0	0	0
			NW	1	1	0	1	0	0	0	0
CONGENITAL ANOMALIES (740-759)	96	2.2	W	42	25	17	5	1	1	1	17
			NW	54	41	20	12	2	4	3	13
MATERNAL CONDITIONS UN- RELATED TO PREGNANCY (760)	1	##	W	0	0	0	0	0	0	0	0
			NW	1	1	0	0	0	1	0	0
MATERNAL COMPLICATIONS OF PREGNANCY (761)	14	0.3	W	7	7	7	0	0	0	0	0
			NW	7	7	7	0	0	0	0	0
COMPLICATIONS OF PLACENTA, CORD, AND MEMBRANES (762)	9	0.2	W	3	3	3	0	0	0	0	0
			NW	6	6	4	2	0	0	0	0
OTHER COMPLICATIONS OF LABOR AND DELIVERY (763)	1	##	W	0	0	0	0	0	0	0	0
			NW	1	1	1	0	0	0	0	0
DISORDERS RELATING TO SHORT GESTATION AND UN- SPECIFIED LOW BIRTH- WEIGHT (765)	59	1.4	W	14	13	13	0	0	0	0	1
			NW	45	45	41	2	0	1	1	0

TABLE 13 - PAGE 2
 INFANT DEATHS - MISSISSIPPI - 1992

CAUSE OF DEATH AND INTERNATIONAL CLASSI- FICATION NUMBER**	TOTAL		R A C E	TOTAL BY RACE	UNDER 28 DAYS OF AGE						28 DAYS AND OVER
	NUMBER	RATE#			TOTAL	UNDER 1 DAY	1- 6	7- 13	14- 20	21- 27	
BIRTH TRAUMA (767)	4	0.1	W NW	3 1	3 1	0 0	2 1	0 0	1 0	0 0	0 0
INTRAUTERINE HYPOXIA AND BIRTH ASPHYXIA (768)	11	0.2	W NW	0 11	0 11	0 2	0 8	0 0	0 1	0 0	0 0
RESPIRATORY DISTRESS SYNDROME (769)	28	0.6	W NW	6 22	6 21	2 7	4 12	0 0	0 1	0 1	0 1
INFECTIONS SPECIFIC TO THE PERINATAL PERIOD (771)	18	0.4	W NW	5 13	5 13	4 5	0 4	0 2	0 1	1 1	0 0
NEONATAL HEMORRHAGE (772)	3	0.1	W NW	2 1	2 1	0 0	1 1	1 0	0 0	0 0	0 0
HEMORRHAGIC DISEASE OF NEWBORN (776.0)	0	-	W NW	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0
SUDDEN INFANT DEATH SYNDROME (798.0)	83	1.9	W NW	26 57	2 5	0 0	0 1	0 1	0 0	2 3	24 52
ALL OTHER SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS (780-797, 798.1-799)	7	0.2	W NW	2 5	0 0	0 0	0 0	0 0	0 0	0 0	2 5
ACCIDENTS (800-949)	24	0.6	W NW	9 15	2 3	0 0	0 3	0 0	0 0	2 0	7 12
ALL OTHER CAUSES	130	3.0	W NW	45 85	29 63	17 36	7 21	4 4	1 2	0 0	16 22

* DEATHS OF CHILDREN UNDER 1 YEAR OF AGE.

** CAUSES AND NUMBERS ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.

DEATHS PER 1,000 LIVE BIRTHS.

LESS THAN 0.06.

TABLE 14
ACCIDENTAL DEATHS, BY COUNTY OF OCCURRENCE AND TYPE OF ACCIDENT,
MISSISSIPPI, 1992

<u>COUNTY</u>	<u>TOTAL</u>	<u>MOTOR VEHICLE</u>	<u>WATER TRANS- PORT</u>	<u>POISON- ING</u>	<u>FALLS</u>	<u>FIRES AND FLAMES</u>	<u>DROWNING AND SUB- MERSION</u>	<u>FIRE- ARMS</u>	<u>ALL OTHER</u>
<u>STATE</u>	<u>1,521</u>	<u>838</u>	<u>21</u>	<u>44</u>	<u>135</u>	<u>118</u>	<u>54</u>	<u>43</u>	<u>268</u>
ADAMS	22	6	1	3	2	0	1	1	8
ALCORN	19	13	0	0	0	1	0	0	5
AMITE	5	2	0	1	0	1	0	0	1
ATTALA	9	2	0	0	1	2	2	0	2
BENTON	3	3	0	0	0	0	0	0	0
BOLIVAR	20	10	1	0	2	2	0	2	3
CALHOUN	4	2	0	0	0	0	0	1	1
CARROLL	10	7	0	0	1	0	1	1	0
CHICKASAW	8	5	0	0	0	3	0	0	0
CHOCTAW	7	4	0	0	0	2	0	0	1
CLAIBORNE	9	8	0	0	0	0	0	0	1
CLARKE	6	2	0	0	1	0	0	1	2
CLAY	3	1	0	0	0	1	0	1	0
COAHOMA	13	3	0	2	0	1	0	1	6
COPIAH	12	7	0	0	2	1	1	0	1
COVINGTON	17	14	1	0	0	2	0	0	0
DESOTO	30	22	1	3	0	0	0	0	4
FORREST	57	32	0	2	7	2	2	1	11
FRANKLIN	6	4	1	0	0	0	0	0	1
GEORGE	9	8	0	0	0	0	1	0	0
GREENE	13	12	0	0	0	0	0	0	1
GRENADA	9	4	0	1	1	1	2	0	0
HANCOCK	14	4	1	1	0	2	3	0	3
HARRISON	72	30	4	1	8	3	7	2	17
HINDS	175	92	0	3	30	7	1	10	32
HOLMES	19	11	0	0	1	1	2	2	2
HUMPHREYS	2	2	0	0	0	0	0	0	0
ISSAQUENA	4	3	0	0	0	0	1	0	0
ITAWAMBA	12	10	1	0	1	0	0	0	0
JACKSON	43	18	1	5	8	2	1	1	7
JASPER	9	6	0	0	0	1	0	0	2
JEFFERSON	7	4	0	0	0	1	0	1	1
JEFF DAVIS	13	8	0	0	1	4	0	0	0
JONES	42	20	0	2	5	2	2	1	10
KEMPER	12	9	0	0	0	0	1	0	2
LAFAYETTE	17	7	0	1	5	3	0	0	1
LAMAR	13	9	0	0	2	0	0	1	1
LAUDERDALE	46	23	0	0	8	2	1	1	11
LAWRENCE	10	7	0	0	0	1	0	0	2
LEAKE	18	10	0	1	1	1	1	0	4
LEE	71	37	0	3	16	2	0	3	10
LEFLORE	13	7	0	0	2	1	0	0	3

TABLE 14 - PAGE 2
 ACCIDENTAL DEATHS - MISSISSIPPI - 1992

COUNTY	TOTAL	MOTOR VEHICLE	WATER TRANS- PORT	POISON- ING	FALLS	FIRES AND FLAMES	DROWNING AND SUB- MERSION	FIRE- ARMS	ALL OTHER
LINCOLN	18	14	0	0	0	1	1	0	2
LOWNDES	35	18	0	0	4	3	3	0	7
MADISON	20	9	1	0	0	3	2	1	4
MARION	9	5	0	0	0	2	0	1	1
MARSHALL	22	16	0	0	0	2	0	0	4
MONROE	24	12	1	1	2	2	1	1	4
MONTGOMERY	8	5	0	0	1	2	0	0	0
NESHOBA	13	7	1	0	1	2	1	0	1
NEWTON	6	5	0	0	0	0	0	1	0
NOXUBEE	8	5	0	0	0	1	0	0	2
OKTIBBEHA	9	3	0	0	1	0	1	2	2
PANOLA	18	9	0	0	0	2	1	0	6
PEARL RIVER	21	13	0	1	1	1	2	0	3
PERRY	15	11	1	0	0	2	0	0	1
PIKE	25	14	0	2	1	4	0	0	4
PONTOTOC	5	5	0	0	0	0	0	0	0
PRENTISS	12	8	0	1	0	0	1	0	2
QUITMAN	5	2	0	0	0	2	0	0	1
RANKIN	47	23	0	1	4	0	2	0	17
SCOTT	23	15	1	0	0	3	1	0	3
SHARKEY	4	2	0	1	0	1	0	0	0
SIMPSON	10	5	0	0	1	3	0	0	1
SMITH	5	3	0	0	0	0	1	0	1
STONE	6	4	0	0	1	0	0	1	0
SUNFLOWER	9	5	0	0	1	0	0	0	3
TALLAHATCHIE	16	14	0	1	0	0	0	0	1
TATE	17	10	1	0	0	2	0	0	4
TIPPAH	7	7	0	0	0	0	0	0	0
TISHOMINGO	8	6	0	0	0	0	0	1	1
TUNICA	12	9	0	2	0	0	1	0	0
UNION	22	18	0	0	1	0	0	2	1
WALTHALL	4	3	0	1	0	0	0	0	0
WARREN	23	12	1	0	4	1	1	0	4
WASHINGTON	70	19	2	3	4	24	3	1	14
WAYNE	7	4	0	0	0	1	0	0	2
WEBSTER	9	6	0	0	0	1	0	0	2
WILKINSON	7	4	0	0	0	0	1	0	2
WINSTON	15	7	0	0	3	0	0	0	5
YALOBUSHA	10	7	0	0	0	0	0	0	3
YAZOO	14	6	0	1	0	1	1	1	4

TABLE 15
MARRIAGES, BY COUNTY OF LICENSURE AND RACE OF BRIDE,
ALSO BY COUNTY OF OCCURRENCE AND RACE OF BRIDE,
ALSO BY COUNTY OF RESIDENCE OF BRIDE AND RACE OF BRIDE,
MISSISSIPPI, 1992

COUNTY	LICENSURE DATA			OCCURRENCE DATA			RESIDENCE DATA		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
STATE	22,995	16,776	6,219	22,995	16,776	6,219	21,402	15,545	5,857
ADAMS	367	235	132	376	249	127	291	175	116
ALCORN	222	204	18	227	209	18	192	177	15
AMITE	98	68	30	111	78	33	94	60	34
ATTALA	182	128	54	201	138	63	174	121	53
BENTON	36	26	10	45	34	11	46	37	9
BOLIVAR	323	143	180	301	133	168	299	128	171
CALHOUN	128	100	28	131	104	27	133	102	31
CARROLL	59	43	16	75	60	15	55	44	11
CHICKASAW	182	126	56	200	143	57	172	118	54
CHOCTAW	60	47	13	70	55	15	68	52	16
CLAIBORNE	74	21	53	77	28	49	60	12	48
CLARKE	137	101	36	159	120	39	143	107	36
CLAY	162	92	70	151	78	73	152	85	67
COAHOMA	200	88	112	207	94	113	179	82	97
COPIAH	195	124	71	206	133	73	202	124	78
COVINGTON	171	118	53	189	137	52	172	124	48
DESOTO	618	544	74	566	500	66	448	409	39
FORREST	833	677	156	685	548	137	698	549	149
FRANKLIN	46	32	14	50	35	15	55	38	17
GEORGE	289	268	21	274	250	24	209	196	13
GREENE	104	73	31	132	102	30	82	74	8
GRENADA	215	157	58	212	153	59	202	148	54
HANCOCK	309	288	21	321	301	20	249	230	19
HARRISON	1,817	1,519	298	1,818	1,524	294	1,569	1,297	272
HINDS	2,343	1,414	929	2,158	1,281	877	1,994	1,133	861
HOLMES	118	40	78	123	46	77	115	35	80
HUMPHREYS	83	36	47	94	43	51	77	34	43
ISSAQUENA	11	6	5	16	8	8	12	5	7
ITAWAMBA	166	159	7	171	167	4	173	166	7
JACKSON	1,091	911	180	1,136	952	184	1,047	884	163
JASPER	124	73	51	127	74	53	119	63	56
JEFFERSON	50	5	45	62	12	50	49	7	42
JEFF DAVIS	95	54	41	84	45	39	89	47	42
JONES	475	378	97	504	405	99	465	371	94
KEMPER	56	34	22	77	50	27	63	38	25
LAFAYETTE	275	214	61	259	202	57	236	183	53
LAMAR	206	199	7	241	230	11	285	273	12
LAUDERDALE	721	526	195	705	509	196	671	492	179
LAWRENCE	105	73	32	129	90	39	119	87	32
LEAKE	173	122	51	183	131	52	177	127	50
LEE	753	631	122	679	566	113	703	581	122
LEFLORE	289	165	124	276	152	124	274	148	126

TABLE 16
DIVORCES, BY COUNTY OF OCCURRENCE AND RACE*,
MISSISSIPPI, 1992

COUNTY	TOTAL	WHITE	NON- WHITE	UN- KNOWN	COUNTY	TOTAL	WHITE	NON- WHITE	UN- KNOWN
<u>STATE</u>	<u>12, 758</u>	<u>9, 785</u>	<u>2, 667</u>	<u>306</u>					
ADAMS	141	85	46	10	LINCOLN	148	127	21	0
ALCORN	192	184	8	0	LOWNDES	250	186	63	1
AMITE	63	49	13	1	MADISON	194	148	43	3
ATTALA	107	76	27	4	MARION	135	111	21	3
BENTON	31	24	6	1	MARSHALL	143	107	36	0
BOLIVAR	147	75	70	2	MONROE	217	177	35	5
CALHOUN	90	78	12	0	MONTGOMERY	64	39	25	0
CARROLL	0	0	0	0	NESHOBA	144	122	22	0
CHICKASAW	78	55	20	3	NEWTON	64	47	11	6
CHOCTAW	37	30	7	0	NOXUBEE	24	10	14	0
CLAI BORNE	35	15	20	0	OKTIBBEHA	146	95	45	6
CLARKE	79	60	18	1	PANOLA	151	111	40	0
CLAY	110	58	46	6	PEARL RIVER	271	239	24	8
COAHOMA	0	0	0	0	PERRY	48	44	2	2
COPIAH	91	55	36	0	PIKE	108	72	29	7
COVINGTON	72	54	15	3	PONTOTOC	176	167	9	0
DESOTO	571	534	32	5	PRENTISS	170	146	10	14
FORREST	317	250	58	9	QUITMAN	39	25	14	0
FRANKLIN	43	35	8	0	RANKIN	530	480	49	1
GEORGE	89	46	4	39	SCOTT	153	123	30	0
GREENE	60	58	2	0	SHARKEY	10	9	1	0
GRENADA	158	118	40	0	SIMPSON	139	108	31	0
HANCOCK	209	199	9	1	SMITH	69	54	14	1
HARRISON	441	336	45	60	STONE	65	53	9	3
HINDS	1, 367	839	528	0	SUNFLOWER	111	57	53	1
HOLMES	65	22	43	0	TALLAHATCHIE	52	33	19	0
HUMPHREYS	33	21	12	0	TATE	113	96	16	1
ISSAQUENA	3	1	2	0	TIPPAH	132	123	8	1
ITAWAMBA	120	116	4	0	TISHOMINGO	0	0	0	0
JACKSON	898	750	130	18	TUNICA	29	11	18	0
JASPER	68	52	16	0	UNION	173	152	11	10
JEFFERSON	4	1	3	0	WALTHALL	52	38	14	0
JEFF DAVIS	38	23	15	0	WARREN	25	14	11	0
JONES	399	322	75	2	WASHINGTON	320	183	109	28
KEMPER	33	21	12	0	WAYNE	107	90	17	0
LAFAYETTE	127	86	41	0	WEBSTER	57	51	5	1
LAMAR	226	198	21	7	WILKINSON	0	0	0	0
LAUDERDALE	485	375	109	1	WINSTON	92	64	26	2
LAWRENCE	0	0	0	0	YALOBUSHA	54	46	8	0
LEAKE	119	100	19	0	YAZOO	106	87	19	0
LEE	554	435	92	27					
LEFLORE	177	104	71	2					

* DIVORCES OF MIXED-RACE COUPLES ARE INCLUDED IN FIGURES FOR NONWHITES.

TABLE 17
 REPORTED INDUCED TERMINATIONS OF PREGNANCY PERFORMED IN MISSISSIPPI
 ON MISSISSIPPI RESIDENTS, BY COUNTY OF RESIDENCE AND RACE, 1992

COUNTY	TOTAL	WHITE	NON- WHITE	UNK. RACE	COUNTY	TOTAL	WHITE	NON- WHITE	UNK. RACE
<u>STATE</u>	<u>5, 795</u>	<u>2, 515</u>	<u>3, 279</u>	<u>1</u>					
ADAMS	92	40	52	0	LINCOLN	44	21	23	0
ALCORN	32	25	7	0	LOWNDES	107	47	60	0
AMITE	12	1	11	0	MADISON	281	122	159	0
ATTALA	28	12	16	0	MARION	27	18	9	0
BENTON	1	0	1	0	MARSHALL	52	15	37	0
BOLIVAR	103	40	63	0	MONROE	43	16	27	0
CALHOUN	7	3	4	0	MONTGOMERY	34	14	20	0
CARROLL	18	7	11	0	NESHOBA	51	28	23	0
CHICKASAW	20	8	12	0	NEWTON	50	24	26	0
CHOCTAW	11	5	6	0	NOXUBEE	12	0	12	0
CLAIBORNE	37	2	35	0	OKTIBBEHA	118	76	42	0
CLARKE	31	16	15	0	PANOLA	65	23	41	1
CLAY	34	12	22	0	PEARL RIVER	14	12	2	0
COAHOMA	38	12	26	0	PERRY	14	8	6	0
COPIAH	56	18	38	0	PIKE	65	25	40	0
COVINGTON	32	16	16	0	PONTOTOC	12	10	2	0
DESOTO	138	113	25	0	PRENTISS	11	7	4	0
FORREST	226	152	74	0	QUITMAN	14	2	12	0
FRANKLIN	11	5	6	0	RANKIN	274	218	56	0
GEORGE	1	1	0	0	SCOTT	64	27	37	0
GREENE	1	0	1	0	SHARKEY	11	3	8	0
GRENADA	52	21	31	0	SIMPSON	64	33	31	0
HANCOCK	5	5	0	0	SMITH	25	16	9	0
HARRISON	78	60	18	0	STONE	2	2	0	0
HINDS	1, 674	492	1, 182	0	SUNFLOWER	65	20	45	0
HOLMES	58	10	48	0	TALLAHATCHIE	12	5	7	0
HUMPHREYS	30	7	23	0	TATE	44	12	32	0
ISSAQUENA	2	1	1	0	TIPPAH	9	8	1	0
ITAWAMBA	11	9	2	0	TISHOMINGO	8	8	0	0
JACKSON	9	7	2	0	TUNICA	12	1	11	0
JASPER	28	10	18	0	UNION	9	6	3	0
JEFFERSON	25	0	25	0	WALTHALL	17	10	7	0
JEFF DAVIS	17	2	15	0	WARREN	173	57	116	0
JONES	116	65	51	0	WASHINGTON	163	51	112	0
KEMPER	18	4	14	0	WAYNE	15	8	7	0
LAFAYETTE	85	59	26	0	WEBSTER	14	6	8	0
LAMAR	28	25	3	0	WILKINSON	4	1	3	0
LAUDERDALE	208	112	96	0	WINSTON	36	14	22	0
LAWRENCE	18	9	9	0	YALOBUSHA	23	11	12	0
LEAKE	40	18	22	0	YAZOO	70	22	48	0
LEE	119	74	45	0					
LEFLORE	117	30	87	0					

TABLE 18
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF ADAMS, ALCORN, AMITE, AND ATTALA COUNTIES, MISSISSIPPI 1992

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	ADAMS COUNTY						ALCORN COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	0	0	0	-	-	-	1	1	0	3.2	3.6	-
MALIGNANT NEOPLASMS (140-208)	92	46	46	260.2	255.2	265.5	78	70	8	245.9	249.2	220.0
DIABETES MELLITUS (250)	10	6	4	28.3	33.3	23.1	3	1	2	9.4	3.6	55.0
DISEASES OF HEART (390-398, 402, 404, 410-429)	152	77	75	429.9	427.1	432.8	125	112	13	394.0	398.8	357.4
HYPERTENSION (401, 403)	1	0	1	2.8	-	5.8	1	1	0	3.2	3.6	-
CEREBROVASCULAR DISEASES (430-438)	42	25	17	118.8	138.7	98.1	27	25	2	85.1	89.0	55.0
ATHEROSCLEROSIS (440)	4	3	1	11.3	16.6	5.8	2	2	0	6.3	7.1	-
PNEUMONIA AND INFLUENZA (480-487)	13	7	6	36.8	38.8	34.6	19	17	2	59.9	60.5	55.0
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	10	9	1	28.3	49.9	5.8	12	12	0	37.8	42.7	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	3	0	3	8.5	-	17.3	3	3	0	9.4	10.7	-
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	7	4	3	19.8	22.2	17.3	3	2	1	9.4	7.1	27.5
INFECTIONS OF KIDNEY (590)	0	0	0	-	-	-	0	0	0	-	-	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	2	1	1	5.6	5.5	5.8	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	4	0	4	6.8	-	11.2	0	0	0	-	-	-
ACCIDENTS (800-949)	18	9	9	50.9	49.9	51.9	18	17	1	56.7	60.5	27.5
MOTOR VEHICLE ACCIDENTS# (810-825)	7	2	5	19.8	11.1	28.8	12	12	0	37.8	42.7	-
SUICIDE (950-959)	6	4	2	17.0	22.2	11.5	6	6	0	18.9	21.4	-
HOMICIDE AND LEGAL INTERVENTION (960-978)	11	3	8	31.1	16.6	46.2	1	1	0	3.2	3.6	-
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	3	1	2	8.5	5.5	11.5	5	5	0	15.8	17.8	-

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	AMITE COUNTY						ATTALA COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	0	0	0	-	-	-	0	0	0	-	-	-
MALIGNANT NEOPLASMS (140-208)	23	18	5	172.6	247.5	82.6	54	34	20	292.2	305.9	271.5
DIABETES MELLITUS (250)	3	0	3	22.5	-	49.5	2	2	0	10.8	18.0	-
DISEASES OF HEART (390-398, 402, 404, 410-429)	47	27	20	352.6	371.3	330.2	78	53	25	422.0	476.9	339.4
HYPERTENSION (401, 403)	3	2	1	22.5	27.5	16.5	17	9	8	92.0	81.0	108.6
CEREBROVASCULAR DISEASES (430-438)	8	5	3	60.0	68.8	49.5	20	11	9	108.2	99.0	122.2
ATHEROSCLEROSIS (440)	0	0	0	-	-	-	1	1	0	5.4	9.0	-
PNEUMONIA AND INFLUENZA (480-487)	2	1	1	15.0	13.8	16.5	8	6	2	43.3	54.0	27.1
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	6	4	2	45.0	55.0	33.0	14	12	2	75.8	108.0	27.1
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	1	1	0	7.5	13.8	-	1	1	0	5.4	9.0	-
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	2	1	1	15.0	13.8	16.5	5	4	1	27.0	36.0	13.6
INFECTIONS OF KIDNEY (590)	0	0	0	-	-	-	0	0	0	-	-	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	1	1	0	7.5	13.8	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	0	0	0	-	-	-	3	0	3	11.5	-	21.0
ACCIDENTS (800-949)	8	3	5	60.0	41.2	82.6	9	8	1	48.7	72.0	13.6
MOTOR VEHICLE ACCIDENTS# (810-825)	5	2	3	37.5	27.5	49.5	2	2	0	10.8	18.0	-
SUICIDE (950-959)	1	1	0	7.5	13.8	-	3	3	0	16.2	27.0	-
HOMICIDE AND LEGAL INTERVENTION (960-978)	2	0	2	15.0	-	33.0	8	4	4	43.3	36.0	54.3
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	1	0	1	7.5	-	16.5	1	1	0	5.4	9.0	-

* CAUSES AND NUMBERS ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.

** DEATHS PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

TABLE 18
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF BENTON, BOLIVAR, CALHOUN, AND CARROLL COUNTIES, MISSISSIPPI, 1992

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	BENTON COUNTY						BOLIVAR COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	0	0	0	-	-	-	1	0	1	2.4	-	3.8
MALIGNANT NEOPLASMS (140-208)	19	14	5	236.1	287.5	157.4	91	24	67	217.3	157.3	251.7
DIABETES MELLITUS (250)	1	1	0	12.4	20.5	-	26	7	19	62.1	45.9	71.4
DISEASES OF HEART (390-398, 402, 404, 410-429)	26	20	6	323.1	410.8	188.8	159	68	91	379.7	445.6	341.9
HYPERTENSION (401, 403)	0	0	0	-	-	-	10	3	7	23.9	19.7	26.3
CEREBROVASCULAR DISEASES (430-438)	8	6	2	99.4	123.2	63.0	32	8	24	76.4	52.4	90.2
ATHEROSCLEROSIS (440)	0	0	0	-	-	-	7	4	3	16.7	26.2	11.3
PNEUMONIA AND INFLUENZA (480-487)	1	0	1	12.4	-	31.5	13	6	7	31.0	39.3	26.3
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	1	0	1	12.4	-	31.5	14	6	8	33.4	39.3	30.0
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	1	1	0	12.4	20.5	-	3	1	2	7.2	6.6	7.5
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	3	1	2	37.3	20.5	63.0	14	5	9	33.4	32.8	33.8
INFECTIONS OF KIDNEY (590)	0	0	0	-	-	-	0	0	0	-	-	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	0	0	0	-	-	-	7	0	7	16.7	-	26.3
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	0	0	0	-	-	-	1	0	1	1.4	-	1.7
ACCIDENTS (800-949)	2	1	1	24.8	20.5	31.5	27	11	16	64.5	72.1	60.1
MOTOR VEHICLE ACCIDENTS# (810-825)	2	1	1	24.8	20.5	31.5	14	6	8	33.4	39.3	30.0
SUICIDE (950-959)	2	2	0	24.8	41.1	-	7	3	4	16.7	19.7	15.0
HOMICIDE AND LEGAL INTERVENTION (960-978)	0	0	0	-	-	-	8	0	8	19.1	-	30.0
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	1	1	0	12.4	20.5	-	5	0	5	11.9	-	18.8

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	CALHOUN COUNTY						CARROLL COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	1	1	0	6.7	9.2	-	0	0	0	-	-	-
MALIGNANT NEOPLASMS (140-208)	35	27	8	234.8	249.3	196.1	20	12	8	216.5	215.8	217.6
DIABETES MELLITUS (250)	2	1	1	13.4	9.2	24.5	0	0	0	-	-	-
DISEASES OF HEART (390-398, 402, 404, 410-429)	51	42	9	342.1	387.8	220.6	23	16	7	249.0	287.8	190.4
HYPERTENSION (401, 403)	1	1	0	6.7	9.2	-	0	0	0	-	-	-
CEREBROVASCULAR DISEASES (430-438)	24	21	3	161.0	193.9	73.5	5	3	2	54.1	54.0	54.4
ATHEROSCLEROSIS (440)	0	0	0	-	-	-	0	0	0	-	-	-
PNEUMONIA AND INFLUENZA (480-487)	4	3	1	26.8	27.7	24.5	3	3	0	32.5	54.0	-
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	8	7	1	53.7	64.6	24.5	4	4	0	43.3	71.9	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	1	1	0	6.7	9.2	-	0	0	0	-	-	-
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	5	2	3	33.5	18.5	73.5	0	0	0	-	-	-
INFECTIONS OF KIDNEY (590)	0	0	0	-	-	-	0	0	0	-	-	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	0	0	0	-	-	-	1	1	0	10.8	18.0	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	2	0	2	9.9	-	20.2	2	0	2	18.5	-	31.7
ACCIDENTS (800-949)	11	8	3	73.8	73.9	73.5	8	7	1	86.6	125.9	27.2
MOTOR VEHICLE ACCIDENTS# (810-825)	6	4	2	40.2	36.9	49.0	1	1	0	10.8	18.0	-
SUICIDE (950-959)	1	1	0	6.7	9.2	-	0	0	0	-	-	-
HOMICIDE AND LEGAL INTERVENTION (960-978)	4	2	2	26.8	18.5	49.0	0	0	0	-	-	-
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	1	0	1	6.7	-	24.5	0	0	0	-	-	-

* CAUSES AND NUMBERS ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.

** DEATHS PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

TABLE 18
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF CHICKASAW, CHOCTAW, CLAIBORNE, AND CLARKE COUNTIES, MISSISSIPPI, 1992

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	CHICKASAW COUNTY						CHOCTAW COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	0	0	0	-	-	-	0	0	0	-	-	-
MALIGNANT NEOPLASMS (140-208)	37	25	12	204.6	226.0	170.8	17	11	6	187.4	174.1	218.0
DIABETES MELLITUS (250)	4	2	2	22.1	18.1	28.5	2	1	1	22.0	15.8	36.3
DISEASES OF HEART (390-398, 402, 404, 410-429)	79	53	26	436.8	479.2	370.1	43	35	8	474.0	553.9	290.7
HYPERTENSION (401, 403)	0	0	0	-	-	-	0	0	0	-	-	-
CEREBROVASCULAR DISEASES (430-438)	10	5	5	55.3	45.2	71.2	2	1	1	22.0	15.8	36.3
ATHEROSCLEROSIS (440)	0	0	0	-	-	-	0	0	0	-	-	-
PNEUMONIA AND INFLUENZA (480-487)	6	4	2	33.2	36.2	28.5	1	0	1	11.0	-	36.3
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	6	5	1	33.2	45.2	14.2	5	3	2	55.1	47.5	72.7
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	2	2	0	11.0	18.1	-	1	1	0	11.0	15.8	-
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	3	2	1	16.6	18.1	14.2	1	1	0	11.0	15.8	-
INFECTIONS OF KIDNEY (590)	0	0	0	-	-	-	0	0	0	-	-	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	2	1	1	11.0	9.0	14.2	2	2	0	22.0	31.6	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	1	1	0	3.2	6.3	-	0	0	0	-	-	-
ACCIDENTS (800-949)	16	7	9	88.5	63.3	128.1	8	5	3	88.2	79.1	109.0
MOTOR VEHICLE ACCIDENTS# (810-825)	9	5	4	49.8	45.2	56.9	4	4	0	44.1	63.3	-
SUICIDE (950-959)	1	0	1	5.5	-	14.2	0	0	0	-	-	-
HOMICIDE AND LEGAL INTERVENTION (960-978)	4	1	3	22.1	9.0	42.7	2	1	1	22.0	15.8	36.3
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	3	3	0	16.6	27.1	-	0	0	0	-	-	-

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	CLAIBORNE COUNTY						CLARKE COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	0	0	0	-	-	-	1	1	0	5.8	8.8	-
MALIGNANT NEOPLASMS (140-208)	33	11	22	290.2	551.6	234.6	36	22	14	207.9	194.5	233.3
DIABETES MELLITUS (250)	2	0	2	17.6	-	21.3	2	1	1	11.6	8.8	16.7
DISEASES OF HEART (390-398, 402, 404, 410-429)	46	13	33	404.6	652.0	352.0	85	55	30	491.0	486.2	499.9
HYPERTENSION (401, 403)	0	0	0	-	-	-	0	0	0	-	-	-
CEREBROVASCULAR DISEASES (430-438)	5	2	3	44.0	100.3	32.0	9	6	3	52.0	53.0	50.0
ATHEROSCLEROSIS (440)	0	0	0	-	-	-	1	1	0	5.8	8.8	-
PNEUMONIA AND INFLUENZA (480-487)	2	0	2	17.6	-	21.3	8	7	1	46.2	61.9	16.7
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	1	0	1	8.8	-	10.7	3	3	0	17.3	26.5	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	0	0	0	-	-	-	2	1	1	11.6	8.8	16.7
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	3	0	3	26.4	-	32.0	2	1	1	11.6	8.8	16.7
INFECTIONS OF KIDNEY (590)	0	0	0	-	-	-	0	0	0	-	-	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	1	1	0	403.2	704.2	-
CONGENITAL ANOMALIES (740-759)	0	0	0	-	-	-	1	1	0	5.8	8.8	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	2	0	2	11.8	-	13.3	0	0	0	-	-	-
ACCIDENTS (800-949)	6	4	2	52.8	200.6	21.3	10	9	1	57.8	79.6	16.7
MOTOR VEHICLE ACCIDENTS# (810-825)	5	3	2	44.0	150.4	21.3	6	6	0	34.6	53.0	-
SUICIDE (950-959)	1	1	0	8.8	50.2	-	4	3	1	23.1	26.5	16.7
HOMICIDE AND LEGAL INTERVENTION (960-978)	4	0	4	35.2	-	42.7	2	0	2	11.6	-	33.3
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	2	0	2	17.6	-	21.3	0	0	0	-	-	-

* CAUSES AND NUMBERS ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.

** DEATHS PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

TABLE 18
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF CLAY, COAHOMA, COPIAH, AND COVINGTON COUNTIES, MISSISSIPPI, 1992

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	CLAY COUNTY						COAHOMA COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	0	0	0	-	-	-	1	0	1	3.2	-	4.8
MALIGNANT NEOPLASMS (140-208)	40	21	19	189.4	214.5	167.7	68	25	43	214.7	227.2	208.1
DIABETES MELLITUS (250)	6	1	5	28.4	10.2	44.1	2	1	1	6.3	9.1	4.8
DISEASES OF HEART (390-398, 402, 404, 410-429)	88	47	41	416.7	480.1	361.8	121	48	73	382.1	436.3	353.3
HYPERTENSION (401, 403)	1	0	1	4.7	-	8.8	1	1	0	3.2	9.1	-
CEREBROVASCULAR DISEASES (430-438)	13	4	9	61.6	40.9	79.4	40	12	28	126.3	109.1	135.5
ATHEROSCLEROSIS (440)	2	1	1	9.5	10.2	8.8	1	1	0	3.2	9.1	-
PNEUMONIA AND INFLUENZA (480-487)	7	6	1	33.1	61.3	8.8	10	5	5	31.6	45.4	24.2
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	6	4	2	28.4	40.9	17.6	15	10	5	47.4	90.9	24.2
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	0	0	0	-	-	-	5	3	2	15.8	27.3	9.7
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	3	2	1	14.2	20.4	8.8	5	1	4	15.8	9.1	19.4
INFECTIONS OF KIDNEY (590)	0	0	0	-	-	-	0	0	0	-	-	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	2	1	1	9.5	10.2	8.8	5	1	4	15.8	9.1	19.4
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	4	1	3	9.9	7.8	10.9	5	1	4	8.2	8.5	8.1
ACCIDENTS (800-949)	14	8	6	66.3	81.7	53.0	16	6	10	50.5	54.5	48.4
MOTOR VEHICLE ACCIDENTS# (810-825)	10	4	6	47.3	40.9	53.0	6	2	4	18.9	18.2	19.4
SUICIDE (950-959)	3	1	2	14.2	10.2	17.6	2	0	2	6.3	-	9.7
HOMICIDE AND LEGAL INTERVENTION (960-978)	8	2	6	37.9	20.4	53.0	8	0	8	25.3	-	38.7
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	1	0	1	4.7	-	8.8	1	0	1	3.2	-	4.8

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	COPIAH COUNTY						COVINGTON COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	0	0	0	-	-	-	1	1	0	6.0	9.3	-
MALIGNANT NEOPLASMS (140-208)	63	40	23	228.3	294.1	164.4	29	23	6	175.5	215.0	103.0
DIABETES MELLITUS (250)	2	0	2	7.2	-	14.3	4	2	2	24.2	18.7	34.3
DISEASES OF HEART (390-398, 402, 404, 410-429)	98	52	46	355.2	382.3	328.8	64	49	15	387.2	458.0	257.4
HYPERTENSION (401, 403)	1	0	1	3.6	-	7.1	2	2	0	12.1	18.7	-
CEREBROVASCULAR DISEASES (430-438)	18	10	8	65.2	73.5	57.2	12	9	3	72.6	84.1	51.5
ATHEROSCLEROSIS (440)	1	0	1	3.6	-	7.1	1	1	0	6.0	9.3	-
PNEUMONIA AND INFLUENZA (480-487)	7	4	3	25.4	29.4	21.4	5	3	2	30.2	28.0	34.3
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	2	1	1	7.2	7.4	7.1	4	4	0	24.2	37.4	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	2	0	2	7.2	-	14.3	3	2	1	18.2	18.7	17.2
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	7	2	5	25.4	14.7	35.7	3	2	1	18.2	18.7	17.2
INFECTIONS OF KIDNEY (590)	0	0	0	-	-	-	0	0	0	-	-	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	1	0	1	3.6	-	7.1	1	1	0	6.0	9.3	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	2	1	1	4.2	5.4	3.4	4	0	4	13.3	-	27.4
ACCIDENTS (800-949)	17	7	10	61.6	51.5	71.5	15	11	4	90.8	102.8	68.6
MOTOR VEHICLE ACCIDENTS# (810-825)	11	5	6	39.9	36.8	42.9	8	6	2	48.4	56.1	34.3
SUICIDE (950-959)	7	6	1	25.4	44.1	7.1	2	2	0	12.1	18.7	-
HOMICIDE AND LEGAL INTERVENTION (960-978)	4	0	4	14.5	-	28.6	4	0	4	24.2	-	68.6
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	4	3	1	14.5	22.0	7.1	5	3	2	30.2	28.0	34.3

* CAUSES AND NUMBERS ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.

** DEATHS PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

TABLE 18
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF DESOTO, FORREST, FRANKLIN, AND GEORGE COUNTIES, MISSISSIPPI, 1992

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	DESOTO COUNTY						FORREST COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	0	0	0	-	-	-	1	0	1	1.5	-	4.6
MALIGNANT NEOPLASMS (140-208)	122	103	19	179.6	175.0	209.9	138	94	44	202.0	201.4	203.3
DIABETES MELLITUS (250)	2	2	0	2.9	3.4	-	14	7	7	20.5	15.0	32.3
DISEASES OF HEART (390-398, 402, 404, 410-429)	155	133	22	228.2	226.0	243.1	274	198	76	401.1	424.2	351.2
HYPERTENSION (401, 403)	0	0	0	-	-	-	2	1	1	2.9	2.1	4.6
CEREBROVASCULAR DISEASES (430-438)	32	25	7	47.1	42.5	77.3	53	36	17	77.6	77.1	78.6
ATHEROSCLEROSIS (440)	1	1	0	1.5	1.7	-	8	5	3	11.7	10.7	13.9
PNEUMONIA AND INFLUENZA (480-487)	15	13	2	22.1	22.1	22.1	30	28	2	43.9	60.0	9.2
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	33	29	4	48.6	49.3	44.2	30	21	9	43.9	45.0	41.6
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	2	2	0	2.9	3.4	-	7	5	2	10.2	10.7	9.2
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	8	6	2	11.8	10.2	22.1	9	5	4	13.2	10.7	18.5
INFECTIONS OF KIDNEY (590)	0	0	0	-	-	-	0	0	0	-	-	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	1	0	1	95.2	-	215.0
CONGENITAL ANOMALIES (740-759)	3	2	1	4.4	3.4	11.0	2	0	2	2.9	-	9.2
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	6	4	2	5.2	4.2	10.0	7	0	7	6.7	-	15.0
ACCIDENTS (800-949)	39	35	4	57.4	59.5	44.2	31	14	17	45.4	30.0	78.6
MOTOR VEHICLE ACCIDENTS# (810-825)	28	26	2	41.2	44.2	22.1	15	7	8	22.0	15.0	37.0
SUICIDE (950-959)	7	7	0	10.3	11.9	-	1	1	0	1.5	2.1	-
HOMICIDE AND LEGAL INTERVENTION (960-978)	6	5	1	8.8	8.5	11.0	6	3	3	8.8	6.4	13.9
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	4	3	1	5.9	5.1	11.0	3	3	0	4.4	6.4	-

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	FRANKLIN COUNTY						GEORGE COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	0	0	0	-	-	-	0	0	0	-	-	-
MALIGNANT NEOPLASMS (140-208)	28	20	8	334.2	378.1	259.2	28	27	1	167.9	179.7	60.7
DIABETES MELLITUS (250)	3	2	1	35.8	37.8	32.4	6	6	0	36.0	39.9	-
DISEASES OF HEART (390-398, 402, 404, 410-429)	38	24	14	453.6	453.7	453.5	38	34	4	227.9	226.3	242.7
HYPERTENSION (401, 403)	0	0	0	-	-	-	0	0	0	-	-	-
CEREBROVASCULAR DISEASES (430-438)	6	5	1	71.6	94.5	32.4	11	11	0	66.0	73.2	-
ATHEROSCLEROSIS (440)	1	0	1	11.9	-	32.4	2	2	0	12.0	13.3	-
PNEUMONIA AND INFLUENZA (480-487)	1	1	0	11.9	18.9	-	6	6	0	36.0	39.9	-
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	1	1	0	11.9	18.9	-	3	3	0	18.0	20.0	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	0	0	0	-	-	-	3	3	0	18.0	20.0	-
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	3	2	1	35.8	37.8	32.4	3	3	0	18.0	20.0	-
INFECTIONS OF KIDNEY (590)	0	0	0	-	-	-	0	0	0	-	-	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	1	0	1	8.1	-	15.4	0	0	0	-	-	-
ACCIDENTS (800-949)	9	7	2	107.4	132.3	64.8	11	11	0	66.0	73.2	-
MOTOR VEHICLE ACCIDENTS# (810-825)	4	3	1	47.8	56.7	32.4	8	8	0	48.0	53.2	-
SUICIDE (950-959)	0	0	0	-	-	-	6	6	0	36.0	39.9	-
HOMICIDE AND LEGAL INTERVENTION (960-978)	1	0	1	11.9	-	32.4	1	0	1	6.0	-	60.7
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	2	1	1	23.9	18.9	32.4	0	0	0	-	-	-

* CAUSES AND NUMBERS ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.

** DEATHS PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

TABLE 18
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF GREENE, GRENADA, HANCOCK, AND HARRISON COUNTIES, MISSISSIPPI, 1992

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	GREENE COUNTY						GRENADA COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	0	0	0	-	-	-	0	0	0	-	-	-
MALIGNANT NEOPLASMS (140-208)	18	16	2	176.1	200.0	90.0	47	31	16	218.0	246.8	177.9
DIABETES MELLITUS (250)	6	3	3	58.7	37.5	135.1	2	1	1	9.3	8.0	11.1
DISEASES OF HEART (390-398, 402, 404, 410-429)	35	30	5	342.5	375.0	225.1	105	67	38	487.1	533.3	422.6
HYPERTENSION (401, 403)	0	0	0	-	-	-	0	0	0	-	-	-
CEREBROVASCULAR DISEASES (430-438)	3	3	0	29.4	37.5	-	35	24	11	162.4	191.0	122.3
ATHEROSCLEROSIS (440)	0	0	0	-	-	-	0	0	0	-	-	-
PNEUMONIA AND INFLUENZA (480-487)	2	2	0	19.6	25.0	-	9	8	1	41.8	63.7	11.1
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	0	0	0	-	-	-	7	6	1	32.5	47.8	11.1
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	1	0	1	9.8	-	45.0	2	0	2	9.3	-	22.2
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	4	3	1	39.1	37.5	45.0	3	3	0	13.9	23.9	-
INFECTIONS OF KIDNEY (590)	0	0	0	-	-	-	0	0	0	-	-	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	0	0	0	-	-	-	3	0	3	8.8	-	15.5
ACCIDENTS (800-949)	13	9	4	127.2	112.5	180.1	13	10	3	60.3	79.6	33.4
MOTOR VEHICLE ACCIDENTS# (810-825)	12	8	4	117.4	100.0	180.1	7	5	2	32.5	39.8	22.2
SUICIDE (950-959)	0	0	0	-	-	-	4	4	0	18.6	31.8	-
HOMICIDE AND LEGAL INTERVENTION (960-978)	2	2	0	19.6	25.0	-	2	1	1	9.3	8.0	11.1
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	2	0	2	19.6	-	90.0	2	0	2	9.3	-	22.2

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	HANCOCK COUNTY						HARRISON COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	0	0	0	-	-	-	3	3	0	1.8	2.4	-
MALIGNANT NEOPLASMS (140-208)	74	65	9	233.0	227.1	287.1	340	285	55	205.6	223.3	145.8
DIABETES MELLITUS (250)	3	3	0	9.4	10.5	-	25	19	6	15.1	14.9	15.9
DISEASES OF HEART (390-398, 402, 404, 410-429)	103	88	15	324.3	307.4	478.5	532	417	115	321.7	326.7	304.8
HYPERTENSION (401, 403)	1	1	0	3.1	3.5	-	2	2	0	1.2	1.6	-
CEREBROVASCULAR DISEASES (430-438)	13	13	0	40.9	45.4	-	49	37	12	29.6	29.0	31.8
ATHEROSCLEROSIS (440)	0	0	0	-	-	-	2	1	1	1.2	0.8	2.6
PNEUMONIA AND INFLUENZA (480-487)	8	7	1	25.2	24.4	31.9	45	40	5	27.2	31.3	13.2
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	11	11	0	34.6	38.4	-	80	76	4	48.4	59.5	10.6
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	2	2	0	6.3	7.0	-	28	25	3	16.9	19.6	8.0
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	6	3	3	18.9	10.5	95.7	17	15	2	10.3	11.8	5.3
INFECTIONS OF KIDNEY (590)	0	0	0	-	-	-	0	0	0	-	-	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	2	2	0	6.3	7.0	-	10	7	3	6.0	5.5	8.0
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	0	0	0	-	-	-	9	3	6	3.0	1.4	6.9
ACCIDENTS (800-949)	15	13	2	47.2	45.4	63.8	73	60	13	44.1	47.0	34.4
MOTOR VEHICLE ACCIDENTS# (810-825)	5	4	1	15.7	14.0	31.9	30	27	3	18.1	21.2	8.0
SUICIDE (950-959)	4	4	0	12.6	14.0	-	27	26	1	16.3	20.4	2.6
HOMICIDE AND LEGAL INTERVENTION (960-978)	5	3	2	15.7	10.5	63.8	25	15	10	15.1	11.8	26.5
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	0	0	0	-	-	-	11	7	4	6.6	5.5	10.6

* CAUSES AND NUMBERS ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.

** DEATHS PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

TABLE 18
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF HINDS, HOLMES, HUMPHREYS, AND ISSAQUENA COUNTIES, MISSISSIPPI, 1992

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	HINDS COUNTY						HOLMES COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	2	1	1	0.8	0.8	0.8	1	1	0	4.6	19.3	-
MALIGNANT NEOPLASMS (140-208)	496	257	239	194.9	208.6	182.1	47	17	30	217.6	328.4	182.6
DIABETES MELLITUS (250)	37	15	22	14.5	12.2	16.8	3	1	2	13.9	19.3	12.2
DISEASES OF HEART (390-398, 402, 404, 410-429)	773	458	315	303.8	371.8	240.0	100	36	64	462.9	695.5	389.6
HYPERTENSION (401, 403)	9	6	3	3.5	4.9	2.3	1	0	1	4.6	-	6.1
CEREBROVASCULAR DISEASES (430-438)	121	69	52	47.6	56.0	39.6	25	8	17	115.7	154.6	103.5
ATHEROSCLEROSIS (440)	2	2	0	0.8	1.6	-	0	0	0	-	-	-
PNEUMONIA AND INFLUENZA (480-487)	68	41	27	26.7	33.3	20.6	8	2	6	37.0	38.6	36.5
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	60	46	14	23.6	37.3	10.7	9	4	5	41.6	77.3	30.4
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	12	7	5	4.7	5.7	3.8	1	0	1	4.6	-	6.1
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	18	8	10	7.1	6.5	7.6	2	0	2	9.2	-	12.2
INFECTIONS OF KIDNEY (590)	1	0	1	0.4	-	0.8	0	0	0	-	-	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	14	5	9	5.5	4.0	6.8	2	1	1	9.2	19.3	6.1
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	26	2	24	6.1	1.5	8.3	4	0	4	9.5	-	10.6
ACCIDENTS (800-949)	117	56	61	46.0	45.5	46.5	21	4	17	97.2	77.3	103.5
MOTOR VEHICLE ACCIDENTS# (810-825)	56	26	30	22.0	21.1	22.8	10	0	10	46.3	-	60.9
SUICIDE (950-959)	35	27	8	13.8	21.9	6.1	3	1	2	13.9	19.3	12.2
HOMICIDE AND LEGAL INTERVENTION (960-978)	60	6	54	23.6	4.9	41.1	9	1	8	41.6	19.3	48.7
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	17	8	9	6.7	6.5	6.8	7	0	7	32.4	-	42.6

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	HUMPHREYS COUNTY						ISSAQUENA COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	0	0	0	-	-	-	0	0	0	-	-	-
MALIGNANT NEOPLASMS (140-208)	19	7	12	156.6	181.5	145.0	3	2	1	157.2	240.1	92.9
DIABETES MELLITUS (250)	1	1	0	8.2	25.9	-	0	0	0	-	-	-
DISEASES OF HEART (390-398, 402, 404, 410-429)	40	15	25	329.6	389.0	302.0	6	2	4	314.3	240.1	371.7
HYPERTENSION (401, 403)	0	0	0	-	-	-	1	1	0	52.4	120.0	-
CEREBROVASCULAR DISEASES (430-438)	6	4	2	49.4	103.7	24.2	1	0	1	52.4	-	92.9
ATHEROSCLEROSIS (440)	0	0	0	-	-	-	0	0	0	-	-	-
PNEUMONIA AND INFLUENZA (480-487)	3	1	2	24.7	25.9	24.2	1	0	1	52.4	-	92.9
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	5	5	0	41.2	129.7	-	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	1	0	1	8.2	-	12.1	0	0	0	-	-	-
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	1	0	1	8.2	-	12.1	0	0	0	-	-	-
INFECTIONS OF KIDNEY (590)	0	0	0	-	-	-	0	0	0	-	-	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	1	0	1	8.2	-	12.1	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	0	0	0	-	-	-	1	0	1	31.2	-	47.6
ACCIDENTS (800-949)	4	2	2	33.0	51.9	24.2	0	0	0	-	-	-
MOTOR VEHICLE ACCIDENTS# (810-825)	2	0	2	16.5	-	24.2	0	0	0	-	-	-
SUICIDE (950-959)	1	0	1	8.2	-	12.1	0	0	0	-	-	-
HOMICIDE AND LEGAL INTERVENTION (960-978)	4	1	3	33.0	25.9	36.2	0	0	0	-	-	-
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	4	0	4	33.0	-	48.3	1	0	1	52.4	-	92.9

* CAUSES AND NUMBERS ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.

** DEATHS PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

TABLE 18
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF ITAWAMBA, JACKSON, JASPER, AND JEFFERSON COUNTIES, MISSISSIPPI, 1992

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	ITAWAMBA COUNTY						JACKSON COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	0	0	0	-	-	-	0	0	0	-	-	-
MALIGNANT NEOPLASMS (140-208)	55	52	3	274.8	279.6	211.1	229	184	45	198.7	204.2	179.1
DIABETES MELLITUS (250)	3	2	1	15.0	10.8	70.4	13	11	2	11.3	12.2	8.0
DISEASES OF HEART (390-398, 402, 404, 410-429)	84	76	8	419.6	408.7	563.0	304	250	54	263.8	277.4	214.9
HYPERTENSION (401, 403)	0	0	0	-	-	-	2	2	0	1.7	2.2	-
CEREBROVASCULAR DISEASES (430-438)	21	21	0	104.9	112.9	-	40	31	9	34.7	34.4	35.8
ATHEROSCLEROSIS (440)	2	2	0	10.0	10.8	-	3	2	1	2.6	2.2	4.0
PNEUMONIA AND INFLUENZA (480-487)	7	7	0	35.0	37.6	-	24	24	0	20.8	26.6	-
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	6	6	0	30.0	32.3	-	37	35	2	32.1	38.8	8.0
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	2	2	0	10.0	10.8	-	11	10	1	9.5	11.1	4.0
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	3	2	1	15.0	10.8	70.4	9	6	3	7.8	6.6	11.9
INFECTIONS OF KIDNEY (590)	1	1	0	5.0	5.4	-	0	0	0	-	-	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	1	0	1	5.0	-	70.4	6	5	1	5.2	5.5	4.0
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	2	2	0	7.1	7.4	-	10	6	4	5.3	4.5	6.9
ACCIDENTS (800-949)	23	20	3	114.9	107.6	211.1	46	37	9	39.9	41.0	35.8
MOTOR VEHICLE ACCIDENTS# (810-825)	12	9	3	59.9	48.4	211.1	19	15	4	16.5	16.6	15.9
SUICIDE (950-959)	5	5	0	25.0	26.9	-	14	12	2	12.1	13.3	8.0
HOMICIDE AND LEGAL INTERVENTION (960-978)	2	1	1	10.0	5.4	70.4	14	5	9	12.1	5.5	35.8
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	5	4	1	25.0	21.5	70.4	6	1	5	5.2	1.1	19.9

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	JASPER COUNTY						JEFFERSON COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	0	0	0	-	-	-	1	0	1	11.6	-	13.4
MALIGNANT NEOPLASMS (140-208)	40	20	20	233.7	237.8	229.8	15	6	9	173.4	506.3	120.5
DIABETES MELLITUS (250)	3	1	2	17.5	11.9	23.0	1	0	1	11.6	-	13.4
DISEASES OF HEART (390-398, 402, 404, 410-429)	82	50	32	479.1	594.5	367.6	33	5	28	381.4	421.9	374.9
HYPERTENSION (401, 403)	0	0	0	-	-	-	0	0	0	-	-	-
CEREBROVASCULAR DISEASES (430-438)	17	12	5	99.3	142.7	57.4	2	1	1	23.1	84.4	13.4
ATHEROSCLEROSIS (440)	0	0	0	-	-	-	0	0	0	-	-	-
PNEUMONIA AND INFLUENZA (480-487)	10	5	5	58.4	59.4	57.4	1	1	0	11.6	84.4	-
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	3	2	1	17.5	23.8	11.5	1	0	1	11.6	-	13.4
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	3	3	0	17.5	35.7	-	0	0	0	-	-	-
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	1	0	1	5.8	-	11.5	0	0	0	-	-	-
INFECTIONS OF KIDNEY (590)	0	0	0	-	-	-	0	0	0	-	-	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	2	1	1	11.7	11.9	11.5	1	0	1	11.6	-	13.4
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	0	0	0	-	-	-	1	0	1	6.5	-	6.8
ACCIDENTS (800-949)	9	4	5	52.6	47.6	57.4	9	1	8	104.0	84.4	107.1
MOTOR VEHICLE ACCIDENTS# (810-825)	5	2	3	29.2	23.8	34.5	6	1	5	69.3	84.4	67.0
SUICIDE (950-959)	3	1	2	17.5	11.9	23.0	1	0	1	11.6	-	13.4
HOMICIDE AND LEGAL INTERVENTION (960-978)	2	0	2	11.7	-	23.0	1	0	1	11.6	-	13.4
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	3	0	3	17.5	-	34.5	2	0	2	23.1	-	26.8

* CAUSES AND NUMBERS ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.

** DEATHS PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

TABLE 18
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF JEFF DAVIS, JONES, KEMPER, AND LAFAYETTE COUNTIES, MISSISSIPPI, 1992

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	JEFF DAVIS COUNTY						JONES COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	0	0	0	-	-	-	0	0	0	-	-	-
MALIGNANT NEOPLASMS (140-208)	37	19	18	263.3	300.2	233.1	147	110	37	237.0	238.1	233.6
DIABETES MELLITUS (250)	3	0	3	21.4	-	38.8	12	10	2	19.3	21.6	12.6
DISEASES OF HEART (390-398, 402, 404, 410-429)	53	21	32	377.2	331.8	414.4	215	178	37	346.6	385.3	233.6
HYPERTENSION (401, 403)	0	0	0	-	-	-	0	0	0	-	-	-
CEREBROVASCULAR DISEASES (430-438)	8	8	0	56.9	126.4	-	65	50	15	104.8	108.2	94.7
ATHEROSCLEROSIS (440)	0	0	0	-	-	-	1	1	0	1.6	2.2	-
PNEUMONIA AND INFLUENZA (480-487)	3	0	3	21.4	-	38.8	26	22	4	41.9	47.6	25.2
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	3	2	1	21.4	31.6	13.0	30	27	3	48.4	58.4	18.9
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	0	0	0	-	-	-	3	3	0	4.8	6.5	-
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	2	0	2	14.2	-	25.9	12	7	5	19.3	15.2	31.6
INFECTIONS OF KIDNEY (590)	0	0	0	-	-	-	0	0	0	-	-	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	3	0	3	21.4	-	38.8	5	3	2	8.1	6.5	12.6
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	1	0	1	4.4	-	6.8	2	0	2	2.3	-	5.6
ACCIDENTS (800-949)	13	6	7	92.5	94.8	90.7	42	32	10	67.7	69.3	63.1
MOTOR VEHICLE ACCIDENTS# (810-825)	6	3	3	42.7	47.4	38.8	18	14	4	29.0	30.3	25.2
SUICIDE (950-959)	0	0	0	-	-	-	4	4	0	6.4	8.6	-
HOMICIDE AND LEGAL INTERVENTION (960-978)	0	0	0	-	-	-	22	8	14	35.5	17.3	88.4
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	3	1	2	21.4	15.8	25.9	4	2	2	6.4	4.3	12.6

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	KEMPER COUNTY						LAFAYETTE COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	0	0	0	-	-	-	0	0	0	-	-	-
MALIGNANT NEOPLASMS (140-208)	21	13	8	202.8	295.0	134.5	44	31	13	138.2	133.9	149.8
DIABETES MELLITUS (250)	1	0	1	9.6	-	16.8	3	2	1	9.4	8.6	11.5
DISEASES OF HEART (390-398, 402, 404, 410-429)	53	31	22	511.8	703.4	369.8	88	65	23	276.5	280.8	265.1
HYPERTENSION (401, 403)	0	0	0	-	-	-	1	0	1	3.1	-	11.5
CEREBROVASCULAR DISEASES (430-438)	6	3	3	57.9	68.1	50.4	9	5	4	28.3	21.6	46.1
ATHEROSCLEROSIS (440)	0	0	0	-	-	-	3	2	1	9.4	8.6	11.5
PNEUMONIA AND INFLUENZA (480-487)	3	1	2	29.0	22.7	33.6	5	4	1	15.7	17.3	11.5
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	7	5	2	67.6	113.4	33.6	11	11	0	34.6	47.5	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	1	0	1	9.6	-	16.8	6	5	1	18.8	21.6	11.5
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	0	0	0	-	-	-	5	2	3	15.7	8.6	34.6
INFECTIONS OF KIDNEY (590)	0	0	0	-	-	-	0	0	0	-	-	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	1	0	1	255.1	-	531.9
CONGENITAL ANOMALIES (740-759)	1	1	0	9.6	22.7	-	2	0	2	6.3	-	23.0
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	1	0	1	8.5	-	11.4	0	0	0	-	-	-
ACCIDENTS (800-949)	16	9	7	154.5	204.2	117.7	8	5	3	25.1	21.6	34.6
MOTOR VEHICLE ACCIDENTS# (810-825)	10	4	6	96.6	90.8	100.8	3	1	2	9.4	4.3	23.0
SUICIDE (950-959)	0	0	0	-	-	-	7	5	2	22.0	21.6	23.0
HOMICIDE AND LEGAL INTERVENTION (960-978)	1	0	1	9.6	-	16.8	5	2	3	15.7	8.6	34.6
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	0	0	0	-	-	-	2	2	0	6.3	8.6	-

* CAUSES AND NUMBERS ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.

** DEATHS PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

TABLE 18
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF LAMAR, LAUDERDALE, LAWRENCE, AND LEAKE COUNTIES, MISSISSIPPI, 1992

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	LAMAR COUNTY						LAUDERDALE COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	0	0	0	-	-	-	3	0	3	4.0	-	11.2
MALIGNANT NEOPLASMS (140-208)	35	31	4	115.0	116.5	104.6	145	101	44	191.9	207.4	163.9
DIABETES MELLITUS (250)	3	3	0	9.9	11.3	-	17	8	9	22.5	16.4	33.5
DISEASES OF HEART (390-398, 402, 404, 410-429)	79	70	9	259.7	263.2	235.3	291	200	91	385.2	410.6	338.9
HYPERTENSION (401, 403)	0	0	0	-	-	-	3	1	2	4.0	2.0	7.4
CEREBROVASCULAR DISEASES (430-438)	18	16	2	59.2	60.2	52.3	50	32	18	66.2	65.7	67.0
ATHEROSCLEROSIS (440)	1	0	1	3.3	-	26.1	2	0	2	2.6	-	7.4
PNEUMONIA AND INFLUENZA (480-487)	11	10	1	36.2	37.6	26.1	18	14	4	23.8	28.7	14.9
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	10	9	1	32.9	33.8	26.1	40	30	10	52.9	61.6	37.2
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	1	1	0	3.3	3.8	-	12	11	1	15.9	22.6	3.7
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	5	3	2	16.4	11.3	52.3	6	5	1	7.9	10.3	3.7
INFECTIONS OF KIDNEY (590)	0	0	0	-	-	-	1	1	0	1.3	2.0	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	2	1	1	6.6	3.8	26.1	4	2	2	5.3	4.1	7.4
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	1	1	0	2.0	2.5	-	6	1	5	4.9	1.7	8.0
ACCIDENTS (800-949)	18	17	1	59.2	63.9	26.1	35	24	11	46.3	49.3	41.0
MOTOR VEHICLE ACCIDENTS# (810-825)	14	13	1	46.0	48.9	26.1	20	12	8	26.5	24.6	29.8
SUICIDE (950-959)	3	3	0	9.9	11.3	-	10	8	2	13.2	16.4	7.4
HOMICIDE AND LEGAL INTERVENTION (960-978)	2	2	0	6.6	7.5	-	11	4	7	14.6	8.2	26.1
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	1	1	0	3.3	3.8	-	9	5	4	11.9	10.3	14.9

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	LAWRENCE COUNTY						LEAKE COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	0	0	0	-	-	-	0	0	0	-	-	-
MALIGNANT NEOPLASMS (140-208)	36	28	8	289.0	337.3	192.4	55	42	13	298.3	378.8	176.9
DIABETES MELLITUS (250)	2	0	2	16.0	-	48.1	6	0	6	32.5	-	81.6
DISEASES OF HEART (390-398, 402, 404, 410-429)	47	32	15	377.3	385.5	360.8	89	62	27	482.8	559.3	367.3
HYPERTENSION (401, 403)	0	0	0	-	-	-	1	1	0	5.4	9.0	-
CEREBROVASCULAR DISEASES (430-438)	11	7	4	88.3	84.3	96.2	23	17	6	124.8	153.3	81.6
ATHEROSCLEROSIS (440)	0	0	0	-	-	-	1	1	0	5.4	9.0	-
PNEUMONIA AND INFLUENZA (480-487)	0	0	0	-	-	-	8	7	1	43.4	63.1	13.6
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	7	7	0	56.2	84.3	-	7	5	2	38.0	45.1	27.2
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	0	0	0	-	-	-	3	1	2	16.3	9.0	27.2
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	3	1	2	24.1	12.0	48.1	4	2	2	21.7	18.0	27.2
INFECTIONS OF KIDNEY (590)	0	0	0	-	-	-	0	0	0	-	-	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	1	0	1	8.0	-	24.0	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	1	1	0	4.9	8.3	-	3	2	1	10.1	17.2	5.5
ACCIDENTS (800-949)	8	6	2	64.2	72.3	48.1	31	17	14	168.1	153.3	190.5
MOTOR VEHICLE ACCIDENTS# (810-825)	4	4	0	32.1	48.2	-	16	10	6	86.8	90.2	81.6
SUICIDE (950-959)	1	1	0	8.0	12.0	-	1	1	0	5.4	9.0	-
HOMICIDE AND LEGAL INTERVENTION (960-978)	1	0	1	8.0	-	24.0	1	1	0	5.4	9.0	-
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	0	0	0	-	-	-	1	1	0	5.4	9.0	-

* CAUSES AND NUMBERS ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.

** DEATHS PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

TABLE 18
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF LEE, LEFLORE, LINCOLN, AND LOWNDES COUNTIES, MISSISSIPPI, 1992

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	LEE COUNTY						LEFLORE COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	2	1	1	3.0	2.0	7.0	0	0	0	-	-	-
MALIGNANT NEOPLASMS (140-208)	146	119	27	222.6	232.2	188.5	83	39	44	222.3	268.7	192.8
DIABETES MELLITUS (250)	4	4	0	6.1	7.8	-	11	4	7	29.4	27.6	30.7
DISEASES OF HEART (390-398, 402, 404, 410-429)	240	189	51	366.0	368.7	356.1	163	79	84	436.5	544.2	368.0
HYPERTENSION (401, 403)	1	1	0	1.5	2.0	-	6	2	4	16.1	13.8	17.5
CEREBROVASCULAR DISEASES (430-438)	38	32	6	57.9	62.4	41.9	21	7	14	56.2	48.2	61.3
ATHEROSCLEROSIS (440)	4	4	0	6.1	7.8	-	0	0	0	-	-	-
PNEUMONIA AND INFLUENZA (480-487)	15	14	1	22.9	27.3	7.0	12	6	6	32.1	41.3	26.3
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	20	19	1	30.5	37.1	7.0	13	9	4	34.8	62.0	17.5
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	7	5	2	10.7	9.8	14.0	3	3	0	8.0	20.7	-
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	6	5	1	9.1	9.8	7.0	8	2	6	21.4	13.8	26.3
INFECTIONS OF KIDNEY (590)	0	0	0	-	-	-	0	0	0	-	-	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	1	1	0	1.5	2.0	-	4	2	2	10.7	13.8	8.8
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	9	4	5	7.5	4.9	13.1	6	0	6	8.3	-	10.9
ACCIDENTS (800-949)	30	22	8	45.7	42.9	55.9	16	6	10	42.8	41.3	43.8
MOTOR VEHICLE ACCIDENTS# (810-825)	20	17	3	30.5	33.2	20.9	9	4	5	24.1	27.6	21.9
SUICIDE (950-959)	12	11	1	18.3	21.4	7.0	5	5	0	13.4	34.4	-
HOMICIDE AND LEGAL INTERVENTION (960-978)	10	4	6	15.2	7.8	41.9	9	1	8	24.1	6.9	35.0
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	8	6	2	12.2	11.7	14.0	2	0	2	5.4	-	8.8

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	LINCOLN COUNTY						LOWNDES COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	0	0	0	-	-	-	2	0	2	3.4	-	8.9
MALIGNANT NEOPLASMS (140-208)	72	54	18	237.8	255.2	197.4	119	77	42	200.6	209.6	186.1
DIABETES MELLITUS (250)	16	12	4	52.8	56.7	43.9	4	3	1	6.7	8.2	4.4
DISEASES OF HEART (390-398, 402, 404, 410-429)	107	81	26	353.4	382.8	285.2	147	82	65	247.8	223.2	288.0
HYPERTENSION (401, 403)	1	0	1	3.3	-	11.0	4	2	2	6.7	5.4	8.9
CEREBROVASCULAR DISEASES (430-438)	33	19	14	109.0	89.8	153.6	32	22	10	54.0	59.9	44.3
ATHEROSCLEROSIS (440)	0	0	0	-	-	-	2	1	1	3.4	2.7	4.4
PNEUMONIA AND INFLUENZA (480-487)	11	8	3	36.3	37.8	32.9	8	7	1	13.5	19.0	4.4
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	12	12	0	39.6	56.7	-	17	13	4	28.7	35.4	17.7
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	4	3	1	13.2	14.2	11.0	4	3	1	6.7	8.2	4.4
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	2	1	1	6.6	4.7	11.0	9	2	7	15.2	5.4	31.0
INFECTIONS OF KIDNEY (590)	0	0	0	-	-	-	0	0	0	-	-	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	4	4	0	13.2	18.9	-	2	1	1	3.4	2.7	4.4
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	0	0	0	-	-	-	6	2	4	5.6	3.6	7.5
ACCIDENTS (800-949)	18	17	1	59.4	80.3	11.0	29	17	12	48.9	46.3	53.2
MOTOR VEHICLE ACCIDENTS# (810-825)	12	11	1	39.6	52.0	11.0	14	8	6	23.6	21.8	26.6
SUICIDE (950-959)	7	5	2	23.1	23.6	21.9	4	3	1	6.7	8.2	4.4
HOMICIDE AND LEGAL INTERVENTION (960-978)	3	2	1	9.9	9.4	11.0	6	4	2	10.1	10.9	8.9
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	1	1	0	3.3	4.7	-	5	2	3	8.4	5.4	13.3

* CAUSES AND NUMBERS ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.

** DEATHS PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

TABLE 18
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF MADISON, MARION, MARSHALL, AND MONROE COUNTIES, MISSISSIPPI, 1992

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	MADISON COUNTY						MARION COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	0	0	0	-	-	-	1	0	1	3.9	-	12.8
MALIGNANT NEOPLASMS (140-208)	109	60	49	202.6	201.4	204.1	39	29	10	152.7	163.5	128.0
DIABETES MELLITUS (250)	9	2	7	16.7	6.7	29.2	7	2	5	27.4	11.3	64.0
DISEASES OF HEART (390-398, 402, 404, 410-429)	140	80	60	260.2	268.6	249.9	91	67	24	356.2	377.8	307.2
HYPERTENSION (401, 403)	5	1	4	9.3	3.4	16.7	0	0	0	-	-	-
CEREBROVASCULAR DISEASES (430-438)	25	9	16	46.5	30.2	66.6	27	15	12	105.7	84.6	153.6
ATHEROSCLEROSIS (440)	2	2	0	3.7	6.7	-	6	4	2	23.5	22.6	25.6
PNEUMONIA AND INFLUENZA (480-487)	16	9	7	29.7	30.2	29.2	9	6	3	35.2	33.8	38.4
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	11	6	5	20.4	20.1	20.8	9	8	1	35.2	45.1	12.8
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	5	4	1	9.3	13.4	4.2	3	3	0	11.7	16.9	-
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	9	3	6	16.7	10.1	25.0	5	4	1	19.6	22.6	12.8
INFECTIONS OF KIDNEY (590)	1	0	1	1.8	-	4.2	0	0	0	-	-	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	3	1	2	5.6	3.4	8.3	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	5	1	4	4.6	2.0	6.7	3	1	2	8.3	4.8	13.0
ACCIDENTS (800-949)	25	10	15	46.5	33.6	62.5	18	12	6	70.5	67.7	76.8
MOTOR VEHICLE ACCIDENTS# (810-825)	8	1	7	14.9	3.4	29.2	11	9	2	43.1	50.8	25.6
SUICIDE (950-959)	6	5	1	11.2	16.8	4.2	5	3	2	19.6	16.9	25.6
HOMICIDE AND LEGAL INTERVENTION (960-978)	17	3	14	31.6	10.1	58.3	4	1	3	15.6	5.6	38.4
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	3	0	3	5.6	-	12.5	1	0	1	3.9	-	12.8

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	MARSHALL COUNTY						MONROE COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	0	0	0	-	-	-	2	1	1	5.5	3.9	8.9
MALIGNANT NEOPLASMS (140-208)	65	36	29	214.1	242.6	186.9	86	60	26	235.1	236.3	232.4
DIABETES MELLITUS (250)	4	1	3	13.2	6.7	19.3	5	3	2	13.7	11.8	17.9
DISEASES OF HEART (390-398, 402, 404, 410-429)	80	45	35	263.5	303.2	225.5	171	129	42	467.4	508.0	375.4
HYPERTENSION (401, 403)	3	2	1	9.9	13.5	6.4	5	2	3	13.7	7.9	26.8
CEREBROVASCULAR DISEASES (430-438)	18	11	7	59.3	74.1	45.1	31	23	8	84.7	90.6	71.5
ATHEROSCLEROSIS (440)	2	0	2	6.6	-	12.9	1	1	0	2.7	3.9	-
PNEUMONIA AND INFLUENZA (480-487)	13	8	5	42.8	53.9	32.2	17	14	3	46.5	55.1	26.8
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	8	6	2	26.4	40.4	12.9	13	12	1	35.5	47.2	8.9
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	2	1	1	6.6	6.7	6.4	5	3	2	13.7	11.8	17.9
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	2	2	0	6.6	13.5	-	5	1	4	13.7	3.9	35.8
INFECTIONS OF KIDNEY (590)	0	0	0	-	-	-	0	0	0	-	-	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	1	1	0	3.3	6.7	-	2	0	2	5.5	-	17.9
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	7	3	4	13.3	12.8	13.7	6	3	3	10.9	9.0	14.0
ACCIDENTS (800-949)	29	16	13	95.5	107.8	83.8	34	21	13	92.9	82.7	116.2
MOTOR VEHICLE ACCIDENTS# (810-825)	20	12	8	65.9	80.8	51.6	15	7	8	41.0	27.6	71.5
SUICIDE (950-959)	1	1	0	3.3	6.7	-	1	1	0	2.7	3.9	-
HOMICIDE AND LEGAL INTERVENTION (960-978)	6	0	6	19.8	-	38.7	2	1	1	5.5	3.9	8.9
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	6	2	4	19.8	13.5	25.8	3	2	1	8.2	7.9	8.9

* CAUSES AND NUMBERS ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.

** DEATHS PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

TABLE 18
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF MONTGOMERY, NESHOPA, NEWTON, AND NOXUBEE COUNTIES, MISSISSIPPI, 1992

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	MONTGOMERY COUNTY						NESHOPA COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	0	0	0	-	-	-	0	0	0	-	-	-
MALIGNANT NEOPLASMS (140-208)	36	24	12	290.6	347.0	219.3	69	49	20	278.2	289.2	254.6
DIABETES MELLITUS (250)	3	1	2	24.2	14.4	36.6	2	0	2	8.1	-	25.5
DISEASES OF HEART (390-398, 402, 404, 410-429)	76	51	25	613.5	737.4	456.9	113	87	26	455.6	513.4	331.0
HYPERTENSION (401, 403)	0	0	0	-	-	-	1	1	0	4.0	5.9	-
CEREBROVASCULAR DISEASES (430-438)	7	4	3	56.5	57.8	54.8	28	20	8	112.9	118.0	101.8
ATHEROSCLEROSIS (440)	1	0	1	8.1	-	18.3	3	3	0	12.1	17.7	-
PNEUMONIA AND INFLUENZA (480-487)	6	2	4	48.4	28.9	73.1	10	10	0	40.3	59.0	-
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	2	1	1	16.1	14.4	18.3	7	7	0	28.2	41.3	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	0	0	0	-	-	-	4	2	2	16.1	11.8	25.5
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	3	2	1	24.2	28.9	18.3	2	0	2	8.1	-	25.5
INFECTIONS OF KIDNEY (590)	0	0	0	-	-	-	0	0	0	-	-	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	1	0	1	8.1	-	18.3	5	0	5	20.2	-	63.6
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	5	2	3	23.0	21.3	24.4	4	1	3	10.1	5.4	14.2
ACCIDENTS (800-949)	7	3	4	56.5	43.4	73.1	21	15	6	84.7	88.5	76.4
MOTOR VEHICLE ACCIDENTS# (810-825)	4	3	1	32.3	43.4	18.3	10	7	3	40.3	41.3	38.2
SUICIDE (950-959)	0	0	0	-	-	-	2	2	0	8.1	11.8	-
HOMICIDE AND LEGAL INTERVENTION (960-978)	0	0	0	-	-	-	4	3	1	16.1	17.7	12.7
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	0	0	0	-	-	-	0	0	0	-	-	-

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	NEWTON COUNTY						NOXUBEE COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	0	0	0	-	-	-	0	0	0	-	-	-
MALIGNANT NEOPLASMS (140-208)	45	36	9	221.8	262.8	136.5	34	15	19	269.8	378.9	219.8
DIABETES MELLITUS (250)	14	5	9	69.0	36.5	136.5	2	1	1	15.9	25.2	11.6
DISEASES OF HEART (390-398, 402, 404, 410-429)	77	66	11	379.5	481.8	166.8	57	18	39	452.2	454.7	451.1
HYPERTENSION (401, 403)	1	0	1	4.9	-	15.2	0	0	0	-	-	-
CEREBROVASCULAR DISEASES (430-438)	15	10	5	73.9	73.0	75.8	14	8	6	111.1	202.1	69.4
ATHEROSCLEROSIS (440)	0	0	0	-	-	-	1	1	0	7.9	25.2	-
PNEUMONIA AND INFLUENZA (480-487)	7	6	1	34.5	43.8	15.2	3	0	3	23.8	-	34.7
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	6	5	1	29.6	36.5	15.2	3	2	1	23.8	50.5	11.6
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	0	0	0	-	-	-	0	0	0	-	-	-
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	3	1	2	14.8	7.3	30.3	1	0	1	7.9	-	11.6
INFECTIONS OF KIDNEY (590)	0	0	0	-	-	-	0	0	0	-	-	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	1	0	1	2.9	-	5.4	1	0	1	4.1	-	5.2
ACCIDENTS (800-949)	9	6	3	44.4	43.8	45.5	14	4	10	111.1	101.0	115.7
MOTOR VEHICLE ACCIDENTS# (810-825)	5	4	1	24.6	29.2	15.2	8	2	6	63.5	50.5	69.4
SUICIDE (950-959)	3	1	2	14.8	7.3	30.3	0	0	0	-	-	-
HOMICIDE AND LEGAL INTERVENTION (960-978)	5	3	2	24.6	21.9	30.3	2	1	1	15.9	25.2	11.6
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	3	1	2	14.8	7.3	30.3	1	0	1	7.9	-	11.6

* CAUSES AND NUMBERS ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.

** DEATHS PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

TABLE 18
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF OKTIBBEHA, PANOLA, PEARL RIVER, AND PERRY COUNTIES, MISSISSIPPI, 1992

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	OKTIBBEHA COUNTY						PANOLA COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	0	0	0	-	-	-	0	0	0	-	-	-
MALIGNANT NEOPLASMS (140-208)	57	36	21	148.5	149.6	146.7	67	47	20	223.4	305.7	136.8
DIABETES MELLITUS (250)	13	2	11	33.9	8.3	76.9	12	5	7	40.0	32.5	47.9
DISEASES OF HEART (390-398, 402, 404, 410-429)	92	45	47	239.7	187.0	328.4	115	71	44	383.4	461.8	301.0
HYPERTENSION (401, 403)	6	3	3	15.6	12.5	21.0	2	1	1	6.7	6.5	6.8
CEREBROVASCULAR DISEASES (430-438)	13	6	7	33.9	24.9	48.9	25	14	11	83.3	91.0	75.2
ATHEROSCLEROSIS (440)	1	1	0	2.6	4.2	-	0	0	0	-	-	-
PNEUMONIA AND INFLUENZA (480-487)	3	3	0	7.8	12.5	-	10	5	5	33.3	32.5	34.2
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	9	8	1	23.4	33.2	7.0	9	8	1	30.0	52.0	6.8
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	0	0	0	-	-	-	5	4	1	16.7	26.0	6.8
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	0	0	0	-	-	-	5	1	4	16.7	6.5	27.4
INFECTIONS OF KIDNEY (590)	0	0	0	-	-	-	0	0	0	-	-	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	1	0	1	2.6	-	7.0	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	2	0	2	3.8	-	7.0	2	1	1	3.6	5.4	2.7
ACCIDENTS (800-949) MOTOR VEHICLE ACCIDENTS# (810-825)	12	6	6	31.3	24.9	41.9	20	10	10	66.7	65.0	68.4
SUICIDE (950-959)	7	3	4	18.2	12.5	28.0	10	6	4	33.3	39.0	27.4
HOMICIDE AND LEGAL INTERVENTION (960-978)	3	1	2	7.8	4.2	14.0	3	3	0	10.0	19.5	-
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	3	0	3	7.8	-	21.0	10	3	7	33.3	19.5	47.9
	0	0	0	-	-	-	1	1	0	3.3	6.5	-

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	PEARL RIVER COUNTY						PERRY COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	0	0	0	-	-	-	1	0	1	9.2	-	39.5
MALIGNANT NEOPLASMS (140-208)	93	81	12	240.2	246.3	206.0	15	13	2	138.0	156.0	79.0
DIABETES MELLITUS (250)	13	11	2	33.6	33.4	34.3	1	1	0	9.2	12.0	-
DISEASES OF HEART (390-398, 402, 404, 410-429)	131	108	23	338.4	328.4	394.8	29	21	8	266.9	252.0	316.0
HYPERTENSION (401, 403)	1	1	0	2.6	3.0	-	1	1	0	9.2	12.0	-
CEREBROVASCULAR DISEASES (430-438)	23	17	6	59.4	51.7	103.0	10	8	2	92.0	96.0	79.0
ATHEROSCLEROSIS (440)	1	1	0	2.6	3.0	-	0	0	0	-	-	-
PNEUMONIA AND INFLUENZA (480-487)	12	9	3	31.0	27.4	51.5	6	4	2	55.2	48.0	79.0
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	14	13	1	36.2	39.5	17.2	2	2	0	18.4	24.0	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	5	5	0	12.9	15.2	-	1	1	0	9.2	12.0	-
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	3	3	0	7.7	9.1	-	2	1	1	18.4	12.0	39.5
INFECTIONS OF KIDNEY (590)	0	0	0	-	-	-	0	0	0	-	-	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	1	1	0	2.6	3.0	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	1	1	0	1.7	2.1	-	4	2	2	20.7	15.0	33.3
ACCIDENTS (800-949) MOTOR VEHICLE ACCIDENTS# (810-825)	25	21	4	64.6	63.8	68.6	12	8	4	110.4	96.0	158.0
SUICIDE (950-959)	15	12	3	38.7	36.5	51.5	10	7	3	92.0	84.0	118.5
HOMICIDE AND LEGAL INTERVENTION (960-978)	6	6	0	15.5	18.2	-	0	0	0	-	-	-
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	6	5	1	15.5	15.2	17.2	3	1	2	27.6	12.0	79.0
	2	1	1	5.2	3.0	17.2	1	0	1	9.2	-	39.5

* CAUSES AND NUMBERS ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.

** DEATHS PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

TABLE 18
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF PIKE, PONTOTOC, PRENTISS, AND QUITMAN COUNTIES, MISSISSIPPI, 1992

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	PIKE COUNTY						PONTOTOC COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	0	0	0	-	-	-	0	0	0	-	-	-
MALIGNANT NEOPLASMS (140-208)	109	64	45	295.5	321.1	265.5	58	47	11	260.8	248.4	331.3
DIABETES MELLITUS (250)	20	7	13	54.2	35.1	76.7	1	1	0	4.5	5.3	-
DISEASES OF HEART (390-398, 402, 404, 410-429)	159	103	56	431.1	516.8	330.4	62	58	4	278.8	306.6	120.5
HYPERTENSION (401, 403)	3	1	2	8.1	5.0	11.8	0	0	0	-	-	-
CEREBROVASCULAR DISEASES (430-438)	37	23	14	100.3	115.4	82.6	15	14	1	67.4	74.0	30.1
ATHEROSCLEROSIS (440)	2	1	1	5.4	5.0	5.9	3	3	0	13.5	15.8	-
PNEUMONIA AND INFLUENZA (480-487)	4	3	1	10.8	15.0	5.9	11	10	1	49.5	52.9	30.1
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	10	9	1	27.1	45.2	5.9	12	10	2	54.0	52.9	60.2
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	1	1	0	2.7	5.0	-	0	0	0	-	-	-
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	4	1	3	10.8	5.0	17.7	4	4	0	18.0	21.1	-
INFECTIONS OF KIDNEY (590)	2	0	2	5.4	-	11.8	0	0	0	-	-	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	2	1	1	5.4	5.0	5.9	3	2	1	13.5	10.6	30.1
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	1	0	1	1.6	-	2.5	3	3	0	8.7	10.3	-
ACCIDENTS (800-949)	27	7	20	73.2	35.1	118.0	14	13	1	63.0	68.7	30.1
MOTOR VEHICLE ACCIDENTS# (810-825)	12	5	7	32.5	25.1	41.3	10	9	1	45.0	47.6	30.1
SUICIDE (950-959)	11	8	3	29.8	40.1	17.7	1	1	0	4.5	5.3	-
HOMICIDE AND LEGAL INTERVENTION (960-978)	12	4	8	32.5	20.1	47.2	2	2	0	9.0	10.6	-
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	3	0	3	8.1	-	17.7	3	3	0	13.5	15.8	-

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	PRENTISS COUNTY						QUITMAN COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	2	2	0	8.6	9.8	-	0	0	0	-	-	-
MALIGNANT NEOPLASMS (140-208)	51	44	7	219.1	214.9	249.9	25	13	12	238.3	305.9	192.3
DIABETES MELLITUS (250)	3	3	0	12.9	14.6	-	2	1	1	19.1	23.5	16.0
DISEASES OF HEART (390-398, 402, 404, 410-429)	72	65	7	309.3	317.4	249.9	50	25	25	476.6	588.2	400.6
HYPERTENSION (401, 403)	0	0	0	-	-	-	0	0	0	-	-	-
CEREBROVASCULAR DISEASES (430-438)	13	11	2	55.8	53.7	71.4	14	2	12	133.5	47.0	192.3
ATHEROSCLEROSIS (440)	0	0	0	-	-	-	0	0	0	-	-	-
PNEUMONIA AND INFLUENZA (480-487)	5	5	0	21.5	24.4	-	2	0	2	19.1	-	32.0
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	6	6	0	25.8	29.3	-	2	2	0	19.1	47.0	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	3	2	1	12.9	9.8	35.7	0	0	0	-	-	-
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	1	1	0	4.3	4.9	-	1	0	1	9.5	-	16.0
INFECTIONS OF KIDNEY (590)	0	0	0	-	-	-	0	0	0	-	-	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	1	1	0	3.0	3.5	-	0	0	0	-	-	-
ACCIDENTS (800-949)	12	11	1	51.6	53.7	35.7	10	5	5	95.3	117.6	80.1
MOTOR VEHICLE ACCIDENTS# (810-825)	8	7	1	34.4	34.2	35.7	3	2	1	28.6	47.0	16.0
SUICIDE (950-959)	4	4	0	17.2	19.5	-	0	0	0	-	-	-
HOMICIDE AND LEGAL INTERVENTION (960-978)	0	0	0	-	-	-	3	1	2	28.6	23.5	32.0
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	31	28	3	133.2	136.7	107.1	1	0	1	9.5	-	16.0

* CAUSES AND NUMBERS ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.

** DEATHS PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

TABLE 18
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF RANKIN, SCOTT, SHARKEY, AND SIMPSON COUNTIES, MISSISSIPPI, 1992

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	RANKIN COUNTY						SCOTT COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	0	0	0	-	-	-	0	0	0	-	-	-
MALIGNANT NEOPLASMS (140-208)	162	134	28	185.9	186.0	185.1	68	47	21	281.7	316.9	225.6
DIABETES MELLITUS (250)	7	6	1	8.0	8.3	6.6	9	5	4	37.3	33.7	43.0
DISEASES OF HEART (390-398, 402, 404, 410-429)	227	180	47	260.4	249.9	310.7	101	70	31	418.4	472.0	333.0
HYPERTENSION (401, 403)	4	2	2	4.6	2.8	13.2	1	0	1	4.1	-	10.7
CEREBROVASCULAR DISEASES (430-438)	28	21	7	32.1	29.2	46.3	19	9	10	78.7	60.7	107.4
ATHEROSCLEROSIS (440)	3	2	1	3.4	2.8	6.6	9	9	0	37.3	60.7	-
PNEUMONIA AND INFLUENZA (480-487)	24	19	5	27.5	26.4	33.0	8	4	4	33.1	27.0	43.0
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	24	22	2	27.5	30.5	13.2	10	7	3	41.4	47.2	32.2
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	9	9	0	10.3	12.5	-	1	1	0	4.1	6.7	-
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	5	2	3	5.7	2.8	19.8	4	3	1	16.6	20.2	10.7
INFECTIONS OF KIDNEY (590)	0	0	0	-	-	-	0	0	0	-	-	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	3	1	2	3.4	1.4	13.2	1	1	0	4.1	6.7	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	4	4	0	3.1	4.1	-	2	1	1	4.4	4.8	4.1
ACCIDENTS (800-949)	45	39	6	51.6	54.1	39.7	14	8	6	58.0	53.9	64.5
MOTOR VEHICLE ACCIDENTS# (810-825)	23	20	3	26.4	27.8	19.8	10	4	6	41.4	27.0	64.5
SUICIDE (950-959)	10	9	1	11.5	12.5	6.6	1	1	0	4.1	6.7	-
HOMICIDE AND LEGAL INTERVENTION (960-978)	9	5	4	10.3	6.9	26.4	10	3	7	41.4	20.2	75.2
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	4	2	2	4.6	2.8	13.2	3	0	3	12.4	-	32.2

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	SHARKEY COUNTY						SIMPSON COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	0	0	0	-	-	-	1	0	1	4.2	-	12.8
MALIGNANT NEOPLASMS (140-208)	22	8	14	311.4	342.0	296.2	63	44	19	263.0	272.9	242.7
DIABETES MELLITUS (250)	4	0	4	56.6	-	84.6	8	4	4	33.4	24.8	51.1
DISEASES OF HEART (390-398, 402, 404, 410-429)	18	11	7	254.7	470.3	148.1	84	63	21	350.7	390.7	268.2
HYPERTENSION (401, 403)	0	0	0	-	-	-	2	2	0	8.4	12.4	-
CEREBROVASCULAR DISEASES (430-438)	4	3	1	56.6	128.3	21.2	19	13	6	79.3	80.6	76.6
ATHEROSCLEROSIS (440)	0	0	0	-	-	-	3	2	1	12.5	12.4	12.8
PNEUMONIA AND INFLUENZA (480-487)	3	1	2	42.4	42.8	42.3	21	15	6	87.7	93.0	76.6
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	1	1	0	14.2	42.8	-	16	15	1	66.8	93.0	12.8
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	1	1	0	14.2	42.8	-	3	3	0	12.5	18.6	-
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	3	0	3	42.4	-	63.5	3	1	2	12.5	6.2	25.5
INFECTIONS OF KIDNEY (590)	0	0	0	-	-	-	0	0	0	-	-	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	0	0	0	-	-	-	2	1	1	8.4	6.2	12.8
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	0	0	0	-	-	-	3	0	3	7.6	-	14.8
ACCIDENTS (800-949)	6	2	4	84.9	85.5	84.6	15	9	6	62.6	55.8	76.6
MOTOR VEHICLE ACCIDENTS# (810-825)	2	1	1	28.3	42.8	21.2	8	4	4	33.4	24.8	51.1
SUICIDE (950-959)	0	0	0	-	-	-	3	2	1	12.5	12.4	12.8
HOMICIDE AND LEGAL INTERVENTION (960-978)	1	0	1	14.2	-	21.2	0	0	0	-	-	-
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	2	0	2	28.3	-	42.3	0	0	0	-	-	-

* CAUSES AND NUMBERS ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.

** DEATHS PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

TABLE 18
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF SMITH, STONE, SUNFLOWER, AND TALLAHATCHIE COUNTIES, MISSISSIPPI, 1992

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	SMITH COUNTY						STONE COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	0	0	0	-	-	-	0	0	0	-	-	-
MALIGNANT NEOPLASMS (140-208)	28	22	6	189.2	191.0	182.8	22	20	2	204.6	239.2	83.8
DIABETES MELLITUS (250)	1	1	0	6.8	8.7	-	1	0	1	9.3	-	41.9
DISEASES OF HEART (390-398, 402, 404, 410-429)	52	41	11	351.4	356.0	335.2	38	31	7	353.5	370.7	293.1
HYPERTENSION (401, 403)	0	0	0	-	-	-	0	0	0	-	-	-
CEREBROVASCULAR DISEASES (430-438)	13	12	1	87.8	104.2	30.5	6	4	2	55.8	47.8	83.8
ATHEROSCLEROSIS (440)	3	2	1	20.3	17.4	30.5	0	0	0	-	-	-
PNEUMONIA AND INFLUENZA (480-487)	4	4	0	27.0	34.7	-	3	2	1	27.9	23.9	41.9
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	10	9	1	67.6	78.2	30.5	4	4	0	37.2	47.8	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	1	1	0	6.8	8.7	-	1	0	1	9.3	-	41.9
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	2	2	0	13.5	17.4	-	0	0	0	-	-	-
INFECTIONS OF KIDNEY (590)	0	0	0	-	-	-	0	0	0	-	-	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	1	1	0	6.8	8.7	-	2	1	1	18.6	12.0	41.9
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	0	0	0	-	-	-	1	0	1	5.3	-	16.7
ACCIDENTS (800-949)	11	8	3	74.3	69.5	91.4	12	7	5	111.6	83.7	209.4
MOTOR VEHICLE ACCIDENTS# (810-825)	6	4	2	40.5	34.7	60.9	7	4	3	65.1	47.8	125.6
SUICIDE (950-959)	0	0	0	-	-	-	2	2	0	18.6	23.9	-
HOMICIDE AND LEGAL INTERVENTION (960-978)	2	1	1	13.5	8.7	30.5	0	0	0	-	-	-
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	2	2	0	13.5	17.4	-	0	0	0	-	-	-

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	SUNFLOWER COUNTY						TALLAHATCHIE COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	1	0	1	3.0	-	4.7	0	0	0	-	-	-
MALIGNANT NEOPLASMS (140-208)	77	31	46	234.3	267.1	216.3	44	28	16	289.3	447.5	178.7
DIABETES MELLITUS (250)	4	1	3	12.2	8.6	14.1	1	0	1	6.6	-	11.2
DISEASES OF HEART (390-398, 402, 404, 410-429)	155	69	86	471.6	594.6	404.4	42	22	20	276.1	351.6	223.4
HYPERTENSION (401, 403)	1	0	1	3.0	-	4.7	0	0	0	-	-	-
CEREBROVASCULAR DISEASES (430-438)	23	12	11	70.0	103.4	51.7	17	9	8	111.8	143.8	89.4
ATHEROSCLEROSIS (440)	0	0	0	-	-	-	0	0	0	-	-	-
PNEUMONIA AND INFLUENZA (480-487)	8	3	5	24.3	25.8	23.5	3	1	2	19.7	16.0	22.3
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	10	3	7	30.4	25.8	32.9	6	4	2	39.4	63.9	22.3
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	4	1	3	12.2	8.6	14.1	1	0	1	6.6	-	11.2
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	5	2	3	15.2	17.2	14.1	2	0	2	13.1	-	22.3
INFECTIONS OF KIDNEY (590)	0	0	0	-	-	-	0	0	0	-	-	-
MATERNAL CAUSES (630-676)	1	0	1	155.5	-	196.1	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	3	2	1	9.1	17.2	4.7	1	0	1	6.6	-	11.2
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	3	0	3	4.7	-	5.9	0	0	0	-	-	-
ACCIDENTS (800-949)	13	4	9	39.6	34.5	42.3	17	8	9	111.8	127.8	100.5
MOTOR VEHICLE ACCIDENTS# (810-825)	7	0	7	21.3	-	32.9	13	7	6	85.5	111.9	67.0
SUICIDE (950-959)	6	4	2	18.2	34.5	9.4	3	2	1	19.7	32.0	11.2
HOMICIDE AND LEGAL INTERVENTION (960-978)	17	1	16	51.7	8.6	75.2	3	1	2	19.7	16.0	22.3
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	2	0	2	6.1	-	9.4	2	1	1	13.1	16.0	11.2

* CAUSES AND NUMBERS ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.

** DEATHS PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

TABLE 18
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF TATE, TIPPAH, TISHOMINGO, AND TUNICA COUNTIES, MISSISSIPPI, 1992

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	TATE COUNTY						TIPPAH COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	0	0	0	-	-	-	0	0	0	-	-	-
MALIGNANT NEOPLASMS (140-208)	48	41	7	224.0	294.0	93.5	48	44	4	245.9	270.8	122.2
DIABETES MELLITUS (250)	0	0	0	-	-	-	6	4	2	30.7	24.6	61.1
DISEASES OF HEART (390-398, 402, 404, 410-429)	64	37	27	298.6	265.3	360.6	115	101	14	589.0	621.5	427.9
HYPERTENSION (401, 403)	0	0	0	-	-	-	1	1	0	5.1	6.2	-
CEREBROVASCULAR DISEASES (430-438)	21	13	8	98.0	93.2	106.8	23	19	4	117.8	116.9	122.2
ATHEROSCLEROSIS (440)	3	3	0	14.0	21.5	-	1	0	1	5.1	-	30.6
PNEUMONIA AND INFLUENZA (480-487)	16	10	6	74.6	71.7	80.1	2	2	0	10.2	12.3	-
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	5	5	0	23.3	35.8	-	8	8	0	41.0	49.2	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	0	0	0	-	-	-	1	1	0	5.1	6.2	-
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	2	1	1	9.3	7.2	13.4	3	3	0	15.4	18.5	-
INFECTIONS OF KIDNEY (590)	0	0	0	-	-	-	0	0	0	-	-	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	2	1	1	6.3	5.6	7.1	1	1	0	3.8	4.7	-
ACCIDENTS (800-949)	19	6	13	88.6	43.0	173.6	10	7	3	51.2	43.1	91.7
MOTOR VEHICLE ACCIDENTS# (810-825)	10	4	6	46.6	28.7	80.1	7	5	2	35.8	30.8	61.1
SUICIDE (950-959)	4	4	0	18.7	28.7	-	5	5	0	25.6	30.8	-
HOMICIDE AND LEGAL INTERVENTION (960-978)	0	0	0	-	-	-	6	5	1	30.7	30.8	30.6
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	1	1	0	4.7	7.2	-	2	2	0	10.2	12.3	-

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	TISHOMINGO COUNTY						TUNICA COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	1	1	0	5.6	5.9	-	1	0	1	12.2	-	16.2
MALIGNANT NEOPLASMS (140-208)	46	46	0	260.1	270.4	-	13	3	10	159.2	150.6	162.0
DIABETES MELLITUS (250)	1	1	0	5.6	5.9	-	0	0	0	-	-	-
DISEASES OF HEART (390-398, 402, 404, 410-429)	74	73	1	418.5	429.2	148.6	30	9	21	367.5	451.8	340.2
HYPERTENSION (401, 403)	2	1	1	11.3	5.9	148.6	0	0	0	-	-	-
CEREBROVASCULAR DISEASES (430-438)	11	10	1	62.2	58.8	148.6	7	1	6	85.7	50.2	97.2
ATHEROSCLEROSIS (440)	3	3	0	17.0	17.6	-	0	0	0	-	-	-
PNEUMONIA AND INFLUENZA (480-487)	10	10	0	56.6	58.8	-	1	0	1	12.2	-	16.2
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	7	7	0	39.6	41.2	-	2	2	0	24.5	100.4	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	3	3	0	17.0	17.6	-	3	1	2	36.7	50.2	32.4
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	2	2	0	11.3	11.8	-	1	0	1	12.2	-	16.2
INFECTIONS OF KIDNEY (590)	0	0	0	-	-	-	0	0	0	-	-	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	1	1	0	5.6	5.9	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	0	0	0	-	-	-	3	0	3	16.9	-	19.4
ACCIDENTS (800-949)	11	11	0	62.2	64.7	-	11	0	11	134.7	-	178.2
MOTOR VEHICLE ACCIDENTS# (810-825)	8	8	0	45.2	47.0	-	6	0	6	73.5	-	97.2
SUICIDE (950-959)	4	4	0	22.6	23.5	-	1	0	1	12.2	-	16.2
HOMICIDE AND LEGAL INTERVENTION (960-978)	2	1	1	11.3	5.9	148.6	1	0	1	12.2	-	16.2
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	2	2	0	11.3	11.8	-	2	0	2	24.5	-	32.4

* CAUSES AND NUMBERS ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.

** DEATHS PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

TABLE 18
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF UNION, WALTHALL, WARREN, AND WASHINGTON COUNTIES, MISSISSIPPI, 1992

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	UNION COUNTY						WALTHALL COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	1	1	0	4.5	5.3	-	0	0	0	-	-	-
MALIGNANT NEOPLASMS (140-208)	49	41	8	221.9	218.0	243.8	24	16	8	167.2	193.9	131.1
DIABETES MELLITUS (250)	1	1	0	4.5	5.3	-	2	2	0	13.9	24.2	-
DISEASES OF HEART (390-398, 402, 404, 410-429)	95	83	12	430.2	441.4	365.7	78	48	30	543.5	581.7	491.8
HYPERTENSION (401, 403)	0	0	0	-	-	-	2	2	0	13.9	24.2	-
CEREBROVASCULAR DISEASES (430-438)	19	19	0	86.0	101.0	-	7	4	3	48.8	48.5	49.2
ATHEROSCLEROSIS (440)	1	1	0	4.5	5.3	-	1	0	1	7.0	-	16.4
PNEUMONIA AND INFLUENZA (480-487)	12	12	0	54.3	63.8	-	3	2	1	20.9	24.2	16.4
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	9	9	0	40.8	47.9	-	1	1	0	7.0	12.1	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	2	2	0	9.0	10.6	-	0	0	0	-	-	-
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	7	6	1	31.7	31.9	30.5	4	3	1	27.9	36.4	16.4
INFECTIONS OF KIDNEY (590)	0	0	0	-	-	-	0	0	0	-	-	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	1	1	0	4.5	5.3	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	3	2	1	8.4	6.8	14.9	1	0	1	4.0	-	6.8
ACCIDENTS (800-949)	23	19	4	104.1	101.0	121.9	10	4	6	69.7	48.5	98.4
MOTOR VEHICLE ACCIDENTS# (810-825)	20	17	3	90.6	90.4	91.4	6	4	2	41.8	48.5	32.8
SUICIDE (950-959)	2	2	0	9.0	10.6	-	1	1	0	7.0	12.1	-
HOMICIDE AND LEGAL INTERVENTION (960-978)	3	3	0	13.6	16.0	-	3	1	2	20.9	12.1	32.8
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	4	4	0	18.1	21.3	-	1	1	0	7.0	12.1	-

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	WARREN COUNTY						WASHINGTON COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	3	2	1	6.3	6.9	5.3	0	0	0	-	-	-
MALIGNANT NEOPLASMS (140-208)	108	64	44	225.6	221.6	231.6	150	63	87	220.8	222.3	219.7
DIABETES MELLITUS (250)	6	3	3	12.5	10.4	15.8	8	2	6	11.8	7.0	15.2
DISEASES OF HEART (390-398, 402, 404, 410-429)	184	102	82	384.3	353.2	431.6	314	148	166	462.2	522.3	419.2
HYPERTENSION (401, 403)	0	0	0	-	-	-	1	0	1	1.5	-	2.5
CEREBROVASCULAR DISEASES (430-438)	47	29	18	98.2	100.4	94.7	44	20	24	64.8	70.6	60.6
ATHEROSCLEROSIS (440)	5	3	2	10.4	10.4	10.5	0	0	0	-	-	-
PNEUMONIA AND INFLUENZA (480-487)	16	11	5	33.4	38.1	26.3	29	11	18	42.7	38.8	45.4
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	17	11	6	35.5	38.1	31.6	13	9	4	19.1	31.8	10.1
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	2	2	0	4.2	6.9	-	5	3	2	7.4	10.6	5.0
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	3	1	2	6.3	3.5	10.5	9	5	4	13.2	17.6	10.1
INFECTIONS OF KIDNEY (590)	0	0	0	-	-	-	0	0	0	-	-	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	3	1	2	6.3	3.5	10.5	1	1	0	1.5	3.5	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	9	1	8	11.2	2.7	18.7	6	0	6	4.7	-	6.4
ACCIDENTS (800-949)	27	20	7	56.4	69.2	36.8	37	16	21	54.5	56.5	53.0
MOTOR VEHICLE ACCIDENTS# (810-825)	14	13	1	29.2	45.0	5.3	13	5	8	19.1	17.6	20.2
SUICIDE (950-959)	1	1	0	2.1	3.5	-	9	4	5	13.2	14.1	12.6
HOMICIDE AND LEGAL INTERVENTION (960-978)	9	1	8	18.8	3.5	42.1	20	1	19	29.4	3.5	48.0
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	2	1	1	4.2	3.5	5.3	4	2	2	5.9	7.0	5.0

* CAUSES AND NUMBERS ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.

** DEATHS PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

TABLE 18
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF WAYNE, WEBSTER, WILKINSON, AND WINSTON COUNTIES, MISSISSIPPI, 1992

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	WAYNE COUNTY						WEBSTER COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	0	0	0	-	-	-	0	0	0	-	-	-
MALIGNANT NEOPLASMS (140-208)	38	24	14	194.7	191.9	199.7	18	15	3	176.1	188.6	132.2
DIABETES MELLITUS (250)	4	0	4	20.5	-	57.0	0	0	0	-	-	-
DISEASES OF HEART (390-398, 402, 404, 410-429)	60	40	20	307.4	319.8	285.3	45	38	7	440.2	477.8	308.5
HYPERTENSION (401, 403)	4	0	4	20.5	-	57.0	0	0	0	-	-	-
CEREBROVASCULAR DISEASES (430-438)	6	3	3	30.7	24.0	42.8	12	9	3	117.4	113.2	132.2
ATHEROSCLEROSIS (440)	5	5	0	25.6	40.0	-	0	0	0	-	-	-
PNEUMONIA AND INFLUENZA (480-487)	8	5	3	41.0	40.0	42.8	5	4	1	48.9	50.3	44.1
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	4	4	0	20.5	32.0	-	4	4	0	39.1	50.3	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	1	0	1	5.1	-	14.3	1	1	0	9.8	12.6	-
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	2	0	2	10.2	-	28.5	3	1	2	29.3	12.6	88.1
INFECTIONS OF KIDNEY (590)	0	0	0	-	-	-	0	0	0	-	-	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	1	0	1	3.2	-	6.2	0	0	0	-	-	-
ACCIDENTS (800-949)	12	9	3	61.5	72.0	42.8	10	9	1	97.8	113.2	44.1
MOTOR VEHICLE ACCIDENTS# (810-825)	8	7	1	41.0	56.0	14.3	5	4	1	48.9	50.3	44.1
SUICIDE (950-959)	5	5	0	25.6	40.0	-	3	3	0	29.3	37.7	-
HOMICIDE AND LEGAL INTERVENTION (960-978)	0	0	0	-	-	-	1	1	0	9.8	12.6	-
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	2	2	0	10.2	16.0	-	2	2	0	19.6	25.1	-

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	WILKINSON COUNTY						WINSTON COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	0	0	0	-	-	-	0	0	0	-	-	-
MALIGNANT NEOPLASMS (140-208)	22	7	15	227.3	224.1	228.8	48	36	12	247.0	322.8	144.9
DIABETES MELLITUS (250)	2	1	1	20.7	32.0	15.2	8	5	3	41.2	44.8	36.2
DISEASES OF HEART (390-398, 402, 404, 410-429)	42	14	28	434.0	448.3	427.2	70	51	19	360.2	457.4	229.4
HYPERTENSION (401, 403)	0	0	0	-	-	-	2	0	2	10.3	-	24.1
CEREBROVASCULAR DISEASES (430-438)	1	0	1	10.3	-	15.2	20	15	5	102.9	134.5	60.4
ATHEROSCLEROSIS (440)	1	0	1	10.3	-	15.2	1	1	0	5.1	9.0	-
PNEUMONIA AND INFLUENZA (480-487)	5	3	2	51.7	96.1	30.5	6	4	2	30.9	35.9	24.1
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	6	5	1	62.0	160.1	15.2	2	0	2	10.3	-	24.1
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	1	1	0	10.3	32.0	-	1	1	0	5.1	9.0	-
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	2	0	2	20.7	-	30.5	4	3	1	20.6	26.9	12.1
INFECTIONS OF KIDNEY (590)	0	0	0	-	-	-	0	0	0	-	-	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	0	0	0	-	-	-	3	1	2	11.4	8.4	14.0
ACCIDENTS (800-949)	4	1	3	41.3	32.0	45.8	14	9	5	72.0	80.7	60.4
MOTOR VEHICLE ACCIDENTS# (810-825)	4	1	3	41.3	32.0	45.8	5	4	1	25.7	35.9	12.1
SUICIDE (950-959)	0	0	0	-	-	-	4	3	1	20.6	26.9	12.1
HOMICIDE AND LEGAL INTERVENTION (960-978)	2	0	2	20.7	-	30.5	0	0	0	-	-	-
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	0	0	0	-	-	-	0	0	0	-	-	-

* CAUSES AND NUMBERS ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.

** DEATHS PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

TABLE 18
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF YALOBUSHA AND YAZOO COUNTIES, AND THE STATE OF MISSISSIPPI, 1992

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	YALOBUSHA COUNTY						YAZOO COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	0	0	0	-	-	-	0	0	0	-	-	-
MALIGNANT NEOPLASMS (140-208)	33	21	12	274.2	280.8	263.5	73	36	37	286.2	301.0	273.1
DIABETES MELLITUS (250)	3	3	0	24.9	40.1	-	7	3	4	27.4	25.1	29.5
DISEASES OF HEART (390-398, 402, 404, 410-429)	45	30	15	374.0	401.1	329.4	89	35	54	348.9	292.7	398.6
HYPERTENSION (401, 403)	0	0	0	-	-	-	1	0	1	3.9	-	7.4
CEREBROVASCULAR DISEASES (430-438)	12	9	3	99.7	120.3	65.9	17	5	12	66.6	41.8	88.6
ATHEROSCLEROSIS (440)	1	1	0	8.3	13.4	-	0	0	0	-	-	-
PNEUMONIA AND INFLUENZA (480-487)	4	3	1	33.2	40.1	22.0	15	8	7	58.8	66.9	51.7
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	4	4	0	33.2	53.5	-	13	10	3	51.0	83.6	22.1
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	1	0	1	8.3	-	22.0	1	0	1	3.9	-	7.4
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	2	1	1	16.6	13.4	22.0	4	0	4	15.7	-	29.5
INFECTIONS OF KIDNEY (590)	0	0	0	-	-	-	0	0	0	-	-	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	1	1	0	8.3	13.4	-	1	0	1	3.9	-	7.4
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	0	0	0	-	-	-	2	0	2	4.2	-	5.6
ACCIDENTS (800-949)	12	8	4	99.7	107.0	87.8	16	6	10	62.7	50.2	73.8
MOTOR VEHICLE ACCIDENTS# (810-825)	6	3	3	49.9	40.1	65.9	9	4	5	35.3	33.4	36.9
SUICIDE (950-959)	2	0	2	16.6	-	43.9	8	7	1	31.4	58.5	7.4
HOMICIDE AND LEGAL INTERVENTION (960-978)	2	1	1	16.6	13.4	22.0	4	0	4	15.7	-	29.5
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	3	3	0	24.9	40.1	-	6	3	3	23.5	25.1	22.1

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	STATE OF MISSISSIPPI					
	NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	35	17	18	1.4	1.0	1.9
MALIGNANT NEOPLASMS (140-208)	5,536	3,718	1,818	215.1	227.6	193.4
DIABETES MELLITUS (250)	469	234	235	18.2	14.3	25.0
DISEASES OF HEART (390-398, 402, 404, 410-429)	9,096	6,075	3,021	353.5	371.9	321.5
HYPERTENSION (401, 403)	122	60	62	4.7	3.7	6.6
CEREBROVASCULAR DISEASES (430-438)	1,715	1,105	610	66.6	67.6	64.9
ATHEROSCLEROSIS (440)	118	87	31	4.6	5.3	3.3
PNEUMONIA AND INFLUENZA (480-487)	807	579	228	31.4	35.4	24.3
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	873	727	146	33.9	44.5	15.5
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	224	168	56	8.7	10.3	6.0
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	337	176	161	13.1	10.8	17.1
INFECTIONS OF KIDNEY (590)	6	2	4	0.2	0.1	0.4
MATERNAL CAUSES (630-676)	4	1	3	9.4	4.6	14.3
CONGENITAL ANOMALIES (740-759)	138	66	72	5.4	4.0	7.7
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	226	62	164	5.3	2.8	7.8
ACCIDENTS (800-949)	1,538	960	578	59.8	58.8	61.5
MOTOR VEHICLE ACCIDENTS# (810-825)	826	526	300	32.1	32.2	31.9
SUICIDE (950-959)	331	268	63	12.9	16.4	6.7
HOMICIDE AND LEGAL INTERVENTION (960-978)	455	138	317	17.7	8.4	33.7
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	243	131	112	9.4	8.0	11.9

* CAUSES AND NUMBERS ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.

** DEATHS PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

TIME SERIES TABLES

TABLE 19
LIVE BIRTHS AND RATES, BY YEAR AND RACE,
MISSISSIPPI, 1913-1992,
(OCCURRENCE DATA 1913-1943, RESIDENCE DATA 1944-1992)

	NUMBER			RATE*		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
1913	41, 103	21, 874	19, 229	21. 9	26. 6	18. 2
1914	40, 623	21, 360	19, 263	21. 4	25. 7	18. 0
1915	39, 484	20, 999	18, 485	20. 5	23. 8	17. 1
1916	39, 033	20, 130	18, 903	20. 0	23. 6	17. 2
1917	37, 141	19, 056	18, 085	18. 8	22. 0	16. 3
1918	39, 391	20, 005	19, 386	19. 7	22. 8	17. 2
1919	42, 491	22, 028	20, 463	21. 0	24. 9	18. 0
1920	43, 743	22, 438	21, 305	24. 4	26. 3	22. 7
1921	46, 482	23, 703	22, 779	25. 6	27. 3	24. 1
1922	43, 723	21, 286	22, 437	23. 8	24. 1	23. 6
1923	43, 266	21, 140	22, 126	23. 3	23. 6	23. 1
1924	43, 960	22, 180	21, 780	23. 4	24. 3	22. 5
1925	45, 563	22, 265	23, 298	24. 0	24. 1	23. 9
1926	50, 449	24, 600	25, 849	26. 2	26. 2	26. 3
1927	49, 204	24, 163	25, 041	25. 3	25. 3	25. 3
1928	48, 126	23, 642	24, 484	24. 5	24. 4	24. 5
1929	45, 570	22, 105	23, 465	22. 9	22. 5	23. 3
1930	47, 982	23, 192	24, 790	23. 8	23. 2	24. 0
1931	45, 123	21, 637	23, 486	22. 2	21. 4	22. 9
1932	46, 481	21, 883	24, 598	22. 6	21. 4	23. 9
1933	44, 184	20, 407	23, 777	21. 3	19. 7	22. 9
1934	47, 905	22, 342	25, 563	23. 0	21. 4	24. 6
1935	48, 291	21, 972	26, 319	23. 0	20. 8	25. 1
1036	49, 261	22, 194	27, 067	23. 3	20. 8	25. 7
1937	52, 170	23, 285	28, 885	24. 4	21. 6	27. 3
1938	53, 729	24, 046	29, 683	25. 0	22. 1	27. 8
1939	52, 288	23, 505	28, 783	24. 1	21. 4	26. 8
1940	52, 526	23, 084	29, 442	24. 0	20. 9	27. 3
1941	54, 561	24, 167	30, 394	24. 7	21. 6	28. 0
1942	56, 521	25, 306	31, 215	25. 4	22. 4	28. 6
1943	59, 408	27, 611	31, 797	28. 9	26. 4	31. 6
1944	56, 586	25, 647	30, 939	28. 3	25. 2	31. 6
1945	53, 540	23, 426	30, 114	26. 9	23. 1	30. 9
1946	61, 430	29, 715	31, 715	26. 8	25. 4	28. 2
1947	66, 291	32, 423	33, 868	28. 6	27. 5	29. 9
1948	65, 291	29, 666	35, 625	28. 0	24. 9	31. 2
1949	66, 128	28, 786	37, 342	28. 1	24. 0	32. 5
1950	64, 427	27, 188	37, 239	29. 6	22. 9	37. 6
1951	65, 512	27, 798	37, 714	30. 1	23. 4	38. 1
1952	64, 509	28, 073	36, 436	29. 6	23. 6	36. 8
1953	64, 061	28, 312	35, 749	29. 4	23. 8	36. 1
1954	64, 748	28, 781	35, 967	29. 7	24. 2	36. 3
1955	63, 244	27, 546	35, 698	29. 0	23. 2	36. 0
1956	62, 178	27, 278	34, 900	29. 5	23. 8	36. 2
1957	60, 712	26, 804	33, 908	28. 8	23. 4	35. 2
1958	59, 189	26, 812	32, 377	27. 1	20. 9	35. 9
1959	60, 562	27, 979	32, 583	27. 2	20. 9	36. 6

TABLE 19 - PAGE 2
LIVE BIRTHS - MISSISSIPPI - 1913-1992

	NUMBER			RATE*		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
1960	59,210	27,198	32,012	27.2	21.6	34.8
1961	59,523	27,435	32,088	27.3	21.8	34.8
1962	58,921	27,512	31,409	26.1	20.8	33.5
1963	57,316	26,823	30,493	25.0	19.9	32.4
1964	56,650	25,942	30,708	24.5	18.9	32.5
1965	51,171	23,369	27,802	22.0	17.4	28.2
1966	48,230	22,736	25,494	20.4	16.5	25.9
1967	46,594	22,675	23,919	9.7	15.9	25.6
1968	45,719	22,807	22,912	19.4	15.7	25.4
1969	47,120	24,025	23,095	21.2	17.2	28.0
1970	48,141	24,893	23,248	21.7	17.9	28.2
1971	48,601	25,199	23,402	21.9	18.1	28.4
1972	45,907	23,745	22,162	20.3	NOT AVAILABLE	
1973	44,638	23,119	21,519	19.3	NOT AVAILABLE	
1974	44,032	23,023	21,009	18.9	NOT AVAILABLE	
1975	43,336	22,559	20,777	18.5	NOT AVAILABLE	
1976	42,983	22,605	20,378	18.2	NOT AVAILABLE	
1977	45,532	23,369	22,163	19.1	NOT AVAILABLE	
1978	44,373	22,632	21,741	18.5	NOT AVAILABLE	
1979	45,919	23,487	22,432	19.1	NOT AVAILABLE	
1980	47,821	24,687	23,134	19.0	15.3	25.5
1981	46,228	23,777	22,451	18.3	14.7	24.8
1982	45,926	24,028	21,898	18.0	NOT AVAILABLE	
1983	43,992	22,659	21,333	17.0	NOT AVAILABLE	
1984	43,742	22,672	21,070	16.9	NOT AVAILABLE	
1985	43,432	22,943	20,489	16.3	13.5	21.5
1986	41,868	22,060	19,808	15.8	13.0	20.8
1987	41,279	21,576	19,703	15.2	12.4	20.2
1988	42,040	21,685	20,355	15.3	12.3	20.6
1989**	43,026	22,069	20,957	15.5	12.4	20.9
1990**	43,547	22,280	21,267	16.9	13.6	22.6
1991**	43,184	21,908	21,276	16.8	13.4	22.6
1992**	42,676	21,700	20,976	16.6	13.3	22.3

* BIRTHS PER 1,000 POPULATION.

** FIGURES SHOWN ARE BY RACE OF MOTHER; FIGURES FOR YEARS PRIOR TO 1989 ARE BY RACE OF CHILD.

TABLE 20
DEATHS AND RATES, BY YEAR AND RACE,
MISSISSIPPI, 1913-1992,
(OCCURRENCE DATA 1913-1943, RESIDENCE DATA 1944-1992)

YEAR	NUMBER			RATE*		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
1913	21,305	7,643	13,662	11.4	9.3	13.0
1914	21,485	7,442	14,043	11.3	8.9	13.1
1915	24,001	8,088	15,913	12.5	9.6	14.7
1916	21,794	7,588	14,206	11.2	8.9	13.0
1917	23,579	8,048	15,531	11.9	9.3	14.0
1918	30,437	10,177	20,260	15.2	11.6	18.0
1919	22,667	8,142	14,525	12.7	9.5	15.5
1920	22,072	7,916	14,156	12.3	9.3	15.1
1921	19,991	7,308	12,683	11.0	8.4	13.4
1922	19,278	7,312	11,966	10.5	8.3	12.6
1923	20,363	7,688	12,675	11.0	8.6	13.2
1924	21,155	7,809	13,346	11.3	8.6	13.8
1925	22,229	8,143	14,086	11.7	8.8	14.4
1926	23,929	9,133	14,796	12.5	9.7	15.1
1927	23,257	8,765	14,492	12.0	9.2	14.6
1928	25,965	10,111	15,854	13.2	10.4	15.9
1929	25,868	10,048	15,820	13.0	10.2	15.7
1930	24,098	9,072	15,026	11.9	9.0	14.8
1931	22,007	8,641	13,366	10.8	8.5	13.0
1932	20,322	8,295	12,027	9.9	8.1	11.6
1933	21,617	8,898	12,719	10.4	8.6	12.2
1934	21,786	9,350	12,436	10.5	9.0	12.0
1935	21,285	9,186	12,099	10.1	8.7	11.6
1936	24,127	10,367	13,760	11.4	9.7	13.1
1937	24,005	10,055	13,950	11.2	9.3	13.2
1938	22,814	9,471	13,343	10.6	8.7	12.5
1939	22,701	9,464	13,237	10.5	8.6	12.3
1940	23,185	9,565	13,620	10.6	8.6	12.6
1941	22,573	9,442	13,131	10.2	8.4	12.1
1942	20,693	8,750	11,943	9.3	7.7	10.9
1943	20,850	9,139	11,711	10.2	8.7	11.6
1944	20,199	8,830	11,369	10.1	8.7	11.6
1945	19,024	8,452	10,572	9.6	8.3	10.8
1946	19,321	8,995	10,326	8.4	7.7	9.2
1947	20,007	9,238	10,769	8.6	7.8	9.5
1948	20,183	9,216	10,967	8.6	7.7	9.6
1949	20,489	9,233	11,256	8.7	7.7	9.8
1950	20,567	9,466	11,101	9.4	8.0	11.2
1951	21,007	9,593	11,414	9.6	8.1	11.5
1952	20,657	9,387	11,270	9.5	7.9	11.4
1953	20,492	9,495	10,997	9.4	8.0	11.1
1954	19,353	9,453	9,900	8.9	8.0	10.0
1955	19,403	9,501	9,902	8.9	8.0	10.0
1956	19,780	9,969	9,811	9.4	8.7	10.2
1957	20,476	10,339	10,137	9.7	9.0	10.5
1958	21,541	10,811	10,730	9.9	8.4	11.9
1959	20,890	10,742	10,148	9.4	8.0	11.4

TABLE 20 - PAGE 2
DEATHS - MISSISSIPPI - 1913-1992

YEAR	NUMBER			RATE*		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
1960	21,713	11,204	10,509	10.0	8.9	11.4
1961	21,232	11,063	10,169	9.7	8.8	11.0
1962	22,713	11,868	10,845	10.0	9.0	11.6
1963	23,339	12,118	11,221	10.2	9.0	11.9
1964	22,559	12,039	10,520	9.7	8.8	11.1
1965	22,652	12,376	10,276	9.7	9.2	10.4
1966	23,350	12,976	10,374	9.9	9.4	10.5
1967	22,609	12,816	9,793	9.6	9.0	10.5
1968	23,986	13,468	10,518	10.2	9.3	11.7
1969	23,865	13,873	9,992	10.8	10.0	12.1
1970	23,305	13,623	9,682	10.5	9.8	11.8
1971	23,426	13,980	9,446	10.6	10.0	11.5
1972	23,663	14,077	9,586	10.5	NOT AVAILABLE	
1973	24,007	14,461	9,546	10.4	NOT AVAILABLE	
1974	23,153	14,268	8,885	9.9	NOT AVAILABLE	
1975	22,768	13,790	8,978	9.7	NOT AVAILABLE	
1976	23,124	14,307	8,817	9.8	NOT AVAILABLE	
1977	23,022	14,318	8,704	9.6	NOT AVAILABLE	
1978	23,363	14,631	8,732	9.7	NOT AVAILABLE	
1979	22,932	14,348	8,584	9.5	NOT AVAILABLE	
1980	23,576	14,531	9,045	9.4	9.0	10.0
1981	23,405	14,876	8,529	9.3	9.2	9.4
1982	23,173	14,863	8,310	9.1	NOT AVAILABLE	
1983	23,831	15,250	8,581	9.2	NOT AVAILABLE	
1984	23,781	15,225	8,556	9.2	NOT AVAILABLE	
1985	24,568	15,803	8,765	9.2	9.3	9.2
1986	24,341	15,694	8,647	9.2	9.2	9.1
1987	24,525	15,835	8,690	9.0	9.1	8.9
1988	24,706	16,034	8,672	9.0	9.1	8.8
1989	25,273	16,386	8,887	9.1	9.2	8.9
1990	24,994	16,088	8,906	9.7	9.8	9.5
1991	25,503	16,393	9,110	9.9	10.0	9.7
1992	25,163	16,417	8,746	9.8	10.0	9.3

* DEATHS PER 1,000 POPULATION.

TABLE 21
MATERNAL DEATHS* AND MORTALITY RATES, BY YEAR AND RACE,
MISSISSIPPI, 1913-1992,
(OCCURRENCE DATA 1913-1943, RESIDENCE DATA 1944-1992)

YEAR	NUMBER			RATE**		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
1913	447	162	285	1087.5	740.6	1482.1
1914	413	124	289	1016.7	580.5	1500.3
1915	289	88	201	731.9	419.1	1087.4
1916	326	102	224	835.2	506.7	1185.0
1917	297	105	192	799.6	551.0	1061.6
1918	302	82	220	766.7	409.9	1134.8
1919	407	173	234	957.8	785.4	1143.5
1920	393	127	266	898.4	566.0	1248.5
1921	391	145	246	841.2	611.7	1079.9
1922	313	110	203	715.9	516.8	904.8
1923	321	108	213	741.9	510.9	962.7
1924	413	137	276	939.5	617.7	1267.2
1925	435	143	292	954.7	642.3	1253.3
1926	388	153	235	769.1	622.0	909.1
1927	409	134	275	831.2	554.6	1098.2
1928	421	161	260	874.8	681.0	1061.9
1929	410	152	258	899.7	687.6	1099.5
1930	489	171	318	1019.1	737.3	1282.8
1931	352	131	221	780.1	605.4	941.0
1932	279	103	176	600.2	470.7	715.5
1933	315	116	199	712.9	568.4	836.9
1934	306	116	190	638.8	519.2	743.3
1935	334	137	197	691.6	623.5	748.5
1936	358	134	224	726.7	603.8	827.6
1937	370	150	220	709.2	644.2	761.6
1938	333	116	217	619.8	482.4	731.0
1939	311	97	214	594.8	412.7	743.5
1940	327	106	221	622.5	459.2	750.6
1941	293	93	200	537.0	384.8	658.0
1942	248	77	171	438.8	304.3	547.8
1943	233	66	167	392.2	239.0	525.2
1944	225	72	153	397.6	280.7	494.5
1945	216	64	152	403.4	273.2	504.7
1946	199	67	132	323.9	225.5	416.2
1947	175	50	125	264.0	154.2	369.1
1948	177	38	139	271.1	128.1	390.2
1949	147	32	115	222.3	111.2	308.0
1950	165	30	135	256.1	110.3	362.5
1951	143	28	115	218.3	100.7	304.9
1952	119	15	104	184.5	53.4	285.4
1953	119	24	95	185.8	84.8	265.7
1954	104	11	93	160.6	38.2	258.6
1955	76	12	64	120.2	43.6	179.3
1956	74	12	62	119.0	44.0	177.6
1957	75	14	61	123.5	52.2	179.9
1958	53	10	43	89.5	37.3	132.8
1959	55	9	46	90.8	32.2	141.2

TABLE 21 - PAGE 2
 MATERNAL DEATHS - MISSISSIPPI - 1913-1992

YEAR	NUMBER			RATE**		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
1960	59	8	51	99.6	29.4	159.3
1961	49	9	40	82.3	32.8	124.6
1962	55	7	48	93.3	25.4	152.8
1963	44	9	35	76.8	33.6	114.8
1964	57	9	48	100.6	34.7	156.3
1965	40	3	37	78.2	12.8	133.1
1966	27	6	21	56.0	26.4	82.4
1967	36	10	26	77.3	44.1	108.7
1968	21	3	18	45.9	13.2	78.6
1969	23	3	20	48.8	12.5	86.6
1970	34	5	29	70.6	20.1	124.7
1971	21	5	16	43.2	19.8	68.4
1972	24	5	19	52.3	21.0	85.7
1973	12	4	8	26.9	17.3	37.2
1974	12	4	8	27.2	17.4	38.1
1975	6	0	6	13.8	-	28.9
1976	8	4	4	18.6	17.7	19.6
1977	10	2	8	22.0	8.6	36.1
1978	6	1	5	13.5	4.4	23.0
1979	10	3	7	21.8	12.8	31.2
1980	2	1	1	4.2	4.0	4.3
1981	7	5	2	15.1	21.0	8.9
1982	1	1	0	2.2	4.2	-
1983	1	0	1	2.3	-	4.7
1984	3	1	2	6.8	4.4	9.5
1985	3	2	1	6.9	8.7	4.9
1986	3	0	3	7.2	-	15.1
1987	4	2	2	9.7	9.3	10.2
1988	7	2	5	16.6	9.2	24.6
1989	6	1	5	13.9	4.5	23.8
1990	6	0	6	13.8	-	28.2
1991	3	2	1	6.9	9.1	4.7
1992	4	1	3	9.4	4.6	14.3

* DEATHS RESULTING FROM DELIVERIES AND COMPLICATIONS OF PREGNANCY, CHILD BIRTH, AND THE PUERPERIUM

** DEATHS PER 100,000 LIVE BIRTHS.

TABLE 22
INFANT DEATHS* AND MORTALITY RATES, BY YEAR AND RACE,
MISSISSIPPI, 1917-1992,
(OCCURRENCE DATA 1917-1944, RESIDENCE DATA 1945-1992)

YEAR	NUMBER			RATE**		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
1917	3,689	1,296	2,393	99.3	68.0	132.3
1918	#	#	#	#	#	#
1919	3,554	#	#	83.6	#	#
1920	3,499	1,344	2,155	80.0	59.9	101.1
1921	3,157	1,243	1,914	67.9	52.4	84.0
1922	2,826	1,067	1,759	64.6	50.1	78.4
1923	2,908	1,104	1,804	67.2	52.2	81.5
1924	3,137	1,188	1,949	71.4	53.6	89.5
1925	3,176	1,179	1,997	69.7	53.0	85.7
1926	3,578	1,447	2,131	70.9	58.8	82.4
1927	3,291	1,303	1,988	66.9	54.0	79.4
1928	3,567	1,416	2,151	74.1	59.9	87.9
1929	3,275	1,268	2,007	71.9	57.4	85.5
1930	3,276	1,182	2,094	68.3	51.0	84.5
1931	2,547	961	1,586	56.4	44.4	67.5
1932	2,482	965	1,517	53.4	44.1	61.7
1933	2,800	1,035	1,765	63.4	50.7	74.2
1934	3,070	1,199	1,871	64.1	53.7	73.2
1935	2,587	1,044	1,543	53.6	47.5	58.6
1936	2,883	1,105	1,778	58.5	49.8	65.7
1937	3,098	1,174	1,924	59.4	50.4	66.6
1938	3,051	1,205	1,846	56.8	50.1	62.2
1939	2,908	1,135	1,773	55.6	48.3	61.6
1940	2,864	1,070	1,794	54.5	46.4	60.9
1941	2,969	1,113	1,856	54.4	46.1	61.1
1942	2,654	957	1,697	47.0	37.8	54.4
1943	2,774	1,137	1,637	46.7	41.2	51.5
1944	2,481	965	1,516	43.6	37.1	49.0
1945	2,192	846	1,346	40.9	36.1	44.7
1946	2,298	1,005	1,293	37.4	33.8	40.8
1947	2,428	1,009	1,419	36.6	31.1	41.9
1948	2,470	988	1,482	37.8	33.3	41.6
1949	2,612	900	1,712	39.5	31.3	45.8
1950	2,348	763	1,585	36.4	28.1	42.6
1951	2,589	814	1,775	39.5	29.3	47.1
1952	2,592	760	1,832	40.2	27.1	50.3
1953	2,534	807	1,727	39.6	28.5	48.3
1954	2,360	744	1,616	36.4	25.8	44.9
1955	2,338	680	1,658	37.0	24.7	46.4
1956	2,353	734	1,619	37.8	26.9	46.4
1957	2,257	694	1,563	37.2	25.9	46.1
1958	2,424	706	1,718	41.0	26.3	53.1
1959	2,355	677	1,678	38.9	24.2	51.5

TABLE 22 - PAGE 2
 INFANT DEATHS - MISSISSIPPI - 1917-1992

YEAR	NUMBER			RATE**		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
1960	2,457	714	1,743	41.5	26.2	54.4
1961	2,250	645	1,605	37.8	23.5	50.0
1962	2,353	705	1,648	39.9	25.6	52.5
1963	2,372	610	1,762	41.4	22.7	57.8
1964	2,230	599	1,631	39.4	23.1	53.1
1965	2,126	593	1,533	41.5	25.4	55.1
1966	1,856	520	1,336	38.5	22.9	52.4
1967	1,645	512	1,133	35.3	22.6	47.4
1968	1,613	517	1,096	35.3	22.7	47.8
1969	1,513	530	983	32.1	22.1	42.6
1970	1,403	480	923	29.1	19.3	39.7
1971	1,311	460	851	27.0	18.2	36.4
1972	1,187	459	728	25.8	19.3	32.8
1973	1,154	392	762	25.8	17.0	35.4
1974	1,024	356	668	23.2	15.5	31.8
1975	975	356	619	22.5	15.8	29.8
1976	927	331	596	21.6	14.6	29.2
1977	834	285	549	18.3	12.2	24.8
1978	846	266	580	19.1	11.8	26.7
1979	809	280	529	17.6	11.9	23.6
1980	812	272	540	17.0	11.0	23.3
1981	711	248	463	15.4	10.4	20.6
1982	706	249	457	15.4	10.4	20.9
1983	664	240	424	15.1	10.6	19.9
1984	629	224	405	14.4	9.9	19.2
1985	596	213	383	13.7	9.3	18.7
1986	517	197	320	12.3	8.9	16.2
1987	565	212	353	13.7	9.8	17.9
1988	516	189	327	12.3	8.7	16.1
1989	498	190	308	11.6	8.6	14.7
1990	528	189	339	12.1	8.5	15.9
1991	493	163	330	11.4	7.4	15.5
1992	508	170	338	11.9	7.8	16.1

* DEATHS OF CHILDREN UNDER 1 YEAR OF AGE.

** DEATHS PER 1,000 LIVE BIRTHS.

NOT AVAILABLE.

TABLE 23
NEONATAL DEATHS* AND MORTALITY RATES, BY YEAR AND RACE,
MISSISSIPPI, 1924-1992,
(OCCURRENCE DATA 1924-1944, RESIDENCE DATA 1945-1992)

YEAR	NUMBER			RATE**		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
1924	1, 598	730	868	36. 4	32. 9	39. 8
1925	1, 639	701	938	36. 0	31. 5	40. 3
1926	1, 731	823	908	34. 3	33. 4	35. 1
1927	1, 644	786	858	33. 4	32. 5	34. 3
1928	1, 788	804	984	37. 2	34. 0	40. 2
1929	1, 662	773	889	36. 5	35. 0	37. 9
1930	1, 692	715	977	35. 3	30. 8	39. 4
1931	1, 339	590	749	29. 7	27. 3	31. 9
1932	1, 361	572	789	29. 3	26. 1	32. 1
1933	1, 540	636	904	34. 8	31. 2	38. 0
1934	1, 505	644	861	31. 4	28. 8	33. 7
1935	1, 446	642	804	29. 9	29. 2	30. 5
1936	1, 494	676	818	30. 3	30. 4	30. 2
1937	1, 678	755	923	32. 2	32. 4	32. 0
1938	1, 688	747	941	31. 4	31. 1	31. 7
1939	1, 637	735	902	31. 3	31. 3	31. 3
1940	1, 613	680	933	30. 7	29. 4	31. 7
1941	1, 663	734	929	30. 5	30. 4	30. 6
1942	1, 544	638	906	27. 3	25. 2	29. 0
1943	1, 652	791	861	27. 8	28. 6	27. 1
1944	1, 436	661	775	25. 2	25. 4	25. 1
1945	1, 351	624	727	25. 2	26. 6	24. 1
1946	1, 561	794	767	25. 4	26. 7	24. 2
1947	1, 595	750	845	24. 1	23. 1	24. 9
1948	1, 674	773	901	25. 6	26. 0	25. 3
1949	1, 594	661	933	24. 1	23. 0	25. 0
1950	1, 446	560	886	22. 4	20. 6	23. 8
1951	1, 679	626	1, 053	25. 6	22. 5	27. 9
1952	1, 658	581	1, 077	25. 7	20. 7	29. 6
1953	1, 630	635	995	25. 4	22. 4	27. 8
1954	1, 521	601	920	23. 5	20. 9	25. 6
1955	1, 440	527	913	22. 8	19. 1	25. 6
1956	1, 451	581	870	23. 3	21. 3	24. 9
1957	1, 425	540	885	23. 5	20. 1	26. 1
1958	1, 475	540	935	24. 9	20. 1	28. 9
1959	1, 450	515	935	23. 9	18. 4	28. 7
1960	1, 497	550	947	25. 3	20. 2	29. 6
1961	1, 401	509	892	23. 5	18. 6	27. 8
1962	1, 456	550	906	24. 7	20. 0	28. 8
1963	1, 449	470	979	25. 3	17. 5	32. 1
1964	1, 372	460	912	24. 2	17. 7	29. 7
1965	1, 283	470	813	25. 1	20. 1	29. 2
1966	1, 123	386	737	23. 3	17. 0	28. 9
1967	1, 053	388	665	22. 6	17. 1	27. 8
1968	1, 116	424	692	24. 4	18. 6	30. 2
1969	1, 066	441	625	22. 6	18. 4	27. 1

TABLE 23 - PAGE 2
 NEONATAL DEATHS - MISSISSIPPI - 1924- 1992

YEAR	NUMBER			RATE**		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
1970	976	391	585	20.3	15.7	25.2
1971	940	382	558	19.3	15.2	23.8
1972	837	362	475	18.2	15.2	21.4
1973	793	301	492	17.8	13.0	22.9
1974	710	276	434	16.1	12.0	20.6
1975	677	257	420	15.6	11.4	20.2
1976	626	243	383	14.6	10.7	18.8
1977	588	222	366	12.9	9.5	16.5
1978	559	191	368	12.6	8.4	16.9
1979	514	191	323	11.2	8.1	14.4
1980	523	189	334	10.9	7.6	14.4
1981	486	166	320	10.5	7.0	14.2
1982	467	166	301	10.2	6.9	13.7
1983	410	160	250	9.3	7.1	11.7
1984	395	158	237	9.0	7.0	11.2
1985	368	127	241	8.5	5.5	11.8
1986	323	133	190	7.7	6.0	9.6
1987	363	128	235	8.8	5.9	11.9
1988	318	118	200	7.6	5.4	9.8
1989	309	132	177	7.2	6.0	8.4
1990	332	111	221	7.6	5.0	10.4
1991	303	95	208	7.0	4.3	9.8
1992	320	97	223	7.5	4.5	10.6

* DEATHS OF INFANTS UNDER 28 DAYS OF AGE, BUT FIGURES FOR 1924- 1948 INCLUDE DEATHS OF INFANTS UNDER ONE MONTH OF AGE.

** DEATHS PER 1, 000 LIVE BIRTHS.

TABLE 24
POSTNEONATAL DEATHS* AND MORTALITY RATES, BY YEAR AND RACE,
MISSISSIPPI, 1924-1992,
(OCCURRENCE DATA 1924-1944, RESIDENCE DATA 1945-1992)

YEAR	NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
1924	1, 539	458	1, 081	35. 0	20. 6	49. 6
1925	1, 537	478	1, 059	33. 7	21. 5	45. 4
1926	1, 847	624	1, 223	36. 6	25. 4	47. 3
1927	1, 647	517	1, 130	33. 5	21. 4	45. 1
1928	1, 779	612	1, 167	37. 0	25. 9	47. 7
1929	1, 613	495	1, 118	35. 4	22. 4	47. 6
1930	1, 584	467	1, 117	33. 0	20. 1	45. 0
1931	1, 208	371	837	26. 8	17. 1	35. 6
1932	1, 121	393	728	24. 1	18. 0	29. 6
1933	1, 260	399	861	28. 5	19. 6	36. 2
1934	1, 565	555	1, 010	32. 7	24. 8	39. 5
1935	1, 141	402	739	23. 6	18. 3	28. 1
1936	1, 389	429	960	28. 2	19. 3	35. 5
1937	1, 420	419	1, 001	27. 2	18. 0	34. 6
1938	1, 363	458	905	25. 4	19. 0	30. 5
1939	1, 271	400	871	24. 3	17. 0	30. 3
1940	1, 251	390	861	23. 8	16. 9	29. 2
1941	1, 306	379	927	23. 9	15. 7	30. 5
1942	1, 110	319	791	19. 6	12. 6	25. 3
1943	1, 122	346	776	18. 9	12. 5	24. 4
1944	1, 045	304	741	18. 4	11. 7	24. 0
1945	841	222	619	15. 7	9. 5	20. 6
1946	737	211	526	12. 0	7. 1	16. 6
1947	833	259	574	12. 6	8. 0	16. 9
1948	796	215	581	12. 2	7. 2	16. 3
1949	1, 018	239	779	15. 4	8. 3	20. 9
1950	902	203	699	14. 0	7. 5	18. 8
1951	910	188	722	13. 9	6. 8	19. 1
1952	934	179	755	14. 5	6. 4	20. 7
1953	904	172	732	14. 1	6. 1	20. 5
1954	839	143	696	13. 0	5. 0	19. 4
1955	898	153	745	14. 2	5. 6	20. 9
1956	902	153	749	14. 5	5. 6	21. 5
1957	832	154	678	13. 7	5. 7	20. 0
1958	949	166	783	16. 0	6. 2	24. 2
1959	905	162	743	14. 9	5. 8	22. 8
1960	960	164	796	16. 2	6. 0	24. 9
1961	849	136	713	14. 3	5. 0	22. 2
1962	897	155	742	15. 2	5. 6	23. 6
1963	923	140	783	16. 1	5. 2	25. 7
1964	858	139	719	15. 1	5. 4	23. 4
1965	843	123	720	16. 5	5. 3	25. 9
1966	733	134	599	15. 2	5. 9	23. 5
1967	592	124	468	12. 7	5. 5	19. 6
1968	497	93	404	10. 9	4. 1	17. 6
1969	447	89	358	9. 5	3. 7	15. 5

TABLE 24 - PAGE 2
 POSTNEONATAL DEATHS - MISSISSIPPI - 1924-1992

YEAR	NUMBER			RATE**		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
1970	427	89	338	8.9	3.6	14.5
1971	371	78	293	7.6	3.1	12.5
1972	350	97	253	7.6	4.1	11.4
1973	361	91	270	8.1	3.9	12.5
1974	314	80	234	7.1	3.5	11.1
1975	298	99	199	6.9	4.4	9.6
1976	301	88	213	7.0	3.9	10.4
1977	246	63	183	5.4	2.7	8.2
1978	287	75	212	6.5	3.3	9.8
1979	295	89	206	6.4	3.8	9.2
1980	289	83	206	6.0	3.4	8.9
1981	225	82	143	4.9	3.4	6.4
1982	239	83	156	5.2	3.4	7.1
1983	254	80	174	5.8	3.5	8.2
1984	234	66	168	5.4	2.9	8.0
1985	228	86	142	5.2	3.7	6.9
1986	194	64	130	4.6	2.9	6.6
1987	202	84	118	4.9	3.9	6.0
1988	198	71	127	4.7	3.3	6.2
1989	189	58	131	4.4	2.6	6.2
1990	196	78	118	4.5	3.5	5.5
1991	190	68	122	4.4	3.1	5.7
1992	188	73	115	4.4	3.4	5.5

* DEATHS OF INFANTS 28 DAYS OF AGE OR OLDER, BUT FIGURES FOR
 1924-1948 ONLY INCLUDE DEATHS OF INFANTS ONE MONTH OF AGE OR OLDER

** DEATHS PER 1,000 LIVE BIRTHS.

TABLE 25
MARRIAGES AND DIVORCES, BY YEAR AND RACE, OCCURRENCE DATA,
MISSISSIPPI, 1926-1992

YEAR	MARRIAGES			DIVORCES		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
1926*	28,712			2,766		
1927*	29,048**	11,402	17,383	2,895		
1928	30,231**	11,662	18,257	3,009	1,435	1,574
1929	31,495**	12,864	18,388	3,172	1,598	1,574
1930	25,728**	10,815	14,751	2,743	1,487	1,256
1931	21,589**	9,952	11,629	2,015	1,308	707
1932	22,688**	10,147	12,453	1,918	1,308	610
1933	27,567**	12,201	15,300	1,955	1,396	559
1934	30,149**	13,497	16,541	2,446	1,704	742
1935	28,722**	12,955	15,635	2,425	1,681	744
1936	32,480**	14,120	18,196	2,520	1,690	830
1937	32,055**	14,802	17,246	2,977	1,984	993
1938	31,495	14,224	17,271	2,916	2,069	847
1939	31,956	15,370	16,586	3,034	2,166	868
1940	34,088	16,834	17,254	3,251	2,295	956
1941	42,142	21,611	20,531	3,831	2,444	1,387
1942	49,565	27,227	22,338	4,326	2,606	1,720
1943	46,030	23,445	22,585	5,851	3,062	2,789
1944	41,559	21,173	20,386	6,742	3,425	3,317
1945	44,871	24,738	20,133	6,727	3,919	2,808
1946	64,204	37,099	27,105	9,495	5,867	3,628
1947	53,584	30,514	23,070	7,004	4,323	2,681
1948	53,645	31,504	22,141	6,697	3,864	2,833
1949	52,765	32,191	20,574	6,285	3,621	2,664
1950	56,738	37,871	18,867	6,065	3,711	2,354
1951	57,321	37,857	19,464	5,464	3,601	1,863
1952	58,116	39,162	18,954	5,419	3,607	1,812
1953	61,751	42,961	18,790	5,204	3,515	1,689
1954	61,381	43,268	18,113	5,001	3,424	1,577
1955	66,423	47,618	18,805	4,845	3,372	1,473
1956	66,223	48,140	18,083	5,027	3,452	1,575
1957	62,495	46,868	15,627	4,974	3,350	1,624
1958	36,402	26,998	9,404	5,016	3,485	1,531
1959	20,447	13,547	6,900	5,108	3,557	1,551
1960	21,233	14,029	7,204	5,260	3,553	1,707
1961	21,610	14,438	7,172	5,213	3,545	1,668
1962	22,007	14,432	7,575	5,467	3,827	1,640
1963	22,140	14,508	7,632	5,452	3,930	1,522
1964	22,784	15,159	7,625	5,631	4,077	1,554
1965	23,343	15,613	7,730	5,730	4,220	1,510
1966	23,476	15,860	7,616	6,306	4,650	1,656
1967	23,535	15,752	7,783	6,455	4,704	1,751
1968	25,355	17,142	8,213	7,020	5,202	1,818
1969	25,956	17,582	8,374	7,506	5,616	1,890

TABLE 25 - PAGE 2
MARRIAGES AND DIVORCES - MISSISSIPPI - 1926-1992

YEAR	MARRIAGES			DIVORCES		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
1970	26,328	17,883	8,445	8,211	6,227	1,984
1971	27,597	18,668	8,929	8,936	6,705	2,231
1972	28,703	19,178	9,525	10,097	7,510	2,587
1973	28,513	19,276	9,237	10,787	8,138	2,649
1974	27,613	19,236	8,377	11,866	9,203	2,663
1975	26,279	18,602	7,677	12,303	9,570	2,733
1976	26,772	18,969	7,803	12,243	9,399	2,844
1977	26,843	19,200	7,643	12,759	9,921	2,838
1978	27,280	19,762	7,518	13,313	10,339	2,974
1979	27,279	19,843	7,436	13,628	10,402	3,226
1980	27,908	20,620	7,288	13,846	10,760	3,086
1981	28,002	20,877	7,125	14,182**	10,403	2,795
1982	27,584	20,547	7,037	12,861**	10,239	2,570
1983	26,921	19,950	6,971	13,436**	10,709	2,674
1984	26,025	19,255	6,770	12,911**	10,205	2,664
1985	24,750	18,241	6,509	12,535**	9,766	2,662
1986	24,283	17,729	6,554	12,871**	10,155	2,630
1987	23,729	17,286	6,443	12,142**	9,542	2,420
1988	24,919	18,335	6,584	12,097**	9,454	2,473
1989	24,240	17,735	6,505	12,945**	9,823	2,755
1990	24,348	17,766	6,582	12,735**	9,498	2,804
1991	23,446	17,235	6,211	13,027**	9,926	2,689
1992	22,995	16,776	6,219	12,758**	9,785	2,667

* TOTAL NUMBER OF MARRIAGES FOR 1926 AND TOTAL NUMBER OF DIVORCES FOR 1926 AND 1927 FURNISHED BY U. S. BUREAU OF CENSUS; DISTRIBUTION BY RACE NOT AVAILABLE.

** INCLUDES SOME RECORDS ON WHICH THE RACE OF THE COUPLE WAS NOT STATED.

TABLE 26
REPORTED INDUCED TERMINATIONS OF PREGNANCY
AND INDUCED TERMINATION RATIOS, BY YEAR AND RACE,
PROCEDURES PERFORMED IN MISSISSIPPI, 1976-1992

YEAR	NUMBER				RATIO*		
	TOTAL	WHITE	NON- WHITE	UNK. RACE	TOTAL	WHITE	NON- WHITE
1976	1,510	976	515	19	35.1	43.2	25.3
1977	2,446	1,531	907	8	53.7	65.5	40.9
1978	3,280	1,998	1,270	12	73.9	88.3	58.4
1979	4,411	2,765	1,636	10	96.1	117.7	72.9
1980	5,543	3,283	2,250	10	115.9	133.0	97.2
1981	5,561	3,236	2,263	62	120.3	136.1	100.8
1982	5,145	2,954	2,174	17	112.0	122.9	99.3
1983	4,560	2,473	2,084	3	103.6	109.1	97.7
1984	4,585	2,633	1,945	7	104.8	116.1	92.3
1985	5,288	2,922	2,359	7	121.8	127.4	115.1
1986	4,521	2,505	2,013	3	108.0	113.6	101.6
1987	5,469	2,950	2,517	2	132.5	136.7	127.7
1988	5,170	2,561	2,588	21	123.0	118.1	127.1
1989	5,490	2,674	2,802	14	127.6	121.2	133.7
1990	6,842	3,334	3,485	23	157.1	149.6	163.9
1991	8,184	3,910	4,244	30	189.5	178.5	199.5
1992	7,555	3,425	4,127	3	177.0	157.8	196.7

* INDUCED TERMINATIONS OF PREGNANCY PER 1,000 LIVE BIRTHS.