


# Vital Statistics Mississippi 1993



MISSISSIPPI  
STATE DEPARTMENT OF  
HEALTH

# Vital Statistics Mississippi

1993



MISSISSIPPI  
STATE DEPARTMENT OF  
HEALTH

Bureau of Information Resources  
Division of Public Health Statistics  
P. O. Box 1700  
Jackson, Mississippi 39215- 1700

Telephone: 601/960-7960

## TABLE OF CONTENTS

	Page
<b>INTRODUCTION</b>	
Description of Bulletin .....	1
Definitions of Live Birth, Fetal Death, Induced Termination, and Death .....	1
Occurrence and Residence Allocation .....	2
Population .....	2
Race .....	2
Rates .....	3
Classification of Cause of Death .....	3
 <b>SUMMARY TABLES, 1993</b>	
<b>POPULATION</b>	
Table P1. Census Population and Percentage Distribution, by Age, Race, and Sex .....	7
 <b>LIVE BIRTHS</b>	
Table A1. Live Births and Average per Day, by Month .....	8
Table A2. Percentage of Live Births in Hospitals or Clinics, by Year and Race, 1940, 1950, 1960, 1970-1993 .....	8
Table A3. Live Births and Percentage Distribution, by Place of Delivery, Attendant, and Race of Mother .....	9
Table A4. Live Births, Percentage Distribution, and Fertility Rates, by Age and Race of Mother .....	10
Table A5. Live Births and Percentage Distribution, by Years of School Completed by Mother and Race of Mother .....	10
Table A6. Live Births to Unmarried Mothers and Percent of Total Live Births in Specified Group, by Age and Race of Mother .....	11
Table A7. Live Births, Percentage Distribution, Fertility Rates, and Median Age of Mother, by Total-Birth Order and Race of Mother .....	11
Table A8. Live Births and Percentage Distribution, by Whether Mother Received Prenatal Care, Time during Pregnancy Care Began, and Race of Mother .....	12
Table A9. Live Births and Percentage Distribution, by Maturity and Race of Mother .....	12
Table A10. Congenital Anomalies Reported on Live Birth Certificates, by Anomaly and Race of Mother .....	13
Table A11. Medical Risk Factors Reported on Live Birth Certificates, by Risk Factor and Race of Mother .....	14
Table A12. Other Risk Factors Reported on Live Birth Certificates and Percentage Distribution, by Risk Factor and Race of Mother .....	15
Table A13. Complications of Labor and Delivery Reported on Live Birth Certificates, by Complication and Race of Mother .....	16
Table A14. Methods of Delivery Reported on Live Birth Certificates, by Method and Race of Mother .....	16
Table A15. Obstetric Procedures Reported on Live Birth Certificates, by Procedure and Race of Mother .....	17
Table A16. Abnormal Conditions of Newborn Reported on Live Birth Certificates, by Condition and Race of Mother .....	17
 <b>FETAL DEATHS</b>	
Table B1. Reportable Fetal Deaths and Percentage Distribution, by Place of Delivery, Attendant, and Race of Mother .....	18

## SUMMARY TABLES, 1993

## FETAL DEATHS (continued)

Table B2.	Reportable Fetal Deaths and Fetal Death Ratios, by Age and Race of Mother .....	19
Table B3.	Percentage Distribution of Live Births and Reportable Fetal Deaths, by Whether Mother Received Prenatal Care and Race of Mother .....	19
Table B4.	Reportable Fetal Deaths and Fetal Death Ratios, by Completed Weeks of Gestation and Race of Mother, 1991-1993 .....	20

## DEATHS

Table C1.	Deaths and Average per Day, by Month .....	21
Table C2.	Deaths, Percentage Distribution, and Rates, by Age and Race .....	21
Table C3A.	Deaths by Age, Race, and Sex, and Male/Female Ratios by Age and Race .....	22
Table C3B.	Death Rates, by Age, Race, and Sex .....	22
Table C4.	Deaths and Percent of Total Deaths from Ten Leading Causes, by Cause and Race .....	23
Table C5.	Deaths, Percent of Total Deaths, and Rates for Five Leading Causes, by Age and Cause .....	24
Table C6.	Deaths and Rates from Malignant Neoplasms, by Primary Site, Sex, and Race .....	25
Table C7.	Deaths from Major Chronic Respiratory Diseases, 1968, 1973, 1978, 1983, 1988, 1993 .....	25
Table C8.	Deaths and Percent of Total Accidental Deaths from Five Leading Causes of Accidental Death, by Cause and Race .....	26
Table C9.	Deaths from Selected Types of Accidents, by Sex, also by Age .....	27
Table C10.	Motor Vehicle Accident Deaths Occurring in Mississippi and Rates, also Motor Vehicle Accident Deaths of Mississippi Residents and Rates, by Year, 1950, 1955, 1960, 1965, 1970-1993 .....	28
Table C11.	Infant Deaths, Percentage Distribution, and Mortality Rates by Age and Race .....	29
Table C12.	Deaths and Mortality Rates for Ten Leading Causes of Infant Death, by Cause and Race .....	29

## MARRIAGES

Table D1.	Marriages and Average per Day, by Month .....	30
Table D2.	Brides and Grooms and Percentage Distribution, by Age and Race ..	31
Table D3.	Median Age of Bride and Groom, for All Marriages and First Marriages, by Race .....	32
Table D4.	Brides and Grooms and Percentage Distribution, by Marriage Order and Race .....	33
Table D5.	Brides and Grooms and Percentage Distribution, by Previous Marital Status and Race .....	34
Table D6.	Marriages and Percentage Distribution, by Residence of Bride and Groom and Race of Bride .....	35

## DIVORCES

Table E1.	Divorces and Percentage Distribution, by Cause and Race .....	36
Table E2.	Divorces and Percentage Distribution, by Number of Minor Children and Race .....	36
Table E3.	Divorces and Percentage Distribution, by Number of Years Married and Race .....	37

## SUMMARY TABLES, 1993

Page

## INDUCED TERMINATIONS OF PREGNANCY

Table F1.	Reported Induced Terminations of Pregnancy, Percentage Distribution, and Induced Termination Ratios, by Age and Race of Patient, Procedures Performed in Mississippi .....	38
Table F2.	Reported Induced Terminations of Pregnancy and Percentage Distribution, by Characteristics of Patient and Race, Procedures Performed in Mississippi .....	39
Table F3.	Reported Induced Terminations of Pregnancy and Percentage Distribution, by Medical Characteristics and Race, Procedures Performed in Mississippi .....	40

## MAJOR TABLES, 1993

## POPULATION

Table i.	1990 Census Population and Percent Change Since 1980 Census, by Place (Counties, Towns of 10,000 or More) and Race, Mississippi, As of April 1, 1990 .....	43
----------	--	----

## LIVE BIRTHS

Table 1A.	Live Births, by Place of Occurrence and Race of Mother, also Live Births and Rates, by Place of Residence and Race of Mother, (Place Includes Counties, Out of State, Towns of 10,000 or More), Mississippi, 1993 .....	46
Table 1B.	Fertility Rates, by County of Residence and Race of Mother, Mississippi, 1993 .....	49
Table 2.	Live Births, by County of Residence, Race of Mother, and Attendant, also by County of Residence and Sex, Mississippi, 1993 .....	50
Table 3A.	Total Live Births, by County of Residence and Age of Mother, Mississippi, 1993 .....	53
Table 3B.	Live Births to White Mothers, by County of Residence and Age of Mother, Mississippi, 1993 .....	55
Table 3C.	Live Births to Nonwhite Mothers, by County of Residence and Age of Mother, Mississippi, 1993 .....	57
Table 4.	Live Births to Unmarried Mothers and Percent of Total Live Births, by County of Residence and Race of Mother, Mississippi, 1993 ...	59
Table 5A.	Total Live Births to Unmarried Mothers, by County of Residence and Age of Mother, Mississippi, 1993 .....	61
Table 5B.	Live Births to Unmarried White Mothers, by County of Residence and Age of Mother, Mississippi, 1993 .....	63
Table 5C.	Live Births to Unmarried Nonwhite Mothers, by County of Residence and Age of Mother, Mississippi, 1993 .....	65
Table 6A.	Live Births Weighing Less Than 2,500 Grams at Birth and Percent of Total Live Births, by County of Residence and Race of Mother, Mississippi, 1993 .....	67
Table 6B.	Live Births Weighing Less Than 1,500 Grams at Birth and Percent of Total Live Births, by County of Residence and Race of Mother, Mississippi, 1993 .....	69
Table 7.	Premature Live Births and Percent of Total Live Births, by County of Residence and Race of Mother, Mississippi, 1993 .....	71

## FETAL DEATHS

Table 8.	Reportable Fetal Deaths, by County of Occurrence and Race of Mother, also Reportable Fetal Deaths and Fetal Death Ratios, by County of Residence and Race of Mother, Mississippi, 1993 .....	73
----------	--	----

## MAJOR TABLES, 1993

## DEATHS

Table 9.	Deaths, by Place of Occurrence and Race, also Deaths and Rates, by Place of Residence and Race, (Place Includes Counties, Out of State, Towns of 10,000 or More), Mississippi, 1993 .....	75
Table 10.	Deaths, by Cause and Race, Mississippi Residents, 1993 .....	78
Table 11.	Deaths from Major Cause Groups and Certain Selected Causes, by Race, Sex, and Age, also Rates for Major Cause Groups and Certain Selected Causes, Mississippi Residents, 1993 .....	93
Table 12A.	Infant, Neonatal, and Postneonatal Deaths, by County of Residence and Race, Mississippi, 1993 .....	100
Table 12B.	Infant, Neonatal, and Postneonatal Mortality Rates, by County of Residence and Race, Mississippi, 1989-1993 (5-Year Average) ....	102
Table 13.	Infant Deaths from Selected Causes, by Race and Age, also Mortality Rates for Selected Causes, Mississippi Residents, 1993 .....	104
Table 14.	Accidental Deaths, by County of Occurrence and Type of Accident, Mississippi, 1993 .....	106

## MARRIAGES

Table 15.	Marriages, by County of Licensure and Race of Bride, also by County of Occurrence and Race of Bride, also by County of Residence of Bride and Race of Bride, Mississippi, 1993 .....	108
-----------	--	-----

## DIVORCES

Table 16.	Divorces, by County of Occurrence and Race, Mississippi, 1993 ....	110
-----------	--	-----

## INDUCED TERMINATIONS

Table 17.	Reported Induced Terminations of Pregnancy Performed in Mississippi on Mississippi Residents, by County of Residence and Race, 1993 .....	111
-----------	---	-----

## DEATHS (COUNTY AND STATE SUMMARIES)

Table 18.	Deaths from Selected Causes Used for Ranking Leading Causes, by Race, Residents The Counties (in alphabetical order) .....	113
	The State .....	133

## TIME SERIES TABLES

Table 19.	Live Births and Rates, by Year and Race, Mississippi, 1913-1993, (Occurrence Data 1913-1943, Residence Data 1944-1993) .....	137
Table 20.	Deaths and Rates, by Year and Race, Mississippi, 1913-1993, (Occurrence Data 1913-1943, Residence Data 1944-1993) .....	139
Table 21.	Maternal Deaths and Mortality Rates, by Year and Race, Mississippi, 1913-1993, (Occurrence Data 1913-1943, Residence Data 1944-1993) .....	141
Table 22.	Infant Deaths and Mortality Rates, by Year and Race, Mississippi, 1917-1993, (Occurrence Data 1917-1943, Residence Data 1944-1993) .....	143
Table 23.	Neonatal Deaths and Mortality Rates, by Year and Race, Mississippi, 1924-1993, (Occurrence Data 1924-1944, Residence Data 1945-1993) .....	145

## TIME SERIES TABLES

Page

Table 24.	Postneonatal Deaths and Mortality Rates, by Year and Race, Mississippi, 1924-1993, (Occurrence Data 1924-1943, Residence Data 1944-1993) .....	147
Table 25.	Marriages and Divorces, by Year and Race, Occurrence Data, Mississippi, 1926-1993 .....	149
Table 26.	Reported Induced Terminations of Pregnancy and Induced Termination Ratios, by Year and Race, Procedures Performed in Mississippi, 1976-1993 .....	151

# VITAL STATISTICS MISSISSIPPI, 1993

## INTRODUCTION

### Description of Bulletin

The information on live births, fetal deaths, induced terminations of pregnancy, deaths, marriages, and divorces which is presented in this bulletin was obtained from official records submitted to the Mississippi State Department of Health as required by statute and regulation. Live birth and fetal death records were prepared by hospitals, clinics, physicians, and midwives. Reports of induced terminations of pregnancy were prepared by hospitals, clinic staff, and physicians. Responsibility for the preparation of death certificates was shared by hospitals, nursing homes and other institutions which provide care or custody, funeral homes, physicians, medical examiners, and medical examiner investigators. Marriage records were completed partly by brides and grooms, partly by persons who performed marriage ceremonies, and partly by circuit clerks. Chancery clerks prepared the statistical records of divorce.

This publication consists of three parts. The first part includes summary tables for the state as a whole for 1993; the second part contains major statistical tables for 1993. Time series tables numbered 19 through 26 are presented in the third part.

### Definitions of Live Birth, Fetal Death, Induced Termination, and Death

The definitions of live birth, fetal death, and induced termination of pregnancy adopted by the Mississippi State Department of Health for use in Mississippi are those formulated by the World Health Organization and recommended by the National Center for Health Statistics. The definition of death was adopted by the Mississippi Legislature in 1982, statute number 41-36-3.

**Live Birth** - the complete expulsion or extraction from its mother of a product of human conception, irrespective of the duration of pregnancy, which, after such expulsion or extraction, breathes or shows any other evidence of life such as beating of the heart, pulsation of the umbilical cord, or definite movement of voluntary muscles, whether or not the umbilical cord has been cut or the placenta is attached.

**Fetal Death** - death prior to the complete expulsion or extraction from its mother of a product of human conception, irrespective of the duration of pregnancy; the death is indicated by the fact that after such expulsion or extraction the fetus does not breathe or show any other evidence of life such as beating of the heart, pulsation of the umbilical cord, or definite movement of voluntary muscles.

**Induced Termination of Pregnancy** - the intentional termination of pregnancy with the intention other than to produce a live-born infant or to remove a dead fetus.

**Death** - an individual who has sustained either (a) irreversible cessation of circulatory and respiratory functions or (b) irreversible cessation of all functions of the entire brain, including the brain stem, is dead. A determination of death must be made in accordance with accepted medical standards.

Even though the definition of fetal death is all-inclusive, the State Department of Health does not require the reporting of all fetal deaths. Since January 1, 1976, fetal death reports have been required only for spontaneous fetal deaths of 20 weeks or more gestation or weight of 350 grams or more. There is a separate reporting system (with no names or addresses) for all induced terminations of pregnancy.



### Occurrence and Residence Allocation

Live births, fetal deaths, and deaths were classified by place of occurrence and by place of residence. Some of the tables contain both occurrence and residence figures, but most of the tables are based on residence data only, as these data are considered more suitable for studying public health problems.

Occurrence data were obtained from certificates filed in Mississippi at the place of the event. Residence data include transcripts of records of events that occurred in other states to Mississippi residents and exclude records filed in this state for nonresidents. Residence assignment for live births and fetal deaths was determined by the usual residence of the mother. For deaths it was determined by the usual residence of the decedent except that deaths of inmates of institutions were reallocated to the location of the institution regardless of length of stay.

Figures on induced terminations of pregnancy refer only to procedures performed in Mississippi, and do not include transcripts of records of events that occurred in other states to Mississippi residents. Residence assignment was determined by the usual residence of the patient.

Marriages were classified according to place of issuance of the marriage license, place of occurrence of marriage, and place of residence of the bride. However, the figures on brides who were Mississippi residents are incomplete since there is no exchange among the states of transcripts of marriage records for nonresidents and the out-of-state marriages of Mississippi brides could not be included. Divorces were classified only according to place where the decree was granted, as there is no information regarding place of residence on the record.

### Population

Figures from the U.S. Census of April 1, 1990 were used in this bulletin, and several types of rates and special compilations were prepared which can be done only when detailed population data of the type which comes from the decennial census are available.

### Race

The two categories for race used in this publication are white and nonwhite. White includes such groups as Caucasian, Anglo-American, Canadian, Cuban, French, Greek, Hispanic, Latin American, Mexican, Puerto Rican, Swedish, etc. Nonwhite includes such groups as Black, Afro-American, American Indian, Chinese, Japanese, Hawaiian, Filipino, and all other groups not considered as white.

Prior to 1989, all statistics regarding live births and fetal deaths were broken down by race of the child or fetus; however, beginning with 1989 and continuing with subsequent years all statistics on live births and fetal deaths will be reported by race of the mother. This includes any rates or ratios that involve figures for live births or fetal deaths. For example, the infant mortality rate for white infants will now be calculated using the number of live births to white mothers as the denominator.

## Rates

Population-based rates for the state include those for live births, total deaths, and deaths from specific causes, except maternal deaths and deaths from certain conditions originating in the perinatal period. Figures on live births were used as the base for calculating fetal death ratios as well as rates for maternal deaths, infant, neonatal, and postneonatal deaths, and deaths from certain conditions originating in the perinatal period, as the birth counts represent the groups at risk more accurately than do general population figures.

## Classification of Cause of Death

Causes of death were assigned according to the Ninth Revision International Statistical Classification of Diseases, Injuries, and Causes of Death. The Ninth Revision was first used in 1979, and is not markedly different from the Eighth Revision. However, the periodic changes in the classification system which have occurred through the years have resulted in an unavoidable lack of comparability for some causes, and caution should be used in analyzing long-term trends.

### **SUMMARY TABLES, 1993**

**In this section, all tables on live births, fetal deaths, and deaths represent residence data unless otherwise specified; all information on induced terminations of pregnancy, marriages, and divorces is occurrence data.**

POPULATION

TABLE P1. CENSUS POPULATION AND PERCENTAGE DISTRIBUTION, BY AGE, RACE, AND SEX  
MISSISSIPPI, 1990

AGE	NUMBER					PERCENT				
	TOTAL	WHI TE		NONWHI TE		TOTAL	WHI TE		NONWHI TE	
		MALE	FEMALE	MALE	FEMALE		MALE	FEMALE	MALE	FEMALE
<u>TOTAL</u>	<u>2, 573, 216</u>	<u>795, 255</u>	<u>838, 206</u>	<u>435, 362</u>	<u>504, 393</u>	<u>100. 0</u>	<u>100. 0</u>	<u>100. 0</u>	<u>100. 0</u>	<u>100. 0</u>
UNDER 1	34, 036	9, 384	9, 011	7, 776	7, 865	1. 3	1. 2	1. 1	1. 8	1. 6
1- 4	161, 329	44, 899	42, 487	37, 456	36, 487	6. 3	5. 6	5. 1	8. 6	7. 2
5- 9	211, 918	58, 653	54, 791	49, 561	48, 913	8. 2	7. 4	6. 5	11. 4	9. 7
10- 14	213, 305	58, 658	54, 606	50, 415	49, 626	8. 3	7. 4	6. 5	11. 6	9. 8
15- 19	222, 879	63, 645	59, 806	49, 274	50, 154	8. 7	8. 0	7. 1	11. 3	9. 9
20- 24	196, 640	60, 737	57, 673	36, 056	42, 174	7. 6	7. 6	6. 9	8. 3	8. 4
25- 29	197, 740	62, 879	62, 057	32, 526	40, 278	7. 7	7. 9	7. 4	7. 5	8. 0
30- 34	202, 280	64, 398	64, 074	32, 557	41, 251	7. 9	8. 1	7. 6	7. 5	8. 2
35- 39	185, 402	60, 117	60, 569	29, 324	35, 392	7. 2	7. 6	7. 2	6. 7	7. 0
40- 44	164, 162	57, 422	57, 650	22, 354	26, 736	6. 4	7. 2	6. 9	5. 1	5. 3
45- 49	131, 627	47, 517	48, 592	15, 963	19, 555	5. 1	6. 0	5. 8	3. 7	3. 9
50- 54	116, 118	41, 672	43, 396	13, 327	17, 723	4. 5	5. 2	5. 2	3. 1	3. 5
55- 59	107, 784	38, 456	41, 766	11, 435	16, 127	4. 2	4. 8	5. 0	2. 6	3. 2
60- 64	106, 712	37, 021	42, 284	11, 212	16, 195	4. 1	4. 6	5. 0	2. 6	3. 2
65- 69	99, 777	32, 639	40, 739	10, 664	15, 735	3. 9	4. 1	4. 9	2. 4	3. 1
70- 74	80, 372	24, 247	33, 801	8, 974	13, 350	3. 1	3. 0	4. 0	2. 1	2. 6
75- 79	65, 389	17, 176	28, 980	7, 572	11, 661	2. 5	2. 2	3. 4	1. 7	2. 3
80- 84	43, 411	10, 117	20, 066	5, 158	8, 070	1. 7	1. 3	2. 4	1. 2	1. 6
85 & OVER	32, 335	5, 618	15, 858	3, 758	7, 101	1. 2	0. 7	1. 9	0. 9	1. 4
UNDER 15	620, 588	171, 594	160, 895	145, 208	142, 891	24. 1	21. 6	19. 2	33. 4	28. 3
15- 64	1, 631, 344	533, 864	537, 867	254, 028	305, 585	63. 4	67. 1	64. 2	58. 3	60. 6
65 & OVER	321, 284	89, 797	139, 444	36, 126	55, 917	12. 5	11. 3	16. 6	8. 3	11. 1
<u>MEDIAN AGE</u>	<u>31. 2</u>	<u>33. 0</u>	<u>36. 2</u>	<u>23. 2</u>	<u>27. 1</u>					

## LIVE BIRTHS

**TABLE A1. LIVE BIRTHS AND AVERAGE PER DAY, BY MONTH  
MISSISSIPPI, 1993**

MONTH	BIRTHS	AVERAGE PER DAY	MONTH	BIRTHS	AVERAGE PER DAY
<b>TOTAL</b>	<b>42, 134</b>	<b>115</b>			
JANUARY	3, 464	112	JULY	3, 756	121
FEBRUARY	3, 276	113	AUGUST	3, 803	123
MARCH	3, 610	116	SEPTEMBER	3, 781	126
APRIL	3, 143	105	OCTOBER	3, 577	115
MAY	3, 250	105	NOVEMBER	3, 394	113
JUNE	3, 348	112	DECEMBER	3, 732	120

**TABLE A2. PERCENTAGE OF LIVE BIRTHS IN HOSPITALS OR CLINICS,  
BY YEAR AND RACE\*  
MISSISSIPPI, 1940, 1950, 1960, 1970-1993**

YEAR	TOTAL	WHITE	NON- WHITE	YEAR	TOTAL	WHITE	NON- WHITE
1940	14. 1	27. 1	3. 9				
1950	46. 1	83. 3	18. 9				
1960	73. 2	99. 0	51. 3				
1970#	90. 0	99. 7	79. 7	1980#	99. 4	99. 7	99. 1
1971#	92. 2	99. 6	84. 2	1981#	99. 3	99. 6	99. 0
1972#	95. 2	99. 8	90. 4	1982#	99. 4	99. 6	99. 2
1973#	96. 4	99. 7	92. 8	1983#	99. 5	99. 6	99. 4
1974#	97. 4	99. 7	94. 8	1984#	99. 5	99. 6	99. 4
1975#	97. 9	99. 6	96. 0	1985#	99. 6	99. 7	99. 4
1976#	98. 5	99. 7	97. 3	1986#	99. 6	99. 7	99. 5
1977#	98. 9	99. 7	98. 1	1987#	99. 6	99. 8	99. 5
1978#	99. 1	99. 7	98. 4	1988#	99. 6	99. 7	99. 6
1979#	99. 3	99. 7	98. 9	1989#	99. 6	99. 8	99. 5
				1990#	99. 6	99. 6	99. 6
				1991#	99. 6	99. 6	99. 6
				1992#	99. 7	99. 7	99. 7
				1993#	99. 7	99. 7	99. 6

\* FIGURES FOR YEARS PRIOR TO 1989 ARE BY RACE OF CHILD;  
BEGINNING IN 1989 FIGURES SHOWN ARE BY RACE OF MOTHER.

# INCLUDES BIRTHS IN ANY FACILITY WHICH PROVIDES MEDICAL  
CARE; PRIOR TO 1970 ONLY BIRTHS IN FACILITIES PROVIDING  
INPATIENT CARE WERE INCLUDED.

TABLE A3. LIVE BIRTHS AND PERCENTAGE DISTRIBUTION, BY PLACE OF DELIVERY, ATTENDANT, AND RACE OF MOTHER  
MISSISSIPPI, 1993

PLACE OF DELIVERY AND RACE	NUMBER						PERCENT					
	TOTAL	PHYSI-CIAN	CERTI-FIED NURSE MIDWI FE	GRANNY MIDWI FE	OTHER NAMED PERSON	UN-KNOWN	TOTAL	PHYSI-CIAN	CERTI-FIED NURSE MIDWI FE	GRANNY MIDWI FE	OTHER NAMED PERSON	UN-KNOWN
<u>TOTAL</u>	<u>42, 134</u>	<u>41, 599</u>	<u>363</u>	<u>15</u>	<u>134</u>	<u>23</u>	<u>100. 0</u>	<u>98. 7</u>	<u>0. 9</u>	<u>*</u>	<u>0. 3</u>	<u>*</u>
HOSPITAL CLINIC/DOCTOR' S OFFICE	41, 991	41, 570	360	0	48	13	99. 7	98. 7	0. 8	-	0. 1	*
HOME	3	3	0	0	0	0	*	*	-	-	-	-
OTHER PLACE	129	25	3	15	79	7	0. 3	*	*	*	0. 2	*
UNKNOWN PLACE	11	1	0	0	7	3	*	*	-	-	*	*
	0	0	0	0	0	0	-	-	-	-	-	-
<u>WHITE</u>	<u>21, 246</u>	<u>21, 042</u>	<u>128</u>	<u>15</u>	<u>51</u>	<u>10</u>	<u>100. 0</u>	<u>99. 0</u>	<u>0. 6</u>	<u>0. 1</u>	<u>0. 2</u>	<u>*</u>
HOSPITAL CLINIC/DOCTOR' S OFFICE	21, 183	21, 037	126	0	12	8	99. 7	99. 0	0. 6	-	*	*
HOME	0	0	0	0	0	0	-	-	-	-	-	-
OTHER PLACE	56	5	2	15	34	0	0. 3	*	*	0. 1	0. 2	-
UNKNOWN PLACE	7	0	0	0	5	2	*	-	-	-	*	*
	0	0	0	0	0	0	-	-	-	-	-	-
<u>NONWHITE</u>	<u>20, 888</u>	<u>20, 557</u>	<u>235</u>	<u>0</u>	<u>83</u>	<u>13</u>	<u>100. 0</u>	<u>98. 4</u>	<u>1. 1</u>	<u>-</u>	<u>0. 4</u>	<u>0. 1</u>
HOSPITAL CLINIC/DOCTOR' S OFFICE	20, 808	20, 533	234	0	36	5	99. 6	98. 3	1. 1	-	0. 2	*
HOME	3	3	0	0	0	0	*	*	-	-	-	-
OTHER PLACE	73	20	1	0	45	7	0. 3	0. 1	*	-	0. 2	*
UNKNOWN PLACE	4	1	0	0	2	1	*	*	-	-	*	*
	0	0	0	0	0	0	-	-	-	-	-	-

\* LESS THAN 0. 06 PERCENT.

**TABLE A4. LIVE BIRTHS, PERCENTAGE DISTRIBUTION, AND FERTILITY RATES,  
BY AGE AND RACE OF MOTHER  
MISSISSIPPI, 1993**

AGE OF MOTHER	NUMBER			PERCENT			FERTILITY RATE*		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<b>TOTAL</b>	<b>42, 134</b>	<b>21, 246</b>	<b>20, 888</b>	<b>100. 0</b>	<b>100. 0</b>	<b>100. 0</b>	<b>70. 5</b>	<b>58. 7</b>	<b>88. 5</b>
UNDER 15	376	47	329	0. 9	0. 2	1. 6	3. 6	0. 9	6. 6
15- 19	8, 763	3, 064	5, 699	20. 8	14. 4	27. 3	79. 7	51. 2	113. 6
20- 24	14, 037	6, 830	7, 207	33. 3	32. 1	34. 5	140. 6	118. 4	170. 9
25- 29	10, 139	6, 022	4, 117	24. 1	28. 3	19. 7	99. 1	97. 0	102. 2
30- 34	6, 096	3, 742	2, 354	14. 5	17. 6	11. 3	57. 9	58. 4	57. 1
35- 39	2, 276	1, 297	979	5. 4	6. 1	4. 7	23. 7	21. 4	27. 7
40- 44	378	187	191	0. 9	0. 9	0. 9	4. 5	3. 2	7. 1
45- 49	15	9	6	**	**	**	0. 2	0. 2	0. 3
UNKNOWN	54	48	6	0. 1	0. 2	**			

\* FOR TOTAL GROUP - LIVE BIRTHS PER 1,000 FEMALES 15-44 YEARS OF AGE; FOR SPECIFIC AGE GROUPS - LIVE BIRTHS PER 1,000 FEMALES IN SPECIFIED GROUP.

\*\* LESS THAN 0.06 PERCENT.

**TABLE A5. LIVE BIRTHS AND PERCENTAGE DISTRIBUTION,  
BY YEARS OF SCHOOL COMPLETED BY MOTHER AND RACE OF MOTHER  
MISSISSIPPI, 1993**

YEARS OF SCHOOL COMPLETED BY MOTHER	NUMBER			PERCENT*			CUMULATIVE PERCENT*		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<b>TOTAL BIRTHS</b>	<b>42, 134</b>	<b>21, 246</b>	<b>20, 888</b>	<b>100. 0</b>	<b>100. 0</b>	<b>100. 0</b>			
0- 6 YEARS	275	128	147	0. 6	0. 6	0. 7	0. 6	0. 6	0. 7
7- 9 YEARS	4, 301	1, 930	2, 371	10. 2	9. 1	11. 4	10. 9	9. 7	12. 1
10, 11 YEARS	7, 231	2, 625	4, 606	17. 2	12. 4	22. 1	28. 1	22. 1	34. 2
12 YEARS	15, 159	7, 140	8, 019	36. 0	33. 7	38. 5	64. 1	55. 8	72. 7
1- 3 YEARS COLLEGE	9, 765	5, 415	4, 350	23. 2	25. 5	20. 9	87. 4	81. 3	93. 6
4 OR MORE YEARS COLLEGE	5, 309	3, 967	1, 342	12. 6	18. 7	6. 4	100. 0	100. 0	100. 0
UNKNOWN	94	41	53						
<b>MEDIAN YEARS COMPLETED*</b>	<b>12. 6</b>	<b>12. 8</b>	<b>12. 4</b>						

\* CALCULATIONS EXCLUDE BIRTHS TO MOTHERS WITH EDUCATION UNKNOWN.

**TABLE A6. LIVE BIRTHS TO UNMARRIED MOTHERS  
AND PERCENT OF TOTAL LIVE BIRTHS IN SPECIFIED GROUP,  
BY AGE AND RACE OF MOTHER  
MISSISSIPPI, 1993**

AGE OF MOTHER	NUMBER			PERCENT		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<b>TOTAL</b>	<b>18,715</b>	<b>3,515</b>	<b>15,200</b>	<b>44.4</b>	<b>16.5</b>	<b>72.8</b>
UNDER 15	365	37	328	97.1	78.7	99.7
15-19	6,791	1,329	5,462	77.5	43.4	95.8
20-24	6,928	1,271	5,657	49.4	18.6	78.5
25-29	2,781	526	2,255	27.4	8.7	54.8
30-34	1,264	239	1,025	20.7	6.4	43.5
35-39	495	93	402	21.7	7.2	41.1
40-44	81	14	67	21.4	7.5	35.1
45-49	3	1	2	20.0	11.1	33.3
UNKNOWN	7	5	2			

**TABLE A7. LIVE BIRTHS, PERCENTAGE DISTRIBUTION, FERTILITY RATES,  
AND MEDIAN AGE OF MOTHER, BY TOTAL-BIRTH ORDER AND RACE OF MOTHER  
MISSISSIPPI, 1993**

TOTAL-BIRTH ORDER*	NUMBER			PERCENT			FERTILITY RATE**			MEDIAN AGE OF MOTHER		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<b>TOTAL</b>	<b>42,134</b>	<b>21,246</b>	<b>20,888</b>	<b>100.0</b>	<b>100.0</b>	<b>100.0</b>	<b>70.5</b>	<b>58.7</b>	<b>88.5</b>	<b>24.1</b>	<b>25.5</b>	<b>22.7</b>
FIRST	14,631	7,682	6,949	34.7	36.2	33.3	24.5	21.2	29.4	20.9	22.5	19.5
SECOND	12,676	6,876	5,800	30.1	32.4	27.8	21.2	19.0	24.6	24.4	25.8	22.7
THIRD	7,904	3,903	4,001	18.8	18.4	19.2	13.2	10.8	17.0	26.4	27.9	24.7
FOURTH	3,796	1,645	2,151	9.0	7.7	10.3	6.4	4.5	9.1	27.9	29.6	26.4
FIFTH	1,647	660	987	3.9	3.1	4.7	2.8	1.8	4.2	28.9	30.4	28.0
SIXTH	754	263	491	1.8	1.2	2.4	1.3	0.7	2.1	30.3	31.6	29.5
SEVENTH	350	97	253	0.8	0.4	1.2	0.6	0.3	1.1	31.2	31.8	31.0
EIGHTH	145	51	94	0.3	0.2	0.4	0.2	0.1	0.4	31.6	31.2	32.1
NINTH	75	15	60	0.2	0.1	0.3	0.1	#	0.2	34.0	30.0	35.1
TENTH & OVER	103	24	79	0.2	0.1	0.4	0.2	0.1	0.3	36.6	36.4	37.0
UNKNOWN	53	30	23	0.1	0.1	0.1	0.1	0.1	0.1			

\* INCLUDES ALL LIVE BIRTHS PLUS ALL FETAL DEATHS REGARDLESS OF LENGTH OF GESTATION.

\*\* LIVE BIRTHS PER 1,000 FEMALES 15-44 YEARS OF AGE (1990 CENSUS).

# LESS THAN 0.06.



**TABLE A8. LIVE BIRTHS AND PERCENTAGE DISTRIBUTION,  
BY WHETHER MOTHER RECEIVED PRENATAL CARE,  
TIME DURING PREGNANCY CARE BEGAN, AND RACE OF MOTHER  
MISSISSIPPI, 1993**

PRENATAL CARE AND TIME CARE BEGAN	NUMBER			PERCENT		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>TOTAL</u>	<u>42, 134</u>	<u>21, 246</u>	<u>20, 888</u>	<u>100. 0</u>	<u>100. 0</u>	<u>100. 0</u>
NO PRENATAL CARE	677	126	551	1. 6	0. 6	2. 6
<u>SOME PRENATAL CARE</u>	<u>41, 311</u>	<u>21, 062</u>	<u>20, 249</u>	<u>98. 0</u>	<u>99. 1</u>	<u>96. 9</u>
FIRST TRIMESTER	31, 367	17, 973	13, 394	74. 4	84. 6	64. 1
SECOND TRIMESTER	8, 265	2, 626	5, 639	19. 6	12. 4	27. 0
THIRD TRIMESTER	1, 572	435	1, 137	3. 7	2. 0	5. 4
UNKNOWN MONTH	107	28	79	0. 2	0. 1	0. 4
UNKNOWN WHETHER ANY PRENATAL CARE	146	58	88	0. 3	0. 3	0. 4

**TABLE A9. LIVE BIRTHS AND PERCENTAGE DISTRIBUTION,  
BY MATURITY AND RACE OF MOTHER  
MISSISSIPPI, 1993**

MATURITY*	NUMBER			PERCENT		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>TOTAL</u>	<u>42, 134</u>	<u>21, 246</u>	<u>20, 888</u>	<u>100. 0</u>	<u>100. 0</u>	<u>100. 0</u>
IMMATURE ONLY**	1, 662	583	1, 079	3. 9	2. 7	5. 2
PREMATURE ONLY**	4, 023	1, 460	2, 563	9. 5	6. 9	12. 3
BOTH IMMATURE AND PREMATURE	2, 584	844	1, 740	6. 1	4. 0	8. 3
TOTAL IMMATURE	4, 246	1, 427	2, 819	10. 1	6. 7	13. 5
TOTAL PREMATURE	6, 607	2, 304	4, 303	15. 7	10. 8	20. 6
TOTAL IMMATURE AND/OR PREMATURE	8, 269	2, 887	5, 382	19. 6	13. 6	25. 8
NEITHER IMMATURE NOR PREMATURE**	33, 865	18, 359	15, 506	80. 4	86. 4	74. 2

\* IMMATURE - BIRTHWEIGHT LESS THAN 5 1/2 POUNDS (2, 500 GRAMS); PREMATURE - GESTATION LESS THAN 37 WEEKS (CALCULATED BY SUBTRACTING THE DATE OF THE LAST NORMAL MENSTRUAL PERIOD PRIOR TO DELIVERY FROM THE DATE OF BIRTH).

\*\* BIRTHS CLASSIFIED AS IMMATURE ONLY OR AS PREMATURE ONLY INCLUDE SOME FOR WHICH THE OTHER MEASUREMENT WAS UNKNOWN. THOSE CLASSIFIED AS NEITHER IMMATURE NOR PREMATURE INCLUDE SOME FOR WHICH ONE OR BOTH MEASUREMENTS WERE UNKNOWN.

**TABLE A10. CONGENITAL ANOMALIES REPORTED ON LIVE BIRTH CERTIFICATES,  
BY ANOMALY AND RACE OF MOTHER  
MISSISSIPPI, 1993**

<b>CONGENITAL ANOMALY</b>	<b>TOTAL</b>	<b>WHITE</b>	<b>NON- WHITE</b>
<b><u>TOTAL ANOMALIES REPORTED</u></b>	<b><u>548</u></b>	<b><u>252</u></b>	<b><u>296</u></b>
<b>ANENCEPHALUS</b>	<b>5</b>	<b>3</b>	<b>2</b>
<b>SPI NA BI FIDA/MENINGOCELE</b>	<b>6</b>	<b>5</b>	<b>1</b>
<b>HYDROCEPHALUS</b>	<b>22</b>	<b>13</b>	<b>9</b>
<b>MICROCEPHALUS</b>	<b>3</b>	<b>2</b>	<b>1</b>
<b>OTHER CENTRAL NERVOUS SYSTEM ANOMALIES</b>	<b>3</b>	<b>1</b>	<b>2</b>
<b>HEART MALFORMATIONS</b>	<b>49</b>	<b>28</b>	<b>21</b>
<b>OTHER CIRCULATORY/RESPIRATORY ANOMALIES</b>	<b>42</b>	<b>22</b>	<b>20</b>
<b>RECTAL ATRESIA/STENOSIS</b>	<b>4</b>	<b>2</b>	<b>2</b>
<b>TRACHEO- ESOPHAGEAL FISTULA/ESOPHAGEAL ATRESIA</b>	<b>4</b>	<b>4</b>	<b>0</b>
<b>OMPHALOCELE/GASTROSCHISIS</b>	<b>30</b>	<b>7</b>	<b>23</b>
<b>OTHER GASTROINTESTINAL ANOMALIES</b>	<b>20</b>	<b>7</b>	<b>13</b>
<b>MALFORMED GENITALIA</b>	<b>69</b>	<b>41</b>	<b>28</b>
<b>RENAL AGENESIS</b>	<b>3</b>	<b>3</b>	<b>0</b>
<b>OTHER UROGENITAL ANOMALIES</b>	<b>18</b>	<b>11</b>	<b>7</b>
<b>CLEFT LIP/PALATE</b>	<b>33</b>	<b>22</b>	<b>11</b>
<b>POLYDACTYLY/SYNDACTYLY/ADACTYLY</b>	<b>86</b>	<b>11</b>	<b>75</b>
<b>CLUB FOOT</b>	<b>32</b>	<b>18</b>	<b>14</b>
<b>DIAPHRAGMATIC HERNIA</b>	<b>7</b>	<b>4</b>	<b>3</b>
<b>OTHER MUSCULOSKELETAL/INTEGUMENTAL ANOMALIES</b>	<b>60</b>	<b>23</b>	<b>37</b>
<b>DOWNS SYNDROME</b>	<b>18</b>	<b>10</b>	<b>8</b>
<b>OTHER CHROMOSOMAL ANOMALIES</b>	<b>7</b>	<b>5</b>	<b>2</b>
<b><u>OTHER</u></b>	<b><u>27</u></b>	<b><u>10</u></b>	<b><u>17</u></b>

**TABLE A11. MEDICAL RISK FACTORS REPORTED ON LIVE BIRTH CERTIFICATES,  
BY RISK FACTOR AND RACE OF MOTHER  
MISSISSIPPI, 1993**

<u>MEDICAL RISK FACTOR</u>	<u>TOTAL</u>	<u>WHITE</u>	<u>NON- WHITE</u>
<u>TOTAL RISK FACTORS REPORTED</u>	<u>8, 223</u>	<u>3, 722</u>	<u>4, 501</u>
ANEMIA (HCT. < 30/HGB. < 10)	834	264	570
CARDIAC DISEASE	218	154	64
ACUTE OR CHRONIC LUNG DISEASE	178	96	82
DIABETES	889	477	412
GENITAL HERPES	160	98	62
HYDRAMNIOS/OLIGOHYDRAMNIOS	280	109	171
HEMOGLOBINOPATHY	138	5	133
HYPERTENSION, CHRONIC	525	171	354
HYPERTENSION, PREGNANCY- ASSOCIATED	1, 785	855	930
ECLAMPSIA	176	85	91
INCOMPETENT CERVIX	76	37	39
PREVIOUS INFANT 4000+ GRAMS	225	155	70
PREVIOUS PRETERM OR SMALL- FOR- GESTATIONAL- AGE INFANT	509	199	310
RENAL DISEASE	71	51	20
RH SENSITIZATION	132	98	34
UTERINE BLEEDING	252	155	97
<u>OTHER</u>	<u>1, 775</u>	<u>713</u>	<u>1, 062</u>

**TABLE A12. OTHER RISK FACTORS REPORTED ON LIVE BIRTH CERTIFICATES  
AND PERCENTAGE DISTRIBUTION, BY RISK FACTOR AND RACE OF MOTHER,  
MISSISSIPPI, 1993**

RISK FACTOR	NUMBER			PERCENT		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>TOTAL LIVE BIRTHS</u>	<u>42, 134</u>	<u>21, 246</u>	<u>20, 888</u>	<u>100. 0</u>	<u>100. 0</u>	<u>100. 0</u>
<b>TOBACCO USE DURING PREGNANCY</b>						
NONE	36, 006	16, 777	19, 229	85. 4	79. 0	92. 0
<u>SOME</u>	<u>6, 021</u>	<u>4, 422</u>	<u>1, 599</u>	<u>14. 3</u>	<u>20. 8</u>	<u>7. 6</u>
1- 9 CIGARETTES PER DAY	1, 525	884	641	3. 6	4. 2	3. 1
10- 19 CIGARETTES PER DAY	2, 355	1, 755	600	5. 6	8. 3	2. 9
20- 29 CIGARETTES PER DAY	1, 746	1, 457	289	4. 1	6. 8	1. 4
30- 39 CIGARETTES PER DAY	195	183	12	0. 5	0. 9	*
40- 49 CIGARETTES PER DAY	108	87	21	0. 2	0. 4	0. 1
50- 59 CIGARETTES PER DAY	6	5	1	*	*	*
60 OR MORE PER DAY	1	0	1	*	-	*
UNKNOWN AMOUNT	85	51	34	0. 2	0. 2	0. 2
NOT STATED	107	47	60	0. 2	0. 2	0. 3
<b>ALCOHOL USE DURING PREGNANCY</b>						
NONE	41, 465	21, 005	20, 460	98. 4	98. 9	98. 0
<u>SOME</u>	<u>533</u>	<u>169</u>	<u>364</u>	<u>1. 3</u>	<u>0. 8</u>	<u>1. 7</u>
1 DRINK PER WEEK	159	65	94	0. 4	0. 3	0. 4
2 DRINKS PER WEEK	96	19	77	0. 2	0. 1	0. 4
3 DRINKS PER WEEK	35	8	27	0. 1	*	0. 1
4 DRINKS PER WEEK	31	10	21	0. 1	*	0. 1
5 DRINKS PER WEEK	16	7	9	*	*	*
6 OR MORE PER WEEK	90	15	75	0. 2	0. 1	0. 4
UNKNOWN AMOUNT	106	45	61	0. 2	0. 2	0. 3
NOT STATED	136	72	64	0. 3	0. 3	0. 3
<b>WEIGHT GAINED DURING PREGNANCY</b>						
NONE OR LOST WEIGHT	601	235	366	1. 4	1. 1	1. 8
1- 4 POUNDS	335	138	197	0. 8	0. 6	0. 9
5- 9 POUNDS	991	391	600	2. 4	1. 8	2. 9
10- 14 POUNDS	2, 455	915	1, 540	5. 8	4. 3	7. 4
15- 19 POUNDS	3, 353	1, 442	1, 911	8. 0	6. 8	9. 1
20- 24 POUNDS	6, 566	2, 998	3, 568	15. 6	14. 1	17. 1
25- 29 POUNDS	6, 413	3, 268	3, 145	15. 2	15. 4	15. 0
30- 34 POUNDS	7, 066	3, 850	3, 216	16. 8	18. 1	15. 4
35- 39 POUNDS	4, 015	2, 378	1, 637	9. 5	11. 2	7. 8
40- 44 POUNDS	3, 685	2, 138	1, 547	8. 7	10. 1	7. 4
45 OR MORE POUNDS	4, 683	2, 807	1, 876	11. 1	13. 2	9. 0
UNKNOWN AMOUNT	1, 971	686	1, 285	4. 7	3. 2	6. 2
<b>MEDIAN WEIGHT GAIN (LBS)**</b>	<b>29. 5</b>	<b>31. 2</b>	<b>27. 6</b>			

\* LESS THAN 0. 06 PERCENT.

\*\* EXCLUDES MOTHERS WHOSE WEIGHT GAIN WAS UNKNOWN.

**TABLE A13. COMPLICATIONS OF LABOR AND DELIVERY  
REPORTED ON LIVE BIRTH CERTIFICATES,  
BY COMPLICATION AND RACE OF MOTHER  
MISSISSIPPI, 1993**

<u>COMPLICATION</u>	<u>TOTAL</u>	<u>WHITE</u>	<u>NON- WHITE</u>
<u>TOTAL COMPLICATONS REPORTED</u>	<u>14, 196</u>	<u>7, 227</u>	<u>6, 969</u>
FEBRILE (> 100 DEGREES F. OR 38 DEGREES C.)	400	207	193
MECONIUM, MODERATE/HEAVY	2, 275	1, 023	1, 252
PREMATURE RUPTURE OF MEMBRANE (> 12 HOURS)	1, 215	551	664
ABRUPTIO PLACENTA	286	142	144
PLACENTA PREVIA	115	67	48
OTHER EXCESSIVE BLEEDING	78	39	39
SEIZURES DURING LABOR	31	13	18
PRECIPITOUS LABOR (< 3 HOURS)	652	261	391
PROLONGED LABOR (> 20 HOURS)	290	181	109
DYSFUNCTIONAL LABOR	878	517	361
BREECH/MALPRESENTATION	1, 578	924	654
CEPHALOPELVIC DISPROPORTION	2, 523	1, 389	1, 134
CORD PROLAPSE	80	37	43
ANESTHETIC COMPLICATIONS	16	12	4
FETAL DISTRESS	2, 726	1, 291	1, 435
OTHER	1, 053	573	480

**TABLE A14. METHOD OF DELIVERY REPORTED ON LIVE BIRTH CERTIFICATES,  
BY METHOD AND RACE OF MOTHER  
MISSISSIPPI, 1993**

<u>METHOD OF DELIVERY</u>	<u>TOTAL</u>	<u>WHITE</u>	<u>NON- WHITE</u>
<u>TOTAL METHODS OF DELIVERY REPORTED</u>	<u>45, 845</u>	<u>23, 900</u>	<u>21, 945</u>
VAGINAL	29, 459	14, 513	14, 946
VAGINAL BIRTH AFTER PREVIOUS C- SECTION	722	337	385
PRIMARY C- SECTION	6, 684	3, 539	3, 145
REPEAT C- SECTION	4, 571	2, 526	2, 045
FORCEPS	3, 082	2, 179	903
VACUUM	1, 327	806	521

**TABLE A15. OBSTETRIC PROCEDURES REPORTED ON LIVE BIRTH CERTIFICATES,  
BY PROCEDURE AND RACE OF MOTHER  
MISSISSIPPI, 1993**

<u>OBSTETRIC PROCEDURE</u>	<u>TOTAL</u>	<u>WHITE</u>	<u>NON- WHITE</u>
<u>TOTAL OBSTETRIC PROCEDURES REPORTED</u>	<u>72, 882</u>	<u>40, 010</u>	<u>32, 872</u>
AMNIOCENTESIS	544	384	160
ELECTRONIC FETAL MONITORING	35, 705	18, 748	16, 957
INDUCTION OF LABOR	3, 303	2, 350	953
STIMULATION OF LABOR	5, 372	3, 057	2, 315
TOCOLYSIS	474	292	182
ULTRASOUND	26, 935	14, 910	12, 025
<u>OTHER</u>	<u>549</u>	<u>269</u>	<u>280</u>

**TABLE A16. ABNORMAL CONDITIONS OF NEWBORN  
REPORTED ON LIVE BIRTH CERTIFICATES,  
BY CONDITION AND RACE OF MOTHER  
MISSISSIPPI, 1993**

<u>ABNORMAL CONDITION OF NEWBORN</u>	<u>TOTAL</u>	<u>WHITE</u>	<u>NON- WHITE</u>
<u>TOTAL ABNORMAL CONDITIONS REPORTED</u>	<u>2, 515</u>	<u>1, 187</u>	<u>1, 328</u>
ANEMIA (HCT. < 39/HGB. < 13)	98	40	58
BIRTH INJURY	154	89	65
FETAL ALCOHOL SYNDROME	0	0	0
HYALINE MEMBRANE DISEASE/RDS	494	233	261
MECONIUM ASPIRATION SYNDROME	106	40	66
ASSISTED VENTILATION < 30 MINUTES	180	88	92
ASSISTED VENTILATION 30 MINUTES OR MORE	309	146	163
SEIZURES	27	9	18
<u>OTHER</u>	<u>1, 147</u>	<u>542</u>	<u>605</u>

FETAL DEATHS

TABLE B1. REPORTABLE\* FETAL DEATHS AND PERCENTAGE DISTRIBUTION,  
BY PLACE OF DELIVERY, ATTENDANT, AND RACE OF MOTHER  
MISSISSIPPI, 1993

PLACE OF DELIVERY AND RACE	NUMBER						PERCENT					
	TOTAL	PHYSI-CIAN	CERTI-FIED NURSE MIDWIFE	GRANNY MIDWIFE	OTHER NAMED PERSON	UN-KNOWN	TOTAL	PHYSI-CIAN	CERTI-FIED NURSE MIDWIFE	GRANNY MIDWIFE	OTHER NAMED PERSON	UN-KNOWN
<u>TOTAL</u>	<u>487</u>	<u>467</u>	<u>3</u>	<u>0</u>	<u>9</u>	<u>8</u>	<u>100.0</u>	<u>95.9</u>	<u>0.6</u>	<u>-</u>	<u>1.8</u>	<u>1.6</u>
HOSPITAL CLINIC/DOCTOR'S OFFICE	472	461	3	0	4	4	96.9	94.7	0.6	-	0.8	0.8
HOME	2	2	0	0	0	0	0.4	0.4	-	-	-	-
OTHER PLACE	11	3	0	0	4	4	2.2	0.6	-	-	0.8	0.8
	2	1	0	0	1	0	0.4	0.2	-	-	0.2	-
<u>WHITE</u>	<u>156</u>	<u>152</u>	<u>1</u>	<u>0</u>	<u>2</u>	<u>1</u>	<u>100.0</u>	<u>97.4</u>	<u>0.6</u>	<u>-</u>	<u>1.3</u>	<u>0.6</u>
HOSPITAL CLINIC/DOCTOR'S OFFICE	153	151	1	0	0	1	98.1	96.8	0.6	-	-	0.6
HOME	0	0	0	0	0	0	-	-	-	-	-	-
OTHER PLACE	3	1	0	0	2	0	1.9	0.6	-	-	1.3	-
	0	0	0	0	0	0	-	-	-	-	-	-
<u>NONWHITE</u>	<u>331</u>	<u>315</u>	<u>2</u>	<u>0</u>	<u>7</u>	<u>7</u>	<u>100.0</u>	<u>95.2</u>	<u>0.6</u>	<u>-</u>	<u>2.1</u>	<u>2.1</u>
HOSPITAL CLINIC/DOCTOR'S OFFICE	319	310	2	0	4	3	96.4	93.6	0.6	-	1.2	0.9
HOME	2	2	0	0	0	0	0.6	0.6	-	-	-	-
OTHER PLACE	8	2	0	0	2	4	2.4	0.6	-	-	0.6	1.2
	2	1	0	0	1	0	0.6	0.3	-	-	0.3	-

\* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

**TABLE B2. REPORTABLE\* FETAL DEATHS AND FETAL DEATH RATIOS,  
BY AGE AND RACE OF MOTHER  
MISSISSIPPI, 1993**

AGE OF MOTHER	NUMBER			RATIO**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>TOTAL</u>	<u>487</u>	<u>156</u>	<u>331</u>	<u>11.6</u>	<u>7.3</u>	<u>15.8</u>
UNDER 15	6	0	6	16.0	#	18.2
15- 19	133	33	100	15.2	10.8	17.5
20- 24	144	43	101	10.2	6.3	14.0
25- 29	89	37	52	8.8	6.1	12.6
30- 34	77	31	46	12.6	8.3	19.5
35- 39	31	10	21	13.6	7.7	21.4
40- 44	6	2	4	15.9	10.7	20.9
UNKNOWN	1	0	1	#	#	#

\* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

\*\* REPORTABLE FETAL DEATHS PER 1,000 LIVE BIRTHS TO MOTHERS IN SPECIFIED GROUP.

# RATIO NOT CALCULATED ON LESS THAN 100 LIVE BIRTHS.

**TABLE B3. PERCENTAGE DISTRIBUTION OF LIVE BIRTHS AND REPORTABLE\* FETAL DEATHS,  
BY WHETHER MOTHER RECEIVED PRENATAL CARE AND RACE OF MOTHER  
MISSISSIPPI, 1993**

PRENATAL CARE	LIVE BIRTHS			REPORTABLE* FETAL DEATHS		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>TOTAL</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>
NO CARE	1.6	0.6	2.6	12.7	7.7	15.1
SOME CARE	97.8	99.0	96.6	76.6	83.3	73.4
UNKNOWN WHETHER ANY CARE	0.6	0.4	0.8	10.7	9.0	11.5

\* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.



**TABLE B4. REPORTABLE\* FETAL DEATHS AND FETAL DEATH RATIOS,  
BY COMPLETED WEEKS OF GESTATION AND RACE OF MOTHER,  
MISSISSIPPI, 1991-1993**

COMPLETED WEEKS OF GESTATION**	TOTAL			WHITE			NONWHITE		
	1991	1992	1993	1991	1992	1993	1991	1992	1993
REPORTABLE* FETAL DEATHS									
<b>TOTAL</b>	<b><u>481</u></b>	<b><u>519</u></b>	<b><u>487</u></b>	<b><u>134</u></b>	<b><u>151</u></b>	<b><u>156</u></b>	<b><u>347</u></b>	<b><u>368</u></b>	<b><u>331</u></b>
<b>UNDER 20</b>	<b>18</b>	<b>33</b>	<b>26</b>	<b>2</b>	<b>6</b>	<b>3</b>	<b>16</b>	<b>27</b>	<b>23</b>
<b>20 AND OVER</b>	<b><u>394</u></b>	<b><u>406</u></b>	<b><u>407</u></b>	<b><u>115</u></b>	<b><u>124</u></b>	<b><u>137</u></b>	<b><u>279</u></b>	<b><u>282</u></b>	<b><u>270</u></b>
20-22	74	92	101	17	21	26	57	71	75
23-27	108	95	100	29	20	28	79	75	72
28-36	124	126	126	37	44	51	87	82	75
37 AND OVER	88	93	80	32	39	32	56	54	48
<b>UNKNOWN</b>	<b>69</b>	<b>80</b>	<b>54</b>	<b>17</b>	<b>21</b>	<b>16</b>	<b>52</b>	<b>59</b>	<b>38</b>
FETAL DEATH RATI OS#									
<b>TOTAL</b>	<b><u>11.1</u></b>	<b><u>12.2</u></b>	<b><u>11.6</u></b>	<b><u>6.1</u></b>	<b><u>7.0</u></b>	<b><u>7.3</u></b>	<b><u>16.3</u></b>	<b><u>17.5</u></b>	<b><u>15.8</u></b>
<b>UNDER 20</b>	<b>0.4</b>	<b>0.8</b>	<b>0.6</b>	<b>0.1</b>	<b>0.3</b>	<b>0.1</b>	<b>0.8</b>	<b>1.3</b>	<b>1.1</b>
<b>20 AND OVER</b>	<b><u>9.1</u></b>	<b><u>9.5</u></b>	<b><u>9.7</u></b>	<b><u>5.2</u></b>	<b><u>5.7</u></b>	<b><u>6.4</u></b>	<b><u>13.1</u></b>	<b><u>13.4</u></b>	<b><u>12.9</u></b>
20-22	1.7	2.2	2.4	0.8	1.0	1.2	2.7	3.4	3.6
23-27	2.5	2.2	2.4	1.3	0.9	1.3	3.7	3.6	3.4
28-36	2.9	3.0	3.0	1.7	2.0	2.4	4.1	3.9	3.6
37 AND OVER	2.0	2.2	1.9	1.5	1.8	1.5	2.6	2.6	2.3
<b>UNKNOWN</b>	<b>1.6</b>	<b>1.9</b>	<b>1.3</b>	<b>0.8</b>	<b>1.0</b>	<b>0.8</b>	<b>2.4</b>	<b>2.8</b>	<b>1.8</b>

\* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

\*\* CALCULATED BY SUBTRACTING THE DATE OF THE LAST NORMAL MENSTRUAL PERIOD PRIOR TO DELIVERY FROM THE DATE OF DELIVERY.

# REPORTABLE FETAL DEATHS PER 1,000 LIVE BIRTHS.

## DEATHS

**TABLE C1. DEATHS AND AVERAGE PER DAY, BY MONTH  
MISSISSIPPI, 1993**

MONTH	DEATHS	AVERAGE PER DAY	MONTH	DEATHS	AVERAGE PER DAY
<b>TOTAL</b>	<b>26, 271</b>	<b>72</b>			
JANUARY	2, 312	74	JULY	2, 203	71
FEBRUARY	2, 296	79	AUGUST	2, 047	66
MARCH	2, 487	80	SEPTEMBER	1, 994	66
APRIL	2, 111	70	OCTOBER	2, 137	69
MAY	2, 081	67	NOVEMBER	2, 118	71
JUNE	2, 064	69	DECEMBER	2, 421	78

**TABLE C2. DEATHS, PERCENTAGE DISTRIBUTION, AND RATES, BY AGE AND RACE  
MISSISSIPPI, 1993**

AGE	NUMBER			PERCENT			RATE*		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<b>TOTAL</b>	<b>26, 271</b>	<b>17, 003</b>	<b>9, 268</b>	<b>100. 0</b>	<b>100. 0</b>	<b>100. 0</b>	<b>10. 2</b>	<b>10. 4</b>	<b>9. 9</b>
UNDER 1	482	178	304	1. 8	1. 0	3. 3	14. 2	9. 7	19. 4
1- 4	120	41	79	0. 4	0. 2	0. 8	0. 7	0. 5	1. 1
5- 9	56	25	31	0. 2	0. 1	0. 3	0. 3	0. 2	0. 3
10- 14	65	33	32	0. 2	0. 2	0. 3	0. 3	0. 3	0. 3
15- 24	612	277	335	2. 3	1. 6	3. 6	1. 4	1. 1	1. 9
25- 34	773	378	395	2. 9	2. 2	4. 3	1. 9	1. 5	2. 7
35- 44	1, 175	538	637	4. 5	3. 2	6. 9	3. 4	2. 3	5. 6
45- 54	1, 751	1, 000	751	6. 7	5. 9	8. 1	7. 1	5. 5	11. 3
55- 64	2, 965	1, 889	1, 076	11. 3	11. 1	11. 6	13. 8	11. 8	19. 6
65- 74	5, 709	3, 898	1, 811	21. 7	22. 9	19. 5	31. 7	29. 6	37. 2
75- 84	7, 027	4, 943	2, 084	26. 7	29. 1	22. 5	64. 6	64. 8	64. 2
85 AND OVER	5, 524	3, 800	1, 724	21. 0	22. 3	18. 6	170. 8	176. 9	158. 8
UNKNOWN	12	3	9	**	**	0. 1			

\* DEATHS PER 1, 000 POPULATION IN SPECIFIED GROUP.

\*\* LESS THAN 0. 06 PERCENT.

**TABLE C3A. DEATHS BY AGE, RACE, AND SEX, AND MALE/FEMALE RATIOS  
BY AGE AND RACE  
MISSISSIPPI, 1993**

AGE	TOTAL			WHITE			NONWHITE		
	MALE	FEMALE	MALES PER FEMALE	MALE	FEMALE	MALES PER FEMALE	MALE	FEMALE	MALES PER FEMALE
<b>TOTAL</b>	<b>13, 883</b>	<b>12, 388</b>	<b>1. 12</b>	<b>8, 952</b>	<b>8, 051</b>	<b>1. 11</b>	<b>4, 931</b>	<b>4, 337</b>	<b>1. 14</b>
UNDER 1	254	228	1. 11	92	86	1. 07	162	142	1. 14
1- 4	67	53	1. 26	22	19	1. 16	45	34	1. 32
5- 9	35	21	1. 67	15	10	1. 50	20	11	1. 82
10- 14	40	25	1. 60	26	7	3. 71	14	18	0. 78
15- 24	470	142	3. 31	210	67	3. 13	260	75	3. 47
25- 34	538	235	2. 29	274	104	2. 63	264	131	2. 02
35- 44	787	388	2. 03	375	163	2. 30	412	225	1. 83
45- 54	1, 114	637	1. 75	654	346	1. 89	460	291	1. 58
55- 64	1, 878	1, 087	1. 73	1, 255	634	1. 98	623	453	1. 38
65- 74	3, 302	2, 407	1. 37	2, 338	1, 560	1. 50	964	847	1. 14
75- 84	3, 470	3, 557	0. 98	2, 452	2, 491	0. 98	1, 018	1, 066	0. 96
85 AND OVER	1, 920	3, 604	0. 53	1, 236	2, 564	0. 48	684	1, 040	0. 66
UNKNOWN	8	4		3	0		5	4	
<b>MEDIAN AGE</b>	<b>70. 3</b>	<b>77. 7</b>		<b>71. 6</b>	<b>79. 1</b>		<b>67. 1</b>	<b>74. 3</b>	

**TABLE C3B. DEATH RATES\*, BY AGE, RACE, AND SEX  
MISSISSIPPI, 1993**

AGE	TOTAL		WHITE		NONWHITE	
	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE
<b>TOTAL</b>	<b>11. 3</b>	<b>9. 2</b>	<b>11. 2</b>	<b>9. 6</b>	<b>11. 3</b>	<b>8. 6</b>
UNDER 1	14. 8	13. 5	9. 8	9. 5	20. 8	18. 0
1- 4	0. 8	0. 7	0. 5	0. 4	1. 2	0. 9
5- 9	0. 3	0. 2	0. 2	0. 2	0. 4	0. 2
10- 14	0. 4	0. 2	0. 4	0. 1	0. 3	0. 4
15- 24	2. 2	0. 7	1. 7	0. 6	3. 0	0. 8
25- 34	2. 8	1. 1	2. 2	0. 8	4. 0	1. 6
35- 44	4. 6	2. 2	3. 2	1. 4	8. 0	3. 6
45- 54	9. 4	4. 9	7. 3	3. 8	15. 7	7. 8
55- 64	19. 1	9. 3	16. 6	7. 5	27. 5	14. 0
65- 74	43. 2	23. 2	41. 1	20. 9	49. 1	29. 1
75- 84	86. 7	51. 7	89. 8	50. 8	80. 0	54. 0
85 AND OVER	204. 8	157. 0	220. 0	161. 7	182. 0	146. 4

\* DEATHS PER 1, 000 POPULATION IN SPECIFIED GROUP.

**TABLE C4. DEATHS AND PERCENT OF TOTAL DEATHS FROM TEN LEADING CAUSES,  
BY CAUSE AND RACE  
MISSISSIPPI, 1993**

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER	NUMBER			PERCENT		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<b>TOTAL OF TEN LEADING CAUSES</b>	<b>21,925</b>	<b>14,389</b>	<b>7,536</b>	<b>83.4</b>	<b>84.6</b>	<b>81.3</b>
1. HEART DISEASES (390-398, 402, 404-429)	9,492	6,346	3,146	36.1	37.3	33.9
2. MALIGNANT NEOPLASMS (140-208)	5,539	3,710	1,829	21.1	21.8	19.7
3. CEREBROVASCULAR DISEASES (430-438)	1,762	1,090	672	6.7	6.4	7.2
4. ACCIDENTS (800-949)	1,566	970	596	6.0	5.7	6.4
5. EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	998	832	166	3.8	4.9	1.8
6. PNEUMONIA AND INFLUENZA (480-487)	907	665	242	3.4	3.9	2.6
7. HOMICIDE AND LEGAL INTERVENTION (960-978)	491	117	374	1.9	0.7	4.0
8. DIABETES MELLITUS (250)	483	228	255	1.8	1.3	2.8
9. NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	360	170	190	1.4	1.0	2.0
10. SUICIDE (950-959)	327	261	66	1.2	1.5	0.7

**TABLE C5. DEATHS, PERCENT OF TOTAL DEATHS, AND RATES  
FOR FIVE LEADING CAUSES, BY AGE AND CAUSE  
MISSISSIPPI, 1993**

<u>AGE</u>	<u>CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER</u>	<u>NUMBER</u>	<u>PERCENT</u>	<u>RATE*</u>
1-4	<u>ALL CAUSES</u>	<u>120</u>	<u>100.0</u>	<u>0.7</u>
	1. ACCIDENTS (800-949)	58	48.3	36.0
	2. CONGENITAL ANOMALIES (740-759)	17	14.2	10.5
	3. HOMICIDE AND LEGAL INTERVENTION (960-978)	5	4.2	3.1
	4T. HEART DISEASES (390-398, 402, 404-429)	4	3.3	2.5
	4T. SEPTICEMIA (038)	4	3.3	2.5
5-14	<u>ALL CAUSES</u>	<u>121</u>	<u>100.0</u>	<u>0.3</u>
	1. ACCIDENTS (800-949)	58	47.9	13.6
	2. HOMICIDE AND LEGAL INTERVENTION (960-978)	14	11.6	3.3
	3. MALIGNANT NEOPLASMS (140-208)	10	8.3	2.4
	4. HEART DISEASES (390-398, 402, 404-429)	8	6.6	1.9
	5. CONGENITAL ANOMALIES (740-759)	6	5.0	1.4
15-24	<u>ALL CAUSES</u>	<u>612</u>	<u>100.0</u>	<u>1.5</u>
	1. ACCIDENTS (800-949)	285	46.6	67.9
	2. HOMICIDE AND LEGAL INTERVENTION (960-978)	150	24.5	35.8
	3. SUICIDE (950-959)	67	10.9	16.0
	4. MALIGNANT NEOPLASMS (140-208)	21	3.4	5.0
	5. HEART DISEASES (390-398, 402, 404-429)	20	3.3	4.8
25-44	<u>ALL CAUSES</u>	<u>1,948</u>	<u>100.0</u>	<u>2.6</u>
	1. ACCIDENTS (800-949)	465	23.9	62.0
	2. HEART DISEASES (390-398, 402, 404-429)	307	15.8	41.0
	3. MALIGNANT NEOPLASMS (140-208)	267	13.7	35.6
	4. HOMICIDE AND LEGAL INTERVENTION (960-978)	224	11.5	29.9
	5. HUMAN IMMUNODEFICIENCY VIRUS INFECTION (042-044)	137	7.0	18.3
45-64	<u>ALL CAUSES</u>	<u>4,716</u>	<u>100.0</u>	<u>10.2</u>
	1. HEART DISEASES (390-398, 402, 404-429)	1,609	34.1	348.1
	2. MALIGNANT NEOPLASMS (140-208)	1,462	31.0	316.3
	3. ACCIDENTS (800-949)	250	5.3	54.1
	4. CEREBROVASCULAR DISEASES (430-438)	213	4.5	46.1
	5. EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	155	3.3	33.5
65 & OVER	<u>ALL CAUSES</u>	<u>18,260</u>	<u>100.0</u>	<u>56.8</u>
	1. HEART DISEASES (390-398, 402, 404-429)	7,534	41.3	2,345.0
	2. MALIGNANT NEOPLASMS (140-208)	3,774	20.7	1,174.7
	3. CEREBROVASCULAR DISEASES (430-438)	1,475	8.1	459.1
	4. EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	829	4.5	258.0
	5. PNEUMONIA AND INFLUENZA (480-487)	785	4.3	244.3

\* DEATHS FROM ALL CAUSES PER 1,000 POPULATION IN SPECIFIED GROUP AND DEATHS FROM SPECIFIC CAUSES PER 100,000 POPULATION IN SPECIFIED GROUP.

**TABLE C6. DEATHS AND RATES FROM MALIGNANT NEOPLASMS,  
BY PRIMARY SITE, SEX, AND RACE  
MISSISSIPPI, 1993**

PRIMARY SITE (RANKED ACCORDING TO NUMBER OF DEATHS AMONG TOTAL POPULATION) AND INTERNATIONAL CLASSIFICATION NUMBER	NUMBER				RATE*			
	MALE		FEMALE		MALE		FEMALE	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
<b>TOTAL</b>	<b>2,040</b>	<b>1,008</b>	<b>1,670</b>	<b>821</b>	<b>256.5</b>	<b>231.5</b>	<b>199.2</b>	<b>162.8</b>
1. RESPIRATORY AND INTRA- THORACIC ORGANS (160-165)	819	323	443	128	93.7	68.3	48.9	24.2
2. DIGESTIVE ORGANS AND PERITONEUM (150-159)	375	222	352	236	42.9	46.9	38.9	44.7
3. GENITAL ORGANS (179-187)	205	212	121	109	23.5	44.8	13.4	20.6
4. LYMPHATIC AND HEMATOPOIETIC TISSUE (200-208)	179	64	144	55	20.5	13.5	15.9	10.4
5. BREAST (174, 175)	3	0	263	124	0.3	0.0	29.1	23.5
6. URINARY ORGANS (188, 189)	95	30	44	22	10.9	6.3	4.9	4.2
7. BRAIN (191)	70	10	57	14	8.0	2.1	6.3	2.7
8. LIP, ORAL CAVITY, AND PHARYNX (140-149)	29	21	20	6	3.3	4.4	2.2	1.1
9. SKIN (172, 173)	40	5	17	8	4.6	1.1	1.9	1.5
10. BONE AND CONNECTIVE TISSUE (170, 171)	23	7	17	19	2.6	1.5	1.9	3.6
- OTHER AND UNSPECIFIED SITES (190, 192-199)	202	114	192	100	23.1	24.1	21.2	18.9

\* DEATHS PER 100,000 POPULATION IN SPECIFIED GROUP.

**TABLE C7. DEATHS FROM MAJOR CHRONIC RESPIRATORY DISEASES,  
1968, 1973, 1978, 1983, 1988, 1993**

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER	1968	1973	1978	1983	1988	1993
TUBERCULOSIS OF RESPIRATORY SYSTEM (010-012)	78	31	42	23	23	21
MALIGNANT NEOPLASMS OF RESPIRATORY SYSTEM (160-165)	634	811	1,113	1,378	1,619	1,713
MALIGNANT NEOPLASMS OF TRACHEA, BRONCHUS, AND LUNG (162)	602	768	1,069	1,340	1,567	1,671
CHRONIC AND UNQUALIFIED BRONCHITIS (490, 491)	38	42	38	32	44	41
EMPHYSEMA (492)	213	191	138	85	132	154
ASTHMA (493)	52	21	23	35	38	64

**TABLE C8. DEATHS AND PERCENT OF TOTAL ACCIDENTAL DEATHS FROM  
FIVE LEADING CAUSES OF ACCIDENTAL DEATH, BY CAUSE AND RACE  
MISSISSIPPI, 1993**

TYPE OF ACCIDENT AND INTERNATIONAL CLASSIFICATION NUMBER	NUMBER			PERCENT		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<b><u>TOTAL OF FIVE LEADING CAUSES</u></b>	<b><u>1, 247</u></b>	<b><u>789</u></b>	<b><u>458</u></b>	<b><u>79. 6</u></b>	<b><u>81. 3</u></b>	<b><u>76. 8</u></b>
1. MOTOR VEHICLE (810- 825)	868	580	288	55. 4	59. 8	48. 3
2. FALLS (880- 888)	146	119	27	9. 3	12. 3	4. 5
3. FIRES AND FLAMES (890- 899)	125	33	92	8. 0	3. 4	15. 4
4. INHALATION AND INGESTION OF FOOD OR OTHER OBJECT CAUSING OBSTRUCTION OF RESPIRATORY TRACT OR SUFFOCATION (911, 912)	55	22	33	3. 5	2. 3	5. 5
5. POISONING (850- 869)	53	35	18	3. 4	3. 6	3. 0

TABLE C9. DEATHS FROM SELECTED TYPES OF ACCIDENTS, BY SEX, ALSO BY AGE  
MISSISSIPPI RESIDENTS, 1993

TYPE OF ACCIDENT AND INTERNATIONAL CLASSIFICATION NUMBER	TOTAL	SEX		AGE								
		MALE	FEMALE	UNDER 1	1-4	5-14	15- 24	25- 34	35- 44	45- 64	65 & OVER	UN- KNOWN
<u>ALL ACCIDENTS</u>	<u>1,566</u>	<u>1,072</u>	<u>494</u>	<u>21</u>	<u>58</u>	<u>58</u>	<u>285</u>	<u>250</u>	<u>215</u>	<u>250</u>	<u>426</u>	<u>3</u>
MOTOR VEHICLE (810-825)	868	610	258	12	26	24	225	179	137	126	136	3
<u>WATER TRANSPORT (830-838)</u>	<u>22</u>	<u>21</u>	<u>1</u>	<u>0</u>	<u>1</u>	<u>2</u>	<u>2</u>	<u>3</u>	<u>5</u>	<u>6</u>	<u>3</u>	<u>0</u>
SUBMERSION, DROWNING (830, 832)	18	17	1	0	1	2	1	1	5	6	2	0
OTHER (831, 833-838)	4	4	0	0	0	0	1	2	0	0	1	0
AIR AND SPACE TRANSPORT (840-845)	12	10	2	0	0	0	2	2	3	4	1	0
<u>POISONING (850-869)</u>	<u>53</u>	<u>37</u>	<u>16</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>1</u>	<u>12</u>	<u>11</u>	<u>19</u>	<u>10</u>	<u>0</u>
BY DRUGS, MEDICAMENTS, AND BIO- LOGICALS (850-858)	37	24	13	0	0	0	1	7	10	11	8	0
BY OTHER SOLID AND LIQUID SUB- STANCES, GASES, AND VAPORS (860-869)	16	13	3	0	0	0	0	5	1	8	2	0
FALLS (880-888)	146	80	66	0	0	1	3	5	7	13	117	0
FIRES AND FLAMES (890-899)	125	80	45	4	17	11	6	10	12	17	48	0
DROWNING AND SUBMERSION (EXCEPT IN TRANSPORT ACCIDENTS) (910)	51	36	15	0	5	11	12	6	6	5	6	0
INHALATION AND INGESTION OF FOOD OR OTHER OBJECT CAUSING OBSTRUCTION OF RESPIRATORY TRACT OR SUFFOCA- TION (911, 912)	55	26	29	1	4	1	2	3	2	11	31	0
MECHANICAL SUFFOCATION (INCLUDING IN BED OR CRADLE) (913)	8	6	2	3	1	0	0	2	1	0	1	0
STRUCK BY, STRIKING AGAINST, AND CAUGHT IN OR BETWEEN OBJECTS (916-918)	21	20	1	0	0	1	2	2	3	9	4	0
CAUSED BY MACHINERY (919)	14	12	2	0	0	0	1	2	2	5	4	0
CAUSED BY FIREARM MISSILE (922)	50	43	7	0	1	6	25	7	7	2	2	0
CAUSED BY ELECTRIC CURRENT (925)	11	11	0	0	0	1	1	4	2	2	1	0



**TABLE C10. MOTOR VEHICLE ACCIDENT DEATHS OCCURRING IN MISSISSIPPI AND RATES, ALSO MOTOR VEHICLE ACCIDENT DEATHS OF MISSISSIPPI RESIDENTS AND RATES, BY YEAR, 1950, 1955, 1960, 1965, 1970-1993**

YEAR	OCCURRENCE DATA		RESIDENCE DATA	
	NUMBER	RATE*	NUMBER	RATE*
1950	530	**	515	23.6
1955	568	**	541	24.8
1960	676	9.3	620	28.5
1965	748	8.4	742	31.8
1970	960	8.2	937	42.3
1971	1,011	8.2	984	44.4
1972	1,019	7.8	989	43.8
1973	956	7.0	954	41.2
1974	711	5.2	717	30.7
1975	671	4.7	681	29.1
1976	725	4.7	696	29.4
1977	763	4.8	771	32.3
1978	884	5.2	877	36.5
1979	801	4.7	783	32.5
1980	796	4.8	743	29.5
1981	792	4.7	793	31.5
1982	777	4.5	755	29.6
1983	744	4.2	725	28.0
1984	707	3.8	697	26.9
1985	691	4.0	683	25.7
1986	785	5.7	782	29.4
1987	802	4.0	804	29.6
1988	791	3.6	776	28.2
1989	806	3.5	797	28.7
1990	863	3.5	854	33.2
1991	811	3.3	810	31.5
1992	838	3.2	826	32.1
1993	897	3.3	868	33.7

\* DEATHS IN MISSISSIPPI PER 100,000,000 MILES OF VEHICLE TRAVEL; DEATHS OF RESIDENTS PER 100,000 POPULATION.

\*\* NOT AVAILABLE.

**TABLE C11. INFANT DEATHS, PERCENTAGE DISTRIBUTION, AND MORTALITY RATES,  
BY AGE AND RACE  
MISSISSIPPI, 1993**

AGE	NUMBER			PERCENT			RATE*		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<b>TOTAL UNDER 1 YEAR</b>	<b>482</b>	<b>178</b>	<b>304</b>	<b>100.0</b>	<b>100.0</b>	<b>100.0</b>	<b>11.4</b>	<b>8.4</b>	<b>14.6</b>
<b>NEONATAL (UNDER 28 DAYS)</b>	<b>298</b>	<b>111</b>	<b>187</b>	<b>61.8</b>	<b>62.4</b>	<b>61.5</b>	<b>7.1</b>	<b>5.2</b>	<b>9.0</b>
<b>HEBDOMADAL (UNDER 7 DAYS)</b>	<b>243</b>	<b>96</b>	<b>147</b>	<b>50.4</b>	<b>53.9</b>	<b>48.4</b>	<b>5.8</b>	<b>4.5</b>	<b>7.0</b>
<b>UNDER 1 DAY</b>	177	70	107	36.7	39.3	35.2	4.2	3.3	5.1
<b>1-6 DAYS</b>	66	26	40	13.7	14.6	13.2	1.6	1.2	1.9
<b>7-27 DAYS</b>	55	15	40	11.4	8.4	13.2	1.3	0.7	1.9
<b>POSTNEONATAL (28 DAYS TO 1 YEAR)</b>	<b>184</b>	<b>67</b>	<b>117</b>	<b>38.2</b>	<b>37.6</b>	<b>38.5</b>	<b>4.4</b>	<b>3.2</b>	<b>5.6</b>

\* DEATHS PER 1,000 LIVE BIRTHS.

**TABLE C12. DEATHS AND MORTALITY RATES FOR TEN LEADING CAUSES  
OF INFANT DEATH, BY CAUSE AND RACE  
MISSISSIPPI, 1993**

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER	NUMBER			RATE*		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<b>ALL CAUSES</b>	<b>482</b>	<b>178</b>	<b>304</b>	<b>11.4</b>	<b>8.4</b>	<b>14.6</b>
1. CONGENITAL ANOMALIES (740-759)	97	43	54	2.3	2.0	2.6
2. SUDDEN INFANT DEATH SYNDROME (798.0)	75	27	48	1.8	1.3	2.3
3. DISORDERS RELATING TO SHORT GESTATION AND UNSPECIFIED LOW BIRTHWEIGHT (765)	53	11	42	1.2	0.5	2.0
4. RESPIRATORY DISTRESS SYNDROME (769)	22	6	16	0.5	0.3	0.8
5. ACCIDENTS (800-949)	21	10	11	0.5	0.5	0.5
6. MATERNAL COMPLICATIONS OF PREGNANCY (761)	18	6	12	0.4	0.3	0.6
7. INFECTIONS SPECIFIC TO THE PERINATAL PERIOD (771)	14	6	8	0.3	0.3	0.4
8. COMPLICATIONS OF PLACENTA, CORD, AND MEMBRANES (762)	12	6	6	0.3	0.3	0.3
9. PNEUMONIA AND INFLUENZA (480- 487)	11	2	9	0.3	0.1	0.4
10. MATERNAL CONDITIONS UNRELATED TO PREGNANCY (760)	7	4	3	0.2	0.2	0.1

\* DEATHS PER 1,000 LIVE BIRTHS.

## MARRIAGES

TABLE D1. MARRIAGES AND AVERAGE PER DAY, BY MONTH  
MISSISSIPPI, 1993

<u>MONTH</u>	<u>MARRIAGES</u>	<u>AVERAGE PER DAY</u>	<u>MONTH</u>	<u>MARRIAGES</u>	<u>AVERAGE PER DAY</u>
<u>TOTAL</u>	<u>23, 271</u>	<u>64</u>			
JANUARY	1, 318	42	JULY	2, 582	83
FEBRUARY	1, 708	59	AUGUST	2, 015	65
MARCH	1, 654	53	SEPTEMBER	1, 735	58
APRIL	1, 721	57	OCTOBER	1, 727	56
MAY	2, 314	75	NOVEMBER	1, 753	58
JUNE	2, 640	88	DECEMBER	2, 104	68

TABLE D2. BRIDES AND GROOMS AND PERCENTAGE DISTRIBUTION, BY AGE AND RACE  
MISSISSIPPI, 1993

AGE	NUMBER						PERCENT					
	BRIDE			GROOM			BRIDE			GROOM		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<b>TOTAL</b>	<b>23, 271</b>	<b>17, 066</b>	<b>6, 205</b>	<b>23, 271</b>	<b>17, 029</b>	<b>6, 242</b>	<b>100. 0</b>	<b>100. 0</b>	<b>100. 0</b>	<b>100. 0</b>	<b>100. 0</b>	<b>100. 0</b>
<b>UNDER 20</b>	<b>3, 512</b>	<b>3, 061</b>	<b>451</b>	<b>1, 308</b>	<b>1, 152</b>	<b>156</b>	<b>15. 1</b>	<b>17. 9</b>	<b>7. 3</b>	<b>5. 6</b>	<b>6. 8</b>	<b>2. 5</b>
13	4	4	0	0	0	0	*	*	-	-	-	-
14	12	11	1	0	0	0	*	0. 1	*	-	-	-
15	186	171	15	3	3	0	0. 8	1. 0	0. 2	*	*	-
16	319	307	12	18	17	1	1. 4	1. 8	0. 2	0. 1	0. 1	*
17	607	550	57	154	148	6	2. 6	3. 2	0. 9	0. 7	0. 9	0. 1
18	1, 100	955	145	409	373	36	4. 7	5. 6	2. 3	1. 8	2. 2	0. 6
19	1, 284	1, 063	221	724	611	113	5. 5	6. 2	3. 6	3. 1	3. 6	1. 8
20- 24	7, 144	5, 301	1, 843	6, 914	5, 260	1, 654	30. 7	31. 1	29. 7	29. 7	30. 9	26. 5
25- 34	7, 225	4, 802	2, 423	8, 380	5, 807	2, 573	31. 0	28. 1	39. 0	36. 0	34. 1	41. 2
35- 44	3, 370	2, 321	1, 049	3, 759	2, 632	1, 127	14. 5	13. 6	16. 9	16. 2	15. 4	18. 0
45- 54	1, 282	980	302	1, 689	1, 272	417	5. 5	5. 7	4. 9	7. 2	7. 5	6. 7
55- 64	465	367	98	713	518	195	2. 0	2. 2	1. 6	3. 1	3. 0	3. 1
65- 74	221	186	35	359	276	83	1. 0	1. 1	0. 6	1. 5	1. 6	1. 3
75 & OVER	52	48	4	148	111	37	0. 2	0. 3	0. 1	0. 6	0. 6	0. 6
UNKNOWN	0	0	0	1	1	0	-	-	-	*	*	-

\* LESS THAN 0. 06 PERCENT.

**TABLE D3. MEDIAN AGE OF BRIDE AND GROOM  
FOR ALL MARRIAGES AND FIRST MARRIAGES, BY RACE  
MISSISSIPPI, 1993**

<b>ALL AND FIRST MARRIAGES</b>	<b>BRIDE</b>			<b>GROOM</b>		
	<b>TOTAL</b>	<b>WHITE</b>	<b>NON- WHITE</b>	<b>TOTAL</b>	<b>WHITE</b>	<b>NON- WHITE</b>
<b>ALL MARRIAGES</b>	<b>26.4</b>	<b>25.4</b>	<b>28.3</b>	<b>29.1</b>	<b>28.6</b>	<b>30.1</b>
<b>FIRST MARRIAGES</b>	<b>22.8</b>	<b>21.9</b>	<b>25.0</b>	<b>24.3</b>	<b>23.7</b>	<b>26.8</b>

**TABLE D4. BRIDES AND GROOMS AND PERCENTAGE DISTRIBUTION,  
BY MARRIAGE ORDER AND RACE  
MISSISSIPPI, 1993**

MARRIAGE ORDER	NUMBER						PERCENT					
	BRIDE			GROOM			BRIDE			GROOM		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<b>TOTAL</b>	<b><u>23, 271</u></b>	<b><u>17, 066</u></b>	<b><u>6, 205</u></b>	<b><u>23, 271</u></b>	<b><u>17, 029</u></b>	<b><u>6, 242</u></b>	<b><u>100. 0</u></b>	<b><u>100. 0</u></b>	<b><u>100. 0</u></b>	<b><u>100. 0</u></b>	<b><u>100. 0</u></b>	<b><u>100. 0</u></b>
<b>FIRST</b>	13, 639	9, 199	4, 440	13, 720	9, 456	4, 264	58. 6	53. 9	71. 6	59. 0	55. 5	68. 3
<b>REMARRIAGE</b>	<b><u>9, 630</u></b>	<b><u>7, 866</u></b>	<b><u>1, 764</u></b>	<b><u>9, 549</u></b>	<b><u>7, 571</u></b>	<b><u>1, 978</u></b>	<b><u>41. 4</u></b>	<b><u>46. 1</u></b>	<b><u>28. 4</u></b>	<b><u>41. 0</u></b>	<b><u>44. 4</u></b>	<b><u>31. 7</u></b>
<b>SECOND</b>	6, 468	4, 998	1, 470	6, 531	4, 947	1, 584	27. 8	29. 3	23. 7	28. 1	29. 0	25. 4
<b>OVER TWO</b>	<b><u>3, 162</u></b>	<b><u>2, 868</u></b>	<b><u>294</u></b>	<b><u>3, 018</u></b>	<b><u>2, 624</u></b>	<b><u>394</u></b>	<b><u>13. 6</u></b>	<b><u>16. 8</u></b>	<b><u>4. 7</u></b>	<b><u>13. 0</u></b>	<b><u>15. 4</u></b>	<b><u>6. 3</u></b>
<b>THIRD</b>	2, 252	2, 000	252	2, 211	1, 892	319	9. 7	11. 7	4. 1	9. 5	11. 1	5. 1
<b>FOURTH</b>	678	644	34	607	541	66	2. 9	3. 8	0. 5	2. 6	3. 2	1. 0
<b>FIFTH</b>	174	167	7	146	138	8	0. 7	1. 0	0. 1	0. 6	0. 8	0. 1
<b>SIXTH</b>	39	38	1	40	40	0	0. 2	0. 2	#	0. 2	0. 2	0. 0
<b>SEVENTH</b>	11	11	0	12	11	1	#	0. 1	-	#	0. 1	#
<b>EIGHTH</b>	7	7	0	1	1	0	#	#	-	#	#	-
<b>NINTH</b>	0	0	0	1	1	0	-	-	-	#	#	-
<b>TENTH</b>	1	1	0	0	0	0	#	#	-	-	-	-
<b>UNKNOWN*</b>	2	1	1	2	2	0	#	#	#	#	#	-

\* UNKNOWN WHETHER PREVIOUSLY MARRIED.

# LESS THAN 0. 06 PERCENT.

**TABLE D5. BRIDES AND GROOMS AND PERCENTAGE DISTRIBUTION,  
BY PREVIOUS MARITAL STATUS AND RACE  
MISSISSIPPI, 1993**

<u>PREVIOUS MARITAL STATUS</u>	<u>BRIDE</u>			<u>GROOM</u>		
	<u>TOTAL</u>	<u>WHITE</u>	<u>NON- WHITE</u>	<u>TOTAL</u>	<u>WHITE</u>	<u>NON- WHITE</u>
<b>NUMBER</b>						
<u>TOTAL</u>	<u>23, 271</u>	<u>17, 066</u>	<u>6, 205</u>	<u>23, 271</u>	<u>17, 029</u>	<u>6, 242</u>
NOT PREVIOUSLY MARRIED	13, 639	9, 199	4, 440	13, 720	9, 456	4, 264
<u>REMARRIAGES</u>	<u>9, 630</u>	<u>7, 866</u>	<u>1, 764</u>	<u>9, 549</u>	<u>7, 571</u>	<u>1, 978</u>
WIDOWED	875	703	172	776	585	191
DIVORCED*	8, 749	7, 160	1, 589	8, 767	6, 982	1, 785
UNKNOWN**	6	3	3	6	4	2
UNKNOWN#	2	1	1	2	2	0
<b>PERCENT</b>						
<u>TOTAL</u>	<u>100. 0</u>	<u>100. 0</u>	<u>100. 0</u>	<u>100. 0</u>	<u>100. 0</u>	<u>100. 0</u>
NOT PREVIOUSLY MARRIED	58. 6	53. 9	71. 6	59. 0	55. 5	68. 3
<u>REMARRIAGES</u>	<u>41. 4</u>	<u>46. 1</u>	<u>28. 4</u>	<u>41. 0</u>	<u>44. 4</u>	<u>31. 7</u>
WIDOWED	3. 8	4. 1	2. 8	3. 3	3. 4	3. 1
DIVORCED*	37. 6	42. 0	25. 6	37. 7	41. 0	28. 6
UNKNOWN**	##	##	##	##	##	##
UNKNOWN#	##	##	##	##	##	-

\* INCLUDES THOSE WHOSE LAST MARRIAGE WAS ANNULLED.

\*\* UNKNOWN WHETHER WIDOWED OR DIVORCED.

# UNKNOWN WHETHER ANY PREVIOUS MARRIAGE.

## LESS THAN 0. 06 PERCENT.

**TABLE D6. MARRIAGES AND PERCENTAGE DISTRIBUTION,  
BY RESIDENCE OF BRIDE AND GROOM AND RACE OF BRIDE  
MISSISSIPPI, 1993**

RESIDENCE OF GROOM	RACE AND RESIDENCE OF BRIDE								
	TOTAL			WHITE			NONWHITE		
	TOTAL	MISSIS- SIPPI	OTHER	TOTAL	MISSIS- SIPPI	OTHER	TOTAL	MISSIS- SIPPI	OTHER
<b>NUMBER</b>									
<u>TOTAL</u>	<u>23,271</u>	<u>21,839</u>	<u>1,432</u>	<u>17,066</u>	<u>15,977</u>	<u>1,089</u>	<u>6,205</u>	<u>5,862</u>	<u>343</u>
MISSISSIPPI	21,126	20,792	334	15,437	15,178	259	5,689	5,614	75
OTHER	2,145	1,047	1,098	1,629	799	830	516	248	268
<b>PERCENT</b>									
<u>TOTAL</u>	<u>100.0</u>	<u>93.8</u>	<u>6.2</u>	<u>100.0</u>	<u>93.6</u>	<u>6.4</u>	<u>100.0</u>	<u>94.5</u>	<u>5.5</u>
MISSISSIPPI	90.8	89.3	1.4	90.4	88.9	1.5	91.7	90.5	1.2
OTHER	9.2	4.5	4.7	9.5	4.7	4.9	8.3	4.0	4.3

\* LESS THAN 0.06 PERCENT.



## DIVORCES

**TABLE E1. DIVORCES AND PERCENTAGE DISTRIBUTION, BY CAUSE AND RACE\*  
MISSISSIPPI, 1993**

CAUSE	NUMBER				PERCENT			
	TOTAL	WHITE	NON- WHITE	UN- KNOWN	TOTAL	WHITE	NON- WHITE	UN- KNOWN
<b>TOTAL</b>	<b>13,860</b>	<b>10,513</b>	<b>2,940</b>	<b>407</b>	<b>100.0</b>	<b>100.0</b>	<b>100.0</b>	<b>100.0</b>
IRRECONCILABLE DIFFERENCES	11,232	8,885	2,024	323	81.0	84.5	68.8	79.4
CRUEL AND INHUMAN TREATMENT	1,675	1,112	507	56	12.1	10.6	17.2	13.8
DESERTION	487	207	269	11	3.5	2.0	9.2	2.7
ADULTERY	297	201	87	9	2.1	1.9	3.0	2.2
DRUNKENNESS	70	38	29	3	0.5	0.4	1.0	0.7
PENITENTIARY	42	28	12	2	0.3	0.3	0.4	0.5
ANNULMENT	23	19	2	2	0.2	0.2	0.1	0.5
BIGAMY	11	7	4	0	0.1	0.1	0.1	-
MISCELLANEOUS AND OTHER	3	2	0	1	**	**	-	0.2
UNKNOWN	20	14	6	0	0.1	0.1	0.2	-

\* DIVORCES OF MIXED-RACE COUPLES ARE INCLUDED IN FIGURES FOR NONWHITES.

\*\* LESS THAN 0.06 PERCENT.

**TABLE E2. DIVORCES AND PERCENTAGE DISTRIBUTION,  
BY NUMBER OF MINOR CHILDREN AND RACE\*  
MISSISSIPPI, 1993**

NUMBER OF MINOR CHILDREN	NUMBER				PERCENT			
	TOTAL	WHITE	NON- WHITE	UN- KNOWN	TOTAL	WHITE	NON- WHITE	UN- KNOWN
<b>TOTAL DIVORCES</b>	<b>13,860</b>	<b>10,513</b>	<b>2,940</b>	<b>407</b>	<b>100.0</b>	<b>100.0</b>	<b>100.0</b>	<b>100.0</b>
NONE	6,558	5,226	1,158	174	47.3	49.7	39.4	42.8
ONE	3,650	2,703	822	125	26.3	25.7	28.0	30.7
TWO	2,619	1,929	616	74	18.9	18.3	21.0	18.2
THREE OR MORE	1,022	645	343	34	7.4	6.1	11.7	8.4
UNKNOWN	11	10	1	0	0.1	0.1	**	-

\* DIVORCES OF MIXED-RACE COUPLES ARE INCLUDED IN FIGURES FOR NONWHITES.

\*\* LESS THAN 0.06 PERCENT.

**TABLE E3. DIVORCES AND PERCENTAGE DISTRIBUTION,  
BY NUMBER OF YEARS MARRIED AND RACE\*  
MISSISSIPPI, 1993**

NUMBER OF YEARS MARRIED	NUMBER				PERCENT			
	TOTAL	WHITE	NON- WHITE	UN- KNOWN	TOTAL	WHITE	NON- WHITE	UN- KNOWN
<b>TOTAL DIVORCES</b>	<b>13, 860</b>	<b>10, 513</b>	<b>2, 940</b>	<b>407</b>	<b>100. 0</b>	<b>100. 0</b>	<b>100. 0</b>	<b>100. 0</b>
<b>UNDER FIVE</b>	<b>5, 551</b>	<b>4, 586</b>	<b>828</b>	<b>137</b>	<b>40. 0</b>	<b>43. 6</b>	<b>28. 2</b>	<b>33. 7</b>
<b>UNDER ONE</b>	<b>681</b>	<b>617</b>	<b>45</b>	<b>19</b>	<b>4. 9</b>	<b>5. 9</b>	<b>1. 5</b>	<b>4. 7</b>
<b>ONE</b>	<b>1, 286</b>	<b>1, 105</b>	<b>149</b>	<b>32</b>	<b>9. 3</b>	<b>10. 5</b>	<b>5. 1</b>	<b>7. 9</b>
<b>TWO</b>	<b>1, 313</b>	<b>1, 075</b>	<b>200</b>	<b>38</b>	<b>9. 5</b>	<b>10. 2</b>	<b>6. 8</b>	<b>9. 3</b>
<b>THREE</b>	<b>1, 267</b>	<b>1, 002</b>	<b>239</b>	<b>26</b>	<b>9. 1</b>	<b>9. 5</b>	<b>8. 1</b>	<b>6. 4</b>
<b>FOUR</b>	<b>1, 004</b>	<b>787</b>	<b>195</b>	<b>22</b>	<b>7. 2</b>	<b>7. 5</b>	<b>6. 6</b>	<b>5. 4</b>
<b>FIVE-NINE</b>	<b>3, 503</b>	<b>2, 555</b>	<b>863</b>	<b>85</b>	<b>25. 3</b>	<b>24. 3</b>	<b>29. 4</b>	<b>20. 9</b>
<b>TEN-NINETEEN</b>	<b>3, 153</b>	<b>2, 225</b>	<b>824</b>	<b>104</b>	<b>22. 7</b>	<b>21. 2</b>	<b>28. 0</b>	<b>25. 6</b>
<b>TWENTY AND OVER</b>	<b>1, 460</b>	<b>1, 046</b>	<b>387</b>	<b>27</b>	<b>10. 5</b>	<b>10. 0</b>	<b>13. 2</b>	<b>6. 6</b>
<b>UNKNOWN</b>	<b>193</b>	<b>101</b>	<b>38</b>	<b>54</b>	<b>1. 4</b>	<b>1. 0</b>	<b>1. 3</b>	<b>13. 3</b>

\* DIVORCES OF MIXED-RACE COUPLES ARE INCLUDED IN FIGURES FOR NONWHITES.

## INDUCED TERMINATIONS OF PREGNANCY

**TABLE F1. REPORTED INDUCED TERMINATIONS OF PREGNANCY,  
PERCENTAGE DISTRIBUTION, AND INDUCED TERMINATION RATIOS,  
BY AGE AND RACE OF PATIENT  
PROCEDURES PERFORMED IN MISSISSIPPI, 1993**

AGE OF PATIENT	NUMBER				PERCENT			INDUCED TERMINATION RATIO*		
	TOTAL	WHITE	NON- WHITE	UNK. RACE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<b>TOTAL</b>	<b>6,002</b>	<b>2,425</b>	<b>3,551</b>	<b>26</b>	<b>100.0</b>	<b>100.0</b>	<b>100.0</b>	<b>142.4</b>	<b>114.1</b>	<b>170.0</b>
UNDER 15	103	23	80	0	1.7	0.9	2.2	273.9	489.4	243.2
15-19	1,414	622	786	6	23.6	25.6	22.1	161.4	203.0	137.9
20-24	2,195	845	1,342	8	36.6	34.8	37.8	156.4	123.7	186.2
25-29	1,120	446	667	7	18.7	18.4	18.8	110.5	74.1	162.0
30-34	723	309	412	2	12.0	12.7	11.6	118.6	82.6	175.0
35-39	338	140	196	2	5.6	5.8	5.5	148.5	107.9	200.2
40-44	81	28	53	0	1.4	1.2	1.5	214.3	149.7	277.5
45-49	2	2	0	0	**	0.1	-	133.3	222.2	-
50 & OVER	1	0	1	0	**	-	**	#	#	#
UNKNOWN	25	10	14	1	0.4	0.4	0.4			

\* INDUCED TERMINATIONS PER 1,000 LIVE BIRTHS IN SPECIFIED GROUP.

\*\* LESS THAN 0.06 PERCENT.

# NO LIVE BIRTHS TO WOMEN IN THIS AGE/RACE GROUP.

**TABLE F2. REPORTED INDUCED TERMINATIONS OF PREGNANCY  
AND PERCENTAGE DISTRIBUTION,  
BY CHARACTERISTICS OF PATIENT AND RACE  
PROCEDURES PERFORMED IN MISSISSIPPI, 1993**

<u>CHARACTERISTICS OF PATIENT</u>	<u>NUMBER</u>				<u>PERCENT</u>		
	<u>TOTAL</u>	<u>WHITE</u>	<u>NON- WHITE</u>	<u>UNK. RACE</u>	<u>TOTAL</u>	<u>WHITE</u>	<u>NON- WHITE</u>
<u>TOTAL</u>	<u>6, 002</u>	<u>2, 425</u>	<u>3, 551</u>	<u>26</u>	<u>100. 0</u>	<u>100. 0</u>	<u>100. 0</u>
<u>MISSISSIPPI RESIDENT</u>	<u>4, 828</u>	<u>1, 906</u>	<u>2, 907</u>	<u>15</u>	<u>80. 4</u>	<u>78. 6</u>	<u>81. 9</u>
<u>NONRESIDENT</u>	<u>1, 174</u>	<u>519</u>	<u>644</u>	<u>11</u>	<u>19. 6</u>	<u>21. 4</u>	<u>18. 1</u>
<u>BORDER STATE</u>	<u>1, 135</u>	<u>503</u>	<u>622</u>	<u>10</u>	<u>18. 9</u>	<u>20. 7</u>	<u>17. 5</u>
<u>OTHER STATE</u>	<u>39</u>	<u>16</u>	<u>22</u>	<u>1</u>	<u>0. 6</u>	<u>0. 7</u>	<u>0. 6</u>
<u>MARITAL STATUS</u>							
<u>MARRIED</u>	<u>856</u>	<u>454</u>	<u>397</u>	<u>5</u>	<u>14. 3</u>	<u>18. 7</u>	<u>11. 2</u>
<u>NOT MARRIED</u>	<u>5, 118</u>	<u>1, 955</u>	<u>3, 143</u>	<u>20</u>	<u>85. 3</u>	<u>80. 6</u>	<u>88. 5</u>
<u>UNKNOWN</u>	<u>28</u>	<u>16</u>	<u>11</u>	<u>1</u>	<u>0. 5</u>	<u>0. 7</u>	<u>0. 3</u>
<u>EDUCATION (COMPLETED YEARS)</u>							
<u>0- 6 YEARS</u>	<u>8</u>	<u>4</u>	<u>4</u>	<u>0</u>	<u>0. 1</u>	<u>0. 2</u>	<u>0. 1</u>
<u>7- 9 YEARS</u>	<u>148</u>	<u>87</u>	<u>60</u>	<u>1</u>	<u>2. 5</u>	<u>3. 6</u>	<u>1. 7</u>
<u>10, 11 YEARS</u>	<u>346</u>	<u>167</u>	<u>176</u>	<u>3</u>	<u>5. 8</u>	<u>6. 9</u>	<u>5. 0</u>
<u>12 YEARS</u>	<u>1, 117</u>	<u>468</u>	<u>641</u>	<u>8</u>	<u>18. 6</u>	<u>19. 3</u>	<u>18. 0</u>
<u>1- 3 YEARS COLLEGE</u>	<u>1, 397</u>	<u>530</u>	<u>856</u>	<u>11</u>	<u>23. 3</u>	<u>21. 8</u>	<u>24. 1</u>
<u>4 OR MORE YEARS COLLEGE</u>	<u>481</u>	<u>183</u>	<u>296</u>	<u>2</u>	<u>8. 0</u>	<u>7. 5</u>	<u>8. 3</u>
<u>UNKNOWN</u>	<u>2, 505</u>	<u>986</u>	<u>1, 518</u>	<u>1</u>	<u>41. 7</u>	<u>40. 7</u>	<u>42. 7</u>
<u>NUMBER OF LIVING CHILDREN</u>							
<u>NONE</u>	<u>2, 757</u>	<u>1, 353</u>	<u>1, 390</u>	<u>14</u>	<u>45. 9</u>	<u>55. 8</u>	<u>39. 1</u>
<u>ONE</u>	<u>1, 725</u>	<u>619</u>	<u>1, 101</u>	<u>5</u>	<u>28. 7</u>	<u>25. 5</u>	<u>31. 0</u>
<u>TWO</u>	<u>978</u>	<u>313</u>	<u>661</u>	<u>4</u>	<u>16. 3</u>	<u>12. 9</u>	<u>18. 6</u>
<u>THREE</u>	<u>352</u>	<u>96</u>	<u>255</u>	<u>1</u>	<u>5. 9</u>	<u>4. 0</u>	<u>7. 2</u>
<u>FOUR</u>	<u>130</u>	<u>31</u>	<u>98</u>	<u>1</u>	<u>2. 2</u>	<u>1. 3</u>	<u>2. 8</u>
<u>FIVE OR MORE</u>	<u>52</u>	<u>9</u>	<u>42</u>	<u>1</u>	<u>0. 9</u>	<u>0. 4</u>	<u>1. 2</u>
<u>NUMBER OF PREVIOUS INDUCED TERMINATIONS</u>							
<u>NONE</u>	<u>4, 369</u>	<u>1, 745</u>	<u>2, 606</u>	<u>18</u>	<u>72. 8</u>	<u>72. 0</u>	<u>73. 4</u>
<u>ONE</u>	<u>1, 240</u>	<u>515</u>	<u>719</u>	<u>6</u>	<u>20. 7</u>	<u>21. 2</u>	<u>20. 2</u>
<u>TWO</u>	<u>273</u>	<u>108</u>	<u>164</u>	<u>1</u>	<u>4. 5</u>	<u>4. 4</u>	<u>4. 6</u>
<u>THREE OR MORE</u>	<u>112</u>	<u>54</u>	<u>57</u>	<u>1</u>	<u>1. 9</u>	<u>2. 2</u>	<u>1. 6</u>

**TABLE F3. REPORTED INDUCED TERMINATIONS OF PREGNANCY  
AND PERCENTAGE DISTRIBUTION,  
BY MEDICAL CHARACTERISTICS AND RACE  
PROCEDURES PERFORMED IN MISSISSIPPI, 1993**

<u>MEDICAL CHARACTERISTICS</u>	<u>NUMBER</u>				<u>PERCENT</u>		
	<u>TOTAL</u>	<u>WHITE</u>	<u>NON- WHITE</u>	<u>UNK. RACE</u>	<u>TOTAL</u>	<u>WHITE</u>	<u>NON- WHITE</u>
<u>TOTAL</u>	<u>6,002</u>	<u>2,425</u>	<u>3,551</u>	<u>26</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>
<u>COMPLETED WEEKS OF GESTATION*</u>							
UNDER 9	2,705	1,233	1,458	14	45.1	50.8	41.0
9, 10	1,454	524	928	2	24.2	21.6	26.1
11, 12	763	271	492	0	12.7	11.2	13.8
13-15	573	209	360	4	9.5	8.6	10.1
16-20	386	149	234	3	6.4	6.1	6.6
21 OR MORE	70	19	50	1	1.2	0.8	1.4
UNKNOWN	51	20	29	2	0.8	0.8	0.8
<u>PRIMARY PROCEDURE</u>							
SUCTION CURETTAGE	5,936	2,391	3,519	26	98.9	98.6	99.1
SHARP CURETTAGE	10	5	5	0	0.2	0.2	0.1
INTRA-UTERINE SALINE INSTILLATION	13	6	7	0	0.2	0.2	0.2
INTRA-UTERINE PROSTA- GLANDIN INSTILLATION	1	1	0	0	**	**	-
HYSTEROTOMY	36	19	17	0	0.6	0.8	0.5
OTHER	1	1	0	0	**	**	-
UNKNOWN	5	2	3	0	0.1	0.1	0.1
<u>COMPLICATIONS</u>							
NO KNOWN COMPLICATIONS	5,987	2,418	3,543	26	99.8	99.7	99.8
SOME COMPLICATIONS	4	1	3	0	0.1	**	0.1
HEMORRHAGE	1#	0	1#	0	**	-	**
RETAINED PRODUCTS	3#	1	2#	0	**	**	**
OTHER	1	0	1	0	**	-	**
UNKNOWN	11	6	5	0	0.2	0.2	0.1

\* CALCULATED BY SUBTRACTING DATE OF LAST NORMAL MENSTRUAL PERIOD PRIOR TO TERMINATION FROM DATE OF TERMINATION.

\*\* LESS THAN 0.06 PERCENT.

# ONE PATIENT HAD BOTH HEMORRHAGE AND RETAINED PRODUCTS.

**MAJOR TABLES**

**1993**

**TABLE i**  
**1990 CENSUS POPULATION AND PERCENT CHANGE SINCE 1980 CENSUS,**  
**BY PLACE (COUNTIES, TOWNS OF 10,000 OR MORE) AND RACE,**  
**MISSISSIPPI, AS OF APRIL 1, 1990**

COUNTY	POPULATION			PERCENT CHANGE SINCE 1980		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>STATE TOTAL</u>	<u>2, 573, 216</u>	<u>1, 633, 461</u>	<u>939, 755</u>	<u>2. 1</u>	<u>1. 1</u>	<u>3. 8</u>
ADAMS	35, 356	18, 028	17, 328	- 7. 0	- 7. 7	- 6. 4
ALCORN	31, 722	28, 085	3, 637	- 4. 0	- 4. 7	1. 7
AMITE	13, 328	7, 272	6, 056	- 0. 3	3. 9	- 5. 0
ATTALA	18, 481	11, 114	7, 367	- 7. 0	- 7. 8	- 5. 7
BENTON	8, 046	4, 869	3, 177	- 1. 3	- 3. 7	2. 5
BOLI VAR	41, 875	15, 259	26, 616	- 8. 9	- 10. 2	- 8. 2
CALHOUN	14, 908	10, 829	4, 079	- 4. 8	- 7. 0	1. 6
CARROLL	9, 237	5, 560	3, 677	- 5. 5	4. 3	- 17. 3
CHI CKASAW	18, 085	11, 060	7, 025	1. 3	- 2. 8	8. 6
CHOCTAW	9, 071	6, 319	2, 752	0. 8	- 2. 0	8. 0
CLAI BORNE	11, 370	1, 994	9, 376	- 7. 4	- 35. 1	1. 8
CLARKE	17, 313	11, 312	6, 001	2. 2	2. 8	1. 0
CLAY	21, 120	9, 789	11, 331	0. 2	- 6. 5	6. 8
COAHOMA	31, 665	11, 001	20, 664	- 14. 2	- 15. 9	- 13. 3
COPI AH	27, 592	13, 602	13, 990	4. 1	- 0. 3	8. 8
COVINGTON	16, 527	10, 699	5, 828	3. 8	2. 8	5. 6
DESOTO	67, 910	58, 860	9, 050	25. 9	33. 2	- 7. 0
FORREST	68, 314	46, 672	21, 642	3. 5	- 2. 2	18. 3
FRANKLIN	8, 377	5, 290	3, 087	2. 0	2. 8	0. 7
GEORGE	16, 673	15, 025	1, 648	9. 0	8. 8	10. 7
GREENE	10, 220	7, 999	2, 221	4. 0	2. 1	11. 6
GRENADA	21, 555	12, 563	8, 992	2. 4	3. 0	1. 7
HANCOCK	31, 760	28, 625	3, 135	29. 4	30. 8	18. 5
HARRI SON	165, 365	127, 630	37, 735	4. 9	2. 9	12. 2
HI NDS	254, 441	123, 177	131, 264	1. 4	- 9. 6	14. 4
HOLMES	21, 604	5, 176	16, 428	- 5. 9	- 21. 3	0. 2
HUMPHREYS	12, 134	3, 856	8, 278	- 12. 9	- 18. 3	- 10. 1
I SSAQUENA	1, 909	833	1, 076	- 24. 0	- 24. 8	- 23. 5
ITAWAMBA	20, 017	18, 596	1, 421	- 2. 4	- 3. 1	7. 5
JACKSON	115, 243	90, 114	25, 129	- 2. 3	- 4. 9	7. 8
JASPER	17, 114	8, 410	8, 704	- 0. 9	- 4. 0	2. 4
JEFFERSON	8, 653	1, 185	7, 468	- 5. 8	- 28. 0	- 0. 9
JEFF DAVIS	14, 051	6, 330	7, 721	1. 5	- 1. 1	3. 7
JONES	62, 031	46, 193	15, 838	0. 2	- 2. 4	8. 5
KEMPER	10, 356	4, 407	5, 949	2. 0	- 3. 3	6. 4
LAFAYETTE	31, 826	23, 151	8, 675	2. 6	2. 7	2. 2
LAMAR	30, 424	26, 599	3, 825	27. 7	25. 9	41. 9
LAUDERDALE	75, 555	48, 706	26, 849	- 2. 2	- 7. 0	7. 8
LAWRENCE	12, 458	8, 300	4, 158	- 0. 5	- 3. 8	7. 0
LEAKE	18, 436	11, 086	7, 350	- 1. 9	- 3. 2	0. 2
LEE	65, 581	51, 260	14, 321	14. 9	13. 3	21. 0
LEFLORE	37, 341	14, 516	22, 825	- 10. 1	- 13. 2	- 8. 0

TABLE i - PAGE 2  
 CENSUS POPULATION - MISSISSIPPI - APRIL 1, 1990

COUNTY	POPULATION			PERCENT CHANGE SINCE 1980		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
LINCOLN	30,278	21,162	9,116	0.3	0.4	0.2
LOWNDES	59,308	36,736	22,572	3.5	-1.1	12.0
MADISON	53,794	29,789	24,005	29.3	63.2	2.7
MARION	25,544	17,733	7,811	-0.6	-1.3	0.9
MARSHALL	30,361	14,842	15,519	3.6	8.8	-0.8
MONROE	36,582	25,394	11,188	0.5	-0.6	3.0
MONTGOMERY	12,388	6,916	5,472	-7.3	-12.3	-0.2
NESHOBA	24,800	16,945	7,855	4.2	-0.8	17.0
NEWTON	20,291	13,697	6,594	1.7	-2.2	10.9
NOXUBEE	12,604	3,959	8,645	-4.6	-14.9	1.0
OKTIBBEHA	38,375	24,064	14,311	6.5	4.0	11.1
PANOLA	29,996	15,376	14,620	6.5	7.4	5.5
PEARL RIVER	38,714	32,888	5,826	14.6	14.9	12.6
PERRY	10,865	8,333	2,532	10.1	8.0	17.6
PIKE	36,882	19,931	16,951	2.0	-2.3	7.5
PONTOTOC	22,237	18,917	3,320	6.3	7.4	0.6
PRENTISS	23,278	20,477	2,801	-3.1	-4.2	6.0
QUITMAN	10,490	4,250	6,240	-17.0	-23.1	-12.2
RANKIN	87,161	72,033	15,128	25.5	28.0	15.1
SCOTT	24,137	14,829	9,308	-1.7	-6.4	6.9
SHARKEY	7,066	2,339	4,727	-11.3	-13.4	-10.2
SIMPSON	23,953	16,124	7,829	2.2	-0.5	8.1
SMITH	14,798	11,516	3,282	-1.9	-2.9	2.1
STONE	10,750	8,362	2,388	10.6	12.0	6.0
SUNFLOWER	32,867	11,604	21,263	-5.7	-11.1	-2.4
TALLAHATCHIE	15,210	6,257	8,953	-11.3	-13.7	-9.6
TATE	21,432	13,945	7,487	6.5	13.0	-3.8
TIPPAH	19,523	16,251	3,272	4.2	3.2	9.2
TISHOMINGO	17,683	17,010	673	-4.1	-3.8	-11.2
TUNICA	8,164	1,992	6,172	-15.4	-22.4	-12.9
UNION	22,085	18,804	3,281	1.6	0.6	7.9
WALTHALL	14,352	8,252	6,100	4.3	1.9	7.7
WARREN	47,880	28,879	19,001	-7.3	-9.4	-3.8
WASHINGTON	67,935	28,334	39,601	-6.1	-10.4	-2.8
WAYNE	19,517	12,506	7,011	2.0	-1.5	8.9
WEBSTER	10,222	7,953	2,269	-0.8	-3.8	11.5
WILKINSON	9,678	3,123	6,555	-3.4	-5.1	-2.6
WINSTON	19,433	11,151	8,282	-0.2	-4.4	6.0
YALOBUSHA	12,033	7,479	4,554	-8.4	-7.6	-9.7
YAZOO	25,506	11,958	13,548	-6.7	-9.4	-4.3



TABLE i - PAGE 3  
 CENSUS POPULATION - MISSISSIPPI - APRIL 1, 1990

TOWN*	POPULATION			PERCENT CHANGE SINCE 1980		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
BILOXI	46,319	34,547	11,772	-6.1	-10.8	11.4
BRANDON	11,077	9,648	1,429	15.1	15.6	11.6
BROOKHAVEN	10,243	5,607	4,636	-5.2	-12.7	5.9
CANTON	10,062	3,264	6,798	-9.5	-14.6	-6.8
CLARKSDALE	19,717	7,406	12,311	-6.7	-7.2	-6.4
CLEVELAND	15,384	8,260	7,124	5.9	-4.8	21.8
CLINTON	21,847	17,852	3,995	49.0	32.2	246.2
COLUMBUS	23,799	11,493	12,306	-13.1	-23.7	-0.1
CORINTH	11,820	9,183	2,637	-14.6	-19.0	5.2
GAUTIER	10,088	7,491	2,597	13.1	-3.2	120.8
GREENVILLE	45,226	17,982	27,244	11.4	11.1	11.5
GREENWOOD	18,906	7,596	11,310	-6.0	-20.1	6.6
GRENADA	10,864	5,462	5,402	-14.1	-22.6	-3.2
GULFPORT	40,775	28,496	12,279	2.8	-2.8	18.7
HATTIESBURG	41,882	24,385	17,497	2.6	-7.3	20.4
INDIANOLA	11,809	3,959	7,850	43.6	-2.2	88.1
JACKSON	196,637	85,675	110,962	-3.1	-19.4	14.8
LAUREL	18,827	9,719	9,108	-14.0	-26.3	4.6
LONG BEACH	15,804	14,504	1,300	98.4	96.4	122.6
MCCOMB	11,591	6,197	5,394	-6.0	-20.6	19.2
MERIDIAN	41,036	22,149	18,887	-11.9	-23.4	6.9
MOSS POINT	17,837	6,113	11,724	-6.1	-6.2	-6.1
NATCHEZ	19,460	9,596	9,864	-11.6	-8.7	-14.2
OCEAN SPRINGS	14,658	13,327	1,331	1.1	0.6	6.5
PASCAGOULA	25,899	19,998	5,901	-11.7	-16.7	11.1
PEARL	19,588	17,757	1,831	-5.7	-3.0	-25.9
PI CAYUNE	10,633	6,706	3,927	2.6	-3.7	15.5
RIDGELAND	11,714	10,191	1,523	114.5	110.0	150.9
SOUTHAVEN	17,949	17,363	586	11.7	9.1	280.5
STARKVILLE	18,458	12,760	5,698	21.7	15.8	37.3
TUPELO	30,685	23,072	7,613	28.4	18.6	70.8
VICKSBURG	20,908	8,476	12,432	-17.8	-29.1	-7.8
YAZOO CITY	12,427	4,316	8,111	**	-31.8	32.9

\* TOWNS OF 10,000 POPULATION OR MORE.

\*\* LESS THAN 0.06 PERCENT CHANGE.

**TABLE 1A**  
**LIVE BIRTHS, BY PLACE OF OCCURRENCE AND RACE OF MOTHER,**  
**ALSO LIVE BIRTHS AND RATES, BY PLACE OF RESIDENCE AND RACE OF MOTHER,**  
**(PLACE INCLUDES COUNTIES, OUT OF STATE, TOWNS OF 10,000 OR MORE),**  
**MISSISSIPPI, 1993**

COUNTY	OCCURRENCE DATA			RESIDENCE DATA			RATE*		
	NUMBER			NUMBER			RATE*		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>STATE</u>	<u>41, 639</u>	<u>20, 420</u>	<u>21, 219</u>	<u>42, 134</u>	<u>21, 246</u>	<u>20, 888</u>	<u>16. 4</u>	<u>13. 0</u>	<u>22. 2</u>
ADAMS	1, 018	364	654	568	197	371	16. 1	10. 9	21. 4
ALCORN	407	317	90	438	355	83	13. 8	12. 6	22. 8
AMITE	1	0	1	182	75	107	13. 6	10. 3	17. 7
ATTALA	226	116	110	241	106	135	13. 0	9. 5	18. 3
BENTON	0	0	0	108	61	47	13. 4	12. 5	14. 8
BOLIVAR	704	103	601	745	156	589	17. 8	10. 2	22. 1
CALHOUN	2	1	1	200	115	85	13. 4	10. 6	20. 8
CARROLL	0	0	0	103	47	56	11. 2	8. 4	15. 2
CHICKASAW	0	0	0	304	148	156	16. 8	13. 4	22. 2
CHOCTAW	2	1	1	104	58	46	11. 5	9. 2	16. 7
CLAIBORNE	60	2	58	158	17	141	13. 9	8. 5	15. 0
CLARKE	3	0	3	234	121	113	13. 5	10. 7	18. 8
CLAY	354	103	251	362	103	259	17. 1	10. 5	22. 8
COAHOMA	1, 369	278	1, 091	625	116	509	19. 7	10. 5	24. 6
COPIAH	274	76	198	430	152	278	15. 6	11. 2	19. 9
COVINGTON	286	128	158	302	158	144	18. 3	14. 8	24. 7
DESOTO	868	504	364	1, 221	1, 028	193	18. 0	17. 5	21. 3
FORREST	2, 964	1, 890	1, 074	1, 079	566	513	15. 8	12. 1	23. 7
FRANKLIN	0	0	0	104	51	53	12. 4	9. 6	17. 2
GEORGE	6	2	4	318	287	31	19. 1	19. 1	18. 8
GREENE	0	0	0	143	110	33	14. 0	13. 8	14. 8
GRENADA	801	358	443	330	148	182	15. 3	11. 8	20. 2
HANCOCK	118	92	26	440	375	65	13. 8	13. 1	20. 7
HARRISON	3, 632	2, 547	1, 085	2, 995	2, 068	927	18. 1	16. 2	24. 6
HINDS	7, 117	2, 271	4, 846	4, 216	1, 307	2, 909	16. 6	10. 6	22. 2
HOLMES	153	5	148	410	45	365	19. 0	8. 7	22. 2
HUMPHREYS	9	1	8	210	39	171	17. 3	10. 1	20. 6
ISSAQUENA	0	0	0	26	10	16	13. 6	12. 0	14. 9
ITAWAMBA	2	1	1	290	262	28	14. 5	14. 1	19. 7
JACKSON	1, 538	1, 074	464	1, 828	1, 282	546	15. 9	14. 2	21. 7
JASPER	0	0	0	254	96	158	14. 8	11. 4	18. 2
JEFFERSON	2	0	2	167	7	160	19. 3	5. 9	21. 4
JEFF DAVIS	1	0	1	216	57	159	15. 4	9. 0	20. 6
JONES	1, 079	510	569	853	495	358	13. 8	10. 7	22. 6
KEMPER	0	0	0	141	50	91	13. 6	11. 3	15. 3
LAFAYETTE	650	366	284	384	219	165	12. 1	9. 5	19. 0
LAMAR	2	0	2	463	386	77	15. 2	14. 5	20. 1
LAUDERDALE	2, 296	1, 221	1, 075	1, 169	573	596	15. 5	11. 8	22. 2
LAWRENCE	4	2	2	188	96	92	15. 1	11. 6	22. 1
LEAKE	6	0	6	333	156	177	18. 1	14. 1	24. 1
LEE	2, 232	1, 684	548	1, 169	752	417	17. 8	14. 7	29. 1
LEFLORE	692	135	557	689	173	516	18. 4	11. 9	22. 6

TABLE 1A - PAGE 2  
LIVE BIRTHS - MISSISSIPPI - 1993

COUNTY	OCCURRENCE DATA			RESIDENCE DATA					
	NUMBER			NUMBER			RATE*		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
LINCOLN	656	366	290	501	279	222	16.5	13.2	24.4
LOWNDES	1,127	513	614	1,033	497	536	17.4	13.5	23.7
MADISON	397	12	385	1,109	526	583	20.6	17.6	24.3
MARION	3	0	3	397	224	173	15.5	12.6	22.1
MARSHALL	6	1	5	498	204	294	16.4	13.7	18.9
MONROE	880	563	317	576	341	235	15.7	13.4	21.0
MONTGOMERY	73	4	69	183	64	119	14.8	9.2	21.7
NESHOBA	5	2	3	389	184	205	15.7	10.8	26.1
NEWTON	7	0	7	322	176	146	15.9	12.8	22.1
NOXUBEE	3	0	3	220	44	176	17.4	11.1	20.4
OKTIBBEHA	1,131	487	644	523	230	293	13.6	9.6	20.5
PANOLA	7	0	7	546	179	367	18.2	11.6	25.1
PEARL RIVER	390	268	122	572	441	131	14.8	13.4	22.5
PERRY	2	1	1	183	120	63	16.8	14.4	24.9
PIKE	957	367	590	621	235	386	16.8	11.8	22.8
PONTOTOC	1	1	0	373	307	66	16.8	16.2	19.9
PRETISS	1	1	0	323	272	51	13.9	13.3	18.2
QUITMAN	3	0	3	204	47	157	19.4	11.0	25.2
RANKIN	1,909	1,639	270	1,303	1,028	275	14.9	14.3	18.2
SCOTT	6	2	4	458	220	238	19.0	14.8	25.6
SHARKEY	3	0	3	127	17	110	18.0	7.3	23.3
SIMPSON	9	2	7	431	228	203	18.0	14.1	25.9
SMITH	0	0	0	198	124	74	13.4	10.8	22.5
STONE	1	1	0	202	132	70	18.8	15.8	29.3
SUNFLOWER	529	149	380	600	129	471	18.2	11.1	22.2
TALLAHATCHIE	0	0	0	263	51	212	17.3	8.2	23.7
TATE	177	27	150	290	169	121	13.5	12.1	16.2
TIPPAH	1	0	1	291	231	60	14.9	14.2	18.3
TISHOMINGO	1	0	1	218	210	8	12.3	12.3	11.9
TUNICA	0	0	0	148	15	133	18.1	7.5	21.5
UNION	1,129	797	332	327	258	69	14.8	13.7	21.0
WALTHALL	7	5	2	234	80	154	16.3	9.7	25.2
WARREN	1,527	569	958	826	399	427	17.2	13.8	22.5
WASHINGTON	1,276	335	941	1,294	343	951	19.0	12.1	24.0
WAYNE	269	90	179	382	176	206	19.6	14.1	29.4
WEBSTER	0	0	0	142	97	45	13.9	12.2	19.8
WILKINSON	192	50	142	151	34	117	15.6	10.9	17.8
WINSTON	2	0	2	248	107	141	12.8	9.6	17.0
YALOBUSHA	0	0	0	171	64	107	14.2	8.6	23.5
YAZOO	74	16	58	517	141	376	20.3	11.8	27.8
OUT OF STATE	2,233	1,790	443	1,738	964	774			

TABLE 1A - PAGE 3  
LIVE BIRTHS - MISSISSIPPI - 1993

TOWN**	RESIDENCE DATA					
	NUMBER			RATE*		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
BILOXI	1,003	697	306	21.6	20.2	26.0
BRANDON	222	163	59	20.0	16.9	41.3
BROOKHAVEN	218	79	139	21.3	14.1	30.0
CANTON	323	23	300	32.1	7.0	44.1
CLARKSDALE	415	87	328	21.0	11.7	26.6
CLEVELAND	243	69	174	15.8	8.4	24.4
CLINTON	274	190	84	12.5	10.6	21.0
COLUMBUS	516	158	358	21.7	13.7	29.1
CORINTH	170	108	62	14.4	11.8	23.5
GAUTIER	214	153	61	21.2	20.4	23.5
GREENVILLE	853	181	672	18.9	10.1	24.7
GREENWOOD	423	95	328	22.4	12.5	29.0
GRENADA	189	50	139	17.4	9.2	25.7
GULFPORT	913	502	411	22.4	17.6	33.5
HATTIESBURG	715	243	472	17.1	10.0	27.0
INDIANOLA	232	46	186	19.6	11.6	23.7
JACKSON	3,385	856	2,529	17.2	10.0	22.8
LAUREL	346	95	251	18.4	9.8	27.6
LONG BEACH	203	177	26	12.8	12.2	20.0
MCCOMB	223	47	176	19.2	7.6	32.6
MERIDIAN	662	214	448	16.1	9.7	23.7
MOSS POINT	297	74	223	16.6	12.1	19.0
NATCHEZ	354	110	244	18.2	11.5	24.7
OCEAN SPRINGS	239	205	34	16.3	15.4	25.5
PASCAGOULA	558	388	170	21.5	19.4	28.8
PEARL	317	262	55	16.2	14.8	30.0
PICAYUNE	163	79	84	15.3	11.8	21.4
RIDGELAND	221	182	39	18.9	17.8	25.6
SOUTHAVEN	278	254	24	15.5	14.6	41.0
STARKVILLE	288	127	161	15.6	10.0	28.2
TUPELO	546	316	230	17.8	13.7	30.2
VICKSBURG	524	160	364	25.1	18.9	29.3
YAZOO CITY	327	58	269	26.3	13.4	33.2

\* BIRTHS PER 1,000 POPULATION.

\*\* TOWNS OF 10,000 POPULATION OR MORE.

**TABLE 1B**  
**FERTILITY RATES\*, BY COUNTY OF RESIDENCE AND RACE OF MOTHER,**  
**MISSISSIPPI, 1993**

COUNTY	TOTAL	WHITE	NON- WHITE	COUNTY	TOTAL	WHITE	NON- WHITE
<u>STATE</u>	<u>70.5</u>	<u>58.7</u>	<u>88.5</u>				
ADAMS	71.9	53.2	88.5	LINCOLN	75.8	63.8	99.0
ALCORN	63.4	59.1	91.5	LOWNDES	69.7	57.0	87.8
AMITE	66.2	53.7	79.2	MADISON	78.8	65.9	95.6
ATTALA	63.8	51.4	78.8	MARION	72.3	61.2	94.4
BENTON	64.1	64.6	63.6	MARSHALL	69.9	65.0	73.7
BOLIVAR	72.9	44.4	87.9	MONROE	71.0	64.1	84.0
CALHOUN	64.3	54.9	83.9	MONTGOMERY	70.8	49.8	91.5
CARROLL	53.2	42.5	67.5	NESHOBA	72.1	52.8	107.4
CHICKASAW	75.6	64.7	90.0	NEWTON	73.8	63.4	92.2
CHOCTAW	54.5	45.1	74.0	NOXUBEE	79.6	61.3	86.1
CLAIBORNE	49.1	50.1	49.0	OKTIBBEHA	48.4	33.6	73.7
CLARKE	62.0	51.7	78.8	PANOLA	81.7	57.2	103.2
CLAY	74.2	51.2	90.3	PEARL RIVER	65.9	61.4	87.9
COAHOMA	88.9	53.3	104.9	PERRY	74.0	64.3	103.8
COPIAH	68.8	55.4	79.3	PIKE	75.1	57.1	93.0
COVINGTON	84.1	71.4	104.5	PONTOTOC	75.8	75.1	78.9
DESOTO	73.8	71.4	89.9	PRENTISS	61.3	60.1	68.7
FORREST	60.1	47.5	85.1	QUITMAN	90.8	57.6	109.7
FRANKLIN	60.3	50.7	73.7	RANKIN	60.7	58.1	72.7
GEORGE	85.2	85.1	86.4	SCOTT	86.3	72.5	104.8
GREENE	67.3	64.9	76.9	SHARKEY	78.3	36.0	95.6
GRENADA	67.4	55.4	81.9	SIMPSON	82.4	68.1	108.0
HANCOCK	66.6	64.0	87.7	SMITH	63.5	53.0	95.1
HARRISON	77.8	71.7	96.1	STONE	80.9	70.4	112.5
HINDS	65.2	46.1	80.2	SUNFLOWER	87.4	59.2	100.6
HOLMES	85.8	48.1	94.9	TALLAHATCHIE	81.1	43.6	102.3
HUMPHREYS	77.7	50.2	88.8	TATE	57.0	53.3	63.0
ISSAQUENA	67.0	58.8	73.4	TIPPAAH	69.1	67.4	76.2
ITAWAMBA	67.7	66.0	88.6	TISHOMINGO	58.6	59.2	47.0
JACKSON	68.0	63.2	82.7	TUNICA	80.3	38.9	91.3
JASPER	68.9	57.8	78.0	UNION	68.4	64.8	86.1
JEFFERSON	84.5	36.6	89.6	WALTHALL	79.8	51.5	111.5
JEFF DAVIS	70.6	45.2	88.5	WARREN	75.2	63.1	91.6
JONES	62.0	50.1	92.5	WASHINGTON	83.0	57.3	98.9
KEMPER	62.9	62.9	62.8	WAYNE	85.2	64.7	116.7
LAFAYETTE	41.5	32.2	67.5	WEBSTER	66.9	61.2	84.0
LAMAR	62.2	60.5	72.8	WILKINSON	73.4	60.0	78.5
LAUDERDALE	67.2	54.0	87.9	WINSTON	59.6	49.9	69.9
LAWRENCE	68.7	56.3	89.3	YALOBUSHA	68.1	46.1	95.2
LEAKE	86.4	72.3	104.4	YAZOO	96.5	60.6	124.0
LEE	75.5	63.5	114.7				
LEFLORE	81.8	60.0	93.2				

\* LIVE BIRTHS PER 1,000 FEMALE POPULATION 15-44 YEARS OF AGE (1990 CENSUS).

**TABLE 2**  
**LIVE BIRTHS, BY COUNTY OF RESIDENCE, RACE OF MOTHER, AND ATTENDANT,**  
**ALSO BY COUNTY OF RESIDENCE AND SEX,**  
**MISSISSIPPI, 1993**

COUNTY	TOTAL	WHITE				NONWHITE				SEX	
		TOTAL	HOSP. OR CLINIC	PHYS. , OTHER PLACE	OTHER	TOTAL	HOSP. OR CLINIC	PHYS. , OTHER PLACE	OTHER	MALE	FEMALE
<u>STATE</u>	<u>42, 134</u>	<u>21, 246</u>	<u>21, 183</u>	<u>5</u>	<u>58</u>	<u>20, 888</u>	<u>20, 808</u>	<u>24</u>	<u>56</u>	<u>21, 541</u>	<u>20, 593</u>
ADAMS	568	197	197	0	0	371	370	0	1	290	278
ALCORN	438	355	355	0	0	83	83	0	0	214	224
AMITE	182	75	75	0	0	107	106	0	1	106	76
ATTALA	241	106	106	0	0	135	135	0	0	134	107
BENTON	108	61	61	0	0	47	47	0	0	52	56
BOLIVAR	745	156	156	0	0	589	586	0	3	365	380
CALHOUN	200	115	114	0	1	85	84	1	0	94	106
CARROLL	103	47	47	0	0	56	56	0	0	41	62
CHICKASAW	304	148	148	0	0	156	155	1	0	143	161
CHOCTAW	104	58	57	0	1	46	46	0	0	51	53
CLAIBORNE	158	17	17	0	0	141	141	0	0	71	87
CLARKE	234	121	121	0	0	113	113	0	0	114	120
CLAY	362	103	102	0	1	259	258	1	0	193	169
COAHOMA	625	116	116	0	0	509	508	0	1	311	314
COPIAH	430	152	151	0	1	278	278	0	0	219	211
COVINGTON	302	158	158	0	0	144	144	0	0	152	150
DESOTO	1, 221	1, 028	1, 024	0	4	193	193	0	0	654	567
FORREST	1, 079	566	563	0	3	513	511	0	2	557	522
FRANKLIN	104	51	51	0	0	53	53	0	0	54	50
GEORGE	318	287	286	0	1	31	31	0	0	164	154
GREENE	143	110	110	0	0	33	33	0	0	67	76
GRENADA	330	148	148	0	0	182	181	1	0	154	176
HANCOCK	440	375	375	0	0	65	65	0	0	227	213
HARRISON	2, 995	2, 068	2, 061	0	7	927	926	0	1	1, 570	1, 425

TABLE 2 - PAGE 2  
LIVE BIRTHS - MISSISSIPPI - 1993

COUNTY	TOTAL	WHITE				NONWHITE				SEX	
		TOTAL	HOSP. OR CLINIC	PHYS. , OTHER PLACE	OTHER	TOTAL	HOSP. OR CLINIC	PHYS. , OTHER PLACE	OTHER	MALE	FEMALE
HINDS	4,216	1,307	1,300	0	7	2,909	2,903	3	3	2,167	2,049
HOLMES	410	45	44	0	1	365	364	0	1	216	194
HUMPHREYS	210	39	39	0	0	171	171	0	0	106	104
ISSAQUENA	26	10	10	0	0	16	16	0	0	11	15
ITAWAMBA	290	262	261	1	0	28	28	0	0	163	127
JACKSON	1,828	1,282	1,279	0	3	546	545	0	1	927	901
JASPER	254	96	96	0	0	158	157	0	1	118	136
JEFFERSON	167	7	7	0	0	160	159	1	0	86	81
JEFF DAVIS	216	57	57	0	0	159	157	1	1	111	105
JONES	853	495	491	0	4	358	358	0	0	418	435
KEMPER	141	50	50	0	0	91	91	0	0	68	73
LAFAYETTE	384	219	218	0	1	165	163	0	2	198	186
LAMAR	463	386	384	1	1	77	76	0	1	225	238
LAUDERDALE	1,169	573	572	0	1	596	593	2	1	599	570
LAWRENCE	188	96	94	0	2	92	92	0	0	92	96
LEAKE	333	156	156	0	0	177	173	0	4	175	158
LEE	1,169	752	750	1	1	417	416	1	0	595	574
LEFLORE	689	173	173	0	0	516	511	5	0	354	335
LINCOLN	501	279	279	0	0	222	222	0	0	245	256
LOWNDES	1,033	497	497	0	0	536	533	0	3	541	492
MADISON	1,109	526	526	0	0	583	581	0	2	561	548
MARION	397	224	224	0	0	173	171	0	2	203	194
MARSHALL	498	204	203	0	1	294	292	1	1	263	235
MONROE	576	341	338	0	3	235	234	0	1	294	282
MONTGOMERY	183	64	64	0	0	119	117	0	2	89	94
NESHOBA	389	184	184	0	0	205	205	0	0	197	192
NEWTON	322	176	176	0	0	146	146	0	0	162	160
NOXUBEE	220	44	44	0	0	176	174	2	0	110	110
OKTIBBEHA	523	230	230	0	0	293	293	0	0	277	246
PANOLA	546	179	179	0	0	367	363	0	4	291	255

TABLE 2 - PAGE 3  
LIVE BIRTHS - MISSISSIPPI - 1993

COUNTY	TOTAL	WHITE				NONWHITE				SEX	
		TOTAL	HOSP. OR CLINIC	PHYS. , OTHER PLACE	OTHER	TOTAL	HOSP. OR CLINIC	PHYS. , OTHER PLACE	OTHER	MALE	FEMALE
PEARL RIVER	572	441	441	0	0	131	130	0	1	298	274
PERRY	183	120	120	0	0	63	62	0	1	108	75
PIKE	621	235	233	0	2	386	385	1	0	299	322
PONTOTOC	373	307	306	1	0	66	66	0	0	209	164
PRETISS	323	272	272	0	0	51	51	0	0	173	150
QUITMAN	204	47	47	0	0	157	157	0	0	109	95
RANKIN	1,303	1,028	1,027	0	1	275	274	0	1	676	627
SCOTT	458	220	219	0	1	238	236	0	2	223	235
SHARKEY	127	17	17	0	0	110	110	0	0	65	62
SIMPSON	431	228	226	0	2	203	203	0	0	232	199
SMITH	198	124	124	0	0	74	74	0	0	98	100
STONE	202	132	131	0	1	70	70	0	0	112	90
SUNFLOWER	600	129	129	0	0	471	469	1	1	308	292
TALLAHATCHIE	263	51	51	0	0	212	212	0	0	129	134
TATE	290	169	169	0	0	121	121	0	0	151	139
TIPPAH	291	231	231	0	0	60	59	1	0	153	138
TISHOMINGO	218	210	210	0	0	8	7	0	1	105	113
TUNICA	148	15	15	0	0	133	133	0	0	78	70
UNION	327	258	258	0	0	69	69	0	0	158	169
WALTHALL	234	80	75	0	5	154	153	0	1	121	113
WARREN	826	399	398	1	0	427	426	0	1	429	397
WASHINGTON	1,294	343	343	0	0	951	945	0	6	649	645
WAYNE	382	176	174	0	2	206	205	1	0	192	190
WEBSTER	142	97	97	0	0	45	45	0	0	65	77
WILKINSON	151	34	34	0	0	117	117	0	0	75	76
WINSTON	248	107	107	0	0	141	140	0	1	127	121
YALOBUSHA	171	64	64	0	0	107	107	0	0	87	84
YAZOO	517	141	141	0	0	376	375	0	1	253	264

NOTE: "HOSP. OR CLINIC" INCLUDES DELIVERY BY PHYSICIAN, CNM, OR ANY OTHER NAMED PERSON. "OTHER" INCLUDES DELIVERY BY ANY PERSON OTHER THAN A PHYSICIAN, AT ANY PLACE OTHER THAN A HOSPITAL OR CLINIC.



**TABLE 3A**  
**TOTAL LIVE BIRTHS, BY COUNTY OF RESIDENCE AND AGE OF MOTHER,**  
**MISSISSIPPI, 1993**

COUNTY	TOTAL	AGE OF MOTHER								UN- KNOWN
		UNDER 15	15- 19	20- 24	25- 29	30- 34	35- 39	40- 44	45- 49	
<b>STATE</b>	<b>42, 134</b>	<b>376</b>	<b>8, 763</b>	<b>14, 037</b>	<b>10, 139</b>	<b>6, 096</b>	<b>2, 276</b>	<b>378</b>	<b>15</b>	<b>54</b>
ADAMS	568	1	130	208	114	73	38	4	0	0
ALCORN	438	2	82	163	103	64	16	7	1	0
AMITE	182	2	25	60	59	21	15	0	0	0
ATTALA	241	2	61	78	65	22	8	5	0	0
BENTON	108	1	34	33	25	9	6	0	0	0
BOLIVAR	745	12	212	259	151	82	24	4	1	0
CALHOUN	200	3	45	73	50	23	6	0	0	0
CARROLL	103	1	19	40	23	16	4	0	0	0
CHICKASAW	304	3	67	110	67	36	14	7	0	0
CHOCTAW	104	1	21	37	20	21	3	1	0	0
CLAIBORNE	158	2	44	50	28	14	16	4	0	0
CLARKE	234	3	38	100	44	31	15	3	0	0
CLAY	362	6	80	121	77	52	22	4	0	0
COAHOMA	625	14	184	208	116	71	26	6	0	0
COPIAH	430	10	91	145	91	61	30	2	0	0
COVINGTON	302	3	66	116	69	28	16	4	0	0
DESOTO	1, 221	7	164	355	356	215	82	9	1	32
FORREST	1, 079	10	211	355	269	175	49	9	0	1
FRANKLIN	104	0	27	39	23	13	2	0	0	0
GEORGE	318	1	75	117	82	30	12	1	0	0
GREENE	143	0	32	65	22	18	4	2	0	0
GRENADA	330	7	71	108	72	54	18	0	0	0
HANCOCK	440	2	84	148	103	76	20	6	1	0
HARRISON	2, 995	13	529	1, 005	751	491	173	29	1	3
HINDS	4, 216	47	788	1, 257	1, 054	706	302	61	0	1
HOLMES	410	3	107	143	88	52	10	7	0	0
HUMPHREYS	210	5	49	58	61	26	8	3	0	0
ISSAQUENA	26	0	8	11	6	1	0	0	0	0
ITAWAMBA	290	0	46	115	73	40	14	2	0	0
JACKSON	1, 828	9	357	630	439	284	94	14	1	0
JASPER	254	0	64	89	59	31	9	2	0	0
JEFFERSON	167	3	43	48	33	25	14	1	0	0
JEFF DAVIS	216	1	50	75	52	22	13	3	0	0
JONES	853	5	185	295	198	118	49	3	0	0
KEMPER	141	0	26	61	33	14	6	1	0	0
LAFAYETTE	384	1	68	119	91	79	20	4	0	2
LAMAR	463	1	58	143	139	82	35	5	0	0
LAUDERDALE	1, 169	12	229	383	320	155	63	6	1	0
LAWRENCE	188	0	43	68	46	24	7	0	0	0
LEAKE	333	1	69	125	76	43	17	2	0	0
LEE	1, 169	10	226	379	316	156	70	12	0	0
LEFLORE	689	12	207	225	121	84	35	5	0	0

TABLE 3A - PAGE 2  
TOTAL LIVE BIRTHS - MISSISSIPPI - 1993

COUNTY	TOTAL	AGE OF MOTHER								UN- KNOWN
		UNDER 15	15- 19	20- 24	25- 29	30- 34	35- 39	40- 44	45- 49	
LINCOLN	501	7	119	185	104	61	19	6	0	0
LOWNDES	1,033	10	181	363	278	144	49	8	0	0
MADISON	1,109	11	180	259	318	238	95	8	0	0
MARION	397	2	97	137	83	48	26	3	1	0
MARSHALL	498	3	120	160	118	67	22	3	0	5
MONROE	576	5	128	195	132	76	30	9	0	1
MONTGOMERY	183	4	36	61	47	25	10	0	0	0
NESHOBA	389	2	96	125	98	42	21	5	0	0
NEWTON	322	3	70	124	69	40	13	2	1	0
NOXUBEE	220	3	47	79	54	24	13	0	0	0
OKTIBBEHA	523	4	82	146	141	108	37	4	0	1
PANOLA	546	7	151	194	113	64	12	2	0	3
PEARL RIVER	572	4	121	188	144	89	24	2	0	0
PERRY	183	0	35	67	51	20	8	2	0	0
PIKE	621	5	134	210	150	90	27	5	0	0
PONTOTOC	373	1	72	132	103	44	19	2	0	0
PRENTISS	323	2	68	112	79	50	11	0	1	0
QUITMAN	204	2	53	93	28	23	4	0	0	1
RANKIN	1,303	2	205	360	373	237	108	18	0	0
SCOTT	458	10	92	152	118	58	25	2	1	0
SHARKEY	127	1	36	42	24	20	3	1	0	0
SIMPSON	431	8	83	138	113	67	19	3	0	0
SMITH	198	1	38	81	47	21	9	1	0	0
STONE	202	1	41	84	35	31	10	0	0	0
SUNFLOWER	600	8	171	216	110	72	16	6	1	0
TALLAHATCHIE	263	5	82	90	57	22	5	2	0	0
TATE	290	1	51	107	67	42	19	2	0	1
TIPPAH	291	3	52	118	70	33	8	5	0	2
TISHOMINGO	218	0	43	79	61	28	6	1	0	0
TUNICA	148	2	41	58	21	22	4	0	0	0
UNION	327	3	66	134	78	39	3	4	0	0
WALTHALL	234	1	52	82	47	33	16	2	1	0
WARREN	826	3	173	249	211	127	55	7	1	0
WASHINGTON	1,294	13	362	442	268	145	57	6	0	1
WAYNE	382	4	96	140	73	47	18	4	0	0
WEBSTER	142	0	35	49	28	23	6	1	0	0
WILKINSON	151	2	19	53	42	20	8	7	0	0
WINSTON	248	4	45	82	70	29	16	2	0	0
YALOBUSHA	171	0	43	73	31	12	8	3	1	0
YAZOO	517	13	132	161	100	77	32	2	0	0

**TABLE 3B**  
**LIVE BIRTHS TO WHITE MOTHERS, BY COUNTY OF RESIDENCE AND AGE OF MOTHER,**  
**MISSISSIPPI, 1993**

COUNTY	TOTAL	AGE OF MOTHER								UN- KNOWN
		UNDER 15	15- 19	20- 24	25- 29	30- 34	35- 39	40- 44	45- 49	
<b>STATE</b>	<b>21, 246</b>	<b>47</b>	<b>3, 064</b>	<b>6, 830</b>	<b>6, 022</b>	<b>3, 742</b>	<b>1, 297</b>	<b>187</b>	<b>9</b>	<b>48</b>
ADAMS	197	1	29	57	54	35	18	3	0	0
ALCORN	355	0	64	128	90	57	11	4	1	0
AMITE	75	1	4	29	23	12	6	0	0	0
ATTALA	106	2	21	32	36	11	3	1	0	0
BENTON	61	1	16	19	16	6	3	0	0	0
BOLIVAR	156	0	19	61	45	27	2	2	0	0
CALHOUN	115	0	14	46	36	17	2	0	0	0
CARROLL	47	0	6	14	15	9	3	0	0	0
CHICKASAW	148	0	27	48	42	24	3	4	0	0
CHOCTAW	58	0	8	18	14	15	3	0	0	0
CLAI BORNE	17	0	3	1	4	5	4	0	0	0
CLARKE	121	1	11	52	35	13	7	2	0	0
CLAY	103	1	9	30	26	28	7	2	0	0
COAHOMA	116	0	10	35	30	28	11	2	0	0
COPIAH	152	0	15	50	40	29	17	1	0	0
COVINGTON	158	0	22	62	46	18	8	2	0	0
DESOTO	1, 028	2	109	304	322	181	71	7	1	31
FORREST	566	1	88	182	150	110	31	3	0	1
FRANKLIN	51	0	9	21	13	8	0	0	0	0
GEORGE	287	1	65	106	73	29	12	1	0	0
GREENE	110	0	25	51	18	12	4	0	0	0
GRENADA	148	2	18	46	40	32	10	0	0	0
HANCOCK	375	2	67	122	91	68	18	6	1	0
HARRISON	2, 068	4	304	696	555	367	121	17	1	3
HINDS	1, 307	4	110	316	394	323	128	32	0	0
HOLMES	45	0	4	13	12	13	3	0	0	0
HUMPHREYS	39	0	5	9	14	8	2	1	0	0
ISSAQUENA	10	0	2	7	1	0	0	0	0	0
ITAWAMBA	262	0	40	103	70	37	10	2	0	0
JACKSON	1, 282	3	185	440	345	233	65	10	1	0
JASPER	96	0	14	33	29	16	4	0	0	0
JEFFERSON	7	0	1	3	1	1	0	1	0	0
JEFF DAVIS	57	0	11	15	23	5	3	0	0	0
JONES	495	1	66	171	142	82	30	3	0	0
KEMPER	50	0	6	22	14	6	2	0	0	0
LAFAYETTE	219	0	31	59	64	50	10	3	0	2
LAMAR	386	0	40	124	113	73	32	4	0	0
LAUDERDALE	573	1	74	178	185	97	34	4	0	0
LAWRENCE	96	0	16	37	29	12	2	0	0	0
LEAKE	156	1	21	66	42	17	8	1	0	0
LEE	752	0	117	237	219	122	47	10	0	0
LEFLORE	173	0	28	42	56	34	13	0	0	0

TABLE 3B - PAGE 2  
LIVE BIRTHS TO WHITE MOTHERS - MISSISSIPPI - 1993

COUNTY	TOTAL	AGE OF MOTHER								UN- KNOWN
		UNDER 15	15- 19	20- 24	25- 29	30- 34	35- 39	40- 44	45- 49	
LINCOLN	279	0	43	104	67	47	15	3	0	0
LOWNDES	497	1	59	165	165	79	26	2	0	0
MADISON	526	0	26	72	203	167	57	1	0	0
MARION	224	1	53	74	51	30	14	1	0	0
MARSHALL	204	1	48	61	60	23	7	1	0	3
MONROE	341	2	62	121	87	46	16	6	0	1
MONTGOMERY	64	0	10	19	18	13	4	0	0	0
NESHOBA	184	0	34	57	48	26	17	2	0	0
NEWTON	176	0	29	74	41	19	10	2	1	0
NOXUBEE	44	0	3	8	17	9	7	0	0	0
OKTI BBEHA	230	0	15	68	65	59	22	0	0	1
PANOLA	179	1	33	74	42	23	4	0	0	2
PEARL RIVER	441	2	76	140	127	77	17	2	0	0
PERRY	120	0	20	43	37	15	4	1	0	0
PIKE	235	0	29	72	75	42	16	1	0	0
PONTOTOC	307	0	57	105	89	38	17	1	0	0
PRENTISS	272	1	52	90	71	46	11	0	1	0
QUITMAN	47	0	8	21	8	8	1	0	0	1
RANKIN	1,028	0	136	286	308	190	95	13	0	0
SCOTT	220	3	37	70	67	30	12	0	1	0
SHARKEY	17	0	1	5	7	4	0	0	0	0
SIMPSON	228	2	40	68	65	39	13	1	0	0
SMITH	124	0	22	54	29	14	5	0	0	0
STONE	132	0	25	57	23	19	8	0	0	0
SUNFLOWER	129	0	18	40	39	22	9	1	0	0
TALLAHATCHIE	51	0	5	19	15	8	3	1	0	0
TATE	169	0	24	60	50	22	12	0	0	1
TIPPAH	231	0	41	92	60	26	7	3	0	2
TISHOMINGO	210	0	42	77	57	27	6	1	0	0
TUNICA	15	0	1	9	3	1	1	0	0	0
UNION	258	1	50	107	59	35	3	3	0	0
WALTHALL	80	0	10	27	20	16	6	1	0	0
WARREN	399	0	58	102	120	85	29	4	1	0
WASHINGTON	343	2	60	101	93	61	25	1	0	0
WAYNE	176	0	36	62	42	28	7	1	0	0
WEBSTER	97	0	17	33	23	20	4	0	0	0
WILKINSON	34	0	3	13	13	4	1	0	0	0
WINSTON	107	1	6	34	35	20	9	2	0	0
YALOBUSHA	64	0	17	21	14	6	3	3	0	0
YAZOO	141	0	24	40	42	28	6	1	0	0

**TABLE 3C**  
**LIVE BIRTHS TO NONWHITE MOTHERS, BY COUNTY OF RESIDENCE AND AGE OF MOTHER,**  
**MISSISSIPPI, 1993**

COUNTY	TOTAL	AGE OF MOTHER								UN- KNOWN
		UNDER 15	15- 19	20- 24	25- 29	30- 34	35- 39	40- 44	45- 49	
<b>STATE</b>	<b>20, 888</b>	<b>329</b>	<b>5, 699</b>	<b>7, 207</b>	<b>4, 117</b>	<b>2, 354</b>	<b>979</b>	<b>191</b>	<b>6</b>	<b>6</b>
ADAMS	371	0	101	151	60	38	20	1	0	0
ALCORN	83	2	18	35	13	7	5	3	0	0
AMITE	107	1	21	31	36	9	9	0	0	0
ATTALA	135	0	40	46	29	11	5	4	0	0
BENTON	47	0	18	14	9	3	3	0	0	0
BOLIVAR	589	12	193	198	106	55	22	2	1	0
CALHOUN	85	3	31	27	14	6	4	0	0	0
CARROLL	56	1	13	26	8	7	1	0	0	0
CHICKASAW	156	3	40	62	25	12	11	3	0	0
CHOCTAW	46	1	13	19	6	6	0	1	0	0
CLAYBORNE	141	2	41	49	24	9	12	4	0	0
CLARKE	113	2	27	48	9	18	8	1	0	0
CLAY	259	5	71	91	51	24	15	2	0	0
COAHOMA	509	14	174	173	86	43	15	4	0	0
COPIAH	278	10	76	95	51	32	13	1	0	0
COVINGTON	144	3	44	54	23	10	8	2	0	0
DESOTO	193	5	55	51	34	34	11	2	0	1
FORREST	513	9	123	173	119	65	18	6	0	0
FRANKLIN	53	0	18	18	10	5	2	0	0	0
GEORGE	31	0	10	11	9	1	0	0	0	0
GREENE	33	0	7	14	4	6	0	2	0	0
GRENADA	182	5	53	62	32	22	8	0	0	0
HANCOCK	65	0	17	26	12	8	2	0	0	0
HARRISON	927	9	225	309	196	124	52	12	0	0
HINDS	2, 909	43	678	941	660	383	174	29	0	1
HOLMES	365	3	103	130	76	39	7	7	0	0
HUMPHREYS	171	5	44	49	47	18	6	2	0	0
ISSAQUENA	16	0	6	4	5	1	0	0	0	0
ITAWAMBA	28	0	6	12	3	3	4	0	0	0
JACKSON	546	6	172	190	94	51	29	4	0	0
JASPER	158	0	50	56	30	15	5	2	0	0
JEFFERSON	160	3	42	45	32	24	14	0	0	0
JEFF DAVIS	159	1	39	60	29	17	10	3	0	0
JONES	358	4	119	124	56	36	19	0	0	0
KEMPER	91	0	20	39	19	8	4	1	0	0
LAFAYETTE	165	1	37	60	27	29	10	1	0	0
LAMAR	77	1	18	19	26	9	3	1	0	0
LAUDERDALE	596	11	155	205	135	58	29	2	1	0
LAWRENCE	92	0	27	31	17	12	5	0	0	0
LEAKE	177	0	48	59	34	26	9	1	0	0
LEE	417	10	109	142	97	34	23	2	0	0
LEFLORE	516	12	179	183	65	50	22	5	0	0

TABLE 3C - PAGE 2  
LIVE BIRTHS TO NONWHITE MOTHERS - MISSISSIPPI - 1993

COUNTY	TOTAL	AGE OF MOTHER								UN- KNOWN
		UNDER 15	15- 19	20- 24	25- 29	30- 34	35- 39	40- 44	45- 49	
LINCOLN	222	7	76	81	37	14	4	3	0	0
LOWNDES	536	9	122	198	113	65	23	6	0	0
MADISON	583	11	154	187	115	71	38	7	0	0
MARION	173	1	44	63	32	18	12	2	1	0
MARSHALL	294	2	72	99	58	44	15	2	0	2
MONROE	235	3	66	74	45	30	14	3	0	0
MONTGOMERY	119	4	26	42	29	12	6	0	0	0
NESHOBA	205	2	62	68	50	16	4	3	0	0
NEWTON	146	3	41	50	28	21	3	0	0	0
NOXUBEE	176	3	44	71	37	15	6	0	0	0
OKTIBBEHA	293	4	67	78	76	49	15	4	0	0
PANOLA	367	6	118	120	71	41	8	2	0	1
PEARL RIVER	131	2	45	48	17	12	7	0	0	0
PERRY	63	0	15	24	14	5	4	1	0	0
PIKE	386	5	105	138	75	48	11	4	0	0
PONTOTOC	66	1	15	27	14	6	2	1	0	0
PRENTISS	51	1	16	22	8	4	0	0	0	0
QUITMAN	157	2	45	72	20	15	3	0	0	0
RANKIN	275	2	69	74	65	47	13	5	0	0
SCOTT	238	7	55	82	51	28	13	2	0	0
SHARKEY	110	1	35	37	17	16	3	1	0	0
SIMPSON	203	6	43	70	48	28	6	2	0	0
SMITH	74	1	16	27	18	7	4	1	0	0
STONE	70	1	16	27	12	12	2	0	0	0
SUNFLOWER	471	8	153	176	71	50	7	5	1	0
TALLAHATCHIE	212	5	77	71	42	14	2	1	0	0
TATE	121	1	27	47	17	20	7	2	0	0
TIPPAH	60	3	11	26	10	7	1	2	0	0
TISHOMINGO	8	0	1	2	4	1	0	0	0	0
TUNICA	133	2	40	49	18	21	3	0	0	0
UNION	69	2	16	27	19	4	0	1	0	0
WALTHALL	154	1	42	55	27	17	10	1	1	0
WARREN	427	3	115	147	91	42	26	3	0	0
WASHINGTON	951	11	302	341	175	84	32	5	0	1
WAYNE	206	4	60	78	31	19	11	3	0	0
WEBSTER	45	0	18	16	5	3	2	1	0	0
WILKINSON	117	2	16	40	29	16	7	7	0	0
WINSTON	141	3	39	48	35	9	7	0	0	0
YALOBUSHA	107	0	26	52	17	6	5	0	1	0
YAZOO	376	13	108	121	58	49	26	1	0	0

**TABLE 4**  
**LIVE BIRTHS TO UNMARRIED MOTHERS AND PERCENT OF TOTAL LIVE BIRTHS,**  
**BY COUNTY OF RESIDENCE AND RACE OF MOTHER,**  
**MISSISSIPPI, 1993**

COUNTY	NUMBER			PERCENT		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>STATE</u>	<u>18, 715</u>	<u>3, 515</u>	<u>15, 200</u>	<u>44. 4</u>	<u>16. 5</u>	<u>72. 8</u>
ADAMS	320	36	284	56. 3	18. 3	76. 6
ALCORN	122	61	61	27. 8	17. 2	73. 5
AMITE	79	9	70	43. 4	12. 0	65. 4
ATTALA	105	14	91	43. 6	13. 2	67. 4
BENTON	44	12	32	40. 7	19. 7	68. 1
BOLIVAR	511	23	488	68. 6	14. 7	82. 8
CALHOUN	88	21	67	44. 0	18. 3	78. 8
CARROLL	54	8	46	52. 4	17. 0	82. 1
CHICKASAW	132	17	115	43. 4	11. 5	73. 7
CHOCTAW	40	6	34	38. 5	10. 3	73. 9
CLAIBORNE	111	2	109	70. 2	11. 8	77. 3
CLARKE	89	14	75	38. 0	11. 6	66. 4
CLAY	203	13	190	56. 1	12. 6	73. 4
COAHOMA	430	14	416	68. 8	12. 1	81. 7
COPIAH	217	16	201	50. 5	10. 5	72. 3
COVINGTON	123	17	106	40. 7	10. 8	73. 6
DESOTO	297	165	132	24. 3	16. 0	68. 4
FORREST	462	101	361	42. 8	17. 8	70. 4
FRANKLIN	43	2	41	41. 3	3. 9	77. 4
GEORGE	67	49	18	21. 1	17. 1	58. 1
GREENE	36	15	21	25. 2	13. 6	63. 6
GRENADA	151	19	132	45. 8	12. 8	72. 5
HANCOCK	144	101	43	32. 7	26. 9	66. 2
HARRISON	1, 090	501	589	36. 4	24. 2	63. 5
HINDS	2, 224	203	2, 021	52. 8	15. 5	69. 5
HOLMES	294	2	292	71. 7	4. 4	80. 0
HUMPHREYS	143	7	136	68. 1	17. 9	79. 5
ISSAQUENA	12	2	10	46. 2	20. 0	62. 5
ITAWAMBA	40	23	17	13. 8	8. 8	60. 7
JACKSON	667	269	398	36. 5	21. 0	72. 9
JASPER	116	15	101	45. 7	15. 6	63. 9
JEFFERSON	125	2	123	74. 8	28. 6	76. 9
JEFF DAVIS	126	8	118	58. 3	14. 0	74. 2
JONES	351	77	274	41. 1	15. 6	76. 5
KEMPER	76	7	69	53. 9	14. 0	75. 8
LAFAYETTE	124	18	106	32. 3	8. 2	64. 2
LAMAR	102	50	52	22. 0	13. 0	67. 5
LAUDERDALE	524	90	434	44. 8	15. 7	72. 8
LAWRENCE	69	11	58	36. 7	11. 4	63. 0
LEAKE	133	22	111	39. 9	14. 1	62. 7
LEE	423	130	293	36. 2	17. 3	70. 3
LEFLORE	454	27	427	65. 9	15. 6	82. 8

TABLE 4 - PAGE 2

## LIVE BIRTHS TO UNMARRIED MOTHERS - MISSISSIPPI - 1993

COUNTY	NUMBER			PERCENT		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
LINCOLN	208	37	171	41.5	13.3	77.0
LOWNDES	442	68	374	42.8	13.7	69.8
MADISON	462	32	430	41.6	6.1	73.8
MARION	148	34	114	37.3	15.2	65.9
MARSHALL	272	51	221	54.6	25.0	75.2
MONROE	219	54	165	38.0	15.8	70.2
MONTGOMERY	84	7	77	45.9	10.9	64.7
NESHOBA	156	25	131	40.1	13.6	63.9
NEWTON	118	22	96	36.6	12.5	65.8
NOXUBEE	133	2	131	60.4	4.5	74.4
OKTIBBEHA	184	15	169	35.2	6.5	57.7
PANOLA	309	30	279	56.6	16.8	76.0
PEARL RIVER	191	95	96	33.4	21.5	73.3
PERRY	70	22	48	38.2	18.3	76.2
PIKE	303	36	267	48.8	15.3	69.2
PONTOTOC	85	42	43	22.8	13.7	65.2
PRENTISS	87	48	39	26.9	17.6	76.5
QUITMAN	140	11	129	68.6	23.4	82.2
RANKIN	318	157	161	24.4	15.3	58.5
SCOTT	202	41	161	44.1	18.6	67.6
SHARKEY	97	4	93	76.4	23.5	84.5
SIMPSON	177	39	138	41.1	17.1	68.0
SMITH	57	13	44	28.8	10.5	59.4
STONE	86	31	55	42.6	23.5	78.6
SUNFLOWER	398	15	383	66.3	11.6	81.3
TALLAHATCHIE	189	8	181	71.9	15.7	85.4
TATE	102	29	73	35.2	17.2	60.3
TIPPAH	72	36	36	24.7	15.6	60.0
TISHOMINGO	25	20	5	11.5	9.5	62.5
TUNICA	116	2	114	78.4	13.3	85.7
UNION	84	41	43	25.7	15.9	62.3
WALTHALL	116	12	104	49.6	15.0	67.5
WARREN	408	69	339	49.4	17.3	79.4
WASHINGTON	860	71	789	66.5	20.7	83.0
WAYNE	169	23	146	44.2	13.1	70.9
WEBSTER	50	18	32	35.2	18.6	71.1
WILKINSON	82	2	80	54.3	5.9	68.4
WINSTON	115	10	105	46.4	9.3	74.5
YALOBUSHA	101	16	85	59.1	25.0	79.4
YAZOO	319	28	291	61.7	19.8	77.4



**TABLE 5A**  
**TOTAL LIVE BIRTHS TO UNMARRIED MOTHERS,**  
**BY COUNTY OF RESIDENCE AND AGE OF MOTHER,**  
**MISSISSIPPI, 1993**

COUNTY	TOTAL	AGE OF MOTHER								UN- KNOWN
		UNDER 15	15- 19	20- 24	25- 29	30- 34	35- 39	40- 44	45- 49	
<b>STATE</b>	<b>18, 715</b>	<b>365</b>	<b>6, 791</b>	<b>6, 928</b>	<b>2, 781</b>	<b>1, 264</b>	<b>495</b>	<b>81</b>	<b>3</b>	<b>7</b>
ADAMS	320	1	114	139	39	15	11	1	0	0
ALCORN	122	2	43	49	15	9	2	2	0	0
AMITE	79	2	22	25	21	4	5	0	0	0
ATTALA	105	1	43	39	14	4	2	2	0	0
BENTON	44	0	21	14	6	3	0	0	0	0
BOLIVAR	511	12	199	187	70	28	15	0	0	0
CALHOUN	88	3	33	34	8	9	1	0	0	0
CARROLL	54	1	17	25	7	4	0	0	0	0
CHICKASAW	132	3	44	53	17	10	3	2	0	0
CHOCTAW	40	1	15	18	4	2	0	0	0	0
CLAIBORNE	111	2	41	42	17	2	7	0	0	0
CLARKE	89	3	27	40	9	5	4	1	0	0
CLAY	203	5	71	74	34	10	7	2	0	0
COAHOMA	430	14	175	154	61	19	7	0	0	0
COPIAH	217	10	78	73	33	18	4	1	0	0
COVINGTON	123	3	44	50	18	6	2	0	0	0
DESOTO	297	7	123	99	35	18	9	5	0	1
FORREST	462	10	149	172	79	38	12	1	0	1
FRANKLIN	43	0	19	16	7	0	1	0	0	0
GEORGE	67	1	36	17	8	3	2	0	0	0
GREENE	36	0	13	15	6	2	0	0	0	0
GRENADA	151	6	55	60	15	12	3	0	0	0
HANCOCK	144	2	59	57	18	6	2	0	0	0
HARRISON	1, 090	12	379	403	164	89	35	7	0	1
HINDS	2, 224	46	724	813	399	167	64	10	0	1
HOLMES	294	3	102	115	43	25	3	3	0	0
HUMPHREYS	143	5	45	45	31	13	4	0	0	0
ISSAQUENA	12	0	7	2	3	0	0	0	0	0
ITAWAMBA	40	0	14	15	6	3	2	0	0	0
JACKSON	667	8	257	258	89	34	17	4	0	0
JASPER	116	0	53	37	14	9	2	1	0	0
JEFFERSON	125	3	40	42	21	12	7	0	0	0
JEFF DAVIS	126	1	42	46	19	10	7	1	0	0
JONES	351	5	134	120	60	23	9	0	0	0
KEMPER	76	0	23	34	12	4	3	0	0	0
LAFAYETTE	124	1	48	48	13	11	2	0	0	1
LAMAR	102	1	36	39	15	7	4	0	0	0
LAUDERDALE	524	12	187	193	89	29	13	0	1	0
LAWRENCE	69	0	29	20	12	5	3	0	0	0
LEAKE	133	1	49	53	15	12	3	0	0	0
LEE	423	10	154	151	71	24	12	1	0	0
LEFLORE	454	12	188	166	45	33	7	3	0	0

TABLE 5A - PAGE 2  
TOTAL LIVE BIRTHS TO UNMARRIED MOTHERS - MISSISSIPPI - 1993

COUNTY	TOTAL	AGE OF MOTHER								UN- KNOWN
		UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	
LINCOLN	208	7	87	77	24	7	5	1	0	0
LOWNDES	442	10	140	175	73	24	17	3	0	0
MADISON	462	11	163	164	66	39	17	2	0	0
MARION	148	2	56	54	17	11	8	0	0	0
MARSHALL	272	2	93	95	46	24	11	1	0	0
MONROE	219	5	77	74	33	21	7	1	0	1
MONTGOMERY	84	4	27	31	16	4	2	0	0	0
NESHOBA	156	2	59	57	27	6	4	1	0	0
NEWTON	118	3	41	48	15	9	2	0	0	0
NOXUBEE	133	3	43	55	24	6	2	0	0	0
OKTIBBEHA	184	4	73	55	24	22	4	2	0	0
PANOLA	309	6	129	103	42	24	4	0	0	1
PEARL RIVER	191	4	73	78	23	11	1	1	0	0
PERRY	70	0	19	33	11	6	1	0	0	0
PIKE	303	5	108	114	45	25	3	3	0	0
PONTOTOC	85	1	30	35	13	5	1	0	0	0
PRENTISS	87	1	39	31	10	5	1	0	0	0
QUITMAN	140	2	46	72	12	7	1	0	0	0
RANKIN	318	2	127	103	52	20	10	4	0	0
SCOTT	202	10	70	68	27	20	7	0	0	0
SHARKEY	97	1	36	35	10	11	3	1	0	0
SIMPSON	177	7	59	60	31	13	6	1	0	0
SMITH	57	1	22	24	7	2	1	0	0	0
STONE	86	1	31	34	11	6	3	0	0	0
SUNFLOWER	398	8	157	148	49	30	3	2	1	0
TALLAHATCHIE	189	5	78	65	25	14	1	1	0	0
TATE	102	1	39	37	10	12	3	0	0	0
TIPPAH	72	3	24	34	8	3	0	0	0	0
TISHOMINGO	25	0	8	10	3	4	0	0	0	0
TUNICA	116	2	40	43	15	12	4	0	0	0
UNION	84	3	31	33	16	1	0	0	0	0
WALTHALL	116	1	43	46	14	7	5	0	0	0
WARREN	408	3	142	149	80	21	12	0	1	0
WASHINGTON	860	13	331	324	128	42	18	4	0	0
WAYNE	169	4	64	70	15	7	8	1	0	0
WEBSTER	50	0	26	14	3	5	2	0	0	0
WILKINSON	82	2	15	38	11	8	3	5	0	0
WINSTON	115	4	42	35	24	6	4	0	0	0
YALOBUSHA	101	0	32	48	15	2	4	0	0	0
YAZOO	319	13	119	107	44	25	11	0	0	0

**TABLE 5B**  
**LIVE BIRTHS TO UNMARRIED WHITE MOTHERS,**  
**BY COUNTY OF RESIDENCE AND AGE OF MOTHER,**  
**MISSISSIPPI, 1993**

COUNTY	TOTAL	AGE OF MOTHER								UN- KNOWN
		UNDER 15	15- 19	20- 24	25- 29	30- 34	35- 39	40- 44	45- 49	
<b>STATE</b>	<b>3, 515</b>	<b>37</b>	<b>1, 329</b>	<b>1, 271</b>	<b>526</b>	<b>239</b>	<b>93</b>	<b>14</b>	<b>1</b>	<b>5</b>
ADAMS	36	1	13	12	7	3	0	0	0	0
ALCORN	61	0	25	20	9	5	2	0	0	0
AMITE	9	1	2	4	1	1	0	0	0	0
ATTALA	14	1	6	5	1	1	0	0	0	0
BENTON	12	0	6	5	1	0	0	0	0	0
BOLIVAR	23	0	7	12	3	1	0	0	0	0
CALHOUN	21	0	3	14	1	3	0	0	0	0
CARROLL	8	0	4	3	0	1	0	0	0	0
CHICKASAW	17	0	4	6	4	3	0	0	0	0
CHOCTAW	6	0	3	1	2	0	0	0	0	0
CLAIBORNE	2	0	0	1	1	0	0	0	0	0
CLARKE	14	1	2	7	2	1	1	0	0	0
CLAY	13	0	3	5	2	3	0	0	0	0
COAHOMA	14	0	5	5	3	1	0	0	0	0
COPIAH	16	0	5	7	2	2	0	0	0	0
COVINGTON	17	0	5	6	4	2	0	0	0	0
DESOTO	165	2	68	59	20	7	5	3	0	1
FORREST	101	1	34	34	18	9	4	0	0	1
FRANKLIN	2	0	1	1	0	0	0	0	0	0
GEORGE	49	1	27	10	7	2	2	0	0	0
GREENE	15	0	6	5	3	1	0	0	0	0
GRENADA	19	1	5	9	2	1	1	0	0	0
HANCOCK	101	2	44	35	14	4	2	0	0	0
HARRISON	501	3	171	178	85	45	17	1	0	1
HINDS	203	3	61	84	37	12	4	2	0	0
HOLMES	2	0	0	1	0	1	0	0	0	0
HUMPHREYS	7	0	1	2	3	1	0	0	0	0
ISSAQUENA	2	0	1	1	0	0	0	0	0	0
ITAWAMBA	23	0	8	6	6	3	0	0	0	0
JACKSON	269	2	96	107	40	17	6	1	0	0
JASPER	15	0	8	5	0	2	0	0	0	0
JEFFERSON	2	0	1	1	0	0	0	0	0	0
JEFF DAVIS	8	0	4	1	2	0	1	0	0	0
JONES	77	1	24	26	18	6	2	0	0	0
KEMPER	7	0	3	3	1	0	0	0	0	0
LAFAYETTE	18	0	11	4	1	1	0	0	0	1
LAMAR	50	0	18	23	3	3	3	0	0	0
LAUDERDALE	90	1	39	30	15	2	3	0	0	0
LAWRENCE	11	0	5	3	2	1	0	0	0	0
LEAKE	22	1	8	11	0	1	1	0	0	0
LEE	130	0	49	44	26	8	2	1	0	0
LEFLORE	27	0	14	6	3	4	0	0	0	0

TABLE 5B - PAGE 2  
LIVE BIRTHS TO UNMARRIED WHITE MOTHERS - MISSISSIPPI - 1993

COUNTY	TOTAL	AGE OF MOTHER								UN- KNOWN
		UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	
LINCOLN	37	0	15	14	4	1	3	0	0	0
LOWNDES	68	1	27	21	13	4	2	0	0	0
MADISON	32	0	11	14	2	4	1	0	0	0
MARION	34	1	18	7	4	2	2	0	0	0
MARSHALL	51	0	23	14	9	3	2	0	0	0
MONROE	54	2	16	20	8	4	2	1	0	1
MONTGOMERY	7	0	4	1	2	0	0	0	0	0
NESHOBA	25	0	11	5	6	1	2	0	0	0
NEWTON	22	0	6	13	3	0	0	0	0	0
NOXUBEE	2	0	1	1	0	0	0	0	0	0
OKTIBBEHA	15	0	7	6	1	0	1	0	0	0
PANOLA	30	1	14	13	1	1	0	0	0	0
PEARL RIVER	95	2	32	40	13	6	1	1	0	0
PERRY	22	0	5	10	4	3	0	0	0	0
PIKE	36	0	8	16	5	5	1	1	0	0
PONTOTOC	42	0	15	19	6	2	0	0	0	0
PRENTISS	48	0	23	15	5	4	1	0	0	0
QUITMAN	11	0	3	8	0	0	0	0	0	0
RANKIN	157	0	65	51	25	8	6	2	0	0
SCOTT	41	3	17	9	6	5	1	0	0	0
SHARKEY	4	0	1	2	1	0	0	0	0	0
SIMPSON	39	1	16	10	6	3	3	0	0	0
SMITH	13	0	7	6	0	0	0	0	0	0
STONE	31	0	15	11	4	0	1	0	0	0
SUNFLOWER	15	0	6	6	1	0	1	1	0	0
TALLAHATCHIE	8	0	3	3	0	2	0	0	0	0
TATE	29	0	14	10	5	0	0	0	0	0
TIPPAH	36	0	16	16	3	1	0	0	0	0
TISHOMINGO	20	0	7	9	1	3	0	0	0	0
TUNICA	2	0	0	1	0	0	1	0	0	0
UNION	41	1	16	19	5	0	0	0	0	0
WALTHALL	12	0	4	4	3	1	0	0	0	0
WARREN	69	0	30	21	11	4	2	0	1	0
WASHINGTON	71	2	33	23	10	3	0	0	0	0
WAYNE	23	0	7	11	2	2	1	0	0	0
WEBSTER	18	0	8	3	2	4	1	0	0	0
WILKINSON	2	0	0	1	0	1	0	0	0	0
WINSTON	10	1	4	2	1	1	1	0	0	0
YALOBUSHA	16	0	8	5	2	0	1	0	0	0
YAZOO	28	0	13	9	3	3	0	0	0	0

**TABLE 5C**  
**LIVE BIRTHS TO UNMARRIED NONWHITE MOTHERS,**  
**BY COUNTY OF RESIDENCE AND AGE OF MOTHER,**  
**MISSISSIPPI, 1993**

COUNTY	TOTAL	AGE OF MOTHER								UN- KNOWN
		UNDER 15	15- 19	20- 24	25- 29	30- 34	35- 39	40- 44	45- 49	
<b>STATE</b>	<b>15, 200</b>	<b>328</b>	<b>5, 462</b>	<b>5, 657</b>	<b>2, 255</b>	<b>1, 025</b>	<b>402</b>	<b>67</b>	<b>2</b>	<b>2</b>
ADAMS	284	0	101	127	32	12	11	1	0	0
ALCORN	61	2	18	29	6	4	0	2	0	0
AMITE	70	1	20	21	20	3	5	0	0	0
ATTALA	91	0	37	34	13	3	2	2	0	0
BENTON	32	0	15	9	5	3	0	0	0	0
BOLIVAR	488	12	192	175	67	27	15	0	0	0
CALHOUN	67	3	30	20	7	6	1	0	0	0
CARROLL	46	1	13	22	7	3	0	0	0	0
CHICKASAW	115	3	40	47	13	7	3	2	0	0
CHOCTAW	34	1	12	17	2	2	0	0	0	0
CLAIBORNE	109	2	41	41	16	2	7	0	0	0
CLARKE	75	2	25	33	7	4	3	1	0	0
CLAY	190	5	68	69	32	7	7	2	0	0
COAHOMA	416	14	170	149	58	18	7	0	0	0
COPIAH	201	10	73	66	31	16	4	1	0	0
COVINGTON	106	3	39	44	14	4	2	0	0	0
DESOTO	132	5	55	40	15	11	4	2	0	0
FORREST	361	9	115	138	61	29	8	1	0	0
FRANKLIN	41	0	18	15	7	0	1	0	0	0
GEORGE	18	0	9	7	1	1	0	0	0	0
GREENE	21	0	7	10	3	1	0	0	0	0
GRENADA	132	5	50	51	13	11	2	0	0	0
HANCOCK	43	0	15	22	4	2	0	0	0	0
HARRISON	589	9	208	225	79	44	18	6	0	0
HINDS	2, 021	43	663	729	362	155	60	8	0	1
HOLMES	292	3	102	114	43	24	3	3	0	0
HUMPHREYS	136	5	44	43	28	12	4	0	0	0
ISSAQUENA	10	0	6	1	3	0	0	0	0	0
ITAWAMBA	17	0	6	9	0	0	2	0	0	0
JACKSON	398	6	161	151	49	17	11	3	0	0
JASPER	101	0	45	32	14	7	2	1	0	0
JEFFERSON	123	3	39	41	21	12	7	0	0	0
JEFF DAVIS	118	1	38	45	17	10	6	1	0	0
JONES	274	4	110	94	42	17	7	0	0	0
KEMPER	69	0	20	31	11	4	3	0	0	0
LAFAYETTE	106	1	37	44	12	10	2	0	0	0
LAMAR	52	1	18	16	12	4	1	0	0	0
LAUDERDALE	434	11	148	163	74	27	10	0	1	0
LAWRENCE	58	0	24	17	10	4	3	0	0	0
LEAKE	111	0	41	42	15	11	2	0	0	0
LEE	293	10	105	107	45	16	10	0	0	0
LEFLORE	427	12	174	160	42	29	7	3	0	0

TABLE 5C - PAGE 2

## LIVE BIRTHS TO UNMARRIED NONWHITE MOTHERS - MISSISSIPPI - 1993

COUNTY	TOTAL	AGE OF MOTHER								UN- KNOWN
		UNDER 15	15- 19	20- 24	25- 29	30- 34	35- 39	40- 44	45- 49	
LINCOLN	171	7	72	63	20	6	2	1	0	0
LOWNDES	374	9	113	154	60	20	15	3	0	0
MADISON	430	11	152	150	64	35	16	2	0	0
MARION	114	1	38	47	13	9	6	0	0	0
MARSHALL	221	2	70	81	37	21	9	1	0	0
MONROE	165	3	61	54	25	17	5	0	0	0
MONTGOMERY	77	4	23	30	14	4	2	0	0	0
NESHOBA	131	2	48	52	21	5	2	1	0	0
NEWTON	96	3	35	35	12	9	2	0	0	0
NOXUBEE	131	3	42	54	24	6	2	0	0	0
OKTI BBEHA	169	4	66	49	23	22	3	2	0	0
PANOLA	279	5	115	90	41	23	4	0	0	1
PEARL RIVER	96	2	41	38	10	5	0	0	0	0
PERRY	48	0	14	23	7	3	1	0	0	0
PIKE	267	5	100	98	40	20	2	2	0	0
PONTOTOC	43	1	15	16	7	3	1	0	0	0
PRENTISS	39	1	16	16	5	1	0	0	0	0
QUITMAN	129	2	43	64	12	7	1	0	0	0
RANKIN	161	2	62	52	27	12	4	2	0	0
SCOTT	161	7	53	59	21	15	6	0	0	0
SHARKEY	93	1	35	33	9	11	3	1	0	0
SIMPSON	138	6	43	50	25	10	3	1	0	0
SMITH	44	1	15	18	7	2	1	0	0	0
STONE	55	1	16	23	7	6	2	0	0	0
SUNFLOWER	383	8	151	142	48	30	2	1	1	0
TALLAHATCHIE	181	5	75	62	25	12	1	1	0	0
TATE	73	1	25	27	5	12	3	0	0	0
TIPPAH	36	3	8	18	5	2	0	0	0	0
TISHOMINGO	5	0	1	1	2	1	0	0	0	0
TUNICA	114	2	40	42	15	12	3	0	0	0
UNION	43	2	15	14	11	1	0	0	0	0
WALTHALL	104	1	39	42	11	6	5	0	0	0
WARREN	339	3	112	128	69	17	10	0	0	0
WASHINGTON	789	11	298	301	118	39	18	4	0	0
WAYNE	146	4	57	59	13	5	7	1	0	0
WEBSTER	32	0	18	11	1	1	1	0	0	0
WILKINSON	80	2	15	37	11	7	3	5	0	0
WINSTON	105	3	38	33	23	5	3	0	0	0
YALOBUSHA	85	0	24	43	13	2	3	0	0	0
YAZOO	291	13	106	98	41	22	11	0	0	0

**TABLE 6A**  
**LIVE BIRTHS WEIGHING LESS THAN 2,500 GRAMS AT BIRTH**  
**AND PERCENT OF TOTAL LIVE BIRTHS,**  
**BY COUNTY OF RESIDENCE AND RACE OF MOTHER,**  
**MISSISSIPPI, 1993**

COUNTY	NUMBER			PERCENT		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>STATE</u>	<u>4, 246</u>	<u>1, 427</u>	<u>2, 819</u>	<u>10. 1</u>	<u>6. 7</u>	<u>13. 5</u>
ADAMS	68	15	53	12. 0	7. 6	14. 3
ALCORN	45	33	12	10. 3	9. 3	14. 4
AMITE	23	7	16	12. 6	9. 3	15. 0
ATTALA	17	5	12	7. 0	4. 7	8. 9
BENTON	13	5	8	12. 0	8. 2	17. 0
BOLIVAR	77	4	73	10. 3	2. 6	12. 4
CALHOUN	34	15	19	17. 0	13. 0	22. 4
CARROLL	6	2	4	5. 8	4. 2	7. 1
CHICKASAW	31	15	16	10. 2	10. 1	10. 2
CHOCTAW	11	6	5	10. 6	10. 3	10. 9
CLAIBORNE	20	1	19	12. 6	5. 9	13. 5
CLARKE	23	9	14	9. 8	7. 4	12. 4
CLAY	34	9	25	9. 4	8. 7	9. 6
COAHOMA	73	6	67	11. 7	5. 2	13. 2
COPIAH	56	14	42	13. 0	9. 2	15. 1
COVINGTON	28	11	17	9. 3	7. 0	11. 8
DESOTO	92	69	23	7. 5	6. 7	11. 9
FORREST	113	43	70	10. 5	7. 6	13. 6
FRANKLIN	15	4	11	14. 4	7. 8	20. 8
GEORGE	20	14	6	6. 3	4. 9	19. 4
GREENE	6	3	3	4. 2	2. 7	9. 1
GRENADA	43	6	37	13. 0	4. 0	20. 3
HANCOCK	30	25	5	6. 8	6. 7	7. 7
HARRISON	273	154	119	9. 1	7. 4	12. 8
HINDS	500	83	417	11. 9	6. 4	14. 3
HOLMES	50	1	49	12. 2	2. 2	13. 4
HUMPHREYS	23	2	21	11. 0	5. 1	12. 3
ISSAQUENA	5	2	3	19. 2	20. 0	18. 8
ITAWAMBA	23	17	6	7. 9	6. 5	21. 4
JACKSON	161	86	75	8. 8	6. 7	13. 7
JASPER	21	5	16	8. 3	5. 2	10. 1
JEFFERSON	27	0	27	16. 2	-	16. 9
JEFF DAVIS	21	1	20	9. 7	1. 8	12. 6
JONES	88	35	53	10. 3	7. 1	14. 8
KEMPER	18	4	14	12. 8	8. 0	15. 4
LAFAYETTE	26	9	17	6. 8	4. 1	10. 3
LAMAR	23	18	5	5. 0	4. 7	6. 5
LAUDERDALE	109	38	71	9. 3	6. 6	11. 9
LAWRENCE	21	7	14	11. 2	7. 3	15. 2
LEAKE	39	15	24	11. 7	9. 6	13. 6
LEE	121	56	65	10. 4	7. 4	15. 6
LEFLORE	79	12	67	11. 5	6. 9	13. 0

TABLE 6A - PAGE 2

## LIVE BIRTHS LESS THAN 2,500 GRAMS - MISSISSIPPI - 1993

COUNTY	NUMBER			PERCENT		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
LINCOLN	38	10	28	7.6	3.6	12.6
LOWNDES	90	27	63	8.7	5.4	11.8
MADISON	106	24	82	9.6	4.6	14.1
MARION	31	13	18	7.8	5.8	10.4
MARSHALL	64	18	46	12.8	8.8	15.6
MONROE	49	25	24	8.5	7.3	10.2
MONTGOMERY	14	2	12	7.6	3.1	10.1
NESHOPA	37	14	23	9.5	7.6	11.2
NEWTON	28	9	19	8.7	5.1	13.0
NOXUBEE	31	3	28	14.1	6.8	15.9
OKTIBBEHA	43	7	36	8.2	3.0	12.3
PANOLA	68	5	63	12.4	2.8	17.2
PEARL RIVER	54	42	12	9.4	9.5	9.2
PERRY	16	8	8	8.7	6.7	12.7
PIKE	71	13	58	11.4	5.5	15.0
PONTOTOC	29	19	10	7.8	6.2	15.2
PRENTISS	34	22	12	10.5	8.1	23.5
QUITMAN	27	3	24	13.2	6.4	15.3
RANKIN	108	70	38	8.3	6.8	13.8
SCOTT	49	18	31	10.7	8.2	13.0
SHARKEY	16	3	13	12.6	17.6	11.8
SIMPSON	43	17	26	10.0	7.4	12.8
SMITH	16	8	8	8.1	6.4	10.8
STONE	17	6	11	8.4	4.5	15.7
SUNFLOWER	65	8	57	10.8	6.2	12.1
TALLAHATCHIE	30	4	26	11.4	7.8	12.3
TATE	20	7	13	6.9	4.1	10.7
TIPPAH	46	31	15	15.8	13.4	25.0
TISHOMINGO	16	14	2	7.3	6.7	25.0
TUNICA	19	0	19	12.8	-	14.3
UNION	31	21	10	9.5	8.1	14.5
WALTHALL	35	6	29	15.0	7.5	18.8
WARREN	83	23	60	10.0	5.8	14.0
WASHINGTON	146	16	130	11.3	4.7	13.7
WAYNE	39	12	27	10.2	6.8	13.1
WEBSTER	14	7	7	9.8	7.2	15.6
WILKINSON	13	3	10	8.6	8.8	8.5
WINSTON	26	8	18	10.5	7.5	12.8
YALOBUSHA	19	5	14	11.1	7.8	13.1
YAZOO	59	10	49	11.4	7.1	13.0



**TABLE 6B**  
**LIVE BIRTHS WEIGHING LESS THAN 1,500 GRAMS AT BIRTH**  
**AND PERCENT OF TOTAL LIVE BIRTHS,**  
**BY COUNTY OF RESIDENCE AND RACE OF MOTHER,**  
**MISSISSIPPI, 1993**

COUNTY	NUMBER			PERCENT		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>STATE</u>	<u>805</u>	<u>258</u>	<u>547</u>	<u>1.9</u>	<u>1.2</u>	<u>2.6</u>
ADAMS	13	1	12	2.3	0.5	3.2
ALCORN	7	6	1	1.6	1.7	1.2
AMITE	8	3	5	4.4	4.0	4.7
ATTALA	2	1	1	0.8	0.9	0.7
BENTON	2	0	2	1.8	-	4.2
BOLIVAR	14	0	14	1.9	-	2.4
CALHOUN	9	4	5	4.5	3.5	5.9
CARROLL	2	0	2	1.9	-	3.6
CHICKASAW	10	5	5	3.3	3.4	3.2
CHOCTAW	2	0	2	1.9	-	4.3
CLAIBORNE	1	0	1	0.6	-	0.7
CLARKE	3	3	0	1.3	2.5	-
CLAY	9	2	7	2.5	1.9	2.7
COAHOMA	12	0	12	1.9	-	2.4
COPIAH	11	2	9	2.6	1.3	3.2
COVINGTON	4	0	4	1.3	-	2.8
DESOTO	25	20	5	2.0	1.9	2.6
FORREST	23	13	10	2.1	2.3	1.9
FRANKLIN	5	1	4	4.8	2.0	7.5
GEORGE	5	4	1	1.6	1.4	3.2
GREENE	0	0	0	-	-	-
GRENADA	7	1	6	2.1	0.7	3.3
HANCOCK	6	6	0	1.4	1.6	-
HARRISON	46	25	21	1.5	1.2	2.3
HINDS	106	15	91	2.5	1.1	3.1
HOLMES	9	0	9	2.2	-	2.5
HUMPHREYS	2	0	2	1.0	-	1.2
ISSAQUENA	2	0	2	7.7	-	12.5
ITAWAMBA	4	2	2	1.4	0.8	7.1
JACKSON	26	16	10	1.4	1.2	1.8
JASPER	5	2	3	2.0	2.1	1.9
JEFFERSON	10	0	10	6.0	-	6.2
JEFF DAVIS	5	0	5	2.3	-	3.1
JONES	18	7	11	2.1	1.4	3.1
KEMPER	3	1	2	2.1	2.0	2.2
LAFAYETTE	6	1	5	1.6	0.4	3.0
LAMAR	6	5	1	1.3	1.3	1.3
LAUDERDALE	22	5	17	1.9	0.9	2.8
LAWRENCE	9	5	4	4.8	5.2	4.3
LEAKE	4	1	3	1.2	0.6	1.7
LEE	25	10	15	2.1	1.3	3.6
LEFLORE	7	1	6	1.0	0.6	1.2

TABLE 6B - PAGE 2

## LIVE BIRTHS LESS THAN 1,500 GRAMS - MISSISSIPPI - 1993

COUNTY	NUMBER			PERCENT		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
LINCOLN	6	2	4	1.2	0.7	1.8
LOWDES	26	5	21	2.5	1.0	3.9
MADISON	22	2	20	2.0	0.4	3.4
MARION	5	2	3	1.2	0.9	1.7
MARSHALL	5	2	3	1.0	1.0	1.0
MONROE	6	3	3	1.0	0.9	1.3
MONTGOMERY	2	0	2	1.1	-	1.7
NESHOBA	5	2	3	1.3	1.1	1.5
NEWTON	7	3	4	2.2	1.7	2.7
NOXUBEE	2	0	2	0.9	-	1.1
OKTIBBEHA	3	0	3	0.6	-	1.0
PANOLA	14	1	13	2.6	0.6	3.5
PEARL RIVER	15	11	4	2.6	2.5	3.0
PERRY	3	0	3	1.6	-	4.8
PIKE	13	3	10	2.1	1.3	2.6
PONTOTOC	6	5	1	1.6	1.6	1.5
PRETISS	4	4	0	1.2	1.5	-
QUITMAN	7	0	7	3.4	-	4.4
RANKIN	17	11	6	1.3	1.1	2.2
SCOTT	10	2	8	2.2	0.9	3.4
SHARKEY	1	0	1	0.8	-	0.9
SIMPSON	6	2	4	1.4	0.9	2.0
SMITH	3	0	3	1.5	-	4.0
STONE	1	0	1	0.5	-	1.4
SUNFLOWER	12	1	11	2.0	0.8	2.3
TALLAHATCHEE	4	1	3	1.5	2.0	1.4
TATE	3	1	2	1.0	0.6	1.6
TIPPAH	8	6	2	2.7	2.6	3.3
TISHOMINGO	5	4	1	2.3	1.9	12.5
TUNICA	6	0	6	4.0	-	4.5
UNION	1	0	1	0.3	-	1.4
WALTHALL	6	0	6	2.6	-	3.9
WARREN	16	3	13	1.9	0.8	3.0
WASHINGTON	28	4	24	2.2	1.2	2.5
WAYNE	4	1	3	1.0	0.6	1.4
WEBSTER	3	2	1	2.1	2.1	2.2
WILKINSON	5	1	4	3.3	2.9	3.4
WINSTON	6	3	3	2.4	2.8	2.1
YALOBUSHA	3	0	3	1.8	-	2.8
YAZOO	11	3	8	2.1	2.1	2.1

**TABLE 7**  
**PREMATURE\* LIVE BIRTHS AND PERCENT OF TOTAL LIVE BIRTHS,**  
**BY COUNTY OF RESIDENCE AND RACE OF MOTHER,**  
**MISSISSIPPI, 1993**

COUNTY	NUMBER			PERCENT		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>STATE</u>	<u>6, 607</u>	<u>2, 304</u>	<u>4, 303</u>	<u>15. 7</u>	<u>10. 8</u>	<u>20. 6</u>
ADAMS	82	15	67	14. 4	7. 6	18. 0
ALCORN	75	56	19	17. 1	15. 8	22. 9
AMITE	26	8	18	14. 3	10. 7	16. 8
ATTALA	34	9	25	14. 1	8. 5	18. 5
BENTON	18	12	6	16. 7	19. 7	12. 8
BOLIVAR	128	14	114	17. 2	9. 0	19. 4
CALHOUN	35	18	17	17. 5	15. 6	20. 0
CARROLL	7	3	4	6. 8	6. 4	7. 1
CHICKASAW	45	20	25	14. 8	13. 5	16. 0
CHOCTAW	20	7	13	19. 2	12. 1	28. 3
CLAIBORNE	25	0	25	15. 8	-	17. 7
CLARKE	31	14	17	13. 2	11. 6	15. 0
CLAY	53	8	45	14. 6	7. 8	17. 4
COAHOMA	141	13	128	22. 6	11. 2	25. 1
COPIAH	82	19	63	19. 1	12. 5	22. 7
COVINGTON	42	13	29	13. 9	8. 2	20. 1
DESOTO	141	103	38	11. 5	10. 0	19. 7
FORREST	152	60	92	14. 1	10. 6	17. 9
FRANKLIN	13	5	8	12. 5	9. 8	15. 1
GEORGE	23	19	4	7. 2	6. 6	12. 9
GREENE	14	10	4	9. 8	9. 1	12. 1
GRENADA	54	6	48	16. 4	4. 0	26. 4
HANCOCK	49	35	14	11. 1	9. 3	21. 5
HARRISON	398	230	168	13. 3	11. 1	18. 1
HINDS	764	158	606	18. 1	12. 1	20. 8
HOLMES	79	2	77	19. 3	4. 4	21. 1
HUMPHREYS	25	3	22	11. 9	7. 7	12. 9
ISSAQUENA	6	1	5	23. 1	10. 0	31. 2
ITAWAMBA	42	36	6	14. 5	13. 7	21. 4
JACKSON	245	137	108	13. 4	10. 7	19. 8
JASPER	37	13	24	14. 6	13. 5	15. 2
JEFFERSON	38	0	38	22. 8	-	23. 8
JEFF DAVIS	36	5	31	16. 7	8. 8	19. 5
JONES	124	45	79	14. 5	9. 1	22. 1
KEMPER	25	7	18	17. 7	14. 0	19. 8
LAFAYETTE	49	15	34	12. 8	6. 8	20. 6
LAMAR	44	35	9	9. 5	9. 1	11. 7
LAUDERDALE	173	60	113	14. 8	10. 5	19. 0
LAWRENCE	36	10	26	19. 1	10. 4	28. 3
LEAKE	57	19	38	17. 1	12. 2	21. 5
LEE	200	100	100	17. 1	13. 3	24. 0
LEFLORE	134	22	112	19. 4	12. 7	21. 7

TABLE 7 - PAGE 2  
 PREMATURE LIVE BIRTHS - MISSISSIPPI - 1993

COUNTY	NUMBER			PERCENT		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
LINCOLN	70	22	48	14.0	7.9	21.6
LOWNDES	151	46	105	14.6	9.2	19.6
MADISON	145	42	103	13.1	8.0	17.7
MARION	57	20	37	14.4	8.9	21.4
MARSHALL	105	27	78	21.1	13.2	26.5
MONROE	90	38	52	15.6	11.1	22.1
MONTGOMERY	27	4	23	14.8	6.2	19.3
NESHOBA	57	20	37	14.6	10.9	18.0
NEWTON	44	14	30	13.7	8.0	20.5
NOXUBEE	48	3	45	21.8	6.8	25.6
OKTIBBEHA	67	17	50	12.8	7.4	17.1
PANOLA	113	20	93	20.7	11.2	25.3
PEARL RIVER	82	54	28	14.3	12.2	21.4
PERRY	17	10	7	9.3	8.3	11.1
PIKE	126	27	99	20.3	11.5	25.6
PONTOTOC	62	41	21	16.6	13.4	31.8
PRENTISS	63	44	19	19.5	16.2	37.2
QUITMAN	38	4	34	18.6	8.5	21.6
RANKIN	179	131	48	13.7	12.7	17.4
SCOTT	78	21	57	17.0	9.5	24.0
SHARKEY	19	1	18	15.0	5.9	16.4
SIMPSON	62	25	37	14.4	11.0	18.2
SMITH	32	15	17	16.2	12.1	23.0
STONE	24	9	15	11.9	6.8	21.4
SUNFLOWER	120	12	108	20.0	9.3	22.9
TALLAHATCHIE	57	6	51	21.7	11.8	24.0
TATE	34	15	19	11.7	8.9	15.7
TIPPAH	56	39	17	19.2	16.9	28.3
TISHOMINGO	26	24	2	11.9	11.4	25.0
TUNICA	29	2	27	19.6	13.3	20.3
UNION	51	33	18	15.6	12.8	26.1
WALTHALL	44	4	40	18.8	5.0	26.0
WARREN	135	41	94	16.3	10.3	22.0
WASHINGTON	241	40	201	18.6	11.7	21.1
WAYNE	50	19	31	13.1	10.8	15.0
WEBSTER	16	9	7	11.3	9.3	15.6
WILKINSON	18	2	16	11.9	5.9	13.7
WINSTON	50	18	32	20.2	16.8	22.7
YALOBUSHA	21	6	15	12.3	9.4	14.0
YAZOO	101	14	87	19.5	9.9	23.1

\* GESTATION LESS THAN 37 WEEKS.

**TABLE 8**  
**REPORTABLE\* FETAL DEATHS, BY COUNTY OF OCCURRENCE AND RACE OF MOTHER,**  
**ALSO REPORTABLE\* FETAL DEATHS AND FETAL DEATH RATIOS,**  
**BY COUNTY OF RESIDENCE AND RACE OF MOTHER,**  
**MISSISSIPPI, 1993**

COUNTY	OCCURRENCE DATA			RESIDENCE DATA					
	NUMBER			NUMBER			RATIO**		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>STATE</u>	<u>495</u>	<u>155</u>	<u>340</u>	<u>487</u>	<u>156</u>	<u>331</u>	<u>11.6</u>	<u>7.3</u>	<u>15.8</u>
ADAMS	8	1	7	6	3	3	10.6	15.2	8.1
ALCORN	3	2	1	1	0	1	2.3	-	12.0
AMITE	0	0	0	1	0	1	5.5	-	9.3
ATTALA	0	0	0	3	2	1	12.4	18.9	7.4
BENTON	0	0	0	0	0	0	-	-	-
BOLIVAR	14	0	14	13	0	13	17.4	-	22.1
CALHOUN	1	1	0	3	1	2	15.0	8.7	23.5
CARROLL	0	0	0	1	0	1	9.7	-	17.8
CHICKASAW	0	0	0	5	4	1	16.4	27.0	6.4
CHOCTAW	0	0	0	4	2	2	38.5	34.5	43.5
CLAIBORNE	0	0	0	2	0	2	12.6	-	14.2
CLARKE	0	0	0	0	0	0	-	-	-
CLAY	6	2	4	3	0	3	8.3	-	11.6
COAHOMA	13	1	12	7	0	7	11.2	-	13.8
COPIAH	2	0	2	3	0	3	7.0	-	10.8
COVINGTON	1	1	0	2	2	0	6.6	12.6	-
DESOTO	10	5	5	11	6	5	9.0	5.8	25.9
FORREST	29	14	15	14	6	8	13.0	10.6	15.6
FRANKLIN	0	0	0	5	1	4	48.1	19.6	75.5
GEORGE	0	0	0	3	3	0	9.4	10.4	-
GREENE	0	0	0	4	2	2	28.0	18.2	60.6
GRENADA	8	2	6	3	0	3	9.1	-	16.5
HANCOCK	1	0	1	2	2	0	4.5	5.3	-
HARRISON	45	28	17	46	29	17	15.4	14.0	18.3
HINDS	152	34	118	82	16	66	19.4	12.2	22.7
HOLMES	0	0	0	9	0	9	22.0	-	24.6
HUMPHREYS	1	0	1	9	0	9	42.8	-	52.6
ISSAQUENA	0	0	0	0	0	0	-	-	-
ITAWAMBA	0	0	0	1	1	0	3.4	3.8	-
JACKSON	11	6	5	11	6	5	6.0	4.7	9.2
JASPER	0	0	0	6	2	4	23.6	20.8	25.3
JEFFERSON	0	0	0	0	0	0	-	-	-
JEFF DAVIS	0	0	0	5	0	5	23.1	-	31.4
JONES	11	6	5	7	5	2	8.2	10.1	5.6
KEMPER	0	0	0	2	1	1	14.2	20.0	11.0
LAFAYETTE	5	0	5	3	0	3	7.8	-	18.2
LAMAR	0	0	0	3	3	0	6.5	7.8	-
LAUDERDALE	21	6	15	14	2	12	12.0	3.5	20.1
LAWRENCE	0	0	0	0	0	0	-	-	-
LEAKE	0	0	0	1	0	1	3.0	-	5.6
LEE	20	11	9	12	5	7	10.3	6.6	16.8
LEFLORE	7	1	6	6	1	5	8.7	5.8	9.7

TABLE 8 - PAGE 2  
FETAL DEATHS - MISSISSIPPI - 1993

COUNTY	OCCURRENCE DATA			RESIDENCE DATA					
	NUMBER			NUMBER			RATIO**		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
LINCOLN	7	2	5	6	2	4	12.0	7.2	18.0
LOWNDES	8	1	7	8	1	7	7.7	2.0	13.1
MADISON	4	0	4	9	1	8	8.1	1.9	13.7
MARION	0	0	0	3	1	2	7.6	4.5	11.6
MARSHALL	1	0	1	4	2	2	8.0	9.8	6.8
MONROE	7	3	4	2	1	1	3.5	2.9	4.2
MONTGOMERY	0	0	0	1	1	0	5.5	15.6	-
NESHOBA	0	0	0	2	0	2	5.1	-	9.8
NEWTON	0	0	0	1	1	0	3.1	5.7	-
NOXUBEE	0	0	0	2	0	2	9.1	-	11.4
OKTIBBEHA	12	6	6	6	3	3	11.5	13.0	10.2
PANOLA	0	0	0	5	0	5	9.2	-	13.6
PEARL RIVER	3	0	3	6	2	4	10.5	4.5	30.5
PERRY	0	0	0	1	1	0	5.5	8.3	-
PIKE	5	1	4	6	1	5	9.7	4.2	13.0
PONTOTOC	0	0	0	0	0	0	-	-	-
PRENTISS	0	0	0	1	1	0	3.1	3.7	-
QUITMAN	0	0	0	2	0	2	9.8	-	12.7
RANKIN	15	11	4	14	7	7	10.7	6.8	25.4
SCOTT	0	0	0	6	4	2	13.1	18.2	8.4
SHARKEY	0	0	0	1	0	1	7.9	-	9.1
SIMPSON	2	1	1	5	1	4	11.6	4.4	19.7
SMITH	0	0	0	0	0	0	-	-	-
STONE	0	0	0	0	0	0	-	-	-
SUNFLOWER	6	0	6	9	0	9	15.0	-	19.1
TALLAHATCHIE	0	0	0	5	1	4	19.0	19.6	18.9
TATE	5	0	5	2	0	2	6.9	-	16.5
TIPPAH	0	0	0	3	3	0	10.3	13.0	-
TISHOMINGO	0	0	0	3	3	0	13.8	14.3	-
TUNICA	1	0	1	1	0	1	6.8	-	7.5
UNION	3	3	0	3	2	1	9.2	7.8	14.5
WALTHALL	1	1	0	1	1	0	4.3	12.5	-
WARREN	22	2	20	15	2	13	18.2	5.0	30.4
WASHINGTON	17	2	15	23	3	20	17.8	8.7	21.0
WAYNE	4	1	3	5	3	2	13.1	17.0	9.7
WEBSTER	0	0	0	1	0	1	7.0	-	22.2
WILKINSON	1	0	1	1	0	1	6.6	-	8.5
WINSTON	0	0	0	2	1	1	8.1	9.3	7.1
YALOBUSHA	0	0	0	2	1	1	11.7	15.6	9.3
YAZOO	2	0	2	7	1	6	13.5	7.1	16.0
OUT OF STATE	15	9	6	23	8	15			

\* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

\*\* REPORTABLE FETAL DEATHS PER 1,000 LIVE BIRTHS.

**TABLE 9**  
**DEATHS, BY PLACE OF OCCURRENCE AND RACE,**  
**ALSO DEATHS AND RATES, BY PLACE OF RESIDENCE AND RACE,**  
**(PLACE INCLUDES COUNTIES, OUT OF STATE, TOWNS OF 10,000 OR MORE),**  
**MISSISSIPPI, 1993**

COUNTY	OCCURRENCE DATA			RESIDENCE DATA					
	NUMBER			NUMBER			RATE*		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<b>STATE</b>	<b>25,668</b>	<b>16,541</b>	<b>9,127</b>	<b>26,271</b>	<b>17,003</b>	<b>9,268</b>	<b>10.2</b>	<b>10.4</b>	<b>9.9</b>
ADAMS	510	237	273	432	197	235	12.2	10.9	13.6
ALCORN	352	322	30	384	347	37	12.1	12.4	10.2
AMITE	54	31	23	134	83	51	10.0	11.4	8.4
ATTALA	178	123	55	248	164	84	13.4	14.8	11.4
BENTON	33	24	9	82	52	30	10.2	10.7	9.4
BOLIVAR	431	175	256	475	205	270	11.3	13.4	10.1
CALHOUN	122	85	37	189	138	51	12.7	12.7	12.5
CARROLL	37	25	12	79	44	35	8.6	7.9	9.5
CHICKASAW	130	86	44	182	115	67	10.1	10.4	9.5
CHOCTAW	66	41	25	103	69	34	11.4	10.9	12.4
CLAIBORNE	99	19	80	138	31	107	12.1	15.5	11.4
CLARKE	146	95	51	231	164	67	13.3	14.5	11.2
CLAY	192	122	70	227	139	88	10.7	14.2	7.8
COAHOMA	385	145	240	397	160	237	12.5	14.5	11.5
COPIAH	198	114	84	302	162	140	10.9	11.9	10.0
COVINGTON	105	72	33	180	119	61	10.9	11.1	10.5
DESOTO	398	311	87	487	410	77	7.2	7.0	8.5
FORREST	1,051	741	310	709	493	216	10.4	10.6	10.0
FRANKLIN	70	48	22	111	76	35	13.2	14.4	11.3
GEORGE	133	118	15	166	152	14	10.0	10.1	8.5
GREENE	35	30	5	104	84	20	10.2	10.5	9.0
GRENADA	247	149	98	249	153	96	11.6	12.2	10.7
HANCOCK	237	212	25	328	298	30	10.3	10.4	9.6
HARRISON	1,873	1,518	355	1,599	1,284	315	9.7	10.1	8.3
HINDS	4,094	2,238	1,856	2,409	1,246	1,163	9.5	10.1	8.9
HOLMES	242	80	162	323	102	221	15.0	19.7	13.4
HUMPHREYS	80	31	49	115	46	69	9.5	11.9	8.3
ISSAQUENA	5	1	4	13	6	7	6.8	7.2	6.5
ITAWAMBA	83	78	5	196	186	10	9.8	10.0	7.0
JACKSON	813	657	156	908	729	179	7.9	8.1	7.1
JASPER	75	44	31	162	93	69	9.5	11.0	7.9
JEFFERSON	49	7	42	90	12	78	10.4	10.1	10.4
JEFF DAVIS	107	52	55	168	78	90	12.0	12.3	11.6
JONES	602	434	168	695	528	167	11.2	11.4	10.5
KEMPER	65	37	28	120	60	60	11.6	13.6	10.1
LAFAYETTE	358	249	109	237	159	78	7.4	6.9	9.0
LAMAR	334	267	67	232	189	43	7.6	7.1	11.2
LAUDERDALE	1,179	793	386	800	532	268	10.6	10.9	10.0
LAWRENCE	80	56	24	121	89	32	9.7	10.7	7.7
LEAKE	186	135	51	242	159	83	13.1	14.3	11.3
LEE	1,314	1,031	283	717	547	170	10.9	10.7	11.9
LEFLORE	451	192	259	442	202	240	11.8	13.9	10.5

TABLE 9 - PAGE 2  
DEATHS - MISSISSIPPI - 1993

COUNTY	OCCURRENCE DATA			RESIDENCE DATA					
	NUMBER			NUMBER			RATE*		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
LINCOLN	284	195	89	342	237	105	11.3	11.2	11.5
LOWNDES	545	333	212	507	307	200	8.5	8.4	8.9
MADISON	211	81	130	441	212	229	8.2	7.1	9.5
MARION	215	161	54	297	212	85	11.6	12.0	10.9
MARSHALL	187	85	102	302	154	148	9.9	10.4	9.5
MONROE	279	217	62	358	269	89	9.8	10.6	8.0
MONTGOMERY	135	81	54	159	98	61	12.8	14.2	11.1
NESHOBA	153	108	45	284	200	84	11.4	11.8	10.7
NEWTON	191	131	60	221	154	67	10.9	11.2	10.2
NOXUBEE	117	52	65	141	58	83	11.2	14.6	9.6
OKTIBBEHA	235	128	107	251	141	110	6.5	5.8	7.7
PANOLA	218	133	85	345	216	129	11.5	14.0	8.8
PEARL RIVER	290	230	60	403	327	76	10.4	9.9	13.0
PERRY	77	62	15	103	81	22	9.5	9.7	8.7
PIKE	418	266	152	411	257	154	11.1	12.9	9.1
PONTOTOC	149	132	17	239	211	28	10.7	11.2	8.4
PRENTISS	148	134	14	196	173	23	8.4	8.4	8.2
QUITMAN	72	24	48	118	44	74	11.2	10.4	11.8
RANKIN	528	403	125	670	532	138	7.7	7.4	9.1
SCOTT	213	144	69	283	180	103	11.7	12.1	11.1
SHARKEY	65	24	41	95	33	62	13.4	14.1	13.1
SIMPSON	209	147	62	263	188	75	11.0	11.7	9.6
SMITH	62	51	11	152	132	20	10.3	11.5	6.1
STONE	54	48	6	123	101	22	11.4	12.1	9.2
SUNFLOWER	275	121	154	343	141	202	10.4	12.2	9.5
TALLAHATCHIE	78	35	43	145	71	74	9.5	11.3	8.3
TATE	129	78	51	222	144	78	10.4	10.3	10.4
TIPPAH	170	144	26	242	207	35	12.4	12.7	10.7
TISHOMINGO	139	134	5	229	218	11	13.0	12.8	16.3
TUNICA	45	16	29	84	21	63	10.3	10.5	10.2
UNION	219	179	40	234	200	34	10.6	10.6	10.4
WALTHALL	109	65	44	145	88	57	10.1	10.7	9.3
WARREN	575	303	272	527	295	232	11.0	10.2	12.2
WASHINGTON	795	324	471	768	324	444	11.3	11.4	11.2
WAYNE	180	123	57	176	123	53	9.0	9.8	7.6
WEBSTER	89	71	18	119	99	20	11.6	12.4	8.8
WILKINSON	133	55	78	122	43	79	12.6	13.8	12.0
WINSTON	179	116	63	232	151	81	11.9	13.5	9.8
YALOBUSHA	70	57	13	154	110	44	12.8	14.7	9.7
YAZOO	229	125	104	299	149	150	11.7	12.5	11.1
OUT OF STATE	1,517	1,105	412	914	643	271			



TABLE 9 - PAGE 3  
DEATHS - MISSISSIPPI - 1993

TOWN**	RESIDENCE DATA					
	NUMBER			RATE*		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
BILOXI	428	362	66	9.2	10.5	5.6
BRANDON	156	129	27	14.1	13.4	18.9
BROOKHAVEN	179	113	66	17.5	20.2	14.2
CANTON	160	51	109	15.9	15.6	16.0
CLARKSDALE	277	121	156	14.0	16.3	12.7
CLEVELAND	167	91	76	10.8	11.0	10.7
CLINTON	165	118	47	7.6	6.6	11.8
COLUMBUS	338	170	168	14.2	14.8	13.6
CORINTH	198	168	30	16.8	18.3	11.4
GAUTIER	61	47	14	6.0	6.3	5.4
GREENVILLE	536	228	308	11.8	12.7	11.3
GREENWOOD	263	118	145	13.9	15.5	12.8
GRENADA	189	111	78	17.4	20.3	14.4
GULFPORT	541	403	138	13.3	14.1	11.2
HATTIESBURG	531	335	196	12.7	13.7	11.2
INDIANOLA	134	59	75	11.3	14.9	9.6
JACKSON	1,990	1,022	968	10.1	11.9	8.7
LAUREL	303	185	118	16.1	19.0	13.0
LONG BEACH	108	104	4	6.8	7.2	3.1
MCCOMB	169	119	50	14.6	19.2	9.3
MERIDIAN	552	343	209	13.4	15.5	11.1
MOSS POINT	180	81	99	10.1	13.2	8.4
NATCHEZ	317	142	175	16.3	14.8	17.7
OCEAN SPRINGS	154	140	14	10.5	10.5	10.5
PASCAGOULA	249	207	42	9.6	10.4	7.1
PEARL	127	115	12	6.5	6.5	6.6
PICAYUNE	165	105	60	15.5	15.6	15.3
RIDGELAND	54	49	5	4.6	4.8	3.3
SOUTHAVEN	133	131	2	7.4	7.5	3.4
STARKVILLE	120	67	53	6.5	5.2	9.3
TUPELO	347	261	86	11.3	11.3	11.3
VICKSBURG	399	195	204	19.1	23.0	16.4
YAZOO CITY	191	87	104	15.4	20.2	12.8

\* DEATHS PER 1,000 POPULATION.

\*\* TOWNS OF 10,000 POPULATION OR MORE.

TABLE 10  
DEATHS, BY CAUSE AND RACE,  
MISSISSIPPI RESIDENTS, 1993

International Classification Number*	Cause*	Total	White	Non- white
<u>001-999</u>	<u>ALL CAUSES</u>	<u>26,271</u>	<u>17,003</u>	<u>9,268</u>
<u>001-139</u>	<u>INFECTIOUS AND PARASITIC DISEASES</u>	<u>553</u>	<u>272</u>	<u>281</u>
<u>001-009</u>	<u>Intestinal infectious diseases</u>	<u>7</u>	<u>6</u>	<u>1</u>
<u>002,003</u>	<u>Typhoid and paratyphoid fevers, and other salmonella infections</u>	<u>1</u>	<u>1</u>	<u>0</u>
003	Other salmonella infections	1	1	0
005	Other food poisoning (bacterial)	1	1	0
<u>008,009</u>	<u>Other and ill-defined intestinal infections</u>	<u>5</u>	<u>4</u>	<u>1</u>
008	Intestinal infections due to other organisms	3	3	0
009	Ill-defined intestinal infections	2	1	1
<u>010-018</u>	<u>Tuberculosis</u>	<u>29</u>	<u>8</u>	<u>21</u>
<u>010-012</u>	<u>Respiratory</u>	<u>21</u>	<u>7</u>	<u>14</u>
011	Pulmonary	21	7	14
<u>013-018</u>	<u>Other forms</u>	<u>8</u>	<u>1</u>	<u>7</u>
013	Meninges and central nervous system	1	0	1
017	Other organs	5	1	4
018	Miliary	2	0	2
<u>020-027</u>	<u>Zoonotic bacterial diseases</u>	<u>1</u>	<u>1</u>	<u>0</u>
027	Other zoonotic bacterial diseases	1	1	0
<u>030-041</u>	<u>Other bacterial diseases</u>	<u>250</u>	<u>144</u>	<u>106</u>
031	Other diseases due to mycobacteria	1	1	0
036	Meningococcal infection	3	1	2
038	Septicemia	239	138	101
039	Actinomycotic infections	1	1	0
040	Other bacterial diseases	2	1	1
041	Bacterial infection of unspecified site	4	2	2
<u>042-044</u>	<u>Human immunodeficiency virus infection</u>	<u>192</u>	<u>79</u>	<u>113</u>
042	With specified conditions	179	77	102
044	Other human immunodeficiency virus infections	13	2	11
<u>045-049</u>	<u>Poliomyelitis and other non-arthropod-borne diseases of central nervous system</u>	<u>2</u>	<u>2</u>	<u>0</u>
049	Other non-arthropod-borne diseases	2	2	0
<u>050-057</u>	<u>Viral diseases accompanied by exanthem</u>	<u>1</u>	<u>1</u>	<u>0</u>
054	Herpes simplex	1	1	0
<u>060-066</u>	<u>Arthropod-borne viral diseases</u>	<u>0</u>	<u>0</u>	<u>0</u>
<u>070-079</u>	<u>Other diseases due to viruses and Chlamydiae</u>	<u>24</u>	<u>11</u>	<u>13</u>
070	Viral hepatitis	15	7	8
078	Other diseases due to viruses and Chlamydiae	4	3	1
079	Viral infection in conditions classified elsewhere and of unspecified site	5	1	4
<u>080-088</u>	<u>Rickettsioses and other arthropod-borne diseases</u>	<u>0</u>	<u>0</u>	<u>0</u>
<u>090-099</u>	<u>Syphilis and other venereal diseases</u>	<u>2</u>	<u>0</u>	<u>2</u>
<u>090-097</u>	<u>Syphilis and its sequelae</u>	<u>2</u>	<u>0</u>	<u>2</u>
090	Congenital	1	0	1
094	Neurosyphilis	1	0	1
<u>100-104</u>	<u>Other spirochetal diseases</u>	<u>0</u>	<u>0</u>	<u>0</u>
<u>110-118</u>	<u>Mycoses</u>	<u>24</u>	<u>13</u>	<u>11</u>
112	Candidiasis	9	6	3
115	Histoplasmosis	1	1	0

Table 10 - Page 2  
Deaths - Mississippi - 1993

International Classification Number*	Cause*	Total	White	Non- white
116	Blastomycotic infection	1	0	1
117	Other mycoses	13	6	7
<u>120- 129</u>	<u>Helminthiases</u>	<u>0</u>	<u>0</u>	<u>0</u>
<u>130- 139</u>	<u>Other infectious and parasitic diseases</u>	<u>21</u>	<u>7</u>	<u>14</u>
135	Sarcoidosis	9	0	9
136	Other and unspecified infectious and parasitic diseases	9	5	4
137	Late effects of tuberculosis	3	2	1
<u>140- 239</u>	<u>NEOPLASMS</u>	<u>5,601</u>	<u>3,751</u>	<u>1,850</u>
<u>140- 208</u>	<u>Malignant neoplasms</u>	<u>5,539</u>	<u>3,710</u>	<u>1,829</u>
<u>140- 149</u>	<u>Lip, oral cavity, and pharynx</u>	<u>76</u>	<u>49</u>	<u>27</u>
141	Tongue	15	9	6
142	Major salivary glands	6	5	1
143	Gum	1	1	0
144	Floor of mouth	2	2	0
145	Other and unspecified parts of mouth	15	10	5
146	Oropharynx	9	4	5
147	Nasopharynx	2	2	0
148	Hypopharynx	5	3	2
149	Other and ill-defined sites	21	13	8
<u>150- 159</u>	<u>Digestive organs and peritoneum</u>	<u>1,185</u>	<u>727</u>	<u>458</u>
150	Esophagus	90	44	46
151	Stomach	148	66	82
152	Small intestine, including duodenum	12	10	2
153	Colon	453	287	166
154	Rectum, rectosigmoid junction, and anus	39	24	15
155	Liver and intrahepatic bile ducts	116	77	39
156	Gallbladder and extrahepatic bile ducts	24	19	5
157	Pancreas	282	186	96
158	Retroperitoneum and peritoneum	6	5	1
159	Other and ill-defined sites	15	9	6
<u>160- 165</u>	<u>Respiratory and intrathoracic organs</u>	<u>1,713</u>	<u>1,262</u>	<u>451</u>
160	Nasal cavities, middle ear, and accessory sinuses	6	3	3
161	Larynx	28	19	9
162	Trachea, bronchus, and lung	1,671	1,233	438
163	Pleura	1	1	0
164	Thymus, heart, and mediastinum	5	5	0
165	Other and ill-defined sites within the respiratory system and intrathoracic organs	2	1	1
<u>170- 175</u>	<u>Bone, connective tissue, skin, and breast</u>	<u>526</u>	<u>363</u>	<u>163</u>
170	Bone and articular cartilage	34	24	10
171	Connective and other soft tissue	32	16	16
172	Melanoma of skin	43	36	7
173	Skin, other	27	21	6
174	Female breast	387	263	124
175	Male breast	3	3	0
<u>179- 189</u>	<u>Genitourinary organs</u>	<u>838</u>	<u>465</u>	<u>373</u>
<u>(179- 187)</u>	<u>(Genital organs)</u>	<u>647</u>	<u>326</u>	<u>321</u>
179	Uterus, part unspecified	25	8	17

Table 10 - Page 3  
Deaths - Mississippi - 1993

International Classification Number*	Cause*	Total	White	Non- white
180	Cervix uteri	64	26	38
182	Body of uterus	18	7	11
183	Ovary and other uterine adnexa	115	76	39
184	Other and unspecified female genital organs	8	4	4
185	Prostate	415	205	210
187	Penis and other male genital organs	2	0	2
(188, 189)	(Urinary organs)	<u>191</u>	<u>139</u>	<u>52</u>
188	Bladder	95	66	29
189	Kidney and other and unspecified urinary organs	96	73	23
<u>190-199</u>	<u>Other and unspecified sites</u>	<u>759</u>	<u>521</u>	<u>238</u>
190	Eye	5	5	0
191	Brain	151	127	24
192	Other and unspecified parts of nervous system	1	1	0
193	Thyroid gland	7	4	3
194	Other endocrine glands and related structures	10	6	4
195	Other and ill-defined sites	45	26	19
199	Site unspecified	540	352	188
<u>200-208</u>	<u>Lymphatic and hematopoietic tissue</u>	<u>442</u>	<u>323</u>	<u>119</u>
200	Lymphosarcoma and reticulosarcoma	16	11	5
201	Hodgkin's disease	17	13	4
202	Other lymphoid and histiocytic tissue	157	130	27
203	Multiple myeloma and immunoproliferative neoplasms	90	47	43
(204-208)	(Leukemia)	<u>162</u>	<u>122</u>	<u>40</u>
204	Lymphatic	50	37	13
205	Myeloid	57	48	9
206	Monocytic	2	2	0
207	Other specified	4	2	2
208	Unspecified cell type	49	33	16
<u>210-229</u>	<u>Benign neoplasms</u>	<u>17</u>	<u>11</u>	<u>6</u>
211	Benign neoplasm of other parts of digestive system	3	2	1
220	Benign neoplasm of ovary	2	1	1
223	Benign neoplasm of kidney and other urinary organs	1	1	0
225	Benign neoplasm of brain and other parts of nervous system	8	5	3
227	Benign neoplasm of other endocrine glands and related structures	3	2	1
<u>230-234</u>	<u>Carcinoma in situ</u>	<u>0</u>	<u>0</u>	<u>0</u>
<u>235-239</u>	<u>Neoplasms of uncertain behavior and unspecified nature</u>	<u>45</u>	<u>30</u>	<u>15</u>
<u>235-238</u>	<u>Uncertain behavior</u>	<u>9</u>	<u>5</u>	<u>4</u>
235	Digestive and respiratory systems	2	1	1
237	Endocrine glands and nervous system	2	1	1
238	Other and unspecified sites and tissues	5	3	2
239	Unspecified nature	36	25	11
<u>240-279</u>	<u>ENDOCRINE, NUTRITIONAL, AND METABOLIC DISEASES</u>	<u>679</u>	<u>328</u>	<u>351</u>
<u>240-246</u>	<u>Diseases of thyroid gland</u>	<u>5</u>	<u>4</u>	<u>1</u>
242	Thyrotoxicosis with or without goiter	2	2	0

Table 10 - Page 4  
Deaths - Mississippi - 1993

International Classification Number*	Cause*	Total	White	Non- white
244	Acquired hypothyroidism	2	1	1
246	Other disorders of thyroid	1	1	0
<u>250-259</u>	<u>Diseases of other endocrine glands</u>	<u>488</u>	<u>229</u>	<u>259</u>
250	Diabetes mellitus	483	228	255
251	Other disorders of pancreatic internal secretion	2	0	2
252	Disorders of parathyroid gland	1	1	0
255	Disorders of adrenal glands	1	0	1
259	Other endocrine disorders	1	0	1
<u>260-269</u>	<u>Nutritional deficiencies</u>	<u>50</u>	<u>29</u>	<u>21</u>
260	Kwashiorkor	1	1	0
261	Nutritional marasmus	12	9	3
262	Other severe protein-calorie malnutrition	1	1	0
263	Other and unspecified protein-calorie malnutrition	34	17	17
269	Other nutritional deficiencies	2	1	1
<u>270-279</u>	<u>Other metabolic disorders and immunity disorders</u>	<u>136</u>	<u>66</u>	<u>70</u>
271	Disorders of carbohydrate transport and metabolism	2	0	2
272	Disorders of lipid metabolism	1	1	0
273	Disorders of plasma protein metabolism	4	4	0
275	Disorders of mineral metabolism	6	3	3
276	Disorders of fluid, electrolyte, and acid-base balance	78	35	43
277	Other and unspecified disorders of metabolism	14	11	3
278	Obesity and other hyperalimentation	25	9	16
279	Disorders involving the immune mechanism	6	3	3
<u>280-289</u>	<u>DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS</u>	<u>120</u>	<u>79</u>	<u>41</u>
<u>280-285</u>	<u>Anemias</u>	<u>59</u>	<u>33</u>	<u>26</u>
280	Iron deficiency	2	2	0
281	Other deficiency anemias	2	1	1
282	Hereditary hemolytic	19	3	16
283	Acquired hemolytic	2	2	0
284	Aplastic	15	9	6
285	Other and unspecified	19	16	3
286	Coagulation defects	14	9	5
287	Purpura and other hemorrhagic conditions	14	12	2
288	Diseases of white blood cells	12	7	5
289	Other diseases of blood and blood-forming organs	21	18	3
<u>290-319</u>	<u>MENTAL DISORDERS</u>	<u>243</u>	<u>155</u>	<u>88</u>
<u>290-299</u>	<u>Psychoses</u>	<u>114</u>	<u>85</u>	<u>29</u>
290	Senile and presenile organic psychotic conditions	64	48	16
291	Alcoholic psychoses	11	5	6
293	Transient organic psychotic conditions	3	3	0
295	Schizophrenic psychoses	2	1	1
296	Affective psychoses	1	0	1
298	Other nonorganic psychoses	33	28	5
<u>300-316</u>	<u>Neurotic disorders, personality disorders, and other nonpsychotic mental disorders</u>	<u>123</u>	<u>67</u>	<u>56</u>

Table 10 - Page 5  
Deaths - Mississippi - 1993

International Classification Number*	Cause*	Total	White	Non- white
303	Alcohol dependence syndrome	54	28	26
305	Nondependent abuse of drugs	19	9	10
310	Specific nonpsychotic mental disorders following organic brain damage	48	28	20
311	Depressive disorder, not elsewhere classified	2	2	0
317-319	<u>Mental retardation</u>	<u>6</u>	<u>3</u>	<u>3</u>
318	Other specified	2	1	1
319	Unspecified	4	2	2
<u>320-389</u>	<u>DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS</u>	<u>414</u>	<u>298</u>	<u>116</u>
<u>320-326</u>	<u>Inflammatory diseases of central nervous system</u>	<u>14</u>	<u>7</u>	<u>7</u>
320	Bacterial meningitis	3	2	1
322	Meningitis of unspecified cause	4	2	2
323	Encephalitis, myelitis, and encephalomyelitis	2	0	2
324	Intracranial and intraspinal abscess	2	1	1
325	Phlebitis and thrombophlebitis of intracranial venous sinuses	1	0	1
326	Late effects of intracranial abscess or pyogenic infection	2	2	0
<u>330-337</u>	<u>Hereditary and degenerative diseases of the central nervous system</u>	<u>276</u>	<u>223</u>	<u>53</u>
330	Cerebral degenerations usually manifest in childhood	1	0	1
331	Other cerebral degenerations	160	130	30
332	Parkinson's disease	61	50	11
333	Other extrapyramidal disease and abnormal movement disorders	14	12	2
334	Spinocerebellar disease	6	6	0
335	Anterior horn cell disease	34	25	9
<u>340-349</u>	<u>Other disorders of the central nervous system</u>	<u>97</u>	<u>46</u>	<u>51</u>
340	Multiple sclerosis	10	7	3
342	Hemiplegia	2	0	2
343	Infantile cerebral palsy	15	8	7
344	Other paralytic syndromes	10	8	2
345	Epilepsy	22	5	17
348	Other conditions of brain	34	15	19
349	Other and unspecified disorders of the nervous system	4	3	1
<u>350-359</u>	<u>Disorders of peripheral nervous system</u>	<u>27</u>	<u>22</u>	<u>5</u>
353	Nerve root and plexus disorders	1	0	1
356	Hereditary and idiopathic peripheral neuropathy	7	6	1
357	Inflammatory and toxic neuropathy	1	0	1
358	Myoneural disorders	9	9	0
359	Muscular dystrophies and other myopathies	9	7	2
<u>360-379</u>	<u>Disorders of the eye and adnexa</u>	<u>0</u>	<u>0</u>	<u>0</u>
<u>380-389</u>	<u>Diseases of the ear and mastoid process</u>	<u>0</u>	<u>0</u>	<u>0</u>
<u>390-459</u>	<u>DISEASES OF THE CIRCULATORY SYSTEM</u>	<u>11,840</u>	<u>7,813</u>	<u>4,027</u>
<u>390-392</u>	<u>Active rheumatic fever</u>	<u>0</u>	<u>0</u>	<u>0</u>

Table 10 - Page 6  
Deaths - Mississippi - 1993

International Classification Number*	Cause*	Total	White	Non- white
<u>393-398</u>	<u>Chronic rheumatic heart disease</u>	<u>28</u>	<u>21</u>	<u>7</u>
394	Diseases of mitral valve	11	7	4
395	Diseases of aortic valve	1	1	0
396	Diseases of mitral and aortic valves	10	7	3
397	Diseases of other endocardial structures	2	2	0
398	Other rheumatic heart disease	4	4	0
<u>401-405</u>	<u>Hypertensive disease</u>	<u>520</u>	<u>239</u>	<u>281</u>
<u>401, 403</u>	<u>Hypertension with or without renal disease</u>	<u>144</u>	<u>65</u>	<u>79</u>
401	Essential hypertension	99	46	53
403	Hypertensive renal disease	45	19	26
<u>402, 404</u>	<u>Hypertensive heart disease with or without renal disease</u>	<u>376</u>	<u>174</u>	<u>202</u>
402	Hypertensive heart disease	330	155	175
404	Hypertensive heart and renal disease	46	19	27
<u>410-414</u>	<u>Ischemic heart disease</u>	<u>4,791</u>	<u>3,415</u>	<u>1,376</u>
410	Acute myocardial infarction	3,197	2,197	1,000
411	Other acute and subacute forms of ischemic heart disease	19	8	11
412	Old myocardial infarction	8	6	2
413	Angina pectoris	14	11	3
414	Other forms of chronic ischemic heart disease	1,553	1,193	360
<u>415-417</u>	<u>Diseases of pulmonary circulation</u>	<u>197</u>	<u>115</u>	<u>82</u>
415	Acute pulmonary heart disease	163	97	66
416	Chronic pulmonary heart disease	33	18	15
417	Other diseases of pulmonary circulation	1	0	1
<u>420-429</u>	<u>Other forms of heart disease</u>	<u>4,100</u>	<u>2,621</u>	<u>1,479</u>
420	Acute pericarditis	1	1	0
421	Acute and subacute endocarditis	5	3	2
422	Acute myocarditis	2	1	1
423	Other diseases of pericardium	4	2	2
424	Other diseases of endocardium	109	82	27
425	Cardiomyopathy	330	195	135
426	Conduction disorders	11	5	6
427	Cardiac dysrhythmias	1,033	647	386
428	Heart failure	966	640	326
429	Ill-defined heart diseases	1,639	1,045	594
<u>430-438</u>	<u>Cerebrovascular diseases</u>	<u>1,762</u>	<u>1,090</u>	<u>672</u>
430	Subarachnoid hemorrhage	68	45	23
431	Intracerebral hemorrhage	203	123	80
432	Other and unspecified intracranial hemorrhage	25	17	8
433	Occlusion and stenosis of precerebral arteries	13	8	5
434	Occlusion of cerebral arteries	154	93	61
435	Transient cerebral ischemia	3	3	0
436	Acute but ill-defined cerebrovascular disease	1,124	690	434
437	Other and ill-defined cerebrovascular disease	90	62	28
438	Late effects of cerebrovascular disease	82	49	33
<u>440-448</u>	<u>Diseases of arteries, arterioles, and capillaries</u>	<u>372</u>	<u>271</u>	<u>101</u>
440	Atherosclerosis	135	101	34
<u>441-448</u>	<u>Other diseases of arteries, arterioles, and capillaries</u>	<u>237</u>	<u>170</u>	<u>67</u>
441	Aortic aneurysm	152	127	25
442	Other aneurysm	11	7	4

Table 10 - Page 7  
Deaths - Mississippi - 1993

International Classification Number*	Cause*	Total	White	Non- white
443	Other peripheral vascular disease	42	20	22
444	Arterial embolism and thrombosis	14	8	6
446	Polyarteritis nodosa and allied conditions	8	1	7
447	Other disorders of arteries and arterioles	10	7	3
<u>451-459</u>	<u>Diseases of veins and lymphatics, and other diseases of circulatory system</u>	<u>70</u>	<u>41</u>	<u>29</u>
<u>451-453</u>	<u>Venous thrombosis and embolism</u>	<u>21</u>	<u>14</u>	<u>7</u>
451	Phlebitis and thrombophlebitis	13	8	5
452	Portal vein thrombosis	1	1	0
453	Other venous embolism and thrombosis	7	5	2
<u>454-459</u>	<u>Other diseases of the circulatory system</u>	<u>49</u>	<u>27</u>	<u>22</u>
454	Varicose veins of lower extremities	3	1	2
455	Hemorrhoids	1	0	1
456	Varicose veins of other sites	6	4	2
457	Noninfective disorders of lymphatic channels	1	1	0
458	Hypotension	21	12	9
459	Other disorders of circulatory system	17	9	8
<u>460-519</u>	<u>DISEASES OF THE RESPIRATORY SYSTEM</u>	<u>2,238</u>	<u>1,729</u>	<u>509</u>
<u>460-466</u>	<u>Acute respiratory infections</u>	<u>9</u>	<u>7</u>	<u>2</u>
465	Acute upper respiratory infection of multiple or unspecified sites	3	3	0
466	Acute bronchitis and bronchiolitis	6	4	2
<u>470-478</u>	<u>Other diseases of upper respiratory tract</u>	<u>7</u>	<u>4</u>	<u>3</u>
473	Chronic sinusitis	3	2	1
478	Other diseases of upper respiratory tract	4	2	2
<u>480-487</u>	<u>Pneumonia and influenza</u>	<u>907</u>	<u>665</u>	<u>242</u>
<u>480-486</u>	<u>Pneumonia</u>	<u>896</u>	<u>656</u>	<u>240</u>
480	Viral	8	2	6
481	Pneumococcal	7	4	3
482	Other bacterial	27	22	5
483	Due to other specified organism	5	4	1
485	Broncho, organism unspecified	23	17	6
486	Organism unspecified	826	607	219
487	Influenza	11	9	2
<u>490-496</u>	<u>Chronic obstructive pulmonary disease and allied conditions</u>	<u>998</u>	<u>832</u>	<u>166</u>
<u>490, 491</u>	<u>Chronic and unqualified bronchitis</u>	<u>41</u>	<u>39</u>	<u>2</u>
490	Unqualified	15	14	1
491	Chronic	26	25	1
492	Emphysema	154	134	20
493	Asthma	64	32	32
494	Bronchiectasis	11	9	2
496	Chronic airways obstruction, not elsewhere classified	728	618	110
<u>500-508</u>	<u>Pneumoconioses and other lung diseases due to external agents</u>	<u>114</u>	<u>84</u>	<u>30</u>
501	Asbestosis	7	7	0
506	Respiratory conditions due to chemical fumes and vapors	3	1	2
507	Pneumonitis due to solids and liquids	103	75	28



Table 10 - Page 8  
Deaths - Mississippi - 1993

International Classification Number*	Cause*	Total	White	Non- white
508	Respiratory conditions due to other and unspecified external agents	1	1	0
<u>510-519</u>	<u>Other diseases of respiratory system</u>	<u>203</u>	<u>137</u>	<u>66</u>
510	Empyema	6	5	1
511	Pleurisy	8	6	2
512	Pneumothorax	1	1	0
513	Abscess of lung and mediastinum	6	4	2
514	Pulmonary congestion and hypostasis	17	6	11
515	Postinflammatory pulmonary fibrosis	57	45	12
516	Other alveolar and parietoalveolar pneumopathy	9	9	0
518	Other diseases of lung	90	57	33
519	Other diseases of respiratory system	9	4	5
<u>520-579</u>	<u>DISEASES OF THE DIGESTIVE SYSTEM</u>	<u>806</u>	<u>546</u>	<u>260</u>
<u>520-529</u>	<u>Diseases of oral cavity, salivary glands, and jaws</u>	<u>0</u>	<u>0</u>	<u>0</u>
<u>530-537</u>	<u>Diseases of esophagus, stomach, and duodenum</u>	<u>100</u>	<u>76</u>	<u>24</u>
530	Diseases of esophagus	24	18	6
<u>531-533</u>	<u>Peptic ulcer</u>	<u>63</u>	<u>50</u>	<u>13</u>
531	Gastric ulcer	16	11	5
532	Duodenal ulcer	22	18	4
533	Peptic ulcer, site unspecified	25	21	4
535	Gastritis and duodenitis	10	6	4
536	Disorders of function of stomach	1	1	0
537	Other disorders of stomach and duodenum	2	1	1
<u>540-543</u>	<u>Appendicitis</u>	<u>3</u>	<u>1</u>	<u>2</u>
540	Acute appendicitis	3	1	2
<u>550-553</u>	<u>Hernia of abdominal cavity</u>	<u>10</u>	<u>6</u>	<u>4</u>
550	Inguinal	1	0	1
552	Other, of abdominal cavity with obstruction, without mention of gangrene	4	2	2
553	Other, of abdominal cavity without mention of obstruction or gangrene	5	4	1
<u>555-558</u>	<u>Noninfective enteritis and colitis</u>	<u>108</u>	<u>70</u>	<u>38</u>
555	Regional enteritis	4	4	0
556	Idiopathic proctocolitis	2	1	1
557	Vascular insufficiency of intestine	84	56	28
558	Other noninfective gastroenteritis and colitis	18	9	9
<u>560-569</u>	<u>Other diseases of intestine and peritoneum</u>	<u>139</u>	<u>92</u>	<u>47</u>
560	Intestinal obstruction without mention of hernia	53	30	23
562	Diverticula of intestine	40	29	11
567	Peritonitis	20	13	7
568	Other disorders of peritoneum	2	2	0
569	Other disorders of intestine	24	18	6
<u>570-579</u>	<u>Other diseases of digestive system</u>	<u>446</u>	<u>301</u>	<u>145</u>
570	Acute and subacute necrosis of liver	6	4	2
571	Chronic liver disease and cirrhosis	232	167	65
572	Liver abscess and sequelae of chronic liver disease	30	19	11
573	Other disorders of liver	18	8	10
<u>574, 575</u>	<u>Cholelithiasis and other disorders of gallbladder</u>	<u>42</u>	<u>29</u>	<u>13</u>

Table 10 - Page 9  
Deaths - Mississippi - 1993

International Classification Number*	Cause*	Total	White	Non- white
574	Cholelithiasis	17	13	4
575	Other disorders of gallbladder	25	16	9
576	Other disorders of biliary tract	9	6	3
577	Diseases of pancreas	38	26	12
578	Gastrointestinal hemorrhage	68	39	29
579	Intestinal malabsorption	3	3	0
<u>580-629</u>	<u>DISEASES OF THE GENITOURINARY SYSTEM</u>	<u>609</u>	<u>319</u>	<u>290</u>
<u>580-589</u>	<u>Nephritis, nephrotic syndrome, and nephrosis</u>	<u>360</u>	<u>170</u>	<u>190</u>
581	Nephrotic syndrome	3	2	1
582	Chronic glomerulonephritis	21	9	12
583	Nephritis and nephropathy, unqualified	2	0	2
<u>584-587</u>	<u>Renal failure and renal sclerosis</u>	<u>333</u>	<u>159</u>	<u>174</u>
584	Acute	51	26	25
585	Chronic	74	38	36
586	Unspecified	207	95	112
587	Renal sclerosis, unspecified	1	0	1
588	Disorders resulting from impaired renal function	1	0	1
<u>590-599</u>	<u>Other diseases of urinary system</u>	<u>240</u>	<u>146</u>	<u>94</u>
590	Infections of kidney	10	6	4
591	Hydronephrosis	1	0	1
<u>592, 594</u>	<u>Calculus of urinary system</u>	<u>3</u>	<u>3</u>	<u>0</u>
592	Of kidney and ureter	3	3	0
593	Other disorders of kidney and ureter	57	19	38
596	Other disorders of bladder	3	2	1
599	Other disorders of urethra and urinary tract	166	116	50
<u>600-608</u>	<u>Diseases of male genital organs</u>	<u>7</u>	<u>3</u>	<u>4</u>
600	Hyperplasia of prostate	3	1	2
602	Other disorders of prostate	2	2	0
608	Other disorders of male genital organs	2	0	2
<u>610, 611</u>	<u>Disorders of breast</u>	<u>0</u>	<u>0</u>	<u>0</u>
<u>614-616</u>	<u>Inflammatory disease of female pelvic organs</u>	<u>1</u>	<u>0</u>	<u>1</u>
614	Inflammatory disease of ovary, fallopian tube, pelvic cellular tissue, and peritoneum	1	0	1
<u>617-629</u>	<u>Other disorders of female genital tract</u>	<u>1</u>	<u>0</u>	<u>1</u>
623	Noninflammatory disorders of vagina	1	0	1
<u>630-676</u>	<u>COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM</u>	<u>11</u>	<u>2</u>	<u>9</u>
<u>630-639</u>	<u>Pregnancy with abortive outcome</u>	<u>0</u>	<u>0</u>	<u>0</u>
<u>640-648</u>	<u>Complications mainly related to pregnancy</u>	<u>2</u>	<u>0</u>	<u>2</u>
642	Hypertension complicating pregnancy, childbirth, and the puerperium	1	0	1
648	Other current conditions in the mother classifiable elsewhere but complicating pregnancy, childbirth, and the puerperium	1	0	1
<u>650-659</u>	<u>Normal delivery, and other indications for care in pregnancy, labor, and delivery</u>	<u>0</u>	<u>0</u>	<u>0</u>
<u>660-669</u>	<u>Complications occurring mainly in the course of labor and delivery</u>	<u>0</u>	<u>0</u>	<u>0</u>

Table 10 - Page 10  
Deaths - Mississippi - 1993

International Classification Number*	Cause*	Total	White	Non- white
<u>670-676</u>	<u>Complications of the puerperium</u>	<u>9</u>	<u>2</u>	<u>7</u>
670	Major puerperal infection	3	0	3
673	Obstetrical pulmonary embolism	3	2	1
674	Other and unspecified complications of the puerperium, not elsewhere classified	3	0	3
<u>680-709</u>	<u>DISEASES OF THE SKIN AND SUBCUTANEOUS TISSUE</u>	<u>50</u>	<u>20</u>	<u>30</u>
<u>680-686</u>	<u>Infections of skin and subcutaneous tissue</u>	<u>11</u>	<u>8</u>	<u>3</u>
682	Other cellulitis and abscess	10	7	3
686	Other local infections of skin and subcutaneous tissue	1	1	0
<u>690-698</u>	<u>Other inflammatory conditions of skin and subcutaneous tissue</u>	<u>5</u>	<u>3</u>	<u>2</u>
694	Bullous dermatoses	3	2	1
695	Erythematous conditions	1	0	1
696	Psoriasis and similar disorders	1	1	0
<u>700-709</u>	<u>Other diseases of skin and subcutaneous tissue</u>	<u>34</u>	<u>9</u>	<u>25</u>
707	Chronic ulcer of skin	34	9	25
<u>710-739</u>	<u>DISEASES OF THE MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE</u>	<u>85</u>	<u>51</u>	<u>34</u>
<u>710-719</u>	<u>Arthropathies and related disorders</u>	<u>58</u>	<u>34</u>	<u>24</u>
710	Diffuse diseases of connective tissue	34	16	18
<u>711-716</u>	<u>Arthropathy, rheumatoid arthritis, and osteoarthritis</u>	<u>23</u>	<u>17</u>	<u>6</u>
714	Rheumatoid arthritis and other inflammatory polyarthropathies	19	13	6
715	Osteoarthritis and allied disorders	3	3	0
716	Other and unspecified arthropathies	1	1	0
718	Other derangement of joint	1	1	0
<u>720-724</u>	<u>Dorsopathies</u>	<u>2</u>	<u>1</u>	<u>1</u>
720	Ankylosing spondylitis and other inflammatory spondylopathies	1	0	1
723	Other disorders of cervical region	1	1	0
<u>725-729</u>	<u>Rheumatism, excluding the back</u>	<u>9</u>	<u>4</u>	<u>5</u>
728	Disorders of muscle, ligament, and fascia	2	1	1
729	Other disorders of soft tissues	7	3	4
<u>730-739</u>	<u>Osteopathies, chondropathies, and acquired musculoskeletal deformities</u>	<u>16</u>	<u>12</u>	<u>4</u>
730	Osteomyelitis, periostitis, and other infections involving bone	4	0	4
733	Other disorders of bone and cartilage	7	7	0
737	Curvature of spine	5	5	0
<u>740-759</u>	<u>CONGENITAL ANOMALIES</u>	<u>144</u>	<u>62</u>	<u>82</u>
<u>740-742</u>	<u>Nervous system</u>	<u>15</u>	<u>8</u>	<u>7</u>
740	Anencephalus and similar anomalies	7	5	2
741	Spina bifida	2	1	1
742	Other congenital anomalies of nervous system	6	2	4

Table 10 - Page 11  
Deaths - Mississippi - 1993

International Classification Number*	Cause*	Total	White	Non- white
<u>743, 744</u>	<u>Eye, ear, face, and neck</u>	<u>0</u>	<u>0</u>	<u>0</u>
<u>745- 747</u>	<u>Circulatory system</u>	<u>55</u>	<u>19</u>	<u>36</u>
745	Bulbus cordis anomalies and anomalies of cardiac septal closure	9	4	5
746	Heart	36	9	27
747	Other congenital anomalies of circulatory system	10	6	4
748	Respiratory system	14	8	6
<u>749- 751</u>	<u>Digestive system</u>	<u>5</u>	<u>3</u>	<u>2</u>
749	Cleft palate and cleft lip	1	0	1
750	Other congenital anomalies of upper alimentary tract	2	2	0
751	Other congenital anomalies of digestive system	2	1	1
<u>752, 753</u>	<u>Genitourinary system</u>	<u>8</u>	<u>5</u>	<u>3</u>
753	Urinary system	8	5	3
<u>754- 756</u>	<u>Musculoskeletal system</u>	<u>5</u>	<u>3</u>	<u>2</u>
756	Other congenital musculoskeletal anomalies	5	3	2
758	Chromosomal anomalies	29	9	20
759	Other and unspecified congenital anomalies	13	7	6
<u>760- 779</u>	<u>CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD</u>	<u>206</u>	<u>73</u>	<u>133</u>
760	Maternal conditions unrelated to present pregnancy	7	4	3
<u>761- 763</u>	<u>Complications of pregnancy, labor, and delivery</u>	<u>32</u>	<u>13</u>	<u>19</u>
761	Maternal complications of pregnancy	18	6	12
762	Complications of placenta, cord, and membranes	12	6	6
763	Other complications of labor and delivery	2	1	1
764	Slow fetal growth and fetal malnutrition	2	0	2
<u>765, 766</u>	<u>Disorders relating to gestation</u>	<u>53</u>	<u>11</u>	<u>42</u>
765	Short gestation and unspecified low birthweight	53	11	42
767	Birth trauma	3	2	1
<u>768- 770</u>	<u>Respiratory conditions of fetus and newborn</u>	<u>58</u>	<u>21</u>	<u>37</u>
768	Intrauterine hypoxia and birth asphyxia	3	1	2
769	Respiratory distress syndrome	22	6	16
770	Other respiratory conditions of fetus and newborn	33	14	19
771	Infections specific to the perinatal period	14	6	8
772	Fetal and neonatal hemorrhage	6	0	6
775	Endocrine and metabolic disturbances specific to the fetus and newborn	1	0	1
776	Hematological disorders of fetus and newborn	1	0	1
777	Perinatal disorders of digestive system	7	2	5
778	Conditions involving the integument and temperature regulation of fetus and newborn	5	3	2
779	Other and ill-defined conditions originating in the perinatal period	17	11	6
<u>780- 799</u>	<u>SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS</u>	<u>272</u>	<u>150</u>	<u>122</u>

Table 10 - Page 12  
Deaths - Mississippi - 1993

International Classification Number*	Cause*	Total	White	Non- white
<u>780-789</u>	<u>Symptoms</u>	<u>27</u>	<u>14</u>	<u>13</u>
780	General	13	6	7
785	Involving cardiovascular system	11	6	5
786	Involving respiratory system and other chest symptoms	1	0	1
787	Involving digestive system	1	1	0
789	Other involving abdomen and pelvis	1	1	0
<u>790-796</u>	<u>Nonspecific abnormal findings</u>	<u>3</u>	<u>1</u>	<u>2</u>
790	Nonspecific findings on examination of blood	3	1	2
<u>797-799</u>	<u>Ill-defined and unknown causes of morbidity and mortality</u>	<u>242</u>	<u>135</u>	<u>107</u>
797	Senility without mention of psychosis	13	9	4
798	Sudden death, cause unknown	76	28	48
799	Other ill-defined and unknown causes	153	98	55
<u>800-999</u>	<u>EXTERNAL CAUSES OF INJURY AND POISONING</u>	<u>2,400</u>	<u>1,355</u>	<u>1,045</u>
<u>800-949</u>	<u>Accidents and adverse effects</u>	<u>1,566</u>	<u>970</u>	<u>596</u>
<u>800-807</u>	<u>Railway</u>	<u>7</u>	<u>5</u>	<u>2</u>
802	Involving derailment without antecedent collision	2	1	1
805	Hit by rolling stock	5	4	1
<u>810-825</u>	<u>Motor vehicle</u>	<u>968</u>	<u>580</u>	<u>288</u>
<u>(810-819)</u>	<u>(Traffic)</u>	<u>854</u>	<u>569</u>	<u>285</u>
810	Involving collision with train	15	10	5
812	Involving collision with another motor vehicle	471	323	148
813	Involving collision with other vehicle	7	2	5
814	Involving collision with pedestrian	48	21	27
815	Other involving collision on the highway	35	22	13
816	Due to loss of control, without collision on the highway	179	117	62
818	Other noncollision	9	5	4
819	Of unspecified nature	90	69	21
<u>(820-825)</u>	<u>(Nontraffic)</u>	<u>14</u>	<u>11</u>	<u>3</u>
821	Involving other off-road motor vehicle	5	5	0
822	Involving collision of other motor vehicle with moving object	7	5	2
823	Involving collision with stationary object	1	0	1
825	Of other and unspecified nature	1	1	0
<u>826-829</u>	<u>Other road vehicle</u>	<u>1</u>	<u>1</u>	<u>0</u>
828	Involving animal being ridden	1	1	0
<u>830-838</u>	<u>Water transport</u>	<u>22</u>	<u>16</u>	<u>6</u>
830	Accident to watercraft causing submersion	5	3	2
831	Accident to watercraft causing other injury	1	1	0
832	Other submersion or drowning in water transport	13	9	4
836	Machinery accident in water transport	1	1	0
838	Other and unspecified	2	2	0
<u>840-845</u>	<u>Air and space transport</u>	<u>12</u>	<u>10</u>	<u>2</u>
840	Accident to powered aircraft at takeoff or landing	3	3	0

Table 10 - Page 13  
Deaths - Mississippi - 1993

International Classification Number*	Cause*	Total	White	Non- white
841	Accident to powered aircraft, other and unspecified	8	6	2
842	Accident to unpowered aircraft	1	1	0
<u>846-848</u>	<u>Vehicle accidents not elsewhere classifiable</u>	<u>1</u>	<u>1</u>	<u>0</u>
846	Accidents involving powered vehicles used solely within the buildings and premises of an industrial or commercial establishment	1	1	0
<u>850-869</u>	<u>Poisoning</u>	<u>53</u>	<u>35</u>	<u>18</u>
<u>(850-858)</u>	<u>(By drugs, medicaments, and biologicals)</u>	<u>37</u>	<u>26</u>	<u>11</u>
850	Analgesics, antipyretics, antirheumatics	6	5	1
853	Tranquillizers	2	2	0
854	Other psychotropic agents	1	1	0
855	Other drugs acting on central and autonomic nervous systems	5	2	3
856	Antibiotics	2	1	1
857	Anti-infectives	1	1	0
858	Other drugs	20	14	6
<u>(860-869)</u>	<u>(By other solid and liquid substances, gases, and vapors)</u>	<u>16</u>	<u>9</u>	<u>7</u>
860	Alcohol, not elsewhere classified	2	0	2
862	Petroleum products, other solvents and their vapors, not elsewhere classified	1	1	0
863	Agricultural and horticultural chemical and pharmaceutical preparations other than plant foods and fertilizers	1	0	1
866	Other and unspecified solid and liquid substances	2	1	1
867	Gas distributed by pipeline	1	1	0
868	Other utility gas and other carbon monoxide	6	4	2
869	Other gases and vapors	3	2	1
<u>870-876</u>	<u>Misadventures to patients during surgical and medical care</u>	<u>12</u>	<u>9</u>	<u>3</u>
870	Accidental cut, puncture, perforation, or hemorrhage during medical care	7	6	1
871	Foreign object left in body during procedure	1	1	0
875	Contaminated or infected blood, other fluid, drug or biological substance	1	1	0
876	Other and unspecified misadventures during medical care	3	1	2
<u>878, 879</u>	<u>Surgical and medical procedures as the cause of abnormal reaction of patient or later complication, without mention of misadventures at the time of procedure</u>	<u>30</u>	<u>21</u>	<u>9</u>
878	Surgical operation or other surgical procedure	21	15	6
879	Other procedures	9	6	3
<u>880-888</u>	<u>Falls</u>	<u>146</u>	<u>119</u>	<u>27</u>
880	On or from stairs or steps	1	0	1
881	On or from ladders or scaffolding	5	5	0
882	From or out of building or other structure	9	7	2
883	Into hole or other opening in surface	1	0	1
884	Other from one level to another	11	10	1

Table 10 - Page 14  
Deaths - Mississippi - 1993

International Classification Number*	Cause*	Total	White	Non- white
885	On same level from slipping, tripping, or stumbling	6	6	0
887	Fracture, cause unspecified	23	19	4
888	Other and unspecified fall	90	72	18
<u>890-899</u>	<u>Caused by fires and flames</u>	<u>125</u>	<u>33</u>	<u>92</u>
890	Conflagration in private dwelling	99	25	74
892	Conflagration not in building or structure	1	1	0
893	Ignition of clothing	10	1	9
894	Ignition of highly inflammable material	1	0	1
895	Controlled fire in private dwelling	4	0	4
897	Controlled fire not in building or structure	2	2	0
899	Unspecified fire	8	4	4
<u>900-909</u>	<u>Due to natural and environmental factors</u>	<u>29</u>	<u>10</u>	<u>19</u>
900	Excessive heat	9	2	7
901	Excessive cold	10	3	7
904	Hunger, thirst, exposure, and neglect	5	1	4
905	Venomous animals and plants as the cause of poisoning and toxic reactions	2	2	0
906	Other injury caused by animals	1	1	0
907	Lightning	2	1	1
<u>910-915</u>	<u>Accidents caused by submersion, suffocation, and foreign bodies</u>	<u>117</u>	<u>51</u>	<u>66</u>
910	Drowning and submersion	51	23	28
911	Inhalation and ingestion of food causing obstruction of respiratory tract or suffocation	18	9	9
912	Inhalation and ingestion of other object causing obstruction of respiratory tract or suffocation	37	13	24
913	Mechanical suffocation	8	4	4
915	Foreign body accidentally entering other orifice	3	2	1
<u>916-929</u>	<u>Other accidents</u>	<u>142</u>	<u>78</u>	<u>64</u>
916	Struck by falling object	17	11	6
917	Striking against or struck by objects or persons	3	1	2
918	Caught accidentally in or between objects	1	1	0
919	Caused by machinery	14	10	4
921	Caused by explosion of pressure vessel	2	1	1
922	Caused by firearm missile	50	23	27
923	Caused by explosive material	7	2	5
924	Caused by hot substance or object, caustic or corrosive material, and steam	3	1	2
925	Caused by electric current	11	6	5
927	Overexertion and strenuous movements	1	1	0
928	Other and unspecified environmental and accidental causes	26	14	12
929	Late effects of accidental injury	7	7	0
<u>930-949</u>	<u>Drugs, medicaments, and biological substances causing adverse effects in therapeutic use</u>	<u>1</u>	<u>1</u>	<u>0</u>
947	Other and unspecified drugs and medicaments	1	1	0

Table 10 - Page 15  
Deaths - Mississippi - 1993

International Classification		Total	White	Non-white
Number*	Cause*			
<u>950-959</u>	<u>Suicide and self-inflicted injury</u>	<u>327</u>	<u>261</u>	<u>66</u>
<u>950-952</u>	<u>By poisoning</u>	<u>25</u>	<u>21</u>	<u>4</u>
950	By solid or liquid substances	21	17	4
952	By other gases and vapors	4	4	0
953	By hanging, strangulation, and suffocation	28	18	10
954	By submersion (drowning)	4	3	1
955	By firearms and explosives	265	215	50
956	By cutting and piercing instruments	2	2	0
957	By jumping from high place	1	0	1
958	By other and unspecified means	2	2	0
<u>960-978</u>	<u>Homicide and injury purposely inflicted by other persons; legal intervention</u>	<u>491</u>	<u>117</u>	<u>374</u>
<u>960-969</u>	<u>Homicide and injury purposely inflicted by other persons</u>	<u>489</u>	<u>117</u>	<u>372</u>
960	Fight, brawl, rape	2	1	1
963	Assault by hanging and strangulation	21	9	12
964	Assault by submersion (drowning)	1	0	1
965	Assault by firearms and explosives	348	75	273
966	Assault by cutting and piercing instrument	69	14	55
968	Assault by other and unspecified means	47	18	29
969	Late effects of injury purposely inflicted by other person	1	0	1
<u>970-978</u>	<u>Legal intervention</u>	<u>2</u>	<u>0</u>	<u>2</u>
970	Injury by firearms	2	0	2
<u>980-989</u>	<u>Injury undetermined whether accidentally or purposely inflicted</u>	<u>16</u>	<u>7</u>	<u>9</u>
980	Poisoning by solid or liquid substances	4	1	3
984	Submersion (drowning)	2	0	2
985	Injury by firearms and explosives	5	4	1
988	Injury by other and unspecified means	5	2	3
<u>990-999</u>	<u>Injury resulting from operations of war</u>	<u>0</u>	<u>0</u>	<u>0</u>

\* Numbers and causes are from the Ninth Revision International Statistical Classification of Diseases, Injuries, and Causes of Death. If no deaths were reported for a specific three-digit category, number and cause were omitted from this listing.



**TABLE 11**  
**DEATHS FROM MAJOR CAUSE GROUPS AND CERTAIN SELECTED CAUSES, BY RACE, SEX, AND AGE,**  
**ALSO RATES FOR MAJOR CAUSE GROUPS AND CERTAIN SELECTED CAUSES,**  
**MISSISSIPPI RESIDENTS, 1993**

INTER- NATIONAL CLASSI- FICATION NUMBER*	CAUSE*	TOTAL		R A C E	TOTAL BY RACE	SEX	TOTAL BY RACE AND SEX	AGE												
		NUMBER	RATE#					<1	1-4	5-9	10-14	15-24	25-34	35-44	45-54	55-64	65 AND OVER			
001-999	ALL CAUSES	26,271	10.2	W	17,003	M	8,952	92	22	15	26	210	274	375	654	1,255	6,026	3		
							F	8,051	86	19	10	7	67	104	163	346	634	6,615	0	
							NW	M	4,931	162	45	20	14	260	264	412	460	623	2,666	5
								F	4,337	142	34	11	18	75	131	225	291	453	2,953	4
001-139	INFECTIOUS AND PARASITIC DISEASES	553	21.5	W	272	M	166	3	2	1	0	1	28	22	21	18	70	0		
							F	106	1	0	0	0	3	1	2	6	7	86	0	
							NW	M	175	3	3	1	0	5	42	42	17	14	48	0
								F	106	5	3	1	0	2	11	13	12	4	55	0
010-018	TUBERCULOSIS	29	1.1	W	8	M	5	0	0	0	0	0	0	0	0	0	5	0		
							F	3	0	0	0	0	0	0	0	1	2	0		
							NW	M	14	0	0	0	0	1	0	2	1	1	9	0
								F	7	0	0	0	0	0	0	1	1	0	5	0
042-044	HUMAN IMMUNODEFICIENCY VIRUS INFECTION	192	7.5	W	79	M	73	0	0	0	0	1	25	20	18	7	2	0		
							F	6	0	0	0	0	1	1	1	1	0	2	0	
							NW	M	91	0	0	0	0	3	39	33	10	3	3	0
								F	22	0	0	0	0	2	10	8	1	0	1	0
140-208	MALIGNANT NEOPLASMS	5,539	215.2	W	3,710	M	2,040	0	0	1	2	10	17	52	153	414	1,391	0		
							F	1,670	1	2	2	1	0	20	53	154	242	1,195	0	
							NW	M	1,008	1	0	3	0	5	12	40	110	176	661	0
								F	821	0	0	0	1	6	14	59	83	130	527	1
210-239	BENIGN NEOPLASMS AND NEOPLASMS OF UNDETERMINED NATURE	62	2.4	W	41	M	16	0	0	1	0	0	1	0	3	2	9	0		
							F	25	0	2	0	0	0	1	2	1	1	18	0	
							NW	M	15	0	0	0	1	0	1	0	0	3	10	0
								F	6	0	0	0	0	0	0	0	1	0	5	0

TABLE 11 - PAGE 2  
DEATHS - MISSISSIPPI - 1993

INTER- NATIONAL CLASSI- FICATION NUMBER*	CAUSE*	TOTAL		R A C E	TOTAL BY RACE	SEX	TOTAL BY RACE AND SEX	AGE										65 AND OVER	U N K	
		NUMBER	RATE#					<1	1-4	5-9	10-14	15-24	25-34	35-44	45-54	55-64				
<u>240-279</u>	<u>ENDOCRINE, NUTRITIONAL, AND METABOLIC DISEASES AND IMMUNITY DISORDERS</u>	<u>679</u>	<u>26.4</u>	W	<u>328</u>	M	<u>147</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>1</u>	<u>5</u>	<u>11</u>	<u>15</u>	<u>23</u>	<u>92</u>	<u>0</u>		
							F	<u>181</u>	<u>0</u>	<u>1</u>	<u>0</u>	<u>0</u>	<u>2</u>	<u>6</u>	<u>3</u>	<u>9</u>	<u>15</u>	<u>145</u>	<u>0</u>	
							NW	M	<u>134</u>	<u>2</u>	<u>2</u>	<u>0</u>	<u>0</u>	<u>1</u>	<u>5</u>	<u>7</u>	<u>16</u>	<u>18</u>	<u>83</u>	<u>0</u>
								F	<u>217</u>	<u>2</u>	<u>0</u>	<u>1</u>	<u>0</u>	<u>2</u>	<u>2</u>	<u>9</u>	<u>16</u>	<u>35</u>	<u>149</u>	<u>1</u>
250	DIABETES MELLITUS	483	18.8	W	228	M	108	0	0	0	0	0	3	7	11	17	70	0		
							F	120	0	0	0	0	1	3	3	5	11	97	0	
							NW	M	92	0	0	0	0	1	3	5	14	15	54	0
								F	163	0	0	0	0	1	2	6	11	30	113	0
260-269	NUTRITIONAL DEFICIENCIES	50	1.9	W	29	M	11	0	0	0	0	0	0	0	0	2	9	0		
							F	18	0	0	0	0	0	0	1	0	17	0		
							NW	M	8	0	1	0	0	0	0	0	1	6	0	
								F	13	0	0	0	0	0	0	0	1	11	1	
<u>280-289</u>	<u>DISEASES OF BLOOD AND BLOOD-FORMING ORGANS</u>	<u>120</u>	<u>4.7</u>	W	<u>79</u>	M	<u>40</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>1</u>	<u>0</u>	<u>2</u>	<u>2</u>	<u>35</u>	<u>0</u>		
							F	<u>39</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>5</u>	<u>34</u>	<u>0</u>		
							NW	M	<u>18</u>	<u>1</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>2</u>	<u>1</u>	<u>5</u>	<u>5</u>	<u>0</u>	<u>4</u>	<u>0</u>
								F	<u>23</u>	<u>0</u>	<u>1</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>3</u>	<u>2</u>	<u>1</u>	<u>3</u>	<u>12</u>	<u>1</u>
280-285	ANEMIAS	59	2.3	W	33	M	16	0	0	0	0	0	0	1	1	14	0			
							F	17	0	0	0	0	0	0	0	2	15	0		
							NW	M	11	1	0	0	0	1	1	2	3	0	3	0
								F	15	0	1	0	0	0	2	2	1	3	5	1
<u>290-319</u>	<u>MENTAL DISORDERS</u>	<u>243</u>	<u>9.4</u>	W	<u>155</u>	M	<u>83</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>1</u>	<u>5</u>	<u>7</u>	<u>18</u>	<u>52</u>	<u>0</u>		
							F	<u>72</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>4</u>	<u>1</u>	<u>2</u>	<u>1</u>	<u>64</u>	<u>0</u>	
							NW	M	<u>60</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>1</u>	<u>2</u>	<u>11</u>	<u>10</u>	<u>6</u>	<u>30</u>	<u>0</u>
								F	<u>28</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>2</u>	<u>3</u>	<u>3</u>	<u>20</u>	<u>0</u>
303	ALCOHOLISM	54	2.1	W	28	M	24	0	0	0	0	0	1	4	4	10	5	0		
							F	4	0	0	0	0	0	1	0	2	0	1	0	
							NW	M	21	0	0	0	0	0	0	5	6	4	6	0
								F	5	0	0	0	0	0	0	1	2	2	0	0

TABLE 11 - PAGE 3  
DEATHS - MISSISSIPPI - 1993

INTER- NATIONAL CLASSI- FICATION NUMBER*	CAUSE	TOTAL		R A C E	TOTAL BY RACE	SEX	TOTAL BY RACE AND SEX	AGE													
		NUMBER	RATE#					<1	1-4	5-9	10-14	15-24	25-34	35-44	45-54	55-64	65 AND OVER				
320-389	<u>DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS</u>	414	16.1	W	298	M	145	1	1	1	2	3	3	3	7	10	114	0			
							F	153	1	2	1	0	2	3	5	9	11	119	0		
							NW	M	116	3	2	0	0	3	2	10	9	9	29	0	
								F	49	4	2	0	1	4	1	4	4	7	22	0	
320-322	MENINGITIS	7	0.3	W	4	M	3	1	0	0	0	0	0	0	0	0	2	0			
							F	1	0	0	0	0	0	1	0	0	0	0	0		
							NW	M	3	1	0	0	0	0	1	0	0	0	1	0	
								F	0	0	0	0	0	0	0	0	0	0	0	0	
345	EPILEPSY	22	0.8	W	5	M	2	0	0	0	0	0	0	2	0	0	0	0			
							F	3	0	0	0	0	0	1	0	0	0	2	0		
							NW	M	17	11	0	0	0	0	1	0	4	2	1	3	0
								F	6	6	0	0	0	0	1	0	2	1	1	1	0
390-459	<u>DISEASES OF THE CIRCULATORY SYSTEM</u>	11,840	460.1	W	7,813	M	3,844	3	0	2	3	5	21	95	276	529	2,910	0			
							F	3,969	3	0	2	0	4	10	29	81	235	3,605	0		
							NW	M	4,027	1,918	6	3	2	0	10	20	115	187	282	1,292	1
								F	2,109	4	2	1	1	6	36	69	112	191	1,686	1	
390-398, 402, 404-429	HEART DISEASES	9,492	368.9	W	6,346	M	3,211	2	0	1	2	4	17	80	249	472	2,384	0			
							F	3,135	1	0	2	0	2	7	23	65	191	2,844	0		
							NW	M	3,146	1,536	4	3	1	0	9	15	88	152	241	1,022	1
								F	1,610	2	1	1	1	5	28	49	84	155	1,284	0	
401, 403	HYPERTENSION	144	5.6	W	65	M	32	0	0	0	0	0	0	2	3	1	26	0			
							F	33	0	0	0	0	0	0	0	0	5	28	0		
							NW	M	79	36	0	0	0	0	0	1	5	5	8	17	0
								F	43	43	0	1	0	0	0	0	1	2	4	35	0
430-438	CEREBROVASCULAR DISEASES	1,762	68.5	W	1,090	M	426	1	0	1	1	1	3	11	17	40	351	0			
							F	664	1	0	0	0	2	2	4	15	35	605	0		
							NW	M	672	286	2	0	1	0	0	4	16	26	27	210	0
								F	386	386	2	0	0	0	0	7	15	22	31	309	0

TABLE 11 - PAGE 4  
DEATHS - MISSISSIPPI - 1993

INTER- NATIONAL CLASSI- FICATION NUMBER*	CAUSE*	TOTAL		R A C E	TOTAL BY RACE	SEX	TOTAL BY RACE AND SEX	AGE											65 AND OVER	U N K
		NUMBER	RATE#					<1	1-4	5-9	10-14	15-24	25-34	35-44	45-54	55-64				
440	ATHEROSCLEROSIS	135	5.2	W	101	M	36	0	0	0	0	0	0	0	1	1	34	0		
						F	65	0	0	0	0	0	0	0	0	0	65	0		
				NW	34	M	15	0	0	0	0	0	0	0	0	1	14	0		
						F	19	0	0	0	0	0	0	0	0	0	19	0		
460-519	<u>DISEASES OF THE RESPIRATORY SYSTEM</u>	<u>2,238</u>	<u>87.0</u>	W	<u>1,729</u>	M	<u>934</u>	<u>4</u>	<u>0</u>	<u>0</u>	<u>1</u>	<u>3</u>	<u>3</u>	<u>14</u>	<u>26</u>	<u>91</u>	<u>792</u>	<u>0</u>		
						F	<u>795</u>	<u>2</u>	<u>2</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>5</u>	<u>7</u>	<u>22</u>	<u>57</u>	<u>700</u>	<u>0</u>		
				NW	<u>509</u>	M	<u>307</u>	<u>9</u>	<u>0</u>	<u>1</u>	<u>0</u>	<u>1</u>	<u>6</u>	<u>10</u>	<u>17</u>	<u>29</u>	<u>232</u>	<u>2</u>		
						F	<u>202</u>	<u>7</u>	<u>2</u>	<u>0</u>	<u>0</u>	<u>7</u>	<u>3</u>	<u>7</u>	<u>12</u>	<u>21</u>	<u>143</u>	<u>0</u>		
480-486	PNEUMONIA	896	34.8	W	656	M	315	2	0	0	1	1	1	11	14	17	268	0		
						F	341	0	1	0	0	0	2	0	6	10	322	0		
				NW	240	M	139	7	0	0	0	1	2	7	7	10	104	1		
						F	101	2	2	0	0	4	2	2	1	5	83	0		
487	INFLUENZA	11	0.4	W	9	M	4	0	0	0	0	0	0	1	0	0	3	0		
						F	5	0	0	0	0	0	0	0	0	1	4	0		
				NW	2	M	1	0	0	0	0	0	0	0	0	0	1	0		
						F	1	0	0	0	0	0	0	0	1	0	0	0		
492	EMPHYSEMA	154	6.0	W	134	M	88	0	0	0	0	0	0	0	2	16	70	0		
						F	46	0	0	0	0	0	0	0	1	12	33	0		
				NW	20	M	16	0	0	0	0	0	0	0	2	1	13	0		
						F	4	0	0	0	0	0	0	1	0	0	3	0		
490, 491	<u>OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES AND ALLIED CONDITIONS</u>	<u>844</u>	<u>32.8</u>	W	<u>698</u>	M	<u>397</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>6</u>	<u>51</u>	<u>340</u>	<u>0</u>		
						F	<u>301</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>1</u>	<u>5</u>	<u>11</u>	<u>28</u>	<u>256</u>	<u>0</u>		
				NW	<u>146</u>	M	<u>94</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>1</u>	<u>0</u>	<u>4</u>	<u>11</u>	<u>77</u>	<u>1</u>		
						F	<u>52</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>1</u>	<u>1</u>	<u>3</u>	<u>3</u>	<u>7</u>	<u>37</u>	<u>0</u>		
520-579	<u>DISEASES OF THE DIGESTIVE SYSTEM</u>	<u>806</u>	<u>31.3</u>	W	<u>546</u>	M	<u>266</u>	<u>1</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>7</u>	<u>21</u>	<u>29</u>	<u>43</u>	<u>164</u>	<u>1</u>		
						F	<u>280</u>	<u>3</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>2</u>	<u>7</u>	<u>19</u>	<u>19</u>	<u>230</u>	<u>0</u>		
				NW	<u>260</u>	M	<u>128</u>	<u>2</u>	<u>5</u>	<u>0</u>	<u>0</u>	<u>1</u>	<u>3</u>	<u>18</u>	<u>16</u>	<u>22</u>	<u>61</u>	<u>0</u>		
						F	<u>132</u>	<u>1</u>	<u>1</u>	<u>0</u>	<u>1</u>	<u>0</u>	<u>11</u>	<u>7</u>	<u>15</u>	<u>13</u>	<u>83</u>	<u>0</u>		

TABLE 11 - PAGE 5  
DEATHS - MISSISSIPPI - 1993

INTER- NATIONAL CLASSI- FICATION NUMBER*	CAUSE*	TOTAL		R A C E	TOTAL BY RACE	SEX	TOTAL BY RACE AND SEX	AGE										65 AND OVER	U N K		
		NUMBER	RATE#					<1	1-4	5-9	10-14	15-24	25-34	35-44	45-54	55-64					
531-533	ULCER OF STOMACH AND DUODENUM	63	2.4	W	50	M	22	0	0	0	0	0	0	1	1	2	18	0			
							F	28	1	0	0	0	0	0	1	1	2	23	0		
							NW	13	M	6	0	0	0	0	0	0	1	3	0	2	0
									F	7	0	0	0	0	0	0	0	2	0	5	0
571	CHRONIC LIVER DISEASE AND CIRRHOSIS	232	9.0	W	167	M	102	1	0	0	0	0	3	10	17	25	46	0			
							F	65	0	0	0	0	0	5	13	10	37	0			
							NW	65	M	47	0	0	0	0	1	2	12	11	13	8	0
									F	18	0	0	0	0	0	5	2	5	1	5	0
580-629	<u>DISEASES OF THE GENITOURINARY SYSTEM</u>	609	23.7	W	319	M	149	0	0	0	0	0	2	1	5	14	127	0			
							F	170	0	0	1	0	0	1	1	7	160	0			
							NW	290	M	115	0	0	0	1	1	1	6	9	11	86	0
									F	175	3	0	0	0	0	2	6	9	18	137	0
580-589	NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS	360	14.0	W	170	M	94	0	0	0	0	0	1	1	4	8	80	0			
							F	76	0	0	1	0	0	1	0	4	70	0			
							NW	190	M	74	0	0	0	1	0	1	6	5	9	52	0
									F	116	2	0	0	0	0	0	2	6	14	92	0
590	INFECTIONS OF KIDNEY	10	0.4	W	6	M	0	0	0	0	0	0	0	0	0	0	0	0			
							F	6	0	0	0	0	0	0	0	0	0	6	0		
							NW	4	M	0	0	0	0	0	0	0	0	0	0	0	0
									F	4	0	0	0	0	0	1	0	1	0	2	0
630-676	<u>COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM</u>	11	26.1	W	2	M	0	0	0	0	0	0	0	0	0	0	0	0			
							F	2	0	0	0	0	1	1	0	0	0	0	0		
							NW	9	M	0	0	0	0	0	0	0	0	0	0	0	0
									F	9	0	0	0	0	4	4	1	0	0	0	0
680-709	<u>DISEASES OF THE SKIN AND SUBCUTANEOUS TISSUE</u>	50	1.9	W	20	M	10	0	0	0	0	0	0	0	2	3	5	0			
							F	10	0	0	0	0	0	0	0	0	0	10	0		
							NW	30	M	14	0	0	0	0	0	0	1	0	0	13	0
									F	16	0	0	1	0	0	0	1	0	0	14	0

TABLE 11 - PAGE 6  
DEATHS - MISSISSIPPI - 1993

INTER- NATIONAL CLASSI- FICATION NUMBER*	CAUSE*	TOTAL		R A C E	TOTAL BY RACE	SEX	TOTAL BY RACE AND SEX	AGE										65 AND OVER	U N K
		NUMBER	RATE#					<1	1-4	5-9	10-14	15-24	25-34	35-44	45-54	55-64			
710-739	<u>DISEASES OF THE MUSCULOSKELETAL SYSTEM</u>	85	3.3	W	51	M	16	0	0	0	0	0	0	1	2	1	12	0	
							35	0	0	0	0	2	1	0	4	28	0		
							NW	34	M	12	0	0	0	0	0	1	2	1	4
F	22	0	0	0	1	3				5	4	2	7	0					
740-759	<u>CONGENITAL ANOMALIES</u>	144	5.6	W	62	M	26	19	1	2	1	0	0	0	1	1	1	0	
							36	24	4	1	0	0	3	1	0	3	0		
							NW	82	M	39	20	7	0	0	6	2	0	2	0
F	43	34	5	0	2	0				2	0	0	0	0	0				
760-779	<u>CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD</u>	206	4.9	W	73	M	36	36	0	0	0	0	0	0	0	0	0	0	
							37	37	0	0	0	0	0	0	0	0	0	0	
							NW	133	M	82	82	0	0	0	0	0	0	0	0
F	51	51	0	0	0	0				0	0	0	0	0	0				
780-799	<u>SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS</u>	272	10.6	W	150	M	76	19	1	0	0	1	1	2	2	5	45	0	
							74	10	0	0	0	1	1	0	1	4	57	0	
							NW	122	M	59	26	0	0	0	2	5	3	5	2
F	63	24	1	0	0	0				0	2	2	7	27	0				
800-999	<u>ALL EXTERNAL CAUSES</u>	2,400	93.3	W	1,355	M	958	6	17	7	17	186	184	148	103	81	207	2	
							397	4	6	3	6	54	48	49	40	26	161	0	
							NW	1,045	M	780	7	23	13	12	222	161	142	56	47
F	265	7	17	7	12	43				41	36	17	19	66	0				
810-825	<u>OTOR VEHICLE ACCIDENTS</u>	868	33.7	W	580	M	397	2	11	2	8	115	87	57	31	24	58	2	
							183	4	2	1	4	43	30	24	16	12	47	0	
							NW	288	M	213	2	8	4	0	57	52	36	18	15
F	75	4	5	1	4	10				10	20	6	4	11	0				
800-807, 826-949	<u>ALL OTHER ACCIDENTS AND ADVERSE EFFECTS</u>	698	27.1	W	390	M	250	4	5	4	5	22	31	32	29	27	91	0	
							140	0	4	2	1	0	6	9	13	3	102	0	
							NW	308	M	212	2	14	7	6	33	28	32	19	17
F	96	3	9	4	5	5				6	5	6	10	43	0				

TABLE 11 - PAGE 7  
DEATHS - MISSISSIPPI - 1993

INTER- NATIONAL CLASSI- FICATION NUMBER*	CAUSE*	TOTAL		R A C E	TOTAL BY RACE SEX	SEX	TOTAL BY RACE AND SEX	AGE												
		NUMBER	RATE#					<1	1-4	5-9	10-14	15-24	25-34	35-44	45-54	55-64	65 U AND N OVER K			
950-959	SUICIDE	327	12.7	W	261	M	214	0	0	0	2	37	40	35	30	22	48	0		
							47	0	0	0	6	5	9	7	9	11	0			
							66	M	58	0	0	0	2	21	14	7	4	3	7	0
									8	0	0	0	3	3	0	0	1	1	0	
960-978	HOMICIDE AND LEGAL INTERVENTION	491	19.1	W	117	M	91	0	1	1	1	11	25	22	13	8	9	0		
							26	0	0	0	1	5	7	6	4	2	1	0		
							374	M	291	3	1	2	4	110	67	66	13	11	13	1
									83	0	3	2	3	24	22	9	5	4	11	0

\* NUMBERS AND CAUSES ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.

# TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES (CLASSIFICATION NUMBERS 630-676) ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (CLASSIFICATION NUMBERS 760-779) ARE PER 1,000 LIVE BIRTHS.

TABLE 12A  
 INFANT, NEONATAL, AND POSTNEONATAL DEATHS\*,  
 BY COUNTY OF RESIDENCE AND RACE,  
 MISSISSIPPI, 1993

COUNTY	INFANT DEATHS			NEONATAL DEATHS			POSTNEONATAL DEATHS		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>STATE</u>	<u>482</u>	<u>178</u>	<u>304</u>	<u>298</u>	<u>111</u>	<u>187</u>	<u>184</u>	<u>67</u>	<u>117</u>
ADAMS	6	0	6	5	0	5	1	0	1
ALCORN	6	6	0	4	4	0	2	2	0
AMITE	0	0	0	0	0	0	0	0	0
ATTALA	2	0	2	1	0	1	1	0	1
BENTON	1	0	1	1	0	1	0	0	0
BOLIVAR	10	3	7	4	1	3	6	2	4
CALHOUN	10	6	4	7	6	1	3	0	3
CARROLL	1	0	1	0	0	0	1	0	1
CHICKASAW	5	2	3	5	2	3	0	0	0
CHOCTAW	0	0	0	0	0	0	0	0	0
CLAIBORNE	0	0	0	0	0	0	0	0	0
CLARKE	3	3	0	2	2	0	1	1	0
CLAY	3	2	1	2	1	1	1	1	0
COAHOMA	12	0	12	9	0	9	3	0	3
COPIAH	4	2	2	3	2	1	1	0	1
COVINGTON	4	1	3	3	0	3	1	1	0
DESOTO	7	5	2	5	3	2	2	2	0
FORREST	19	8	11	12	5	7	7	3	4
FRANKLIN	4	0	4	2	0	2	2	0	2
GEORGE	4	4	0	3	3	0	1	1	0
GREENE	0	0	0	0	0	0	0	0	0
GRENADA	3	0	3	1	0	1	2	0	2
HANCOCK	4	2	2	1	1	0	3	1	2
HARRISON	21	16	5	12	10	2	9	6	3
HINDS	50	9	41	37	5	32	13	4	9
HOLMES	6	0	6	3	0	3	3	0	3
HUMPHREYS	1	0	1	0	0	0	1	0	1
ISSAQUENA	0	0	0	0	0	0	0	0	0
ITAWAMBA	2	1	1	0	0	0	2	1	1
JACKSON	17	11	6	11	7	4	6	4	2
JASPER	0	0	0	0	0	0	0	0	0
JEFFERSON	4	0	4	3	0	3	1	0	1
JEFF DAVIS	1	0	1	1	0	1	0	0	0
JONES	11	3	8	6	1	5	5	2	3
KEMPER	0	0	0	0	0	0	0	0	0
LAFAYETTE	5	1	4	3	1	2	2	0	2
LAMAR	5	3	2	4	2	2	1	1	0
LAUDERDALE	5	0	5	2	0	2	3	0	3
LAWRENCE	3	2	1	3	2	1	0	0	0
LEAKE	6	1	5	2	0	2	4	1	3
LEE	23	12	11	14	6	8	9	6	3
LEFLORE	9	0	9	6	0	6	3	0	3



## INFANT, NEONATAL, AND POSTNEONATAL DEATHS - MISSISSIPPI - 1993

COUNTY	INFANT DEATHS			NEONATAL DEATHS			POSTNEONATAL DEATHS		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
LINCOLN	3	3	0	3	3	0	0	0	0
LOWNDES	21	5	16	16	5	11	5	0	5
MADISON	13	4	9	5	0	5	8	4	4
MARION	1	1	0	1	1	0	0	0	0
MARSHALL	7	2	5	4	1	3	3	1	2
MONROE	2	2	0	2	2	0	0	0	0
MONTGOMERY	1	1	0	1	1	0	0	0	0
NESHOBA	5	3	2	4	3	1	1	0	1
NEWTON	3	1	2	2	1	1	1	0	1
NOXUBEE	5	1	4	2	1	1	3	0	3
OKTIBBEHA	2	1	1	1	0	1	1	1	0
PANOLA	9	1	8	5	0	5	4	1	3
PEARL RIVER	6	4	2	2	2	0	4	2	2
PERRY	4	2	2	2	2	0	2	0	2
PIKE	5	0	5	3	0	3	2	0	2
PONTOTOC	3	1	2	2	1	1	1	0	1
PRENTISS	2	2	0	2	2	0	0	0	0
QUITMAN	6	1	5	4	0	4	2	1	1
RANKIN	9	7	2	5	4	1	4	3	1
SCOTT	8	2	6	2	1	1	6	1	5
SHARKEY	2	0	2	1	0	1	1	0	1
SIMPSON	10	4	6	7	3	4	3	1	2
SMITH	4	3	1	2	1	1	2	2	0
STONE	0	0	0	0	0	0	0	0	0
SUNFLOWER	7	0	7	5	0	5	2	0	2
TALLAHATCHIE	4	0	4	1	0	1	3	0	3
TATE	2	1	1	2	1	1	0	0	0
TIPPAH	1	1	0	0	0	0	1	1	0
TISHOMINGO	3	2	1	3	2	1	0	0	0
TUNICA	3	0	3	2	0	2	1	0	1
UNION	6	4	2	3	1	2	3	3	0
WALTHALL	0	0	0	0	0	0	0	0	0
WARREN	12	6	6	8	4	4	4	2	2
WASHINGTON	15	3	12	9	2	7	6	1	5
WAYNE	2	2	0	0	0	0	2	2	0
WEBSTER	1	0	1	1	0	1	0	0	0
WILKINSON	2	1	1	2	1	1	0	0	0
WINSTON	4	1	3	3	1	2	1	0	1
YALOBUSHA	2	0	2	1	0	1	1	0	1
YAZOO	10	3	7	3	1	2	7	2	5

\* INFANT DEATHS ARE THOSE OF CHILDREN UNDER ONE YEAR OF AGE; NEONATAL DEATHS ARE THOSE OF INFANTS UNDER 28 DAYS OF AGE; POSTNEONATAL DEATHS ARE THOSE OF INFANTS AGES 28 DAYS TO ONE YEAR.

**TABLE 12B**  
**INFANT, NEONATAL, AND POSTNEONATAL MORTALITY RATES\*,**  
**BY COUNTY OF RESIDENCE AND RACE,**  
**MISSISSIPPI, 1989-1993 (5-YEAR AVERAGE)**

COUNTY	INFANT**			NEONATAL**			POSTNEONATAL**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>STATE</u>	<u>11.7</u>	<u>8.2</u>	<u>15.4</u>	<u>7.3</u>	<u>5.0</u>	<u>9.6</u>	<u>4.4</u>	<u>3.2</u>	<u>5.7</u>
ADAMS	13.5	7.2	17.3	10.7	6.3	13.4	2.8	0.9	3.9
ALCORN	8.8	8.5	10.3	5.1	5.7	2.6	3.7	2.8	7.7
AMITE	4.6	4.9	4.3	3.4	2.4	4.3	1.1	2.4	-
ATTALA	9.8	1.6	16.1	5.6	-	9.9	4.2	1.6	6.2
BENTON	8.5	6.4	10.9	5.1	3.2	7.2	3.4	3.2	3.6
BOLIVAR	15.5	9.5	17.2	8.9	5.9	9.7	6.6	3.6	7.4
CALHOUN	21.8	11.9	34.3	16.1	10.2	23.6	5.7	1.7	10.7
CARROLL	15.1	4.3	23.3	9.4	4.3	13.3	5.6	-	10.0
CHICKASAW	13.2	15.4	11.1	8.8	9.0	8.6	4.4	6.4	2.5
CHOCTAW	8.3	6.5	10.3	1.7	3.2	-	6.7	3.2	10.3
CLAIBORNE	12.3	-	13.8	6.7	-	7.5	5.6	-	6.3
CLARKE	11.8	14.4	8.6	6.3	8.7	3.4	5.5	5.8	5.2
CLAY	14.4	12.9	15.1	9.8	4.8	12.1	4.6	8.0	3.0
COAHOMA	17.9	4.8	21.1	12.2	1.6	14.8	5.6	3.2	6.2
COPIAH	11.8	13.2	11.0	7.9	9.6	6.9	3.9	3.6	4.1
COVINGTON	12.5	7.5	18.2	7.2	2.5	12.6	5.3	5.0	5.6
DESOTO	8.5	7.5	13.4	5.2	5.0	6.2	3.3	2.5	7.2
FORREST	13.0	9.9	16.8	8.3	5.8	11.2	4.8	4.1	5.6
FRANKLIN	13.3	3.6	21.8	8.3	3.6	12.5	5.0	-	9.3
GEORGE	3.9	4.4	-	2.6	2.9	-	1.3	1.4	-
GREENE	11.3	7.8	21.0	5.7	1.9	15.8	5.7	5.8	5.3
GRENADA	10.6	2.5	16.5	6.4	2.5	9.2	4.2	-	7.3
HANCOCK	8.6	8.5	9.7	4.7	5.0	3.2	3.9	3.5	6.4
HARRISON	9.8	7.8	14.3	5.4	4.4	7.8	4.4	3.5	6.5
HINDS	11.5	7.1	13.6	7.5	4.8	8.8	4.0	2.4	4.8
HOLMES	14.7	-	16.6	9.7	-	10.9	5.1	-	5.7
HUMPHREYS	16.9	17.1	16.8	7.6	12.8	6.3	9.3	4.3	10.5
ISSAQUENA	6.0	-	8.7	6.0	-	8.7	-	-	-
ITAWAMBA	7.1	5.4	29.1	3.6	3.1	9.7	3.6	2.3	19.4
JACKSON	9.9	7.7	15.0	5.7	4.9	7.5	4.2	2.8	7.5
JASPER	9.4	6.2	11.1	5.8	4.1	6.7	3.6	2.1	4.4
JEFFERSON	11.7	-	12.8	9.1	-	9.9	2.6	-	2.8
JEFF DAVIS	13.4	8.5	15.7	6.3	2.8	7.8	7.2	5.6	7.8
JONES	8.7	6.9	11.4	5.7	4.2	8.0	3.0	2.7	3.4
KEMPER	12.7	4.5	16.6	9.9	4.5	12.4	2.8	-	4.1
LAFAYETTE	8.9	3.8	15.0	5.2	1.9	9.2	3.7	1.9	5.8
LAMAR	9.0	8.0	13.7	5.3	4.0	11.4	3.7	4.0	2.3
LAUDERDALE	9.6	5.7	13.6	6.1	2.8	9.4	3.5	2.8	4.2
LAWRENCE	15.4	7.5	24.8	11.2	5.6	18.0	4.1	1.9	6.8
LEAKE	13.8	8.6	18.1	7.2	5.7	8.5	6.6	2.9	9.7
LEE	13.9	11.8	18.4	9.0	7.2	12.6	4.9	4.5	5.8
LEFLORE	17.4	11.0	19.5	12.4	9.9	13.3	5.0	1.1	6.3

TABLE 12B - PAGE 2

## INFANT, NEONATAL, AND POSTNEONATAL MORTALITY RATES - MISSISSIPPI - 1989-1993 AVERAGE

COUNTY	INFANT**			NEONATAL**			POSTNEONATAL**		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
LINCOLN	8.5	9.4	7.3	7.2	8.6	5.2	1.3	0.7	2.1
LOWNDES	14.0	8.0	20.1	8.7	5.8	11.7	5.3	2.2	8.4
MADISON	10.9	7.9	13.6	6.8	5.1	8.4	4.1	2.8	5.2
MARION	13.4	11.4	16.3	7.7	6.1	10.0	5.6	5.2	6.2
MARSHALL	19.3	13.2	23.6	14.2	9.6	17.4	5.1	3.5	6.2
MONROE	12.8	10.1	17.1	7.6	5.6	10.8	5.2	4.5	6.3
MONTGOMERY	14.8	12.4	16.4	10.9	12.4	9.8	4.0	-	6.6
NESHOBA	14.2	9.6	18.3	7.6	4.3	10.6	6.6	5.3	7.7
NEWTON	8.4	6.9	9.9	4.8	3.5	6.2	3.6	3.5	3.7
NOXUBEE	16.6	12.3	17.7	8.3	4.1	9.4	8.3	8.2	8.3
OKTIBBEHA	9.2	8.3	9.9	7.0	5.8	7.9	2.2	2.5	2.0
PANOLA	9.8	4.0	13.0	6.5	3.0	8.5	3.3	1.0	4.5
PEARL RIVER	7.4	6.4	11.3	3.4	3.4	3.2	4.0	3.0	8.0
PERRY	17.1	11.4	28.0	13.9	9.8	21.8	3.2	1.6	6.2
PIKE	7.6	3.4	10.5	5.0	1.7	7.2	2.7	1.7	3.3
PONTOTOC	11.2	9.9	17.7	8.8	7.8	14.1	2.4	2.1	3.5
PRETISS	11.0	10.0	16.9	5.5	5.0	8.4	5.5	5.0	8.4
QUITMAN	14.9	11.2	16.1	11.2	3.7	13.6	3.7	7.5	2.5
RANKIN	8.7	7.4	13.2	5.0	4.8	5.5	3.7	2.6	7.6
SCOTT	12.8	7.0	18.2	4.7	4.4	5.0	8.1	2.6	13.2
SHARKEY	11.1	16.3	10.1	7.0	8.1	6.7	4.2	8.1	3.4
SIMPSON	14.9	11.4	18.8	9.4	6.6	12.5	5.5	4.7	6.3
SMITH	12.0	10.8	13.8	9.3	6.2	13.8	2.8	4.6	-
STONE	7.8	6.5	10.7	5.6	3.2	10.7	2.2	3.2	-
SUNFLOWER	16.5	7.8	18.7	10.0	6.2	10.9	6.5	1.6	7.8
TALLAHATCHIE	13.7	5.8	16.2	8.9	2.9	10.8	4.8	2.9	5.4
TATE	9.1	6.6	12.2	5.5	5.5	5.4	3.6	1.1	6.8
TIPPAH	9.8	10.6	6.8	7.0	7.1	6.8	2.8	3.5	-
TISHOMINGO	11.3	9.9	50.0	7.8	6.3	50.0	3.5	3.6	-
TUNICA	17.0	8.7	18.3	6.8	-	7.8	10.2	8.7	10.4
UNION	17.6	15.5	25.9	9.4	5.9	23.0	8.2	9.6	2.9
WALTHALL	8.4	2.2	12.1	3.4	-	5.4	5.0	2.2	6.7
WARREN	12.4	9.0	15.5	8.5	4.0	12.7	3.9	5.0	2.8
WASHINGTON	11.6	6.7	13.4	7.1	3.9	8.3	4.5	2.8	5.1
WAYNE	12.1	3.6	19.8	8.1	1.2	14.3	4.0	2.4	5.5
WEBSTER	19.3	12.3	33.3	15.2	8.2	29.2	4.1	4.1	4.2
WILKINSON	7.9	6.2	8.4	7.9	6.2	8.4	-	-	-
WINSTON	12.3	6.6	16.7	9.4	6.6	11.6	2.9	-	5.1
YALOBUSHA	15.2	9.2	19.9	7.1	4.6	9.0	8.1	4.6	10.8
YAZOO	13.6	8.4	15.8	4.5	2.8	5.2	9.1	5.6	10.5

\* DEATHS PER 1,000 LIVE BIRTHS.

\*\* INFANT - AGE LESS THAN ONE YEAR; NEONATAL - AGE LESS THAN 28 DAYS;  
POSTNEONATAL - AGE 28 DAYS TO ONE YEAR.

**TABLE 13**  
**INFANT DEATHS\* FROM SELECTED CAUSES, BY RACE AND AGE,**  
**ALSO MORTALITY RATES FOR SELECTED CAUSES,**  
**MISSISSIPPI RESIDENTS, 1993**

CAUSE OF DEATH AND INTERNATIONAL CLASSI- FICATION NUMBER**	TOTAL		R A C E	TOTAL BY RACE	UNDER 28 DAYS OF AGE					28 DAYS AND OVER	
	NUMBER	RATE#			UNDER 1 DAY	1- 6	7- 13	14- 20	21- 27		
<b>ALL CAUSES</b>	<b>482</b>	<b>11.4</b>	W	178	111	70	26	12	2	1	67
			NW	304	187	107	40	20	10	10	117
<b>MENINGOCOCCAL INFECTION (036)</b>	0	-	W	0	0	0	0	0	0	0	0
			NW	0	0	0	0	0	0	0	0
<b>SEPTICEMIA (038)</b>	6	0.1	W	2	0	0	0	0	0	0	2
			NW	4	0	0	0	0	0	0	4
<b>OTHER INFECTIOUS AND PARASITIC DISEASES (001-035, 037, 039-139)</b>	6	0.1	W	2	0	0	0	0	0	0	2
			NW	4	1	0	1	0	0	0	3
<b>MENINGITIS (320-322)</b>	2	##	W	1	0	0	0	0	0	0	1
			NW	1	0	0	0	0	0	0	1
<b>ACUTE UPPER RESPIRATORY INFECTIONS (460-465)</b>	0	-	W	0	0	0	0	0	0	0	0
			NW	0	0	0	0	0	0	0	0
<b>BRONCHITIS AND BRONCHIO- LITIS (466, 490, 491)</b>	1	##	W	0	0	0	0	0	0	0	0
			NW	1	0	0	0	0	0	0	1
<b>PNEUMONIA AND INFLUENZA (480-487)</b>	11	0.3	W	2	0	0	0	0	0	0	2
			NW	9	2	0	0	2	0	0	7
<b>HERNIA AND INTESTINAL OBSTRUCTION (550-553, 560)</b>	0	-	W	0	0	0	0	0	0	0	0
			NW	0	0	0	0	0	0	0	0
<b>CONGENITAL ANOMALIES (740-759)</b>	97	2.3	W	43	32	17	8	6	1	0	11
			NW	54	40	17	8	8	3	4	14
<b>MATERNAL CONDITIONS UN- RELATED TO PREGNANCY (760)</b>	7	0.2	W	4	4	0	4	0	0	0	0
			NW	3	2	1	1	0	0	0	1
<b>MATERNAL COMPLICATIONS OF PREGNANCY (761)</b>	18	0.4	W	6	6	6	0	0	0	0	0
			NW	12	12	12	0	0	0	0	0
<b>COMPLICATIONS OF PLACENTA, CORD, AND MEMBRANES (762)</b>	12	0.3	W	6	6	5	1	0	0	0	0
			NW	6	6	5	1	0	0	0	0
<b>OTHER COMPLICATIONS OF LABOR AND DELIVERY (763)</b>	2	##	W	1	1	1	0	0	0	0	0
			NW	1	1	0	1	0	0	0	0
<b>DISORDERS RELATING TO SHORT GESTATION AND UN- SPECIFIED LOW BIRTH- WEIGHT (765)</b>	53	1.2	W	11	11	11	0	0	0	0	0
			NW	42	41	40	1	0	0	0	1

TABLE 13 - PAGE 2  
 INFANT DEATHS - MISSISSIPPI - 1993

CAUSE OF DEATH AND INTERNATIONAL CLASSI- FICATION NUMBER**	TOTAL		R A C E	TOTAL BY RACE	UNDER 28 DAYS OF AGE						28 DAYS AND OVER
	NUMBER	RATE#			UNDER TOTAL	1- 1 DAY	7- 6	14- 13	21- 20	27	
BIRTH TRAUMA (767)	3	0.1	W	2	2	1	0	0	0	1	0
			NW	1	1	1	0	0	0	0	0
INTRAUTERINE HYPOXIA AND BIRTH ASPHYXIA (768)	3	0.1	W	1	1	1	0	0	0	0	0
			NW	2	2	0	1	0	1	0	0
RESPIRATORY DISTRESS SYNDROME (769)	22	0.5	W	6	6	5	1	0	0	0	0
			NW	16	16	7	9	0	0	0	0
INFECTIONS SPECIFIC TO THE PERINATAL PERIOD (771)	14	0.3	W	6	6	2	3	1	0	0	0
			NW	8	8	2	5	1	0	0	0
NEONATAL HEMORRHAGE (772)	6	0.1	W	0	0	0	0	0	0	0	0
			NW	6	6	3	3	0	0	0	0
HEMORRHAGIC DISEASE OF NEWBORN (776.0)	0	-	W	0	0	0	0	0	0	0	0
			NW	0	0	0	0	0	0	0	0
SUDDEN INFANT DEATH SYNDROME (798.0)	75	1.8	W	27	1	0	0	0	1	0	26
			NW	48	5	0	1	0	0	4	43
ALL OTHER SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS (780-797, 798.1-799)	4	0.1	W	2	0	0	0	0	0	0	2
			NW	2	0	0	0	0	0	0	0
ACCIDENTS (800-949)	21	0.5	W	10	2	2	0	0	0	0	8
			NW	11	0	0	0	0	0	0	11
ALL OTHER CAUSES	119	2.8	W	46	33	19	9	5	0	0	13
			NW	73	44	19	8	9	6	2	29

\* DEATHS OF CHILDREN UNDER 1 YEAR OF AGE.

\*\* CAUSES AND NUMBERS ARE FROM THE NINTH REVISION IN TERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.

# DEATHS PER 1,000 LIVE BIRTHS.

## LESS THAN 0.06.

**TABLE 14**  
**ACCIDENTAL DEATHS, BY COUNTY OF OCCURRENCE AND TYPE OF ACCIDENT,**  
**MISSISSIPPI, 1993**

COUNTY	TOTAL	MOTOR VEHICLE	WATER TRANS- PORT	POISON- ING	FALLS	FIRES AND FLAMES	DROWNING AND SUB- MERSION	FIRE- ARMS	ALL OTHER
<b>STATE</b>	<b>1,563</b>	<b>897</b>	<b>22</b>	<b>49</b>	<b>141</b>	<b>124</b>	<b>55</b>	<b>46</b>	<b>229</b>
ADAMS	19	7	0	1	2	3	0	2	4
ALCORN	20	11	0	1	4	1	1	0	2
AMITE	8	6	0	0	0	0	0	0	2
ATTALA	13	9	0	0	1	0	1	0	2
BENTON	4	3	0	0	0	1	0	0	0
BOLIVAR	26	10	1	0	0	8	2	2	3
CALHOUN	23	11	0	0	1	8	0	2	1
CARROLL	7	6	0	1	0	0	0	0	0
CHICKASAW	15	11	0	0	1	1	0	1	1
CHOCTAW	6	2	0	0	0	3	0	1	0
CLAIBORNE	8	5	2	0	0	0	0	1	0
CLARKE	10	6	2	0	0	1	1	0	0
CLAY	11	6	1	0	0	1	0	1	2
COAHOMA	14	10	0	0	1	0	1	0	2
COPIAH	11	5	0	0	1	1	1	0	3
COVINGTON	6	5	0	0	1	0	0	0	0
DESOTO	25	21	2	0	1	0	0	0	1
FORREST	54	32	0	4	4	2	1	1	10
FRANKLIN	3	3	0	0	0	0	0	0	0
GEORGE	9	5	0	0	0	0	0	1	3
GREENE	3	1	0	0	0	0	0	0	2
GRENADA	13	11	0	0	1	1	0	0	0
HANCOCK	19	14	0	2	0	1	1	0	1
HARRISON	82	35	1	6	11	3	10	0	16
HINDS	181	85	0	9	44	12	5	5	21
HOLMES	12	7	0	1	0	0	1	1	2
HUMPHREYS	9	7	0	0	0	1	0	0	1
ISSAQUENA	1	0	0	0	0	0	0	0	1
ITAWAMBA	5	5	0	0	0	0	0	0	0
JACKSON	57	28	6	2	5	4	2	1	9
JASPER	4	4	0	0	0	0	0	0	0
JEFFERSON	8	7	0	0	0	0	1	0	0
JEFF DAVIS	13	10	0	2	0	1	0	0	0
JONES	46	27	0	3	1	1	1	3	10
KEMPER	4	3	0	0	0	0	0	0	1
LAFAYETTE	16	7	0	0	4	0	0	1	4
LAMAR	18	9	0	0	5	1	0	0	3
LAUDERDALE	39	23	0	0	5	1	1	1	8
LAWRENCE	8	3	0	0	0	3	0	0	2
LEAKE	18	14	0	0	0	2	1	1	0
LEE	79	49	0	4	17	1	0	2	6
LEFLORE	19	11	0	1	2	1	2	0	2

TABLE 14 - PAGE 2  
 ACCIDENTAL DEATHS - MISSISSIPPI - 1993

COUNTY	TOTAL	MOTOR VEHICLE	WATER TRANS- PORT	POISON- ING	FALLS	FIRES AND FLAMES	DROWNING AND SUB- MERSION	FIRE- ARMS	ALL OTHER
LINCOLN	14	7	0	0	1	1	0	0	5
LOWNDES	28	20	0	0	1	2	0	0	5
MADISON	20	12	0	1	1	3	0	0	3
MARION	14	10	0	1	0	0	0	0	3
MARSHALL	25	20	0	0	0	1	2	0	2
MONROE	10	6	1	0	0	0	0	2	1
MONTGOMERY	11	9	0	0	0	0	0	0	2
NESHOBA	9	6	0	1	1	0	0	0	1
NEWTON	13	9	0	0	1	1	0	0	2
NOXUBEE	14	6	0	1	0	0	0	1	6
OKTIBBEHA	11	4	0	0	3	1	0	0	3
PANOLA	21	13	0	0	1	3	1	1	2
PEARL RIVER	23	15	0	0	0	2	0	2	4
PERRY	6	4	0	1	0	0	1	0	0
PIKE	45	34	0	2	4	0	0	2	3
PONTOTOC	10	7	0	0	1	1	0	0	1
PRETISS	5	4	0	0	0	0	0	1	0
QUITMAN	1	1	0	0	0	0	0	0	0
RANKIN	29	11	0	0	3	2	0	1	12
SCOTT	18	13	0	0	0	0	1	2	2
SHARKEY	4	1	0	0	0	2	1	0	0
SIMPSON	17	10	0	0	1	1	0	0	5
SMITH	6	2	1	0	0	1	0	0	2
STONE	2	1	0	1	0	0	0	0	0
SUNFLOWER	11	8	0	0	1	0	0	0	2
TALLAHATCHIE	8	5	0	0	0	0	2	0	1
TATE	8	5	2	0	0	1	0	0	0
TIPPAH	12	8	0	0	0	0	1	1	2
TISHOMINGO	11	6	0	0	0	1	3	0	1
TUNICA	18	14	0	1	0	3	0	0	0
UNION	14	12	0	1	0	1	0	0	0
WALTHALL	13	9	0	1	1	1	1	0	0
WARREN	25	12	1	0	0	3	2	2	5
WASHINGTON	72	18	1	0	7	25	2	3	16
WAYNE	16	8	1	0	0	4	0	0	3
WEBSTER	2	1	0	1	0	0	0	0	0
WILKINSON	6	3	0	0	0	0	1	0	2
WINSTON	20	13	0	0	1	0	2	0	4
YALOBUSHA	9	5	0	0	0	0	2	1	1
YAZOO	16	11	0	0	1	1	0	0	3

**TABLE 15**  
**MARRIAGES, BY COUNTY OF LICENSURE AND RACE OF BRIDE,**  
**ALSO BY COUNTY OF OCCURRENCE AND RACE OF BRIDE,**  
**ALSO BY COUNTY OF RESIDENCE OF BRIDE AND RACE OF BRIDE,**  
**MISSISSIPPI, 1993**

COUNTY	LICENSURE DATA			OCCURRENCE DATA			RESIDENCE DATA		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<b>STATE</b>	<b>23, 271</b>	<b>17, 066</b>	<b>6, 205</b>	<b>23, 271</b>	<b>17, 066</b>	<b>6, 205</b>	<b>21, 839</b>	<b>15, 977</b>	<b>5, 862</b>
ADAMS	335	237	98	365	260	105	255	171	84
ALCORN	249	224	25	263	235	28	232	210	22
AMITE	95	65	30	104	75	29	90	60	30
ATTALA	177	138	39	174	131	43	165	130	35
BENTON	35	24	11	47	38	9	53	38	15
BOLIVAR	262	111	151	250	103	147	236	95	141
CALHOUN	148	114	34	149	114	35	147	114	33
CARROLL	45	33	12	60	49	11	54	43	11
CHICKASAW	166	116	50	157	115	42	155	112	43
CHOCTAW	54	45	9	65	55	10	59	51	8
CLAIBORNE	57	21	36	62	27	35	50	17	33
CLARKE	146	105	41	169	124	45	152	113	39
CLAY	146	75	71	154	78	76	140	75	65
COAHOMA	214	98	116	212	101	111	206	94	112
COPIAH	205	124	81	226	147	79	212	122	90
COVINGTON	146	102	44	157	115	42	142	99	43
DESOTO	604	532	72	524	459	65	442	402	40
FORREST	873	699	174	734	577	157	705	548	157
FRANKLIN	68	47	21	72	50	22	65	43	22
GEORGE	264	242	22	241	217	24	201	185	16
GREENE	109	86	23	150	126	24	103	97	6
GRENADA	236	160	76	213	143	70	209	139	70
HANCOCK	329	304	25	346	320	26	275	255	20
HARRISON	1, 893	1, 603	290	1, 838	1, 556	282	1, 656	1, 399	257
HINDS	2, 390	1, 412	978	2, 186	1, 275	911	2, 061	1, 150	911
HOLMES	121	40	81	138	46	92	125	38	87
HUMPHREYS	77	35	42	77	40	37	70	28	42
ISSAQUENA	8	1	7	11	2	9	10	2	8
ITAWAMBA	202	188	14	207	194	13	197	186	11
JACKSON	1, 120	929	191	1, 193	996	197	1, 110	932	178
JASPER	127	69	58	141	75	66	128	71	57
JEFFERSON	36	4	32	49	12	37	45	7	38
JEFF DAVIS	108	62	46	111	62	49	111	63	48
JONES	629	520	109	630	517	113	615	513	102
KEMPER	50	27	23	64	35	29	53	29	24
LAFAYETTE	280	202	78	265	189	76	265	191	74
LAMAR	212	195	17	254	230	24	337	308	29
LAUDERDALE	775	569	206	737	537	200	688	506	182
LAWRENCE	126	96	30	138	105	33	133	99	34
LEAKE	187	129	58	199	137	62	198	139	59
LEE	804	669	135	750	626	124	735	605	130
LEFLORE	238	132	106	223	114	109	221	120	101



TABLE 15 - PAGE 2  
MARRIAGES - MISSISSIPPI - 1993

COUNTY	LICENSURE DATA			OCCURRENCE DATA			RESIDENCE DATA		
	TOTAL	WHITE	NON-TOTAL	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
LINCOLN	325	240	85	314	235	79	301	229	72
LOWNDES	522	340	182	510	319	191	468	292	176
MADISON	302	179	123	380	236	144	451	306	145
MARION	285	225	60	294	229	65	264	211	53
MARSHALL	199	103	96	213	110	103	179	89	90
MONROE	285	222	63	320	254	66	294	228	66
MONTGOMERY	78	50	28	87	60	27	88	58	30
NESHOBA	279	210	69	285	217	68	273	203	70
NEWTON	158	114	44	174	132	42	180	134	46
NOXUBEE	65	19	46	71	23	48	53	13	40
OKTIBBEHA	328	240	88	301	219	82	285	203	82
PANOLA	239	155	84	242	154	88	231	150	81
PEARL RIVER	437	388	49	433	383	50	403	364	39
PERRY	93	81	12	105	93	12	94	81	13
PIKE	351	212	139	354	209	145	316	190	126
PONTOTOC	250	228	22	259	242	17	261	236	25
PRETISS	192	178	14	199	183	16	194	177	17
QUITMAN	52	27	25	50	25	25	51	26	25
RANKIN	915	792	123	817	708	109	970	841	129
SCOTT	279	208	71	288	218	70	255	191	64
SHARKEY	34	18	16	31	15	16	23	12	11
SIMPSON	222	152	70	262	185	77	218	155	63
SMITH	127	109	18	156	136	20	143	117	26
STONE	115	109	6	112	106	6	103	96	7
SUNFLOWER	229	82	147	265	100	165	189	70	119
TALLAHATCHIE	98	48	50	114	62	52	92	43	49
TATE	159	115	44	164	122	42	143	104	39
TIPPAH	153	138	15	146	134	12	128	117	11
TISHOMINGO	145	143	2	157	154	3	140	140	0
TUNICA	49	20	29	49	22	27	47	19	28
UNION	236	207	29	230	201	29	232	204	28
WALTHALL	122	70	52	128	73	55	122	67	55
WARREN	438	322	116	433	319	114	397	292	105
WASHINGTON	363	186	177	381	201	180	352	179	173
WAYNE	168	128	40	174	133	41	169	127	42
WEBSTER	94	81	13	94	81	13	101	87	14
WILKINSON	66	29	37	65	28	37	49	17	32
WINSTON	165	102	63	175	108	67	164	98	66
YALOBUSHA	127	93	34	142	106	36	125	91	34
YAZOO	181	119	62	192	124	68	185	121	64
OUT OF STATE	*	*	*	*	*	*	1,432	1,089	343

\* INFORMATION ON MISSISSIPPI BRIDES WHO OBTAINED LICENSES AND/OR MARRIED IN OTHER STATES IS NOT AVAILABLE.

**TABLE 16**  
**DIVORCES, BY COUNTY OF OCCURRENCE AND RACE\*,**  
**MISSISSIPPI, 1993**

COUNTY	TOTAL	WHITE	NON- WHITE	UN- KNOWN	COUNTY	TOTAL	WHITE	NON- WHITE	UN- KNOWN
<u>STATE</u>	<u>13, 860</u>	<u>10, 513</u>	<u>2, 940</u>	<u>407</u>					
ADAMS	201	141	59	1	LINCOLN	96	74	22	0
ALCORN	189	184	5	0	LOWNDES	286	190	95	1
AMITE	48	34	14	0	MADISON	213	154	41	18
ATTALA	95	71	24	0	MARION	146	115	22	9
BENTON	34	26	8	0	MARSHALL	166	114	52	0
BOLIVAR	146	77	67	2	MONROE	223	183	35	5
CALHOUN	76	65	11	0	MONTGOMERY	54	38	16	0
CARROLL	10	10	0	0	NESHOPA	163	143	20	0
CHICKASAW	87	60	26	1	NEWTON	103	74	22	7
CHOCTAW	29	25	4	0	NOXUBEE	23	6	17	0
CLAIBORNE	30	10	20	0	OKTIBBEHA	119	73	43	3
CLARKE	70	55	15	0	PANOLA	166	111	55	0
CLAY	76	28	18	30	PEARL RIVER	247	229	12	6
COAHOMA	0	0	0	0	PERRY	67	60	7	0
COPIAH	135	90	45	0	PIKE	139	99	36	4
COVINGTON	111	80	28	3	PONTOTOC	180	170	10	0
DESOTO	533	509	24	0	PRENTISS	170	133	9	28
FORREST	401	321	69	11	QUITMAN	36	18	18	0
FRANKLIN	36	30	6	0	RANKIN	637	575	61	1
GEORGE	50	25	2	23	SCOTT	162	118	44	0
GREENE	49	47	2	0	SHARKEY	10	6	4	0
GRENADA	114	83	31	0	SIMPSON	135	100	26	9
HANCOCK	245	230	9	6	SMITH	67	60	7	0
HARRISON	1, 096	781	152	163	STONE	47	37	9	1
HINDS	1, 414	817	597	0	SUNFLOWER	88	43	41	4
HOLMES	68	28	40	0	TALLAHATCHIE	36	24	12	0
HUMPHREYS	29	16	13	0	TATE	111	87	24	0
ISSAQUENA	5	4	1	0	TIPPAH	126	120	4	2
ITAWAMBA	174	168	5	1	TISHOMINGO	156	151	5	0
JACKSON	856	726	130	0	TUNICA	28	18	10	0
JASPER	54	36	18	0	UNION	189	173	13	3
JEFFERSON	12	4	8	0	WALTHALL	76	51	25	0
JEFF DAVIS	31	17	14	0	WARREN	206	157	49	0
JONES	415	353	60	2	WASHINGTON	315	191	98	26
KEMPER	36	23	13	0	WAYNE	107	80	27	0
LAFAYETTE	132	99	32	1	WEBSTER	56	49	7	0
LAMAR	206	178	15	13	WILKINSON	25	12	13	0
LAUDERDALE	413	310	103	0	WINSTON	93	65	28	0
LAWRENCE	41	33	8	0	YALOBUSHA	82	65	17	0
LEAKE	95	66	29	0	YAZOO	70	42	28	0
LEE	453	362	70	21					
LEFLORE	146	83	61	2					

\* DIVORCES OF MIXED-RACE COUPLES ARE INCLUDED IN FIGURES FOR NONWHITES.

**TABLE 17**  
**REPORTED INDUCED TERMINATIONS OF PREGNANCY PERFORMED IN MISSISSIPPI**  
**ON MISSISSIPPI RESIDENTS, BY COUNTY OF RESIDENCE AND RACE, 1993**

COUNTY	TOTAL	WHITE	NON- WHITE	UNK. RACE	COUNTY	TOTAL	WHITE	NON- WHITE	UNK. RACE
<u>STATE</u>	<u>4, 828</u>	<u>1, 906</u>	<u>2, 907</u>	<u>15</u>					
ADAMS	56	22	34	0	LINCOLN	34	20	14	0
ALCORN	12	9	3	0	LOWNDES	47	17	30	0
AMITE	10	3	7	0	MADISON	242	100	141	1
ATTALA	26	9	17	0	MARION	26	16	10	0
BENTON	5	0	5	0	MARSHALL	39	10	25	4
BOLIVAR	65	28	37	0	MONROE	29	15	14	0
CALHOUN	10	9	1	0	MONTGOMERY	25	7	18	0
CARROLL	18	6	12	0	NESHOBA	31	21	10	0
CHICKASAW	19	8	10	1	NEWTON	29	10	19	0
CHOCTAW	7	4	3	0	NOXUBEE	7	0	7	0
CLAIBORNE	32	2	30	0	OKTIBBEHA	61	32	29	0
CLARKE	26	9	17	0	PANOLA	51	16	35	0
CLAY	25	12	13	0	PEARL RIVER	9	9	0	0
COAHOMA	26	7	19	0	PERRY	8	5	3	0
COPIAH	75	22	53	0	PIKE	71	21	50	0
COVINGTON	24	8	16	0	PONTOTOC	5	2	3	0
DESOTO	113	85	25	3	PRENTISS	9	8	1	0
FORREST	148	86	61	1	QUITMAN	14	3	11	0
FRANKLIN	13	5	8	0	RANKIN	272	197	75	0
GEORGE	2	1	1	0	SCOTT	70	30	40	0
GREENE	2	1	1	0	SHARKEY	10	1	9	0
GRENADA	37	15	22	0	SIMPSON	63	27	36	0
HANCOCK	8	7	1	0	SMITH	13	8	5	0
HARRISON	115	72	43	0	STONE	8	4	3	1
HINDS	1, 384	370	1, 014	0	SUNFLOWER	48	13	35	0
HOLMES	66	12	54	0	TALLAHATCHIE	10	3	7	0
HUMPHREYS	16	2	14	0	TATE	36	17	19	0
ISSAQUENA	1	0	1	0	TIPPAH	10	6	4	0
ITAWAMBA	4	3	0	1	TISHOMINGO	2	2	0	0
JACKSON	30	16	14	0	TUNICA	14	4	9	1
JASPER	24	9	15	0	UNION	7	4	3	0
JEFFERSON	27	2	25	0	WALTHALL	9	3	6	0
JEFF DAVIS	26	5	21	0	WARREN	200	56	144	0
JONES	101	54	47	0	WASHINGTON	136	40	96	0
KEMPER	12	4	8	0	WAYNE	11	4	7	0
LAFAYETTE	78	49	27	2	WEBSTER	9	7	2	0
LAMAR	30	22	8	0	WILKINSON	2	0	2	0
LAUDERDALE	149	69	80	0	WINSTON	32	9	23	0
LAWRENCE	18	9	9	0	YALOBUSHA	13	8	5	0
LEAKE	26	12	14	0	YAZOO	74	18	56	0
LEE	69	46	23	0					
LEFLORE	107	19	88	0					

**TABLE 18**  
**DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,**  
**RESIDENTS OF ADAMS, ALCORN, AMITE, AND ATTALA COUNTIES, MISSISSIPPI, 1993**

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	ADAMS COUNTY						ALCORN COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	0	0	0	-	-	-	0	0	0	-	-	-
HIV INFECTION (042-044)	3	0	3	8.5	-	17.3	0	0	0	-	-	-
MALIGNANT NEOPLASMS (140-208)	95	49	46	268.7	271.8	265.5	78	72	6	245.9	256.4	165.0
DIABETES MELLITUS (250)	4	3	1	11.3	16.6	5.8	8	4	4	25.2	14.2	110.0
DISEASES OF HEART (390-398, 402, 404, 410-429)	161	63	98	455.4	349.4	565.6	137	125	12	431.9	445.1	329.9
HYPERTENSION (401, 403)	1	1	0	2.8	5.5	-	3	2	1	9.4	7.1	27.5
CEREBROVASCULAR DISEASES (430-438)	41	25	16	116.0	138.7	92.3	29	23	6	91.4	81.9	165.0
ATHEROSCLEROSIS (440)	3	1	2	8.5	5.5	11.5	0	0	0	-	-	-
PNEUMONIA AND INFLUENZA (480-487)	18	9	9	50.9	49.9	51.9	20	20	0	63.0	71.2	-
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	14	7	7	39.6	38.8	40.4	19	19	0	59.9	67.6	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	2	1	1	5.6	5.5	5.8	2	2	0	6.3	7.1	-
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	6	2	4	17.0	11.1	23.1	5	4	1	15.8	14.2	27.5
INFECTIONS OF KIDNEY (590)	0	0	0	-	-	-	0	0	0	-	-	-
MATERNAL CAUSES (630-676)	1	0	1	176.0	-	269.5	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	4	0	4	7.0	-	10.8	4	4	0	9.1	11.3	-
ACCIDENTS (800-949)	22	10	12	62.2	55.5	69.2	26	23	3	82.0	81.9	82.5
MOTOR VEHICLE ACCIDENTS# (810-825)	8	6	2	22.6	33.3	11.5	15	15	0	47.3	53.4	-
SUICIDE (950-959)	2	1	1	5.6	5.5	5.8	5	4	1	15.8	14.2	27.5
HOMICIDE AND LEGAL INTERVENTION (960-978)	3	0	3	8.5	-	17.3	5	4	1	15.8	14.2	27.5
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	0	0	0	-	-	-	6	6	0	18.9	21.4	-

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	AMITE COUNTY						ATTALA COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	0	0	0	-	-	-	0	0	0	-	-	-
HIV INFECTION (042-044)	0	0	0	-	-	-	1	1	0	5.4	9.0	-
MALIGNANT NEOPLASMS (140-208)	35	23	12	262.6	316.3	198.2	62	45	17	335.5	404.9	230.8
DIABETES MELLITUS (250)	7	2	5	52.5	27.5	82.6	3	1	2	16.2	9.0	27.1
DISEASES OF HEART (390-398, 402, 404, 410-429)	46	30	16	345.1	412.5	264.2	73	50	23	395.0	449.9	312.2
HYPERTENSION (401, 403)	5	4	1	37.5	55.0	16.5	11	3	8	59.5	27.0	108.6
CEREBROVASCULAR DISEASES (430-438)	9	6	3	67.5	82.5	49.5	16	8	8	86.6	72.0	108.6
ATHEROSCLEROSIS (440)	0	0	0	-	-	-	1	1	0	5.4	9.0	-
PNEUMONIA AND INFLUENZA (480-487)	1	0	1	7.5	-	16.5	8	7	1	43.3	63.0	13.6
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	4	3	1	30.0	41.2	16.5	10	8	2	54.1	72.0	27.1
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	1	1	0	7.5	13.8	-	4	3	1	21.6	27.0	13.6
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	2	0	2	15.0	-	33.0	4	2	2	21.6	18.0	27.1
INFECTIONS OF KIDNEY (590)	0	0	0	-	-	-	0	0	0	-	-	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	0	0	0	-	-	-	1	0	1	5.4	-	13.6
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	0	0	0	-	-	-	1	0	1	4.1	-	7.4
ACCIDENTS (800-949)	8	6	2	60.0	82.5	33.0	15	9	6	81.2	81.0	81.4
MOTOR VEHICLE ACCIDENTS# (810-825)	7	5	2	52.5	68.8	33.0	9	6	3	48.7	54.0	40.7
SUICIDE (950-959)	1	1	0	7.5	13.8	-	3	3	0	16.2	27.0	-
HOMICIDE AND LEGAL INTERVENTION (960-978)	4	0	4	30.0	-	66.0	2	0	2	10.8	-	27.1
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	1	0	1	7.5	-	16.5	0	0	0	-	-	-

\* CAUSES AND NUMBERS ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.

\*\* DEATHS PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS.

# NOT TO BE USED FOR RANKING.

**TABLE 18**  
**DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,**  
**RESIDENTS OF BENTON, BOLIVAR, CALHOUN, AND CARROLL COUNTIES, MISSISSIPPI, 1993**

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	BENTON COUNTY						BOLIVAR COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	0	0	0	-	-	-	1	0	1	2.4	-	3.8
HIV INFECTION (042-044)	0	0	0	-	-	-	2	0	2	4.8	-	7.5
MALIGNANT NEOPLASMS (140-208)	10	5	5	124.3	102.7	157.4	98	43	55	234.0	281.8	206.6
DIABETES MELLITUS (250)	0	0	0	-	-	-	14	4	10	33.4	26.2	37.6
DISEASES OF HEART (390-398, 402, 404, 410-429)	31	20	11	385.3	410.8	346.2	150	67	83	358.2	439.1	311.8
HYPERTENSION (401, 403)	0	0	0	-	-	-	10	3	7	23.9	19.7	26.3
CEREBROVASCULAR DISEASES (430-438)	5	5	0	62.1	102.7	-	48	19	29	114.6	124.5	109.0
ATHEROSCLEROSIS (440)	1	1	0	12.4	20.5	-	6	2	4	14.3	13.1	15.0
PNEUMONIA AND INFLUENZA (480-487)	0	0	0	-	-	-	18	12	6	43.0	78.6	22.5
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	2	2	0	24.8	41.1	-	19	14	5	45.4	91.7	18.8
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	1	0	1	12.4	-	31.5	2	1	1	4.8	6.6	3.8
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	1	0	1	12.4	-	31.5	15	4	11	35.8	26.2	41.3
INFECTIONS OF KIDNEY (590)	0	0	0	-	-	-	0	0	0	-	-	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	0	0	0	-	-	-	5	2	3	11.9	13.1	11.3
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	1	0	1	9.2	-	21.3	2	0	2	2.7	-	3.4
ACCIDENTS (800-949)	12	7	5	149.1	143.8	157.4	29	8	21	69.2	52.4	78.9
MOTOR VEHICLE ACCIDENTS# (810-825)	9	7	2	111.8	143.8	63.0	12	6	6	28.6	39.3	22.5
SUICIDE (950-959)	3	2	1	37.3	41.1	31.5	2	2	0	4.8	13.1	-
HOMICIDE AND LEGAL INTERVENTION (960-978)	2	1	1	24.8	20.5	31.5	8	3	5	19.1	19.7	18.8
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	0	0	0	-	-	-	5	1	4	11.9	6.6	15.0

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	CALHOUN COUNTY						CARROLL COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	0	0	0	-	-	-	1	1	0	10.8	18.0	-
HIV INFECTION (042-044)	0	0	0	-	-	-	1	0	1	10.8	-	27.2
MALIGNANT NEOPLASMS (140-208)	32	26	6	214.6	240.1	147.1	10	6	4	108.3	107.9	108.8
DIABETES MELLITUS (250)	1	1	0	6.7	9.2	-	2	0	2	21.6	-	54.4
DISEASES OF HEART (390-398, 402, 404, 410-429)	70	57	13	469.5	526.4	318.7	31	16	15	335.6	287.8	407.9
HYPERTENSION (401, 403)	0	0	0	-	-	-	0	0	0	-	-	-
CEREBROVASCULAR DISEASES (430-438)	14	10	4	93.9	92.3	98.1	6	5	1	65.0	89.9	27.2
ATHEROSCLEROSIS (440)	0	0	0	-	-	-	0	0	0	-	-	-
PNEUMONIA AND INFLUENZA (480-487)	4	3	1	26.8	27.7	24.5	1	1	0	10.8	18.0	-
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	11	10	1	73.8	92.3	24.5	3	3	0	32.5	54.0	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	0	0	0	-	-	-	1	0	1	10.8	-	27.2
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	3	0	3	20.1	-	73.5	1	0	1	10.8	-	27.2
INFECTIONS OF KIDNEY (590)	0	0	0	-	-	-	0	0	0	-	-	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	6	5	1	30.0	43.5	11.8	0	0	0	-	-	-
ACCIDENTS (800-949)	29	11	18	194.5	101.6	441.3	5	2	3	54.1	36.0	81.6
MOTOR VEHICLE ACCIDENTS# (810-825)	15	7	8	100.6	64.6	196.1	3	2	1	32.5	36.0	27.2
SUICIDE (950-959)	3	3	0	20.1	27.7	-	3	3	0	32.5	54.0	-
HOMICIDE AND LEGAL INTERVENTION (960-978)	2	1	1	13.4	9.2	24.5	3	0	3	32.5	-	81.6
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	2	1	1	13.4	9.2	24.5	1	0	1	10.8	-	27.2

\* CAUSES AND NUMBERS ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.

\*\* DEATHS PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS.

# NOT TO BE USED FOR RANKING.

**TABLE 18**  
**DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,**  
**RESIDENTS OF CHICKASAW, CHOCTAW, CLAIBORNE, AND CLARKE COUNTIES, MISSISSIPPI, 1993**

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	CHICKASAW COUNTY						CHOCTAW COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	0	0	0	-	-	-	0	0	0	-	-	-
HIV INFECTION (042-044)	1	0	1	5.5	-	14.2	0	0	0	-	-	-
MALIGNANT NEOPLASMS (140-208)	26	20	6	143.8	180.8	85.4	18	13	5	198.4	205.7	181.7
DIABETES MELLITUS (250)	4	3	1	22.1	27.1	14.2	3	1	2	33.1	15.8	72.7
DISEASES OF HEART (390-398, 402, 404, 410-429)	70	44	26	387.1	397.8	370.1	45	31	14	496.1	490.6	508.7
HYPERTENSION (401, 403)	1	1	0	5.5	9.0	-	1	1	0	11.0	15.8	-
CEREBROVASCULAR DISEASES (430-438)	15	12	3	82.9	108.5	42.7	5	3	2	55.1	47.5	72.7
ATHEROSCLEROSIS (440)	0	0	0	-	-	-	0	0	0	-	-	-
PNEUMONIA AND INFLUENZA (480-487)	10	8	2	55.3	72.3	28.5	2	2	0	22.0	31.6	-
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	0	0	0	-	-	-	8	6	2	88.2	95.0	72.7
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	1	0	1	5.5	-	14.2	2	2	0	22.0	31.6	-
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	3	2	1	16.6	18.1	14.2	2	1	1	22.0	15.8	36.3
INFECTIONS OF KIDNEY (590)	1	1	0	5.5	9.0	-	0	0	0	-	-	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	2	0	2	11.0	-	28.5	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	3	2	1	9.9	13.5	6.4	0	0	0	-	-	-
ACCIDENTS (800-949)	12	4	8	66.4	36.2	113.9	8	2	6	88.2	31.6	218.0
MOTOR VEHICLE ACCIDENTS# (810-825)	7	2	5	38.7	18.1	71.2	3	1	2	33.1	15.8	72.7
SUICIDE (950-959)	4	4	0	22.1	36.2	-	0	0	0	-	-	-
HOMICIDE AND LEGAL INTERVENTION (960-978)	5	1	4	27.6	9.0	56.9	0	0	0	-	-	-
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	1	0	1	5.5	-	14.2	2	2	0	22.0	31.6	-

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	CLAIBORNE COUNTY						CLARKE COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	0	0	0	-	-	-	0	0	0	-	-	-
HIV INFECTION (042-044)	3	0	3	26.4	-	32.0	2	1	1	11.6	8.8	16.7
MALIGNANT NEOPLASMS (140-208)	22	6	16	193.5	300.9	170.6	46	32	14	265.7	282.9	233.3
DIABETES MELLITUS (250)	5	0	5	44.0	-	53.3	4	3	1	23.1	26.5	16.7
DISEASES OF HEART (390-398, 402, 404, 410-429)	58	13	45	510.1	652.0	479.9	98	67	31	566.0	592.3	516.6
HYPERTENSION (401, 403)	0	0	0	-	-	-	0	0	0	-	-	-
CEREBROVASCULAR DISEASES (430-438)	17	3	14	149.5	150.4	149.3	16	11	5	92.4	97.2	83.3
ATHEROSCLEROSIS (440)	1	1	0	8.8	50.2	-	0	0	0	-	-	-
PNEUMONIA AND INFLUENZA (480-487)	5	2	3	44.0	100.3	32.0	11	10	1	63.5	88.4	16.7
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	4	2	2	35.2	100.3	21.3	8	6	2	46.2	53.0	33.3
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	0	0	0	-	-	-	2	1	1	11.6	8.8	16.7
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	3	1	2	26.4	50.2	21.3	4	1	3	23.1	8.8	50.0
INFECTIONS OF KIDNEY (590)	0	0	0	-	-	-	0	0	0	-	-	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	0	0	0	-	-	-	1	1	0	5.8	8.8	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	0	0	0	-	-	-	1	1	0	4.3	8.3	-
ACCIDENTS (800-949)	7	3	4	61.6	150.4	42.7	13	11	2	75.1	97.2	33.3
MOTOR VEHICLE ACCIDENTS# (810-825)	5	3	2	44.0	150.4	21.3	8	7	1	46.2	61.9	16.7
SUICIDE (950-959)	0	0	0	-	-	-	3	2	1	17.3	17.7	16.7
HOMICIDE AND LEGAL INTERVENTION (960-978)	2	0	2	17.6	-	21.3	3	2	1	17.3	17.7	16.7
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	3	0	3	26.4	-	32.0	0	0	0	-	-	-

\* CAUSES AND NUMBERS ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.

\*\* DEATHS PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS.

# NOT TO BE USED FOR RANKING.

**TABLE 18**  
**DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,**  
**RESIDENTS OF CLAY, COAHOMA, COPIAH, AND COVINGTON COUNTIES, MISSISSIPPI, 1993**

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	CLAY COUNTY						COAHOMA COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	1	0	1	4.7	-	8.8	1	0	1	3.2	-	4.8
HIV INFECTION (042-044)	0	0	0	-	-	-	1	0	1	3.2	-	4.8
MALIGNANT NEOPLASMS (140-208)	46	25	21	217.8	255.4	185.3	85	40	45	268.4	363.6	217.8
DIABETES MELLITUS (250)	3	1	2	14.2	10.2	17.6	11	3	8	34.7	27.3	38.7
DISEASES OF HEART (390-398, 402, 404, 410-429)	102	63	39	483.0	643.6	344.2	133	56	77	420.0	509.0	372.6
HYPERTENSION (401, 403)	0	0	0	-	-	-	2	0	2	6.3	-	9.7
CEREBROVASCULAR DISEASES (430-438)	13	6	7	61.6	61.3	61.8	41	19	22	129.5	172.7	106.5
ATHEROSCLEROSIS (440)	1	1	0	4.7	10.2	-	2	0	2	6.3	-	9.7
PNEUMONIA AND INFLUENZA (480-487)	5	4	1	23.7	40.9	8.8	14	7	7	44.2	63.6	33.9
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	0	0	0	-	-	-	12	6	6	37.9	54.5	29.0
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	0	0	0	-	-	-	0	0	0	-	-	-
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	6	6	0	28.4	61.3	-	11	2	9	34.7	18.2	43.6
INFECTIONS OF KIDNEY (590)	0	0	0	-	-	-	0	0	0	-	-	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	4	1	3	18.9	10.2	26.5	5	0	5	15.8	-	24.2
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	1	1	0	2.8	9.7	-	3	0	3	4.8	-	5.9
ACCIDENTS (800-949)	15	11	4	71.0	112.4	35.3	11	5	6	34.7	45.4	29.0
MOTOR VEHICLE ACCIDENTS# (810-825)	10	8	2	47.3	81.7	17.6	6	2	4	18.9	18.2	19.4
SUICIDE (950-959)	3	3	0	14.2	30.6	-	2	1	1	6.3	9.1	4.8
HOMICIDE AND LEGAL INTERVENTION (960-978)	3	0	3	14.2	-	26.5	15	2	13	47.4	18.2	62.9
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	1	1	0	4.7	10.2	-	2	0	2	6.3	-	9.7

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	COPIAH COUNTY						COVINGTON COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	0	0	0	-	-	-	0	0	0	-	-	-
HIV INFECTION (042-044)	0	0	0	-	-	-	0	0	0	-	-	-
MALIGNANT NEOPLASMS (140-208)	73	33	40	264.6	242.6	285.9	33	20	13	199.7	186.9	223.1
DIABETES MELLITUS (250)	13	4	9	47.1	29.4	64.3	5	3	2	30.2	28.0	34.3
DISEASES OF HEART (390-398, 402, 404, 410-429)	103	64	39	373.3	470.5	278.8	64	43	21	387.2	401.9	360.3
HYPERTENSION (401, 403)	1	0	1	3.6	-	7.1	0	0	0	-	-	-
CEREBROVASCULAR DISEASES (430-438)	21	8	13	76.1	58.8	92.9	13	11	2	78.6	102.8	34.3
ATHEROSCLEROSIS (440)	2	2	0	7.2	14.7	-	1	0	1	6.0	-	17.2
PNEUMONIA AND INFLUENZA (480-487)	12	9	3	43.5	66.2	21.4	3	1	2	18.2	9.3	34.3
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	10	8	2	36.2	58.8	14.3	14	13	1	84.7	121.5	17.2
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	3	3	0	10.9	22.0	-	2	2	0	12.1	18.7	-
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	2	1	1	7.2	7.4	7.1	6	3	3	36.3	28.0	51.5
INFECTIONS OF KIDNEY (590)	0	0	0	-	-	-	0	0	0	-	-	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	1	0	1	3.6	-	7.1	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	3	2	1	7.0	13.2	3.6	2	0	2	6.6	-	13.9
ACCIDENTS (800-949)	11	6	5	39.9	44.1	35.7	9	5	4	54.4	46.7	68.6
MOTOR VEHICLE ACCIDENTS# (810-825)	6	2	4	21.7	14.7	28.6	5	2	3	30.2	18.7	51.5
SUICIDE (950-959)	2	2	0	7.2	14.7	-	2	1	1	12.1	9.3	17.2
HOMICIDE AND LEGAL INTERVENTION (960-978)	3	0	3	10.9	-	21.4	4	1	3	24.2	9.3	51.5
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	7	3	4	25.4	22.0	28.6	2	1	1	12.1	9.3	17.2

\* CAUSES AND NUMBERS ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.

\*\* DEATHS PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS.

# NOT TO BE USED FOR RANKING.

**TABLE 18**  
**DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,**  
**RESIDENTS OF DESOTO, FORREST, FRANKLIN, AND GEORGE COUNTIES, MISSISSIPPI, 1993**

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	DESOTO COUNTY						FORREST COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	1	1	0	1.5	1.7	-	1	1	0	1.5	2.1	-
HIV INFECTION (042-044)	3	1	2	4.4	1.7	22.1	6	3	3	8.8	6.4	13.9
MALIGNANT NEOPLASMS (140-208)	123	111	12	181.1	188.6	132.6	143	104	39	209.3	222.8	180.2
DIABETES MELLITUS (250)	5	4	1	7.4	6.8	11.0	17	7	10	24.9	15.0	46.2
DISEASES OF HEART (390-398, 402, 404, 410-429)	164	139	25	241.5	236.2	276.2	258	191	67	377.7	409.2	309.6
HYPERTENSION (401, 403)	0	0	0	-	-	-	6	3	3	8.8	6.4	13.9
CEREBROVASCULAR DISEASES (430-438)	28	26	2	41.2	44.2	22.1	46	29	17	67.3	62.1	78.6
ATHEROSCLEROSIS (440)	0	0	0	-	-	-	10	7	3	14.6	15.0	13.9
PNEUMONIA AND INFLUENZA (480-487)	18	14	4	26.5	23.8	44.2	28	25	3	41.0	53.6	13.9
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	20	17	3	29.4	28.9	33.1	30	26	4	43.9	55.7	18.5
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	8	7	1	11.8	11.9	11.0	6	4	2	8.8	8.6	9.2
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	3	2	1	4.4	3.4	11.0	5	0	5	7.3	-	23.1
INFECTIONS OF KIDNEY (590)	0	0	0	-	-	-	0	0	0	-	-	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	1	0	1	92.7	-	194.9
CONGENITAL ANOMALIES (740-759)	5	4	1	7.4	6.8	11.0	5	1	4	7.3	2.1	18.5
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	2	1	1	1.6	1.0	5.2	9	4	5	8.3	7.1	9.7
ACCIDENTS (800-949)	27	20	7	39.8	34.0	77.3	22	15	7	32.2	32.1	32.3
MOTOR VEHICLE ACCIDENTS# (810-825)	19	15	4	28.0	25.5	44.2	9	7	2	13.2	15.0	9.2
SUICIDE (950-959)	12	11	1	17.7	18.7	11.0	9	6	3	13.2	12.8	13.9
HOMICIDE AND LEGAL INTERVENTION (960-978)	10	3	7	14.7	5.1	77.3	13	2	11	19.0	4.3	50.8
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	5	2	3	7.4	3.4	33.1	5	1	4	7.3	2.1	18.5

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	FRANKLIN COUNTY						GEORGE COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	0	0	0	-	-	-	0	0	0	-	-	-
HIV INFECTION (042-044)	1	1	0	11.9	18.9	-	2	1	1	12.0	6.6	60.7
MALIGNANT NEOPLASMS (140-208)	15	12	3	179.1	226.8	97.2	33	30	3	197.9	199.7	182.0
DIABETES MELLITUS (250)	3	0	3	35.8	-	97.2	4	3	1	24.0	20.0	60.7
DISEASES OF HEART (390-398, 402, 404, 410-429)	41	28	13	489.4	529.3	421.1	57	54	3	341.9	359.4	182.0
HYPERTENSION (401, 403)	0	0	0	-	-	-	0	0	0	-	-	-
CEREBROVASCULAR DISEASES (430-438)	10	5	5	119.4	94.5	162.0	8	8	0	48.0	53.2	-
ATHEROSCLEROSIS (440)	1	1	0	11.9	18.9	-	1	1	0	6.0	6.6	-
PNEUMONIA AND INFLUENZA (480-487)	4	3	1	47.8	56.7	32.4	2	2	0	12.0	13.3	-
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	2	2	0	23.9	37.8	-	9	9	0	54.0	59.9	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	1	1	0	11.9	18.9	-	3	3	0	18.0	20.0	-
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	3	2	1	35.8	37.8	32.4	1	0	1	6.0	-	60.7
INFECTIONS OF KIDNEY (590)	0	0	0	-	-	-	0	0	0	-	-	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	1	0	1	11.9	-	32.4	2	2	0	12.0	13.3	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	2	0	2	19.2	-	37.7	2	2	0	6.3	7.0	-
ACCIDENTS (800-949)	8	5	3	95.5	94.5	97.2	16	13	3	96.0	86.5	182.0
MOTOR VEHICLE ACCIDENTS# (810-825)	7	4	3	83.6	75.6	97.2	8	5	3	48.0	33.3	182.0
SUICIDE (950-959)	7	7	0	83.6	132.3	-	2	2	0	12.0	13.3	-
HOMICIDE AND LEGAL INTERVENTION (960-978)	0	0	0	-	-	-	0	0	0	-	-	-
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	0	0	0	-	-	-	2	2	0	12.0	13.3	-

\* CAUSES AND NUMBERS ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.

\*\* DEATHS PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS.

# NOT TO BE USED FOR RANKING.



**TABLE 18**  
**DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,**  
**RESIDENTS OF GREENE, GRENADA, HANCOCK, AND HARRISON COUNTIES, MISSISSIPPI, 1993**

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	GREENE COUNTY						GRENADA COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	0	0	0	-	-	-	1	0	1	4.6	-	11.1
HIV INFECTION (042-044)	0	0	0	-	-	-	1	0	1	4.6	-	11.1
MALIGNANT NEOPLASMS (140-208)	20	16	4	195.7	200.0	180.1	52	32	20	241.2	254.7	222.4
DIABETES MELLITUS (250)	2	1	1	19.6	12.5	45.0	4	3	1	18.6	23.9	11.1
DISEASES OF HEART (390-398, 402, 404, 410-429)	46	36	10	450.1	450.0	450.2	105	70	35	487.1	557.2	389.2
HYPERTENSION (401, 403)	1	1	0	9.8	12.5	-	0	0	0	-	-	-
CEREBROVASCULAR DISEASES (430-438)	5	4	1	48.9	50.0	45.0	27	14	13	125.3	111.4	144.6
ATHEROSCLEROSIS (440)	0	0	0	-	-	-	0	0	0	-	-	-
PNEUMONIA AND INFLUENZA (480-487)	4	3	1	39.1	37.5	45.0	8	7	1	37.1	55.7	11.1
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	5	5	0	48.9	62.5	-	6	5	1	27.8	39.8	11.1
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	1	1	0	9.8	12.5	-	1	1	0	4.6	8.0	-
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	0	0	0	-	-	-	1	1	0	4.6	8.0	-
INFECTIONS OF KIDNEY (590)	0	0	0	-	-	-	0	0	0	-	-	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	1	1	0	9.8	12.5	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	0	0	0	-	-	-	1	0	1	3.0	-	5.5
ACCIDENTS (800-949)	8	8	0	78.3	100.0	-	11	6	5	51.0	47.8	55.6
MOTOR VEHICLE ACCIDENTS# (810-825)	5	5	0	48.9	62.5	-	5	2	3	23.2	15.9	33.4
SUICIDE (950-959)	0	0	0	-	-	-	4	1	3	18.6	8.0	33.4
HOMICIDE AND LEGAL INTERVENTION (960-978)	3	1	2	29.4	12.5	90.0	5	1	4	23.2	8.0	44.5
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	0	0	0	-	-	-	2	1	1	9.3	8.0	11.1

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	HANCOCK COUNTY						HARRISON COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	0	0	0	-	-	-	0	0	0	-	-	-
HIV INFECTION (042-044)	3	3	0	9.4	10.5	-	24	17	7	14.5	13.3	18.6
MALIGNANT NEOPLASMS (140-208)	74	67	7	233.0	234.1	223.3	342	277	65	206.8	217.0	172.2
DIABETES MELLITUS (250)	5	5	0	15.7	17.5	-	26	18	8	15.7	14.1	21.2
DISEASES OF HEART (390-398, 402, 404, 410-429)	130	120	10	409.3	419.2	319.0	563	463	100	340.4	362.8	265.0
HYPERTENSION (401, 403)	1	1	0	3.1	3.5	-	5	3	2	3.0	2.4	5.3
CEREBROVASCULAR DISEASES (430-438)	17	13	4	53.5	45.4	127.6	90	65	25	54.4	50.9	66.2
ATHEROSCLEROSIS (440)	2	2	0	6.3	7.0	-	5	5	0	3.0	3.9	-
PNEUMONIA AND INFLUENZA (480-487)	8	8	0	25.2	27.9	-	58	51	7	35.1	40.0	18.6
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	12	12	0	37.8	41.9	-	88	82	6	53.2	64.2	15.9
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	3	3	0	9.4	10.5	-	19	16	3	11.5	12.5	8.0
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	7	6	1	22.0	21.0	31.9	14	11	3	8.5	8.6	8.0
INFECTIONS OF KIDNEY (590)	0	0	0	-	-	-	0	0	0	-	-	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	2	0	2	66.8	-	215.8
CONGENITAL ANOMALIES (740-759)	1	1	0	3.1	3.5	-	10	6	4	6.0	4.7	10.6
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	2	0	2	4.5	-	30.8	7	6	1	2.3	2.9	1.1
ACCIDENTS (800-949)	14	13	1	44.1	45.4	31.9	84	64	20	50.8	50.1	53.0
MOTOR VEHICLE ACCIDENTS# (810-825)	8	7	1	25.2	24.4	31.9	40	31	9	24.2	24.3	23.8
SUICIDE (950-959)	5	5	0	15.7	17.5	-	24	22	2	14.5	17.2	5.3
HOMICIDE AND LEGAL INTERVENTION (960-978)	3	2	1	9.4	7.0	31.9	22	11	11	13.3	8.6	29.2
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	2	2	0	6.3	7.0	-	4	4	0	2.4	3.1	-

\* CAUSES AND NUMBERS ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.

\*\* DEATHS PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS.

# NOT TO BE USED FOR RANKING.

**TABLE 18**  
**DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,**  
**RESIDENTS OF HINDS, HOLMES, HUMPHREYS, AND ISSAQUENA COUNTIES, MISSISSIPPI, 1993**

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	HINDS COUNTY						HOLMES COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	2	0	2	0.8	-	1.5	0	0	0	-	-	-
HIV INFECTION (042-044)	54	17	37	21.2	13.8	28.2	2	0	2	9.2	-	12.2
MALIGNANT NEOPLASMS (140-208)	514	261	253	202.0	211.9	192.7	61	20	41	282.4	386.4	249.6
DIABETES MELLITUS (250)	37	11	26	14.5	8.9	19.8	6	1	5	27.8	19.3	30.4
DISEASES OF HEART (390-398, 402, 404, 410-429)	848	479	369	333.3	388.9	281.1	99	37	62	458.2	714.8	377.4
HYPERTENSION (401, 403)	13	3	10	5.1	2.4	7.6	1	1	0	4.6	19.3	-
CEREBROVASCULAR DISEASES (430-438)	138	71	67	54.2	57.6	51.0	48	13	35	222.2	251.2	213.0
ATHEROSCLEROSIS (440)	2	2	0	0.8	1.6	-	0	0	0	-	-	-
PNEUMONIA AND INFLUENZA (480-487)	109	70	39	42.8	56.8	29.7	6	3	3	27.8	58.0	18.3
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	85	63	22	33.4	51.1	16.8	10	7	3	46.3	135.2	18.3
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	23	16	7	9.0	13.0	5.3	3	1	2	13.9	19.3	12.2
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	25	4	21	9.8	3.2	16.0	4	0	4	18.5	-	24.3
INFECTIONS OF KIDNEY (590)	2	1	1	0.8	0.8	0.8	0	0	0	-	-	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	12	3	9	4.7	2.4	6.8	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	29	4	25	6.9	3.1	8.6	2	0	2	4.9	-	5.5
ACCIDENTS (800-949)	123	61	62	48.3	49.5	47.2	19	8	11	87.9	154.6	67.0
MOTOR VEHICLE ACCIDENTS# (810-825)	50	23	27	19.6	18.7	20.6	11	5	6	50.9	96.6	36.5
SUICIDE (950-959)	31	24	7	12.2	19.5	5.3	2	1	1	9.2	19.3	6.1
HOMICIDE AND LEGAL INTERVENTION (960-978)	88	8	80	34.6	6.5	60.9	12	0	12	55.5	-	73.0
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	6	5	1	2.4	4.0	0.8	13	2	11	60.2	38.6	67.0

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	HUMPHREYS COUNTY						ISSAQUENA COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	0	0	0	-	-	-	0	0	0	-	-	-
HIV INFECTION (042-044)	0	0	0	-	-	-	0	0	0	-	-	-
MALIGNANT NEOPLASMS (140-208)	23	8	15	189.6	207.5	181.2	6	4	2	314.3	480.2	185.9
DIABETES MELLITUS (250)	3	0	3	24.7	-	36.2	0	0	0	-	-	-
DISEASES OF HEART (390-398, 402, 404, 410-429)	49	26	23	403.8	674.3	277.8	1	0	1	52.4	-	92.9
HYPERTENSION (401, 403)	3	1	2	24.7	25.9	24.2	0	0	0	-	-	-
CEREBROVASCULAR DISEASES (430-438)	7	2	5	57.7	51.9	60.4	1	0	1	52.4	-	92.9
ATHEROSCLEROSIS (440)	0	0	0	-	-	-	0	0	0	-	-	-
PNEUMONIA AND INFLUENZA (480-487)	0	0	0	-	-	-	0	0	0	-	-	-
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	1	0	1	8.2	-	12.1	1	1	0	52.4	120.0	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	0	0	0	-	-	-	0	0	0	-	-	-
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	0	0	0	-	-	-	1	1	0	52.4	120.0	-
INFECTIONS OF KIDNEY (590)	0	0	0	-	-	-	0	0	0	-	-	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	0	0	0	-	-	-	0	0	0	-	-	-
ACCIDENTS (800-949)	13	5	8	107.1	129.7	96.6	0	0	0	-	-	-
MOTOR VEHICLE ACCIDENTS# (810-825)	9	5	4	74.2	129.7	48.3	0	0	0	-	-	-
SUICIDE (950-959)	1	0	1	8.2	-	12.1	0	0	0	-	-	-
HOMICIDE AND LEGAL INTERVENTION (960-978)	2	0	2	16.5	-	24.2	1	0	1	52.4	-	92.9
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	3	0	3	24.7	-	36.2	0	0	0	-	-	-

\* CAUSES AND NUMBERS ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.

\*\* DEATHS PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS.

# NOT TO BE USED FOR RANKING.

**TABLE 18**  
**DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,**  
**RESIDENTS OF ITAWAMBA, JACKSON, JASPER, AND JEFFERSON COUNTIES, MISSISSIPPI, 1993**

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	ITAWAMBA COUNTY						JACKSON COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	0	0	0	-	-	-	0	0	0	-	-	-
HIV INFECTION (042-044)	0	0	0	-	-	-	5	3	2	4.3	3.3	8.0
MALIGNANT NEOPLASMS (140-208)	38	38	0	189.8	204.3	-	220	182	38	190.9	202.0	151.2
DIABETES MELLITUS (250)	1	1	0	5.0	5.4	-	15	9	6	13.0	10.0	23.9
DISEASES OF HEART (390-398, 402, 404, 410-429)	73	69	4	364.7	371.0	281.5	303	242	61	262.9	268.5	242.7
HYPERTENSION (401, 403)	0	0	0	-	-	-	3	3	0	2.6	3.3	-
CEREBROVASCULAR DISEASES (430-438)	25	24	1	124.9	129.1	70.4	53	42	11	46.0	46.6	43.8
ATHEROSCLEROSIS (440)	1	1	0	5.0	5.4	-	5	5	0	4.3	5.5	-
PNEUMONIA AND INFLUENZA (480-487)	5	5	0	25.0	26.9	-	19	16	3	16.5	17.8	11.9
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	5	5	0	25.0	26.9	-	41	39	2	35.6	43.3	8.0
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	3	3	0	15.0	16.1	-	19	17	2	16.5	18.9	8.0
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	3	3	0	15.0	16.1	-	7	5	2	6.1	5.5	8.0
INFECTIONS OF KIDNEY (590)	0	0	0	-	-	-	0	0	0	-	-	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	0	0	0	-	-	-	11	5	6	9.5	5.5	23.9
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	0	0	0	-	-	-	4	2	2	2.2	1.6	3.7
ACCIDENTS (800-949)	11	9	2	55.0	48.4	140.7	54	44	10	46.8	48.8	39.8
MOTOR VEHICLE ACCIDENTS# (810-825)	9	8	1	45.0	43.0	70.4	31	27	4	26.9	30.0	15.9
SUICIDE (950-959)	2	2	0	10.0	10.8	-	13	12	1	11.3	13.3	4.0
HOMICIDE AND LEGAL INTERVENTION (960-978)	1	0	1	5.0	-	70.4	22	8	14	19.1	8.9	55.7
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	9	8	1	45.0	43.0	70.4	7	5	2	6.1	5.5	8.0

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	JASPER COUNTY						JEFFERSON COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	0	0	0	-	-	-	1	0	1	11.6	-	13.4
HIV INFECTION (042-044)	1	0	1	5.8	-	11.5	1	0	1	11.6	-	13.4
MALIGNANT NEOPLASMS (140-208)	32	16	16	187.0	190.2	183.8	18	4	14	208.0	337.6	187.5
DIABETES MELLITUS (250)	0	0	0	-	-	-	2	0	2	23.1	-	26.8
DISEASES OF HEART (390-398, 402, 404, 410-429)	71	41	30	414.9	487.5	344.7	38	6	32	439.2	506.3	428.5
HYPERTENSION (401, 403)	0	0	0	-	-	-	0	0	0	-	-	-
CEREBROVASCULAR DISEASES (430-438)	13	7	6	76.0	83.2	68.9	2	1	1	23.1	84.4	13.4
ATHEROSCLEROSIS (440)	0	0	0	-	-	-	1	1	0	11.6	84.4	-
PNEUMONIA AND INFLUENZA (480-487)	8	7	1	46.7	83.2	11.5	3	0	3	34.7	-	40.2
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	8	6	2	46.7	71.3	23.0	1	0	1	11.6	-	13.4
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	0	0	0	-	-	-	0	0	0	-	-	-
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	0	0	0	-	-	-	0	0	0	-	-	-
INFECTIONS OF KIDNEY (590)	0	0	0	-	-	-	0	0	0	-	-	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	0	0	0	-	-	-	3	0	3	18.0	-	18.8
ACCIDENTS (800-949)	7	3	4	40.9	35.7	46.0	8	0	8	92.4	-	107.1
MOTOR VEHICLE ACCIDENTS# (810-825)	5	2	3	29.2	23.8	34.5	6	0	6	69.3	-	80.3
SUICIDE (950-959)	2	1	1	11.7	11.9	11.5	2	0	2	23.1	-	26.8
HOMICIDE AND LEGAL INTERVENTION (960-978)	3	1	2	17.5	11.9	23.0	2	0	2	23.1	-	26.8
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	0	0	0	-	-	-	2	0	2	23.1	-	26.8

\* CAUSES AND NUMBERS ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.

\*\* DEATHS PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS.

# NOT TO BE USED FOR RANKING.

**TABLE 18**  
**DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,**  
**RESIDENTS OF JEFF DAVIS, JONES, KEMPER, AND LAFAYETTE COUNTIES, MISSISSIPPI, 1993**

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	JEFF DAVIS COUNTY						JONES COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	0	0	0	-	-	-	0	0	0	-	-	-
HIV INFECTION (042-044)	1	0	1	7.1	-	13.0	1	1	0	1.6	2.2	-
MALIGNANT NEOPLASMS (140-208)	35	18	17	249.1	284.4	220.2	151	121	30	243.4	261.9	189.4
DIABETES MELLITUS (250)	4	2	2	28.5	31.6	25.9	5	2	3	8.1	4.3	18.9
DISEASES OF HEART (390-398, 402, 404, 410-429)	54	23	31	384.3	363.3	401.5	246	201	45	396.6	435.1	284.1
HYPERTENSION (401, 403)	1	1	0	7.1	15.8	-	1	1	0	1.6	2.2	-
CEREBROVASCULAR DISEASES (430-438)	12	7	5	85.4	110.6	64.8	44	30	14	70.9	64.9	88.4
ATHEROSCLEROSIS (440)	0	0	0	-	-	-	0	0	0	-	-	-
PNEUMONIA AND INFLUENZA (480-487)	8	5	3	56.9	79.0	38.8	34	29	5	54.8	62.8	31.6
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	7	5	2	49.8	79.0	25.9	28	22	6	45.1	47.6	37.9
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	2	1	1	14.2	15.8	13.0	5	5	0	8.1	10.8	-
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	0	0	0	-	-	-	15	5	10	24.2	10.8	63.1
INFECTIONS OF KIDNEY (590)	0	0	0	-	-	-	0	0	0	-	-	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	0	0	0	-	-	-	5	2	3	8.1	4.3	18.9
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	0	0	0	-	-	-	3	1	2	3.5	2.0	5.6
ACCIDENTS (800-949)	16	6	10	113.9	94.8	129.5	47	32	15	75.8	69.3	94.7
MOTOR VEHICLE ACCIDENTS# (810-825)	12	5	7	85.4	79.0	90.7	22	17	5	35.5	36.8	31.6
SUICIDE (950-959)	1	1	0	7.1	15.8	-	3	3	0	4.8	6.5	-
HOMICIDE AND LEGAL INTERVENTION (960-978)	6	1	5	42.7	15.8	64.8	6	3	3	9.7	6.5	18.9
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	0	0	0	-	-	-	5	3	2	8.1	6.5	12.6

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	KEMPER COUNTY						LAFAYETTE COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	0	0	0	-	-	-	0	0	0	-	-	-
HIV INFECTION (042-044)	0	0	0	-	-	-	0	0	0	-	-	-
MALIGNANT NEOPLASMS (140-208)	25	13	12	241.4	295.0	201.7	58	44	14	182.2	190.0	161.4
DIABETES MELLITUS (250)	3	1	2	29.0	22.7	33.6	4	3	1	12.6	13.0	11.5
DISEASES OF HEART (390-398, 402, 404, 410-429)	48	27	21	463.5	612.7	353.0	90	56	34	282.8	241.9	391.9
HYPERTENSION (401, 403)	1	0	1	9.6	-	16.8	0	0	0	-	-	-
CEREBROVASCULAR DISEASES (430-438)	7	5	2	67.6	113.4	33.6	13	8	5	40.8	34.6	57.6
ATHEROSCLEROSIS (440)	0	0	0	-	-	-	0	0	0	-	-	-
PNEUMONIA AND INFLUENZA (480-487)	4	1	3	38.6	22.7	50.4	2	0	2	6.3	-	23.0
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	3	2	1	29.0	45.4	16.8	15	14	1	47.1	60.5	11.5
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	3	2	1	29.0	45.4	16.8	5	4	1	15.7	17.3	11.5
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	2	1	1	19.3	22.7	16.8	4	3	1	12.6	13.0	11.5
INFECTIONS OF KIDNEY (590)	0	0	0	-	-	-	0	0	0	-	-	-
MATERNAL CAUSES (630-676)	1	0	1	709.2	-	1098.9	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	0	0	0	-	-	-	1	0	1	3.1	-	11.5
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	0	0	0	-	-	-	3	1	2	7.8	4.6	12.1
ACCIDENTS (800-949)	4	3	1	38.6	68.1	16.8	11	8	3	34.6	34.6	34.6
MOTOR VEHICLE ACCIDENTS# (810-825)	1	1	0	9.6	22.7	-	7	6	1	22.0	25.9	11.5
SUICIDE (950-959)	2	0	2	19.3	-	33.6	2	2	0	6.3	8.6	-
HOMICIDE AND LEGAL INTERVENTION (960-978)	1	0	1	9.6	-	16.8	4	0	4	12.6	-	46.1
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	3	1	2	29.0	22.7	33.6	1	0	1	3.1	-	11.5

\* CAUSES AND NUMBERS ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.

\*\* DEATHS PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS.

# NOT TO BE USED FOR RANKING.

**TABLE 18**  
**DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,**  
**RESIDENTS OF LAMAR, LAUDERDALE, LAWRENCE, AND LEAKE COUNTIES, MISSISSIPPI, 1993**

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	LAMAR COUNTY						LAUDERDALE COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	0	0	0	-	-	-	1	0	1	1.3	-	3.7
HIV INFECTION (042-044)	4	2	2	13.1	7.5	52.3	6	1	5	7.9	2.0	18.6
MALIGNANT NEOPLASMS (140-208)	36	27	9	118.3	101.5	235.3	172	124	48	227.6	254.6	178.8
DIABETES MELLITUS (250)	5	3	2	16.4	11.3	52.3	13	7	6	17.2	14.4	22.3
DISEASES OF HEART (390-398, 402, 404, 410-429)	88	78	10	289.2	293.2	261.4	288	197	91	381.2	404.5	338.9
HYPERTENSION (401, 403)	0	0	0	-	-	-	2	0	2	2.6	-	7.4
CEREBROVASCULAR DISEASES (430-438)	13	11	2	42.7	41.4	52.3	40	28	12	52.9	57.5	44.7
ATHEROSCLEROSIS (440)	3	2	1	9.9	7.5	26.1	3	1	2	4.0	2.0	7.4
PNEUMONIA AND INFLUENZA (480-487)	6	6	0	19.7	22.6	-	36	24	12	47.6	49.3	44.7
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	15	15	0	49.3	56.4	-	58	51	7	76.8	104.7	26.1
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	4	4	0	13.1	15.0	-	7	1	6	9.3	2.0	22.3
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	9	4	5	29.6	15.0	130.7	15	10	5	19.8	20.5	18.6
INFECTIONS OF KIDNEY (590)	0	0	0	-	-	-	0	0	0	-	-	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	1	0	1	3.3	-	26.1	1	0	1	1.3	-	3.7
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	3	2	1	6.5	5.2	13.0	2	0	2	1.7	-	3.4
ACCIDENTS (800-949)	14	10	4	46.0	37.6	104.6	30	20	10	39.7	41.1	37.2
MOTOR VEHICLE ACCIDENTS# (810-825)	9	7	2	29.6	26.3	52.3	18	12	6	23.8	24.6	22.3
SUICIDE (950-959)	3	3	0	9.9	11.3	-	7	5	2	9.3	10.3	7.4
HOMICIDE AND LEGAL INTERVENTION (960-978)	2	1	1	6.6	3.8	26.1	17	4	13	22.5	8.2	48.4
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	0	0	0	-	-	-	2	1	1	2.6	2.0	3.7

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	LAWRENCE COUNTY						LEAKE COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	0	0	0	-	-	-	0	0	0	-	-	-
HIV INFECTION (042-044)	0	0	0	-	-	-	2	0	2	10.8	-	27.2
MALIGNANT NEOPLASMS (140-208)	21	16	5	168.6	192.8	120.2	51	31	20	276.6	279.6	272.1
DIABETES MELLITUS (250)	6	4	2	48.2	48.2	48.1	4	1	3	21.7	9.0	40.8
DISEASES OF HEART (390-398, 402, 404, 410-429)	41	29	12	329.1	349.4	288.6	88	66	22	477.3	595.3	299.3
HYPERTENSION (401, 403)	0	0	0	-	-	-	1	1	0	5.4	9.0	-
CEREBROVASCULAR DISEASES (430-438)	9	6	3	72.2	72.3	72.2	22	15	7	119.3	135.3	95.2
ATHEROSCLEROSIS (440)	0	0	0	-	-	-	0	0	0	-	-	-
PNEUMONIA AND INFLUENZA (480-487)	2	1	1	16.0	12.0	24.0	11	9	2	59.7	81.2	27.2
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	5	5	0	40.1	60.2	-	6	5	1	32.5	45.1	13.6
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	2	2	0	16.0	24.1	-	2	2	0	10.8	18.0	-
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	1	1	0	8.0	12.0	-	6	4	2	32.5	36.1	27.2
INFECTIONS OF KIDNEY (590)	0	0	0	-	-	-	0	0	0	-	-	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	1	0	1	300.3	-	565.0
CONGENITAL ANOMALIES (740-759)	1	0	1	8.0	-	24.0	2	1	1	10.8	9.0	13.6
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	2	2	0	10.6	20.8	-	1	0	1	3.0	-	5.6
ACCIDENTS (800-949)	15	12	3	120.4	144.6	72.2	16	9	7	86.8	81.2	95.2
MOTOR VEHICLE ACCIDENTS# (810-825)	10	9	1	80.3	108.4	24.0	14	7	7	75.9	63.1	95.2
SUICIDE (950-959)	3	3	0	24.1	36.1	-	5	3	2	27.1	27.1	27.2
HOMICIDE AND LEGAL INTERVENTION (960-978)	2	0	2	16.0	-	48.1	1	0	1	5.4	-	13.6
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	0	0	0	-	-	-	2	2	0	10.8	18.0	-

\* CAUSES AND NUMBERS ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.

\*\* DEATHS PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS.

# NOT TO BE USED FOR RANKING.

**TABLE 18**  
**DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,**  
**RESIDENTS OF LEE, LEFLORE, LINCOLN, AND LOWNDES COUNTIES, MISSISSIPPI, 1993**

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	LEE COUNTY						LEFLORE COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	0	0	0	-	-	-	0	0	0	-	-	-
HIV INFECTION (042-044)	5	3	2	7.6	5.8	14.0	0	0	0	-	-	-
MALIGNANT NEOPLASMS (140-208)	139	105	34	212.0	204.8	237.4	86	42	44	230.3	289.3	192.8
DIABETES MELLITUS (250)	6	5	1	9.1	9.8	7.0	10	3	7	26.8	20.7	30.7
DISEASES OF HEART (390-398, 402, 404, 410-429)	289	230	59	440.7	448.7	412.0	179	86	93	479.4	592.4	407.4
HYPERTENSION (401, 403)	2	1	1	3.0	2.0	7.0	3	1	2	8.0	6.9	8.8
CEREBROVASCULAR DISEASES (430-438)	47	35	12	71.7	68.3	83.8	30	10	20	80.3	68.9	87.6
ATHEROSCLEROSIS (440)	6	6	0	9.1	11.7	-	1	1	0	2.7	6.9	-
PNEUMONIA AND INFLUENZA (480-487)	25	17	8	38.1	33.2	55.9	15	11	4	40.2	75.8	17.5
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	32	28	4	48.8	54.6	27.9	17	11	6	45.5	75.8	26.3
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	3	2	1	4.6	3.9	7.0	3	2	1	8.0	13.8	4.4
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	8	5	3	12.2	9.8	20.9	2	1	1	5.4	6.9	4.4
INFECTIONS OF KIDNEY (590)	0	0	0	-	-	-	0	0	0	-	-	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	6	4	2	9.1	7.8	14.0	1	0	1	2.7	-	4.4
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	9	3	6	7.7	4.0	14.4	6	0	6	8.7	-	11.6
ACCIDENTS (800-949)	45	36	9	68.6	70.2	62.8	20	9	11	53.6	62.0	48.2
MOTOR VEHICLE ACCIDENTS# (810-825)	30	25	5	45.7	48.8	34.9	11	5	6	29.4	34.4	26.3
SUICIDE (950-959)	6	4	2	9.1	7.8	14.0	3	2	1	8.0	13.8	4.4
HOMICIDE AND LEGAL INTERVENTION (960-978)	8	3	5	12.2	5.8	34.9	8	1	7	21.4	6.9	30.7
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	10	6	4	15.2	11.7	27.9	1	0	1	2.7	-	4.4

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	LINCOLN COUNTY						LOWNDES COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	0	0	0	-	-	-	0	0	0	-	-	-
HIV INFECTION (042-044)	1	1	0	3.3	4.7	-	4	0	4	6.7	-	17.7
MALIGNANT NEOPLASMS (140-208)	80	52	28	264.2	245.7	307.2	112	75	37	188.8	204.2	163.9
DIABETES MELLITUS (250)	12	6	6	39.6	28.4	65.8	5	2	3	8.4	5.4	13.3
DISEASES OF HEART (390-398, 402, 404, 410-429)	116	88	28	383.1	415.8	307.2	181	111	70	305.2	302.2	310.1
HYPERTENSION (401, 403)	0	0	0	-	-	-	8	6	2	13.5	16.3	8.9
CEREBROVASCULAR DISEASES (430-438)	28	16	12	92.5	75.6	131.6	26	22	4	43.8	59.9	17.7
ATHEROSCLEROSIS (440)	0	0	0	-	-	-	0	0	0	-	-	-
PNEUMONIA AND INFLUENZA (480-487)	9	8	1	29.7	37.8	11.0	17	14	3	28.7	38.1	13.3
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	12	10	2	39.6	47.2	21.9	12	9	3	20.2	24.5	13.3
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	3	3	0	9.9	14.2	-	7	4	3	11.8	10.9	13.3
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	2	2	0	6.6	9.4	-	3	1	2	5.0	2.7	8.9
INFECTIONS OF KIDNEY (590)	0	0	0	-	-	-	0	0	0	-	-	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	1	1	0	3.3	4.7	-	2	1	1	3.4	2.7	4.4
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	2	2	0	4.0	7.2	-	15	4	11	14.5	8.0	20.5
ACCIDENTS (800-949)	18	10	8	59.4	47.2	87.8	24	16	8	40.5	43.6	35.4
MOTOR VEHICLE ACCIDENTS# (810-825)	8	5	3	26.4	23.6	32.9	17	14	3	28.7	38.1	13.3
SUICIDE (950-959)	5	5	0	16.5	23.6	-	5	5	0	8.4	13.6	-
HOMICIDE AND LEGAL INTERVENTION (960-978)	4	0	4	13.2	-	43.9	4	0	4	6.7	-	17.7
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	1	1	0	3.3	4.7	-	18	7	11	30.4	19.0	48.7

\* CAUSES AND NUMBERS ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.

\*\* DEATHS PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS.

# NOT TO BE USED FOR RANKING.

**TABLE 18**  
**DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,**  
**RESIDENTS OF MADISON, MARION, MARSHALL, AND MONROE COUNTIES, MISSISSIPPI, 1993**

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	MADISON COUNTY						MARION COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	1	0	1	1.8	-	4.2	0	0	0	-	-	-
HIV INFECTION (042-044)	4	2	2	7.4	6.7	8.3	1	0	1	3.9	-	12.8
MALIGNANT NEOPLASMS (140-208)	93	47	46	172.9	157.8	191.6	58	40	18	227.0	225.6	230.4
DIABETES MELLITUS (250)	6	0	6	11.2	-	25.0	4	4	0	15.6	22.6	-
DISEASES OF HEART (390-398, 402, 404, 410-429)	136	72	64	252.8	241.7	266.6	121	83	38	473.7	468.0	486.5
HYPERTENSION (401, 403)	4	1	3	7.4	3.4	12.5	0	0	0	-	-	-
CEREBROVASCULAR DISEASES (430-438)	26	13	13	48.3	43.6	54.2	25	18	7	97.9	101.5	89.6
ATHEROSCLEROSIS (440)	0	0	0	-	-	-	6	5	1	23.5	28.2	12.8
PNEUMONIA AND INFLUENZA (480-487)	22	11	11	40.9	36.9	45.8	11	9	2	43.1	50.8	25.6
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	12	7	5	22.3	23.5	20.8	11	8	3	43.1	45.1	38.4
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	1	0	1	1.8	-	4.2	1	1	0	3.9	5.6	-
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	17	5	12	31.6	16.8	50.0	3	3	0	11.7	16.9	-
INFECTIONS OF KIDNEY (590)	1	1	0	1.8	3.4	-	0	0	0	-	-	-
MATERNAL CAUSES (630-676)	1	1	0	90.2	190.1	-	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	2	1	1	3.7	3.4	4.2	1	1	0	3.9	5.6	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	5	0	5	4.5	-	8.6	0	0	0	-	-	-
ACCIDENTS (800-949)	30	13	17	55.8	43.6	70.8	21	16	5	82.2	90.2	64.0
MOTOR VEHICLE ACCIDENTS# (810-825)	22	10	12	40.9	33.6	50.0	11	9	2	43.1	50.8	25.6
SUICIDE (950-959)	5	5	0	9.3	16.8	-	2	2	0	7.8	11.3	-
HOMICIDE AND LEGAL INTERVENTION (960-978)	9	1	8	16.7	3.4	33.3	3	0	3	11.7	-	38.4
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	6	3	3	11.2	10.1	12.5	1	1	0	3.9	5.6	-

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	MARSHALL COUNTY						MONROE COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	2	0	2	6.6	-	12.9	0	0	0	-	-	-
HIV INFECTION (042-044)	2	1	1	6.6	6.7	6.4	0	0	0	-	-	-
MALIGNANT NEOPLASMS (140-208)	69	42	27	227.3	283.0	174.0	80	63	17	218.7	248.1	151.9
DIABETES MELLITUS (250)	9	3	6	29.6	20.2	38.7	8	7	1	21.9	27.6	8.9
DISEASES OF HEART (390-398, 402, 404, 410-429)	83	42	41	273.4	283.0	264.2	143	105	38	390.9	413.5	339.6
HYPERTENSION (401, 403)	7	0	7	23.0	-	45.1	3	2	1	8.2	7.9	8.9
CEREBROVASCULAR DISEASES (430-438)	16	5	11	52.7	33.7	70.9	23	12	11	62.9	47.2	98.3
ATHEROSCLEROSIS (440)	6	2	4	19.8	13.5	25.8	1	1	0	2.7	3.9	-
PNEUMONIA AND INFLUENZA (480-487)	13	8	5	42.8	53.9	32.2	9	9	0	24.6	35.4	-
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	7	7	0	23.0	47.2	-	15	13	2	41.0	51.2	17.9
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	2	2	0	6.6	13.5	-	2	2	0	5.5	7.9	-
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	1	1	0	3.3	6.7	-	5	2	3	13.7	7.9	26.8
INFECTIONS OF KIDNEY (590)	0	0	0	-	-	-	0	0	0	-	-	-
MATERNAL CAUSES (630-676)	1	0	1	200.8	-	340.1	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	4	3	1	13.2	20.2	6.4	2	2	0	5.5	7.9	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	2	0	2	4.0	-	6.8	1	1	0	1.7	2.9	-
ACCIDENTS (800-949)	22	15	7	72.5	101.1	45.1	15	11	4	41.0	43.3	35.8
MOTOR VEHICLE ACCIDENTS# (810-825)	16	11	5	52.7	74.1	32.2	7	6	1	19.1	23.6	8.9
SUICIDE (950-959)	1	0	1	3.3	-	6.4	4	3	1	10.9	11.8	8.9
HOMICIDE AND LEGAL INTERVENTION (960-978)	4	0	4	13.2	-	25.8	4	2	2	10.9	7.9	17.9
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	8	3	5	26.4	20.2	32.2	0	0	0	-	-	-

\* CAUSES AND NUMBERS ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.

\*\* DEATHS PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS.

# NOT TO BE USED FOR RANKING.

**TABLE 18**  
**DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,**  
**RESIDENTS OF MONTGOMERY, NESHOPA, NEWTON, AND NOXUBEE COUNTIES, MISSISSIPPI, 1993**

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	MONTGOMERY COUNTY						NESHOPA COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	0	0	0	-	-	-	0	0	0	-	-	-
HIV INFECTION (042-044)	2	0	2	16.1	-	36.6	2	2	0	8.1	11.8	-
MALIGNANT NEOPLASMS (140-208)	33	16	17	266.4	231.3	310.7	59	45	14	237.9	265.6	178.2
DIABETES MELLITUS (250)	6	4	2	48.4	57.8	36.6	5	2	3	20.2	11.8	38.2
DISEASES OF HEART (390-398, 402, 404, 410-429)	55	37	18	444.0	535.0	328.9	113	89	24	455.6	525.2	305.5
HYPERTENSION (401, 403)	1	0	1	8.1	-	18.3	2	1	1	8.1	5.9	12.7
CEREBROVASCULAR DISEASES (430-438)	10	6	4	80.7	86.8	73.1	21	18	3	84.7	106.2	38.2
ATHEROSCLEROSIS (440)	1	0	1	8.1	-	18.3	0	0	0	-	-	-
PNEUMONIA AND INFLUENZA (480-487)	5	5	0	40.4	72.3	-	5	4	1	20.2	23.6	12.7
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	6	4	2	48.4	57.8	36.6	7	7	0	28.2	41.3	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	2	2	0	16.1	28.9	-	6	2	4	24.2	11.8	50.9
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	3	1	2	24.2	14.4	36.6	7	3	4	28.2	17.7	50.9
INFECTIONS OF KIDNEY (590)	0	0	0	-	-	-	0	0	0	-	-	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	1	1	0	8.1	14.4	-	3	2	1	12.1	11.8	12.7
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	0	0	0	-	-	-	1	1	0	2.6	5.4	-
ACCIDENTS (800-949)	14	12	2	113.0	173.5	36.6	16	9	7	64.5	53.1	89.1
MOTOR VEHICLE ACCIDENTS# (810-825)	11	11	0	88.8	159.0	-	6	3	3	24.2	17.7	38.2
SUICIDE (950-959)	1	0	1	8.1	-	18.3	4	2	2	16.1	11.8	25.5
HOMICIDE AND LEGAL INTERVENTION (960-978)	3	0	3	24.2	-	54.8	6	1	5	24.2	5.9	63.6
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	1	1	0	8.1	14.4	-	2	0	2	8.1	-	25.5

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	NEWTON COUNTY						NOXUBEE COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	0	0	0	-	-	-	0	0	0	-	-	-
HIV INFECTION (042-044)	2	1	1	9.8	7.3	15.2	1	0	1	7.9	-	11.6
MALIGNANT NEOPLASMS (140-208)	46	35	11	226.7	255.5	166.8	22	10	12	174.5	252.6	138.8
DIABETES MELLITUS (250)	10	7	3	49.3	51.1	45.5	1	1	0	7.9	25.2	-
DISEASES OF HEART (390-398, 402, 404, 410-429)	79	51	28	389.3	372.3	424.6	66	26	40	523.6	656.7	462.7
HYPERTENSION (401, 403)	0	0	0	-	-	-	0	0	0	-	-	-
CEREBROVASCULAR DISEASES (430-438)	18	14	4	88.7	102.2	60.7	11	5	6	87.3	126.3	69.4
ATHEROSCLEROSIS (440)	0	0	0	-	-	-	1	1	0	7.9	25.2	-
PNEUMONIA AND INFLUENZA (480-487)	10	8	2	49.3	58.4	30.3	2	0	2	15.9	-	23.1
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	12	11	1	59.1	80.3	15.2	2	2	0	15.9	50.5	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	3	0	3	14.8	-	45.5	0	0	0	-	-	-
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	3	3	0	14.8	21.9	-	2	1	1	15.9	25.2	11.6
INFECTIONS OF KIDNEY (590)	0	0	0	-	-	-	0	0	0	-	-	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	0	0	0	-	-	-	2	1	1	15.9	25.2	11.6
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	2	1	1	6.2	5.7	6.8	1	0	1	4.5	-	5.7
ACCIDENTS (800-949)	14	8	6	69.0	58.4	91.0	14	6	8	111.1	151.6	92.5
MOTOR VEHICLE ACCIDENTS# (810-825)	11	5	6	54.2	36.5	91.0	5	1	4	39.7	25.2	46.3
SUICIDE (950-959)	2	1	1	9.8	7.3	15.2	0	0	0	-	-	-
HOMICIDE AND LEGAL INTERVENTION (960-978)	4	2	2	19.7	14.6	30.3	0	0	0	-	-	-
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	0	0	0	-	-	-	0	0	0	-	-	-

\* CAUSES AND NUMBERS ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.

\*\* DEATHS PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS.

# NOT TO BE USED FOR RANKING.



**TABLE 18**  
**DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,**  
**RESIDENTS OF OKTIBBEHA, PANOLA, PEARL RIVER, AND PERRY COUNTIES, MISSISSIPPI, 1993**

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	OKTIBBEHA COUNTY						PANOLA COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	0	0	0	-	-	-	2	0	2	6.7	-	13.7
HIV INFECTION (042-044)	2	0	2	5.2	-	14.0	3	1	2	10.0	6.5	13.7
MALIGNANT NEOPLASMS (140-208)	60	30	30	156.4	124.7	209.6	87	62	25	290.0	403.2	171.0
DIABETES MELLITUS (250)	9	4	5	23.4	16.6	34.9	2	0	2	6.7	-	13.7
DISEASES OF HEART (390-398, 402, 404, 410-429)	72	45	27	187.6	187.0	188.7	104	66	38	346.7	429.2	259.9
HYPERTENSION (401, 403)	14	6	8	36.5	24.9	55.9	0	0	0	-	-	-
CEREBROVASCULAR DISEASES (430-438)	14	8	6	36.5	33.2	41.9	23	15	8	76.7	97.6	54.7
ATHEROSCLEROSIS (440)	0	0	0	-	-	-	4	1	3	13.3	6.5	20.5
PNEUMONIA AND INFLUENZA (480-487)	5	3	2	13.0	12.5	14.0	15	13	2	50.0	84.5	13.7
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	5	4	1	13.0	16.6	7.0	8	7	1	26.7	45.5	6.8
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	0	0	0	-	-	-	4	3	1	13.3	19.5	6.8
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	1	0	1	2.6	-	7.0	6	3	3	20.0	19.5	20.5
INFECTIONS OF KIDNEY (590)	0	0	0	-	-	-	0	0	0	-	-	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	4	2	2	10.4	8.3	14.0	1	1	0	3.3	6.5	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	0	0	0	-	-	-	4	0	4	7.3	-	10.9
ACCIDENTS (800-949)	13	9	4	33.9	37.4	28.0	27	13	14	90.0	84.5	95.8
MOTOR VEHICLE ACCIDENTS# (810-825)	8	5	3	20.8	20.8	21.0	13	6	7	43.3	39.0	47.9
SUICIDE (950-959)	5	5	0	13.0	20.8	-	7	7	0	23.3	45.5	-
HOMICIDE AND LEGAL INTERVENTION (960-978)	6	0	6	15.6	-	41.9	8	3	5	26.7	19.5	34.2
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	0	0	0	-	-	-	4	1	3	13.3	6.5	20.5

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	PEARL RIVER COUNTY						PERRY COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	3	1	2	7.7	3.0	34.3	0	0	0	-	-	-
HIV INFECTION (042-044)	2	1	1	5.2	3.0	17.2	1	1	0	9.2	12.0	-
MALIGNANT NEOPLASMS (140-208)	91	79	12	235.0	240.2	206.0	20	14	6	184.1	168.0	237.0
DIABETES MELLITUS (250)	11	10	1	28.4	30.4	17.2	2	1	1	18.4	12.0	39.5
DISEASES OF HEART (390-398, 402, 404, 410-429)	138	108	30	356.5	328.4	514.9	39	29	10	359.0	348.0	394.9
HYPERTENSION (401, 403)	2	1	1	5.2	3.0	17.2	0	0	0	-	-	-
CEREBROVASCULAR DISEASES (430-438)	25	19	6	64.6	57.8	103.0	6	5	1	55.2	60.0	39.5
ATHEROSCLEROSIS (440)	2	2	0	5.2	6.1	-	1	1	0	9.2	12.0	-
PNEUMONIA AND INFLUENZA (480-487)	11	11	0	28.4	33.4	-	3	3	0	27.6	36.0	-
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	17	17	0	43.9	51.7	-	8	8	0	73.6	96.0	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	1	1	0	2.6	3.0	-	3	3	0	27.6	36.0	-
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	2	1	1	5.2	3.0	17.2	0	0	0	-	-	-
INFECTIONS OF KIDNEY (590)	0	0	0	-	-	-	0	0	0	-	-	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	2	1	1	5.2	3.0	17.2	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	1	1	0	1.7	2.3	-	2	2	0	10.9	16.7	-
ACCIDENTS (800-949)	32	25	7	82.6	76.0	120.2	8	8	0	73.6	96.0	-
MOTOR VEHICLE ACCIDENTS# (810-825)	20	17	3	51.7	51.7	51.5	6	6	0	55.2	72.0	-
SUICIDE (950-959)	5	3	2	12.9	9.1	34.3	1	1	0	9.2	12.0	-
HOMICIDE AND LEGAL INTERVENTION (960-978)	5	4	1	12.9	12.2	17.2	0	0	0	-	-	-
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	2	0	2	5.2	-	34.3	2	0	2	18.4	-	79.0

\* CAUSES AND NUMBERS ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.

\*\* DEATHS PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS.

# NOT TO BE USED FOR RANKING.

**TABLE 18**  
**DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,**  
**RESIDENTS OF PIKE, PONTOTOC, PRENTISS, AND QUITMAN COUNTIES, MISSISSIPPI, 1993**

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	PIKE COUNTY						PONTOTOC COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	0	0	0	-	-	-	0	0	0	-	-	-
HIV INFECTION (042-044)	3	2	1	8.1	10.0	5.9	0	0	0	-	-	-
MALIGNANT NEOPLASMS (140-208)	79	47	32	214.2	235.8	188.8	48	43	5	215.8	227.3	150.6
DIABETES MELLITUS (250)	11	6	5	29.8	30.1	29.5	2	1	1	9.0	5.3	30.1
DISEASES OF HEART (390-398, 402, 404, 410-429)	162	101	61	439.2	506.7	359.9	84	71	13	377.7	375.3	391.6
HYPERTENSION (401, 403)	0	0	0	-	-	-	0	0	0	-	-	-
CEREBROVASCULAR DISEASES (430-438)	27	16	11	73.2	80.3	64.9	18	14	4	80.9	74.0	120.5
ATHEROSCLEROSIS (440)	1	1	0	2.7	5.0	-	3	3	0	13.5	15.8	-
PNEUMONIA AND INFLUENZA (480-487)	7	7	0	19.0	35.1	-	8	8	0	36.0	42.3	-
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	4	4	0	10.8	20.1	-	7	7	0	31.5	37.0	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	3	2	1	8.1	10.0	5.9	4	3	1	18.0	15.8	30.1
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	6	4	2	16.3	20.1	11.8	4	4	0	18.0	21.1	-
INFECTIONS OF KIDNEY (590)	0	0	0	-	-	-	0	0	0	-	-	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	1	0	1	2.7	-	5.9	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	2	0	2	3.2	-	5.2	2	1	1	5.4	3.2	15.2
ACCIDENTS (800-949)	39	20	19	105.7	100.3	112.1	16	16	0	72.0	84.6	-
MOTOR VEHICLE ACCIDENTS# (810-825)	25	13	12	67.8	65.2	70.8	10	10	0	45.0	52.9	-
SUICIDE (950-959)	3	3	0	8.1	15.0	-	7	6	1	31.5	31.7	30.1
HOMICIDE AND LEGAL INTERVENTION (960-978)	8	4	4	21.7	20.1	23.6	0	0	0	-	-	-
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	7	6	1	19.0	30.1	5.9	3	3	0	13.5	15.8	-

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	PRENTISS COUNTY						QUITMAN COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	1	1	0	4.3	4.9	-	1	0	1	9.5	-	16.0
HIV INFECTION (042-044)	0	0	0	-	-	-	1	0	1	9.5	-	16.0
MALIGNANT NEOPLASMS (140-208)	33	29	4	141.8	141.6	142.8	27	13	14	257.4	305.9	224.4
DIABETES MELLITUS (250)	1	1	0	4.3	4.9	-	2	0	2	19.1	-	32.0
DISEASES OF HEART (390-398, 402, 404, 410-429)	63	52	11	270.6	253.9	392.7	45	18	27	429.0	423.5	432.7
HYPERTENSION (401, 403)	0	0	0	-	-	-	0	0	0	-	-	-
CEREBROVASCULAR DISEASES (430-438)	15	15	0	64.4	73.2	-	4	1	3	38.1	23.5	48.1
ATHEROSCLEROSIS (440)	0	0	0	-	-	-	0	0	0	-	-	-
PNEUMONIA AND INFLUENZA (480-487)	5	5	0	21.5	24.4	-	4	2	2	38.1	47.0	32.0
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	8	8	0	34.4	39.1	-	5	3	2	47.7	70.6	32.0
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	0	0	0	-	-	-	1	0	1	9.5	-	16.0
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	0	0	0	-	-	-	2	0	2	19.1	-	32.0
INFECTIONS OF KIDNEY (590)	0	0	0	-	-	-	0	0	0	-	-	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	1	1	0	4.3	4.9	-	2	0	2	19.1	-	32.0
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	1	1	0	3.1	3.7	-	2	0	2	9.8	-	12.7
ACCIDENTS (800-949)	8	8	0	34.4	39.1	-	4	3	1	38.1	70.6	16.0
MOTOR VEHICLE ACCIDENTS# (810-825)	3	3	0	12.9	14.6	-	3	2	1	28.6	47.0	16.0
SUICIDE (950-959)	1	1	0	4.3	4.9	-	2	1	1	19.1	23.5	16.0
HOMICIDE AND LEGAL INTERVENTION (960-978)	1	1	0	4.3	4.9	-	2	0	2	19.1	-	32.0
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	35	31	4	150.4	151.4	142.8	1	0	1	9.5	-	16.0

\* CAUSES AND NUMBERS ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.

\*\* DEATHS PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS.

# NOT TO BE USED FOR RANKING.

**TABLE 18**  
**DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,**  
**RESIDENTS OF RANKIN, SCOTT, SHARKEY, AND SIMPSON COUNTIES, MISSISSIPPI, 1993**

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	RANKIN COUNTY						SCOTT COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	2	1	1	2.3	1.4	6.6	0	0	0	-	-	-
HIV INFECTION (042-044)	4	3	1	4.6	4.2	6.6	2	2	0	8.3	13.5	-
MALIGNANT NEOPLASMS (140-208)	155	133	22	177.8	184.6	145.4	59	43	16	244.4	290.0	171.9
DIABETES MELLITUS (250)	12	8	4	13.8	11.1	26.4	4	1	3	16.6	6.7	32.2
DISEASES OF HEART (390-398, 402, 404, 410-429)	228	177	51	261.6	245.7	337.1	106	66	40	439.2	445.1	429.7
HYPERTENSION (401, 403)	3	3	0	3.4	4.2	-	1	1	0	4.1	6.7	-
CEREBROVASCULAR DISEASES (430-438)	35	25	10	40.2	34.7	66.1	9	7	2	37.3	47.2	21.5
ATHEROSCLEROSIS (440)	1	1	0	1.1	1.4	-	19	17	2	78.7	114.6	21.5
PNEUMONIA AND INFLUENZA (480-487)	26	21	5	29.8	29.2	33.0	9	6	3	37.3	40.5	32.2
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	28	25	3	32.1	34.7	19.8	8	8	0	33.1	53.9	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	3	3	0	3.4	4.2	-	0	0	0	-	-	-
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	5	1	4	5.7	1.4	26.4	9	3	6	37.3	20.2	64.5
INFECTIONS OF KIDNEY (590)	0	0	0	-	-	-	0	0	0	-	-	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	0	0	0	-	-	-	3	0	3	12.4	-	32.2
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	5	4	1	3.8	3.9	3.6	2	1	1	4.4	4.5	4.2
ACCIDENTS (800-949)	35	29	6	40.2	40.2	39.7	15	6	9	62.1	40.5	96.7
MOTOR VEHICLE ACCIDENTS# (810-825)	15	13	2	17.2	18.0	13.2	8	4	4	33.1	27.0	43.0
SUICIDE (950-959)	20	18	2	22.9	25.0	13.2	5	2	3	20.7	13.5	32.2
HOMICIDE AND LEGAL INTERVENTION (960-978)	14	9	5	16.1	12.5	33.0	8	2	6	33.1	13.5	64.5
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	7	6	1	8.0	8.3	6.6	3	2	1	12.4	13.5	10.7

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	SHARKEY COUNTY						SIMPSON COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	1	1	0	14.2	42.8	-	0	0	0	-	-	-
HIV INFECTION (042-044)	0	0	0	-	-	-	4	3	1	16.7	18.6	12.8
MALIGNANT NEOPLASMS (140-208)	19	5	14	268.9	213.8	296.2	53	42	11	221.3	260.5	140.5
DIABETES MELLITUS (250)	5	2	3	70.8	85.5	63.5	8	2	6	33.4	12.4	76.6
DISEASES OF HEART (390-398, 402, 404, 410-429)	31	12	19	438.7	513.0	401.9	81	66	15	338.2	409.3	191.6
HYPERTENSION (401, 403)	0	0	0	-	-	-	3	1	2	12.5	6.2	25.5
CEREBROVASCULAR DISEASES (430-438)	6	2	4	84.9	85.5	84.6	20	15	5	83.5	93.0	63.9
ATHEROSCLEROSIS (440)	0	0	0	-	-	-	10	6	4	41.7	37.2	51.1
PNEUMONIA AND INFLUENZA (480-487)	4	2	2	56.6	85.5	42.3	11	8	3	45.9	49.6	38.3
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	1	0	1	14.2	-	21.2	10	9	1	41.7	55.8	12.8
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	0	0	0	-	-	-	0	0	0	-	-	-
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	1	0	1	14.2	-	21.2	0	0	0	-	-	-
INFECTIONS OF KIDNEY (590)	0	0	0	-	-	-	0	0	0	-	-	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	1	0	1	14.2	-	21.2	2	0	2	8.4	-	25.5
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	0	0	0	-	-	-	6	3	3	13.9	13.2	14.8
ACCIDENTS (800-949)	7	1	6	99.1	42.8	126.9	17	10	7	71.0	62.0	89.4
MOTOR VEHICLE ACCIDENTS# (810-825)	2	0	2	28.3	-	42.3	7	5	2	29.2	31.0	25.5
SUICIDE (950-959)	0	0	0	-	-	-	5	4	1	20.9	24.8	12.8
HOMICIDE AND LEGAL INTERVENTION (960-978)	0	0	0	-	-	-	5	1	4	20.9	6.2	51.1
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	2	0	2	28.3	-	42.3	3	1	2	12.5	6.2	25.5

\* CAUSES AND NUMBERS ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.

\*\* DEATHS PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS.

# NOT TO BE USED FOR RANKING.

**TABLE 18**  
**DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,**  
**RESIDENTS OF SMITH, STONE, SUNFLOWER, AND TALLAHATCHIE COUNTIES, MISSISSIPPI, 1993**

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	SMITH COUNTY						STONE COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	1	1	0	6.8	8.7	-	0	0	0	-	-	-
HIV INFECTION (042-044)	0	0	0	-	-	-	0	0	0	-	-	-
MALIGNANT NEOPLASMS (140-208)	30	26	4	202.7	225.8	121.9	30	26	4	279.1	310.9	167.5
DIABETES MELLITUS (250)	4	3	1	27.0	26.0	30.5	4	1	3	37.2	12.0	125.6
DISEASES OF HEART (390-398, 402, 404, 410-429)	54	48	6	364.9	416.8	182.8	51	43	8	474.4	514.2	335.0
HYPERTENSION (401, 403)	1	1	0	6.8	8.7	-	0	0	0	-	-	-
CEREBROVASCULAR DISEASES (430-438)	8	7	1	54.1	60.8	30.5	7	7	0	65.1	83.7	-
ATHEROSCLEROSIS (440)	2	2	0	13.5	17.4	-	0	0	0	-	-	-
PNEUMONIA AND INFLUENZA (480-487)	7	6	1	47.3	52.1	30.5	5	3	2	46.5	35.9	83.8
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	11	10	1	74.3	86.8	30.5	3	3	0	27.9	35.9	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	1	1	0	6.8	8.7	-	1	1	0	9.3	12.0	-
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	3	3	0	20.3	26.0	-	1	1	0	9.3	12.0	-
INFECTIONS OF KIDNEY (590)	0	0	0	-	-	-	1	0	1	9.3	-	41.9
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	2	1	1	10.1	8.1	13.5	0	0	0	-	-	-
ACCIDENTS (800-949)	11	7	4	74.3	60.8	121.9	5	5	0	46.5	59.8	-
MOTOR VEHICLE ACCIDENTS# (810-825)	2	2	0	13.5	17.4	-	2	2	0	18.6	23.9	-
SUICIDE (950-959)	0	0	0	-	-	-	4	3	1	37.2	35.9	41.9
HOMICIDE AND LEGAL INTERVENTION (960-978)	2	1	1	13.5	8.7	30.5	1	1	0	9.3	12.0	-
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	2	2	0	13.5	17.4	-	0	0	0	-	-	-

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	SUNFLOWER COUNTY						TALLAHATCHIE COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	0	0	0	-	-	-	0	0	0	-	-	-
HIV INFECTION (042-044)	3	0	3	9.1	-	14.1	0	0	0	-	-	-
MALIGNANT NEOPLASMS (140-208)	73	33	40	222.1	284.4	188.1	25	15	10	164.4	239.7	111.7
DIABETES MELLITUS (250)	5	1	4	15.2	8.6	18.8	4	0	4	26.3	-	44.7
DISEASES OF HEART (390-398, 402, 404, 410-429)	156	65	91	474.6	560.2	428.0	43	19	24	282.7	303.7	268.1
HYPERTENSION (401, 403)	3	0	3	9.1	-	14.1	1	0	1	6.6	-	11.2
CEREBROVASCULAR DISEASES (430-438)	15	1	14	45.6	8.6	65.8	13	6	7	85.5	95.9	78.2
ATHEROSCLEROSIS (440)	1	1	0	3.0	8.6	-	0	0	0	-	-	-
PNEUMONIA AND INFLUENZA (480-487)	10	8	2	30.4	68.9	9.4	5	3	2	32.9	47.9	22.3
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	4	3	1	12.2	25.8	4.7	8	5	3	52.6	79.9	33.5
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	1	0	1	3.0	-	4.7	0	0	0	-	-	-
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	6	2	4	18.2	17.2	18.8	2	1	1	13.1	16.0	11.2
INFECTIONS OF KIDNEY (590)	0	0	0	-	-	-	0	0	0	-	-	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	0	0	0	-	-	-	1	0	1	6.6	-	11.2
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	4	0	4	6.7	-	8.5	0	0	0	-	-	-
ACCIDENTS (800-949)	18	9	9	54.8	77.6	42.3	10	4	6	65.7	63.9	67.0
MOTOR VEHICLE ACCIDENTS# (810-825)	12	6	6	36.5	51.7	28.2	7	3	4	46.0	47.9	44.7
SUICIDE (950-959)	4	2	2	12.2	17.2	9.4	2	0	2	13.1	-	22.3
HOMICIDE AND LEGAL INTERVENTION (960-978)	9	3	6	27.4	25.8	28.2	3	0	3	19.7	-	33.5
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	4	0	4	12.2	-	18.8	4	1	3	26.3	16.0	33.5

\* CAUSES AND NUMBERS ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.

\*\* DEATHS PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS.

# NOT TO BE USED FOR RANKING.

**TABLE 18**  
**DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,**  
**RESIDENTS OF TATE, TIPPAH, TISHOMINGO, AND TUNICA COUNTIES, MISSISSIPPI, 1993**

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	TATE COUNTY						TIPPAH COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	0	0	0	-	-	-	0	0	0	-	-	-
HIV INFECTION (042-044)	1	1	0	4.7	7.2	-	1	0	1	5.1	-	30.6
MALIGNANT NEOPLASMS (140-208)	55	38	17	256.6	272.5	227.1	38	33	5	194.6	203.1	152.8
DIABETES MELLITUS (250)	5	2	3	23.3	14.3	40.1	2	1	1	10.2	6.2	30.6
DISEASES OF HEART (390-398, 402, 404, 410-429)	80	52	28	373.3	372.9	374.0	95	83	12	486.6	510.7	366.7
HYPERTENSION (401, 403)	1	0	1	4.7	-	13.4	1	0	1	5.1	-	30.6
CEREBROVASCULAR DISEASES (430-438)	14	10	4	65.3	71.7	53.4	21	17	4	107.6	104.6	122.2
ATHEROSCLEROSIS (440)	2	2	0	9.3	14.3	-	2	2	0	10.2	12.3	-
PNEUMONIA AND INFLUENZA (480-487)	8	3	5	37.3	21.5	66.8	10	8	2	51.2	49.2	61.1
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	11	10	1	51.3	71.7	13.4	7	7	0	35.8	43.1	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	0	0	0	-	-	-	2	2	0	10.2	12.3	-
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	2	1	1	9.3	7.2	13.4	5	3	2	25.6	18.5	61.1
INFECTIONS OF KIDNEY (590)	0	0	0	-	-	-	1	1	0	5.1	6.2	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	1	1	0	4.7	7.2	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	1	0	1	3.4	-	8.3	0	0	0	-	-	-
ACCIDENTS (800-949)	12	7	5	56.0	50.2	66.8	17	15	2	87.1	92.3	61.1
MOTOR VEHICLE ACCIDENTS# (810-825)	7	4	3	32.7	28.7	40.1	13	11	2	66.6	67.7	61.1
SUICIDE (950-959)	3	3	0	14.0	21.5	-	6	6	0	30.7	36.9	-
HOMICIDE AND LEGAL INTERVENTION (960-978)	5	1	4	23.3	7.2	53.4	2	1	1	10.2	6.2	30.6
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	3	2	1	14.0	14.3	13.4	1	0	1	5.1	-	30.6

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	TISHOMINGO COUNTY						TUNICA COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	0	0	0	-	-	-	0	0	0	-	-	-
HIV INFECTION (042-044)	0	0	0	-	-	-	0	0	0	-	-	-
MALIGNANT NEOPLASMS (140-208)	44	44	0	248.8	258.7	-	22	5	17	269.5	251.0	275.4
DIABETES MELLITUS (250)	6	5	1	33.9	29.4	148.6	0	0	0	-	-	-
DISEASES OF HEART (390-398, 402, 404, 410-429)	80	77	3	452.4	452.7	445.8	23	4	19	281.7	200.8	307.8
HYPERTENSION (401, 403)	1	1	0	5.6	5.9	-	0	0	0	-	-	-
CEREBROVASCULAR DISEASES (430-438)	13	13	0	73.5	76.4	-	5	2	3	61.2	100.4	48.6
ATHEROSCLEROSIS (440)	1	1	0	5.6	5.9	-	0	0	0	-	-	-
PNEUMONIA AND INFLUENZA (480-487)	10	9	1	56.6	52.9	148.6	5	3	2	61.2	150.6	32.4
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	14	13	1	79.2	76.4	148.6	4	3	1	49.0	150.6	16.2
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	3	3	0	17.0	17.6	-	2	1	1	24.5	50.2	16.2
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	5	5	0	28.3	29.4	-	0	0	0	-	-	-
INFECTIONS OF KIDNEY (590)	0	0	0	-	-	-	1	1	0	12.2	50.2	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	0	0	0	-	-	-	2	0	2	24.5	-	32.4
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	2	1	1	9.2	4.8	125.0	0	0	0	-	-	-
ACCIDENTS (800-949)	17	16	1	96.1	94.1	148.6	13	2	11	159.2	100.4	178.2
MOTOR VEHICLE ACCIDENTS# (810-825)	10	9	1	56.6	52.9	148.6	6	1	5	73.5	50.2	81.0
SUICIDE (950-959)	5	4	1	28.3	23.5	148.6	0	0	0	-	-	-
HOMICIDE AND LEGAL INTERVENTION (960-978)	2	1	1	11.3	5.9	148.6	1	0	1	12.2	-	16.2
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	3	3	0	17.0	17.6	-	1	0	1	12.2	-	16.2

\* CAUSES AND NUMBERS ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.

\*\* DEATHS PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS.

# NOT TO BE USED FOR RANKING.

**TABLE 18**  
**DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,**  
**RESIDENTS OF UNION, WALTHALL, WARREN, AND WASHINGTON COUNTIES, MISSISSIPPI, 1993**

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	UNION COUNTY						WALTHALL COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	0	0	0	-	-	-	0	0	0	-	-	-
HIV INFECTION (042-044)	3	3	0	13.6	16.0	-	1	0	1	7.0	-	16.4
MALIGNANT NEOPLASMS (140-208)	52	48	4	235.4	255.3	121.9	25	16	9	174.2	193.9	147.5
DIABETES MELLITUS (250)	3	2	1	13.6	10.6	30.5	1	0	1	7.0	-	16.4
DISEASES OF HEART (390-398, 402, 404, 410-429)	82	68	14	371.3	361.6	426.7	55	35	20	383.2	424.1	327.9
HYPERTENSION (401, 403)	0	0	0	-	-	-	0	0	0	-	-	-
CEREBROVASCULAR DISEASES (430-438)	17	13	4	77.0	69.1	121.9	7	6	1	48.8	72.7	16.4
ATHEROSCLEROSIS (440)	1	1	0	4.5	5.3	-	0	0	0	-	-	-
PNEUMONIA AND INFLUENZA (480-487)	11	10	1	49.8	53.2	30.5	5	4	1	34.8	48.5	16.4
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	12	12	0	54.3	63.8	-	1	1	0	7.0	12.1	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	3	3	0	13.6	16.0	-	0	0	0	-	-	-
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	2	2	0	9.0	10.6	-	2	2	0	13.9	24.2	-
INFECTIONS OF KIDNEY (590)	0	0	0	-	-	-	0	0	0	-	-	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	3	1	2	13.6	5.3	61.0	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	1	1	0	3.0	3.9	-	0	0	0	-	-	-
ACCIDENTS (800-949)	15	11	4	67.9	58.5	121.9	20	13	7	139.4	157.5	114.8
MOTOR VEHICLE ACCIDENTS# (810-825)	10	7	3	45.3	37.2	91.4	12	8	4	83.6	96.9	65.6
SUICIDE (950-959)	1	1	0	4.5	5.3	-	2	2	0	13.9	24.2	-
HOMICIDE AND LEGAL INTERVENTION (960-978)	1	1	0	4.5	5.3	-	4	2	2	27.9	24.2	32.8
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	2	2	0	9.0	10.6	-	0	0	0	-	-	-

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	WARREN COUNTY						WASHINGTON COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	1	0	1	2.1	-	5.3	2	0	2	2.9	-	5.0
HIV INFECTION (042-044)	0	0	0	-	-	-	1	0	1	1.5	-	2.5
MALIGNANT NEOPLASMS (140-208)	116	62	54	242.3	214.7	284.2	172	74	98	253.2	261.2	247.5
DIABETES MELLITUS (250)	8	3	5	16.7	10.4	26.3	7	2	5	10.3	7.0	12.6
DISEASES OF HEART (390-398, 402, 404, 410-429)	180	108	72	375.9	374.0	378.9	302	147	155	444.5	518.8	391.4
HYPERTENSION (401, 403)	1	1	0	2.1	3.5	-	2	1	1	2.9	3.5	2.5
CEREBROVASCULAR DISEASES (430-438)	48	21	27	100.2	72.7	142.1	50	21	29	73.6	74.1	73.2
ATHEROSCLEROSIS (440)	1	0	1	2.1	-	5.3	0	0	0	-	-	-
PNEUMONIA AND INFLUENZA (480-487)	21	10	11	43.9	34.6	57.9	16	6	10	23.6	21.2	25.2
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	19	11	8	39.7	38.1	42.1	26	16	10	38.3	56.5	25.2
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	5	2	3	10.4	6.9	15.8	10	2	8	14.7	7.0	20.2
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	8	3	5	16.7	10.4	26.3	13	2	11	19.1	7.0	27.8
INFECTIONS OF KIDNEY (590)	1	1	0	2.1	3.5	-	1	0	1	1.5	-	2.5
MATERNAL CAUSES (630-676)	1	1	0	121.1	250.6	-	2	0	2	154.6	-	210.3
CONGENITAL ANOMALIES (740-759)	6	3	3	12.5	10.4	15.8	7	3	4	10.3	10.6	10.1
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	5	2	3	6.0	5.0	7.0	4	1	3	3.1	2.9	3.2
ACCIDENTS (800-949)	27	18	9	56.4	62.3	47.4	40	15	25	58.9	52.9	63.1
MOTOR VEHICLE ACCIDENTS# (810-825)	12	9	3	25.1	31.2	15.8	19	10	9	28.0	35.3	22.7
SUICIDE (950-959)	5	2	3	10.4	6.9	15.8	8	5	3	11.8	17.6	7.6
HOMICIDE AND LEGAL INTERVENTION (960-978)	9	3	6	18.8	10.4	31.6	27	3	24	39.7	10.6	60.6
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	5	3	2	10.4	10.4	10.5	11	2	9	16.2	7.0	22.7

\* CAUSES AND NUMBERS ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.

\*\* DEATHS PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS.

# NOT TO BE USED FOR RANKING.

**TABLE 18**  
**DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,**  
**RESIDENTS OF WAYNE, WEBSTER, WILKINSON, AND WINSTON COUNTIES, MISSISSIPPI, 1993**

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	WAYNE COUNTY						WEBSTER COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	0	0	0	-	-	-	1	0	1	9.8	-	44.1
HIV INFECTION (042-044)	1	0	1	5.1	-	14.3	0	0	0	-	-	-
MALIGNANT NEOPLASMS (140-208)	39	27	12	199.8	215.9	171.2	21	20	1	205.4	251.5	44.1
DIABETES MELLITUS (250)	1	0	1	5.1	-	14.3	1	0	1	9.8	-	44.1
DISEASES OF HEART (390-398, 402, 404, 410-429)	67	48	19	343.3	383.8	271.0	45	37	8	440.2	465.2	352.6
HYPERTENSION (401, 403)	0	0	0	-	-	-	0	0	0	-	-	-
CEREBROVASCULAR DISEASES (430-438)	8	7	1	41.0	56.0	14.3	11	11	0	107.6	138.3	-
ATHEROSCLEROSIS (440)	6	5	1	30.7	40.0	14.3	0	0	0	-	-	-
PNEUMONIA AND INFLUENZA (480-487)	4	3	1	20.5	24.0	14.3	3	3	0	29.3	37.7	-
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	5	5	0	25.6	40.0	-	6	5	1	58.7	62.9	44.1
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	2	2	0	10.2	16.0	-	0	0	0	-	-	-
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	1	1	0	5.1	8.0	-	3	2	1	29.3	25.1	44.1
INFECTIONS OF KIDNEY (590)	0	0	0	-	-	-	0	0	0	-	-	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	0	0	0	-	-	-	1	0	1	7.0	-	22.2
ACCIDENTS (800-949)	13	7	6	66.6	56.0	85.6	5	5	0	48.9	62.9	-
MOTOR VEHICLE ACCIDENTS# (810-825)	5	4	1	25.6	32.0	14.3	1	1	0	9.8	12.6	-
SUICIDE (950-959)	0	0	0	-	-	-	2	2	0	19.6	25.1	-
HOMICIDE AND LEGAL INTERVENTION (960-978)	4	1	3	20.5	8.0	42.8	3	2	1	29.3	25.1	44.1
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	3	3	0	15.4	24.0	-	1	1	0	9.8	12.6	-

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	WILKINSON COUNTY						WINSTON COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	0	0	0	-	-	-	0	0	0	-	-	-
HIV INFECTION (042-044)	1	0	1	10.3	-	15.2	0	0	0	-	-	-
MALIGNANT NEOPLASMS (140-208)	20	7	13	206.6	224.1	198.3	51	37	14	262.4	331.8	169.0
DIABETES MELLITUS (250)	3	0	3	31.0	-	45.8	8	5	3	41.2	44.8	36.2
DISEASES OF HEART (390-398, 402, 404, 410-429)	45	21	24	465.0	672.4	366.1	81	61	20	416.8	547.0	241.5
HYPERTENSION (401, 403)	0	0	0	-	-	-	3	2	1	15.4	17.9	12.1
CEREBROVASCULAR DISEASES (430-438)	8	1	7	82.7	32.0	106.8	13	7	6	66.9	62.8	72.4
ATHEROSCLEROSIS (440)	1	0	1	10.3	-	15.2	0	0	0	-	-	-
PNEUMONIA AND INFLUENZA (480-487)	3	2	1	31.0	64.0	15.2	4	2	2	20.6	17.9	24.1
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	3	0	3	31.0	-	45.8	5	2	3	25.7	17.9	36.2
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	1	1	0	10.3	32.0	-	1	0	1	5.1	-	12.1
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	4	1	3	41.3	32.0	45.8	9	4	5	46.3	35.9	60.4
INFECTIONS OF KIDNEY (590)	1	0	1	10.3	-	15.2	0	0	0	-	-	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	2	1	1	13.2	29.4	8.5	3	1	2	12.1	9.3	14.2
ACCIDENTS (800-949)	5	0	5	51.7	-	76.3	21	12	9	108.1	107.6	108.7
MOTOR VEHICLE ACCIDENTS# (810-825)	1	0	1	10.3	-	15.2	13	10	3	66.9	89.7	36.2
SUICIDE (950-959)	0	0	0	-	-	-	3	2	1	15.4	17.9	12.1
HOMICIDE AND LEGAL INTERVENTION (960-978)	3	0	3	31.0	-	45.8	3	1	2	15.4	9.0	24.1
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	0	0	0	-	-	-	5	4	1	25.7	35.9	12.1

\* CAUSES AND NUMBERS ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.

\*\* DEATHS PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS.

# NOT TO BE USED FOR RANKING.

**TABLE 18**  
**DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,**  
**RESIDENTS OF YALOBUSHA AND YAZOO COUNTIES, AND THE STATE OF MISSISSIPPI, 1993**

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	YALOBUSHA COUNTY						YAZOO COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	0	0	0	-	-	-	0	0	0	-	-	-
HIV INFECTION (042-044)	1	0	1	8.3	-	22.0	2	0	2	7.8	-	14.8
MALIGNANT NEOPLASMS (140-208)	42	27	15	349.0	361.0	329.4	44	26	18	172.5	217.4	132.9
DIABETES MELLITUS (250)	0	0	0	-	-	-	9	4	5	35.3	33.4	36.9
DISEASES OF HEART (390-398, 402, 404, 410-429)	58	47	11	482.0	628.4	241.5	120	65	55	470.5	543.6	406.0
HYPERTENSION (401, 403)	2	1	1	16.6	13.4	22.0	1	0	1	3.9	-	7.4
CEREBROVASCULAR DISEASES (430-438)	16	9	7	133.0	120.3	153.7	18	7	11	70.6	58.5	81.2
ATHEROSCLEROSIS (440)	0	0	0	-	-	-	3	2	1	11.8	16.7	7.4
PNEUMONIA AND INFLUENZA (480-487)	2	1	1	16.6	13.4	22.0	12	4	8	47.0	33.4	59.0
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	1	1	0	8.3	13.4	-	5	3	2	19.6	25.1	14.8
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	0	0	0	-	-	-	5	4	1	19.6	33.4	7.4
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	1	1	0	8.3	13.4	-	1	0	1	3.9	-	7.4
INFECTIONS OF KIDNEY (590)	0	0	0	-	-	-	0	0	0	-	-	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	1	0	1	8.3	-	22.0	3	2	1	11.8	16.7	7.4
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	0	0	0	-	-	-	2	0	2	3.9	-	5.3
ACCIDENTS (800-949)	12	10	2	99.7	133.7	43.9	21	8	13	82.3	66.9	96.0
MOTOR VEHICLE ACCIDENTS# (810-825)	8	7	1	66.5	93.6	22.0	10	6	4	39.2	50.2	29.5
SUICIDE (950-959)	0	0	0	-	-	-	3	3	0	11.8	25.1	-
HOMICIDE AND LEGAL INTERVENTION (960-978)	0	0	0	-	-	-	8	1	7	31.4	8.4	51.7
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	1	0	1	8.3	-	22.0	3	1	2	11.8	8.4	14.8

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	STATE OF MISSISSIPPI					
	NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	29	8	21	1.1	0.5	2.2
HIV INFECTION (042-044)	192	79	113	7.5	4.8	12.0
MALIGNANT NEOPLASMS (140-208)	5,539	3,710	1,829	215.2	227.1	194.6
DIABETES MELLITUS (250)	483	228	255	18.8	14.0	27.1
DISEASES OF HEART (390-398, 402, 404, 410-429)	9,492	6,346	3,146	368.9	388.5	334.8
HYPERTENSION (401, 403)	144	65	79	5.6	4.0	8.4
CEREBROVASCULAR DISEASES (430-438)	1,762	1,090	672	68.5	66.7	71.5
ATHEROSCLEROSIS (440)	135	101	34	5.2	6.2	3.6
PNEUMONIA AND INFLUENZA (480-487)	907	665	242	35.2	40.7	25.8
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	998	832	166	38.8	50.9	17.7
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	232	167	65	9.0	10.2	6.9
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	360	170	190	14.0	10.4	20.2
INFECTIONS OF KIDNEY (590)	10	6	4	0.4	0.4	0.4
MATERNAL CAUSES (630-676)	11	2	9	26.1	9.4	43.1
CONGENITAL ANOMALIES (740-759)	144	62	82	5.6	3.8	8.7
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	206	73	133	4.9	3.4	6.4
ACCIDENTS (800-949)	1,566	970	596	60.8	59.4	63.4
MOTOR VEHICLE ACCIDENTS# (810-825)	868	580	288	33.7	35.5	30.6
SUICIDE (950-959)	327	261	66	12.7	16.0	7.0
HOMICIDE AND LEGAL INTERVENTION (960-978)	491	117	374	19.1	7.2	39.8
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	272	150	122	10.6	9.2	13.0

\* CAUSES AND NUMBERS ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.

\*\* DEATHS PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS.

# NOT TO BE USED FOR RANKING.



## **TIME SERIES TABLES**

**TABLE 19**  
**LIVE BIRTHS AND RATES, BY YEAR AND RACE,**  
**MISSISSIPPI, 1913-1993,**  
**(OCCURRENCE DATA 1913-1943, RESIDENCE DATA 1944-1993)**

YEAR	NUMBER			RATE*		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
1913	41, 103	21, 874	19, 229	21. 9	26. 6	18. 2
1914	40, 623	21, 360	19, 263	21. 4	25. 7	18. 0
1915	39, 484	20, 999	18, 485	20. 5	23. 8	17. 1
1916	39, 033	20, 130	18, 903	20. 0	23. 6	17. 2
1917	37, 141	19, 056	18, 085	18. 8	22. 0	16. 3
1918	39, 391	20, 005	19, 386	19. 7	22. 8	17. 2
1919	42, 491	22, 028	20, 463	21. 0	24. 9	18. 0
1920	43, 743	22, 438	21, 305	24. 4	26. 3	22. 7
1921	46, 482	23, 703	22, 779	25. 6	27. 3	24. 1
1922	43, 723	21, 286	22, 437	23. 8	24. 1	23. 6
1923	43, 266	21, 140	22, 126	23. 3	23. 6	23. 1
1924	43, 960	22, 180	21, 780	23. 4	24. 3	22. 5
1925	45, 563	22, 265	23, 298	24. 0	24. 1	23. 9
1926	50, 449	24, 600	25, 849	26. 2	26. 2	26. 3
1927	49, 204	24, 163	25, 041	25. 3	25. 3	25. 3
1928	48, 126	23, 642	24, 484	24. 5	24. 4	24. 5
1929	45, 570	22, 105	23, 465	22. 9	22. 5	23. 3
1930	47, 982	23, 192	24, 790	23. 8	23. 2	24. 0
1931	45, 123	21, 637	23, 486	22. 2	21. 4	22. 9
1932	46, 481	21, 883	24, 598	22. 6	21. 4	23. 9
1933	44, 184	20, 407	23, 777	21. 3	19. 7	22. 9
1934	47, 905	22, 342	25, 563	23. 0	21. 4	24. 6
1935	48, 291	21, 972	26, 319	23. 0	20. 8	25. 1
1036	49, 261	22, 194	27, 067	23. 3	20. 8	25. 7
1937	52, 170	23, 285	28, 885	24. 4	21. 6	27. 3
1938	53, 729	24, 046	29, 683	25. 0	22. 1	27. 8
1939	52, 288	23, 505	28, 783	24. 1	21. 4	26. 8
1940	52, 526	23, 084	29, 442	24. 0	20. 9	27. 3
1941	54, 561	24, 167	30, 394	24. 7	21. 6	28. 0
1942	56, 521	25, 306	31, 215	25. 4	22. 4	28. 6
1943	59, 408	27, 611	31, 797	28. 9	26. 4	31. 6
1944	56, 586	25, 647	30, 939	28. 3	25. 2	31. 6
1945	53, 540	23, 426	30, 114	26. 9	23. 1	30. 9
1946	61, 430	29, 715	31, 715	26. 8	25. 4	28. 2
1947	66, 291	32, 423	33, 868	28. 6	27. 5	29. 9
1948	65, 291	29, 666	35, 625	28. 0	24. 9	31. 2
1949	66, 128	28, 786	37, 342	28. 1	24. 0	32. 5
1950	64, 427	27, 188	37, 239	29. 6	22. 9	37. 6
1951	65, 512	27, 798	37, 714	30. 1	23. 4	38. 1
1952	64, 509	28, 073	36, 436	29. 6	23. 6	36. 8
1953	64, 061	28, 312	35, 749	29. 4	23. 8	36. 1
1954	64, 748	28, 781	35, 967	29. 7	24. 2	36. 3
1955	63, 244	27, 546	35, 698	29. 0	23. 2	36. 0
1956	62, 178	27, 278	34, 900	29. 5	23. 8	36. 2
1957	60, 712	26, 804	33, 908	28. 8	23. 4	35. 2
1958	59, 189	26, 812	32, 377	27. 1	20. 9	35. 9
1959	60, 562	27, 979	32, 583	27. 2	20. 9	36. 6

TABLE 19 - PAGE 2  
LIVE BIRTHS - MISSISSIPPI - 1913-1993

YEAR	NUMBER			RATE*		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
1960	59,210	27,198	32,012	27.2	21.6	34.8
1961	59,523	27,435	32,088	27.3	21.8	34.8
1962	58,921	27,512	31,409	26.1	20.8	33.5
1963	57,316	26,823	30,493	25.0	19.9	32.4
1964	56,650	25,942	30,708	24.5	18.9	32.5
1965	51,171	23,369	27,802	22.0	17.4	28.2
1966	48,230	22,736	25,494	20.4	16.5	25.9
1967	46,594	22,675	23,919	9.7	15.9	25.6
1968	45,719	22,807	22,912	19.4	15.7	25.4
1969	47,120	24,025	23,095	21.2	17.2	28.0
1970	48,141	24,893	23,248	21.7	17.9	28.2
1971	48,601	25,199	23,402	21.9	18.1	28.4
1972	45,907	23,745	22,162	20.3	NOT AVAILABLE	
1973	44,638	23,119	21,519	19.3	NOT AVAILABLE	
1974	44,032	23,023	21,009	18.9	NOT AVAILABLE	
1975	43,336	22,559	20,777	18.5	NOT AVAILABLE	
1976	42,983	22,605	20,378	18.2	NOT AVAILABLE	
1977	45,532	23,369	22,163	19.1	NOT AVAILABLE	
1978	44,373	22,632	21,741	18.5	NOT AVAILABLE	
1979	45,919	23,487	22,432	19.1	NOT AVAILABLE	
1980	47,821	24,687	23,134	19.0	15.3	25.5
1981	46,228	23,777	22,451	18.3	14.7	24.8
1982	45,926	24,028	21,898	18.0	NOT AVAILABLE	
1983	43,992	22,659	21,333	17.0	NOT AVAILABLE	
1984	43,742	22,672	21,070	16.9	NOT AVAILABLE	
1985	43,432	22,943	20,489	16.3	13.5	21.5
1986	41,868	22,060	19,808	15.8	13.0	20.8
1987	41,279	21,576	19,703	15.2	12.4	20.2
1988	42,040	21,685	20,355	15.3	12.3	20.6
1989**	43,026	22,069	20,957	15.5	12.4	20.9
1990**	43,547	22,280	21,267	16.9	13.6	22.6
1991**	43,184	21,908	21,276	16.8	13.4	22.6
1992**	42,676	21,700	20,976	16.6	13.3	22.3
1993**	42,134	21,246	20,888	16.4	13.0	22.2

\* BIRTHS PER 1,000 POPULATION.

\*\* FIGURES SHOWN ARE BY RACE OF MOTHER; FIGURES FOR YEARS PRIOR TO 1989 ARE BY RACE OF CHILD.

**TABLE 20**  
**DEATHS AND RATES, BY YEAR AND RACE,**  
**MISSISSIPPI, 1913-1993,**  
**(OCCURRENCE DATA 1913-1943, RESIDENCE DATA 1944-1993)**

YEAR	NUMBER			RATE*		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
1913	21,305	7,643	13,662	11.4	9.3	13.0
1914	21,485	7,442	14,043	11.3	8.9	13.1
1915	24,001	8,088	15,913	12.5	9.6	14.7
1916	21,794	7,588	14,206	11.2	8.9	13.0
1917	23,579	8,048	15,531	11.9	9.3	14.0
1918	30,437	10,177	20,260	15.2	11.6	18.0
1919	22,667	8,142	14,525	12.7	9.5	15.5
1920	22,072	7,916	14,156	12.3	9.3	15.1
1921	19,991	7,308	12,683	11.0	8.4	13.4
1922	19,278	7,312	11,966	10.5	8.3	12.6
1923	20,363	7,688	12,675	11.0	8.6	13.2
1924	21,155	7,809	13,346	11.3	8.6	13.8
1925	22,229	8,143	14,086	11.7	8.8	14.4
1926	23,929	9,133	14,796	12.5	9.7	15.1
1927	23,257	8,765	14,492	12.0	9.2	14.6
1928	25,965	10,111	15,854	13.2	10.4	15.9
1929	25,868	10,048	15,820	13.0	10.2	15.7
1930	24,098	9,072	15,026	11.9	9.0	14.8
1931	22,007	8,641	13,366	10.8	8.5	13.0
1932	20,322	8,295	12,027	9.9	8.1	11.6
1933	21,617	8,898	12,719	10.4	8.6	12.2
1934	21,786	9,350	12,436	10.5	9.0	12.0
1935	21,285	9,186	12,099	10.1	8.7	11.6
1936	24,127	10,367	13,760	11.4	9.7	13.1
1937	24,005	10,055	13,950	11.2	9.3	13.2
1938	22,814	9,471	13,343	10.6	8.7	12.5
1939	22,701	9,464	13,237	10.5	8.6	12.3
1940	23,185	9,565	13,620	10.6	8.6	12.6
1941	22,573	9,442	13,131	10.2	8.4	12.1
1942	20,693	8,750	11,943	9.3	7.7	10.9
1943	20,850	9,139	11,711	10.2	8.7	11.6
1944	20,199	8,830	11,369	10.1	8.7	11.6
1945	19,024	8,452	10,572	9.6	8.3	10.8
1946	19,321	8,995	10,326	8.4	7.7	9.2
1947	20,007	9,238	10,769	8.6	7.8	9.5
1948	20,183	9,216	10,967	8.6	7.7	9.6
1949	20,489	9,233	11,256	8.7	7.7	9.8
1950	20,567	9,466	11,101	9.4	8.0	11.2
1951	21,007	9,593	11,414	9.6	8.1	11.5
1952	20,657	9,387	11,270	9.5	7.9	11.4
1953	20,492	9,495	10,997	9.4	8.0	11.1
1954	19,353	9,453	9,900	8.9	8.0	10.0
1955	19,403	9,501	9,902	8.9	8.0	10.0
1956	19,780	9,969	9,811	9.4	8.7	10.2
1957	20,476	10,339	10,137	9.7	9.0	10.5
1958	21,541	10,811	10,730	9.9	8.4	11.9
1959	20,890	10,742	10,148	9.4	8.0	11.4

TABLE 20 - PAGE 2  
DEATHS - MISSISSIPPI - 1913-1993

YEAR	NUMBER			RATE*		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
1960	21,713	11,204	10,509	10.0	8.9	11.4
1961	21,232	11,063	10,169	9.7	8.8	11.0
1962	22,713	11,868	10,845	10.0	9.0	11.6
1963	23,339	12,118	11,221	10.2	9.0	11.9
1964	22,559	12,039	10,520	9.7	8.8	11.1
1965	22,652	12,376	10,276	9.7	9.2	10.4
1966	23,350	12,976	10,374	9.9	9.4	10.5
1967	22,609	12,816	9,793	9.6	9.0	10.5
1968	23,986	13,468	10,518	10.2	9.3	11.7
1969	23,865	13,873	9,992	10.8	10.0	12.1
1970	23,305	13,623	9,682	10.5	9.8	11.8
1971	23,426	13,980	9,446	10.6	10.0	11.5
1972	23,663	14,077	9,586	10.5	NOT AVAILABLE	
1973	24,007	14,461	9,546	10.4	NOT AVAILABLE	
1974	23,153	14,268	8,885	9.9	NOT AVAILABLE	
1975	22,768	13,790	8,978	9.7	NOT AVAILABLE	
1976	23,124	14,307	8,817	9.8	NOT AVAILABLE	
1977	23,022	14,318	8,704	9.6	NOT AVAILABLE	
1978	23,363	14,631	8,732	9.7	NOT AVAILABLE	
1979	22,932	14,348	8,584	9.5	NOT AVAILABLE	
1980	23,576	14,531	9,045	9.4	9.0	10.0
1981	23,405	14,876	8,529	9.3	9.2	9.4
1982	23,173	14,863	8,310	9.1	NOT AVAILABLE	
1983	23,831	15,250	8,581	9.2	NOT AVAILABLE	
1984	23,781	15,225	8,556	9.2	NOT AVAILABLE	
1985	24,568	15,803	8,765	9.2	9.3	9.2
1986	24,341	15,694	8,647	9.2	9.2	9.1
1987	24,525	15,835	8,690	9.0	9.1	8.9
1988	24,706	16,034	8,672	9.0	9.1	8.8
1989	25,273	16,386	8,887	9.1	9.2	8.9
1990	24,994	16,088	8,906	9.7	9.8	9.5
1991	25,503	16,393	9,110	9.9	10.0	9.7
1992	25,163	16,417	8,746	9.8	10.0	9.3
1993	26,271	17,003	9,268	10.2	10.4	9.9

\* DEATHS PER 1,000 POPULATION.

**TABLE 21**  
**MATERNAL DEATHS\* AND MORTALITY RATES, BY YEAR AND RACE,**  
**MISSISSIPPI, 1913-1993,**  
**(OCCURRENCE DATA 1913-1943, RESIDENCE DATA 1944-1993)**

YEAR	NUMBER			RATE**		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
1913	447	162	285	1087.5	740.6	1482.1
1914	413	124	289	1016.7	580.5	1500.3
1915	289	88	201	731.9	419.1	1087.4
1916	326	102	224	835.2	506.7	1185.0
1917	297	105	192	799.6	551.0	1061.6
1918	302	82	220	766.7	409.9	1134.8
1919	407	173	234	957.8	785.4	1143.5
1920	393	127	266	898.4	566.0	1248.5
1921	391	145	246	841.2	611.7	1079.9
1922	313	110	203	715.9	516.8	904.8
1923	321	108	213	741.9	510.9	962.7
1924	413	137	276	939.5	617.7	1267.2
1925	435	143	292	954.7	642.3	1253.3
1926	388	153	235	769.1	622.0	909.1
1927	409	134	275	831.2	554.6	1098.2
1928	421	161	260	874.8	681.0	1061.9
1929	410	152	258	899.7	687.6	1099.5
1930	489	171	318	1019.1	737.3	1282.8
1931	352	131	221	780.1	605.4	941.0
1932	279	103	176	600.2	470.7	715.5
1933	315	116	199	712.9	568.4	836.9
1934	306	116	190	638.8	519.2	743.3
1935	334	137	197	691.6	623.5	748.5
1936	358	134	224	726.7	603.8	827.6
1937	370	150	220	709.2	644.2	761.6
1938	333	116	217	619.8	482.4	731.0
1939	311	97	214	594.8	412.7	743.5
1940	327	106	221	622.5	459.2	750.6
1941	293	93	200	537.0	384.8	658.0
1942	248	77	171	438.8	304.3	547.8
1943	233	66	167	392.2	239.0	525.2
1944	225	72	153	397.6	280.7	494.5
1945	216	64	152	403.4	273.2	504.7
1946	199	67	132	323.9	225.5	416.2
1947	175	50	125	264.0	154.2	369.1
1948	177	38	139	271.1	128.1	390.2
1949	147	32	115	222.3	111.2	308.0
1950	165	30	135	256.1	110.3	362.5
1951	143	28	115	218.3	100.7	304.9
1952	119	15	104	184.5	53.4	285.4
1953	119	24	95	185.8	84.8	265.7
1954	104	11	93	160.6	38.2	258.6
1955	76	12	64	120.2	43.6	179.3
1956	74	12	62	119.0	44.0	177.6
1957	75	14	61	123.5	52.2	179.9
1958	53	10	43	89.5	37.3	132.8
1959	55	9	46	90.8	32.2	141.2

TABLE 21 - PAGE 2  
 MATERNAL DEATHS - MISSISSIPPI - 1913-1993

YEAR	NUMBER			RATE**		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
1960	59	8	51	99.6	29.4	159.3
1961	49	9	40	82.3	32.8	124.6
1962	55	7	48	93.3	25.4	152.8
1963	44	9	35	76.8	33.6	114.8
1964	57	9	48	100.6	34.7	156.3
1965	40	3	37	78.2	12.8	133.1
1966	27	6	21	56.0	26.4	82.4
1967	36	10	26	77.3	44.1	108.7
1968	21	3	18	45.9	13.2	78.6
1969	23	3	20	48.8	12.5	86.6
1970	34	5	29	70.6	20.1	124.7
1971	21	5	16	43.2	19.8	68.4
1972	24	5	19	52.3	21.0	85.7
1973	12	4	8	26.9	17.3	37.2
1974	12	4	8	27.2	17.4	38.1
1975	6	0	6	13.8	-	28.9
1976	8	4	4	18.6	17.7	19.6
1977	10	2	8	22.0	8.6	36.1
1978	6	1	5	13.5	4.4	23.0
1979	10	3	7	21.8	12.8	31.2
1980	2	1	1	4.2	4.0	4.3
1981	7	5	2	15.1	21.0	8.9
1982	1	1	0	2.2	4.2	-
1983	1	0	1	2.3	-	4.7
1984	3	1	2	6.8	4.4	9.5
1985	3	2	1	6.9	8.7	4.9
1986	3	0	3	7.2	-	15.1
1987	4	2	2	9.7	9.3	10.2
1988	7	2	5	16.6	9.2	24.6
1989	6	1	5	13.9	4.5	23.8
1990	6	0	6	13.8	-	28.2
1991	3	2	1	6.9	9.1	4.7
1992	4	1	3	9.4	4.6	14.3
1993	11	2	9	26.1	9.4	43.1

\* DEATHS RESULTING FROM DELIVERIES AND COMPLICATIONS OF PREGNANCY, CHILD BIRTH, AND THE PUERPERIUM

\*\* DEATHS PER 100,000 LIVE BIRTHS.

**TABLE 22**  
**INFANT DEATHS\* AND MORTALITY RATES, BY YEAR AND RACE,**  
**MISSISSIPPI, 1917-1993,**  
**(OCCURRENCE DATA 1917-1944, RESIDENCE DATA 1945-1993)**

YEAR	NUMBER			RATE**		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
1917	3, 689	1, 296	2, 393	99. 3	68. 0	132. 3
1918	#	#	#	#	#	#
1919	3, 554	#	#	83. 6	#	#
1920	3, 499	1, 344	2, 155	80. 0	59. 9	101. 1
1921	3, 157	1, 243	1, 914	67. 9	52. 4	84. 0
1922	2, 826	1, 067	1, 759	64. 6	50. 1	78. 4
1923	2, 908	1, 104	1, 804	67. 2	52. 2	81. 5
1924	3, 137	1, 188	1, 949	71. 4	53. 6	89. 5
1925	3, 176	1, 179	1, 997	69. 7	53. 0	85. 7
1926	3, 578	1, 447	2, 131	70. 9	58. 8	82. 4
1927	3, 291	1, 303	1, 988	66. 9	54. 0	79. 4
1928	3, 567	1, 416	2, 151	74. 1	59. 9	87. 9
1929	3, 275	1, 268	2, 007	71. 9	57. 4	85. 5
1930	3, 276	1, 182	2, 094	68. 3	51. 0	84. 5
1931	2, 547	961	1, 586	56. 4	44. 4	67. 5
1932	2, 482	965	1, 517	53. 4	44. 1	61. 7
1933	2, 800	1, 035	1, 765	63. 4	50. 7	74. 2
1934	3, 070	1, 199	1, 871	64. 1	53. 7	73. 2
1935	2, 587	1, 044	1, 543	53. 6	47. 5	58. 6
1936	2, 883	1, 105	1, 778	58. 5	49. 8	65. 7
1937	3, 098	1, 174	1, 924	59. 4	50. 4	66. 6
1938	3, 051	1, 205	1, 846	56. 8	50. 1	62. 2
1939	2, 908	1, 135	1, 773	55. 6	48. 3	61. 6
1940	2, 864	1, 070	1, 794	54. 5	46. 4	60. 9
1941	2, 969	1, 113	1, 856	54. 4	46. 1	61. 1
1942	2, 654	957	1, 697	47. 0	37. 8	54. 4
1943	2, 774	1, 137	1, 637	46. 7	41. 2	51. 5
1944	2, 481	965	1, 516	43. 6	37. 1	49. 0
1945	2, 192	846	1, 346	40. 9	36. 1	44. 7
1946	2, 298	1, 005	1, 293	37. 4	33. 8	40. 8
1947	2, 428	1, 009	1, 419	36. 6	31. 1	41. 9
1948	2, 470	988	1, 482	37. 8	33. 3	41. 6
1949	2, 612	900	1, 712	39. 5	31. 3	45. 8
1950	2, 348	763	1, 585	36. 4	28. 1	42. 6
1951	2, 589	814	1, 775	39. 5	29. 3	47. 1
1952	2, 592	760	1, 832	40. 2	27. 1	50. 3
1953	2, 534	807	1, 727	39. 6	28. 5	48. 3
1954	2, 360	744	1, 616	36. 4	25. 8	44. 9
1955	2, 338	680	1, 658	37. 0	24. 7	46. 4
1956	2, 353	734	1, 619	37. 8	26. 9	46. 4
1957	2, 257	694	1, 563	37. 2	25. 9	46. 1
1958	2, 424	706	1, 718	41. 0	26. 3	53. 1
1959	2, 355	677	1, 678	38. 9	24. 2	51. 5



TABLE 22 - PAGE 2  
 INFANT DEATHS - MISSISSIPPI - 1917-1993

YEAR	NUMBER			RATE**		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
1960	2,457	714	1,743	41.5	26.2	54.4
1961	2,250	645	1,605	37.8	23.5	50.0
1962	2,353	705	1,648	39.9	25.6	52.5
1963	2,372	610	1,762	41.4	22.7	57.8
1964	2,230	599	1,631	39.4	23.1	53.1
1965	2,126	593	1,533	41.5	25.4	55.1
1966	1,856	520	1,336	38.5	22.9	52.4
1967	1,645	512	1,133	35.3	22.6	47.4
1968	1,613	517	1,096	35.3	22.7	47.8
1969	1,513	530	983	32.1	22.1	42.6
1970	1,403	480	923	29.1	19.3	39.7
1971	1,311	460	851	27.0	18.2	36.4
1972	1,187	459	728	25.8	19.3	32.8
1973	1,154	392	762	25.8	17.0	35.4
1974	1,024	356	668	23.2	15.5	31.8
1975	975	356	619	22.5	15.8	29.8
1976	927	331	596	21.6	14.6	29.2
1977	834	285	549	18.3	12.2	24.8
1978	846	266	580	19.1	11.8	26.7
1979	809	280	529	17.6	11.9	23.6
1980	812	272	540	17.0	11.0	23.3
1981	711	248	463	15.4	10.4	20.6
1982	706	249	457	15.4	10.4	20.9
1983	664	240	424	15.1	10.6	19.9
1984	629	224	405	14.4	9.9	19.2
1985	596	213	383	13.7	9.3	18.7
1986	517	197	320	12.3	8.9	16.2
1987	565	212	353	13.7	9.8	17.9
1988	516	189	327	12.3	8.7	16.1
1989	498	190	308	11.6	8.6	14.7
1990	528	189	339	12.1	8.5	15.9
1991	493	163	330	11.4	7.4	15.5
1992	508	170	338	11.9	7.8	16.1
1993	482	178	304	11.4	8.4	14.6

\* DEATHS OF CHILDREN UNDER 1 YEAR OF AGE.

\*\* DEATHS PER 1,000 LIVE BIRTHS.

# NOT AVAILABLE.

**TABLE 23**  
**NEONATAL DEATHS\* AND MORTALITY RATES, BY YEAR AND RACE,**  
**MISSISSIPPI, 1924-1993,**  
**(OCCURRENCE DATA 1924-1944, RESIDENCE DATA 1945-1993)**

YEAR	NUMBER			RATE**		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
1924	1, 598	730	868	36. 4	32. 9	39. 8
1925	1, 639	701	938	36. 0	31. 5	40. 3
1926	1, 731	823	908	34. 3	33. 4	35. 1
1927	1, 644	786	858	33. 4	32. 5	34. 3
1928	1, 788	804	984	37. 2	34. 0	40. 2
1929	1, 662	773	889	36. 5	35. 0	37. 9
1930	1, 692	715	977	35. 3	30. 8	39. 4
1931	1, 339	590	749	29. 7	27. 3	31. 9
1932	1, 361	572	789	29. 3	26. 1	32. 1
1933	1, 540	636	904	34. 8	31. 2	38. 0
1934	1, 505	644	861	31. 4	28. 8	33. 7
1935	1, 446	642	804	29. 9	29. 2	30. 5
1936	1, 494	676	818	30. 3	30. 4	30. 2
1937	1, 678	755	923	32. 2	32. 4	32. 0
1938	1, 688	747	941	31. 4	31. 1	31. 7
1939	1, 637	735	902	31. 3	31. 3	31. 3
1940	1, 613	680	933	30. 7	29. 4	31. 7
1941	1, 663	734	929	30. 5	30. 4	30. 6
1942	1, 544	638	906	27. 3	25. 2	29. 0
1943	1, 652	791	861	27. 8	28. 6	27. 1
1944	1, 436	661	775	25. 2	25. 4	25. 1
1945	1, 351	624	727	25. 2	26. 6	24. 1
1946	1, 561	794	767	25. 4	26. 7	24. 2
1947	1, 595	750	845	24. 1	23. 1	24. 9
1948	1, 674	773	901	25. 6	26. 0	25. 3
1949	1, 594	661	933	24. 1	23. 0	25. 0
1950	1, 446	560	886	22. 4	20. 6	23. 8
1951	1, 679	626	1, 053	25. 6	22. 5	27. 9
1952	1, 658	581	1, 077	25. 7	20. 7	29. 6
1953	1, 630	635	995	25. 4	22. 4	27. 8
1954	1, 521	601	920	23. 5	20. 9	25. 6
1955	1, 440	527	913	22. 8	19. 1	25. 6
1956	1, 451	581	870	23. 3	21. 3	24. 9
1957	1, 425	540	885	23. 5	20. 1	26. 1
1958	1, 475	540	935	24. 9	20. 1	28. 9
1959	1, 450	515	935	23. 9	18. 4	28. 7
1960	1, 497	550	947	25. 3	20. 2	29. 6
1961	1, 401	509	892	23. 5	18. 6	27. 8
1962	1, 456	550	906	24. 7	20. 0	28. 8
1963	1, 449	470	979	25. 3	17. 5	32. 1
1964	1, 372	460	912	24. 2	17. 7	29. 7
1965	1, 283	470	813	25. 1	20. 1	29. 2
1966	1, 123	386	737	23. 3	17. 0	28. 9
1967	1, 053	388	665	22. 6	17. 1	27. 8
1968	1, 116	424	692	24. 4	18. 6	30. 2
1969	1, 066	441	625	22. 6	18. 4	27. 1

TABLE 23 - PAGE 2  
 NEONATAL DEATHS - MISSISSIPPI - 1924- 1993

YEAR	NUMBER			RATE**		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
1970	976	391	585	20.3	15.7	25.2
1971	940	382	558	19.3	15.2	23.8
1972	837	362	475	18.2	15.2	21.4
1973	793	301	492	17.8	13.0	22.9
1974	710	276	434	16.1	12.0	20.6
1975	677	257	420	15.6	11.4	20.2
1976	626	243	383	14.6	10.7	18.8
1977	588	222	366	12.9	9.5	16.5
1978	559	191	368	12.6	8.4	16.9
1979	514	191	323	11.2	8.1	14.4
1980	523	189	334	10.9	7.6	14.4
1981	486	166	320	10.5	7.0	14.2
1982	467	166	301	10.2	6.9	13.7
1983	410	160	250	9.3	7.1	11.7
1984	395	158	237	9.0	7.0	11.2
1985	368	127	241	8.5	5.5	11.8
1986	323	133	190	7.7	6.0	9.6
1987	363	128	235	8.8	5.9	11.9
1988	318	118	200	7.6	5.4	9.8
1989	309	132	177	7.2	6.0	8.4
1990	332	111	221	7.6	5.0	10.4
1991	303	95	208	7.0	4.3	9.8
1992	320	97	223	7.5	4.5	10.6
1993	298	111	187	7.1	5.2	9.0

\* DEATHS OF INFANTS UNDER 28 DAYS OF AGE, BUT FIGURES FOR 1924- 1948 INCLUDE DEATHS OF INFANTS UNDER ONE MONTH OF AGE.

\*\* DEATHS PER 1,000 LIVE BIRTHS.

**TABLE 24**  
**POSTNEONATAL DEATHS\* AND MORTALITY RATES, BY YEAR AND RACE,**  
**MISSISSIPPI, 1924-1993,**  
**(OCCURRENCE DATA 1924-1944, RESIDENCE DATA 1945-1993)**

YEAR	NUMBER			RATE**		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
1924	1, 539	458	1, 081	35. 0	20. 6	49. 6
1925	1, 537	478	1, 059	33. 7	21. 5	45. 4
1926	1, 847	624	1, 223	36. 6	25. 4	47. 3
1927	1, 647	517	1, 130	33. 5	21. 4	45. 1
1928	1, 779	612	1, 167	37. 0	25. 9	47. 7
1929	1, 613	495	1, 118	35. 4	22. 4	47. 6
1930	1, 584	467	1, 117	33. 0	20. 1	45. 0
1931	1, 208	371	837	26. 8	17. 1	35. 6
1932	1, 121	393	728	24. 1	18. 0	29. 6
1933	1, 260	399	861	28. 5	19. 6	36. 2
1934	1, 565	555	1, 010	32. 7	24. 8	39. 5
1935	1, 141	402	739	23. 6	18. 3	28. 1
1936	1, 389	429	960	28. 2	19. 3	35. 5
1937	1, 420	419	1, 001	27. 2	18. 0	34. 6
1938	1, 363	458	905	25. 4	19. 0	30. 5
1939	1, 271	400	871	24. 3	17. 0	30. 3
1940	1, 251	390	861	23. 8	16. 9	29. 2
1941	1, 306	379	927	23. 9	15. 7	30. 5
1942	1, 110	319	791	19. 6	12. 6	25. 3
1943	1, 122	346	776	18. 9	12. 5	24. 4
1944	1, 045	304	741	18. 4	11. 7	24. 0
1945	841	222	619	15. 7	9. 5	20. 6
1946	737	211	526	12. 0	7. 1	16. 6
1947	833	259	574	12. 6	8. 0	16. 9
1948	796	215	581	12. 2	7. 2	16. 3
1949	1, 018	239	779	15. 4	8. 3	20. 9
1950	902	203	699	14. 0	7. 5	18. 8
1951	910	188	722	13. 9	6. 8	19. 1
1952	934	179	755	14. 5	6. 4	20. 7
1953	904	172	732	14. 1	6. 1	20. 5
1954	839	143	696	13. 0	5. 0	19. 4
1955	898	153	745	14. 2	5. 6	20. 9
1956	902	153	749	14. 5	5. 6	21. 5
1957	832	154	678	13. 7	5. 7	20. 0
1958	949	166	783	16. 0	6. 2	24. 2
1959	905	162	743	14. 9	5. 8	22. 8
1960	960	164	796	16. 2	6. 0	24. 9
1961	849	136	713	14. 3	5. 0	22. 2
1962	897	155	742	15. 2	5. 6	23. 6
1963	923	140	783	16. 1	5. 2	25. 7
1964	858	139	719	15. 1	5. 4	23. 4
1965	843	123	720	16. 5	5. 3	25. 9
1966	733	134	599	15. 2	5. 9	23. 5
1967	592	124	468	12. 7	5. 5	19. 6
1968	497	93	404	10. 9	4. 1	17. 6
1969	447	89	358	9. 5	3. 7	15. 5

TABLE 24 - PAGE 2  
 POSTNEONATAL DEATHS - MISSISSIPPI - 1924-1993

YEAR	NUMBER			RATE**		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
1970	427	89	338	8.9	3.6	14.5
1971	371	78	293	7.6	3.1	12.5
1972	350	97	253	7.6	4.1	11.4
1973	361	91	270	8.1	3.9	12.5
1974	314	80	234	7.1	3.5	11.1
1975	298	99	199	6.9	4.4	9.6
1976	301	88	213	7.0	3.9	10.4
1977	246	63	183	5.4	2.7	8.2
1978	287	75	212	6.5	3.3	9.8
1979	295	89	206	6.4	3.8	9.2
1980	289	83	206	6.0	3.4	8.9
1981	225	82	143	4.9	3.4	6.4
1982	239	83	156	5.2	3.4	7.1
1983	254	80	174	5.8	3.5	8.2
1984	234	66	168	5.4	2.9	8.0
1985	228	86	142	5.2	3.7	6.9
1986	194	64	130	4.6	2.9	6.6
1987	202	84	118	4.9	3.9	6.0
1988	198	71	127	4.7	3.3	6.2
1989	189	58	131	4.4	2.6	6.2
1990	196	78	118	4.5	3.5	5.5
1991	190	68	122	4.4	3.1	5.7
1992	188	73	115	4.4	3.4	5.5
1993	184	67	117	4.4	3.2	5.6

\* DEATHS OF INFANTS 28 DAYS OF AGE OR OLDER, BUT FIGURES FOR  
 1924-1948 ONLY INCLUDE DEATHS OF INFANTS ONE MONTH OF AGE OR OLDER

\*\* DEATHS PER 1,000 LIVE BIRTHS.

**TABLE 25**  
**MARRIAGES AND DIVORCES, BY YEAR AND RACE, OCCURRENCE DATA,**  
**MISSISSIPPI, 1926-1993**

YEAR	MARRIAGES			DIVORCES		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
1926*	28,712			2,766		
1927*	29,048**	11,402	17,383	2,895		
1928	30,231**	11,662	18,257	3,009	1,435	1,574
1929	31,495**	12,864	18,388	3,172	1,598	1,574
1930	25,728**	10,815	14,751	2,743	1,487	1,256
1931	21,589**	9,952	11,629	2,015	1,308	707
1932	22,688**	10,147	12,453	1,918	1,308	610
1933	27,567**	12,201	15,300	1,955	1,396	559
1934	30,149**	13,497	16,541	2,446	1,704	742
1935	28,722**	12,955	15,635	2,425	1,681	744
1936	32,480**	14,120	18,196	2,520	1,690	830
1937	32,055**	14,802	17,246	2,977	1,984	993
1938	31,495	14,224	17,271	2,916	2,069	847
1939	31,956	15,370	16,586	3,034	2,166	868
1940	34,088	16,834	17,254	3,251	2,295	956
1941	42,142	21,611	20,531	3,831	2,444	1,387
1942	49,565	27,227	22,338	4,326	2,606	1,720
1943	46,030	23,445	22,585	5,851	3,062	2,789
1944	41,559	21,173	20,386	6,742	3,425	3,317
1945	44,871	24,738	20,133	6,727	3,919	2,808
1946	64,204	37,099	27,105	9,495	5,867	3,628
1947	53,584	30,514	23,070	7,004	4,323	2,681
1948	53,645	31,504	22,141	6,697	3,864	2,833
1949	52,765	32,191	20,574	6,285	3,621	2,664
1950	56,738	37,871	18,867	6,065	3,711	2,354
1951	57,321	37,857	19,464	5,464	3,601	1,863
1952	58,116	39,162	18,954	5,419	3,607	1,812
1953	61,751	42,961	18,790	5,204	3,515	1,689
1954	61,381	43,268	18,113	5,001	3,424	1,577
1955	66,423	47,618	18,805	4,845	3,372	1,473
1956	66,223	48,140	18,083	5,027	3,452	1,575
1957	62,495	46,868	15,627	4,974	3,350	1,624
1958	36,402	26,998	9,404	5,016	3,485	1,531
1959	20,447	13,547	6,900	5,108	3,557	1,551
1960	21,233	14,029	7,204	5,260	3,553	1,707
1961	21,610	14,438	7,172	5,213	3,545	1,668
1962	22,007	14,432	7,575	5,467	3,827	1,640
1963	22,140	14,508	7,632	5,452	3,930	1,522
1964	22,784	15,159	7,625	5,631	4,077	1,554
1965	23,343	15,613	7,730	5,730	4,220	1,510
1966	23,476	15,860	7,616	6,306	4,650	1,656
1967	23,535	15,752	7,783	6,455	4,704	1,751
1968	25,355	17,142	8,213	7,020	5,202	1,818
1969	25,956	17,582	8,374	7,506	5,616	1,890

TABLE 25 - PAGE 2  
MARRIAGES AND DIVORCES - MISSISSIPPI - 1926-1993

YEAR	MARRIAGES			DIVORCES		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
1970	26,328	17,883	8,445	8,211	6,227	1,984
1971	27,597	18,668	8,929	8,936	6,705	2,231
1972	28,703	19,178	9,525	10,097	7,510	2,587
1973	28,513	19,276	9,237	10,787	8,138	2,649
1974	27,613	19,236	8,377	11,866	9,203	2,663
1975	26,279	18,602	7,677	12,303	9,570	2,733
1976	26,772	18,969	7,803	12,243	9,399	2,844
1977	26,843	19,200	7,643	12,759	9,921	2,838
1978	27,280	19,762	7,518	13,313	10,339	2,974
1979	27,279	19,843	7,436	13,628	10,402	3,226
1980	27,908	20,620	7,288	13,846	10,760	3,086
1981	28,002	20,877	7,125	14,182**	10,403	2,795
1982	27,584	20,547	7,037	12,861**	10,239	2,570
1983	26,921	19,950	6,971	13,436**	10,709	2,674
1984	26,025	19,255	6,770	12,911**	10,205	2,664
1985	24,750	18,241	6,509	12,535**	9,766	2,662
1986	24,283	17,729	6,554	12,871**	10,155	2,630
1987	23,729	17,286	6,443	12,142**	9,542	2,420
1988	24,919	18,335	6,584	12,097**	9,454	2,473
1989	24,240	17,735	6,505	12,945**	9,823	2,755
1990	24,348	17,766	6,582	12,735**	9,498	2,804
1991	23,446	17,235	6,211	13,027**	9,926	2,689
1992	22,995	16,776	6,219	12,758**	9,785	2,667
1993	23,271	17,066	6,205	13,860**	10,513	2,940

\* TOTAL NUMBER OF MARRIAGES FOR 1926 AND TOTAL NUMBER OF DIVORCES FOR 1926 AND 1927 FURNISHED BY U. S. BUREAU OF CENSUS; DISTRIBUTION BY RACE NOT AVAILABLE.

\*\* INCLUDES SOME RECORDS ON WHICH THE RACE OF THE COUPLE WAS NOT STATED.

**TABLE 26**  
**REPORTED INDUCED TERMINATIONS OF PREGNANCY**  
**AND INDUCED TERMINATION RATIOS, BY YEAR AND RACE,**  
**PROCEDURES PERFORMED IN MISSISSIPPI, 1976-1993**

YEAR	NUMBER				RATIO*		
	TOTAL	WHITE	NON- WHITE	UNK. RACE	TOTAL	WHITE	NON- WHITE
1976	1,510	976	515	19	35.1	43.2	25.3
1977	2,446	1,531	907	8	53.7	65.5	40.9
1978	3,280	1,998	1,270	12	73.9	88.3	58.4
1979	4,411	2,765	1,636	10	96.1	117.7	72.9
1980	5,543	3,283	2,250	10	115.9	133.0	97.2
1981	5,561	3,236	2,263	62	120.3	136.1	100.8
1982	5,145	2,954	2,174	17	112.0	122.9	99.3
1983	4,560	2,473	2,084	3	103.6	109.1	97.7
1984	4,585	2,633	1,945	7	104.8	116.1	92.3
1985	5,288	2,922	2,359	7	121.8	127.4	115.1
1986	4,521	2,505	2,013	3	108.0	113.6	101.6
1987	5,469	2,950	2,517	2	132.5	136.7	127.7
1988	5,170	2,561	2,588	21	123.0	118.1	127.1
1989	5,490	2,674	2,802	14	127.6	121.2	133.7
1990	6,842	3,334	3,485	23	157.1	149.6	163.9
1991	8,184	3,910	4,244	30	189.5	178.5	199.5
1992	7,555	3,425	4,127	3	177.0	157.8	196.7
1993	6,002	2,425	3,551	26	142.4	114.1	170.0

\* INDUCED TERMINATIONS OF PREGNANCY PER 1,000 LIVE BIRTHS.