

Vital Statistics Mississippi 1994



MISSISSIPPI
STATE DEPARTMENT OF
HEALTH

Vital Statistics Mississippi 1994



Office of Community Health Services
Bureau of Public Health Statistics
Post Office Box 1700
Jackson, Mississippi 39215-1700

Telephone: 601/960-7960

TABLE OF CONTENTS

	Page
INTRODUCTION	
Description of Bulletin	1
Definitions of Live Birth, Fetal Death, Induced Termination, and Death	1
Occurrence and Residence Allocation	2
Population	2
Race	2
Rates	3
Classification of Cause of Death	3
 SUMMARY TABLES, 1994	
POPULATION	
Table P1. Census Population and Percentage Distribution, by Age, Race, and Sex	7
 LIVE BIRTHS	
Table A1. Live Births and Average per Day, by Month	8
Table A2. Percentage of Live Births in Hospitals or Clinics, by Year and Race, 1940, 1950, 1960, 1970-1994	8
Table A3. Live Births and Percentage Distribution, by Place of Delivery, Attendant, and Race of Mother	9
Table A4. Live Births, Percentage Distribution, and Fertility Rates, by Age and Race of Mother	10
Table A5. Live Births and Percentage Distribution, by Years of School Completed by Mother and Race of Mother	10
Table A6. Live Births to Unmarried Mothers and Percent of Total Live Births in Specified Group, by Age and Race of Mother	11
Table A7. Live Births, Percentage Distribution, Fertility Rates, and Median Age of Mother, by Total-Birth Order and Race of Mother	11
Table A8. Live Births and Percentage Distribution, by Whether Mother Received Prenatal Care, Time during Pregnancy Care Began, and Race of Mother	12
Table A9. Live Births and Percentage Distribution, by Maturity and Race of Mother	12
Table A10. Congenital Anomalies Reported on Live Birth Certificates, by Anomaly and Race of Mother	13
Table A11. Medical Risk Factors Reported on Live Birth Certificates, by Risk Factor and Race of Mother	14
Table A12. Other Risk Factors Reported on Live Birth Certificates and Percentage Distribution, by Risk Factor and Race of Mother	15
Table A13. Complications of Labor and Delivery Reported on Live Birth Certificates, by Complication and Race of Mother	16
Table A14. Methods of Delivery Reported on Live Birth Certificates, by Method and Race of Mother	16
Table A15. Obstetric Procedures Reported on Live Birth Certificates, by Procedure and Race of Mother	17
Table A16. Abnormal Conditions of Newborn Reported on Live Birth Certificates, by Condition and Race of Mother	17
 FETAL DEATHS	
Table B1. Reportable Fetal Deaths and Percentage Distribution, by Place of Delivery, Attendant, and Race of Mother	18

SUMMARY TABLES, 1994

FETAL DEATHS (continued)

Table B2.	Reportable Fetal Deaths and Fetal Death Ratios, by Age and Race of Mother	19
Table B3.	Percentage Distribution of Live Births and Reportable Fetal Deaths, by Whether Mother Received Prenatal Care and Race of Mother	19
Table B4.	Reportable Fetal Deaths and Fetal Death Ratios, by Completed Weeks of Gestation and Race of Mother, 1992-1994	20

DEATHS

Table C1.	Deaths and Average per Day, by Month	21
Table C2.	Deaths, Percentage Distribution, and Rates, by Age and Race	21
Table C3A.	Deaths by Age, Race, and Sex, and Male/Female Ratios by Age and Race	22
Table C3B.	Death Rates, by Age, Race, and Sex	22
Table C4.	Deaths and Percent of Total Deaths from Ten Leading Causes, by Cause and Race	23
Table C5.	Deaths, Percent of Total Deaths, and Rates for Five Leading Causes, by Age and Cause	24
Table C6.	Deaths and Rates from Malignant Neoplasms, by Primary Site, Sex, and Race	25
Table C7.	Deaths from Major Chronic Respiratory Diseases, 1969, 1974, 1979, 1984, 1989, 1994	25
Table C8.	Deaths and Percent of Total Accidental Deaths from Five Leading Causes of Accidental Death, by Cause and Race	26
Table C9.	Deaths from Selected Types of Accidents, by Sex, also by Age	27
Table C10.	Motor Vehicle Accident Deaths Occurring in Mississippi and Rates, also Motor Vehicle Accident Deaths of Mississippi Residents and Rates, by Year, 1950, 1955, 1960, 1965, 1970-1994	28
Table C11.	Infant Deaths, Percentage Distribution, and Mortality Rates by Age and Race	29
Table C12.	Deaths and Mortality Rates for Ten Leading Causes of Infant Death, by Cause and Race	29

MARRIAGES

Table D1.	Marriages and Average per Day, by Month	30
Table D2.	Brides and Grooms and Percentage Distribution, by Age and Race ..	31
Table D3.	Median Age of Bride and Groom, for All Marriages and First Marriages, by Race	32
Table D4.	Brides and Grooms and Percentage Distribution, by Marriage Order and Race	33
Table D5.	Brides and Grooms and Percentage Distribution, by Previous Marital Status and Race	34
Table D6.	Marriages and Percentage Distribution, by Residence of Bride and Groom and Race of Bride	35

DIVORCES

Table E1.	Divorces and Percentage Distribution, by Cause and Race	36
Table E2.	Divorces and Percentage Distribution, by Number of Minor Children and Race	36
Table E3.	Divorces and Percentage Distribution, by Number of Years Married and Race	37

SUMMARY TABLES, 1994

Page

INDUCED TERMINATIONS OF PREGNANCY

Table F1.	Reported Induced Terminations of Pregnancy, Percentage Distribution, and Induced Termination Ratios, by Age and Race of Patient, Procedures Performed in Mississippi	38
Table F2.	Reported Induced Terminations of Pregnancy and Percentage Distribution, by Characteristics of Patient and Race, Procedures Performed in Mississippi	39
Table F3.	Reported Induced Terminations of Pregnancy and Percentage Distribution, by Medical Characteristics and Race, Procedures Performed in Mississippi	40

MAJOR TABLES, 1994

POPULATION

Table i.	1990 Census Population and Percent Change Since 1980 Census, by Place (Counties, Towns of 10,000 or More) and Race, Mississippi, As of April 1, 1990	43
----------	--	----

LIVE BIRTHS

Table 1A.	Live Births, by Place of Occurrence and Race of Mother, also Live Births and Rates, by Place of Residence and Race of Mother, (Place Includes Counties, Out of State, Towns of 10,000 or More), Mississippi, 1994	46
Table 1B.	Fertility Rates, by County of Residence and Race of Mother, Mississippi, 1994	49
Table 2.	Live Births, by County of Residence, Race of Mother, and Attendant, also by County of Residence and Sex, Mississippi, 1994	50
Table 3A.	Total Live Births, by County of Residence and Age of Mother, Mississippi, 1994	53
Table 3B.	Live Births to White Mothers, by County of Residence and Age of Mother, Mississippi, 1994	55
Table 3C.	Live Births to Nonwhite Mothers, by County of Residence and Age of Mother, Mississippi, 1994	57
Table 4.	Live Births to Unmarried Mothers and Percent of Total Live Births, by County of Residence and Race of Mother, Mississippi, 1994 ...	59
Table 5A.	Total Live Births to Unmarried Mothers, by County of Residence and Age of Mother, Mississippi, 1994	61
Table 5B.	Live Births to Unmarried White Mothers, by County of Residence and Age of Mother, Mississippi, 1994	63
Table 5C.	Live Births to Unmarried Nonwhite Mothers, by County of Residence and Age of Mother, Mississippi, 1994	65
Table 6A.	Live Births Weighing Less Than 2,500 Grams at Birth and Percent of Total Live Births, by County of Residence and Race of Mother, Mississippi, 1994	67
Table 6B.	Live Births Weighing Less Than 1,500 Grams at Birth and Percent of Total Live Births, by County of Residence and Race of Mother, Mississippi, 1994	69
Table 7.	Premature Live Births and Percent of Total Live Births, by County of Residence and Race of Mother, Mississippi, 1994	71

FETAL DEATHS

Table 8.	Reportable Fetal Deaths, by County of Occurrence and Race of Mother, also Reportable Fetal Deaths and Fetal Death Ratios, by County of Residence and Race of Mother, Mississippi, 1994	73
----------	--	----

MAJOR TABLES, 1994

DEATHS

Table 9.	Deaths, by Place of Occurrence and Race, also Deaths and Rates, by Place of Residence and Race, (Place Includes Counties, Out of State, Towns of 10,000 or More), Mississippi, 1994	75
Table 10.	Deaths, by Cause and Race, Mississippi Residents, 1994	78
Table 11.	Deaths from Major Cause Groups and Certain Selected Causes, by Race, Sex, and Age, also Rates for Major Cause Groups and Certain Selected Causes, Mississippi Residents, 1994	93
Table 12A.	Infant, Neonatal, and Postneonatal Deaths, by County of Residence and Race, Mississippi, 1994	100
Table 12B.	Infant, Neonatal, and Postneonatal Mortality Rates, by County of Residence and Race, Mississippi, 1990-1994 (5-Year Average)	102
Table 13.	Infant Deaths from Selected Causes, by Race and Age, also Mortality Rates for Selected Causes, Mississippi Residents, 1994	104
Table 14.	Accidental Deaths, by County of Occurrence and Type of Accident, Mississippi, 1994	106

MARRIAGES

Table 15.	Marriages, by County of Licensure and Race of Bride, also by County of Occurrence and Race of Bride, also by County of Residence of Bride and Race of Bride, Mississippi, 1994	108
-----------	--	-----

DIVORCES

Table 16.	Divorces, by County of Occurrence and Race, Mississippi, 1994	110
-----------	--	-----

INDUCED TERMINATIONS

Table 17.	Reported Induced Terminations of Pregnancy Performed in Mississippi on Mississippi Residents, by County of Residence and Race, 1994	111
-----------	---	-----

DEATHS (COUNTY AND STATE SUMMARIES)

Table 18.	Deaths from Selected Causes Used for Ranking Leading Causes, by Race, Residents The Counties (in alphabetical order)	113
	The State	133

TIME SERIES TABLES

Table 19.	Live Births and Rates, by Year and Race, Mississippi, 1913-1994, (Occurrence Data 1913-1943, Residence Data 1944-1994)	137
Table 20.	Deaths and Rates, by Year and Race, Mississippi, 1913-1994, (Occurrence Data 1913-1943, Residence Data 1944-1994)	139
Table 21.	Maternal Deaths and Mortality Rates, by Year and Race, Mississippi, 1913-1994, (Occurrence Data 1913-1943, Residence Data 1944-1994)	141
Table 22.	Infant Deaths and Mortality Rates, by Year and Race, Mississippi, 1917-1994, (Occurrence Data 1917-1943, Residence Data 1944-1994)	143
Table 23.	Neonatal Deaths and Mortality Rates, by Year and Race, Mississippi, 1924-1994, (Occurrence Data 1924-1944, Residence Data 1945-1994)	145

TIME SERIES TABLES

Page

Table 24.	Postneonatal Deaths and Mortality Rates, by Year and Race, Mississippi, 1924-1994, (Occurrence Data 1924-1943, Residence Data 1944-1994)	147
Table 25.	Marriages and Divorces, by Year and Race, Occurrence Data, Mississippi, 1926-1994	149
Table 26.	Reported Induced Terminations of Pregnancy and Induced Termination Ratios, by Year and Race, Procedures Performed in Mississippi, 1976-1994	151

VITAL STATISTICS MISSISSIPPI, 1994

INTRODUCTION

Description of Bulletin

The information on live births, fetal deaths, induced terminations of pregnancy, deaths, marriages, and divorces which is presented in this bulletin was obtained from official records submitted to the Mississippi State Department of Health as required by statute and regulation. Live birth and fetal death records were prepared by hospitals, clinics, physicians, and midwives. Reports of induced terminations of pregnancy were prepared by hospitals, clinic staff, and physicians. Responsibility for the preparation of death certificates was shared by hospitals, nursing homes and other institutions which provide care or custody, funeral homes, physicians, medical examiners, and medical examiner investigators. Marriage records were completed partly by brides and grooms, partly by persons who performed marriage ceremonies, and partly by circuit clerks. Chancery clerks prepared the statistical records of divorce.

This publication consists of three parts. The first part includes summary tables for the state as a whole for 1994; the second part contains major statistical tables for 1994. Time series tables numbered 19 through 26 are presented in the third part.

Definitions of Live Birth, Fetal Death, Induced Termination, and Death

The definitions of live birth, fetal death, and induced termination of pregnancy adopted by the Mississippi State Department of Health for use in Mississippi are those formulated by the World Health Organization and recommended by the National Center for Health Statistics. The definition of death was adopted by the Mississippi Legislature in 1982, statute number 41-36-3.

Live Birth - the complete expulsion or extraction from its mother of a product of human conception, irrespective of the duration of pregnancy, which, after such expulsion or extraction, breathes or shows any other evidence of life such as beating of the heart, pulsation of the umbilical cord, or definite movement of voluntary muscles, whether or not the umbilical cord has been cut or the placenta is attached.

Fetal Death - death prior to the complete expulsion or extraction from its mother of a product of human conception, irrespective of the duration of pregnancy; the death is indicated by the fact that after such expulsion or extraction the fetus does not breathe or show any other evidence of life such as beating of the heart, pulsation of the umbilical cord, or definite movement of voluntary muscles.

Induced Termination of Pregnancy - the intentional termination of pregnancy with the intention other than to produce a live-born infant or to remove a dead fetus.

Death - an individual who has sustained either (a) irreversible cessation of circulatory and respiratory functions or (b) irreversible cessation of all functions of the entire brain, including the brain stem, is dead. A determination of death must be made in accordance with accepted medical standards.

Even though the definition of fetal death is all-inclusive, the State Department of Health does not require the reporting of all fetal deaths. Since January 1, 1976, fetal death reports have been required only for spontaneous fetal deaths of 20 weeks or more gestation or weight of 350 grams or more. There is a separate reporting system (with no names or addresses) for all induced terminations of pregnancy.

Occurrence and Residence Allocation

Live births, fetal deaths, and deaths were classified by place of occurrence and by place of residence. Some of the tables contain both occurrence and residence figures, but most of the tables are based on residence data only, as these data are considered more suitable for studying public health problems.

Occurrence data were obtained from certificates filed in Mississippi at the place of the event. Residence data include transcripts of records of events that occurred in other states to Mississippi residents and exclude records filed in this state for nonresidents. Residence assignment for live births and fetal deaths was determined by the usual residence of the mother. For deaths it was determined by the usual residence of the decedent except that deaths of inmates of institutions were reallocated to the location of the institution regardless of length of stay.

Figures on induced terminations of pregnancy refer only to procedures performed in Mississippi, and do not include transcripts of records of events that occurred in other states to Mississippi residents. Residence assignment was determined by the usual residence of the patient.

Marriages were classified according to place of issuance of the marriage license, place of occurrence of marriage, and place of residence of the bride. However, the figures on brides who were Mississippi residents are incomplete since there is no exchange among the states of transcripts of marriage records for nonresidents and the out-of-state marriages of Mississippi brides could not be included. Divorces were classified only according to place where the decree was granted, as there is no information regarding place of residence on the record.

Population

Figures from the U.S. Census of April 1, 1990 were used in this bulletin, and several types of rates and special compilations were prepared which can be done only when detailed population data of the type which comes from the decennial census are available.

Race

The two categories for race used in this publication are white and nonwhite. White includes such groups as Caucasian, Anglo-American, Canadian, Cuban, French, Greek, Hispanic, Latin American, Mexican, Puerto Rican, Swedish, etc. Nonwhite includes such groups as Black, Afro-American, American Indian, Chinese, Japanese, Hawaiian, Filipino, and all other groups not considered as white.

Prior to 1989, all statistics regarding live births and fetal deaths were broken down by race of the child or fetus; however, beginning with 1989 and continuing with subsequent years all statistics on live births and fetal deaths will be reported by race of the mother. This includes any rates or ratios that involve figures for live births or fetal deaths. For example, the infant mortality rate for white infants will now be calculated using the number of live births to white mothers as the denominator.

Rates

Population-based rates for the state include those for live births, total deaths, and deaths from specific causes, except maternal deaths and deaths from certain conditions originating in the perinatal period. Figures on live births were used as the base for calculating fetal death ratios as well as rates for maternal deaths, infant, neonatal, and postneonatal deaths, and deaths from certain conditions originating in the perinatal period, as the birth counts represent the groups at risk more accurately than do general population figures.

Classification of Cause of Death

Causes of death were assigned according to the Ninth Revision International Statistical Classification of Diseases, Injuries, and Causes of Death. The Ninth Revision was first used in 1979, and is not markedly different from the Eighth Revision. However, the periodic changes in the classification system which have occurred through the years have resulted in an unavoidable lack of comparability for some causes, and caution should be used in analyzing long-term trends.

SUMMARY TABLES, 1994

In this section, all tables on live births, fetal deaths, and deaths represent residence data unless otherwise specified; all information on induced terminations of pregnancy, marriages, and divorces is occurrence data.

POPULATION

TABLE P1. CENSUS POPULATION AND PERCENTAGE DISTRIBUTION, BY AGE, RACE, AND SEX
MISSISSIPPI, 1990

AGE	NUMBER					PERCENT				
	TOTAL	WHITE		NONWHITE		TOTAL	WHITE		NONWHITE	
		MALE	FEMALE	MALE	FEMALE		MALE	FEMALE	MALE	FEMALE
TOTAL	2, 573, 216	795, 255	838, 206	435, 362	504, 393	100. 0	100. 0	100. 0	100. 0	100. 0
UNDER 1	34, 036	9, 384	9, 011	7, 776	7, 865	1. 3	1. 2	1. 1	1. 8	1. 6
1- 4	161, 329	44, 899	42, 487	37, 456	36, 487	6. 3	5. 6	5. 1	8. 6	7. 2
5- 9	211, 918	58, 653	54, 791	49, 561	48, 913	8. 2	7. 4	6. 5	11. 4	9. 7
10- 14	213, 305	58, 658	54, 606	50, 415	49, 626	8. 3	7. 4	6. 5	11. 6	9. 8
15- 19	222, 879	63, 645	59, 806	49, 274	50, 154	8. 7	8. 0	7. 1	11. 3	9. 9
20- 24	196, 640	60, 737	57, 673	36, 056	42, 174	7. 6	7. 6	6. 9	8. 3	8. 4
25- 29	197, 740	62, 879	62, 057	32, 526	40, 278	7. 7	7. 9	7. 4	7. 5	8. 0
30- 34	202, 280	64, 398	64, 074	32, 557	41, 251	7. 9	8. 1	7. 6	7. 5	8. 2
35- 39	185, 402	60, 117	60, 569	29, 324	35, 392	7. 2	7. 6	7. 2	6. 7	7. 0
40- 44	164, 162	57, 422	57, 650	22, 354	26, 736	6. 4	7. 2	6. 9	5. 1	5. 3
45- 49	131, 627	47, 517	48, 592	15, 963	19, 555	5. 1	6. 0	5. 8	3. 7	3. 9
50- 54	116, 118	41, 672	43, 396	13, 327	17, 723	4. 5	5. 2	5. 2	3. 1	3. 5
55- 59	107, 784	38, 456	41, 766	11, 435	16, 127	4. 2	4. 8	5. 0	2. 6	3. 2
60- 64	106, 712	37, 021	42, 284	11, 212	16, 195	4. 1	4. 6	5. 0	2. 6	3. 2
65- 69	99, 777	32, 639	40, 739	10, 664	15, 735	3. 9	4. 1	4. 9	2. 4	3. 1
70- 74	80, 372	24, 247	33, 801	8, 974	13, 350	3. 1	3. 0	4. 0	2. 1	2. 6
75- 79	65, 389	17, 176	28, 980	7, 572	11, 661	2. 5	2. 2	3. 4	1. 7	2. 3
80- 84	43, 411	10, 117	20, 066	5, 158	8, 070	1. 7	1. 3	2. 4	1. 2	1. 6
85 & OVER	32, 335	5, 618	15, 858	3, 758	7, 101	1. 2	0. 7	1. 9	0. 9	1. 4
UNDER 15	620, 588	171, 594	160, 895	145, 208	142, 891	24. 1	21. 6	19. 2	33. 4	28. 3
15- 64	1, 631, 344	533, 864	537, 867	254, 028	305, 585	63. 4	67. 1	64. 2	58. 3	60. 6
65 & OVER	321, 284	89, 797	139, 444	36, 126	55, 917	12. 5	11. 3	16. 6	8. 3	11. 1
MEDIAN AGE	31. 2	33. 0	36. 2	23. 2	27. 1					

LIVE BIRTHS

**TABLE A1. BIRTHS AND AVERAGE PER DAY, BY MONTH
MISSISSIPPI, 1994**

<u>MONTH</u>	<u>BIRTHS</u>	<u>AVERAGE PER DAY</u>	<u>MONTH</u>	<u>BIRTHS</u>	<u>AVERAGE PER DAY</u>
<u>TOTAL</u>	<u>41, 938</u>	<u>115</u>			
JANUARY	3, 506	113	JULY	3, 709	120
FEBRUARY	3, 264	112	AUGUST	3, 972	128
MARCH	3, 397	110	SEPTEMBER	3, 810	127
APRIL	3, 002	100	OCTOBER	3, 555	115
MAY	3, 083	99	NOVEMBER	3, 528	118
JUNE	3, 402	113	DECEMBER	3, 710	120

**TABLE A2. PERCENTAGE OF LIVE BIRTHS IN HOSPITALS OR CLINICS,
BY YEAR AND RACE*
MISSISSIPPI, 1940, 1950, 1960, 1970-1993**

<u>YEAR</u>	<u>TOTAL</u>	<u>WHITE</u>	<u>NON- WHITE</u>	<u>YEAR</u>	<u>TOTAL</u>	<u>WHITE</u>	<u>NON- WHITE</u>
1940	14. 1	27. 1	3. 9				
1950	46. 1	83. 3	18. 9				
1960	73. 2	99. 0	51. 3				
1970#	90. 0	99. 7	79. 7	1980#	99. 4	99. 7	99. 1
1971#	92. 2	99. 6	84. 2	1981#	99. 3	99. 6	99. 0
1972#	95. 2	99. 8	90. 4	1982#	99. 4	99. 6	99. 2
1973#	96. 4	99. 7	92. 8	1983#	99. 5	99. 6	99. 4
1974#	97. 4	99. 7	94. 8	1984#	99. 5	99. 6	99. 4
1975#	97. 9	99. 6	96. 0	1985#	99. 6	99. 7	99. 4
1976#	98. 5	99. 7	97. 3	1986#	99. 6	99. 7	99. 5
1977#	98. 9	99. 7	98. 1	1987#	99. 6	99. 8	99. 5
1978#	99. 1	99. 7	98. 4	1988#	99. 6	99. 7	99. 6
1979#	99. 3	99. 7	98. 9	1989#	99. 6	99. 8	99. 5
				1990#	99. 6	99. 6	99. 6
				1991#	99. 6	99. 6	99. 6
				1992#	99. 7	99. 7	99. 7
				1993#	99. 7	99. 7	99. 6
				1994#	99. 7	99. 7	99. 7

* FIGURES FOR YEARS PRIOR TO 1989 ARE BY RACE OF CHILD;
BEGINNING IN 1989 FIGURES SHOWN ARE BY RACE OF MOTHER.

INCLUDES BIRTHS IN ANY FACILITY WHICH PROVIDES MEDICAL
CARE; PRIOR TO 1970 ONLY BIRTHS IN FACILITIES PROVIDING
INPATIENT CARE WERE INCLUDED.

TABLE A3. LIVE BIRTHS AND PERCENTAGE DISTRIBUTION, BY PLACE OF DELIVERY, ATTENDANT, AND RACE OF MOTHER
MISSISSIPPI, 1994

PLACE OF DELIVERY AND RACE	NUMBER						PERCENT					
	TOTAL	PHYSI-CIAN	CERTI-FIED NURSE MIDWIFE	GRANNY MIDWIFE	OTHER NAMED PERSON	UN-KNOWN	TOTAL	PHYSI-CIAN	CERTI-FIED NURSE MIDWIFE	GRANNY MIDWIFE	OTHER NAMED PERSON	UN-KNOWN
<u>TOTAL</u>	<u>41,938</u>	<u>41,339</u>	<u>437</u>	<u>14</u>	<u>129</u>	<u>19</u>	<u>100.0</u>	<u>98.6</u>	<u>1.0</u>	<u>*</u>	<u>0.3</u>	<u>*</u>
HOSPITAL CLINIC/DOCTOR'S OFFICE	41,795	41,317	433	0	39	6	99.6	98.5	1.0	-	0.1	*
HOME	3	3	0	0	0	0	*	*	-	-	-	-
OTHER PLACE	121	19	4	12	79	7	0.3	*	*	*	0.2	*
UNKNOWN PLACE	16	0	0	1	11	4	*	-	-	*	*	*
UNKNOWN PLACE	3	0	0	1	0	2	*	-	-	*	-	*
<u>WHITE</u>	<u>21,536</u>	<u>21,317</u>	<u>140</u>	<u>14</u>	<u>60</u>	<u>5</u>	<u>100.0</u>	<u>99.0</u>	<u>0.6</u>	<u>0.1</u>	<u>0.3</u>	<u>*</u>
HOSPITAL CLINIC/DOCTOR'S OFFICE	21,463	21,312	136	0	13	2	99.7	99.0	0.6	-	0.1	*
HOME	0	0	0	0	0	0	-	-	-	-	-	-
OTHER PLACE	64	5	4	12	42	1	0.3	*	*	*	0.2	*
UNKNOWN PLACE	7	0	0	1	5	1	*	-	-	*	*	*
UNKNOWN PLACE	2	0	0	1	0	1	*	-	-	*	-	*
<u>NONWHITE</u>	<u>20,402</u>	<u>20,022</u>	<u>297</u>	<u>0</u>	<u>69</u>	<u>14</u>	<u>100.0</u>	<u>98.1</u>	<u>1.4</u>	<u>-</u>	<u>0.3</u>	<u>0.1</u>
HOSPITAL CLINIC/DOCTOR'S OFFICE	20,332	20,005	297	0	26	4	99.6	98.0	1.4	-	0.1	*
HOME	3	3	0	0	0	0	*	*	-	-	-	-
OTHER PLACE	57	14	0	0	37	6	0.3	0.1	-	-	0.2	*
UNKNOWN PLACE	9	0	0	0	6	3	*	-	-	-	*	*
UNKNOWN PLACE	1	0	0	0	0	1	*	-	-	-	-	*

* LESS THAN 0.06 PERCENT.

**TABLE A4. LIVE BIRTHS, PERCENTAGE DISTRIBUTION, AND FERTILITY RATES,
BY AGE AND RACE OF MOTHER
MISSISSIPPI, 1994**

AGE OF MOTHER	NUMBER			PERCENT			FERTILITY RATE*		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	41,938	21,536	20,402	100.0	100.0	100.0	70.2	59.5	86.4
UNDER 15	370	47	323	0.9	0.2	1.6	3.6	0.9	6.5
15- 19	8,895	3,229	5,666	21.2	15.0	27.8	80.9	54.0	113.0
20- 24	13,838	6,708	7,130	33.0	31.1	34.9	138.6	116.3	169.1
25- 29	10,053	6,143	3,910	24.0	28.5	19.2	98.2	99.0	97.1
30- 34	6,104	3,870	2,234	14.6	18.0	11.0	58.0	60.4	54.2
35- 39	2,253	1,308	945	5.4	6.1	4.6	23.5	21.6	26.7
40- 44	388	203	185	0.9	0.9	0.9	4.6	3.5	6.9
45- 49	9	5	4	**	**	**	0.1	0.1	0.2
UNKNOWN	28	23	5	0.1	0.1	**			

* FOR TOTAL GROUP - LIVE BIRTHS PER 1,000 FEMALES 15-44 YEARS OF AGE; FOR SPECIFIC AGE GROUPS - LIVE BIRTHS PER 1,000 FEMALES IN SPECIFIED GROUP.

** LESS THAN 0.06 PERCENT.

**TABLE A5. LIVE BIRTHS AND PERCENTAGE DISTRIBUTION,
BY YEARS OF SCHOOL COMPLETED BY MOTHER AND RACE OF MOTHER
MISSISSIPPI, 1994**

YEARS OF SCHOOL COMPLETED BY MOTHER	NUMBER			PERCENT*			CUMULATIVE PERCENT*		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL BIRTHS	41,938	21,536	20,402	100.0	100.0	100.0			
0-6 YEARS	249	111	138	0.6	0.5	0.7	0.6	0.5	0.7
7-9 YEARS	4,243	1,910	2,333	10.1	8.9	11.5	10.7	9.4	12.1
10, 11 YEARS	6,971	2,615	4,356	16.6	12.2	21.4	27.4	21.6	33.5
12 YEARS	15,022	7,172	7,850	35.9	33.3	38.6	63.3	54.9	72.1
1-3 YEARS COLLEGE	9,839	5,527	4,312	23.5	25.7	21.2	86.8	80.6	93.3
4 OR MORE YEARS COLLEGE	5,541	4,173	1,368	13.2	19.4	6.7	100.0	100.0	100.0
UNKNOWN	73	28	45						
MEDIAN YEARS COMPLETED*	12.6	12.8	12.4						

* CALCULATIONS EXCLUDE BIRTHS TO MOTHERS WITH EDUCATION UNKNOWN.

**TABLE A6. LIVE BIRTHS TO UNMARRIED MOTHERS
AND PERCENT OF TOTAL LIVE BIRTHS IN SPECIFIED GROUP,
BY AGE AND RACE OF MOTHER
MISSISSIPPI, 1994**

AGE OF MOTHER	NUMBER			PERCENT		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	19,051	3,972	15,079	45.4	18.4	73.9
UNDER 15	366	43	323	98.9	91.5	100.0
15- 19	7,017	1,543	5,474	78.9	47.8	96.6
20- 24	7,021	1,399	5,622	50.7	20.8	78.8
25- 29	2,701	554	2,147	26.9	9.0	54.9
30- 34	1,309	297	1,012	21.4	7.7	45.3
35- 39	524	108	416	23.2	8.2	44.0
40- 44	103	23	80	26.5	11.3	43.2
45- 49	2	1	1	22.2	20.0	25.0
UNKNOWN	8	4	4			

**TABLE A7. LIVE BIRTHS, PERCENTAGE DISTRIBUTION, FERTILITY RATES,
AND MEDIAN AGE OF MOTHER, BY TOTAL-BIRTH ORDER AND RACE OF MOTHER
MISSISSIPPI, 1994**

BIRTH ORDER*	NUMBER			PERCENT			FERTILITY RATE**			MEDIAN AGE OF MOTHER		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	41,938	21,536	20,402	100.0	100.0	100.0	70.2	59.5	86.4	24.1	25.6	22.6
FIRST	15,158	7,987	7,171	36.1	37.1	35.1	25.4	22.1	30.4	20.9	22.6	19.5
SECOND	12,608	6,957	5,651	30.1	32.3	27.7	21.1	19.2	23.9	24.5	26.0	22.6
THIRD	7,667	3,832	3,835	18.3	17.8	18.8	12.8	10.6	16.2	26.4	28.1	24.7
FOURTH	3,659	1,637	2,022	8.7	7.6	9.9	6.1	4.5	8.6	27.9	29.3	26.5
FIFTH	1,532	634	898	3.6	2.9	4.4	2.6	1.8	3.8	29.0	30.5	27.9
SIXTH	668	251	417	1.6	1.2	2.0	1.1	0.7	1.8	30.3	32.2	29.3
SEVENTH	320	133	187	0.8	0.6	0.9	0.5	0.4	0.8	31.2	32.3	29.9
EIGHTH	135	44	91	0.3	0.2	0.4	0.2	0.1	0.4	32.5	32.9	32.4
NINTH	64	19	45	0.2	0.1	0.2	0.1	#	0.2	34.8	33.0	35.6
TENTH & OVER	82	19	63	0.2	0.1	0.3	0.1	#	0.3	35.1	34.0	36.3
UNKNOWN	45	23	22	0.1	0.1	0.1	0.1	0.1	0.1			

* INCLUDES ALL LIVE BIRTHS PLUS ALL FETAL DEATHS REGARDLESS OF LENGTH OF GESTATION.

** LIVE BIRTHS PER 1,000 FEMALES 15-44 YEARS OF AGE (1990 CENSUS).

LESS THAN 0.06.

**TABLE A8. LIVE BIRTHS AND PERCENTAGE DISTRIBUTION,
BY WHETHER MOTHER RECEIVED PRENATAL CARE,
TIME DURING PREGNANCY CARE BEGAN, AND RACE OF MOTHER
MISSISSIPPI, 1994**

PRENATAL CARE AND TIME CARE BEGAN	NUMBER			PERCENT		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	41,938	21,536	20,402	100.0	100.0	100.0
NO PRENATAL CARE	625	158	467	1.5	0.7	2.3
SOME PRENATAL CARE	41,105	21,308	19,797	98.0	98.9	97.0
FIRST TRIMESTER	31,562	18,372	13,190	75.2	85.3	64.6
SECOND TRIMESTER	7,954	2,500	5,454	19.0	11.6	26.7
THIRD TRIMESTER	1,464	407	1,057	3.5	1.9	5.2
UNKNOWN MONTH	125	29	96	0.3	0.1	0.5
UNKNOWN WHETHER ANY PRENATAL CARE	208	70	138	0.5	0.3	0.7

**TABLE A9. LIVE BIRTHS AND PERCENTAGE DISTRIBUTION,
BY MATURITY AND RACE OF MOTHER
MISSISSIPPI, 1994**

MATURITY*	NUMBER			PERCENT		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	41,938	21,536	20,402	100.0	100.0	100.0
IMMATURE ONLY**	1,678	599	1,079	4.0	2.8	5.3
PREMATURE ONLY**	3,923	1,484	2,439	9.4	6.9	12.0
BOTH IMMATURE AND PREMATURE	2,457	854	1,603	5.8	4.0	7.8
TOTAL IMMATURE	4,135	1,453	2,682	9.9	6.7	13.1
TOTAL PREMATURE	6,380	2,338	4,042	15.2	10.8	19.8
TOTAL IMMATURE AND/OR PREMATURE	8,058	2,937	5,121	19.2	13.6	25.1
NEITHER IMMATURE NOR PREMATURE**	33,880	18,599	15,281	80.8	86.4	74.9

* IMMATURE - BIRTHWEIGHT LESS THAN 5 1/2 POUNDS (2,500 GRAMS); PREMATURE - GESTATION LESS THAN 37 WEEKS (CALCULATED BY SUBTRACTING THE DATE OF THE LAST NORMAL MENSTRUAL PERIOD PRIOR TO DELIVERY FROM THE DATE OF BIRTH).

** BIRTHS CLASSIFIED AS IMMATURE ONLY OR AS PREMATURE ONLY INCLUDE SOME FOR WHICH THE OTHER MEASUREMENT WAS UNKNOWN. THOSE CLASSIFIED AS NEITHER IMMATURE NOR PREMATURE INCLUDE SOME FOR WHICH ONE OR BOTH MEASUREMENTS WERE UNKNOWN.

**TABLE A10. CONGENITAL ANOMALIES REPORTED ON LIVE BIRTH CERTIFICATES,
BY ANOMALY AND RACE OF MOTHER
MISSISSIPPI, 1994**

CONGENITAL ANOMALY	TOTAL	WHITE	NON- WHITE
<u>TOTAL ANOMALIES REPORTED</u>	<u>505</u>	<u>271</u>	<u>234</u>
ANENCEPHALUS	2	2	0
SPI NA BI FIDA/MENINGOCELE	10	6	4
HYDROCEPHALUS	11	8	3
MICROCEPHALUS	4	1	3
OTHER CENTRAL NERVOUS SYSTEM ANOMALIES	5	2	3
HEART MALFORMATIONS	47	32	15
OTHER CIRCULATORY/RESPIRATORY ANOMALIES	27	22	5
RECTAL ATRESIA/STENOSIS	12	7	5
TRACHEO- ESOPHAGEAL FISTULA/ESOPHAGEAL ATRESIA	5	3	2
OMPHALOCELE/GASTROSCHISIS	12	4	8
OTHER GASTROINTESTINAL ANOMALIES	16	8	8
MALFORMED GENITALIA	61	37	24
RENAL AGENESIS	5	4	1
OTHER UROGENITAL ANOMALIES	18	11	7
CLEFT LIP/PALATE	38	28	10
POLYDACTYLY/SYNDACTYLY/ADACTYLY	98	18	80
CLUB FOOT	29	24	5
DIAPHRAGMATIC HERNIA	7	5	2
OTHER MUSCULOSKELETAL/INTEGUMENTAL ANOMALIES	55	27	28
DOWNS SYNDROME	18	14	4
OTHER CHROMOSOMAL ANOMALIES	1	0	1
<u>OTHER</u>	<u>24</u>	<u>8</u>	<u>16</u>

**TABLE A11. MEDICAL RISK FACTORS REPORTED ON LIVE BIRTH CERTIFICATES,
BY RISK FACTOR AND RACE OF MOTHER
MISSISSIPPI, 1994**

<u>MEDICAL RISK FACTOR</u>	<u>TOTAL</u>	<u>WHITE</u>	<u>NON- WHITE</u>
<u>TOTAL RISK FACTORS REPORTED</u>	<u>8, 765</u>	<u>3, 885</u>	<u>4, 880</u>
ANEMIA (HCT. < 30/HGB. < 10)	855	291	564
CARDIAC DISEASE	141	90	51
ACUTE OR CHRONIC LUNG DISEASE	195	82	113
DIABETES	909	511	398
GENITAL HERPES	186	100	86
HYDRAMNIOS/OLIGOHYDRAMNIOS	326	133	193
HEMOGLOBINOPATHY	119	3	116
HYPERTENSION, CHRONIC	473	149	324
HYPERTENSION, PREGNANCY- ASSOCIATED	1, 710	916	794
ECLAMPSIA	386	126	260
INCOMPETENT CERVIX	73	25	48
PREVIOUS INFANT 4000+ GRAMS	245	183	62
PREVIOUS PRETERM OR SMALL- FOR- GESTATIONAL- AGE INFANT	450	174	276
RENAL DISEASE	48	35	13
RH SENSITIZATION	193	157	36
UTERINE BLEEDING	236	149	87
<u>OTHER</u>	<u>2, 220</u>	<u>761</u>	<u>1, 459</u>

**TABLE A12. OTHER RISK FACTORS REPORTED ON LIVE BIRTH CERTIFICATES
AND PERCENTAGE DISTRIBUTION, BY RISK FACTOR AND RACE OF MOTHER,
MISSISSIPPI, 1994**

RISK FACTOR	NUMBER			PERCENT		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>TOTAL LIVE BIRTHS</u>	<u>41, 938</u>	<u>21, 536</u>	<u>20, 402</u>	<u>100. 0</u>	<u>100. 0</u>	<u>100. 0</u>
TOBACCO USE DURING PREGNANCY						
NONE	35, 870	16, 936	18, 934	85. 5	78. 6	92. 8
<u>SOME</u>	<u>5, 958</u>	<u>4, 557</u>	<u>1, 401</u>	<u>14. 2</u>	<u>21. 2</u>	<u>6. 9</u>
1- 9 CIGARETTES PER DAY	1, 630	1, 031	599	3. 9	4. 8	2. 9
10- 19 CIGARETTES PER DAY	2, 243	1, 734	509	5. 3	8. 0	2. 5
20- 29 CIGARETTES PER DAY	1, 716	1, 479	237	4. 1	6. 9	1. 2
30- 39 CIGARETTES PER DAY	184	170	14	0. 4	0. 8	0. 1
40- 49 CIGARETTES PER DAY	89	76	13	0. 2	0. 4	0. 1
50- 59 CIGARETTES PER DAY	3	2	1	*	*	*
60 OR MORE PER DAY	5	4	1	*	*	*
UNKNOWN AMOUNT	88	61	27	0. 2	0. 3	0. 1
NOT STATED	110	43	67	0. 3	0. 2	0. 3
ALCOHOL USE DURING PREGNANCY						
NONE	41, 400	21, 340	20, 060	98. 7	99. 1	98. 3
<u>SOME</u>	<u>410</u>	<u>140</u>	<u>270</u>	<u>1. 0</u>	<u>0. 6</u>	<u>1. 3</u>
1 DRINK PER WEEK	130	63	67	0. 3	0. 3	0. 3
2 DRINKS PER WEEK	108	27	81	0. 2	0. 1	0. 4
3 DRINKS PER WEEK	39	7	32	0. 1	*	0. 2
4 DRINKS PER WEEK	4	0	4	*	-	*
5 DRINKS PER WEEK	4	0	4	*	-	*
6 OR MORE PER WEEK	52	7	45	0. 1	*	0. 2
UNKNOWN AMOUNT	73	36	37	0. 2	0. 2	0. 2
NOT STATED	128	56	72	0. 3	0. 3	0. 4
WEIGHT GAINED DURING PREGNANCY						
NONE OR LOST WEIGHT	617	240	377	1. 5	1. 1	1. 8
1- 4 POUNDS	387	176	211	0. 9	0. 8	1. 0
5- 9 POUNDS	980	369	611	2. 3	1. 7	3. 0
10- 14 POUNDS	2, 443	927	1, 516	5. 8	4. 3	7. 4
15- 19 POUNDS	3, 463	1, 548	1, 915	8. 2	7. 2	9. 4
20- 24 POUNDS	7, 101	3, 093	4, 008	16. 9	14. 4	19. 6
25- 29 POUNDS	5, 794	3, 137	2, 657	13. 8	14. 6	13. 0
30- 34 POUNDS	6, 892	3, 863	3, 029	16. 4	17. 9	14. 8
35- 39 POUNDS	4, 186	2, 547	1, 639	10. 0	11. 8	8. 0
40- 44 POUNDS	3, 745	2, 237	1, 508	8. 9	10. 4	7. 4
45 OR MORE POUNDS	5, 045	3, 003	2, 042	12. 0	13. 9	10. 0
UNKNOWN AMOUNT	1, 285	396	889	3. 1	1. 8	4. 4
MEDIAN WEIGHT GAIN (LBS)**	29. 6	31. 4	27. 1			

* LESS THAN 0. 06 PERCENT.

** EXCLUDES MOTHERS WHOSE WEIGHT GAIN WAS UNKNOWN.

**TABLE A13. COMPLICATIONS OF LABOR AND DELIVERY
REPORTED ON LIVE BIRTH CERTIFICATES,
BY COMPLICATION AND RACE OF MOTHER
MISSISSIPPI, 1994**

<u>COMPLICATION</u>	<u>TOTAL</u>	<u>WHITE</u>	<u>NON- WHITE</u>
<u>TOTAL COMPLICATONS REPORTED</u>	<u>12, 852</u>	<u>6, 654</u>	<u>6, 198</u>
FEBRILE (> 100 DEGREES F. OR 38 DEGREES C.)	321	184	137
MECONIUM, MODERATE/HEAVY	2, 217	1, 015	1, 202
PREMATURE RUPTURE OF MEMBRANE (> 12 HOURS)	1, 176	501	675
ABRUPTIO PLACENTA	280	138	142
PLACENTA PREVIA	103	67	36
OTHER EXCESSIVE BLEEDING	81	46	35
SEIZURES DURING LABOR	34	12	22
PRECIPITOUS LABOR (< 3 HOURS)	567	245	322
PROLONGED LABOR (> 20 HOURS)	227	148	79
DYSFUNCTIONAL LABOR	846	466	380
BREECH/MALPRESENTATION	1, 491	917	574
CEPHALOPELVIC DISPROPORTION	2, 046	1, 129	917
CORD PROLAPSE	58	33	25
ANESTHETIC COMPLICATIONS	19	14	5
FETAL DISTRESS	2, 229	1, 031	1, 198
OTHER	1, 157	708	449

**TABLE A14. METHOD OF DELIVERY REPORTED ON LIVE BIRTH CERTIFICATES,
BY METHOD AND RACE OF MOTHER
MISSISSIPPI, 1994**

<u>METHOD OF DELIVERY</u>	<u>TOTAL</u>	<u>WHITE</u>	<u>NON- WHITE</u>
<u>TOTAL METHODS OF DELIVERY REPORTED</u>	<u>45, 695</u>	<u>24, 279</u>	<u>21, 416</u>
VAGINAL	29, 351	14, 913	14, 438
VAGINAL BIRTH AFTER PREVIOUS C-SECTION	680	356	324
PRIMARY C-SECTION	6, 648	3, 507	3, 141
REPEAT C-SECTION	4, 361	2, 403	1, 958
FORCEPS	2, 961	2, 037	924
VACUUM	1, 694	1, 063	631

**TABLE A15. OBSTETRIC PROCEDURES REPORTED ON LIVE BIRTH CERTIFICATES,
BY PROCEDURE AND RACE OF MOTHER
MISSISSIPPI, 1994**

<u>OBSTETRIC PROCEDURE</u>	<u>TOTAL</u>	<u>WHITE</u>	<u>NON- WHITE</u>
<u>TOTAL OBSTETRIC PROCEDURES REPORTED</u>	<u>70, 788</u>	<u>40, 006</u>	<u>30, 782</u>
AMNIOCENTESIS	506	349	157
ELECTRONIC FETAL MONITORING	33, 574	18, 522	15, 052
INDUCTION OF LABOR	3, 625	2, 599	1, 026
STIMULATION OF LABOR	5, 262	3, 135	2, 127
TOCOLYSIS	386	229	157
ULTRASOUND	26, 863	14, 865	11, 998
OTHER	572	307	265

**TABLE A16. ABNORMAL CONDITIONS OF NEWBORN
REPORTED ON LIVE BIRTH CERTIFICATES,
BY CONDITION AND RACE OF MOTHER
MISSISSIPPI, 1994**

<u>ABNORMAL CONDITION OF NEWBORN</u>	<u>TOTAL</u>	<u>WHITE</u>	<u>NON- WHITE</u>
<u>TOTAL ABNORMAL CONDITIONS REPORTED</u>	<u>2, 110</u>	<u>1, 072</u>	<u>1, 038</u>
ANEMIA (HCT. < 39/HGB. < 13)	40	18	22
BIRTH INJURY	140	86	54
FETAL ALCOHOL SYNDROME	2	1	1
HYALINE MEMBRANE DISEASE/RDS	485	236	249
MECONIUM ASPIRATION SYNDROME	83	45	38
ASSISTED VENTILATION < 30 MINUTES	149	77	72
ASSISTED VENTILATION 30 MINUTES OR MORE	291	151	140
SEIZURES	24	16	8
OTHER	896	442	454

FETAL DEATHS

TABLE B1. REPORTABLE* FETAL DEATHS AND PERCENTAGE DISTRIBUTION,
BY PLACE OF DELIVERY, ATTENDANT, AND RACE OF MOTHER
MISSISSIPPI, 1994

PLACE OF DELIVERY AND RACE	NUMBER						PERCENT					
	TOTAL	PHYSI-CIAN	CERTI-FIED NURSE MIDWI FE	GRANNY MIDWI FE	OTHER NAMED PERSON	UN-KNOWN	TOTAL	PHYSI-CIAN	CERTI-FIED NURSE MIDWI FE	GRANNY MIDWI FE	OTHER NAMED PERSON	UN-KNOWN
<u>TOTAL</u>	<u>501</u>	<u>488</u>	<u>1</u>	<u>0</u>	<u>11</u>	<u>1</u>	<u>100.0</u>	<u>97.4</u>	<u>0.2</u>	-	<u>2.2</u>	<u>0.2</u>
HOSPITAL CLINIC/DOCTOR'S OFFICE	492	486	1	0	5	0	98.2	97.0	0.2	-	1.0	-
HOME	8	1	0	0	6	1	1.6	0.2	-	-	1.2	0.2
OTHER PLACE	0	0	0	0	0	0	-	-	-	-	-	-
UNKNOWN PLACE	1	1	0	0	0	0	0.2	0.2	-	-	-	-
<u>WHITE</u>	<u>138</u>	<u>133</u>	<u>0</u>	<u>0</u>	<u>4</u>	<u>1</u>	<u>100.0</u>	<u>96.4</u>	-	-	<u>2.9</u>	<u>0.7</u>
HOSPITAL CLINIC/DOCTOR'S OFFICE	136	133	0	0	3	0	98.6	96.4	-	-	2.2	-
HOME	2	0	0	0	1	1	1.4	-	-	-	0.7	0.7
OTHER PLACE	0	0	0	0	0	0	-	-	-	-	-	-
UNKNOWN PLACE	0	0	0	0	0	0	-	-	-	-	-	-
<u>NONWHITE</u>	<u>363</u>	<u>355</u>	<u>1</u>	<u>0</u>	<u>7</u>	<u>0</u>	<u>100.0</u>	<u>97.8</u>	<u>0.3</u>	-	<u>1.9</u>	-
HOSPITAL CLINIC/DOCTOR'S OFFICE	356	353	1	0	2	0	98.1	97.2	0.3	-	0.6	-
HOME	6	1	0	0	5	0	1.6	0.3	-	-	1.4	-
OTHER PLACE	0	0	0	0	0	0	-	-	-	-	-	-
UNKNOWN PLACE	1	1	0	0	0	0	0.3	0.3	-	-	-	-

* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

**TABLE B2. REPORTABLE* FETAL DEATHS AND FETAL DEATH RATIOS,
BY AGE AND RACE OF MOTHER
MISSISSIPPI, 1994**

AGE OF MOTHER	NUMBER			RATIO**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	501	138	363	11.9	6.4	17.8
UNDER 15	11	1	10	29.7	#	31.0
15-19	127	25	102	14.3	7.7	18.0
20-24	145	35	110	10.5	5.2	15.4
25-29	95	29	66	9.4	4.7	16.9
30-34	74	28	46	12.1	7.2	20.6
35-39	44	19	25	19.5	14.5	26.4
40-44	5	1	4	12.9	4.9	21.6

* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

** REPORTABLE FETAL DEATHS PER 1,000 LIVE BIRTHS TO MOTHERS IN SPECIFIED GROUP.

RATIO NOT CALCULATED ON LESS THAN 100 LIVE BIRTHS.

**TABLE B3. PERCENTAGE DISTRIBUTION OF LIVE BIRTHS
AND REPORTABLE* FETAL DEATHS,
BY WHETHER MOTHER RECEIVED PRENATAL CARE AND RACE OF MOTHER
MISSISSIPPI, 1994**

PRENATAL CARE	LIVE BIRTHS			REPORTABLE* FETAL DEATHS		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	100.0	100.0	100.0	100.0	100.0	100.0
NO CARE	1.5	0.7	2.3	11.8	5.1	14.3
SOME CARE	97.7	98.8	96.6	80.2	89.1	76.9
UNKNOWN WHETHER ANY CARE	0.8	0.5	1.1	8.0	5.8	8.8

* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

**TABLE B4. REPORTABLE* FETAL DEATHS AND FETAL DEATH RATIOS,
BY COMPLETED WEEKS OF GESTATION AND RACE OF MOTHER,
MISSISSIPPI, 1992-1994**

COMPLETED WEEKS OF GESTATION**	TOTAL			WHITE			NONWHITE		
	1992	1993	1994	1992	1993	1994	1992	1993	1994
REPORTABLE* FETAL DEATHS									
<u>TOTAL</u>	<u>519</u>	<u>487</u>	<u>501</u>	<u>151</u>	<u>156</u>	<u>138</u>	<u>368</u>	<u>331</u>	<u>363</u>
UNDER 20	33	26	27	6	3	4	27	23	23
<u>20 AND OVER</u>	<u>406</u>	<u>407</u>	<u>394</u>	<u>124</u>	<u>137</u>	<u>116</u>	<u>282</u>	<u>270</u>	<u>278</u>
20- 22	92	101	99	21	26	29	71	75	70
23- 27	95	100	96	20	28	25	75	72	71
28- 36	126	126	121	44	51	34	82	75	87
37 AND OVER	93	80	78	39	32	28	54	48	50
UNKNOWN	80	54	80	21	16	18	59	38	62
FETAL DEATH RATI OS#									
<u>TOTAL</u>	<u>12.2</u>	<u>11.6</u>	<u>11.9</u>	<u>7.0</u>	<u>7.3</u>	<u>6.4</u>	<u>17.5</u>	<u>15.8</u>	<u>17.8</u>
UNDER 20	0.8	0.6	0.6	0.3	0.1	0.2	1.3	1.1	1.1
<u>20 AND OVER</u>	<u>9.5</u>	<u>9.7</u>	<u>9.4</u>	<u>5.7</u>	<u>6.4</u>	<u>5.4</u>	<u>13.4</u>	<u>12.9</u>	<u>13.6</u>
20- 22	2.2	2.4	2.4	1.0	1.2	1.3	3.4	3.6	3.4
23- 27	2.2	2.4	2.3	0.9	1.3	1.2	3.6	3.4	3.5
28- 36	3.0	3.0	2.9	2.0	2.4	1.6	3.9	3.6	4.3
37 AND OVER	2.2	1.9	1.9	1.8	1.5	1.3	2.6	2.3	2.4
UNKNOWN	1.9	1.3	1.9	1.0	0.8	0.8	2.8	1.8	3.0

* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

** CALCULATED BY SUBTRACTING THE DATE OF THE LAST NORMAL MENSTRUAL PERIOD PRIOR TO DELIVERY FROM THE DATE OF DELIVERY.

REPORTABLE FETAL DEATHS PER 1,000 LIVE BIRTHS.

DEATHS

**TABLE C1. DEATHS AND AVERAGE PER DAY, BY MONTH
MISSISSIPPI, 1994**

MONTH	DEATHS	AVERAGE PER DAY	MONTH	DEATHS	AVERAGE PER DAY
<u>TOTAL</u>	<u>26,657</u>	<u>73</u>			
JANUARY	2,890	93	JULY	2,111	68
FEBRUARY	2,202	76	AUGUST	1,981	64
MARCH	2,275	73	SEPTEMBER	1,983	66
APRIL	2,217	74	OCTOBER	2,262	73
MAY	2,143	69	NOVEMBER	2,175	72
JUNE	2,061	69	DECEMBER	2,357	76

**TABLE C2. DEATHS, PERCENTAGE DISTRIBUTION, AND RATES, BY AGE AND RACE
MISSISSIPPI, 1994**

AGE	NUMBER			PERCENT			RATE*		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>TOTAL</u>	<u>26,657</u>	<u>17,210</u>	<u>9,447</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>	<u>10.4</u>	<u>10.5</u>	<u>10.0</u>
UNDER 1	459	158	301	1.7	0.9	3.2	13.5	8.6	19.2
1-4	122	37	85	0.4	0.2	0.9	0.8	0.4	1.2
5-9	48	24	24	0.2	0.1	0.2	0.2	0.2	0.2
10-14	70	32	38	0.3	0.2	0.4	0.3	0.3	0.4
15-24	623	258	365	2.3	1.5	3.9	1.5	1.1	2.0
25-34	769	349	420	2.9	2.0	4.4	1.9	1.4	2.9
35-44	1,175	564	611	4.4	3.3	6.5	3.4	2.4	5.4
45-54	1,873	1,085	788	7.0	6.3	8.3	7.6	6.0	11.8
55-64	3,112	1,951	1,161	11.7	11.3	12.3	14.5	12.2	21.1
65-74	5,583	3,790	1,793	20.9	22.0	19.0	31.0	28.8	36.8
75-84	7,120	4,983	2,137	26.7	29.0	22.6	65.4	65.3	65.8
85 AND OVER	5,698	3,976	1,722	21.4	23.1	18.2	176.2	185.1	158.6
UNKNOWN	5	3	2	**	**	**			

* DEATHS PER 1,000 POPULATION IN SPECIFIED GROUP.

** LESS THAN 0.06 PERCENT.

**TABLE C3A. DEATHS BY AGE, RACE, AND SEX, AND MALE/FEMALE RATIOS
BY AGE AND RACE
MISSISSIPPI, 1994**

AGE	TOTAL			WHITE			NONWHITE		
	MALE	FEMALE	MALES PER FEMALE	MALE	FEMALE	MALES PER FEMALE	MALE	FEMALE	MALES PER FEMALE
TOTAL	13, 676	12, 981	1. 05	8, 761	8, 449	1. 04	4, 915	4, 532	1. 08
UNDER 1	245	214	1. 14	85	73	1. 16	160	141	1. 13
1- 4	54	68	0. 79	22	15	1. 47	32	53	0. 60
5- 9	25	23	1. 09	12	12	1. 00	13	11	1. 18
10- 14	51	19	2. 68	24	8	3. 00	27	11	2. 45
15- 24	435	188	2. 31	178	80	2. 22	257	108	2. 38
25- 34	545	224	2. 43	262	87	3. 01	283	137	2. 06
35- 44	765	410	1. 86	378	186	2. 03	387	224	1. 73
45- 54	1, 200	673	1. 78	705	380	1. 86	495	293	1. 69
55- 64	1, 900	1, 212	1. 57	1, 243	708	1. 76	657	504	1. 30
65- 74	3, 163	2, 420	1. 31	2, 224	1, 566	1. 42	939	854	1. 10
75- 84	3, 454	3, 666	0. 94	2, 431	2, 552	0. 95	1, 023	1, 114	0. 92
85 AND OVER	1, 835	3, 863	0. 48	1, 194	2, 782	0. 43	641	1, 081	0. 59
UNKNOWN	4	1		3	0		1	1	
MEDIAN AGE	70. 1	77. 8		71. 6	79. 3		66. 6	74. 2	

**TABLE C3B. DEATH RATES*, BY AGE, RACE, AND SEX
MISSISSIPPI, 1994**

AGE	TOTAL		WHITE		NONWHITE	
	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE
TOTAL	11. 1	9. 7	11. 0	10. 1	11. 3	9. 0
UNDER 1	14. 3	12. 7	9. 0	8. 1	20. 6	17. 9
1- 4	0. 6	0. 9	0. 5	0. 4	0. 8	1. 4
5- 9	0. 2	0. 2	0. 2	0. 2	0. 3	0. 2
10- 14	0. 5	0. 2	0. 4	0. 1	0. 5	0. 2
15- 24	2. 1	0. 9	1. 4	0. 7	3. 0	1. 2
25- 34	2. 8	1. 1	2. 0	0. 7	4. 3	1. 7
35- 44	4. 5	2. 3	3. 2	1. 6	7. 5	3. 6
45- 54	10. 1	5. 2	7. 9	4. 1	16. 9	7. 9
55- 64	19. 4	10. 4	16. 5	8. 4	29. 0	15. 6
65- 74	41. 3	23. 4	39. 1	21. 0	47. 8	29. 4
75- 84	86. 3	53. 3	89. 1	52. 0	80. 4	56. 4
85 AND OVER	195. 7	168. 2	212. 5	175. 4	170. 6	152. 2

* DEATHS PER 1, 000 POPULATION IN SPECIFIED GROUP.

**TABLE C4. DEATHS AND PERCENT OF TOTAL DEATHS FROM TEN LEADING CAUSES,
BY CAUSE AND RACE
MISSISSIPPI, 1994**

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER	NUMBER			PERCENT		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>TOTAL OF TEN LEADING CAUSES</u>	<u>22,007</u>	<u>14,356</u>	<u>7,651</u>	<u>82.6</u>	<u>83.4</u>	<u>81.0</u>
1. HEART DISEASES (390-398, 402, 404-429)	9,617	6,365	3,252	36.1	37.0	34.4
2. MALIGNANT NEOPLASMS (140-208)	5,602	3,727	1,875	21.0	21.6	19.8
3. CEREBROVASCULAR DISEASES (430-438)	1,753	1,087	666	6.6	6.3	7.0
4. ACCIDENTS (800-949)	1,526	927	599	5.7	5.4	6.3
5. EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	946	756	190	3.5	4.4	2.0
6. PNEUMONIA AND INFLUENZA (480-487)	927	679	248	3.5	3.9	2.6
7. DIABETES MELLITUS (250)	495	250	245	1.8	1.4	2.6
8. HOMICIDE AND LEGAL INTERVENTION (960-978)	455	119	336	1.7	0.7	3.6
9. NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	373	199	174	1.4	1.2	1.8
10. SUICIDE (950-959)	313	247	66	1.2	1.4	0.7

**TABLE C5. DEATHS, PERCENT OF TOTAL DEATHS, AND RATES
FOR FIVE LEADING CAUSES, BY AGE AND CAUSE
MISSISSIPPI, 1994**

<u>AGE</u>	<u>CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER</u>	<u>NUMBER</u>	<u>PERCENT</u>	<u>RATE*</u>
1-4	<u>ALL CAUSES</u>	<u>122</u>	<u>100.0</u>	<u>0.8</u>
	1. ACCIDENTS (800-949)	57	46.7	35.3
	2. CONGENITAL ANOMALIES (740-759)	11	9.0	6.8
	3. HEART DISEASES (390-398, 402, 404-429)	7	5.7	4.3
	4T. MALIGNANT NEOPLASMS (140-208)	5	4.1	3.1
	4T. HOMICIDE AND LEGAL INTERVENTION (960-978)	5	4.1	3.1
5-14	<u>ALL CAUSES</u>	<u>118</u>	<u>100.0</u>	<u>0.3</u>
	1. ACCIDENTS (800-949)	66	55.9	15.5
	2. MALIGNANT NEOPLASMS (140-208)	8	6.8	1.9
	3. CONGENITAL ANOMALIES (740-759)	7	5.9	1.6
	4. HOMICIDE AND LEGAL INTERVENTION (960-978)	6	5.1	1.4
	5. BENIGN NEOPLASMS AND NEOPLASMS OF UNDETERMINED NATURE (210-239)	5	4.2	1.2
15-24	<u>ALL CAUSES</u>	<u>623</u>	<u>100.0</u>	<u>1.5</u>
	1. ACCIDENTS (800-949)	297	47.7	70.8
	2. HOMICIDE AND LEGAL INTERVENTION (960-978)	139	22.3	33.1
	3. SUICIDE (950-959)	64	10.3	15.3
	4. HEART DISEASES (390-398, 402, 404-429)	29	4.7	6.9
	5. MALIGNANT NEOPLASMS (140-208)	20	3.2	4.8
25-44	<u>ALL CAUSES</u>	<u>1,944</u>	<u>100.0</u>	<u>2.6</u>
	1. ACCIDENTS (800-949)	386	19.9	51.5
	2. HEART DISEASES (390-398, 402, 404-429)	311	16.0	41.5
	3. MALIGNANT NEOPLASMS (140-208)	266	13.7	35.5
	4T. HOMICIDE AND LEGAL INTERVENTION (960-978)	206	10.6	27.5
	4T. HUMAN IMMUNODEFICIENCY VIRUS INFECTION (042-044)	206	10.6	27.5
45-64	<u>ALL CAUSES</u>	<u>4,985</u>	<u>100.0</u>	<u>10.8</u>
	1. HEART DISEASES (390-398, 402, 404-429)	1,638	32.9	354.4
	2. MALIGNANT NEOPLASMS (140-208)	1,565	31.4	338.6
	3. ACCIDENTS (800-949)	271	5.4	58.6
	4. CEREBROVASCULAR DISEASES (430-438)	239	4.8	51.7
	5. EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	150	3.0	32.5
65 & OVER	<u>ALL CAUSES</u>	<u>18,401</u>	<u>100.0</u>	<u>57.3</u>
	1. HEART DISEASES (390-398, 402, 404-429)	7,617	41.4	2,370.8
	2. MALIGNANT NEOPLASMS (140-208)	3,736	20.3	1,162.8
	3. CEREBROVASCULAR DISEASES (430-438)	1,452	7.9	451.9
	4. PNEUMONIA AND INFLUENZA (480-487)	797	4.3	248.1
	5. EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	781	4.2	243.1

* DEATHS FROM ALL CAUSES PER 1,000 POPULATION IN SPECIFIED GROUP AND DEATHS FROM SPECIFIC CAUSES PER 100,000 POPULATION IN SPECIFIED GROUP.

**TABLE C6. DEATHS AND RATES FROM MALIGNANT NEOPLASMS,
BY PRIMARY SITE, SEX, AND RACE
MISSISSIPPI, 1994**

PRIMARY SITE (RANKED ACCORDING TO NUMBER OF DEATHS AMONG TOTAL POPULATION) AND INTERNATIONAL CLASSIFICATION NUMBER	NUMBER				RATE*			
	MALE		FEMALE		MALE		FEMALE	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL	2,043	1,079	1,684	796	256.9	247.8	200.9	157.8
1. RESPIRATORY AND INTRA- THORACIC ORGANS (160-165)	800	337	431	129	91.6	71.3	47.6	24.4
2. DIGESTIVE ORGANS AND PERITONEUM (150-159)	391	244	347	216	44.7	51.6	38.3	40.9
3. GENITAL ORGANS (179-187)	195	234	142	98	22.3	49.5	15.7	18.6
4. LYMPHATIC AND HEMATOPOIETIC TISSUE (200-208)	175	65	163	66	20.0	13.7	18.0	12.5
5. BREAST (174, 175)	7	1	249	129	0.8	0.2	27.5	24.4
6. URINARY ORGANS (188, 189)	104	37	46	20	11.9	7.8	5.1	3.8
7. BRAIN (191)	54	12	68	10	6.2	2.5	7.5	1.9
8. LIP, ORAL CAVITY, AND PHARYNX (140-149)	30	25	18	10	3.4	5.3	2.0	1.9
9. BONE AND CONNECTIVE TISSUE (170, 171)	24	10	14	14	2.7	2.1	1.5	2.7
10. SKIN (172, 173)	38	3	16	2	4.3	0.6	1.8	0.4
- OTHER AND UNSPECIFIED SITES (190, 192-199)	225	111	190	102	25.8	23.5	21.0	19.3

* DEATHS PER 100,000 POPULATION IN SPECIFIED GROUP.

**TABLE C7. DEATHS FROM MAJOR CHRONIC RESPIRATORY DISEASES,
1969, 1974, 1979, 1984, 1989, 1994**

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER	1969	1974	1979	1984	1989	1994
TUBERCULOSIS OF RESPIRATORY SYSTEM (010-012)	47	38	38	23	19	14
MALIGNANT NEOPLASMS OF RESPIRATORY SYSTEM (160-165)	669	943	1,143	1,374	1,659	1,697
MALIGNANT NEOPLASMS OF TRACHEA, BRONCHUS, AND LUNG (162)	637	904	1,109	1,312	1,613	1,647
CHRONIC AND UNQUALIFIED BRONCHITIS (490, 491)	62	51	32	38	44	53
EMPHYSEMA (492)	206	180	124	101	109	129
ASTHMA (493)	28	14	24	44	49	53

**TABLE C8. DEATHS AND PERCENT OF TOTAL ACCIDENTAL DEATHS FROM
FIVE LEADING CAUSES OF ACCIDENTAL DEATH, BY CAUSE AND RACE
MISSISSIPPI, 1994**

TYPE OF ACCIDENT AND INTERNATIONAL CLASSIFICATION NUMBER	NUMBER			PERCENT		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>TOTAL OF FIVE LEADING CAUSES</u>	<u>1, 234</u>	<u>753</u>	<u>481</u>	<u>80. 9</u>	<u>81. 2</u>	<u>80. 3</u>
1. MOTOR VEHICLE (810- 825)	844	525	319	55. 3	56. 6	53. 2
2. FALLS (880- 888)	161	135	26	10. 6	14. 6	4. 3
3. FIRES AND FLAMES (890- 899)	102	26	76	6. 7	2. 8	12. 7
4. INHALATION AND INGESTION OF FOOD OR OTHER OBJECT CAUSING OBSTRUCTION OF RESPIRATORY TRACT OR SUFFOCATION (911, 912)	71	41	30	4. 6	4. 4	5. 0
5. DROWNING AND SUBMERSION (EXCEPT IN TRANSPORT ACCIDENTS) (910)	56	26	30	3. 7	2. 8	5. 0

**TABLE C9. DEATHS FROM SELECTED TYPES OF ACCIDENTS, BY SEX, ALSO BY AGE
MISSISSIPPI RESIDENTS, 1994**

TYPE OF ACCIDENT AND INTERNATIONAL CLASSIFICATION NUMBER	TOTAL	SEX		AGE								
		MALE	FEMALE	UNDER 1	1-4	5-14	15- 24	25- 34	35- 44	45- 64	65 & OVER	UN- KNOWN
<u>ALL ACCIDENTS</u>	<u>1,526</u>	<u>1,003</u>	<u>523</u>	<u>20</u>	<u>57</u>	<u>66</u>	<u>297</u>	<u>201</u>	<u>185</u>	<u>271</u>	<u>429</u>	<u>0</u>
MOTOR VEHICLE (810-825)	844	561	283	10	22	32	223	146	129	138	144	0
<u>WATER TRANSPORT (830-838)</u>	<u>14</u>	<u>14</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>3</u>	<u>5</u>	<u>4</u>	<u>2</u>	<u>0</u>	<u>0</u>
SUBMERSION, DROWNING (830, 832)	13	13	0	0	0	0	3	5	4	1	0	0
OTHER (831, 833-838)	1	1	0	0	0	0	0	0	0	1	0	0
AIR AND SPACE TRANSPORT (840-845)	13	10	3	0	0	0	2	2	0	7	2	0
<u>POISONING (850-869)</u>	<u>55</u>	<u>33</u>	<u>22</u>	<u>0</u>	<u>2</u>	<u>0</u>	<u>7</u>	<u>15</u>	<u>8</u>	<u>13</u>	<u>10</u>	<u>0</u>
BY DRUGS, MEDICAMENTS, AND BIO- LOGICALS (850-858)	41	24	17	0	0	0	4	13	5	11	8	0
BY OTHER SOLID AND LIQUID SUB- STANCES, GASES, AND VAPORS (860-869)	14	9	5	0	2	0	3	2	3	2	2	0
FALLS (880-888)	161	88	73	0	2	0	2	3	4	27	123	0
FIRES AND FLAMES (890-899)	102	54	48	0	12	8	8	5	9	17	43	0
DROWNING AND SUBMERSION (EXCEPT IN TRANSPORT ACCIDENTS) (910)	56	49	7	1	5	8	19	11	2	6	4	0
INHALATION AND INGESTION OF FOOD OR OTHER OBJECT CAUSING OBSTRUCTION OF RESPIRATORY TRACT OR SUFFOCA- TION (911, 912)	71	36	35	4	2	2	3	1	2	12	45	0
MECHANICAL SUFFOCATION (INCLUDING IN BED OR CRADLE) (913)	12	6	6	4	6	0	0	0	0	0	2	0
STRUCK BY, STRIKING AGAINST, AND CAUGHT IN OR BETWEEN OBJECTS (916-918)	19	18	1	0	0	0	2	2	5	9	1	0
CAUSED BY MACHINERY (919)	17	17	0	0	0	0	1	1	1	6	8	0
CAUSED BY FIREARM MISSILE (922)	43	35	8	0	1	8	19	2	3	4	6	0
CAUSED BY ELECTRIC CURRENT (925)	11	11	0	0	0	1	1	2	5	2	0	0

TABLE C10. MOTOR VEHICLE ACCIDENT DEATHS OCCURRING IN MISSISSIPPI AND RATES, ALSO MOTOR VEHICLE ACCIDENT DEATHS OF MISSISSIPPI RESIDENTS AND RATES, BY YEAR, 1950, 1955, 1960, 1965, 1970-1994

YEAR	OCCURRENCE DATA		RESIDENCE DATA	
	NUMBER	RATE*	NUMBER	RATE*
1950	530	**	515	23.6
1955	568	**	541	24.8
1960	676	9.3	620	28.5
1965	748	8.4	742	31.8
1970	960	8.2	937	42.3
1971	1,011	8.2	984	44.4
1972	1,019	7.8	989	43.8
1973	956	7.0	954	41.2
1974	711	5.2	717	30.7
1975	671	4.7	681	29.1
1976	725	4.7	696	29.4
1977	763	4.8	771	32.3
1978	884	5.2	877	36.5
1979	801	4.7	783	32.5
1980	796	4.8	743	29.5
1981	792	4.7	793	31.5
1982	777	4.5	755	29.6
1983	744	4.2	725	28.0
1984	707	3.8	697	26.9
1985	691	4.0	683	25.7
1986	785	5.7	782	29.4
1987	802	4.0	804	29.6
1988	791	3.6	776	28.2
1989	806	3.5	797	28.7
1990	863	3.5	854	33.2
1991	811	3.3	810	31.5
1992	838	3.2	826	32.1
1993	897	3.3	868	33.7
1994	854	3.0	844	32.8

* DEATHS IN MISSISSIPPI PER 100,000,000 MILES OF VEHICLE TRAVEL; DEATHS OF RESIDENTS PER 100,000 POPULATION.

** NOT AVAILABLE.

**TABLE C11. INFANT DEATHS, PERCENTAGE DISTRIBUTION, AND MORTALITY RATES,
BY AGE AND RACE
MISSISSIPPI, 1994**

AGE	NUMBER			PERCENT			RATE*		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL UNDER 1 YEAR	459	158	301	100.0	100.0	100.0	10.9	7.3	14.8
NEONATAL (UNDER 28 DAYS)	273	93	180	59.5	58.9	59.8	6.5	4.3	8.8
UNDER 7 DAYS	234	83	151	51.0	52.5	50.2	5.6	3.8	7.4
UNDER 1 DAY	151	47	104	32.9	29.7	34.6	3.6	2.2	5.1
1-6 DAYS	83	36	47	18.1	22.8	15.6	2.0	1.7	2.3
7-27 DAYS	39	10	29	8.5	6.3	9.6	0.9	0.5	1.4
POSTNEONATAL (28 DAYS TO 1 YEAR)	186	65	121	40.5	41.1	40.2	4.4	3.0	5.9

* DEATHS PER 1,000 LIVE BIRTHS.

**TABLE C12. DEATHS AND MORTALITY RATES FOR TEN LEADING CAUSES
OF INFANT DEATH, BY CAUSE AND RACE
MISSISSIPPI, 1994**

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER	NUMBER			RATE*		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
ALL CAUSES	459	158	301	10.9	7.3	14.8
1. CONGENITAL ANOMALIES (740-759)	95	46	49	2.3	2.1	2.4
2. SUDDEN INFANT DEATH SYNDROME (798.0)	80	28	52	1.9	1.3	2.5
3. DISORDERS RELATING TO SHORT GESTATION AND UNSPECIFIED LOW BIRTHWEIGHT (765)	38	8	30	0.9	0.4	1.5
4. RESPIRATORY DISTRESS SYNDROME (769)	21	5	16	0.5	0.2	0.8
5. ACCIDENTS (800-949)	20	9	11	0.5	0.4	0.5
6. PNEUMONIA AND INFLUENZA (480- 487)	16	5	11	0.4	0.2	0.5
7. MATERNAL COMPLICATIONS OF PREGNANCY (761)	15	5	10	0.4	0.2	0.5
8. INFECTIONS SPECIFIC TO THE PERINATAL PERIOD (771)	13	7	6	0.3	0.3	0.3
9T. COMPLICATIONS OF PLACENTA, CORD, AND MEMBRANES (762)	8	3	5	0.2	0.1	0.2
9T. INTRAUTERINE HYPOXIA AND BIRTH ASPHYXIA (768)	8	3	5	0.2	0.1	0.2
9T. NEONATAL HEMORRHAGE (772)	8	1	7	0.2	**	0.3

* DEATHS PER 1,000 LIVE BIRTHS.

** LESS THAN 0.06.

MARRIAGES

TABLE D1. MARRIAGES AND AVERAGE PER DAY, BY MONTH
MISSISSIPPI, 1994

<u>MONTH</u>	<u>MARRIAGES</u>	<u>AVERAGE PER DAY</u>	<u>MONTH</u>	<u>MARRIAGES</u>	<u>AVERAGE PER DAY</u>
<u>TOTAL</u>	<u>22, 872</u>	<u>63</u>			
JANUARY	1, 296	42	JULY	2, 473	80
FEBRUARY	1, 617	56	AUGUST	1, 885	61
MARCH	1, 803	58	SEPTEMBER	1, 832	61
APRIL	1, 918	64	OCTOBER	1, 664	54
MAY	2, 063	66	NOVEMBER	1, 696	56
JUNE	2, 481	83	DECEMBER	2, 144	69

TABLE D2. BRIDES AND GROOMS AND PERCENTAGE DISTRIBUTION, BY AGE AND RACE
MISSISSIPPI, 1994

AGE	NUMBER						PERCENT					
	BRIDE			GROOM			BRIDE			GROOM		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>TOTAL</u>	<u>22, 872</u>	<u>16, 479</u>	<u>6, 393</u>	<u>22, 872</u>	<u>16, 433</u>	<u>6, 439</u>	<u>100. 0</u>	<u>100. 0</u>	<u>100. 0</u>	<u>100. 0</u>	<u>100. 0</u>	<u>100. 0</u>
<u>UNDER 20</u>	<u>3, 269</u>	<u>2, 822</u>	<u>447</u>	<u>1, 311</u>	<u>1, 139</u>	<u>172</u>	<u>14. 3</u>	<u>17. 1</u>	<u>7. 0</u>	<u>5. 7</u>	<u>6. 9</u>	<u>2. 7</u>
13	3	3	0	0	0	0	*	*	-	-	-	-
14	16	14	2	1	1	0	0. 1	0. 1	*	*	*	-
15	134	130	4	2	2	0	0. 6	0. 8	0. 1	*	*	-
16	316	291	25	34	33	1	1. 4	1. 8	0. 4	0. 1	0. 2	*
17	624	564	60	169	158	11	2. 7	3. 4	0. 9	0. 7	1. 0	0. 2
18	984	864	120	406	364	42	4. 3	5. 2	1. 9	1. 8	2. 2	0. 6
19	1, 192	956	236	699	581	118	5. 2	5. 8	3. 7	3. 0	3. 5	1. 8
20- 24	6, 978	5, 120	1, 858	6, 545	4, 885	1, 660	30. 5	31. 1	29. 1	28. 6	29. 7	25. 8
25- 34	7, 085	4, 569	2, 516	8, 220	5, 601	2, 619	31. 0	27. 7	39. 4	35. 9	34. 1	40. 7
35- 44	3, 415	2, 293	1, 122	3, 845	2, 612	1, 233	14. 9	13. 9	17. 6	16. 8	15. 9	19. 1
45- 54	1, 313	1, 033	280	1, 674	1, 237	437	5. 7	6. 3	4. 4	7. 3	7. 5	6. 8
55- 64	503	379	124	715	535	180	2. 2	2. 3	1. 9	3. 1	3. 2	2. 8
65- 74	248	213	35	402	300	102	1. 1	1. 3	0. 5	1. 8	1. 8	1. 6
75 & OVER	61	50	11	159	123	36	0. 3	0. 3	0. 2	0. 7	0. 7	0. 6
UNKNOWN	0	0	0	1	1	0	-	-	-	*	*	-

* LESS THAN 0. 06 PERCENT.

**TABLE D3. MEDIAN AGE OF BRIDE AND GROOM
FOR ALL MARRIAGES AND FIRST MARRIAGES, BY RACE
MISSISSIPPI, 1994**

ALL AND FIRST MARRIAGES	BRIDE			GROOM		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
ALL MARRIAGES	26.7	25.6	28.5	29.4	28.9	30.3
FIRST MARRIAGES	22.9	22.0	25.2	24.4	23.8	26.9

**TABLE D4. BRIDES AND GROOMS AND PERCENTAGE DISTRIBUTION,
BY MARRIAGE ORDER AND RACE
MISSISSIPPI, 1994**

MARRIAGE ORDER	NUMBER						PERCENT					
	BRIDE			GROOM			BRIDE			GROOM		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>TOTAL</u>	<u>22,872</u>	<u>16,479</u>	<u>6,393</u>	<u>22,872</u>	<u>16,433</u>	<u>6,439</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>
FIRST	13,347	8,785	4,562	13,362	9,029	4,333	58.4	53.3	71.4	58.4	54.9	67.3
<u>REMARRIAGE</u>	<u>9,521</u>	<u>7,691</u>	<u>1,830</u>	<u>9,508</u>	<u>7,402</u>	<u>2,106</u>	<u>41.6</u>	<u>46.7</u>	<u>28.6</u>	<u>41.6</u>	<u>45.0</u>	<u>32.7</u>
SECOND	6,231	4,760	1,471	6,472	4,808	1,664	27.2	28.9	23.0	28.3	29.2	25.8
<u>OVER TWO</u>	<u>3,289</u>	<u>2,930</u>	<u>359</u>	<u>3,036</u>	<u>2,594</u>	<u>442</u>	<u>14.4</u>	<u>17.8</u>	<u>5.6</u>	<u>13.3</u>	<u>15.8</u>	<u>6.9</u>
THIRD	2,322	2,007	315	2,241	1,872	369	10.2	12.2	4.9	9.8	11.4	5.7
FOURTH	731	694	37	568	512	56	3.2	4.2	0.6	2.5	3.1	0.9
FIFTH	163	158	5	167	157	10	0.7	1.0	0.1	0.7	1.0	0.2
SIXTH	61	59	2	50	43	7	0.3	0.4	#	0.2	0.3	0.1
SEVENTH	10	10	0	10	10	0	#	0.1	-	#	0.1	-
EIGHTH	2	2	0	0	0	0	#	#	-	-	-	-
UNKNOWN*	1	1	0	0	0	0	#	#	-	-	-	-
<u>UNKNOWN**</u>	<u>4</u>	<u>3</u>	<u>1</u>	<u>2</u>	<u>2</u>	<u>0</u>	<u>#</u>	<u>#</u>	<u>#</u>	<u>#</u>	<u>#</u>	<u>-</u>

* PREVIOUSLY MARRIED BUT NUMBER OF PREVIOUS MARRIAGES UNKNOWN.

** UNKNOWN WHETHER PREVIOUSLY MARRIED.

LESS THAN 0.06 PERCENT.

**TABLE D5. BRIDES AND GROOMS AND PERCENTAGE DISTRIBUTION,
BY PREVIOUS MARITAL STATUS AND RACE
MISSISSIPPI, 1994**

PREVIOUS MARITAL STATUS	BRIDE			GROOM		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
NUMBER						
<u>TOTAL</u>	<u>22,872</u>	<u>16,479</u>	<u>6,393</u>	<u>22,872</u>	<u>16,433</u>	<u>6,439</u>
NOT PREVIOUSLY MARRIED	13,347	8,785	4,562	13,362	9,029	4,333
<u>REMARRIAGES</u>	<u>9,521</u>	<u>7,691</u>	<u>1,830</u>	<u>9,508</u>	<u>7,402</u>	<u>2,106</u>
WIDOWED	955	749	206	772	583	189
DIVORCED*	8,561	6,937	1,624	8,735	6,818	1,917
UNKNOWN**	5	5	0	1	1	0
UNKNOWN#	4	3	1	2	2	0
PERCENT						
<u>TOTAL</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>
NOT PREVIOUSLY MARRIED	58.4	53.3	71.4	58.4	54.9	67.3
<u>REMARRIAGES</u>	<u>41.6</u>	<u>46.7</u>	<u>28.6</u>	<u>41.6</u>	<u>45.0</u>	<u>32.7</u>
WIDOWED	4.2	4.5	3.2	3.4	3.5	2.9
DIVORCED*	37.4	42.1	25.4	38.2	41.5	29.8
UNKNOWN**	##	##	-	##	##	-
UNKNOWN#	##	##	##	##	##	-

* INCLUDES THOSE WHOSE LAST MARRIAGE WAS ANNULLED.

** UNKNOWN WHETHER WIDOWED OR DIVORCED.

UNKNOWN WHETHER ANY PREVIOUS MARRIAGE.

LESS THAN 0.06 PERCENT.

**TABLE D6. MARRIAGES AND PERCENTAGE DISTRIBUTION,
BY RESIDENCE OF BRIDE AND GROOM AND RACE OF BRIDE
MISSISSIPPI, 1994**

RESIDENCE OF GROOM	RACE AND RESIDENCE OF BRIDE								
	TOTAL			WHITE			NONWHITE		
	TOTAL	MISSIS- SIPPI	OTHER	TOTAL	MISSIS- SIPPI	OTHER	TOTAL	MISSIS- SIPPI	OTHER
NUMBER									
<u>TOTAL</u>	<u>22,872</u>	<u>21,488</u>	<u>1,384</u>	<u>16,479</u>	<u>15,424</u>	<u>1,055</u>	<u>6,393</u>	<u>6,064</u>	<u>329</u>
MISSISSIPPI	20,939	20,580	359	15,029	14,753	276	5,910	5,827	83
OTHER	1,933	908	1,025	1,450	671	779	483	237	246
PERCENT									
<u>TOTAL</u>	<u>100.0</u>	<u>93.9</u>	<u>6.0</u>	<u>100.0</u>	<u>93.6</u>	<u>6.4</u>	<u>100.0</u>	<u>94.8</u>	<u>5.1</u>
MISSISSIPPI	91.5	90.0	1.6	91.2	89.5	1.7	92.4	91.1	1.3
OTHER	8.4	4.0	4.5	8.8	4.1	4.7	7.6	3.7	3.8

DIVORCES

**TABLE E1. DIVORCES AND PERCENTAGE DISTRIBUTION, BY CAUSE AND RACE*
MISSISSIPPI, 1994**

CAUSE	NUMBER				PERCENT			
	TOTAL	WHITE	NON- WHITE	UN- KNOWN	TOTAL	WHITE	NON- WHITE	UN- KNOWN
TOTAL	13,302	10,110	2,890	302	100.0	100.0	100.0	100.0
IRRECONCILABLE DIFFERENCES	10,982	8,696	2,063	223	82.6	86.0	71.4	73.8
CRUEL AND INHUMAN TREATMENT	1,407	918	448	41	10.6	9.1	15.5	13.6
DESERTION	452	194	243	15	3.4	1.9	8.4	5.0
ADULTERY	282	189	79	14	2.1	1.9	2.7	4.6
DRUNKENNESS	93	54	37	2	0.7	0.5	1.3	0.7
PENITENTIARY	35	22	12	1	0.3	0.2	0.4	0.3
ANNULMENT	24	19	1	4	0.2	0.2	**	1.3
BIGAMY	8	6	2	0	0.1	**	0.1	-
MISCELLANEOUS AND OTHER	6	5	1	0	**	**	**	-
UNKNOWN	13	7	4	2	0.1	0.1	0.1	0.7

* DIVORCES OF MIXED-RACE COUPLES ARE INCLUDED IN FIGURES FOR NONWHITES.

** LESS THAN 0.06 PERCENT.

**TABLE E2. DIVORCES AND PERCENTAGE DISTRIBUTION,
BY NUMBER OF MINOR CHILDREN AND RACE*
MISSISSIPPI, 1994**

NUMBER OF MINOR CHILDREN	NUMBER				PERCENT			
	TOTAL	WHITE	NON- WHITE	UN- KNOWN	TOTAL	WHITE	NON- WHITE	UN- KNOWN
TOTAL DIVORCES	13,302	10,110	2,890	302	100.0	100.0	100.0	100.0
NONE	6,244	4,944	1,168	132	46.9	48.9	40.4	43.7
ONE	3,482	2,645	759	78	26.2	26.2	26.3	25.8
TWO	2,573	1,891	609	73	19.3	18.7	21.1	24.2
THREE OR MORE	998	628	352	18	7.5	6.2	12.2	6.0
UNKNOWN	5	2	2	1	**	**	0.1	0.3

* DIVORCES OF MIXED-RACE COUPLES ARE INCLUDED IN FIGURES FOR NONWHITES.

** LESS THAN 0.06 PERCENT.

**TABLE E3. DIVORCES AND PERCENTAGE DISTRIBUTION,
BY NUMBER OF YEARS MARRIED AND RACE*
MISSISSIPPI, 1994**

NUMBER OF YEARS MARRIED	NUMBER				PERCENT			
	TOTAL	WHITE	NON- WHITE	UN- KNOWN	TOTAL	WHITE	NON- WHITE	UN- KNOWN
TOTAL DIVORCES	13,302	10,110	2,890	302	100.0	100.0	100.0	100.0
UNDER FIVE	5,386	4,390	887	109	40.5	43.4	30.7	36.1
UNDER ONE	678	592	69	17	5.1	5.8	2.4	5.6
ONE	1,166	1,004	142	20	8.8	9.9	4.9	6.6
TWO	1,281	1,038	219	24	9.6	10.3	7.6	7.9
THREE	1,191	939	229	23	9.0	9.3	7.9	7.6
FOUR	1,070	817	228	25	8.0	8.1	7.9	8.3
FIVE-NINE	3,350	2,464	807	79	25.2	24.4	27.9	26.2
TEN-NINETEEN	3,045	2,177	801	67	22.9	21.5	27.7	22.2
TWENTY AND OVER	1,416	1,018	375	23	10.6	10.1	13.0	7.6
UNKNOWN	105	61	20	24	0.8	0.6	0.7	7.9

* DIVORCES OF MIXED-RACE COUPLES ARE INCLUDED IN FIGURES FOR NONWHITES.

INDUCED TERMINATIONS OF PREGNANCY

**TABLE F1. REPORTED INDUCED TERMINATIONS OF PREGNANCY,
PERCENTAGE DISTRIBUTION, AND INDUCED TERMINATION RATIOS,
BY AGE AND RACE OF PATIENT
PROCEDURES PERFORMED IN MISSISSIPPI, 1994**

AGE OF PATIENT	NUMBER				PERCENT			INDUCED TERMINATION RATIO*		
	TOTAL	WHITE	NON- WHITE	UNK. RACE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	3,979	1,414	2,558	7	100.0	100.0	100.0	94.9	65.6	125.4
UNDER 15	60	9	51	0	1.5	0.6	2.0	162.2	191.5	157.9
15-19	807	313	494	0	20.3	22.1	19.3	90.7	96.9	87.2
20-24	1,514	491	1,020	3	38.0	34.7	39.9	109.4	73.2	143.0
25-29	757	240	515	2	19.0	17.0	20.1	75.3	39.1	131.7
30-34	477	213	264	0	12.0	15.1	10.3	78.1	55.0	118.2
35-39	269	103	164	2	6.8	7.3	6.4	119.4	78.7	173.5
40-44	91	44	47	0	2.3	3.1	1.8	234.5	216.7	254.0
45-49	2	1	1	0	**	0.1	**	222.2	200.0	250.0
UNKNOWN	2	0	2	0	**	0.0	0.1			

* INDUCED TERMINATIONS PER 1,000 LIVE BIRTHS IN SPECIFIED GROUP.

** LESS THAN 0.06 PERCENT.

**TABLE F2. REPORTED INDUCED TERMINATIONS OF PREGNANCY
AND PERCENTAGE DISTRIBUTION,
BY CHARACTERISTICS OF PATIENT AND RACE
PROCEDURES PERFORMED IN MISSISSIPPI, 1994**

CHARACTERISTICS OF PATIENT	NUMBER				PERCENT		
	TOTAL	WHITE	NON- WHITE	UNK. RACE	TOTAL	WHITE	NON- WHITE
TOTAL	3, 979	1, 414	2, 558	7	100. 0	100. 0	100. 0
MISSISSIPPI RESIDENT	3, 814	1, 326	2, 481	7	95. 8	93. 8	97. 0
NONRESIDENT	165	88	77	0	4. 1	6. 2	3. 0
BORDER STATE	156	85	71	0	3. 9	6. 0	2. 8
OTHER STATE	9	3	6	0	0. 2	0. 2	0. 2
MARITAL STATUS							
MARRIED	630	334	294	2	15. 8	23. 6	11. 5
NOT MARRIED	3, 342	1, 080	2, 258	4	84. 0	76. 4	88. 3
UNKNOWN	7	0	6	1	0. 2	0. 0	0. 2
EDUCATION (COMPLETED YEARS)							
0- 6 YEARS	17	1	16	0	0. 4	0. 1	0. 6
7- 9 YEARS	135	50	85	0	3. 4	3. 5	3. 3
10, 11 YEARS	255	102	153	0	6. 4	7. 2	6. 0
12 YEARS	959	377	582	0	24. 1	26. 7	22. 8
1- 3 YEARS COLLEGE	1, 215	395	820	0	30. 5	27. 9	32. 0
4 OR MORE YEARS COLLEGE	582	201	380	1	14. 6	14. 2	14. 8
UNKNOWN	816	288	522	6	20. 5	20. 4	20. 4
NUMBER OF LIVING CHILDREN							
NONE	1, 728	736	992	0	43. 4	52. 0	38. 8
ONE	1, 204	362	840	2	30. 2	25. 6	32. 8
TWO	694	229	461	4	17. 4	16. 2	18. 0
THREE	253	72	181	0	6. 4	5. 1	7. 1
FOUR	70	10	60	0	1. 8	0. 7	2. 3
FIVE OR MORE	27	4	23	0	0. 7	0. 3	0. 9
NUMBER OF PREVIOUS INDUCED TERMINATIONS							
NONE	2, 762	994	1, 764	4	69. 4	70. 3	69. 0
ONE	933	336	596	1	23. 4	23. 8	23. 3
TWO	211	61	149	1	5. 3	4. 3	5. 8
THREE OR MORE	71	23	48	0	1. 8	1. 6	1. 9

**TABLE F3. REPORTED INDUCED TERMINATIONS OF PREGNANCY
AND PERCENTAGE DISTRIBUTION,
BY MEDICAL CHARACTERISTICS AND RACE
PROCEDURES PERFORMED IN MISSISSIPPI, 1994**

<u>MEDICAL CHARACTERISTICS</u>	<u>NUMBER</u>				<u>PERCENT</u>		
	<u>TOTAL</u>	<u>WHITE</u>	<u>NON- WHITE</u>	<u>UNK. RACE</u>	<u>TOTAL</u>	<u>WHITE</u>	<u>NON- WHITE</u>
<u>TOTAL</u>	<u>3, 979</u>	<u>1, 414</u>	<u>2, 558</u>	<u>7</u>	<u>100. 0</u>	<u>100. 0</u>	<u>100. 0</u>
<u>COMPLETED WEEKS OF GESTATION*</u>							
UNDER 9	1, 845	696	1, 146	3	46. 4	49. 2	44. 8
9, 10	1, 067	376	690	1	26. 8	26. 6	27. 0
11, 12	546	176	370	0	13. 7	12. 4	14. 5
13- 15	305	88	216	1	7. 7	6. 2	8. 4
16- 20	134	40	93	1	3. 4	2. 8	3. 6
21 OR MORE	27	10	17	0	0. 7	0. 7	0. 7
UNKNOWN	55	28	26	1	1. 4	2. 0	1. 0
<u>PRIMARY PROCEDURE</u>							
SUCTION CURRETTAGE	3, 902	1, 378	2, 518	6	98. 1	97. 4	98. 4
SHARP CURRETTAGE	2	1	1	0	**	0. 1	**
INTRA-UTERINE SALINE INSTILLATION	7	2	5	0	0. 2	0. 1	0. 2
INTRA-UTERINE PROSTA- GLANDIN INSTILLATION	2	1	1	0	**	0. 1	**
HYSTEROTOMY	51	30	20	1	1. 3	2. 1	0. 8
HYSTERECTOMY	2	1	1	0	**	0. 1	**
OTHER	2	0	2	0	**	-	0. 1
UNKNOWN	11	1	10	0	0. 3	0. 1	0. 4
<u>COMPLICATIONS</u>							
NO KNOWN COMPLICATIONS	3, 965	1, 409	2, 549	7	99. 6	99. 6	99. 6
SOME COMPLICATIONS	10	5	5	0	0. 2	0. 4	0. 2
HEMORRHAGE	2	0	2	0	**	-	0. 1
INFECTION	1	1	0	0	**	0. 1	-
RETAINED PRODUCTS	6	4	2	0	0. 2	0. 3	0. 1
OTHER	1	0	1	0	**	-	**
UNKNOWN	4	0	4	0	0. 1	-	0. 2

* CALCULATED BY SUBTRACTING DATE OF LAST NORMAL MENSTRUAL PERIOD PRIOR TO TERMINATION FROM DATE OF TERMINATION.

** LESS THAN 0. 06 PERCENT.

MAJOR TABLES

1994

TABLE i
1990 CENSUS POPULATION AND PERCENT CHANGE SINCE 1980 CENSUS,
BY PLACE (COUNTIES, TOWNS OF 10,000 OR MORE) AND RACE,
MISSISSIPPI, AS OF APRIL 1, 1990

COUNTY	POPULATION			PERCENT CHANGE SINCE 1980		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
STATE TOTAL	2, 573, 216	1, 633, 461	939, 755	2. 1	1. 1	3. 8
ADAMS	35, 356	18, 028	17, 328	- 7. 0	- 7. 7	- 6. 4
ALCORN	31, 722	28, 085	3, 637	- 4. 0	- 4. 7	1. 7
AMITE	13, 328	7, 272	6, 056	- 0. 3	3. 9	- 5. 0
ATTALA	18, 481	11, 114	7, 367	- 7. 0	- 7. 8	- 5. 7
BENTON	8, 046	4, 869	3, 177	- 1. 3	- 3. 7	2. 5
BOLI VAR	41, 875	15, 259	26, 616	- 8. 9	- 10. 2	- 8. 2
CALHOUN	14, 908	10, 829	4, 079	- 4. 8	- 7. 0	1. 6
CARROLL	9, 237	5, 560	3, 677	- 5. 5	4. 3	- 17. 3
CHI CKASAW	18, 085	11, 060	7, 025	1. 3	- 2. 8	8. 6
CHOCTAW	9, 071	6, 319	2, 752	0. 8	- 2. 0	8. 0
CLAI BORNE	11, 370	1, 994	9, 376	- 7. 4	- 35. 1	1. 8
CLARKE	17, 313	11, 312	6, 001	2. 2	2. 8	1. 0
CLAY	21, 120	9, 789	11, 331	0. 2	- 6. 5	6. 8
COAHOMA	31, 665	11, 001	20, 664	- 14. 2	- 15. 9	- 13. 3
COPI AH	27, 592	13, 602	13, 990	4. 1	- 0. 3	8. 8
COVINGTON	16, 527	10, 699	5, 828	3. 8	2. 8	5. 6
DESOTO	67, 910	58, 860	9, 050	25. 9	33. 2	- 7. 0
FORREST	68, 314	46, 672	21, 642	3. 5	- 2. 2	18. 3
FRANKLIN	8, 377	5, 290	3, 087	2. 0	2. 8	0. 7
GEORGE	16, 673	15, 025	1, 648	9. 0	8. 8	10. 7
GREENE	10, 220	7, 999	2, 221	4. 0	2. 1	11. 6
GRENADA	21, 555	12, 563	8, 992	2. 4	3. 0	1. 7
HANCOCK	31, 760	28, 625	3, 135	29. 4	30. 8	18. 5
HARRI SON	165, 365	127, 630	37, 735	4. 9	2. 9	12. 2
HI NDS	254, 441	123, 177	131, 264	1. 4	- 9. 6	14. 4
HOLMES	21, 604	5, 176	16, 428	- 5. 9	- 21. 3	0. 2
HUMPHREYS	12, 134	3, 856	8, 278	- 12. 9	- 18. 3	- 10. 1
ISSAQUENA	1, 909	833	1, 076	- 24. 0	- 24. 8	- 23. 5
ITAWAMBA	20, 017	18, 596	1, 421	- 2. 4	- 3. 1	7. 5
JACKSON	115, 243	90, 114	25, 129	- 2. 3	- 4. 9	7. 8
JASPER	17, 114	8, 410	8, 704	- 0. 9	- 4. 0	2. 4
JEFFERSON	8, 653	1, 185	7, 468	- 5. 8	- 28. 0	- 0. 9
JEFF DAVIS	14, 051	6, 330	7, 721	1. 5	- 1. 1	3. 7
JONES	62, 031	46, 193	15, 838	0. 2	- 2. 4	8. 5
KEMPER	10, 356	4, 407	5, 949	2. 0	- 3. 3	6. 4
LAFAYETTE	31, 826	23, 151	8, 675	2. 6	2. 7	2. 2
LAMAR	30, 424	26, 599	3, 825	27. 7	25. 9	41. 9
LAUDERDALE	75, 555	48, 706	26, 849	- 2. 2	- 7. 0	7. 8
LAWRENCE	12, 458	8, 300	4, 158	- 0. 5	- 3. 8	7. 0
LEAKE	18, 436	11, 086	7, 350	- 1. 9	- 3. 2	0. 2
LEE	65, 581	51, 260	14, 321	14. 9	13. 3	21. 0
LEFLORE	37, 341	14, 516	22, 825	- 10. 1	- 13. 2	- 8. 0

TABLE i - PAGE 2
 CENSUS POPULATION - MISSISSIPPI - APRIL 1, 1990

COUNTY	POPULATION			PERCENT CHANGE SINCE 1980		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
LINCOLN	30,278	21,162	9,116	0.3	0.4	0.2
LOWNDES	59,308	36,736	22,572	3.5	-1.1	12.0
MADISON	53,794	29,789	24,005	29.3	63.2	2.7
MARION	25,544	17,733	7,811	-0.6	-1.3	0.9
MARSHALL	30,361	14,842	15,519	3.6	8.8	-0.8
MONROE	36,582	25,394	11,188	0.5	-0.6	3.0
MONTGOMERY	12,388	6,916	5,472	-7.3	-12.3	-0.2
NESHOBA	24,800	16,945	7,855	4.2	-0.8	17.0
NEWTON	20,291	13,697	6,594	1.7	-2.2	10.9
NOXUBEE	12,604	3,959	8,645	-4.6	-14.9	1.0
OKTIBBEHA	38,375	24,064	14,311	6.5	4.0	11.1
PANOLA	29,996	15,376	14,620	6.5	7.4	5.5
PEARL RIVER	38,714	32,888	5,826	14.6	14.9	12.6
PERRY	10,865	8,333	2,532	10.1	8.0	17.6
PIKE	36,882	19,931	16,951	2.0	-2.3	7.5
PONTOTOC	22,237	18,917	3,320	6.3	7.4	0.6
PRENTISS	23,278	20,477	2,801	-3.1	-4.2	6.0
QUITMAN	10,490	4,250	6,240	-17.0	-23.1	-12.2
RANKIN	87,161	72,033	15,128	25.5	28.0	15.1
SCOTT	24,137	14,829	9,308	-1.7	-6.4	6.9
SHARKEY	7,066	2,339	4,727	-11.3	-13.4	-10.2
SIMPSON	23,953	16,124	7,829	2.2	-0.5	8.1
SMITH	14,798	11,516	3,282	-1.9	-2.9	2.1
STONE	10,750	8,362	2,388	10.6	12.0	6.0
SUNFLOWER	32,867	11,604	21,263	-5.7	-11.1	-2.4
TALLAHATCHIE	15,210	6,257	8,953	-11.3	-13.7	-9.6
TATE	21,432	13,945	7,487	6.5	13.0	-3.8
TIPPAH	19,523	16,251	3,272	4.2	3.2	9.2
TISHOMINGO	17,683	17,010	673	-4.1	-3.8	-11.2
TUNICA	8,164	1,992	6,172	-15.4	-22.4	-12.9
UNION	22,085	18,804	3,281	1.6	0.6	7.9
WALTHALL	14,352	8,252	6,100	4.3	1.9	7.7
WARREN	47,880	28,879	19,001	-7.3	-9.4	-3.8
WASHINGTON	67,935	28,334	39,601	-6.1	-10.4	-2.8
WAYNE	19,517	12,506	7,011	2.0	-1.5	8.9
WEBSTER	10,222	7,953	2,269	-0.8	-3.8	11.5
WILKINSON	9,678	3,123	6,555	-3.4	-5.1	-2.6
WINSTON	19,433	11,151	8,282	-0.2	-4.4	6.0
YALOBUSHA	12,033	7,479	4,554	-8.4	-7.6	-9.7
YAZOO	25,506	11,958	13,548	-6.7	-9.4	-4.3

TABLE i - PAGE 3
 CENSUS POPULATION - MISSISSIPPI - APRIL 1, 1990

TOWN*	POPULATION			PERCENT CHANGE SINCE 1980		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
BILOXI	46,319	34,547	11,772	-6.1	-10.8	11.4
BRANDON	11,077	9,648	1,429	15.1	15.6	11.6
BROOKHAVEN	10,243	5,607	4,636	-5.2	-12.7	5.9
CANTON	10,062	3,264	6,798	-9.5	-14.6	-6.8
CLARKSDALE	19,717	7,406	12,311	-6.7	-7.2	-6.4
CLEVELAND	15,384	8,260	7,124	5.9	-4.8	21.8
CLINTON	21,847	17,852	3,995	49.0	32.2	246.2
COLUMBUS	23,799	11,493	12,306	-13.1	-23.7	-0.1
CORINTH	11,820	9,183	2,637	-14.6	-19.0	5.2
GAUTIER	10,088	7,491	2,597	13.1	-3.2	120.8
GREENVILLE	45,226	17,982	27,244	11.4	11.1	11.5
GREENWOOD	18,906	7,596	11,310	-6.0	-20.1	6.6
GRENADA	10,864	5,462	5,402	-14.1	-22.6	-3.2
GULFPORT	40,775	28,496	12,279	2.8	-2.8	18.7
HATTIESBURG	41,882	24,385	17,497	2.6	-7.3	20.4
INDIANOLA	11,809	3,959	7,850	43.6	-2.2	88.1
JACKSON	196,637	85,675	110,962	-3.1	-19.4	14.8
LAUREL	18,827	9,719	9,108	-14.0	-26.3	4.6
LONG BEACH	15,804	14,504	1,300	98.4	96.4	122.6
MCCOMB	11,591	6,197	5,394	-6.0	-20.6	19.2
MERIDIAN	41,036	22,149	18,887	-11.9	-23.4	6.9
MOSS POINT	17,837	6,113	11,724	-6.1	-6.2	-6.1
NATCHEZ	19,460	9,596	9,864	-11.6	-8.7	-14.2
OCEAN SPRINGS	14,658	13,327	1,331	1.1	0.6	6.5
PASCAGOULA	25,899	19,998	5,901	-11.7	-16.7	11.1
PEARL	19,588	17,757	1,831	-5.7	-3.0	-25.9
PI CAYUNE	10,633	6,706	3,927	2.6	-3.7	15.5
RIDGELAND	11,714	10,191	1,523	114.5	110.0	150.9
SOUTHAVEN	17,949	17,363	586	11.7	9.1	280.5
STARKVILLE	18,458	12,760	5,698	21.7	15.8	37.3
TUPELO	30,685	23,072	7,613	28.4	18.6	70.8
VICKSBURG	20,908	8,476	12,432	-17.8	-29.1	-7.8
YAZOO CITY	12,427	4,316	8,111	**	-31.8	32.9

* TOWNS OF 10,000 POPULATION OR MORE.

** LESS THAN 0.06 PERCENT CHANGE.

TABLE 1A
LIVE BIRTHS, BY PLACE OF OCCURRENCE AND RACE OF MOTHER,
ALSO LIVE BIRTHS AND RATES, BY PLACE OF RESIDENCE AND RACE OF MOTHER,
(PLACE INCLUDES COUNTIES, OUT OF STATE, TOWNS OF 10,000 OR MORE),
MISSISSIPPI, 1994

COUNTY	OCCURRENCE DATA			RESIDENCE DATA					
	NUMBER			NUMBER			RATE*		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
STATE	41,319	20,726	20,593	41,938	21,536	20,402	16.3	13.2	21.7
ADAMS	992	336	656	535	169	366	15.1	9.4	21.1
ALCORN	419	335	84	413	351	62	13.0	12.5	17.0
AMITE	0	0	0	157	82	75	11.8	11.3	12.4
ATTALA	212	113	99	233	108	125	12.6	9.7	17.0
BENTON	2	0	2	108	70	38	13.4	14.4	12.0
BOLIVAR	660	89	571	681	139	542	16.3	9.1	20.4
CALHOUN	2	1	1	230	138	92	15.4	12.7	22.6
CARROLL	0	0	0	102	56	46	11.0	10.1	12.5
CHICKASAW	3	2	1	331	180	151	18.3	16.3	21.5
CHOCTAW	0	0	0	116	73	43	12.8	11.6	15.6
CLAIBORNE	41	1	40	178	17	161	15.6	8.5	17.2
CLARKE	1	0	1	233	128	105	13.4	11.3	17.5
CLAY	326	101	225	330	115	215	15.6	11.7	19.0
COAHOMA	1,320	284	1,036	658	137	521	20.8	12.4	25.2
COPIAH	263	75	188	412	148	264	14.9	10.9	18.9
COVINGTON	221	87	134	311	149	162	18.8	13.9	27.8
DESOTO	832	470	362	1,184	990	194	17.4	16.8	21.4
FORREST	3,270	2,139	1,131	1,123	619	504	16.4	13.3	23.3
FRANKLIN	1	1	0	110	45	65	13.1	8.5	21.0
GEORGE	3	3	0	323	291	32	19.4	19.4	19.4
GREENE	2	2	0	128	96	32	12.5	12.0	14.4
GRENADA	775	348	427	330	155	175	15.3	12.3	19.5
HANCOCK	168	136	32	484	427	57	15.2	14.9	18.2
HARRISON	3,562	2,580	982	2,980	2,102	878	18.0	16.5	23.3
HINDS	6,735	2,028	4,707	4,141	1,196	2,945	16.3	9.7	22.4
HOLMES	143	13	130	423	43	380	19.6	8.3	23.1
HUMPHREYS	10	0	10	190	41	149	15.6	10.6	18.0
ISSAQUENA	0	0	0	22	3	19	11.5	3.6	17.6
ITAWAMBA	1	0	1	293	259	34	14.6	13.9	23.9
JACKSON	1,456	938	518	1,826	1,223	603	15.8	13.6	24.0
JASPER	0	0	0	255	94	161	14.9	11.2	18.5
JEFFERSON	0	0	0	147	9	138	17.0	7.6	18.5
JEFF DAVIS	2	0	2	232	64	168	16.5	10.1	21.8
JONES	1,096	516	580	906	550	356	14.6	11.9	22.5
KEMPER	0	0	0	148	45	103	14.3	10.2	17.3
LAFAYETTE	643	374	269	395	223	172	12.4	9.6	19.8
LAMAR	0	0	0	480	392	88	15.8	14.7	23.0
LAUDERDALE	2,328	1,263	1,065	1,214	613	601	16.1	12.6	22.4
LAWRENCE	1	0	1	186	103	83	14.9	12.4	20.0
LEAKE	5	2	3	312	148	164	16.9	13.4	22.3
LEE	2,304	1,732	572	1,296	876	420	19.8	17.1	29.3
LEFLORE	739	134	605	680	149	531	18.2	10.3	23.3

TABLE 1A - PAGE 2
LIVE BIRTHS - MISSISSIPPI - 1994

COUNTY	OCCURRENCE DATA			RESIDENCE DATA					
	NUMBER			NUMBER			RATE*		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
LINCOLN	568	349	219	430	276	154	14.2	13.0	16.9
LOWNDES	1,126	555	571	1,031	552	479	17.4	15.0	21.2
MADISON	369	8	361	1,150	585	565	21.4	19.6	23.5
MARION	5	4	1	395	231	164	15.5	13.0	21.0
MARSHALL	8	3	5	596	223	373	19.6	15.0	24.0
MONROE	969	645	324	579	340	239	15.8	13.4	21.4
MONTGOMERY	60	7	53	166	63	103	13.4	9.1	18.8
NESHOBA	10	3	7	397	214	183	16.0	12.6	23.3
NEWTON	5	1	4	305	174	131	15.0	12.7	19.9
NOXUBEE	4	0	4	216	47	169	17.1	11.9	19.5
OKTIBBEHA	1,073	530	543	487	241	246	12.7	10.0	17.2
PANOLA	4	2	2	538	193	345	17.9	12.6	23.6
PEARL RIVER	383	271	112	598	469	129	15.4	14.3	22.1
PERRY	1	1	0	173	116	57	15.9	13.9	22.5
PIKE	907	345	562	579	208	371	15.7	10.4	21.9
PONTOTOC	1	0	1	331	274	57	14.9	14.5	17.2
PRENTISS	3	2	1	314	251	63	13.5	12.2	22.5
QUITMAN	3	0	3	190	37	153	18.1	8.7	24.5
RANKIN	2,242	1,876	366	1,357	1,054	303	15.6	14.6	20.0
SCOTT	5	1	4	431	207	224	17.8	14.0	24.1
SHARKEY	3	0	3	139	25	114	19.7	10.7	24.1
SIMPSON	7	0	7	384	205	179	16.0	12.7	22.9
SMITH	1	1	0	205	130	75	13.8	11.3	22.8
STONE	0	0	0	199	144	55	18.5	17.2	23.0
SUNFLOWER	459	128	331	515	100	415	15.7	8.6	19.5
TALLAHATCHIE	1	0	1	265	61	204	17.4	9.7	22.8
TATE	162	24	138	326	191	135	15.2	13.7	18.0
TIPPAH	0	0	0	286	216	70	14.6	13.3	21.4
TISHOMINGO	0	0	0	229	219	10	13.0	12.9	14.8
TUNICA	1	0	1	146	22	124	17.9	11.0	20.1
UNION	1,200	861	339	336	263	73	15.2	14.0	22.2
WALTHALL	4	3	1	231	88	143	16.1	10.7	23.4
WARREN	1,485	574	911	800	386	414	16.7	13.4	21.8
WASHINGTON	1,311	293	1,018	1,319	303	1,016	19.4	10.7	25.6
WAYNE	224	86	138	319	148	171	16.3	11.8	24.4
WEBSTER	2	1	1	115	73	42	11.2	9.2	18.5
WILKINSON	151	45	106	125	31	94	12.9	9.9	14.3
WINSTON	3	0	3	237	110	127	12.2	9.9	15.3
YALOBUSHA	1	1	0	177	86	91	14.7	11.5	20.0
YAZOO	20	3	17	486	164	322	19.0	13.7	23.8
OUT OF STATE	2,293	1,818	475	1,674	1,008	666			

TABLE 1A - PAGE 3
LIVE BIRTHS - MISSISSIPPI - 1994

TOWN**	RESIDENCE DATA					
	NUMBER			RATE*		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
BILOXI	886	625	261	19.1	18.1	22.2
BRANDON	247	175	72	22.3	18.1	50.4
BROOKHAVEN	177	76	101	17.3	13.6	21.8
CANTON	321	32	289	31.9	9.8	42.5
CLARKSDALE	453	104	349	23.0	14.0	28.3
CLEVELAND	228	59	169	14.8	7.1	23.7
CLINTON	277	173	104	12.7	9.7	26.0
COLUMBUS	484	186	298	20.3	16.2	24.2
CORINTH	157	114	43	13.3	12.4	16.3
GAUTIER	215	132	83	21.3	17.6	32.0
GREENVILLE	889	169	720	19.6	9.4	26.4
GREENWOOD	434	86	348	23.0	11.3	30.8
GRENADA	178	69	109	16.4	12.6	20.2
GULFPORT	1,208	714	494	29.6	25.0	40.2
HATTIESBURG	760	289	471	18.1	11.8	26.9
INDIANOLA	206	39	167	17.4	9.8	21.3
JACKSON	3,312	780	2,532	16.8	9.1	22.8
LAUREL	378	125	253	20.1	12.9	27.8
LONG BEACH	223	195	28	14.1	13.4	21.5
MCCOMB	217	52	165	18.7	8.4	30.6
MERIDIAN	698	228	470	17.0	10.3	24.9
MOSS POINT	318	60	258	17.8	9.8	22.0
NATCHEZ	340	98	242	17.5	10.2	24.5
OCEAN SPRINGS	243	205	38	16.6	15.4	28.6
PASCAGOULA	475	299	176	18.3	15.0	29.8
PEARL	309	245	64	15.8	13.8	35.0
PI CAYUNE	180	97	83	16.9	14.5	21.1
RIDGELAND	253	213	40	21.6	20.9	26.3
SOUTHAVEN	262	250	12	14.6	14.4	20.5
STARKVILLE	270	136	134	14.6	10.6	23.5
TUPELO	583	345	238	19.0	15.0	31.3
VICKSBURG	491	156	335	23.5	18.4	26.9
YAZOO CITY	279	51	228	22.4	11.8	28.1

* BIRTHS PER 1,000 POPULATION.

** TOWNS OF 10,000 POPULATION OR MORE.

TABLE 1B
FERTILITY RATES*, BY COUNTY OF RESIDENCE AND RACE OF MOTHER,
MISSISSIPPI, 1994

COUNTY	TOTAL	WHITE	NON- WHITE	COUNTY	TOTAL	WHITE	NON- WHITE
<u>STATE</u>	<u>70.2</u>	<u>59.5</u>	<u>86.4</u>				
ADAMS	67.8	45.6	87.4	LINCOLN	65.0	63.2	68.7
ALCORN	59.7	58.4	68.4	LOWNDES	69.5	63.2	78.5
AMITE	57.1	58.7	55.5	MADISON	81.7	73.3	92.6
ATTALA	61.7	52.4	73.0	MARION	71.9	63.2	89.5
BENTON	64.1	74.1	51.4	MARSHALL	83.6	71.1	93.5
BOLIVAR	66.7	39.6	80.9	MONROE	71.3	64.0	85.4
CALHOUN	74.0	65.8	90.8	MONTGOMERY	64.2	49.0	79.2
CARROLL	52.7	50.7	55.4	NESHOBA	73.6	61.4	95.9
CHICKASAW	82.3	78.7	87.1	NEWTON	69.9	62.6	82.7
CHOCTAW	60.8	56.7	69.1	NOXUBEE	78.2	65.5	82.6
CLAIBORNE	55.3	50.1	55.9	OKTIBBEHA	45.0	35.2	61.9
CLARKE	61.7	54.7	73.2	PANOLA	80.5	61.7	97.0
CLAY	67.6	57.2	75.0	PEARL RIVER	68.9	65.3	86.6
COAHOMA	93.6	62.9	107.4	PERRY	69.9	62.1	93.9
COPIAH	65.9	53.9	75.3	PIKE	70.0	50.5	89.4
COVINGTON	86.6	67.4	117.6	PONTOTOC	67.2	67.0	68.2
DESOTO	71.6	68.8	90.4	PRENTISS	59.6	55.4	84.9
FORREST	62.6	51.9	83.6	QUITMAN	84.6	45.3	106.9
FRANKLIN	63.8	44.7	90.4	RANKIN	63.2	59.6	80.1
GEORGE	86.6	86.3	89.1	SCOTT	81.2	68.2	98.7
GREENE	60.3	56.6	74.6	SHARKEY	85.7	53.0	99.1
GRENADA	67.4	58.0	78.7	SIMPSON	73.4	61.2	95.3
HANCOCK	73.3	72.8	76.9	SMITH	65.8	55.6	96.4
HARRISON	77.4	72.9	91.0	STONE	79.7	76.8	88.4
HINDS	64.1	42.2	81.2	SUNFLOWER	75.1	45.9	88.6
HOLMES	88.5	45.9	98.8	TALLAHATCHIE	81.7	52.1	98.4
HUMPHREYS	70.3	52.8	77.4	TATE	64.1	60.3	70.3
ISSAQUENA	56.7	17.6	87.2	TIPPAH	67.9	63.0	88.9
ITAWAMBA	68.4	65.3	107.6	TISHOMINGO	61.6	61.7	58.8
JACKSON	67.9	60.3	91.3	TUNICA	79.2	57.0	85.1
JASPER	69.2	56.6	79.5	UNION	70.3	66.1	91.1
JEFFERSON	74.4	47.1	77.3	WALTHALL	78.8	56.7	103.5
JEFF DAVIS	75.8	50.7	93.5	WARREN	72.9	61.1	88.8
JONES	65.9	55.6	92.0	WASHINGTON	84.6	50.7	105.7
KEMPER	66.0	56.6	71.1	WAYNE	71.1	54.4	96.9
LAFAYETTE	42.7	32.8	70.3	WEBSTER	54.2	46.0	78.4
LAMAR	64.5	61.4	83.2	WILKINSON	60.8	54.7	63.1
LAUDERDALE	69.8	57.8	88.6	WINSTON	57.0	51.3	63.0
LAWRENCE	68.0	60.4	80.6	YALOBUSHA	70.5	62.0	81.0
LEAKE	81.0	68.6	96.8	YAZOO	90.7	70.5	106.2
LEE	83.7	73.9	115.5				
LEFLORE	80.8	51.7	95.9				

* LIVE BIRTHS PER 1,000 FEMALE POPULATION 15-44 YEARS OF AGE (1990 CENSUS).

TABLE 2
LIVE BIRTHS, BY COUNTY OF RESIDENCE, RACE OF MOTHER, AND ATTENDANT,
ALSO BY COUNTY OF RESIDENCE AND SEX,
MISSISSIPPI, 1994

COUNTY	TOTAL	WHITE				NONWHITE				SEX	
		TOTAL	HOSP. OR CLINIC	PHYS. , OTHER PLACE	OTHER	TOTAL	HOSP. OR CLINIC	PHYS. , OTHER PLACE	OTHER	MALE	FEMALE
STATE	41, 938	21, 536	21, 463	5	68	20, 402	20, 332	17	53	21, 312	20, 626
ADAMS	535	169	168	0	1	366	365	0	1	273	262
ALCORN	413	351	350	0	1	62	61	0	1	209	204
AMITE	157	82	82	0	0	75	75	0	0	78	79
ATTALA	233	108	108	0	0	125	124	0	1	126	107
BENTON	108	70	70	0	0	38	36	1	1	50	58
BOLIVAR	681	139	139	0	0	542	542	0	0	334	347
CALHOUN	230	138	138	0	0	92	92	0	0	110	120
CARROLL	102	56	56	0	0	46	46	0	0	54	48
CHICKASAW	331	180	179	1	0	151	151	0	0	179	152
CHOCTAW	116	73	73	0	0	43	43	0	0	53	63
CLAIBORNE	178	17	17	0	0	161	160	1	0	89	89
CLARKE	233	128	128	0	0	105	105	0	0	111	122
CLAY	330	115	114	0	1	215	215	0	0	167	163
COAHOMA	658	137	137	0	0	521	520	1	0	359	299
COPIAH	412	148	147	0	1	264	264	0	0	212	200
COVINGTON	311	149	148	1	0	162	162	0	0	160	151
DESOTO	1, 184	990	989	0	1	194	194	0	0	615	569
FORREST	1, 123	619	617	0	2	504	503	0	1	579	544
FRANKLIN	110	45	44	0	1	65	65	0	0	55	55
GEORGE	323	291	290	0	1	32	32	0	0	161	162
GREENE	128	96	94	0	2	32	32	0	0	67	61
GRENADA	330	155	155	0	0	175	174	1	0	152	178
HANCOCK	484	427	424	0	3	57	57	0	0	256	228
HARRISON	2, 980	2, 102	2, 090	0	12	878	875	0	3	1, 489	1, 491

TABLE 2 - PAGE 2
LIVE BIRTHS - MISSISSIPPI - 1994

COUNTY	TOTAL	WHITE				NONWHITE				SEX	
		TOTAL	HOSP. OR CLINIC	PHYS. , OTHER PLACE	OTHER	TOTAL	HOSP. OR CLINIC	PHYS. , OTHER PLACE	OTHER	MALE	FEMALE
HINDS	4, 141	1, 196	1, 193	0	3	2, 945	2, 936	0	9	2, 079	2, 062
HOLMES	423	43	43	0	0	380	377	0	3	210	213
HUMPHREYS	190	41	41	0	0	149	148	1	0	98	92
ISSAQUENA	22	3	3	0	0	19	19	0	0	10	12
ITAWAMBA	293	259	259	0	0	34	33	1	0	148	145
JACKSON	1, 826	1, 223	1, 219	0	4	603	600	1	2	951	875
JASPER	255	94	94	0	0	161	161	0	0	123	132
JEFFERSON	147	9	9	0	0	138	138	0	0	87	60
JEFF DAVIS	232	64	64	0	0	168	166	1	1	127	105
JONES	906	550	545	0	5	356	355	1	0	437	469
KEMPER	148	45	45	0	0	103	103	0	0	70	78
LAFAYETTE	395	223	223	0	0	172	170	0	2	199	196
LAMAR	480	392	392	0	0	88	88	0	0	267	213
LAUDERDALE	1, 214	613	610	0	3	601	600	0	1	615	599
LAWRENCE	186	103	103	0	0	83	82	0	1	89	97
LEAKE	312	148	148	0	0	164	162	1	1	152	160
LEE	1, 296	876	874	1	1	420	418	2	0	629	667
LEFLORE	680	149	149	0	0	531	529	1	1	347	333
LINCOLN	430	276	276	0	0	154	153	1	0	232	198
LOWNDES	1, 031	552	551	0	1	479	478	0	1	539	492
MADISON	1, 150	585	585	0	0	565	561	0	4	581	569
MARION	395	231	227	0	4	164	164	0	0	188	207
MARSHALL	596	223	221	0	2	373	372	0	1	324	272
MONROE	579	340	340	0	0	239	237	0	2	289	290
MONTGOMERY	166	63	63	0	0	103	102	0	1	79	87
NESHOBA	397	214	213	0	1	183	182	0	1	202	195
NEWTON	305	174	174	0	0	131	130	0	1	159	146
NOXUBEE	216	47	47	0	0	169	168	0	1	110	106
OKTIBBEHA	487	241	240	0	1	246	245	0	1	231	256
PANOLA	538	193	191	0	2	345	345	0	0	262	276

TABLE 2 - PAGE 3
LIVE BIRTHS - MISSISSIPPI - 1994

COUNTY	TOTAL	WHITE				NONWHITE				SEX	
		TOTAL	HOSP. OR CLINIC	PHYS. , OTHER PLACE	OTHER	TOTAL	HOSP. OR CLINIC	PHYS. , OTHER PLACE	OTHER	MALE	FEMALE
PEARL RIVER	598	469	467	0	2	129	128	0	1	272	326
PERRY	173	116	116	0	0	57	57	0	0	91	82
PIKE	579	208	208	0	0	371	371	0	0	283	296
PONTOTOC	331	274	274	0	0	57	56	1	0	176	155
PRENTISS	314	251	250	0	1	63	62	1	0	179	135
QUITMAN	190	37	37	0	0	153	153	0	0	99	91
RANKIN	1,357	1,054	1,051	1	2	303	301	1	1	698	659
SCOTT	431	207	207	0	0	224	224	0	0	211	220
SHARKEY	139	25	25	0	0	114	114	0	0	74	65
SIMPSON	384	205	205	0	0	179	179	0	0	202	182
SMITH	205	130	129	0	1	75	75	0	0	108	97
STONE	199	144	144	0	0	55	55	0	0	103	96
SUNFLOWER	515	100	100	0	0	415	414	0	1	262	253
TALLAHATCHIE	265	61	61	0	0	204	204	0	0	138	127
TATE	326	191	190	0	1	135	135	0	0	169	157
TIPPAH	286	216	216	0	0	70	70	0	0	155	131
TISHOMINGO	229	219	219	0	0	10	10	0	0	108	121
TUNICA	146	22	22	0	0	124	124	0	0	71	75
UNION	336	263	263	0	0	73	73	0	0	176	160
WALTHALL	231	88	85	0	3	143	143	0	0	127	104
WARREN	800	386	386	0	0	414	413	0	1	388	412
WASHINGTON	1,319	303	302	0	1	1,016	1,010	0	6	673	646
WAYNE	319	148	146	0	2	171	171	0	0	169	150
WEBSTER	115	73	72	0	1	42	42	0	0	65	50
WILKINSON	125	31	31	0	0	94	94	0	0	72	53
WINSTON	237	110	110	0	0	127	126	0	1	119	118
YALOBUSHA	177	86	85	1	0	91	91	0	0	94	83
YAZOO	486	164	163	0	1	322	322	0	0	258	228

NOTE: "HOSP. OR CLINIC" INCLUDES DELIVERY BY PHYSICIAN, CNM, OR ANY OTHER NAMED PERSON. "OTHER" INCLUDES DELIVERY BY ANY PERSON OTHER THAN A PHYSICIAN, AT ANY PLACE OTHER THAN A HOSPITAL OR CLINIC.

TABLE 3A
TOTAL LIVE BIRTHS, BY COUNTY OF RESIDENCE AND AGE OF MOTHER,
MISSISSIPPI, 1994

COUNTY	TOTAL	AGE OF MOTHER								UN- KNOWN
		UNDER 15	15- 19	20- 24	25- 29	30- 34	35- 39	40- 44	45- 49	
STATE	41, 938	370	8, 895	13, 838	10, 053	6, 104	2, 253	388	9	28
ADAMS	535	4	121	175	122	78	32	3	0	0
ALCORN	413	2	81	138	114	55	19	3	0	1
AMITE	157	1	27	40	49	26	12	2	0	0
ATTALA	233	5	51	73	53	37	10	4	0	0
BENTON	108	0	26	40	30	7	4	1	0	0
BOLIVAR	681	15	187	250	149	56	19	5	0	0
CALHOUN	230	2	48	86	65	17	12	0	0	0
CARROLL	102	3	21	25	34	17	1	1	0	0
CHICKASAW	331	5	88	110	72	35	18	3	0	0
CHOCTAW	116	0	22	47	28	13	6	0	0	0
CLAIBORNE	178	2	40	62	40	21	11	2	0	0
CLARKE	233	0	49	83	55	31	11	4	0	0
CLAY	330	5	67	121	61	51	17	8	0	0
COAHOMA	658	9	202	231	122	62	25	7	0	0
COPIAH	412	5	102	140	80	58	21	6	0	0
COVINGTON	311	0	74	96	81	42	15	3	0	0
DESOTO	1, 184	2	163	338	359	223	75	10	0	14
FORREST	1, 123	7	233	362	292	171	51	7	0	0
FRANKLIN	110	0	26	42	22	11	7	2	0	0
GEORGE	323	1	67	136	79	32	6	2	0	0
GREENE	128	1	26	43	40	8	9	1	0	0
GRENADA	330	1	83	111	78	40	12	4	0	1
HANCOCK	484	3	105	158	113	76	28	1	0	0
HARRISON	2, 980	15	534	962	759	479	201	28	2	0
HINDS	4, 141	46	817	1, 223	980	738	282	54	1	0
HOLMES	423	3	116	152	79	53	14	6	0	0
HUMPHREYS	190	5	52	67	33	20	9	3	1	0
ISSAQUENA	22	1	9	4	6	1	1	0	0	0
ITAWAMBA	293	1	44	118	79	37	12	2	0	0
JACKSON	1, 826	7	349	613	448	266	127	16	0	0
JASPER	255	2	57	96	60	27	10	3	0	0
JEFFERSON	147	3	31	45	32	21	12	3	0	0
JEFF DAVIS	232	3	51	79	52	29	15	3	0	0
JONES	906	10	202	315	194	137	38	9	0	1
KEMPER	148	2	26	60	28	23	8	1	0	0
LAFAYETTE	395	7	74	129	86	72	23	4	0	0
LAMAR	480	2	77	137	128	102	29	5	0	0
LAUDERDALE	1, 214	9	199	421	327	188	62	8	0	0
LAWRENCE	186	1	33	63	46	24	13	5	0	1
LEAKE	312	1	79	108	68	35	20	1	0	0
LEE	1, 296	5	234	422	352	210	59	14	0	0
LEFLORE	680	14	212	228	125	67	29	5	0	0

TABLE 3A - PAGE 2
TOTAL LIVE BIRTHS - MISSISSIPPI - 1994

COUNTY	TOTAL	AGE OF MOTHER								UN- KNOWN
		UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	
LINCOLN	430	7	86	144	118	56	17	2	0	0
LOWNDES	1,031	8	175	329	294	154	59	12	0	0
MADISON	1,150	4	180	258	320	279	93	15	1	0
MARION	395	5	95	149	76	55	13	2	0	0
MARSHALL	596	3	155	206	113	82	26	8	1	2
MONROE	579	9	128	188	141	70	33	9	0	1
MONTGOMERY	166	3	38	64	37	14	7	3	0	0
NESHOBA	397	2	78	133	116	42	23	2	0	1
NEWTON	305	2	63	105	79	39	14	3	0	0
NOXUBEE	216	7	45	73	48	31	8	4	0	0
OKTIBBEHA	487	6	89	166	114	81	27	4	0	0
PANOLA	538	10	144	186	113	57	25	3	0	0
PEARL RIVER	598	5	149	207	135	74	22	6	0	0
PERRY	173	0	36	71	43	12	11	0	0	0
PIKE	579	5	131	202	140	66	32	3	0	0
PONTOTOC	331	1	65	110	86	56	11	2	0	0
PRENTISS	314	4	63	108	85	34	19	1	0	0
QUITMAN	190	1	53	77	37	17	4	1	0	0
RANKIN	1,357	2	187	378	398	293	90	9	0	0
SCOTT	431	3	112	141	95	47	28	4	0	1
SHARKEY	139	3	47	41	23	15	9	1	0	0
SIMPSON	384	2	68	149	96	49	16	3	1	0
SMITH	205	1	47	78	48	25	6	0	0	0
STONE	199	1	52	66	41	30	7	2	0	0
SUNFLOWER	515	5	174	185	78	48	22	3	0	0
TALLAHATCHIE	265	6	82	105	39	24	7	1	0	1
TATE	326	1	59	117	79	53	14	1	0	2
TIPPAH	286	4	62	106	70	31	11	1	0	1
TISHOMINGO	229	2	34	88	62	36	6	1	0	0
TUNICA	146	4	48	44	30	9	7	4	0	0
UNION	336	1	83	116	78	46	10	1	1	0
WALTHALL	231	0	60	78	49	31	10	2	0	1
WARREN	800	4	173	256	187	130	43	7	0	0
WASHINGTON	1,319	21	392	470	245	120	61	9	1	0
WAYNE	319	3	70	100	80	45	20	1	0	0
WEBSTER	115	0	29	36	30	15	5	0	0	0
WILKINSON	125	1	21	47	30	20	6	0	0	0
WINSTON	237	3	53	83	50	34	12	2	0	0
YALOBUSHA	177	4	35	67	32	28	9	2	0	0
YAZOO	486	7	129	162	98	60	25	5	0	0

TABLE 3B
LIVE BIRTHS TO WHITE MOTHERS, BY COUNTY OF RESIDENCE AND AGE OF MOTHER,
MISSISSIPPI, 1994

COUNTY	TOTAL	AGE OF MOTHER								UN- KNOWN
		UNDER 15	15- 19	20- 24	25- 29	30- 34	35- 39	40- 44	45- 49	
<u>STATE</u>	<u>21, 536</u>	<u>47</u>	<u>3, 229</u>	<u>6, 708</u>	<u>6, 143</u>	<u>3, 870</u>	<u>1, 308</u>	<u>203</u>	<u>5</u>	<u>23</u>
ADAMS	169	0	27	47	49	35	10	1	0	0
ALCORN	351	2	59	117	102	51	18	2	0	0
AMITE	82	0	5	24	27	18	8	0	0	0
ATTALA	108	0	23	29	26	22	7	1	0	0
BENTON	70	0	16	25	21	4	3	1	0	0
BOLIVAR	139	0	22	43	48	18	6	2	0	0
CALHOUN	138	0	23	53	45	9	8	0	0	0
CARROLL	56	1	8	14	19	14	0	0	0	0
CHICKASAW	180	1	38	69	40	23	8	1	0	0
CHOCTAW	73	0	14	25	21	10	3	0	0	0
CLAI BORNE	17	0	3	5	8	1	0	0	0	0
CLARKE	128	0	26	41	35	17	7	2	0	0
CLAY	115	0	7	40	30	25	9	4	0	0
COAHOMA	137	0	18	43	37	29	8	2	0	0
COPIAH	148	0	26	48	38	26	8	2	0	0
COVINGTON	149	0	28	45	43	23	8	2	0	0
DESOTO	990	2	102	285	324	194	61	8	0	14
FORREST	619	0	90	190	187	116	33	3	0	0
FRANKLIN	45	0	9	14	10	7	3	2	0	0
GEORGE	291	1	62	122	70	29	5	2	0	0
GREENE	96	0	17	30	35	8	6	0	0	0
GRENADA	155	0	35	48	41	23	5	2	0	1
HANCOCK	427	3	89	138	105	69	22	1	0	0
HARRISON	2, 102	6	338	630	577	375	151	23	2	0
HINDS	1, 196	2	103	278	352	304	134	23	0	0
HOLMES	43	0	6	15	12	9	1	0	0	0
HUMPHREYS	41	0	5	21	6	5	1	2	1	0
ISSAQUENA	3	0	2	1	0	0	0	0	0	0
ITAWAMBA	259	0	36	107	70	34	11	1	0	0
JACKSON	1, 223	1	177	396	339	212	86	12	0	0
JASPER	94	0	14	40	26	10	4	0	0	0
JEFFERSON	9	0	0	4	2	1	2	0	0	0
JEFF DAVIS	64	0	8	20	20	12	4	0	0	0
JONES	550	2	90	189	137	100	25	6	0	1
KEMPER	45	0	5	17	14	6	3	0	0	0
LAFAYETTE	223	1	26	67	60	48	17	4	0	0
LAMAR	392	0	59	115	108	85	21	4	0	0
LAUDERDALE	613	1	60	193	197	115	42	5	0	0
LAWRENCE	103	0	11	38	31	17	3	3	0	0
LEAKE	148	0	36	44	41	19	7	1	0	0
LEE	876	2	119	276	262	171	40	6	0	0
LEFLORE	149	1	17	45	46	26	14	0	0	0

TABLE 3B - PAGE 2
LIVE BIRTHS TO WHITE MOTHERS - MISSISSIPPI - 1994

COUNTY	TOTAL	AGE OF MOTHER								UN- KNOWN
		UNDER 15	15- 19	20- 24	25- 29	30- 34	35- 39	40- 44	45- 49	
LINCOLN	276	2	38	86	91	44	14	1	0	0
LOWNDES	552	0	63	164	187	97	33	8	0	0
MADISON	585	0	26	67	214	210	62	6	0	0
MARION	231	2	47	85	55	33	9	0	0	0
MARSHALL	223	0	48	78	51	32	11	1	1	1
MONROE	340	3	60	117	95	44	17	4	0	0
MONTGOMERY	63	0	9	21	19	9	3	2	0	0
NESHOBA	214	0	33	72	74	22	11	1	0	1
NEWTON	174	0	29	65	42	28	9	1	0	0
NOXUBEE	47	0	4	15	13	12	3	0	0	0
OKTIBBEHA	241	0	26	85	65	44	17	4	0	0
PANOLA	193	1	46	66	50	20	8	2	0	0
PEARL RIVER	469	2	105	163	113	63	18	5	0	0
PERRY	116	0	21	50	30	9	6	0	0	0
PIKE	208	0	25	71	56	38	16	2	0	0
PONTOTOC	274	0	48	92	77	45	10	2	0	0
PRENTISS	251	2	45	87	72	29	15	1	0	0
QUITMAN	37	0	4	11	15	6	1	0	0	0
RANKIN	1,054	1	118	281	333	238	76	7	0	0
SCOTT	207	0	45	65	54	26	15	1	0	1
SHARKEY	25	0	9	7	5	2	2	0	0	0
SIMPSON	205	0	32	68	64	32	6	3	0	0
SMITH	130	0	26	49	32	18	5	0	0	0
STONE	144	1	36	44	35	23	3	2	0	0
SUNFLOWER	100	0	24	24	25	20	6	1	0	0
TALLAHATCHIE	61	0	14	24	13	5	3	1	0	1
TATE	191	0	22	66	56	35	9	1	0	2
TIPPAH	216	3	44	87	50	24	7	0	0	1
TISHOMINGO	219	2	31	85	60	34	6	1	0	0
TUNICA	22	0	1	4	8	4	3	2	0	0
UNION	263	0	59	95	58	40	9	1	1	0
WALTHALL	88	0	15	28	23	17	4	1	0	0
WARREN	386	0	57	107	101	90	27	4	0	0
WASHINGTON	303	0	50	95	76	55	26	1	0	0
WAYNE	148	0	29	43	44	25	6	1	0	0
WEBSTER	73	0	14	19	24	13	3	0	0	0
WILKINSON	31	0	2	13	6	8	2	0	0	0
WINSTON	110	0	21	32	31	19	6	1	0	0
YALOBUSHA	86	1	21	30	15	14	3	2	0	0
YAZOO	164	1	23	56	50	23	6	5	0	0

TABLE 3C
LIVE BIRTHS TO NONWHITE MOTHERS, BY COUNTY OF RESIDENCE AND AGE OF MOTHER,
MISSISSIPPI, 1994

COUNTY	TOTAL	AGE OF MOTHER								UN- KNOWN
		UNDER 15	15- 19	20- 24	25- 29	30- 34	35- 39	40- 44	45- 49	
<u>STATE</u>	<u>20, 402</u>	<u>323</u>	<u>5, 666</u>	<u>7, 130</u>	<u>3, 910</u>	<u>2, 234</u>	<u>945</u>	<u>185</u>	<u>4</u>	<u>5</u>
ADAMS	366	4	94	128	73	43	22	2	0	0
ALCORN	62	0	22	21	12	4	1	1	0	1
AMITE	75	1	22	16	22	8	4	2	0	0
ATTALA	125	5	28	44	27	15	3	3	0	0
BENTON	38	0	10	15	9	3	1	0	0	0
BOLIVAR	542	15	165	207	101	38	13	3	0	0
CALHOUN	92	2	25	33	20	8	4	0	0	0
CARROLL	46	2	13	11	15	3	1	1	0	0
CHICKASAW	151	4	50	41	32	12	10	2	0	0
CHOCTAW	43	0	8	22	7	3	3	0	0	0
CLAYBORNE	161	2	37	57	32	20	11	2	0	0
CLARKE	105	0	23	42	20	14	4	2	0	0
CLAY	215	5	60	81	31	26	8	4	0	0
COAHOMA	521	9	184	188	85	33	17	5	0	0
COPIAH	264	5	76	92	42	32	13	4	0	0
COVINGTON	162	0	46	51	38	19	7	1	0	0
DESOTO	194	0	61	53	35	29	14	2	0	0
FORREST	504	7	143	172	105	55	18	4	0	0
FRANKLIN	65	0	17	28	12	4	4	0	0	0
GEORGE	32	0	5	14	9	3	1	0	0	0
GREENE	32	1	9	13	5	0	3	1	0	0
GRENADA	175	1	48	63	37	17	7	2	0	0
HANCOCK	57	0	16	20	8	7	6	0	0	0
HARRISON	878	9	196	332	182	104	50	5	0	0
HINDS	2, 945	44	714	945	628	434	148	31	1	0
HOLMES	380	3	110	137	67	44	13	6	0	0
HUMPHREYS	149	5	47	46	27	15	8	1	0	0
ISSAQUENA	19	1	7	3	6	1	1	0	0	0
ITAWAMBA	34	1	8	11	9	3	1	1	0	0
JACKSON	603	6	172	217	109	54	41	4	0	0
JASPER	161	2	43	56	34	17	6	3	0	0
JEFFERSON	138	3	31	41	30	20	10	3	0	0
JEFF DAVIS	168	3	43	59	32	17	11	3	0	0
JONES	356	8	112	126	57	37	13	3	0	0
KEMPER	103	2	21	43	14	17	5	1	0	0
LAFAYETTE	172	6	48	62	26	24	6	0	0	0
LAMAR	88	2	18	22	20	17	8	1	0	0
LAUDERDALE	601	8	139	228	130	73	20	3	0	0
LAWRENCE	83	1	22	25	15	7	10	2	0	1
LEAKE	164	1	43	64	27	16	13	0	0	0
LEE	420	3	115	146	90	39	19	8	0	0
LEFLORE	531	13	195	183	79	41	15	5	0	0

TABLE 3C - PAGE 2
LIVE BIRTHS TO NONWHITE MOTHERS - MISSISSIPPI - 1994

COUNTY	TOTAL	AGE OF MOTHER								UN- KNOWN
		UNDER 15	15- 19	20- 24	25- 29	30- 34	35- 39	40- 44	45- 49	
LINCOLN	154	5	48	58	27	12	3	1	0	0
LOWNDES	479	8	112	165	107	57	26	4	0	0
MADISON	565	4	154	191	106	69	31	9	1	0
MARION	164	3	48	64	21	22	4	2	0	0
MARSHALL	373	3	107	128	62	50	15	7	0	1
MONROE	239	6	68	71	46	26	16	5	0	1
MONTGOMERY	103	3	29	43	18	5	4	1	0	0
NESHOBA	183	2	45	61	42	20	12	1	0	0
NEWTON	131	2	34	40	37	11	5	2	0	0
NOXUBEE	169	7	41	58	35	19	5	4	0	0
OKTIBBEHA	246	6	63	81	49	37	10	0	0	0
PANOLA	345	9	98	120	63	37	17	1	0	0
PEARL RIVER	129	3	44	44	22	11	4	1	0	0
PERRY	57	0	15	21	13	3	5	0	0	0
PIKE	371	5	106	131	84	28	16	1	0	0
PONTOTOC	57	1	17	18	9	11	1	0	0	0
PRENTISS	63	2	18	21	13	5	4	0	0	0
QUITMAN	153	1	49	66	22	11	3	1	0	0
RANKIN	303	1	69	97	65	55	14	2	0	0
SCOTT	224	3	67	76	41	21	13	3	0	0
SHARKEY	114	3	38	34	18	13	7	1	0	0
SIMPSON	179	2	36	81	32	17	10	0	1	0
SMITH	75	1	21	29	16	7	1	0	0	0
STONE	55	0	16	22	6	7	4	0	0	0
SUNFLOWER	415	5	150	161	53	28	16	2	0	0
TALLAHATCHIE	204	6	68	81	26	19	4	0	0	0
TATE	135	1	37	51	23	18	5	0	0	0
TIPPAH	70	1	18	19	20	7	4	1	0	0
TISHOMINGO	10	0	3	3	2	2	0	0	0	0
TUNICA	124	4	47	40	22	5	4	2	0	0
UNION	73	1	24	21	20	6	1	0	0	0
WALTHALL	143	0	45	50	26	14	6	1	0	1
WARREN	414	4	116	149	86	40	16	3	0	0
WASHINGTON	1,016	21	342	375	169	65	35	8	1	0
WAYNE	171	3	41	57	36	20	14	0	0	0
WEBSTER	42	0	15	17	6	2	2	0	0	0
WILKINSON	94	1	19	34	24	12	4	0	0	0
WINSTON	127	3	32	51	19	15	6	1	0	0
YALOBUSHA	91	3	14	37	17	14	6	0	0	0
YAZOO	322	6	106	106	48	37	19	0	0	0

TABLE 4
LIVE BIRTHS TO UNMARRIED MOTHERS AND PERCENT OF TOTAL LIVE BIRTHS,
BY COUNTY OF RESIDENCE AND RACE OF MOTHER,
MISSISSIPPI, 1994

COUNTY	NUMBER			PERCENT		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>STATE</u>	<u>19, 051</u>	<u>3, 972</u>	<u>15, 079</u>	<u>45. 4</u>	<u>18. 4</u>	<u>73. 9</u>
ADAMS	325	36	289	60. 7	21. 3	79. 0
ALCORN	92	52	40	22. 3	14. 8	64. 5
AMITE	50	2	48	31. 8	2. 4	64. 0
ATTALA	105	24	81	45. 1	22. 2	64. 8
BENTON	40	14	26	37. 0	20. 0	68. 4
BOLIVAR	462	18	444	67. 8	13. 0	81. 9
CALHOUN	92	27	65	40. 0	19. 6	70. 6
CARROLL	43	7	36	42. 2	12. 5	78. 3
CHICKASAW	128	34	94	38. 7	18. 9	62. 2
CHOCTAW	46	11	35	39. 6	15. 1	81. 4
CLAIBORNE	128	2	126	71. 9	11. 8	78. 3
CLARKE	88	16	72	37. 8	12. 5	68. 6
CLAY	170	13	157	51. 5	11. 3	73. 0
COAHOMA	461	25	436	70. 1	18. 2	83. 7
COPIAH	210	23	187	51. 0	15. 5	70. 8
COVINGTON	143	28	115	46. 0	18. 8	71. 0
DESOTO	291	164	127	24. 6	16. 6	65. 5
FORREST	476	100	376	42. 4	16. 2	74. 6
FRANKLIN	56	9	47	50. 9	20. 0	72. 3
GEORGE	89	69	20	27. 6	23. 7	62. 5
GREENE	53	29	24	41. 4	30. 2	75. 0
GRENADA	155	26	129	47. 0	16. 8	73. 7
HANCOCK	177	141	36	36. 6	33. 0	63. 2
HARRISON	1, 148	579	569	38. 5	27. 5	64. 8
HINDS	2, 304	185	2, 119	55. 6	15. 5	72. 0
HOLMES	307	7	300	72. 6	16. 3	78. 9
HUMPHREYS	126	6	120	66. 3	14. 6	80. 5
ISSAQUENA	13	0	13	59. 1	0. 0	68. 4
ITAWAMBA	58	35	23	19. 8	13. 5	67. 6
JACKSON	676	267	409	37. 0	21. 8	67. 8
JASPER	115	12	103	45. 1	12. 8	64. 0
JEFFERSON	114	1	113	77. 6	11. 1	81. 9
JEFF DAVIS	137	11	126	59. 0	17. 2	75. 0
JONES	356	81	275	39. 3	14. 7	77. 2
KEMPER	76	6	70	51. 4	13. 3	68. 0
LAFAYETTE	149	27	122	37. 7	12. 1	70. 9
LAMAR	109	61	48	22. 7	15. 6	54. 5
LAUDERDALE	533	100	433	43. 9	16. 3	72. 0
LAWRENCE	62	9	53	33. 3	8. 7	63. 8
LEAKE	138	25	113	44. 2	16. 9	68. 9
LEE	452	164	288	34. 9	18. 7	68. 6
LEFLORE	469	31	438	69. 0	20. 8	82. 5

TABLE 4 - PAGE 2
LIVE BIRTHS TO UNMARRIED MOTHERS - MISSISSIPPI - 1994

COUNTY	NUMBER			PERCENT		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
LINCOLN	149	35	114	34.6	12.7	74.0
LOWDES	422	96	326	40.9	17.4	68.0
MADISON	449	33	416	39.0	5.6	73.6
MARION	150	36	114	38.0	15.6	69.5
MARSHALL	331	49	282	55.5	22.0	75.6
MONROE	262	73	189	45.2	21.5	79.1
MONTGOMERY	99	14	85	59.6	22.2	82.5
NESHOBA	149	33	116	37.5	15.4	63.4
NEWTON	110	24	86	36.1	13.8	65.6
NOXUBEE	127	3	124	58.8	6.4	73.4
OKTIBBEHA	191	24	167	39.2	10.0	67.9
PANOLA	322	45	277	59.8	23.3	80.3
PEARL RIVER	209	116	93	35.0	24.7	72.1
PERRY	73	28	45	42.2	24.1	78.9
PIKE	304	40	264	52.5	19.2	71.2
PONTOTOC	86	47	39	26.0	17.2	68.4
PRENTISS	89	45	44	28.3	17.9	69.8
QUITMAN	136	8	128	71.6	21.6	83.7
RANKIN	338	166	172	24.9	15.8	56.8
SCOTT	217	48	169	50.3	23.2	75.4
SHARKEY	108	6	102	77.7	24.0	89.5
SIMPSON	160	40	120	41.7	19.5	67.0
SMITH	77	17	60	37.6	13.1	80.0
STONE	77	30	47	38.7	20.8	85.4
SUNFLOWER	368	18	350	71.4	18.0	84.3
TALLAHATCHIE	195	18	177	73.6	29.5	86.8
TATE	122	24	98	37.4	12.6	72.6
TIPPAH	93	44	49	32.5	20.4	70.0
TISHOMINGO	37	30	7	16.2	13.7	70.0
TUNICA	118	5	113	80.8	22.7	91.1
UNION	89	43	46	26.5	16.4	63.0
WALTHALL	114	13	101	49.4	14.8	70.6
WARREN	401	74	327	50.1	19.2	79.0
WASHINGTON	926	66	860	70.2	21.8	84.6
WAYNE	134	23	111	42.0	15.5	64.9
WEBSTER	43	13	30	37.4	17.8	71.4
WILKINSON	73	4	69	58.4	12.9	73.4
WINSTON	117	18	99	49.4	16.4	78.0
YALOBUSHA	78	16	62	44.1	18.6	68.1
YAZOO	286	30	256	58.8	18.3	79.5

TABLE 5A
TOTAL LIVE BIRTHS TO UNMARRIED MOTHERS,
BY COUNTY OF RESIDENCE AND AGE OF MOTHER,
MISSISSIPPI, 1994

COUNTY	TOTAL	AGE OF MOTHER								UN- KNOWN
		UNDER 15	15- 19	20- 24	25- 29	30- 34	35- 39	40- 44	45- 49	
STATE	19, 051	366	7, 017	7, 021	2, 701	1, 309	524	103	2	8
ADAMS	325	4	108	123	50	25	14	1	0	0
ALCORN	92	2	42	32	10	1	4	0	0	1
AMITE	50	1	22	14	8	2	2	1	0	0
ATTALA	105	5	34	39	18	7	2	0	0	0
BENTON	40	0	15	13	8	2	1	1	0	0
BOLIVAR	462	15	170	183	63	23	8	0	0	0
CALHOUN	92	2	33	36	11	4	6	0	0	0
CARROLL	43	3	17	10	11	1	0	1	0	0
CHICKASAW	128	5	59	43	12	5	3	1	0	0
CHOCTAW	46	0	15	22	7	1	1	0	0	0
CLAIBORNE	128	2	37	50	22	10	5	2	0	0
CLARKE	88	0	30	36	14	7	1	0	0	0
CLAY	170	5	61	69	17	12	4	2	0	0
COAHOMA	461	9	191	166	57	26	8	4	0	0
COPIAH	210	5	88	73	22	17	5	0	0	0
COVINGTON	143	0	55	52	23	8	4	1	0	0
DESOTO	291	2	119	90	33	31	12	1	0	3
FORREST	476	7	166	187	75	28	11	2	0	0
FRANKLIN	56	0	22	24	6	2	2	0	0	0
GEORGE	89	1	34	42	7	3	1	1	0	0
GREENE	53	1	17	20	13	0	2	0	0	0
GRENADA	155	1	61	56	21	10	5	1	0	0
HANCOCK	177	3	73	61	28	9	3	0	0	0
HARRISON	1, 148	15	400	424	173	94	35	7	0	0
HINDS	2, 304	46	741	842	365	218	70	22	0	0
HOLMES	307	3	111	113	47	25	6	2	0	0
HUMPHREYS	126	5	49	37	18	11	6	0	0	0
ISSAQUENA	13	1	7	1	3	0	1	0	0	0
ITAWAMBA	58	1	18	26	7	4	1	1	0	0
JACKSON	676	7	268	249	90	36	24	2	0	0
JASPER	115	2	47	40	14	7	4	1	0	0
JEFFERSON	114	3	31	37	21	12	7	3	0	0
JEFF DAVIS	137	3	43	54	20	12	4	1	0	0
JONES	356	9	141	132	43	23	7	1	0	0
KEMPER	76	2	21	36	8	7	1	1	0	0
LAFAYETTE	149	7	61	51	12	15	2	1	0	0
LAMAR	109	2	47	33	19	5	3	0	0	0
LAUDERDALE	533	9	167	211	85	46	14	1	0	0
LAWRENCE	62	1	25	20	8	3	4	1	0	0
LEAKE	138	1	54	55	16	9	3	0	0	0
LEE	452	5	163	170	67	34	9	4	0	0
LEFLORE	469	14	199	171	50	26	8	1	0	0

TABLE 5A - PAGE 2
TOTAL LIVE BIRTHS TO UNMARRIED MOTHERS - MISSISSIPPI - 1994

COUNTY	TOTAL	AGE OF MOTHER								UN- KNOWN
		UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	
LINCOLN	149	7	59	56	16	7	3	1	0	0
LOWNDES	422	8	151	154	72	23	13	1	0	0
MADISON	449	4	166	162	75	23	14	4	1	0
MARION	150	4	62	58	15	10	1	0	0	0
MARSHALL	331	3	126	121	47	21	8	4	0	1
MONROE	262	8	90	83	44	19	12	5	0	1
MONTGOMERY	99	3	34	41	15	3	3	0	0	0
NESHOBA	149	2	48	57	23	15	3	0	0	1
NEWTON	110	2	37	45	20	4	2	0	0	0
NOXUBEE	127	7	43	45	20	6	3	3	0	0
OKTIBBEHA	191	6	70	68	24	16	7	0	0	0
PANOLA	322	10	117	109	50	26	10	0	0	0
PEARL RIVER	209	5	94	69	27	10	3	1	0	0
PERRY	73	0	23	31	11	5	3	0	0	0
PIKE	304	5	117	108	50	14	10	0	0	0
PONTOTOC	86	1	40	26	10	7	2	0	0	0
PRENTISS	89	4	33	31	13	2	5	1	0	0
QUITMAN	136	1	49	58	16	9	2	1	0	0
RANKIN	338	2	123	126	49	28	8	2	0	0
SCOTT	217	3	87	71	22	22	11	1	0	0
SHARKEY	108	3	42	33	16	9	5	0	0	0
SIMPSON	160	2	51	72	22	8	5	0	0	0
SMITH	77	1	31	26	15	3	1	0	0	0
STONE	77	1	31	30	6	7	2	0	0	0
SUNFLOWER	368	5	156	142	40	18	6	1	0	0
TALLAHATCHIE	195	6	74	74	25	14	2	0	0	0
TATE	122	1	47	50	13	8	3	0	0	0
TIPPAH	93	4	33	30	16	7	3	0	0	0
TISHOMINGO	37	1	9	19	6	2	0	0	0	0
TUNICA	118	4	47	41	19	4	3	0	0	0
UNION	89	1	40	27	14	5	0	1	1	0
WALTHALL	114	0	47	40	15	8	3	0	0	1
WARREN	401	4	146	149	55	28	16	3	0	0
WASHINGTON	926	21	363	356	120	42	19	5	0	0
WAYNE	134	3	48	51	20	9	3	0	0	0
WEBSTER	43	0	21	13	7	1	1	0	0	0
WILKINSON	73	1	20	32	14	5	1	0	0	0
WINSTON	117	3	41	45	15	9	3	1	0	0
YALOBUSHA	78	4	19	32	12	10	1	0	0	0
YAZOO	286	7	120	97	30	21	11	0	0	0

TABLE 5B
LIVE BIRTHS TO UNMARRIED WHITE MOTHERS,
BY COUNTY OF RESIDENCE AND AGE OF MOTHER,
MISSISSIPPI, 1994

COUNTY	TOTAL	AGE OF MOTHER								UN- KNOWN
		UNDER 15	15- 19	20- 24	25- 29	30- 34	35- 39	40- 44	45- 49	
STATE	3, 972	43	1, 543	1, 399	554	297	108	23	1	4
ADAMS	36	0	15	14	2	3	2	0	0	0
ALCORN	52	2	22	18	7	0	3	0	0	0
AMITE	2	0	1	1	0	0	0	0	0	0
ATTALA	24	0	10	8	4	1	1	0	0	0
BENTON	14	0	5	4	3	1	0	1	0	0
BOLIVAR	18	0	8	9	0	1	0	0	0	0
CALHOUN	27	0	10	10	3	1	3	0	0	0
CARROLL	7	1	4	2	0	0	0	0	0	0
CHICKASAW	34	1	16	13	3	1	0	0	0	0
CHOCTAW	11	0	7	2	2	0	0	0	0	0
CLAIBORNE	2	0	0	2	0	0	0	0	0	0
CLARKE	16	0	8	6	1	1	0	0	0	0
CLAY	13	0	1	7	3	2	0	0	0	0
COAHOMA	25	0	10	6	4	4	1	0	0	0
COPIAH	23	0	12	6	5	0	0	0	0	0
COVINGTON	28	0	12	10	2	1	2	1	0	0
DESOTO	164	2	58	53	21	20	7	0	0	3
FORREST	100	0	29	50	14	6	1	0	0	0
FRANKLIN	9	0	5	4	0	0	0	0	0	0
GEORGE	69	1	29	30	5	2	1	1	0	0
GREENE	29	0	9	10	9	0	1	0	0	0
GRENADA	26	0	16	7	3	0	0	0	0	0
HANCOCK	141	3	57	46	25	7	3	0	0	0
HARRISON	579	6	211	191	84	59	22	6	0	0
HINDS	185	2	52	78	21	19	8	5	0	0
HOLMES	7	0	5	0	1	1	0	0	0	0
HUMPHREYS	6	0	2	2	2	0	0	0	0	0
ISSAQUENA	0	0	0	0	0	0	0	0	0	0
ITAWAMBA	35	0	10	17	3	3	1	1	0	0
JACKSON	267	1	104	92	45	18	7	0	0	0
JASPER	12	0	6	5	0	1	0	0	0	0
JEFFERSON	1	0	0	1	0	0	0	0	0	0
JEFF DAVIS	11	0	3	3	4	1	0	0	0	0
JONES	81	1	33	30	10	6	1	0	0	0
KEMPER	6	0	2	2	1	0	1	0	0	0
LAFAYETTE	27	1	13	6	0	6	0	1	0	0
LAMAR	61	0	29	17	8	4	3	0	0	0
LAUDERDALE	100	1	35	42	13	4	5	0	0	0
LAWRENCE	9	0	3	3	2	0	1	0	0	0
LEAKE	25	0	15	6	3	0	1	0	0	0
LEE	164	2	54	62	26	18	2	0	0	0
LEFLORE	31	1	9	11	3	5	2	0	0	0

TABLE 5B - PAGE 2
LIVE BIRTHS TO UNMARRIED WHITE MOTHERS - MISSISSIPPI - 1994

COUNTY	TOTAL	AGE OF MOTHER								UN- KNOWN
		UNDER 15	15- 19	20- 24	25- 29	30- 34	35- 39	40- 44	45- 49	
LINCOLN	35	2	16	9	4	2	1	1	0	0
LOWNDES	96	0	44	31	14	6	1	0	0	0
MADISON	33	0	16	9	5	2	1	0	0	0
MARION	36	1	16	14	5	0	0	0	0	0
MARSHALL	49	0	22	16	6	4	1	0	0	0
MONROE	73	2	24	27	14	3	3	0	0	0
MONTGOMERY	14	0	6	4	3	0	1	0	0	0
NESHOBA	33	0	10	11	6	5	0	0	0	1
NEWTON	24	0	8	14	0	1	1	0	0	0
NOXUBEE	3	0	2	1	0	0	0	0	0	0
OKTI BBEHA	24	0	9	10	4	1	0	0	0	0
PANOLA	45	1	23	10	9	2	0	0	0	0
PEARL RIVER	116	2	51	37	16	7	2	1	0	0
PERRY	28	0	8	13	4	2	1	0	0	0
PIKE	40	0	14	14	8	3	1	0	0	0
PONTOTOC	47	0	24	14	5	3	1	0	0	0
PRENTISS	45	2	15	18	7	1	1	1	0	0
QUITMAN	8	0	1	2	3	2	0	0	0	0
RANKIN	166	1	58	63	24	12	6	2	0	0
SCOTT	48	0	24	12	4	7	1	0	0	0
SHARKEY	6	0	4	2	0	0	0	0	0	0
SIMPSON	40	0	16	15	5	4	0	0	0	0
SMITH	17	0	10	5	1	1	0	0	0	0
STONE	30	1	15	10	2	2	0	0	0	0
SUNFLOWER	18	0	11	4	2	1	0	0	0	0
TALLAHATCHIE	18	0	7	6	4	1	0	0	0	0
TATE	24	0	10	9	2	3	0	0	0	0
TIPPAH	44	3	16	16	5	4	0	0	0	0
TISHOMINGO	30	1	6	17	4	2	0	0	0	0
TUNICA	5	0	0	3	2	0	0	0	0	0
UNION	43	0	19	14	5	3	0	1	1	0
WALTHALL	13	0	4	5	2	2	0	0	0	0
WARREN	74	0	31	28	7	4	4	0	0	0
WASHINGTON	66	0	26	21	11	6	1	1	0	0
WAYNE	23	0	9	8	4	1	1	0	0	0
WEBSTER	13	0	6	3	4	0	0	0	0	0
WILKINSON	4	0	1	2	1	0	0	0	0	0
WINSTON	18	0	10	5	3	0	0	0	0	0
YALOBUSHA	16	1	7	4	2	2	0	0	0	0
YAZOO	30	1	14	7	5	2	1	0	0	0

TABLE 5C
LIVE BIRTHS TO UNMARRIED NONWHITE MOTHERS,
BY COUNTY OF RESIDENCE AND AGE OF MOTHER,
MISSISSIPPI, 1994

COUNTY	TOTAL	AGE OF MOTHER								UN- KNOWN
		UNDER 15	15- 19	20- 24	25- 29	30- 34	35- 39	40- 44	45- 49	
STATE	15, 079	323	5, 474	5, 622	2, 147	1, 012	416	80	1	4
ADAMS	289	4	93	109	48	22	12	1	0	0
ALCORN	40	0	20	14	3	1	1	0	0	1
AMITE	48	1	21	13	8	2	2	1	0	0
ATTALA	81	5	24	31	14	6	1	0	0	0
BENTON	26	0	10	9	5	1	1	0	0	0
BOLIVAR	444	15	162	174	63	22	8	0	0	0
CALHOUN	65	2	23	26	8	3	3	0	0	0
CARROLL	36	2	13	8	11	1	0	1	0	0
CHICKASAW	94	4	43	30	9	4	3	1	0	0
CHOCTAW	35	0	8	20	5	1	1	0	0	0
CLAIBORNE	126	2	37	48	22	10	5	2	0	0
CLARKE	72	0	22	30	13	6	1	0	0	0
CLAY	157	5	60	62	14	10	4	2	0	0
COAHOMA	436	9	181	160	53	22	7	4	0	0
COPIAH	187	5	76	67	17	17	5	0	0	0
COVINGTON	115	0	43	42	21	7	2	0	0	0
DESOTO	127	0	61	37	12	11	5	1	0	0
FORREST	376	7	137	137	61	22	10	2	0	0
FRANKLIN	47	0	17	20	6	2	2	0	0	0
GEORGE	20	0	5	12	2	1	0	0	0	0
GREENE	24	1	8	10	4	0	1	0	0	0
GRENADA	129	1	45	49	18	10	5	1	0	0
HANCOCK	36	0	16	15	3	2	0	0	0	0
HARRISON	569	9	189	233	89	35	13	1	0	0
HINDS	2, 119	44	689	764	344	199	62	17	0	0
HOLMES	300	3	106	113	46	24	6	2	0	0
HUMPHREYS	120	5	47	35	16	11	6	0	0	0
ISSAQUENA	13	1	7	1	3	0	1	0	0	0
ITAWAMBA	23	1	8	9	4	1	0	0	0	0
JACKSON	409	6	164	157	45	18	17	2	0	0
JASPER	103	2	41	35	14	6	4	1	0	0
JEFFERSON	113	3	31	36	21	12	7	3	0	0
JEFF DAVIS	126	3	40	51	16	11	4	1	0	0
JONES	275	8	108	102	33	17	6	1	0	0
KEMPER	70	2	19	34	7	7	0	1	0	0
LAFAYETTE	122	6	48	45	12	9	2	0	0	0
LAMAR	48	2	18	16	11	1	0	0	0	0
LAUDERDALE	433	8	132	169	72	42	9	1	0	0
LAWRENCE	53	1	22	17	6	3	3	1	0	0
LEAKE	113	1	39	49	13	9	2	0	0	0
LEE	288	3	109	108	41	16	7	4	0	0
LEFLORE	438	13	190	160	47	21	6	1	0	0

TABLE 5C - PAGE 2

LIVE BIRTHS TO UNMARRIED NONWHITE MOTHERS - MISSISSIPPI - 1994

COUNTY	TOTAL	AGE OF MOTHER								UN- KNOWN
		UNDER 15	15- 19	20- 24	25- 29	30- 34	35- 39	40- 44	45- 49	
LINCOLN	114	5	43	47	12	5	2	0	0	0
LOWNDES	326	8	107	123	58	17	12	1	0	0
MADISON	416	4	150	153	70	21	13	4	1	0
MARION	114	3	46	44	10	10	1	0	0	0
MARSHALL	282	3	104	105	41	17	7	4	0	1
MONROE	189	6	66	56	30	16	9	5	0	1
MONTGOMERY	85	3	28	37	12	3	2	0	0	0
NESHOBA	116	2	38	46	17	10	3	0	0	0
NEWTON	86	2	29	31	20	3	1	0	0	0
NOXUBEE	124	7	41	44	20	6	3	3	0	0
OKTIBBEHA	167	6	61	58	20	15	7	0	0	0
PANOLA	277	9	94	99	41	24	10	0	0	0
PEARL RIVER	93	3	43	32	11	3	1	0	0	0
PERRY	45	0	15	18	7	3	2	0	0	0
PIKE	264	5	103	94	42	11	9	0	0	0
PONTOTOC	39	1	16	12	5	4	1	0	0	0
PRENTISS	44	2	18	13	6	1	4	0	0	0
QUITMAN	128	1	48	56	13	7	2	1	0	0
RANKIN	172	1	65	63	25	16	2	0	0	0
SCOTT	169	3	63	59	18	15	10	1	0	0
SHARKEY	102	3	38	31	16	9	5	0	0	0
SIMPSON	120	2	35	57	17	4	5	0	0	0
SMITH	60	1	21	21	14	2	1	0	0	0
STONE	47	0	16	20	4	5	2	0	0	0
SUNFLOWER	350	5	145	138	38	17	6	1	0	0
TALLAHATCHIE	177	6	67	68	21	13	2	0	0	0
TATE	98	1	37	41	11	5	3	0	0	0
TIPPAH	49	1	17	14	11	3	3	0	0	0
TISHOMINGO	7	0	3	2	2	0	0	0	0	0
TUNICA	113	4	47	38	17	4	3	0	0	0
UNION	46	1	21	13	9	2	0	0	0	0
WALTHALL	101	0	43	35	13	6	3	0	0	1
WARREN	327	4	115	121	48	24	12	3	0	0
WASHINGTON	860	21	337	335	109	36	18	4	0	0
WAYNE	111	3	39	43	16	8	2	0	0	0
WEBSTER	30	0	15	10	3	1	1	0	0	0
WILKINSON	69	1	19	30	13	5	1	0	0	0
WINSTON	99	3	31	40	12	9	3	1	0	0
YALOBUSHA	62	3	12	28	10	8	1	0	0	0
YAZOO	256	6	106	90	25	19	10	0	0	0

TABLE 6A
LIVE BIRTHS WEIGHING LESS THAN 2,500 GRAMS AT BIRTH
AND PERCENT OF TOTAL LIVE BIRTHS,
BY COUNTY OF RESIDENCE AND RACE OF MOTHER,
MISSISSIPPI, 1994

COUNTY	NUMBER			PERCENT		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>STATE</u>	<u>4, 135</u>	<u>1, 453</u>	<u>2, 682</u>	<u>9. 9</u>	<u>6. 7</u>	<u>13. 1</u>
ADAMS	62	8	54	11. 6	4. 7	14. 8
ALCORN	36	30	6	8. 7	8. 5	9. 7
AMITE	13	5	8	8. 3	6. 1	10. 7
ATTALA	24	13	11	10. 3	12. 0	8. 8
BENTON	24	12	12	22. 2	17. 1	31. 6
BOLIVAR	74	5	69	10. 9	3. 6	12. 7
CALHOUN	26	11	15	11. 3	8. 0	16. 3
CARROLL	7	4	3	6. 9	7. 1	6. 5
CHICKASAW	35	11	24	10. 6	6. 1	15. 9
CHOCTAW	10	5	5	8. 6	6. 8	11. 6
CLAIBORNE	14	1	13	7. 9	5. 9	8. 1
CLARKE	13	7	6	5. 6	5. 5	5. 7
CLAY	28	6	22	8. 5	5. 2	10. 2
COAHOMA	88	10	78	13. 4	7. 3	15. 0
COPIAH	57	13	44	13. 8	8. 8	16. 7
COVINGTON	27	7	20	8. 7	4. 7	12. 3
DESOTO	86	61	25	7. 3	6. 2	12. 9
FORREST	116	39	77	10. 3	6. 3	15. 3
FRANKLIN	13	2	11	11. 8	4. 4	16. 9
GEORGE	18	17	1	5. 6	5. 8	3. 1
GREENE	12	6	6	9. 4	6. 2	18. 8
GRENADA	34	8	26	10. 3	5. 2	14. 8
HANCOCK	30	25	5	6. 2	5. 8	8. 8
HARRISON	251	153	98	8. 4	7. 3	11. 2
HINDS	526	70	456	12. 7	5. 8	15. 5
HOLMES	55	5	50	13. 0	11. 6	13. 2
HUMPHREYS	17	4	13	8. 9	9. 8	8. 7
ISSAQUENA	1	0	1	4. 5	-	5. 3
ITAWAMBA	23	18	5	7. 8	7. 0	14. 7
JACKSON	159	81	78	8. 7	6. 6	12. 9
JASPER	26	6	20	10. 2	6. 4	12. 4
JEFFERSON	14	1	13	9. 5	11. 1	9. 4
JEFF DAVIS	26	2	24	11. 2	3. 1	14. 3
JONES	82	39	43	9. 0	7. 1	12. 1
KEMPER	17	3	14	11. 5	6. 7	13. 6
LAFAYETTE	29	10	19	7. 3	4. 5	11. 0
LAMAR	44	30	14	9. 2	7. 6	15. 9
LAUDERDALE	102	34	68	8. 4	5. 5	11. 3
LAWRENCE	21	8	13	11. 3	7. 8	15. 7
LEAKE	22	7	15	7. 0	4. 7	9. 1
LEE	127	60	67	9. 8	6. 8	16. 0
LEFLORE	64	11	53	9. 4	7. 4	10. 0

TABLE 6A - PAGE 2
LIVE BIRTHS LESS THAN 2,500 GRAMS - MISSISSIPPI - 1994

COUNTY	NUMBER			PERCENT		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
LINCOLN	37	15	22	8.6	5.4	14.3
LOWDES	92	31	61	8.9	5.6	12.7
MADISON	107	29	78	9.3	5.0	13.8
MARION	27	11	16	6.8	4.8	9.8
MARSHALL	80	22	58	13.4	9.9	15.6
MONROE	64	28	36	11.0	8.2	15.1
MONTGOMERY	18	5	13	10.8	7.9	12.6
NESHOBA	39	17	22	9.8	7.9	12.0
NEWTON	23	7	16	7.5	4.0	12.2
NOXUBEE	19	3	16	8.8	6.4	9.5
OKTIBBEHA	37	11	26	7.6	4.6	10.6
PANOLA	76	15	61	14.1	7.8	17.7
PEARL RIVER	33	23	10	5.5	4.9	7.8
PERRY	8	4	4	4.6	3.4	7.0
PIKE	51	8	43	8.8	3.8	11.6
PONTOTOC	23	18	5	6.9	6.6	8.8
PRENTISS	32	22	10	10.2	8.8	15.9
QUITMAN	26	1	25	13.7	2.7	16.3
RANKIN	129	85	44	9.5	8.1	14.5
SCOTT	48	26	22	11.1	12.6	9.8
SHARKEY	14	1	13	10.1	4.0	11.4
SIMPSON	53	20	33	13.8	9.8	18.4
SMITH	15	7	8	7.3	5.4	10.7
STONE	12	4	8	6.0	2.8	14.5
SUNFLOWER	49	8	41	9.5	8.0	9.9
TALLAHATCHIE	36	6	30	13.6	9.8	14.7
TATE	21	7	14	6.4	3.7	10.4
TIPPAH	37	31	6	12.9	14.4	8.6
TISHOMINGO	27	23	4	11.8	10.5	40.0
TUNICA	13	1	12	8.9	4.5	9.7
UNION	29	21	8	8.6	8.0	11.0
WALTHALL	23	3	20	10.0	3.4	14.0
WARREN	79	28	51	9.9	7.2	12.3
WASHINGTON	157	22	135	11.9	7.3	13.3
WAYNE	37	10	27	11.6	6.8	15.8
WEBSTER	8	5	3	7.0	6.8	7.1
WILKINSON	10	1	9	8.0	3.2	9.6
WINSTON	19	4	15	8.0	3.6	11.8
YALOBUSHA	14	7	7	7.9	8.1	7.7
YAZOO	60	15	45	12.3	9.1	14.0

TABLE 6B
LIVE BIRTHS WEIGHING LESS THAN 1,500 GRAMS AT BIRTH
AND PERCENT OF TOTAL LIVE BIRTHS,
BY COUNTY OF RESIDENCE AND RACE OF MOTHER,
MISSISSIPPI, 1994

COUNTY	NUMBER			PERCENT		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>STATE</u>	<u>769</u>	<u>218</u>	<u>551</u>	<u>1.8</u>	<u>1.0</u>	<u>2.7</u>
ADAMS	12	3	9	2.2	1.8	2.4
ALCORN	8	6	2	1.9	1.7	3.2
AMITE	2	0	2	1.3	-	2.7
ATTALA	9	5	4	3.9	4.6	3.2
BENTON	4	0	4	3.7	-	10.5
BOLIVAR	9	1	8	1.3	0.7	1.5
CALHOUN	5	1	4	2.2	0.7	4.3
CARROLL	4	3	1	3.9	5.4	2.2
CHICKASAW	1	0	1	0.3	-	0.7
CHOCTAW	1	1	0	0.9	1.4	-
CLAIBORNE	3	0	3	1.7	-	1.9
CLARKE	2	1	1	0.8	0.8	1.0
CLAY	8	1	7	2.4	0.9	3.2
COAHOMA	26	3	23	4.0	2.2	4.4
COPIAH	11	3	8	2.7	2.0	3.0
COVINGTON	9	1	8	2.9	0.7	4.9
DESOTO	14	8	6	1.2	0.8	3.1
FORREST	22	5	17	2.0	0.8	3.4
FRANKLIN	3	0	3	2.7	-	4.6
GEORGE	3	2	1	0.9	0.7	3.1
GREENE	3	1	2	2.3	1.0	6.2
GRENADA	5	0	5	1.5	-	2.8
HANCOCK	5	4	1	1.0	0.9	1.8
HARRISON	46	27	19	1.5	1.3	2.2
HINDS	98	6	92	2.4	0.5	3.1
HOLMES	9	1	8	2.1	2.3	2.1
HUMPHREYS	4	1	3	2.1	2.4	2.0
ISSAQUENA	0	0	0	-	-	-
ITAWAMBA	4	1	3	1.4	0.4	8.8
JACKSON	28	13	15	1.5	1.1	2.5
JASPER	9	2	7	3.5	2.1	4.3
JEFFERSON	4	0	4	2.7	-	2.9
JEFF DAVIS	5	0	5	2.2	-	3.0
JONES	13	4	9	1.4	0.7	2.5
KEMPER	3	0	3	2.0	-	2.9
LAFAYETTE	4	0	4	1.0	-	2.3
LAMAR	14	9	5	2.9	2.3	5.7
LAUDERDALE	16	4	12	1.3	0.6	2.0
LAWRENCE	4	2	2	2.2	1.9	2.4
LEAKE	2	0	2	0.6	-	1.2
LEE	22	8	14	1.7	0.9	3.3
LEFLORE	11	1	10	1.6	0.7	1.9

TABLE 6B - PAGE 2
LIVE BIRTHS LESS THAN 1,500 GRAMS - MISSISSIPPI - 1994

COUNTY	NUMBER			PERCENT		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
LINCOLN	9	2	7	2.1	0.7	4.5
LOWDES	16	5	11	1.6	0.9	2.3
MADISON	23	6	17	2.0	1.0	3.0
MARION	6	2	4	1.5	0.9	2.4
MARSHALL	21	5	16	3.5	2.2	4.3
MONROE	9	2	7	1.6	0.6	2.9
MONTGOMERY	2	0	2	1.2	-	1.9
NESHOBA	12	3	9	3.0	1.4	4.9
NEWTON	6	2	4	2.0	1.1	3.0
NOXUBEE	6	2	4	2.8	4.2	2.4
OKTIBBEHA	6	4	2	1.2	1.7	0.8
PANOLA	17	3	14	3.2	1.6	4.0
PEARL RIVER	4	3	1	0.7	0.6	0.8
PERRY	2	1	1	1.2	0.9	1.8
PIKE	4	0	4	0.7	-	1.1
PONTOTOC	3	2	1	0.9	0.7	1.8
PRETISS	4	2	2	1.3	0.8	3.2
QUITMAN	6	0	6	3.2	-	3.9
RANKIN	19	11	8	1.4	1.0	2.6
SCOTT	8	5	3	1.8	2.4	1.3
SHARKEY	2	0	2	1.4	-	1.8
SIMPSON	6	3	3	1.6	1.5	1.7
SMITH	1	1	0	0.5	0.8	-
STONE	2	0	2	1.0	-	3.6
SUNFLOWER	8	1	7	1.6	1.0	1.7
TALLAHATCHIE	4	2	2	1.5	3.3	1.0
TATE	2	0	2	0.6	-	1.5
TIPPAH	5	5	0	1.7	2.3	-
TISHOMINGO	4	3	1	1.7	1.4	10.0
TUNICA	5	0	5	3.4	-	4.0
UNION	5	5	0	1.5	1.9	-
WALTHALL	3	0	3	1.3	-	2.1
WARREN	21	6	15	2.6	1.6	3.6
WASHINGTON	25	0	25	1.9	-	2.5
WAYNE	10	2	8	3.1	1.4	4.7
WEBSTER	1	1	0	0.9	1.4	-
WILKINSON	1	0	1	0.8	-	1.1
WINSTON	3	0	3	1.3	-	2.4
YALOBUSHA	2	1	1	1.1	1.2	1.1
YAZOO	11	0	11	2.3	-	3.4

TABLE 7
PREMATURE* LIVE BIRTHS AND PERCENT OF TOTAL LIVE BIRTHS,
BY COUNTY OF RESIDENCE AND RACE OF MOTHER,
MISSISSIPPI, 1994

COUNTY	NUMBER			PERCENT		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>STATE</u>	<u>6, 380</u>	<u>2, 338</u>	<u>4, 042</u>	<u>15. 2</u>	<u>10. 8</u>	<u>19. 8</u>
ADAMS	82	20	62	15. 3	11. 8	16. 9
ALCORN	67	54	13	16. 2	15. 4	21. 0
AMITE	19	7	12	12. 1	8. 5	16. 0
ATTALA	42	14	28	18. 0	13. 0	22. 4
BENTON	26	11	15	24. 1	15. 7	39. 5
BOLIVAR	129	16	113	18. 9	11. 5	20. 8
CALHOUN	39	19	20	17. 0	13. 8	21. 7
CARROLL	18	8	10	17. 6	14. 3	21. 7
CHICKASAW	55	23	32	16. 6	12. 8	21. 2
CHOCTAW	13	7	6	11. 2	9. 6	14. 0
CLAIBORNE	22	1	21	12. 4	5. 9	13. 0
CLARKE	29	12	17	12. 4	9. 4	16. 2
CLAY	56	18	38	17. 0	15. 6	17. 7
COAHOMA	135	13	122	20. 5	9. 5	23. 4
COPIAH	59	18	41	14. 3	12. 2	15. 5
COVINGTON	56	16	40	18. 0	10. 7	24. 7
DESOTO	120	92	28	10. 1	9. 3	14. 4
FORREST	160	57	103	14. 2	9. 2	20. 4
FRANKLIN	13	3	10	11. 8	6. 7	15. 4
GEORGE	29	24	5	9. 0	8. 2	15. 6
GREENE	18	10	8	14. 1	10. 4	25. 0
GRENADA	47	12	35	14. 2	7. 7	20. 0
HANCOCK	51	40	11	10. 5	9. 4	19. 3
HARRISON	375	218	157	12. 6	10. 4	17. 9
HINDS	761	115	646	18. 4	9. 6	21. 9
HOLMES	89	8	81	21. 0	18. 6	21. 3
HUMPHREYS	34	4	30	17. 9	9. 8	20. 1
ISSAQUENA	2	0	2	9. 1	-	10. 5
ITAWAMBA	30	26	4	10. 2	10. 0	11. 8
JACKSON	248	137	111	13. 6	11. 2	18. 4
JASPER	31	8	23	12. 2	8. 5	14. 3
JEFFERSON	25	1	24	17. 0	11. 1	17. 4
JEFF DAVIS	42	4	38	18. 1	6. 2	22. 6
JONES	114	58	56	12. 6	10. 5	15. 7
KEMPER	27	3	24	18. 2	6. 7	23. 3
LAFAYETTE	56	17	39	14. 2	7. 6	22. 7
LAMAR	59	44	15	12. 3	11. 2	17. 0
LAUDERDALE	171	63	108	14. 1	10. 3	18. 0
LAWRENCE	28	8	20	15. 0	7. 8	24. 1
LEAKE	47	25	22	15. 1	16. 9	13. 4
LEE	187	98	89	14. 4	11. 2	21. 2
LEFLORE	111	14	97	16. 3	9. 4	18. 3

TABLE 7 - PAGE 2
 PREMATURE LIVE BIRTHS - MISSISSIPPI - 1994

COUNTY	NUMBER			PERCENT		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
LINCOLN	63	31	32	14.6	11.2	20.8
LOWNDES	139	52	87	13.5	9.4	18.2
MADISON	165	57	108	14.3	9.7	19.1
MARION	54	27	27	13.7	11.7	16.5
MARSHALL	101	26	75	16.9	11.6	20.1
MONROE	102	41	61	17.6	12.0	25.5
MONTGOMERY	27	9	18	16.3	14.3	17.5
NESHOPA	60	20	40	15.1	9.3	21.8
NEWTON	41	16	25	13.4	9.2	19.1
NOXUBEE	38	3	35	17.6	6.4	20.7
OKTIBBEHA	64	20	44	13.1	8.3	17.9
PANOLA	104	20	84	19.3	10.4	24.3
PEARL RIVER	69	40	29	11.5	8.5	22.5
PERRY	20	8	12	11.6	6.9	21.0
PIKE	112	27	85	19.3	13.0	22.9
PONTOTOC	51	35	16	15.4	12.8	28.1
PRENTISS	68	54	14	21.6	21.5	22.2
QUITMAN	46	4	42	24.2	10.8	27.4
RANKIN	164	116	48	12.1	11.0	15.8
SCOTT	71	29	42	16.5	14.0	18.8
SHARKEY	25	4	21	18.0	16.0	18.4
SIMPSON	57	19	38	14.8	9.3	21.2
SMITH	17	9	8	8.3	6.9	10.7
STONE	24	10	14	12.1	6.9	25.4
SUNFLOWER	85	11	74	16.5	11.0	17.8
TALLAHATCHIE	54	8	46	20.4	13.1	22.5
TATE	48	18	30	14.7	9.4	22.2
TIPPAH	57	41	16	19.9	19.0	22.8
TISHOMINGO	41	38	3	17.9	17.4	30.0
TUNICA	26	2	24	17.8	9.1	19.4
UNION	61	44	17	18.2	16.7	23.3
WALTHALL	44	11	33	19.0	12.5	23.1
WARREN	129	52	77	16.1	13.5	18.6
WASHINGTON	225	35	190	17.0	11.6	18.7
WAYNE	49	17	32	15.4	11.5	18.7
WEBSTER	10	7	3	8.7	9.6	7.1
WILKINSON	11	2	9	8.8	6.4	9.6
WINSTON	24	5	19	10.1	4.5	15.0
YALOBUSHA	26	8	18	14.7	9.3	19.8
YAZOO	86	16	70	17.7	9.8	21.7

* GESTATION LESS THAN 37 WEEKS.

TABLE 8
REPORTABLE* FETAL DEATHS, BY COUNTY OF OCCURRENCE AND RACE OF MOTHER,
ALSO REPORTABLE* FETAL DEATHS AND FETAL DEATH RATIOS,
BY COUNTY OF RESIDENCE AND RACE OF MOTHER,
MISSISSIPPI, 1994

COUNTY	OCCURRENCE DATA			RESIDENCE DATA					
	NUMBER			NUMBER			RATIO**		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
STATE	506	133	373	501	138	363	11.9	6.4	17.8
ADAMS	10	0	10	4	0	4	7.5	-	10.9
ALCORN	7	5	2	4	3	1	9.7	8.5	16.1
AMITE	0	0	0	3	0	3	19.1	-	40.0
ATTALA	2	0	2	3	1	2	12.9	9.2	16.0
BENTON	0	0	0	0	0	0	-	-	-
BOLIVAR	10	0	10	10	1	9	14.7	7.2	16.6
CALHOUN	0	0	0	0	0	0	-	-	-
CARROLL	0	0	0	2	0	2	19.6	-	43.5
CHICKASAW	0	0	0	4	0	4	12.1	-	26.5
CHOCTAW	0	0	0	1	1	0	8.6	13.7	-
CLAIBORNE	0	0	0	5	1	4	28.1	58.8	24.8
CLARKE	0	0	0	1	0	1	4.3	-	9.5
CLAY	2	0	2	3	0	3	9.1	-	14.0
COAHOMA	17	0	17	8	0	8	12.2	-	15.4
COPIAH	4	1	3	5	1	4	12.1	6.8	15.2
COVINGTON	3	0	3	2	0	2	6.4	-	12.3
DESOTO	7	4	3	6	4	2	5.1	4.0	10.3
FORREST	23	9	14	8	2	6	7.1	3.2	11.9
FRANKLIN	0	0	0	1	0	1	9.1	-	15.4
GEORGE	0	0	0	1	0	1	3.1	-	31.2
GREENE	0	0	0	1	1	0	7.8	10.4	-
GRENADA	7	1	6	2	1	1	6.1	6.4	5.7
HANCOCK	1	1	0	3	3	0	6.2	7.0	-
HARRISON	32	10	22	26	6	20	8.7	2.8	22.8
HINDS	155	25	130	72	7	65	17.4	5.8	22.1
HOLMES	0	0	0	3	0	3	7.1	-	7.9
HUMPHREYS	0	0	0	3	0	3	15.8	-	20.1
ISSAQUENA	0	0	0	0	0	0	-	-	-
ITAWAMBA	0	0	0	6	5	1	20.5	19.3	29.4
JACKSON	13	5	8	15	7	8	8.2	5.7	13.3
JASPER	0	0	0	5	2	3	19.6	21.3	18.6
JEFFERSON	0	0	0	4	0	4	27.2	-	29.0
JEFF DAVIS	1	0	1	3	0	3	12.9	-	17.8
JONES	19	5	14	13	1	12	14.3	1.8	33.7
KEMPER	0	0	0	3	2	1	20.3	44.4	9.7
LAFAYETTE	8	5	3	5	2	3	12.6	9.0	17.4
LAMAR	0	0	0	4	3	1	8.3	7.6	11.4
LAUDERDALE	20	7	13	13	2	11	10.7	3.3	18.3
LAWRENCE	0	0	0	0	0	0	-	-	-
LEAKE	0	0	0	3	1	2	9.6	6.8	12.2
LEE	18	8	10	11	3	8	8.5	3.4	19.0
LEFLORE	14	4	10	15	4	11	22.0	26.8	20.7

TABLE 8 - PAGE 2
 FETAL DEATHS - MISSISSIPPI - 1994

COUNTY	OCCURRENCE DATA			RESIDENCE DATA					
	NUMBER			NUMBER			RATIO**		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
LINCOLN	8	3	5	11	4	7	25.6	14.5	45.4
LOWNDES	15	4	11	12	4	8	11.6	7.2	16.7
MADISON	4	0	4	17	3	14	14.8	5.1	24.8
MARION	0	0	0	5	3	2	12.6	13.0	12.2
MARSHALL	0	0	0	1	1	0	1.7	4.5	-
MONROE	5	2	3	3	2	1	5.2	5.9	4.2
MONTGOMERY	0	0	0	3	0	3	18.1	-	29.1
NESHOBA	0	0	0	3	1	2	7.6	4.7	10.9
NEWTON	1	1	0	5	2	3	16.4	11.5	22.9
NOXUBEE	0	0	0	6	1	5	27.8	21.3	29.6
OKTIBBEHA	13	5	8	5	2	3	10.3	8.3	12.2
PANOLA	0	0	0	7	2	5	13.0	10.4	14.5
PEARL RIVER	2	1	1	3	1	2	5.0	2.1	15.5
PERRY	0	0	0	1	1	0	5.8	8.6	-
PIKE	8	3	5	5	0	5	8.6	-	13.5
PONTOTOC	0	0	0	1	0	1	3.0	-	17.5
PRENTISS	0	0	0	1	1	0	3.2	4.0	-
QUITMAN	0	0	0	4	1	3	21.0	27.0	19.6
RANKIN	19	13	6	15	11	4	11.0	10.4	13.2
SCOTT	0	0	0	11	7	4	25.5	33.8	17.8
SHARKEY	0	0	0	0	0	0	-	-	-
SIMPSON	0	0	0	5	2	3	13.0	9.8	16.8
SMITH	0	0	0	4	2	2	19.5	15.4	26.7
STONE	0	0	0	2	2	0	10.0	13.9	-
SUNFLOWER	8	0	8	15	1	14	29.1	10.0	33.7
TALLAHATCHIE	0	0	0	3	0	3	11.3	-	14.7
TATE	3	1	2	4	2	2	12.3	10.5	14.8
TIPPAH	0	0	0	0	0	0	-	-	-
TISHOMINGO	0	0	0	2	2	0	8.7	9.1	-
TUNICA	0	0	0	3	0	3	20.5	-	24.2
UNION	2	2	0	0	0	0	-	-	-
WALTHALL	0	0	0	3	2	1	13.0	22.7	7.0
WARREN	19	3	16	19	4	15	23.8	10.4	36.2
WASHINGTON	18	4	14	20	5	15	15.2	16.5	14.8
WAYNE	3	0	3	5	1	4	15.7	6.8	23.4
WEBSTER	0	0	0	1	0	1	8.7	-	23.8
WILKINSON	4	0	4	3	0	3	24.0	-	31.9
WINSTON	0	0	0	5	3	2	21.1	27.3	15.7
YALOBUSHA	0	0	0	0	0	0	-	-	-
YAZOO	1	1	0	7	1	6	14.4	6.1	18.6
OUT OF STATE	12	10	2	17	5	12			

* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

** REPORTABLE FETAL DEATHS PER 1,000 LIVE BIRTHS.

TABLE 9
DEATHS, BY PLACE OF OCCURRENCE AND RACE,
ALSO DEATHS AND RATES, BY PLACE OF RESIDENCE AND RACE,
(PLACE INCLUDES COUNTIES, OUT OF STATE, TOWNS OF 10,000 OR MORE),
MISSISSIPPI, 1994

COUNTY	OCCURRENCE DATA			RESIDENCE DATA					
	NUMBER			NUMBER			RATE*		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>STATE</u>	<u>25, 959</u>	<u>16, 725</u>	<u>9, 234</u>	<u>26, 657</u>	<u>17, 210</u>	<u>9, 447</u>	<u>10. 4</u>	<u>10. 5</u>	<u>10. 0</u>
ADAMS	528	266	262	423	202	221	12. 0	11. 2	12. 8
ALCORN	369	322	47	390	341	49	12. 3	12. 1	13. 5
AMITE	43	24	19	128	74	54	9. 6	10. 2	8. 9
ATTALA	193	130	63	258	168	90	14. 0	15. 1	12. 2
BENTON	34	22	12	105	70	35	13. 0	14. 4	11. 0
BOLIVAR	371	135	236	431	156	275	10. 3	10. 2	10. 3
CALHOUN	91	71	20	150	120	30	10. 1	11. 1	7. 4
CARROLL	34	19	15	78	47	31	8. 4	8. 4	8. 4
CHICKASAW	114	85	29	184	128	56	10. 2	11. 6	8. 0
CHOCTAW	70	52	18	107	80	27	11. 8	12. 7	9. 8
CLAIBORNE	93	26	67	127	39	88	11. 2	19. 6	9. 4
CLARKE	147	87	60	192	116	76	11. 1	10. 2	12. 7
CLAY	202	120	82	257	135	122	12. 2	13. 8	10. 8
COAHOMA	391	125	266	415	151	264	13. 1	13. 7	12. 8
COPIAH	199	124	75	313	189	124	11. 3	13. 9	8. 9
COVINGTON	108	76	32	186	133	53	11. 2	12. 4	9. 1
DESOTO	375	283	92	491	406	85	7. 2	6. 9	9. 4
FORREST	1, 094	740	354	728	490	238	10. 6	10. 5	11. 0
FRANKLIN	60	38	22	88	54	34	10. 5	10. 2	11. 0
GEORGE	112	99	13	154	138	16	9. 2	9. 2	9. 7
GREENE	32	27	5	105	87	18	10. 3	10. 9	8. 1
GRENADA	226	130	96	245	138	107	11. 4	11. 0	11. 9
HANCOCK	273	251	22	380	350	30	12. 0	12. 2	9. 6
HARRISON	1, 962	1, 597	365	1, 649	1, 331	318	10. 0	10. 4	8. 4
HINDS	4, 023	2, 250	1, 773	2, 426	1, 261	1, 165	9. 5	10. 2	8. 9
HOLMES	215	66	149	286	86	200	13. 2	16. 6	12. 2
HUMPHREYS	101	39	62	130	45	85	10. 7	11. 7	10. 3
ISSAQUENA	8	5	3	12	4	8	6. 3	4. 8	7. 4
ITAWAMBA	91	88	3	214	201	13	10. 7	10. 8	9. 1
JACKSON	830	669	161	950	778	172	8. 2	8. 6	6. 8
JASPER	82	53	29	181	90	91	10. 6	10. 7	10. 4
JEFFERSON	52	10	42	93	23	70	10. 7	19. 4	9. 4
JEFF DAVIS	105	61	44	165	87	78	11. 7	13. 7	10. 1
JONES	615	447	168	700	532	168	11. 3	11. 5	10. 6
KEMPER	50	32	18	117	64	53	11. 3	14. 5	8. 9
LAFAYETTE	384	270	114	251	175	76	7. 9	7. 6	8. 8
LAMAR	361	302	59	234	206	28	7. 7	7. 7	7. 3
LAUDERDALE	1, 241	816	425	835	566	269	11. 0	11. 6	10. 0
LAWRENCE	77	54	23	124	87	37	10. 0	10. 5	8. 9
LEAKE	176	127	49	231	151	80	12. 5	13. 6	10. 9
LEE	1, 296	977	319	591	437	154	9. 0	8. 5	10. 8
LEFLORE	492	227	265	449	213	236	12. 0	14. 7	10. 3

TABLE 9 - PAGE 2
DEATHS - MISSISSIPPI - 1994

COUNTY	OCCURRENCE DATA			RESIDENCE DATA					
	NUMBER			NUMBER			RATE*		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
LINCOLN	306	224	82	326	241	85	10.8	11.4	9.3
LOWNDES	538	304	234	523	304	219	8.8	8.3	9.7
MADISON	258	143	115	462	278	184	8.6	9.3	7.7
MARION	202	145	57	297	211	86	11.6	11.9	11.0
MARSHALL	181	73	108	307	135	172	10.1	9.1	11.1
MONROE	299	211	88	406	270	136	11.1	10.6	12.2
MONTGOMERY	110	71	39	135	86	49	10.9	12.4	9.0
NESHOBA	159	113	46	299	216	83	12.0	12.7	10.6
NEWTON	205	130	75	269	174	95	13.2	12.7	14.4
NOXUBEE	110	45	65	142	60	82	11.3	15.2	9.5
OKTIBBEHA	241	153	88	282	169	113	7.3	7.0	7.9
PANOLA	208	121	87	320	189	131	10.7	12.3	9.0
PEARL RIVER	296	246	50	421	362	59	10.9	11.0	10.1
PERRY	67	55	12	103	73	30	9.5	8.8	11.8
PIKE	390	235	155	418	254	164	11.3	12.7	9.7
PONTOTOC	126	114	12	238	212	26	10.7	11.2	7.8
PRENTISS	156	134	22	219	186	33	9.4	9.1	11.8
QUITMAN	80	33	47	118	60	58	11.2	14.1	9.3
RANKIN	540	406	134	665	508	157	7.6	7.0	10.4
SCOTT	235	145	90	288	184	104	11.9	12.4	11.2
SHARKEY	61	24	37	85	34	51	12.0	14.5	10.8
SIMPSON	228	164	64	259	178	81	10.8	11.0	10.3
SMITH	48	36	12	162	135	27	10.9	11.7	8.2
STONE	78	56	22	148	112	36	13.8	13.4	15.1
SUNFLOWER	269	118	151	339	130	209	10.3	11.2	9.8
TALLAHATCHIE	82	47	35	160	77	83	10.5	12.3	9.3
TATE	153	95	58	241	154	87	11.2	11.0	11.6
TIPPAH	207	176	31	274	222	52	14.0	13.7	15.9
TISHOMINGO	150	145	5	230	224	6	13.0	13.2	8.9
TUNICA	59	25	34	89	30	59	10.9	15.1	9.6
UNION	249	198	51	274	227	47	12.4	12.1	14.3
WALTHALL	116	70	46	158	98	60	11.0	11.9	9.8
WARREN	580	298	282	539	281	258	11.2	9.7	13.6
WASHINGTON	706	259	447	705	279	426	10.4	9.8	10.8
WAYNE	186	123	63	190	123	67	9.7	9.8	9.6
WEBSTER	110	91	19	141	114	27	13.8	14.3	11.9
WILKINSON	126	53	73	121	48	73	12.5	15.4	11.1
WINSTON	198	130	68	256	168	88	13.2	15.1	10.6
YALOBUSHA	73	50	23	147	91	56	12.2	12.2	12.3
YAZOO	253	124	129	328	164	164	12.9	13.7	12.1
OUT OF STATE	1,602	1,130	472	904	645	259			

TABLE 9 - PAGE 3
DEATHS - MISSISSIPPI - 1994

TOWN**	NUMBER			RATE*		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
BILOXI	448	368	80	9.7	10.6	6.8
BRANDON	156	127	29	14.1	13.2	20.3
BROOKHAVEN	172	124	48	16.8	22.1	10.4
CANTON	147	64	83	14.6	19.6	12.2
CLARKSDALE	306	126	180	15.5	17.0	14.6
CLEVELAND	167	82	85	10.8	9.9	11.9
CLINTON	150	124	26	6.9	6.9	6.5
COLUMBUS	318	163	155	13.4	14.2	12.6
CORINTH	188	146	42	15.9	15.9	15.9
GAUTIER	73	65	8	7.2	8.7	3.1
GREENVILLE	521	206	315	11.5	11.4	11.6
GREENWOOD	264	125	139	14.0	16.4	12.3
GRENADA	187	103	84	17.2	18.8	15.6
GULFPORT	712	518	194	17.5	18.2	15.8
HATTIESBURG	549	334	215	13.1	13.7	12.3
INDIANOLA	122	46	76	10.3	11.6	9.7
JACKSON	1,985	996	989	10.1	11.6	8.9
LAUREL	279	171	108	14.8	17.6	11.8
LONG BEACH	124	121	3	7.8	8.3	2.3
MCCOMB	181	117	64	15.6	18.9	11.9
MERIDIAN	573	352	221	14.0	15.9	11.7
MOSS POINT	177	91	86	9.9	14.9	7.3
NATCHEZ	298	142	156	15.3	14.8	15.8
OCEAN SPRINGS	169	154	15	11.5	11.6	11.3
PASCAGOULA	252	198	54	9.7	9.9	9.2
PEARL	128	112	16	6.5	6.3	8.7
PICAYUNE	143	103	40	13.4	15.4	10.2
RIDGELAND	57	54	3	4.9	5.3	2.0
SOUTHAVEN	144	136	8	8.0	7.8	13.6
STARKVILLE	144	94	50	7.8	7.4	8.8
TUPELO	282	215	67	9.2	9.3	8.8
VICKSBURG	422	203	219	20.2	24.0	17.6
YAZOO CITY	207	96	111	16.6	22.2	13.7

* DEATHS PER 1,000 POPULATION.

** TOWNS OF 10,000 POPULATION OR MORE.

TABLE 10
DEATHS, BY CAUSE AND RACE,
MISSISSIPPI RESIDENTS, 1994

International Classification Number*	Cause*	Total	White	Non- white
001- 999	<u>ALL CAUSES</u>	26, 657	17, 210	9, 447
001- 139	<u>INFECTIOUS AND PARASITIC DISEASES</u>	647	347	300
001-009	<u>Intestinal infectious diseases</u>	12	7	5
002, 003	<u>Typhoid and paratyphoid fevers, and other salmonella infections</u>	2	2	0
003	Other salmonella infections	2	2	0
008, 009	<u>Other and ill-defined intestinal infections</u>	10	5	5
008	Intestinal infections due to other organisms	3	2	1
009	Ill-defined intestinal infections	7	3	4
010-018	<u>Tuberculosis</u>	20	4	16
010-012	<u>Respiratory</u>	14	2	12
011	Pulmonary	14	2	12
013-018	<u>Other forms</u>	6	2	4
013	Meninges and central nervous system	2	0	2
015	Bones and joints	1	1	0
017	Other organs	3	1	2
020-027	<u>Zoonotic bacterial diseases</u>	0	0	0
030-041	<u>Other bacterial diseases</u>	256	162	94
031	Other diseases due to mycobacteria	6	5	1
036	Meningococcal infection	2	0	2
038	Septicemia	240	150	90
040	Other bacterial diseases	4	4	0
041	Bacterial infection of unspecified site	4	3	1
042-044	<u>Human immunodeficiency virus infection</u>	269	120	149
042	With specified conditions	258	114	144
043	Causing other specified conditions	1	1	0
044	Other human immunodeficiency virus infections	10	5	5
045-049	<u>Polio myelitis and other non-arthropod-borne diseases of central nervous system</u>	5	3	2
046	Slow virus infection	2	2	0
047	Meningitis due to enterovirus	1	0	1
049	Other non-arthropod-borne diseases	2	1	1
050-057	<u>Viral diseases accompanied by exanthem</u>	6	4	2
052	Chickenpox	2	1	1
053	Herpes zoster	1	1	0
054	Herpes simplex	3	2	1
060-066	<u>Arthropod-borne viral diseases</u>	0	0	0
070-079	<u>Other diseases due to viruses and Chlamydiae</u>	35	25	10
070	Viral hepatitis	29	20	9
078	Other diseases due to viruses and Chlamydiae	3	2	1
079	Viral infection in conditions classified elsewhere and of unspecified site	3	3	0
080-088	<u>Rickettsioses and other arthropod-borne diseases</u>	0	0	0
090-099	<u>Syphilis and other venereal diseases</u>	6	0	6
090-097	<u>Syphilis and its sequelae</u>	6	0	6
090	Congenital	4	0	4
093	Cardiovascular	1	0	1
094	Neurosyphilis	1	0	1

Table 10 - Page 2
Deaths - Mississippi - 1994

International Classification Number*	Cause*	Total	White	Non- white
<u>100- 104</u>	<u>Other spirochetal diseases</u>	<u>0</u>	<u>0</u>	<u>0</u>
<u>110- 118</u>	<u>Mycoses</u>	<u>21</u>	<u>13</u>	<u>8</u>
112	Candidiasis	6	5	1
115	Histoplasmosis	2	2	0
116	Blastomycotic infection	2	2	0
117	Other mycoses	11	4	7
<u>120- 129</u>	<u>Helminthiasis</u>	<u>0</u>	<u>0</u>	<u>0</u>
<u>130- 139</u>	<u>Other infectious and parasitic diseases</u>	<u>17</u>	<u>9</u>	<u>8</u>
135	Sarcoidosis	9	3	6
136	Other and unspecified infectious and parasitic diseases	3	3	0
137	Late effects of tuberculosis	1	0	1
138	Late effects of acute poliomyelitis	4	3	1
<u>140- 239</u>	<u>NEOPLASMS</u>	<u>5, 660</u>	<u>3, 759</u>	<u>1, 901</u>
<u>140- 208</u>	<u>Malignant neoplasms</u>	<u>5, 602</u>	<u>3, 727</u>	<u>1, 875</u>
<u>140- 149</u>	<u>Lip, oral cavity, and pharynx</u>	<u>83</u>	<u>48</u>	<u>35</u>
141	Tongue	12	8	4
142	Major salivary glands	4	4	0
145	Other and unspecified parts of mouth	12	9	3
146	Oropharynx	7	3	4
147	Nasopharynx	6	2	4
148	Hypopharynx	5	1	4
149	Other and ill-defined sites	37	21	16
<u>150- 159</u>	<u>Digestive organs and peritoneum</u>	<u>1, 198</u>	<u>738</u>	<u>460</u>
150	Esophagus	88	41	47
151	Stomach	125	65	60
152	Small intestine, including duodenum	9	7	2
153	Colon	471	306	165
154	Rectum, rectosigmoid junction, and anus	52	37	15
155	Liver and intrahepatic bile ducts	124	81	43
156	Gallbladder and extrahepatic bile ducts	21	14	7
157	Pancreas	298	180	118
158	Retroperitoneum and peritoneum	2	1	1
159	Other and ill-defined sites	8	6	2
<u>160- 165</u>	<u>Respiratory and intrathoracic organs</u>	<u>1, 697</u>	<u>1, 231</u>	<u>466</u>
160	Nasal cavities, middle ear, and accessory sinuses	8	4	4
161	Larynx	32	20	12
162	Trachea, bronchus, and lung	1, 647	1, 198	449
163	Pleura	8	7	1
164	Thymus, heart, and mediastinum	2	2	0
<u>170- 175</u>	<u>Bone, connective tissue, skin, and breast</u>	<u>507</u>	<u>348</u>	<u>159</u>
170	Bone and articular cartilage	43	25	18
171	Connective and other soft tissue	19	13	6
172	Melanoma of skin	34	31	3
173	Skin, other	25	23	2
174	Female breast	378	249	129
175	Male breast	8	7	1
<u>179- 189</u>	<u>Genitourinary organs</u>	<u>876</u>	<u>487</u>	<u>389</u>

Table 10 - Page 3
Deaths - Mississippi - 1994

International Classification		Total	White	Non-white
Number*	Cause*			
<u>(179-187)</u>	<u>(Genital organs)</u>	<u>669</u>	<u>337</u>	<u>332</u>
179	Uterus, part unspecified	28	13	15
180	Cervix uteri	69	34	35
181	Placenta	1	1	0
182	Body of uterus	25	11	14
183	Ovary and other uterine adnexa	106	73	33
184	Other and unspecified female genital organs	11	10	1
185	Prostate	424	190	234
186	Testis	4	4	0
187	Penis and other male genital organs	1	1	0
<u>(188, 189)</u>	<u>(Urinary organs)</u>	<u>207</u>	<u>150</u>	<u>57</u>
188	Bladder	86	61	25
189	Kidney and other and unspecified urinary organs	121	89	32
<u>190-199</u>	<u>Other and unspecified sites</u>	<u>772</u>	<u>537</u>	<u>235</u>
190	Eye	6	6	0
191	Brain	144	122	22
193	Thyroid gland	7	4	3
194	Other endocrine glands and related structures	7	6	1
195	Other and ill-defined sites	41	26	15
199	Site unspecified	567	373	194
<u>200-208</u>	<u>Lymphatic and hematopoietic tissue</u>	<u>469</u>	<u>338</u>	<u>131</u>
200	Lymphosarcoma and reticulosarcoma	10	8	2
201	Hodgkin's disease	12	8	4
202	Other lymphoid and histiocytic tissue	180	146	34
203	Multiple myeloma and immunoproliferative neoplasms	99	54	45
<u>(204-208)</u>	<u>(Leukemia)</u>	<u>168</u>	<u>122</u>	<u>46</u>
204	Lymphatic	53	42	11
205	Myeloid	64	40	24
206	Monocytic	2	2	0
207	Other specified	5	3	2
208	Unspecified cell type	44	35	9
<u>210-229</u>	<u>Benign neoplasms</u>	<u>14</u>	<u>9</u>	<u>5</u>
211	Benign neoplasm of other parts of digestive system	1	0	1
216	Benign neoplasm of skin	1	1	0
225	Benign neoplasm of brain and other parts of nervous system	10	6	4
227	Benign neoplasm of other endocrine glands and related structures	2	2	0
<u>230-234</u>	<u>Carcinoma in situ</u>	<u>0</u>	<u>0</u>	<u>0</u>
<u>235-239</u>	<u>Neoplasms of uncertain behavior and unspecified nature</u>	<u>44</u>	<u>23</u>	<u>21</u>
<u>235-238</u>	<u>Uncertain behavior</u>	<u>15</u>	<u>6</u>	<u>9</u>
235	Digestive and respiratory systems	1	0	1
237	Endocrine glands and nervous system	9	4	5
238	Other and unspecified sites and tissues	5	2	3
239	Unspecified nature	29	17	12
<u>240-279</u>	<u>ENDOCRINE, NUTRITIONAL, AND METABOLIC DISEASES</u>	<u>734</u>	<u>389</u>	<u>345</u>

Table 10 - Page 4
Deaths - Mississippi - 1994

International Classification Number*	Cause*	Total	White	Non- white
<u>240-246</u>	<u>Diseases of thyroid gland</u>	<u>12</u>	<u>9</u>	<u>3</u>
240	Simple and unspecified goiter	1	1	0
242	Thyrotoxicosis with or without goiter	5	2	3
244	Acquired hypothyroidism	6	6	0
<u>250-259</u>	<u>Diseases of other endocrine glands</u>	<u>502</u>	<u>256</u>	<u>246</u>
250	Diabetes mellitus	495	250	245
251	Other disorders of pancreatic internal secretion	3	3	0
252	Disorders of parathyroid gland	1	0	1
253	Disorders of pituitary gland and its hypothalamic control	1	1	0
255	Disorders of adrenal glands	1	1	0
259	Other endocrine disorders	1	1	0
<u>260-269</u>	<u>Nutritional deficiencies</u>	<u>52</u>	<u>30</u>	<u>22</u>
260	Kwashiorkor	1	1	0
261	Nutritional marasmus	9	5	4
263	Other and unspecified protein-calorie malnutrition	36	20	16
269	Other nutritional deficiencies	6	4	2
<u>270-279</u>	<u>Other metabolic disorders and immunity disorders</u>	<u>168</u>	<u>94</u>	<u>74</u>
271	Disorders of carbohydrate transport and metabolism	1	1	0
272	Disorders of lipid metabolism	6	6	0
273	Disorders of plasma protein metabolism	3	2	1
274	Gout	1	0	1
275	Disorders of mineral metabolism	6	3	3
276	Disorders of fluid, electrolyte, and acid-base balance	100	58	42
277	Other and unspecified disorders of metabolism	15	8	7
278	Obesity and other hyperalimentation	28	10	18
279	Disorders involving the immune mechanism	8	6	2
<u>280-289</u>	<u>DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS</u>	<u>106</u>	<u>69</u>	<u>37</u>
<u>280-285</u>	<u>Anemias</u>	<u>46</u>	<u>20</u>	<u>26</u>
281	Other deficiency anemias	1	1	0
282	Hereditary hemolytic	12	1	11
283	Acquired hemolytic	2	1	1
284	Aplastic	16	10	6
285	Other and unspecified	15	7	8
286	Coagulation defects	16	12	4
287	Purpura and other hemorrhagic conditions	9	7	2
288	Diseases of white blood cells	6	5	1
289	Other diseases of blood and blood-forming organs	29	25	4
<u>290-319</u>	<u>MENTAL DISORDERS</u>	<u>278</u>	<u>192</u>	<u>86</u>
<u>290-299</u>	<u>Psychoses</u>	<u>132</u>	<u>101</u>	<u>31</u>
290	Senile and presenile organic psychotic conditions	76	58	18
291	Alcoholic psychoses	6	4	2
292	Drug psychoses	1	1	0
293	Transient organic psychotic conditions	2	1	1

Table 10 - Page 5
Deaths - Mississippi - 1994

International Classification Number*	Cause*	Total	White	Non- white
294	Other organic psychotic conditions (chronic)	4	3	1
295	Schizophrenic psychoses	7	3	4
296	Affective psychoses	1	1	0
298	Other nonorganic psychoses	35	30	5
<u>300-316</u>	<u>Neurotic disorders, personality disorders, and other nonpsychotic mental disorders</u>	<u>137</u>	<u>87</u>	<u>50</u>
303	Alcohol dependence syndrome	47	21	26
305	Nondependent abuse of drugs	16	9	7
306	Physiological malfunction arising from mental factors	1	0	1
310	Specific nonpsychotic mental disorders following organic brain damage	71	56	15
311	Depressive disorder, not elsewhere classified	1	1	0
315	Specific delays in development	1	0	1
<u>317-319</u>	<u>Mental retardation</u>	<u>9</u>	<u>4</u>	<u>5</u>
318	Other specified	3	2	1
319	Unspecified	6	2	4
<u>320-389</u>	<u>DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS</u>	<u>437</u>	<u>336</u>	<u>101</u>
<u>320-326</u>	<u>Inflammatory diseases of central nervous system</u>	<u>19</u>	<u>8</u>	<u>11</u>
320	Bacterial meningitis	7	2	5
322	Meningitis of unspecified cause	7	4	3
323	Encephalitis, myelitis, and encephalomyelitis	2	1	1
324	Intracranial and intraspinal abscess	2	1	1
326	Late effects of intracranial abscess or pyogenic infection	1	0	1
<u>330-337</u>	<u>Hereditary and degenerative diseases of the central nervous system</u>	<u>302</u>	<u>251</u>	<u>51</u>
330	Cerebral degenerations usually manifest in childhood	3	3	0
331	Other cerebral degenerations	176	145	31
332	Parkinson's disease	67	58	9
333	Other extrapyramidal disease and abnormal movement disorders	9	7	2
334	Spinocerebellar disease	3	2	1
335	Anterior horn cell disease	43	36	7
336	Other diseases of spinal cord	1	0	1
<u>340-349</u>	<u>Other disorders of the central nervous system</u>	<u>87</u>	<u>52</u>	<u>35</u>
340	Multiple sclerosis	7	7	0
343	Infantile cerebral palsy	10	6	4
344	Other paralytic syndromes	5	3	2
345	Epilepsy	27	13	14
348	Other conditions of brain	34	20	14
349	Other and unspecified disorders of the nervous system	4	3	1
<u>350-359</u>	<u>Disorders of peripheral nervous system</u>	<u>25</u>	<u>21</u>	<u>4</u>
352	Disorders of other cranial nerves	1	0	1
354	Mononeuritis of upper limb and mononeuritis multiplex	1	1	0
355	Mononeuritis of lower limb	1	1	0

Table 10 - Page 6
Deaths - Mississippi - 1994

International Classification Number*	Cause*	Total	White	Non- white
356	Hereditary and idiopathic peripheral neuropathy	4	4	0
357	Inflammatory and toxic neuropathy	2	1	1
358	Myoneural disorders	5	5	0
359	Muscular dystrophies and other myopathies	11	9	2
<u>360-379</u>	<u>Disorders of the eye and adnexa</u>	<u>1</u>	<u>1</u>	<u>0</u>
369	Blindness and low vision	1	1	0
<u>380-389</u>	<u>Diseases of the ear and mastoid process</u>	<u>3</u>	<u>3</u>	<u>0</u>
<u>381-383</u>	<u>Otitis media and mastoiditis</u>	<u>3</u>	<u>3</u>	<u>0</u>
382	Suppurative and unspecified otitis media	3	3	0
<u>390-459</u>	<u>DISEASES OF THE CIRCULATORY SYSTEM</u>	<u>11,995</u>	<u>7,849</u>	<u>4,</u>
<u>390-392</u>	<u>Active rheumatic fever</u>	<u>0</u>	<u>0</u>	<u>0</u>
<u>393-398</u>	<u>Chronic rheumatic heart disease</u>	<u>35</u>	<u>26</u>	<u>9</u>
394	Diseases of mitral valve	21	15	6
396	Diseases of mitral and aortic valves	8	7	1
397	Diseases of other endocardial structures	1	0	1
398	Other rheumatic heart disease	5	4	1
<u>401-405</u>	<u>Hypertensive disease</u>	<u>502</u>	<u>212</u>	<u>290</u>
<u>401, 403</u>	<u>Hypertension with or without renal disease</u>	<u>160</u>	<u>64</u>	<u>96</u>
401	Essential hypertension	107	45	62
403	Hypertensive renal disease	53	19	34
<u>402, 404</u>	<u>Hypertensive heart disease with or without renal disease</u>	<u>342</u>	<u>148</u>	<u>194</u>
402	Hypertensive heart disease	299	128	171
404	Hypertensive heart and renal disease	43	20	23
<u>410-414</u>	<u>Ischemic heart disease</u>	<u>4,801</u>	<u>3,352</u>	<u>1,</u>
410	Acute myocardial infarction	2,998	2,039	959
411	Other acute and subacute forms of ischemic heart disease	16	7	9
412	Old myocardial infarction	9	8	1
413	Angina pectoris	13	11	2
414	Other forms of chronic ischemic heart disease	1,765	1,288	477
<u>415-417</u>	<u>Diseases of pulmonary circulation</u>	<u>191</u>	<u>120</u>	<u>71</u>
415	Acute pulmonary heart disease	165	106	59
416	Chronic pulmonary heart disease	26	14	12
<u>420-429</u>	<u>Other forms of heart disease</u>	<u>4,248</u>	<u>2,719</u>	<u>1,</u>
421	Acute and subacute endocarditis	8	3	5
422	Acute myocarditis	3	1	2
423	Other diseases of pericardium	6	6	0
424	Other diseases of endocardium	101	79	22
425	Cardiomyopathy	321	193	128
426	Conduction disorders	9	5	4
427	Cardiac dysrhythmias	1,126	647	475
428	Heart failure	1,111	780	331
429	Ill-defined heart diseases	1,567	1,005	562
<u>430-438</u>	<u>Cerebrovascular diseases</u>	<u>1,753</u>	<u>1,087</u>	<u>666</u>
430	Subarachnoid hemorrhage	75	46	29
431	Intracerebral hemorrhage	206	121	85
432	Other and unspecified intracranial hemorrhage	37	23	14
433	Occlusion and stenosis of precerebral arteries	18	14	4

Table 10 - Page 6
Deaths - Mississippi - 1994

International Classification Number*	Cause*	Total	White	Non- white
356	Hereditary and idiopathic peripheral neuropathy	4	4	0
357	Inflammatory and toxic neuropathy	2	1	1
358	Myoneural disorders	5	5	0
359	Muscular dystrophies and other myopathies	11	9	2
<u>360-379</u>	<u>Disorders of the eye and adnexa</u>	<u>1</u>	<u>1</u>	<u>0</u>
369	Blindness and low vision	1	1	0
<u>380-389</u>	<u>Diseases of the ear and mastoid process</u>	<u>3</u>	<u>3</u>	<u>0</u>
<u>381-383</u>	<u>Otitis media and mastoiditis</u>	<u>3</u>	<u>3</u>	<u>0</u>
382	Suppurative and unspecified otitis media	3	3	0
<u>390-459</u>	<u>DISEASES OF THE CIRCULATORY SYSTEM</u>	<u>11,995</u>	<u>7,849</u>	<u>4,146</u>
<u>390-392</u>	<u>Active rheumatic fever</u>	<u>0</u>	<u>0</u>	<u>0</u>
<u>393-398</u>	<u>Chronic rheumatic heart disease</u>	<u>35</u>	<u>26</u>	<u>9</u>
394	Diseases of mitral valve	21	15	6
396	Diseases of mitral and aortic valves	8	7	1
397	Diseases of other endocardial structures	1	0	1
398	Other rheumatic heart disease	5	4	1
<u>401-405</u>	<u>Hypertensive disease</u>	<u>502</u>	<u>212</u>	<u>290</u>
<u>401, 403</u>	<u>Hypertension with or without renal disease</u>	<u>160</u>	<u>64</u>	<u>96</u>
401	Essential hypertension	107	45	62
403	Hypertensive renal disease	53	19	34
<u>402, 404</u>	<u>Hypertensive heart disease with or without renal disease</u>	<u>342</u>	<u>148</u>	<u>194</u>
402	Hypertensive heart disease	299	128	171
404	Hypertensive heart and renal disease	43	20	23
<u>410-414</u>	<u>Ischemic heart disease</u>	<u>4,801</u>	<u>3,352</u>	<u>1,449</u>
410	Acute myocardial infarction	2,998	2,039	959
411	Other acute and subacute forms of ischemic heart disease	16	7	9
412	Old myocardial infarction	9	8	1
413	Angina pectoris	13	11	2
414	Other forms of chronic ischemic heart disease	1,765	1,287	478
<u>415-417</u>	<u>Diseases of pulmonary circulation</u>	<u>191</u>	<u>120</u>	<u>71</u>
415	Acute pulmonary heart disease	165	106	59
416	Chronic pulmonary heart disease	26	14	12
<u>420-429</u>	<u>Other forms of heart disease</u>	<u>4,248</u>	<u>2,719</u>	<u>1,529</u>
421	Acute and subacute endocarditis	8	3	5
422	Acute myocarditis	3	1	2
423	Other diseases of pericardium	6	6	0
424	Other diseases of endocardium	101	79	22
425	Cardiomyopathy	321	193	128
426	Conduction disorders	9	5	4
427	Cardiac dysrhythmias	1,122	647	475
428	Heart failure	1,111	780	331
429	Ill-defined heart diseases	1,567	1,005	562
<u>430-438</u>	<u>Cerebrovascular diseases</u>	<u>1,753</u>	<u>1,087</u>	<u>666</u>
430	Subarachnoid hemorrhage	75	46	29
431	Intracerebral hemorrhage	206	121	85
432	Other and unspecified intracranial hemorrhage	37	23	14
433	Occlusion and stenosis of precerebral arteries	18	14	4

Table 10 - Page 7
Deaths - Mississippi - 1994

International Classification Number*	Cause*	Total	White	Non- white
434	Occlusion of cerebral arteries	166	105	61
435	Transient cerebral ischemia	5	4	1
436	Acute but ill-defined cerebrovascular disease	1,072	661	411
437	Other and ill-defined cerebrovascular disease	74	51	23
438	Late effects of cerebrovascular disease	100	62	38
<u>440-448</u>	<u>Diseases of arteries, arterioles, and capillaries</u>	<u>394</u>	<u>287</u>	<u>107</u>
440	Atherosclerosis	140	106	34
<u>441-448</u>	<u>Other diseases of arteries, arterioles, and capillaries</u>	<u>254</u>	<u>181</u>	<u>73</u>
441	Aortic aneurysm	156	116	40
442	Other aneurysm	16	14	2
443	Other peripheral vascular disease	40	18	22
444	Arterial embolism and thrombosis	17	14	3
446	Polyarteritis nodosa and allied conditions	15	12	3
447	Other disorders of arteries and arterioles	10	7	3
<u>451-459</u>	<u>Diseases of veins and lymphatics, and other diseases of circulatory system</u>	<u>71</u>	<u>46</u>	<u>25</u>
<u>451-453</u>	<u>Venous thrombosis and embolism</u>	<u>23</u>	<u>18</u>	<u>5</u>
451	Phlebitis and thrombophlebitis	17	12	5
452	Portal vein thrombosis	1	1	0
453	Other venous embolism and thrombosis	5	5	0
<u>454-459</u>	<u>Other diseases of the circulatory system</u>	<u>48</u>	<u>28</u>	<u>20</u>
455	Hemorrhoids	1	1	0
456	Varicose veins of other sites	6	4	2
458	Hypotension	14	9	5
459	Other disorders of circulatory system	27	14	13
<u>460-519</u>	<u>DISEASES OF THE RESPIRATORY SYSTEM</u>	<u>2,218</u>	<u>1,665</u>	<u>553</u>
<u>460-466</u>	<u>Acute respiratory infections</u>	<u>13</u>	<u>7</u>	<u>6</u>
463	Acute tonsillitis	1	0	1
464	Acute laryngitis and tracheitis	1	0	1
465	Acute upper respiratory infection of multiple or unspecified sites	3	2	1
466	Acute bronchitis and bronchiolitis	8	5	3
<u>470-478</u>	<u>Other diseases of upper respiratory tract</u>	<u>2</u>	<u>1</u>	<u>1</u>
475	Peritonsillar abscess	1	0	1
478	Other diseases of upper respiratory tract	1	1	0
<u>480-487</u>	<u>Pneumonia and influenza</u>	<u>927</u>	<u>679</u>	<u>248</u>
<u>480-486</u>	<u>Pneumonia</u>	<u>919</u>	<u>673</u>	<u>246</u>
480	Viral	14	5	9
481	Pneumococcal	15	8	7
482	Other bacterial	44	28	16
483	Due to other specified organism	4	2	2
485	Broncho, organism unspecified	31	24	7
486	Organism unspecified	811	606	205
487	Influenza	8	6	2
<u>490-496</u>	<u>Chronic obstructive pulmonary disease and allied conditions</u>	<u>946</u>	<u>756</u>	<u>190</u>
<u>490,491</u>	<u>Chronic and unqualified bronchitis</u>	<u>53</u>	<u>46</u>	<u>7</u>
490	Unqualified	17	16	1

Table 10 - Page 8
Deaths - Mississippi - 1994

International Classification Number*	Cause*	Total	White	Non- white
491	Chronic	36	30	6
492	Emphysema	129	106	23
493	Asthma	53	25	28
494	Bronchiectasis	7	6	1
496	Chronic airways obstruction, not elsewhere classified	704	573	131
<u>500-508</u>	<u>Pneumoconioses and other lung diseases due to external agents</u>	<u>120</u>	<u>79</u>	<u>41</u>
501	Asbestosis	5	3	2
505	Pneumoconiosis, unspecified	2	2	0
506	Respiratory conditions due to chemical fumes and vapors	1	0	1
507	Pneumonitis due to solids and liquids	112	74	38
<u>510-519</u>	<u>Other diseases of respiratory system</u>	<u>210</u>	<u>143</u>	<u>67</u>
510	Empyema	6	3	3
511	Pleurisy	12	8	4
512	Pneumothorax	8	2	6
513	Abscess of lung and mediastinum	4	0	4
514	Pulmonary congestion and hypostasis	15	10	5
515	Postinflammatory pulmonary fibrosis	65	55	10
516	Other alveolar and parietoalveolar pneumopathy	8	6	2
518	Other diseases of lung	82	54	28
519	Other diseases of respiratory system	10	5	5
<u>520-579</u>	<u>DISEASES OF THE DIGESTIVE SYSTEM</u>	<u>839</u>	<u>574</u>	<u>265</u>
<u>520-529</u>	<u>Diseases of oral cavity, salivary glands, and jaws</u>	<u>0</u>	<u>0</u>	<u>0</u>
<u>530-537</u>	<u>Diseases of esophagus, stomach, and duodenum</u>	<u>103</u>	<u>78</u>	<u>25</u>
530	Diseases of esophagus	19	17	2
<u>531-533</u>	<u>Peptic ulcer</u>	<u>71</u>	<u>54</u>	<u>17</u>
531	Gastric ulcer	18	13	5
532	Duodenal ulcer	26	21	5
533	Peptic ulcer, site unspecified	27	20	7
534	Gastrojejunal ulcer	2	2	0
535	Gastritis and duodenitis	2	1	1
536	Disorders of function of stomach	1	0	1
537	Other disorders of stomach and duodenum	8	4	4
<u>540-543</u>	<u>Appendicitis</u>	<u>5</u>	<u>2</u>	<u>3</u>
540	Acute appendicitis	5	2	3
<u>550-553</u>	<u>Hernia of abdominal cavity</u>	<u>7</u>	<u>3</u>	<u>4</u>
550	Inguinal	1	0	1
551	Other, of abdominal cavity, with gangrene	1	0	1
552	Other, of abdominal cavity with obstruction, without mention of gangrene	3	1	2
553	Other, of abdominal cavity without mention of obstruction or gangrene	2	2	0
<u>555-558</u>	<u>Noninfective enteritis and colitis</u>	<u>113</u>	<u>83</u>	<u>30</u>
555	Regional enteritis	4	4	0
556	Idiopathic proctocolitis	2	2	0
557	Vascular insufficiency of intestine	94	70	24
558	Other noninfective gastroenteritis and colitis	13	7	6

Table 10 - Page 9
Deaths - Mississippi - 1994

International Classification Number*	Cause*	Total	White	Non- white
<u>560-569</u>	<u>Other diseases of intestine and peritoneum</u>	<u>157</u>	<u>104</u>	<u>53</u>
560	Intestinal obstruction without mention of hernia	69	42	27
562	Diverticula of intestine	36	30	6
564	Functional digestive disorders, not elsewhere classified	3	2	1
566	Abscess of anal and rectal regions	1	0	1
567	Peritonitis	19	10	9
568	Other disorders of peritoneum	5	3	2
569	Other disorders of intestine	24	17	7
<u>570-579</u>	<u>Other diseases of digestive system</u>	<u>454</u>	<u>304</u>	<u>150</u>
570	Acute and subacute necrosis of liver	4	2	2
571	Chronic liver disease and cirrhosis	235	170	65
572	Liver abscess and sequelae of chronic liver disease	43	22	21
573	Other disorders of liver	22	15	7
<u>574, 575</u>	<u>Cholelithiasis and other disorders of gallbladder</u>	<u>34</u>	<u>20</u>	<u>14</u>
574	Cholelithiasis	14	9	5
575	Other disorders of gallbladder	20	11	9
576	Other disorders of biliary tract	6	3	3
577	Diseases of pancreas	32	21	11
578	Gastrointestinal hemorrhage	78	51	27
<u>580-629</u>	<u>DISEASES OF THE GENITOURINARY SYSTEM</u>	<u>657</u>	<u>365</u>	<u>292</u>
<u>580-589</u>	<u>Nephritis, nephrotic syndrome, and nephrosis</u>	<u>373</u>	<u>199</u>	<u>174</u>
580	Acute glomerulonephritis	2	2	0
581	Nephrotic syndrome	3	2	1
582	Chronic glomerulonephritis	14	6	8
583	Nephritis and nephropathy, unqualified	2	1	1
<u>584-587</u>	<u>Renal failure and renal sclerosis</u>	<u>351</u>	<u>188</u>	<u>163</u>
584	Acute	58	31	27
585	Chronic	60	27	33
586	Unspecified	233	130	103
588	Disorders resulting from impaired renal function	1	0	1
<u>590-599</u>	<u>Other diseases of urinary system</u>	<u>279</u>	<u>162</u>	<u>117</u>
590	Infections of kidney	11	7	4
591	Hydronephrosis	1	0	1
<u>592, 594</u>	<u>Calculus of urinary system</u>	<u>2</u>	<u>0</u>	<u>2</u>
592	Of kidney and ureter	2	0	2
593	Other disorders of kidney and ureter	56	17	39
595	Cystitis	2	1	1
596	Other disorders of bladder	3	2	1
598	Urethral stricture	3	3	0
599	Other disorders of urethra and urinary tract	201	132	69
<u>600-608</u>	<u>Diseases of male genital organs</u>	<u>3</u>	<u>3</u>	<u>0</u>
600	Hyperplasia of prostate	1	1	0
607	Disorders of penis	1	1	0
608	Other disorders of male genital organs	1	1	0
<u>610, 611</u>	<u>Disorders of breast</u>	<u>0</u>	<u>0</u>	<u>0</u>
<u>614-616</u>	<u>Inflammatory disease of female pelvic organs</u>	<u>1</u>	<u>0</u>	<u>1</u>

Table 10 - Page 10
Deaths - Mississippi - 1994

International Classification Number*	Cause*	Total	White	Non- white
614	Inflammatory disease of ovary, fallopian tube, pelvic cellular tissue, and peritoneum	1	0	1
617-629	<u>Other disorders of female genital tract</u>	<u>1</u>	<u>1</u>	<u>0</u>
620	Noninflammatory disorders of ovary, fallopian tube, and broad ligament	1	1	0
630-676	<u>COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM</u>	<u>4</u>	<u>1</u>	<u>3</u>
630-639	<u>Pregnancy with abortive outcome</u>	<u>1</u>	<u>0</u>	<u>1</u>
633	Ectopic pregnancy	1	0	1
640-648	<u>Complications mainly related to pregnancy</u>	<u>1</u>	<u>0</u>	<u>1</u>
642	Hypertension complicating pregnancy, childbirth, and the puerperium	1	0	1
650-659	<u>Normal delivery, and other indications for care in pregnancy, labor, and delivery</u>	<u>0</u>	<u>0</u>	<u>0</u>
660-669	<u>Complications occurring mainly in the course of labor and delivery</u>	<u>0</u>	<u>0</u>	<u>0</u>
670-676	<u>Complications of the puerperium</u>	<u>2</u>	<u>1</u>	<u>1</u>
670	Major puerperal infection	1	1	0
673	Obstetrical pulmonary embolism	1	0	1
680-709	<u>DISEASES OF THE SKIN AND SUBCUTANEOUS TISSUE</u>	<u>62</u>	<u>31</u>	<u>31</u>
680-686	<u>Infections of skin and subcutaneous tissue</u>	<u>15</u>	<u>12</u>	<u>3</u>
682	Other cellulitis and abscess	13	11	2
686	Other local infections of skin and subcutaneous tissue	2	1	1
690-698	<u>Other inflammatory conditions of skin and subcutaneous tissue</u>	<u>3</u>	<u>1</u>	<u>2</u>
692	Contact dermatitis and other eczema	1	0	1
694	Bullous dermatoses	1	1	0
695	Erythematous conditions	1	0	1
700-709	<u>Other diseases of skin and subcutaneous tissue</u>	<u>44</u>	<u>18</u>	<u>26</u>
707	Chronic ulcer of skin	44	18	26
710-739	<u>DISEASES OF THE MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE</u>	<u>76</u>	<u>46</u>	<u>30</u>
710-719	<u>Arthropathies and related disorders</u>	<u>61</u>	<u>37</u>	<u>24</u>
710	Diffuse diseases of connective tissue	30	14	16
711-716	<u>Arthropathy, rheumatoid arthritis, and osteoarthritis</u>	<u>29</u>	<u>21</u>	<u>8</u>
714	Rheumatoid arthritis and other inflammatory polyarthropathies	20	14	6
715	Osteoarthritis and allied disorders	6	5	1
716	Other and unspecified arthropathies	3	2	1
719	Other and unspecified disorder of joint	2	2	0
720-724	<u>Dorsopathies</u>	<u>1</u>	<u>1</u>	<u>0</u>
721	Spondylosis and allied disorders	1	1	0
725-729	<u>Rheumatism, excluding the back</u>	<u>7</u>	<u>5</u>	<u>2</u>

Table 10 - Page 11
Deaths - Mississippi - 1994

International Classification		Total	White	Non-white
Number*	Cause*			
728	Disorders of muscle, ligament, and fascia	2	1	1
729	Other disorders of soft tissues	5	4	1
<u>730- 739</u>	<u>Osteopathies, chondropathies, and acquired musculoskeletal deformities</u>	<u>7</u>	<u>3</u>	<u>4</u>
730	Osteomyelitis, periostitis, and other infections involving bone	3	1	2
733	Other disorders of bone and cartilage	4	2	2
<u>740- 759</u>	<u>CONGENITAL ANOMALIES</u>	<u>144</u>	<u>69</u>	<u>75</u>
<u>740- 742</u>	<u>Nervous system</u>	<u>16</u>	<u>8</u>	<u>8</u>
740	Anencephalus and similar anomalies	2	2	0
741	Spina bifida	1	0	1
742	Other congenital anomalies of nervous system	13	6	7
<u>743, 744</u>	<u>Eye, ear, face, and neck</u>	<u>0</u>	<u>0</u>	<u>0</u>
<u>745- 747</u>	<u>Circulatory system</u>	<u>66</u>	<u>27</u>	<u>39</u>
745	Bulbus cordis anomalies and anomalies of cardiac septal closure	8	5	3
746	Heart	45	16	29
747	Other congenital anomalies of circulatory system	13	6	7
748	Respiratory system	14	3	11
<u>749- 751</u>	<u>Digestive system</u>	<u>3</u>	<u>1</u>	<u>2</u>
751	Other congenital anomalies of digestive system	3	1	2
<u>752, 753</u>	<u>Genitourinary system</u>	<u>9</u>	<u>7</u>	<u>2</u>
753	Urinary system	9	7	2
<u>754- 756</u>	<u>Musculoskeletal system</u>	<u>5</u>	<u>2</u>	<u>3</u>
755	Other congenital anomalies of limbs	1	0	1
756	Other congenital musculoskeletal anomalies	4	2	2
758	Chromosomal anomalies	19	14	5
759	Other and unspecified congenital anomalies	12	7	5
<u>760- 779</u>	<u>CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD</u>	<u>180</u>	<u>53</u>	<u>127</u>
760	Maternal conditions unrelated to present pregnancy	3	1	2
<u>761- 763</u>	<u>Complications of pregnancy, labor, and delivery</u>	<u>23</u>	<u>8</u>	<u>15</u>
761	Maternal complications of pregnancy	15	5	10
762	Complications of placenta, cord, and membranes	8	3	5
<u>765, 766</u>	<u>Disorders relating to gestation</u>	<u>38</u>	<u>8</u>	<u>30</u>
765	Short gestation and unspecified low birthweight	38	8	30
767	Birth trauma	1	0	1
<u>768- 770</u>	<u>Respiratory conditions of fetus and newborn</u>	<u>60</u>	<u>17</u>	<u>43</u>
768	Intrauterine hypoxia and birth asphyxia	8	3	5
769	Respiratory distress syndrome	21	5	16
770	Other respiratory conditions of fetus and newborn	31	9	22
771	Infections specific to the perinatal period	13	7	6
772	Fetal and neonatal hemorrhage	8	1	7

Table 10 - Page 12
Deaths - Mississippi - 1994

International Classification Number*	Cause*	Total	White	Non- white
774	Other perinatal jaundice	1	0	1
775	Endocrine and metabolic disturbances specific to the fetus and newborn	2	1	1
776	Hematological disorders of fetus and newborn	1	1	0
777	Perinatal disorders of digestive system	4	0	4
778	Conditions involving the integument and temperature regulation of fetus and newborn	2	2	0
779	Other and ill-defined conditions originating in the perinatal period	24	7	17
<u>780-799</u>	<u>SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS</u>	<u>297</u>	<u>160</u>	<u>137</u>
<u>780-789</u>	<u>Symptoms</u>	<u>26</u>	<u>12</u>	<u>14</u>
780	General	18	6	12
785	Involving cardiovascular system	8	6	2
<u>790-796</u>	<u>Nonspecific abnormal findings</u>	<u>0</u>	<u>0</u>	<u>0</u>
<u>797-799</u>	<u>Ill-defined and unknown causes of morbidity and mortality</u>	<u>271</u>	<u>148</u>	<u>123</u>
797	Senility without mention of psychosis	17	9	8
798	Sudden death, cause unknown	82	29	53
799	Other ill-defined and unknown causes	172	110	62
<u>800-999</u>	<u>EXTERNAL CAUSES OF INJURY AND POISONING</u>	<u>2,323</u>	<u>1,305</u>	<u>1,018</u>
<u>800-949</u>	<u>Accidents and adverse effects</u>	<u>1,526</u>	<u>927</u>	<u>599</u>
<u>800-807</u>	<u>Railway</u>	<u>7</u>	<u>2</u>	<u>5</u>
800	Involving collision with rolling stock	1	1	0
805	Hit by rolling stock	6	1	5
<u>810-825</u>	<u>Motor vehicle</u>	<u>844</u>	<u>525</u>	<u>319</u>
<u>(810-819)</u>	<u>(Traffic)</u>	<u>829</u>	<u>515</u>	<u>314</u>
810	Involving collision with train	25	14	11
812	Involving collision with another motor vehicle	431	275	156
813	Involving collision with other vehicle	9	3	6
814	Involving collision with pedestrian	60	28	32
815	Other involving collision on the highway	32	17	15
816	Due to loss of control, without collision on the highway	199	131	68
818	Other noncollision	11	7	4
819	Of unspecified nature	62	40	22
<u>(820-825)</u>	<u>(Nontraffic)</u>	<u>15</u>	<u>10</u>	<u>5</u>
821	Involving other off-road motor vehicle	2	2	0
822	Involving collision of other motor vehicle with moving object	7	4	3
823	Involving collision with stationary object	1	1	0
825	Of other and unspecified nature	5	3	2
<u>826-829</u>	<u>Other road vehicle</u>	<u>1</u>	<u>1</u>	<u>0</u>
828	Involving animal being ridden	1	1	0
<u>830-838</u>	<u>Water transport</u>	<u>14</u>	<u>9</u>	<u>5</u>
830	Accident to watercraft causing submersion	4	2	2
831	Accident to watercraft causing other injury	1	1	0
832	Other submersion or drowning in water transport	9	6	3

Table 10 - Page 13
Deaths - Mississippi - 1994

International Classification Number*	Cause*	Total	White	Non- white
<u>840-845</u>	<u>Air and space transport</u>	<u>13</u>	<u>12</u>	<u>1</u>
840	Accident to powered aircraft at takeoff or landing	5	5	0
841	Accident to powered aircraft, other and unspecified	7	6	1
844	Other specified air transport accidents	1	1	0
<u>846-848</u>	<u>Vehicle accidents not elsewhere classifiable</u>	<u>1</u>	<u>1</u>	<u>0</u>
848	Accidents involving other vehicles not elsewhere classifiable	1	1	0
<u>850-869</u>	<u>Poisoning</u>	<u>55</u>	<u>34</u>	<u>21</u>
<u>(850-858)</u>	<u>(By drugs, medicaments, and biologicals)</u>	<u>41</u>	<u>30</u>	<u>11</u>
850	Analgesics, antipyretics, antirheumatics	5	4	1
854	Other psychotropic agents	2	2	0
855	Other drugs acting on central and autonomic nervous systems	7	2	5
856	Antibiotics	2	2	0
857	Anti-infectives	1	1	0
858	Other drugs	24	19	5
<u>(860-869)</u>	<u>(By other solid and liquid substances, gases, and vapors)</u>	<u>14</u>	<u>4</u>	<u>10</u>
860	Alcohol, not elsewhere classified	1	0	1
862	Petroleum products, other solvents and their vapors, not elsewhere classified	1	1	0
865	Foodstuffs and poisonous plants	1	1	0
866	Other and unspecified solid and liquid substances	1	0	1
867	Gas distributed by pipeline	3	1	2
868	Other utility gas and other carbon monoxide	5	0	5
869	Other gases and vapors	2	1	1
<u>870-876</u>	<u>Misadventures to patients during surgical and medical care</u>	<u>7</u>	<u>6</u>	<u>1</u>
870	Accidental cut, puncture, perforation, or hemorrhage during medical care	4	4	0
876	Other and unspecified misadventures during medical care	3	2	1
<u>878, 879</u>	<u>Surgical and medical procedures as the cause of abnormal reaction of patient or later complication, without mention of misadventures at the time of procedure</u>	<u>19</u>	<u>15</u>	<u>4</u>
878	Surgical operation or other surgical procedure	13	11	2
879	Other procedures	6	4	2
<u>880-888</u>	<u>Falls</u>	<u>161</u>	<u>135</u>	<u>26</u>
880	On or from stairs or steps	5	4	1
881	On or from ladders or scaffolding	3	3	0
882	From or out of building or other structure	12	8	4
884	Other from one level to another	15	12	3
885	On same level from slipping, tripping, or stumbling	4	4	0
887	Fracture, cause unspecified	31	28	3
888	Other and unspecified fall	91	76	15
<u>890-899</u>	<u>Caused by fires and flames</u>	<u>102</u>	<u>26</u>	<u>76</u>

Table 10 - Page 14
Deaths - Mississippi - 1994

International Classification Number*	Cause*	Total	White	Non- white
890	Conflagration in private dwelling	88	20	68
893	Ignition of clothing	3	2	1
894	Ignition of highly inflammable material	1	1	0
895	Controlled fire in private dwelling	2	0	2
897	Controlled fire not in building or structure	1	1	0
898	Other specified fire and flames	2	1	1
899	Unspecified fire	5	1	4
<u>900-909</u>	<u>Due to natural and environmental factors</u>	<u>27</u>	<u>5</u>	<u>22</u>
900	Excessive heat	5	1	4
901	Excessive cold	16	1	15
905	Venomous animals and plants as the cause of poisoning and toxic reactions	1	0	1
906	Other injury caused by animals	1	1	0
908	Cataclysmic storms and floods resulting from storms	4	2	2
<u>910-915</u>	<u>Accidents caused by submersion, suffocation, and foreign bodies</u>	<u>140</u>	<u>74</u>	<u>66</u>
910	Drowning and submersion	56	26	30
911	Inhalation and ingestion of food causing obstruction of respiratory tract or suffocation	25	13	12
912	Inhalation and ingestion of other object causing obstruction of respiratory tract or suffocation	46	28	18
913	Mechanical suffocation	12	7	5
915	Foreign body accidentally entering other orifice	1	0	1
<u>916-929</u>	<u>Other accidents</u>	<u>134</u>	<u>81</u>	<u>53</u>
916	Struck by falling object	16	12	4
917	Striking against or struck by objects or persons	2	2	0
918	Caught accidentally in or between objects	1	1	0
919	Caused by machinery	17	14	3
920	Caused by cutting and piercing instruments or objects	1	0	1
922	Caused by firearm missile	43	18	25
924	Caused by hot substance or object, caustic or corrosive material, and steam	7	3	4
925	Caused by electric current	11	7	4
928	Other and unspecified environmental and accidental causes	24	16	8
929	Late effects of accidental injury	12	8	4
<u>930-949</u>	<u>Drugs, medicaments, and biological substances causing adverse effects in therapeutic use</u>	<u>1</u>	<u>1</u>	<u>0</u>
930	Antibiotics	1	1	0
<u>950-959</u>	<u>Suicide and self-inflicted injury</u>	<u>313</u>	<u>247</u>	<u>66</u>
<u>950-952</u>	<u>By poisoning</u>	<u>24</u>	<u>20</u>	<u>4</u>
950	By solid or liquid substances	16	12	4
952	By other gases and vapors	8	8	0
953	By hanging, strangulation, and suffocation	35	24	11
954	By submersion (drowning)	6	4	2

Table 10 - Page 15
Deaths - Mississippi - 1994

International Classification		Total	White	Non-white
Number*	Cause*			
955	By firearms and explosives	242	194	48
956	By cutting and piercing instruments	2	2	0
958	By other and unspecified means	3	2	1
959	Late effects of self-inflicted injury	1	1	0
<u>960-978</u>	<u>Homicide and injury purposely inflicted by other persons; legal intervention</u>	<u>455</u>	<u>119</u>	<u>336</u>
<u>960-969</u>	<u>Homicide and injury purposely inflicted by other persons</u>	<u>452</u>	<u>117</u>	<u>335</u>
960	Fight, brawl, rape	2	0	2
963	Assault by hanging and strangulation	7	1	6
964	Assault by submersion (drowning)	1	1	0
965	Assault by firearms and explosives	341	85	256
966	Assault by cutting and piercing instrument	54	12	42
967	Child battering and other maltreatment	2	0	2
968	Assault by other and unspecified means	44	18	26
969	Late effects of injury purposely inflicted by other person	1	0	1
<u>970-978</u>	<u>Legal intervention</u>	<u>3</u>	<u>2</u>	<u>1</u>
970	Injury by firearms	3	2	1
<u>980-989</u>	<u>Injury undetermined whether accidentally or purposely inflicted</u>	<u>29</u>	<u>12</u>	<u>17</u>
980	Poisoning by solid or liquid substances	1	1	0
983	Hanging, strangulation or suffocation	1	1	0
984	Submersion (drowning)	4	1	3
985	Injury by firearms and explosives	17	7	10
986	Injury by cutting and piercing instruments	2	0	2
988	Injury by other and unspecified means	4	2	2
<u>990-999</u>	<u>Injury resulting from operations of war</u>	<u>0</u>	<u>0</u>	<u>0</u>

* Numbers and causes are from the Ninth Revision International Statistical Classification of Diseases, Injuries, and Causes of Death. If no deaths were reported for a specific three-digit category, number and cause were omitted from this listing.

TABLE 11
DEATHS FROM MAJOR CAUSE GROUPS AND CERTAIN SELECTED CAUSES, BY RACE, SEX, AND AGE,
ALSO RATES FOR MAJOR CAUSE GROUPS AND CERTAIN SELECTED CAUSES,
MISSISSIPPI RESIDENTS, 1994

INTER- NATIONAL CLASSI- FICATION NUMBER*	CAUSE*	TOTAL		R A C E	TOTAL BY RACE	SEX	TOTAL BY RACE AND SEX	AGE										65 AND OVER	U N K	
		NUMBER	RATE#					<1	1-4	5-9	10-14	15-24	25-34	35-44	45-54	55-64				
001- 999	<u>ALL CAUSES</u>	<u>26,657</u>	<u>10.4</u>	W	<u>17,210</u>	M	<u>8,761</u>	<u>85</u>	<u>22</u>	<u>12</u>	<u>24</u>	<u>178</u>	<u>262</u>	<u>378</u>	<u>705</u>	<u>1,243</u>	<u>5,849</u>	<u>3</u>		
							F	<u>8,449</u>	<u>73</u>	<u>15</u>	<u>12</u>	<u>8</u>	<u>80</u>	<u>87</u>	<u>186</u>	<u>380</u>	<u>708</u>	<u>6,900</u>	<u>0</u>	
							NW	M	<u>4,915</u>	<u>160</u>	<u>32</u>	<u>13</u>	<u>27</u>	<u>257</u>	<u>283</u>	<u>387</u>	<u>495</u>	<u>657</u>	<u>2,603</u>	<u>1</u>
								F	<u>4,532</u>	<u>141</u>	<u>53</u>	<u>11</u>	<u>11</u>	<u>108</u>	<u>137</u>	<u>224</u>	<u>293</u>	<u>504</u>	<u>3,049</u>	<u>1</u>
001- 139	<u>INFECTIOUS AND PARASITIC DISEASES</u>	<u>647</u>	<u>25.1</u>	W	<u>347</u>	M	<u>205</u>	<u>2</u>	<u>2</u>	<u>1</u>	<u>0</u>	<u>2</u>	<u>43</u>	<u>53</u>	<u>26</u>	<u>14</u>	<u>62</u>	<u>0</u>		
							F	<u>142</u>	<u>5</u>	<u>1</u>	<u>0</u>	<u>0</u>	<u>2</u>	<u>7</u>	<u>5</u>	<u>8</u>	<u>12</u>	<u>102</u>	<u>0</u>	
							NW	M	<u>179</u>	<u>6</u>	<u>2</u>	<u>1</u>	<u>1</u>	<u>6</u>	<u>59</u>	<u>40</u>	<u>21</u>	<u>13</u>	<u>30</u>	<u>0</u>
								F	<u>121</u>	<u>6</u>	<u>4</u>	<u>0</u>	<u>1</u>	<u>6</u>	<u>18</u>	<u>13</u>	<u>14</u>	<u>11</u>	<u>48</u>	<u>0</u>
010- 018	TUBERCULOSIS	20	0.8	W	4	M	2	0	0	0	0	0	0	0	0	0	2	0		
							F	2	0	0	0	0	0	0	0	1	0	1	0	
							NW	M	9	0	0	0	0	0	0	0	2	1	6	0
								F	7	0	0	0	0	0	1	1	2	0	3	0
042- 044	HUMAN IMMUNODEFICIENCY VIRUS INFECTION	269	10.4	W	120	M	110	0	1	0	0	2	41	44	18	3	1	0		
							F	10	0	0	0	0	5	3	0	2	0	0		
							NW	M	114	0	1	1	0	4	56	37	12	3	0	0
								F	35	1	0	0	0	6	12	8	3	2	3	0
140- 208	<u>MALIGNANT NEOPLASMS</u>	<u>5,602</u>	<u>217.7</u>	W	<u>3,727</u>	M	<u>2,043</u>	<u>0</u>	<u>2</u>	<u>0</u>	<u>2</u>	<u>10</u>	<u>14</u>	<u>47</u>	<u>160</u>	<u>390</u>	<u>1,417</u>	<u>1</u>		
							F	<u>1,684</u>	<u>0</u>	<u>1</u>	<u>2</u>	<u>1</u>	<u>7</u>	<u>17</u>	<u>67</u>	<u>151</u>	<u>286</u>	<u>1,152</u>	<u>0</u>	
							NW	M	<u>1,079</u>	<u>0</u>	<u>0</u>	<u>1</u>	<u>0</u>	<u>3</u>	<u>9</u>	<u>43</u>	<u>109</u>	<u>212</u>	<u>702</u>	<u>0</u>
								F	<u>796</u>	<u>1</u>	<u>2</u>	<u>0</u>	<u>2</u>	<u>0</u>	<u>16</u>	<u>53</u>	<u>102</u>	<u>155</u>	<u>465</u>	<u>0</u>
210- 239	<u>BENIGN NEOPLASMS AND NEOPLASMS OF UNDETERMINED NATURE</u>	<u>58</u>	<u>2.2</u>	W	<u>32</u>	M	<u>13</u>	<u>0</u>	<u>0</u>	<u>1</u>	<u>1</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>4</u>	<u>1</u>	<u>6</u>	<u>0</u>		
							F	<u>19</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>1</u>	<u>0</u>	<u>0</u>	<u>2</u>	<u>1</u>	<u>3</u>	<u>12</u>	<u>0</u>	
							NW	M	<u>11</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>1</u>	<u>1</u>	<u>1</u>	<u>2</u>	<u>2</u>	<u>4</u>	<u>0</u>
								F	<u>15</u>	<u>1</u>	<u>0</u>	<u>2</u>	<u>0</u>	<u>0</u>	<u>1</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>11</u>	<u>0</u>

TABLE 11 - PAGE 2
DEATHS - MISSISSIPPI - 1994

INTER- NATIONAL CLASSI- FICATION NUMBER*	CAUSE*	TOTAL		R A C E	TOTAL BY RACE	SEX	TOTAL BY RACE AND SEX	AGE										65 AND OVER	U N K
		NUMBER	RATE#					<1	1-4	5-9	10-14	15-24	25-34	35-44	45-54	55-64			
<u>240-279</u>	<u>ENDOCRINE, NUTRITIONAL, AND METABOLIC DISEASES AND IMMUNITY DISORDERS</u>	<u>734</u>	<u>28.5</u>	W	<u>389</u>	M	<u>177</u>	<u>2</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>2</u>	<u>6</u>	<u>6</u>	<u>13</u>	<u>30</u>	<u>118</u>	<u>0</u>	
							F	<u>212</u>	<u>0</u>	<u>0</u>	<u>1</u>	<u>0</u>	<u>3</u>	<u>0</u>	<u>1</u>	<u>14</u>	<u>8</u>	<u>185</u>	<u>0</u>
							NW	M	<u>129</u>	<u>1</u>	<u>0</u>	<u>0</u>	<u>1</u>	<u>5</u>	<u>8</u>	<u>15</u>	<u>21</u>	<u>77</u>	<u>1</u>
								F	<u>216</u>	<u>3</u>	<u>1</u>	<u>0</u>	<u>2</u>	<u>6</u>	<u>12</u>	<u>17</u>	<u>26</u>	<u>148</u>	<u>1</u>
250	DIABETES MELLITUS	495	19.2	W	250	M	119	0	0	0	0	1	4	9	27	78	0		
							F	131	0	0	0	1	0	1	9	4	116	0	
							NW	M	95	0	0	0	0	3	7	14	18	53	0
								F	150	0	0	0	0	1	7	15	23	103	1
260-269	NUTRITIONAL DEFICIENCIES	52	2.0	W	30	M	16	0	0	0	1	0	0	0	1	14	0		
							F	14	0	0	0	0	0	0	0	0	14	0	
							NW	M	12	0	0	0	0	1	0	0	1	10	0
								F	10	0	0	0	0	0	0	0	0	10	0
<u>280-289</u>	<u>DISEASES OF BLOOD AND BLOOD-FORMING ORGANS</u>	<u>106</u>	<u>4.1</u>	W	<u>69</u>	M	<u>33</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>1</u>	<u>0</u>	<u>1</u>	<u>2</u>	<u>2</u>	<u>3</u>	<u>24</u>	<u>0</u>	
							F	<u>36</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>1</u>	<u>0</u>	<u>1</u>	<u>34</u>	<u>0</u>	
							NW	M	<u>17</u>	<u>1</u>	<u>0</u>	<u>0</u>	<u>3</u>	<u>1</u>	<u>4</u>	<u>0</u>	<u>2</u>	<u>6</u>	<u>0</u>
								F	<u>20</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>1</u>	<u>1</u>	<u>3</u>	<u>2</u>	<u>1</u>	<u>12</u>	<u>0</u>
280-285	ANEMIAS	46	1.8	W	20	M	8	0	0	0	0	0	0	1	1	6	0		
							F	12	0	0	0	0	0	1	0	0	11	0	
							NW	M	14	1	0	0	2	1	4	0	1	5	0
								F	12	0	0	0	1	1	1	2	0	7	0
<u>290-319</u>	<u>MENTAL DISORDERS</u>	<u>278</u>	<u>10.8</u>	W	<u>192</u>	M	<u>87</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>2</u>	<u>8</u>	<u>9</u>	<u>12</u>	<u>56</u>	<u>0</u>		
							F	<u>105</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>1</u>	<u>0</u>	<u>1</u>	<u>3</u>	<u>3</u>	<u>97</u>	<u>0</u>	
							NW	M	<u>50</u>	<u>0</u>	<u>1</u>	<u>0</u>	<u>3</u>	<u>4</u>	<u>7</u>	<u>11</u>	<u>4</u>	<u>20</u>	<u>0</u>
								F	<u>36</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>1</u>	<u>3</u>	<u>1</u>	<u>2</u>	<u>29</u>	<u>0</u>
303	ALCOHOLISM	47	1.8	W	21	M	18	0	0	0	0	0	2	6	6	4	0		
							F	3	0	0	0	0	0	0	1	1	1	0	
							NW	M	21	0	0	0	0	1	6	8	2	4	0
								F	5	0	0	0	0	0	1	0	2	2	0

TABLE 11 - PAGE 3
DEATHS - MISSISSIPPI - 1994

INTER- NATIONAL CLASSI- FICATION NUMBER*	CAUSE*	TOTAL		R A C E	TOTAL BY RACE	SEX	TOTAL BY RACE AND SEX	AGE										65 AND OVER	U N K		
		NUMBER	RATE#					<1	1-4	5-9	10-14	15-24	25-34	35-44	45-54	55-64					
320- 389	<u>DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS</u>	437	17.0	W	336	M	158	2	1	1	2	2	4	3	12	20	111	0			
							F	178	0	2	0	0	2	4	2	5	14	149	0		
							NW	M	101	4	0	1	1	3	6	5	8	3	20	0	
								F	50	4	4	0	0	2	3	0	5	6	26	0	
320- 322	MENINGITIS	14	0.5	W	6	M	4	1	0	1	0	0	1	0	0	0	1	0			
							F	2	0	1	0	0	1	0	0	0	0	0	0		
							NW	M	8	4	0	0	0	1	0	2	1	0	0	0	
								F	4	1	2	0	0	0	0	0	0	0	1	0	
345	EPILEPSY	27	1.0	W	13	M	7	0	0	0	0	1	1	0	3	0	2	0			
							F	6	0	0	0	0	2	1	0	2	1	0			
							NW	M	14	8	0	0	1	1	2	2	1	1	0	0	
								F	6	0	1	0	0	1	0	0	0	1	3	0	
390- 459	<u>DISEASES OF THE CIRCULATORY SYSTEM</u>	11,995	466.1	W	7,849	M	3,744	3	1	0	0	6	15	84	290	523	2,821	1			
							F	4,105	0	0	2	0	4	6	43	107	233	3,710	0		
							NW	M	4,146	5	2	1	0	7	29	117	198	282	1,251	0	
								F	2,254	6	6	0	0	15	28	71	104	233	1,791	0	
390- 398, 402, 404- 429	HEART DISEASES	9,617	373.7	W	6,365	M	3,136	1	0	0	0	6	11	73	261	463	2,320	1			
							F	3,229	0	0	1	0	3	4	25	86	192	2,918	0		
							NW	M	3,252	1,486	5	2	1	0	7	25	97	151	225	973	0
								F	1,766	6	5	0	0	13	21	55	76	184	1,406	0	
401, 403	HYPERTENSION	160	6.2	W	64	M	19	0	0	0	0	0	1	1	3	14	0				
							F	45	0	0	0	0	0	0	0	3	42	0			
							NW	M	96	41	0	0	0	0	0	2	2	7	8	22	0
								F	55	0	0	0	0	0	0	2	3	8	42	0	
430- 438	CEREBROVASCULAR DISEASES	1,753	68.1	W	1,087	M	437	2	1	0	0	0	3	5	24	34	368	0			
							F	650	0	0	0	0	1	2	16	18	30	583	0		
							NW	M	666	302	0	0	0	0	0	1	12	34	41	214	0
								F	364	0	1	0	0	1	6	11	20	38	287	0	

TABLE 11 - PAGE 4
DEATHS - MISSISSIPPI - 1994

INTER- NATIONAL CLASSI- FICATION NUMBER*	CAUSE*	TOTAL		R A C E	TOTAL BY RACE	SEX	TOTAL BY RACE AND SEX	AGE										65 AND OVER	U N K
		NUMBER	RATE#					<1	1-4	5-9	10-14	15-24	25-34	35-44	45-54	55-64			
440	ATHEROSCLEROSIS	140	5.4	W	106	M	36	0	0	0	0	0	0	0	1	1	34	0	
						F	70	0	0	0	0	0	0	1	0	0	69	0	
				NW	34	M	16	0	0	0	0	0	0	0	1	2	13	0	
						F	18	0	0	0	0	0	0	0	1	1	16	0	
460-519	<u>DISEASES OF THE RESPIRATORY SYSTEM</u>	<u>2,218</u>	<u>86.2</u>	W	<u>1,665</u>	M	<u>813</u>	<u>3</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>1</u>	<u>3</u>	<u>8</u>	<u>36</u>	<u>79</u>	<u>683</u>	<u>0</u>	
						F	<u>852</u>	<u>3</u>	<u>0</u>	<u>1</u>	<u>0</u>	<u>0</u>	<u>5</u>	<u>3</u>	<u>25</u>	<u>63</u>	<u>752</u>	<u>0</u>	
				NW	<u>553</u>	M	<u>308</u>	<u>7</u>	<u>3</u>	<u>1</u>	<u>3</u>	<u>6</u>	<u>5</u>	<u>14</u>	<u>10</u>	<u>26</u>	<u>233</u>	<u>0</u>	
						F	<u>245</u>	<u>5</u>	<u>5</u>	<u>0</u>	<u>1</u>	<u>2</u>	<u>8</u>	<u>15</u>	<u>12</u>	<u>20</u>	<u>177</u>	<u>0</u>	
480-486	PNEUMONIA	919	35.7	W	673	M	305	2	0	0	0	1	2	4	12	18	266	0	
						F	368	3	0	0	0	0	1	2	11	13	338	0	
				NW	246	M	122	7	1	1	0	0	3	5	4	10	91	0	
						F	124	4	2	0	1	1	6	4	3	8	95	0	
487	INFLUENZA	8	0.3	W	6	M	1	0	0	0	0	0	0	1	0	0	0	0	
						F	5	0	0	0	0	0	0	0	0	0	5	0	
				NW	2	M	1	0	0	0	0	0	0	0	0	0	1	0	
						F	1	0	0	0	0	0	0	0	0	0	1	0	
492	EMPHYSEMA	129	5.0	W	106	M	63	0	0	0	0	0	0	1	0	12	50	0	
						F	43	0	0	0	0	0	1	0	1	8	33	0	
				NW	23	M	19	0	0	0	0	0	0	1	0	3	15	0	
						F	4	0	0	0	0	0	0	0	0	0	4	0	
490, 491, 493-496	<u>OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES AND ALLIED CONDITIONS</u>	<u>817</u>	<u>31.8</u>	W	<u>650</u>	M	<u>333</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>1</u>	<u>18</u>	<u>35</u>	<u>279</u>	<u>0</u>	
						F	<u>317</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>1</u>	<u>0</u>	<u>11</u>	<u>35</u>	<u>270</u>	<u>0</u>	
				NW	<u>167</u>	M	<u>108</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>2</u>	<u>2</u>	<u>2</u>	<u>4</u>	<u>7</u>	<u>91</u>	<u>0</u>	
						F	<u>59</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>1</u>	<u>0</u>	<u>3</u>	<u>5</u>	<u>11</u>	<u>39</u>	<u>0</u>	
520-579	<u>DISEASES OF THE DIGESTIVE SYSTEM</u>	<u>839</u>	<u>32.6</u>	W	<u>574</u>	M	<u>272</u>	<u>1</u>	<u>2</u>	<u>0</u>	<u>0</u>	<u>1</u>	<u>7</u>	<u>22</u>	<u>37</u>	<u>53</u>	<u>149</u>	<u>0</u>	
						F	<u>302</u>	<u>0</u>	<u>1</u>	<u>1</u>	<u>0</u>	<u>0</u>	<u>3</u>	<u>11</u>	<u>19</u>	<u>26</u>	<u>241</u>	<u>0</u>	
				NW	<u>265</u>	M	<u>147</u>	<u>4</u>	<u>3</u>	<u>0</u>	<u>0</u>	<u>1</u>	<u>7</u>	<u>14</u>	<u>31</u>	<u>28</u>	<u>59</u>	<u>0</u>	
						F	<u>118</u>	<u>1</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>3</u>	<u>3</u>	<u>12</u>	<u>9</u>	<u>10</u>	<u>80</u>	<u>0</u>	

TABLE 11 - PAGE 5
DEATHS - MISSISSIPPI - 1994

INTER- NATIONAL CLASSI- FICATION NUMBER*	CAUSE*	TOTAL		R A C E	TOTAL BY RACE	SEX	TOTAL BY RACE AND SEX	AGE										65 AND OVER	U N K		
		NUMBER	RATE#					<1	1-4	5-9	10-14	15-24	25-34	35-44	45-54	55-64					
531-533	ULCER OF STOMACH AND DUODENUM	71	2.8	W	54	M	25	0	0	0	0	0	0	1	3	3	18	0			
							NW	17	F	29	0	0	0	0	0	0	0	1	1	27	0
									M	7	0	0	0	0	0	1	0	0	1	5	0
							F	10	0	0	0	0	0	0	2	0	0	0	8	0	
571	CHRONIC LIVER DISEASE AND CIRRHOSIS	235	9.1	W	170	M	107	0	1	0	0	0	2	14	23	29	38	0			
							NW	65	F	63	0	0	0	0	0	1	8	11	8	35	0
									M	50	0	0	0	0	0	2	7	21	12	8	0
							F	15	0	0	0	0	0	1	6	2	4	2	0		
<u>580-629</u>	<u>DISEASES OF THE GENITOURINARY SYSTEM</u>	<u>657</u>	<u>25.5</u>	W	<u>365</u>	M	<u>154</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>1</u>	<u>2</u>	<u>5</u>	<u>18</u>	<u>128</u>	<u>0</u>			
							NW	<u>292</u>	F	<u>211</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>1</u>	<u>2</u>	<u>2</u>	<u>8</u>	<u>198</u>	<u>0</u>
									M	<u>109</u>	<u>2</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>1</u>	<u>6</u>	<u>8</u>	<u>14</u>	<u>78</u>	<u>0</u>
							F	<u>183</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>1</u>	<u>3</u>	<u>8</u>	<u>21</u>	<u>150</u>	<u>0</u>		
580-589	NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS	373	14.5	W	199	M	97	0	0	0	0	0	1	1	1	11	83	0			
							NW	174	F	102	0	0	0	0	0	1	2	0	6	93	0
									M	69	2	0	0	0	0	1	3	8	9	46	0
							F	105	0	0	0	0	0	1	3	5	16	80	0		
590	INFECTIONS OF KIDNEY	11	0.4	W	7	M	3	0	0	0	0	0	0	0	0	0	3	0			
							NW	4	F	4	0	0	0	0	0	0	0	0	0	4	0
									M	1	0	0	0	0	0	0	0	0	0	1	0
							F	3	0	0	0	0	0	0	0	0	0	0	3	0	
<u>630-676</u>	<u>COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM</u>	<u>4</u>	<u>9.5</u>	W	<u>1</u>	M	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>			
							NW	<u>3</u>	F	<u>1</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>1</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>
									M	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>
							F	<u>3</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>3</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>		
<u>680-709</u>	<u>DISEASES OF THE SKIN AND SUBCUTANEOUS TISSUES</u>	<u>62</u>	<u>2.4</u>	W	<u>31</u>	M	<u>13</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>1</u>	<u>1</u>	<u>0</u>	<u>11</u>	<u>0</u>			
							NW	<u>31</u>	F	<u>18</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>2</u>	<u>1</u>	<u>0</u>	<u>15</u>	<u>0</u>
									M	<u>15</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>1</u>	<u>14</u>	<u>0</u>
							F	<u>16</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>1</u>	<u>0</u>	<u>0</u>	<u>15</u>	<u>0</u>		

TABLE 11 - PAGE 6
DEATHS - MISSISSIPPI - 1994

INTER- NATIONAL CLASSI- FICATION NUMBER*	CAUSE*	TOTAL		R A C E	T O T A L B Y R A C E S E X	T O T A L B Y R A C E S E X	T O T A L B Y R A C E S E X	AGE										65 A N D O V E R	U N K	
		NUMBER	RATE#					<1	1-4	5-9	10-14	15-24	25-34	35-44	45-54	55-64				
<u>710-739</u>	<u>DISEASES OF THE MUSCULOSKELETAL SYSTEM</u>	<u>76</u>	<u>3.0</u>	W	<u>46</u>	M	<u>16</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>1</u>	<u>7</u>	<u>8</u>	<u>0</u>		
						F	<u>30</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>1</u>	<u>0</u>	<u>3</u>	<u>6</u>	<u>20</u>	<u>0</u>			
						NW	<u>30</u>	M	<u>7</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>2</u>	<u>2</u>	<u>0</u>	<u>3</u>	<u>0</u>
						F	<u>23</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>3</u>	<u>3</u>	<u>4</u>	<u>4</u>	<u>9</u>	<u>0</u>		
<u>740-759</u>	<u>CONGENITAL ANOMALIES</u>	<u>144</u>	<u>5.6</u>	W	<u>69</u>	M	<u>35</u>	<u>23</u>	<u>2</u>	<u>0</u>	<u>1</u>	<u>1</u>	<u>1</u>	<u>0</u>	<u>2</u>	<u>2</u>	<u>3</u>	<u>0</u>		
						F	<u>34</u>	<u>23</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>1</u>	<u>2</u>	<u>3</u>	<u>2</u>	<u>1</u>	<u>2</u>	<u>0</u>		
						NW	<u>75</u>	M	<u>41</u>	<u>30</u>	<u>3</u>	<u>1</u>	<u>2</u>	<u>3</u>	<u>0</u>	<u>1</u>	<u>0</u>	<u>0</u>	<u>1</u>	<u>0</u>
						F	<u>34</u>	<u>19</u>	<u>6</u>	<u>2</u>	<u>1</u>	<u>1</u>	<u>1</u>	<u>1</u>	<u>0</u>	<u>1</u>	<u>2</u>	<u>0</u>		
<u>760-779</u>	<u>CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD</u>	<u>180</u>	<u>4.3</u>	W	<u>53</u>	M	<u>26</u>	<u>26</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>		
						F	<u>27</u>	<u>27</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>			
						NW	<u>127</u>	M	<u>60</u>	<u>60</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>		
						F	<u>67</u>	<u>66</u>	<u>1</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>			
<u>780-799</u>	<u>SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS</u>	<u>297</u>	<u>11.5</u>	W	<u>160</u>	M	<u>73</u>	<u>18</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>1</u>	<u>3</u>	<u>4</u>	<u>3</u>	<u>6</u>	<u>38</u>	<u>0</u>		
						F	<u>87</u>	<u>11</u>	<u>1</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>1</u>	<u>1</u>	<u>4</u>	<u>3</u>	<u>66</u>	<u>0</u>		
						NW	<u>137</u>	M	<u>77</u>	<u>32</u>	<u>1</u>	<u>0</u>	<u>1</u>	<u>1</u>	<u>5</u>	<u>4</u>	<u>5</u>	<u>9</u>	<u>19</u>	<u>0</u>
						F	<u>60</u>	<u>22</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>1</u>	<u>2</u>	<u>1</u>	<u>4</u>	<u>1</u>	<u>29</u>	<u>0</u>		
<u>800-999</u>	<u>ALL EXTERNAL CAUSES</u>	<u>2,323</u>	<u>90.3</u>	W	<u>1,305</u>	M	<u>899</u>	<u>5</u>	<u>12</u>	<u>9</u>	<u>17</u>	<u>152</u>	<u>162</u>	<u>138</u>	<u>104</u>	<u>85</u>	<u>214</u>	<u>1</u>		
						F	<u>406</u>	<u>4</u>	<u>9</u>	<u>5</u>	<u>6</u>	<u>60</u>	<u>39</u>	<u>42</u>	<u>35</u>	<u>41</u>	<u>165</u>	<u>0</u>		
						NW	<u>1,018</u>	M	<u>743</u>	<u>8</u>	<u>17</u>	<u>7</u>	<u>19</u>	<u>219</u>	<u>151</u>	<u>121</u>	<u>75</u>	<u>40</u>	<u>86</u>	<u>0</u>
						F	<u>275</u>	<u>7</u>	<u>24</u>	<u>7</u>	<u>6</u>	<u>75</u>	<u>45</u>	<u>30</u>	<u>11</u>	<u>13</u>	<u>57</u>	<u>0</u>		
<u>810-825</u>	<u>MOTOR VEHICLE ACCIDENTS</u>	<u>844</u>	<u>32.8</u>	W	<u>525</u>	M	<u>347</u>	<u>1</u>	<u>4</u>	<u>3</u>	<u>9</u>	<u>86</u>	<u>55</u>	<u>58</u>	<u>40</u>	<u>32</u>	<u>59</u>	<u>0</u>		
						F	<u>178</u>	<u>3</u>	<u>4</u>	<u>4</u>	<u>3</u>	<u>43</u>	<u>26</u>	<u>24</u>	<u>7</u>	<u>15</u>	<u>49</u>	<u>0</u>		
						NW	<u>319</u>	M	<u>214</u>	<u>2</u>	<u>5</u>	<u>0</u>	<u>6</u>	<u>62</u>	<u>44</u>	<u>34</u>	<u>22</u>	<u>14</u>	<u>25</u>	<u>0</u>
						F	<u>105</u>	<u>4</u>	<u>9</u>	<u>3</u>	<u>4</u>	<u>32</u>	<u>21</u>	<u>13</u>	<u>5</u>	<u>3</u>	<u>11</u>	<u>0</u>		
<u>800-807, 826-949</u>	<u>ALL OTHER ACCIDENTS AND ADVERSE EFFECTS</u>	<u>682</u>	<u>26.5</u>	W	<u>402</u>	M	<u>246</u>	<u>4</u>	<u>6</u>	<u>6</u>	<u>4</u>	<u>24</u>	<u>28</u>	<u>25</u>	<u>23</u>	<u>29</u>	<u>97</u>	<u>0</u>		
						F	<u>156</u>	<u>1</u>	<u>5</u>	<u>1</u>	<u>3</u>	<u>5</u>	<u>4</u>	<u>5</u>	<u>15</u>	<u>15</u>	<u>102</u>	<u>0</u>		
						NW	<u>280</u>	M	<u>196</u>	<u>2</u>	<u>11</u>	<u>6</u>	<u>10</u>	<u>35</u>	<u>19</u>	<u>22</u>	<u>23</u>	<u>19</u>	<u>49</u>	<u>0</u>
						F	<u>84</u>	<u>3</u>	<u>13</u>	<u>2</u>	<u>2</u>	<u>10</u>	<u>4</u>	<u>4</u>	<u>2</u>	<u>7</u>	<u>37</u>	<u>0</u>		

TABLE 11 - PAGE 7
DEATHS - MISSISSIPPI - 1994

INTER- NATIONAL CLASSI- FICATION NUMBER*	CAUSE*	TOTAL		R A C E	TOTAL BY RACE SEX	TOTAL BY RACE AND SEX	AGE											
		NUMBER	RATE#				<1	1-4	5-9	10-14	15-24	25-34	35-44	45-54	55-64	65 AND OVER		
950-959	SUICIDE	313	12.2	W	247	M	205	0	0	0	1	32	46	35	24	17	50	0
						F	42	0	0	0	0	6	5	9	7	8	7	0
					66	M	55	0	0	0	1	22	18	7	4	1	2	0
						F	11	0	0	0	0	4	1	3	0	1	2	0
960-978	HOMICIDE AND LEGAL INTERVENTION	455	17.7	W	119	M	92	0	2	0	3	10	28	20	15	5	8	1
						F	27	0	0	0	0	5	4	4	5	3	6	0
					336	M	264	4	1	0	1	96	68	54	26	5	9	0
						F	72	0	2	2	0	28	18	10	4	2	6	0

* NUMBERS AND CAUSES ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.

TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES (CLASSIFICATION NUMBERS 630-676) ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (CLASSIFICATION NUMBERS 760-779) ARE PER 1,000 LIVE BIRTHS.

TABLE 12A
 INFANT, NEONATAL, AND POSTNEONATAL DEATHS*,
 BY COUNTY OF RESIDENCE AND RACE,
 MISSISSIPPI, 1994

COUNTY	INFANT DEATHS			NEONATAL DEATHS			POSTNEONATAL DEATHS		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
STATE	459	158	301	273	93	180	186	65	121
ADAMS	6	2	4	4	1	3	2	1	1
ALCORN	7	5	2	6	4	2	1	1	0
AMITE	0	0	0	0	0	0	0	0	0
ATTALA	2	2	0	1	1	0	1	1	0
BENTON	2	0	2	1	0	1	1	0	1
BOLIVAR	6	1	5	1	0	1	5	1	4
CALHOUN	1	0	1	1	0	1	0	0	0
CARROLL	0	0	0	0	0	0	0	0	0
CHICKASAW	3	1	2	3	1	2	0	0	0
CHOCTAW	2	1	1	1	1	0	1	0	1
CLAIBORNE	2	0	2	1	0	1	1	0	1
CLARKE	1	0	1	1	0	1	0	0	0
CLAY	6	1	5	3	0	3	3	1	2
COAHOMA	17	1	16	12	1	11	5	0	5
COPIAH	3	1	2	2	0	2	1	1	0
COVINGTON	6	3	3	4	1	3	2	2	0
DESOTO	5	3	2	4	2	2	1	1	0
FORREST	17	2	15	12	2	10	5	0	5
FRANKLIN	0	0	0	0	0	0	0	0	0
GEORGE	0	0	0	0	0	0	0	0	0
GREENE	1	1	0	1	1	0	0	0	0
GRENADA	2	1	1	1	1	0	1	0	1
HANCOCK	3	2	1	2	2	0	1	0	1
HARRISON	25	14	11	13	7	6	12	7	5
HINDS	44	4	40	27	3	24	17	1	16
HOLMES	5	0	5	4	0	4	1	0	1
HUMPHREYS	2	0	2	2	0	2	0	0	0
ISSAQUENA	0	0	0	0	0	0	0	0	0
ITAWAMBA	1	1	0	1	1	0	0	0	0
JACKSON	22	13	9	14	7	7	8	6	2
JASPER	1	0	1	0	0	0	1	0	1
JEFFERSON	1	0	1	0	0	0	1	0	1
JEFF DAVIS	3	0	3	2	0	2	1	0	1
JONES	7	4	3	5	2	3	2	2	0
KEMPER	1	1	0	0	0	0	1	1	0
LAFAYETTE	6	1	5	3	1	2	3	0	3
LAMAR	8	6	2	5	3	2	3	3	0
LAUDERDALE	17	8	9	9	5	4	8	3	5
LAWRENCE	2	2	0	2	2	0	0	0	0
LEAKE	6	0	6	1	0	1	5	0	5
LEE	13	6	7	10	5	5	3	1	2
LEFLORE	9	2	7	6	1	5	3	1	2

TABLE 12A - PAGE 2

INFANT, NEONATAL, AND POSTNEONATAL DEATHS - MISSISSIPPI - 1994

COUNTY	INFANT DEATHS			NEONATAL DEATHS			POSTNEONATAL DEATHS		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
LINCOLN	2	1	1	1	1	0	1	0	1
LOWNDES	12	5	7	6	4	2	6	1	5
MADISON	7	1	6	5	1	4	2	0	2
MARION	1	1	0	0	0	0	1	1	0
MARSHALL	11	0	11	7	0	7	4	0	4
MONROE	8	4	4	6	2	4	2	2	0
MONTGOMERY	1	0	1	1	0	1	0	0	0
NESHOBA	9	3	6	7	2	5	2	1	1
NEWTON	6	2	4	4	2	2	2	0	2
NOXUBEE	5	1	4	3	1	2	2	0	2
OKTIBBEHA	1	1	0	1	1	0	0	0	0
PANOLA	14	2	12	7	0	7	7	2	5
PEARL RIVER	7	6	1	3	3	0	4	3	1
PERRY	0	0	0	0	0	0	0	0	0
PIKE	3	1	2	1	0	1	2	1	1
PONTOTOC	3	2	1	3	2	1	0	0	0
PRENTISS	4	3	1	2	2	0	2	1	1
QUITMAN	2	0	2	1	0	1	1	0	1
RANKIN	8	5	3	3	3	0	5	2	3
SCOTT	7	4	3	5	4	1	2	0	2
SHARKEY	0	0	0	0	0	0	0	0	0
SIMPSON	4	2	2	3	2	1	1	0	1
SMITH	0	0	0	0	0	0	0	0	0
STONE	3	2	1	1	0	1	2	2	0
SUNFLOWER	5	0	5	2	0	2	3	0	3
TALLAHATCHIE	3	1	2	0	0	0	3	1	2
TATE	5	3	2	0	0	0	5	3	2
TIPPAH	2	2	0	1	1	0	1	1	0
TISHOMINGO	3	3	0	2	2	0	1	1	0
TUNICA	3	0	3	2	0	2	1	0	1
UNION	5	4	1	3	3	0	2	1	1
WALTHALL	2	0	2	1	0	1	1	0	1
WARREN	7	0	7	4	0	4	3	0	3
WASHINGTON	19	1	18	11	0	11	8	1	7
WAYNE	8	4	4	5	1	4	3	3	0
WEBSTER	2	1	1	1	1	0	1	0	1
WILKINSON	2	0	2	2	0	2	0	0	0
WINSTON	3	1	2	1	0	1	2	1	1
YALOBUSHA	1	1	0	0	0	0	1	1	0
YAZOO	6	2	4	3	0	3	3	2	1

* INFANT DEATHS ARE THOSE OF CHILDREN UNDER ONE YEAR OF AGE; NEONATAL DEATHS ARE THOSE OF INFANTS UNDER 28 DAYS OF AGE; POSTNEONATAL DEATHS ARE THOSE OF INFANTS AGES 28 DAYS TO ONE YEAR.

TABLE 12B
INFANT, NEONATAL, AND POSTNEONATAL MORTALITY RATES*,
BY COUNTY OF RESIDENCE AND RACE,
MISSISSIPPI, 1990-1994 (5-YEAR AVERAGE)

COUNTY	INFANT**			NEONATAL**			POSTNEONATAL**		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>STATE</u>	<u>11.6</u>	<u>7.9</u>	<u>15.4</u>	<u>7.1</u>	<u>4.7</u>	<u>9.7</u>	<u>4.4</u>	<u>3.2</u>	<u>5.6</u>
ADAMS	14.3	8.7	17.5	10.8	6.8	13.1	3.5	1.9	4.4
ALCORN	9.8	9.6	10.8	6.6	6.8	5.4	3.3	2.8	5.4
AMITE	3.5	2.5	4.4	2.3	-	4.4	1.2	2.5	-
ATTALA	9.0	3.4	13.4	5.2	1.7	8.0	3.8	1.7	5.3
BENTON	11.9	6.2	19.0	6.8	3.1	11.4	5.1	3.1	7.6
BOLIVAR	14.4	8.8	15.9	7.5	5.0	8.1	6.9	3.8	7.8
CALHOUN	18.7	9.9	30.4	15.9	9.9	23.9	2.8	-	6.5
CARROLL	13.6	4.3	21.3	7.8	4.3	10.6	5.8	-	10.6
CHICKASAW	12.6	13.8	11.4	8.8	8.8	8.9	3.8	5.0	2.5
CHOCTAW	8.5	6.3	11.1	3.4	6.3	-	5.1	-	11.1
CLAIBORNE	12.2	-	13.6	5.6	-	6.2	6.7	-	7.4
CLARKE	9.0	10.5	7.2	4.9	4.5	5.4	4.1	6.0	1.8
CLAY	14.8	13.0	15.7	9.0	4.9	11.0	5.8	8.1	4.7
COAHOMA	19.6	6.4	22.9	13.6	3.2	16.2	6.0	3.2	6.7
COPIAH	10.7	9.7	11.3	6.7	4.8	7.8	4.0	4.8	3.5
COVINGTON	15.1	10.2	20.4	8.5	2.5	14.9	6.6	7.6	5.4
DESOTO	8.4	7.0	15.5	5.3	4.7	8.3	3.1	2.3	7.2
FORREST	13.7	7.8	20.8	9.1	5.1	14.0	4.6	2.7	6.8
FRANKLIN	12.2	3.7	19.8	8.7	3.7	13.2	3.5	-	6.6
GEORGE	3.2	3.6	-	1.9	2.1	-	1.3	1.4	-
GREENE	11.4	7.6	22.2	7.1	3.8	16.7	4.3	3.8	5.6
GRENADA	9.3	3.8	13.4	5.4	3.8	6.7	3.8	-	6.7
HANCOCK	8.2	7.4	13.1	3.9	4.0	3.3	4.3	3.5	9.8
HARRISON	9.2	7.6	12.8	5.1	4.2	7.3	4.0	3.4	5.5
HINDS	11.7	6.1	14.2	7.5	3.8	9.2	4.2	2.2	5.0
HOLMES	13.5	-	15.2	8.4	-	9.4	5.1	-	5.8
HUMPHREYS	16.8	12.5	17.9	8.0	8.3	7.8	8.8	4.2	10.1
ISSAQUENA	6.7	-	9.4	6.7	-	9.4	-	-	-
ITAWAMBA	5.6	4.6	17.2	2.8	3.1	-	2.8	1.5	17.2
JACKSON	10.1	8.1	14.4	6.0	5.2	7.8	4.1	3.0	6.7
JASPER	9.4	6.2	11.2	5.8	4.1	6.7	3.6	2.0	4.5
JEFFERSON	11.9	-	12.9	7.9	-	8.6	4.0	-	4.3
JEFF DAVIS	12.5	2.9	16.7	7.1	-	10.3	5.3	2.9	6.4
JONES	7.8	5.3	11.5	4.8	2.6	8.1	3.0	2.6	3.4
KEMPER	11.4	8.8	12.6	8.5	4.4	10.5	2.8	4.4	2.1
LAFAYETTE	9.3	3.8	16.2	5.7	1.9	10.4	3.6	1.9	5.8
LAMAR	10.7	9.0	17.9	5.7	3.5	15.7	4.9	5.5	2.2
LAUDERDALE	11.6	7.4	15.9	6.8	3.5	10.1	4.8	3.9	5.8
LAWRENCE	12.4	11.3	13.8	9.3	9.4	9.2	3.1	1.9	4.6
LEAKE	13.5	5.6	20.0	5.1	2.8	7.1	8.3	2.8	13.0
LEE	14.2	12.0	18.8	9.7	7.6	14.2	4.4	4.4	4.6
LEFLORE	17.1	10.4	19.2	12.6	8.0	14.0	4.5	2.3	5.2

TABLE 12B - PAGE 2

INFANT, NEONATAL, AND POSTNEONATAL MORTALITY RATES - MISSISSIPPI - 1990-1994 AVERAGE

COUNTY	INFANT**			NEONATAL**			POSTNEONATAL**		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
LINCOLN	8.0	8.5	7.4	6.8	7.8	5.3	1.3	0.7	2.1
LOWNDES	13.7	7.6	19.9	8.4	5.8	11.1	5.3	1.8	8.9
MADISON	9.6	5.0	13.8	5.8	2.3	9.0	3.8	2.7	4.8
MARION	10.8	9.8	12.2	4.6	3.6	6.1	6.2	6.3	6.1
MARSHALL	16.6	8.0	22.6	11.2	5.3	15.2	5.4	2.7	7.3
MONROE	13.5	12.0	15.8	8.6	6.9	11.4	4.8	5.1	4.4
MONTGOMERY	14.3	10.6	16.7	11.2	10.6	11.7	3.1	-	5.0
NESHOBA	16.1	10.4	21.6	11.1	6.2	15.7	5.0	4.1	5.9
NEWTON	10.6	7.8	13.7	6.5	5.6	7.5	4.1	2.2	6.2
NOXUBEE	17.9	16.6	18.3	9.4	8.3	9.7	8.5	8.3	8.6
OKTIBBEHA	8.3	9.1	7.6	6.8	6.6	6.9	1.5	2.5	0.7
PANOLA	13.4	5.1	18.0	8.0	2.0	11.3	5.4	3.1	6.8
PEARL RIVER	8.1	7.7	9.5	4.0	4.7	1.6	4.0	3.0	7.9
PERRY	16.1	11.6	24.7	12.9	9.9	18.5	3.2	1.6	6.2
PIKE	6.9	4.2	8.7	4.3	1.7	6.0	2.6	2.5	2.7
PONTOTOC	9.5	7.2	20.7	7.1	5.0	17.2	2.4	2.1	3.4
PRENTISS	10.9	10.8	11.9	6.7	6.5	7.9	4.2	4.3	4.0
QUITMAN	15.3	12.1	16.2	10.5	4.0	12.5	4.8	8.1	3.8
RANKIN	7.8	7.1	10.2	3.8	4.1	2.7	4.0	3.0	7.5
SCOTT	11.8	9.2	14.2	6.1	8.2	4.2	5.7	0.9	10.0
SHARKEY	10.0	15.5	8.7	5.7	7.8	5.2	4.3	7.8	3.5
SIMPSON	13.5	10.4	17.0	8.5	6.6	10.6	5.0	3.8	6.4
SMITH	11.2	9.3	14.0	8.4	4.7	14.0	2.8	4.7	-
STONE	8.5	7.8	10.2	4.3	1.6	10.2	4.3	6.2	-
SUNFLOWER	14.1	1.6	17.3	7.9	1.6	9.4	6.2	-	7.8
TALLAHATCHIE	12.1	6.3	13.8	6.4	3.1	7.4	5.7	3.1	6.4
TATE	10.6	8.8	12.9	5.0	4.4	5.7	5.6	4.4	7.2
TIPPAH	7.8	8.2	6.6	5.0	4.5	6.6	2.8	3.6	-
TISHOMINGO	12.9	11.6	46.5	9.4	8.0	46.5	3.4	3.6	-
TUNICA	16.8	-	19.2	9.6	-	11.0	7.2	-	8.2
UNION	17.7	15.6	25.4	9.4	6.7	19.7	8.2	8.9	5.6
WALTHALL	8.4	2.2	12.3	3.4	-	5.4	5.0	2.2	6.8
WARREN	13.6	9.0	17.9	9.0	4.0	13.6	4.6	5.0	4.2
WASHINGTON	11.9	4.6	14.5	7.5	2.3	9.3	4.4	2.3	5.2
WAYNE	13.6	8.8	18.0	9.5	2.5	15.7	4.1	6.2	2.2
WEBSTER	15.8	10.7	25.9	10.0	6.4	17.2	5.7	4.3	8.6
WILKINSON	8.3	6.4	8.8	8.3	6.4	8.8	-	-	-
WINSTON	13.0	8.7	16.2	9.1	7.0	10.8	3.8	1.7	5.4
YALOBUSHA	13.5	9.3	16.8	6.2	2.3	9.3	7.3	7.0	7.5
YAZOO	13.5	11.0	14.5	5.3	2.7	6.4	8.2	8.2	8.1

* DEATHS PER 1,000 LIVE BIRTHS.

** INFANT - AGE LESS THAN ONE YEAR; NEONATAL - AGE LESS THAN 28 DAYS;
POSTNEONATAL - AGE 28 DAYS TO ONE YEAR.

TABLE 13
INFANT DEATHS* FROM SELECTED CAUSES, BY RACE AND AGE,
ALSO MORTALITY RATES FOR SELECTED CAUSES,
MISSISSIPPI RESIDENTS, 1994

CAUSE OF DEATH AND INTERNATIONAL CLASSI- FICATION NUMBER**	TOTAL		R C E	TOTAL BY RACE	UNDER 28 DAYS OF AGE					28 DAYS AND OVER	
	NUMBER	RATE#			TOTAL	UNDER 1 DAY	1- 6	7- 13	14- 20		21- 27
<u>ALL CAUSES</u>	<u>459</u>	<u>10.9</u>	W NW	<u>158</u> <u>301</u>	<u>93</u> <u>180</u>	<u>47</u> <u>104</u>	<u>36</u> <u>47</u>	<u>1</u> <u>11</u>	<u>4</u> <u>13</u>	<u>5</u> <u>5</u>	<u>65</u> <u>121</u>
MENINGOCOCCAL INFECTION (036)	0	-	W NW	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0
SEPTICEMIA (038)	4	0.1	W NW	2 2	0 0	0 0	0 0	0 0	0 0	0 0	2 2
OTHER INFECTIOUS AND PARASITIC DISEASES (001-035, 037, 039-139)	15	0.4	W NW	5 10	1 4	0 3	0 0	0 1	1 0	0 0	4 6
MENINGITIS (320-322)	2	##	W NW	1 1	0 0	0 0	0 0	0 0	0 0	0 0	1 1
ACUTE UPPER RESPIRATORY INFECTIONS (460-465)	1	##	W NW	1 0	0 0	0 0	0 0	0 0	0 0	0 0	1 0
BRONCHITIS AND BRONCHIO- LITIS (466, 490, 491)	0	-	W NW	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0
PNEUMONIA AND INFLUENZA (480-487)	16	0.4	W NW	5 11	0 3	0 0	0 0	0 1	0 2	0 0	5 8
HERNIA AND INTESTINAL OBSTRUCTION (550-553, 560)	1	##	W NW	0 1	0 0	0 0	0 0	0 0	0 0	0 0	0 1
CONGENITAL ANOMALIES (740-759)	95	2.3	W NW	46 49	35 40	15 19	16 13	0 4	2 3	2 1	11 9
MATERNAL CONDITIONS UN- RELATED TO PREGNANCY (760)	3	0.1	W NW	1 2	1 2	1 1	0 0	0 1	0 0	0 0	0 0
MATERNAL COMPLICATIONS OF PREGNANCY (761)	15	0.4	W NW	5 10	5 10	5 10	0 0	0 0	0 0	0 0	0 0
COMPLICATIONS OF PLACENTA, CORD, AND MEMBRANES (762)	8	0.2	W NW	3 5	3 5	3 4	0 1	0 0	0 0	0 0	0 0
OTHER COMPLICATIONS OF LABOR AND DELIVERY (763)	0	-	W NW	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0
DISORDERS RELATING TO SHORT GESTATION AND UN- SPECIFIED LOW BIRTH- WEIGHT (765)	38	0.9	W NW	8 30	8 29	7 28	0 1	1 0	0 0	0 0	0 1

TABLE 13 - PAGE 2
 INFANT DEATHS - MISSISSIPPI - 1994

CAUSE OF DEATH AND INTERNATIONAL CLASSI- FICATION NUMBER**	TOTAL		R C E	TOTAL BY RACE	UNDER 28 DAYS OF AGE					28 DAYS AND OVER
	NUMBER	RATE#			UNDER TOTAL	1- 6	7- 13	14- 20	21- 27	
BIRTH TRAUMA (767)	1	##	W NW	0 1	0 1	0 0	0 1	0 0	0 0	0 0
INTRAUTERINE HYPOXIA AND BIRTH ASPHYXIA (768)	8	0.2	W NW	3 5	3 5	1 2	2 1	0 0	0 2	0 0
RESPIRATORY DISTRESS SYNDROME (769)	21	0.5	W NW	5 16	5 15	4 6	1 7	0 1	0 1	0 0
INFECTIONS SPECIFIC TO THE PERINATAL PERIOD (771)	13	0.3	W NW	7 6	7 5	3 2	4 2	0 0	0 0	0 1
NEONATAL HEMORRHAGE (772)	8	0.2	W NW	1 7	1 7	0 0	1 6	0 1	0 0	0 0
HEMORRHAGIC DISEASE OF NEWBORN (776.0)	0	-	W NW	0 0	0 0	0 0	0 0	0 0	0 0	0 0
SUDDEN INFANT DEATH SYNDROME (798.0)	80	1.9	W NW	28 52	1 1	0 0	0 0	0 0	0 0	1 1
ALL OTHER SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS (780-797, 798.1-799)	3	0.1	W NW	1 2	0 1	0 0	0 0	0 0	0 1	0 0
ACCIDENTS (800-949)	20	0.5	W NW	9 11	0 1	0 0	0 1	0 0	0 0	0 0
ALL OTHER CAUSES	107	2.6	W NW	27 80	23 51	8 29	12 14	0 2	1 4	2 2

* DEATHS OF CHILDREN UNDER 1 YEAR OF AGE.

** CAUSES AND NUMBERS ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.

DEATHS PER 1,000 LIVE BIRTHS.

LESS THAN 0.06.

TABLE 14
ACCIDENTAL DEATHS, BY COUNTY OF OCCURRENCE AND TYPE OF ACCIDENT,
MISSISSIPPI, 1994

COUNTY	TOTAL	MOTOR VEHICLE	WATER TRANS- PORT	POISON- ING	FALLS	FIRES AND FLAMES	DROWNING AND SUB- MERSION	FIRE- ARMS	ALL OTHER
STATE	1,504	854	13	52	162	98	51	42	232
ADAMS	12	4	0	1	3	1	0	0	3
ALCORN	22	4	0	1	3	8	0	0	6
AMITE	2	2	0	0	0	0	0	0	0
ATTALA	12	7	0	1	2	2	0	0	0
BENTON	3	1	0	0	0	1	1	0	0
BOLIVAR	25	14	0	0	1	5	1	2	2
CALHOUN	9	6	0	0	0	0	1	0	2
CARROLL	4	4	0	0	0	0	0	0	0
CHICKASAW	7	4	0	1	0	0	1	0	1
CHOCTAW	4	3	0	0	1	0	0	0	0
CLAIBORNE	8	6	0	0	0	1	1	0	0
CLARKE	11	8	0	0	1	1	0	0	1
CLAY	11	6	0	1	1	0	0	1	2
COAHOMA	23	14	0	2	1	1	1	0	4
COPIAH	9	7	0	1	1	0	0	0	0
COVINGTON	9	7	0	0	0	0	1	1	0
DESOTO	19	13	0	1	1	2	1	0	1
FORREST	56	42	0	2	3	4	2	1	2
FRANKLIN	4	2	0	0	1	0	0	1	0
GEORGE	7	5	0	0	0	0	0	1	1
GREENE	3	1	0	0	0	0	1	1	0
GRENADA	11	6	0	0	1	0	1	0	3
HANCOCK	17	10	0	1	2	0	0	0	4
HARRISON	89	44	1	5	14	7	4	2	12
HINDS	176	83	1	8	43	4	1	9	27
HOLMES	20	16	0	1	0	1	0	0	2
HUMPHREYS	9	3	1	0	1	2	0	1	1
ISSAQUENA	3	2	1	0	0	0	0	0	0
ITAWAMBA	12	8	0	0	1	0	1	0	2
JACKSON	50	26	5	2	4	0	4	2	7
JASPER	6	3	0	0	0	3	0	0	0
JEFFERSON	3	3	0	0	0	0	0	0	0
JEFF DAVIS	15	8	0	0	2	0	1	0	4
JONES	36	24	0	1	2	1	0	0	8
KEMPER	2	0	0	0	0	0	1	0	1
LAFAYETTE	20	7	0	1	2	3	0	0	7
LAMAR	16	11	0	0	1	0	0	2	2
LAUDERDALE	50	24	0	4	11	1	1	0	9
LAWRENCE	3	2	0	0	1	0	0	0	0
LEAKE	21	12	0	1	1	0	1	0	6
LEE	68	38	0	1	15	0	0	2	12
LEFLORE	9	3	0	1	1	1	0	0	3

TABLE 14 - PAGE 2
 ACCIDENTAL DEATHS - MISSISSIPPI - 1994

COUNTY	TOTAL	MOTOR VEHICLE	WATER TRANS- PORT	POISON- ING	FALLS	FIRES AND FLAMES	DROWNING AND SUB- MERSION	FIRE- ARMS	ALL OTHER
LINCOLN	10	4	0	0	2	1	0	0	3
LOWNDES	25	17	0	0	1	4	1	0	2
MADISON	19	15	0	0	0	0	0	1	3
MARION	14	10	0	0	1	1	0	1	1
MARSHALL	23	14	0	1	1	3	0	0	4
MONROE	23	15	0	1	2	0	1	2	2
MONTGOMERY	8	7	0	0	1	0	0	0	0
NESHOBA	9	6	0	0	1	0	0	0	2
NEWTON	6	4	0	0	0	0	1	0	1
NOXUBEE	15	10	0	0	0	2	0	0	3
OKTIBBEHA	18	7	0	0	4	2	0	0	5
PANOLA	19	12	0	2	1	1	2	0	1
PEARL RIVER	23	14	0	3	1	0	2	0	3
PERRY	7	5	0	0	0	0	1	0	1
PIKE	11	6	1	0	0	0	0	0	4
PONTOTOC	7	2	0	1	0	0	1	0	3
PRETISS	7	6	0	0	0	0	0	0	1
QUITMAN	8	5	0	0	0	0	0	1	2
RANKIN	43	22	2	0	6	5	1	0	7
SCOTT	23	18	0	0	1	1	2	0	1
SHARKEY	4	1	0	0	1	1	0	0	1
SIMPSON	13	7	0	0	0	0	0	1	5
SMITH	7	6	0	0	0	0	0	0	1
STONE	5	4	0	0	0	0	0	1	0
SUNFLOWER	13	5	0	0	2	1	2	1	2
TALLAHATCHIE	7	3	0	0	1	1	0	1	1
TATE	8	6	0	0	0	0	0	0	2
TIPPAAH	11	7	0	0	1	1	0	1	1
TISHOMINGO	12	8	0	1	2	0	0	0	1
TUNICA	22	18	0	0	0	3	0	0	1
UNION	14	10	0	0	2	0	1	0	1
WALTHALL	9	5	0	0	0	0	1	0	3
WARREN	26	16	0	1	1	1	1	2	4
WASHINGTON	69	27	1	4	2	15	5	1	14
WAYNE	11	5	0	1	2	1	0	0	2
WEBSTER	9	3	0	0	1	2	1	1	1
WILKINSON	7	5	0	0	1	0	0	0	1
WINSTON	20	8	0	0	3	2	0	2	5
YALOBUSHA	6	5	0	0	0	0	1	0	0
YAZOO	17	13	0	0	0	1	1	0	2

TABLE 15
MARRIAGES, BY COUNTY OF LICENSURE AND RACE OF BRIDE,
ALSO BY COUNTY OF OCCURRENCE AND RACE OF BRIDE,
ALSO BY COUNTY OF RESIDENCE OF BRIDE AND RACE OF BRIDE,
MISSISSIPPI, 1994

COUNTY	LICENSURE DATA			OCCURRENCE DATA			RESIDENCE DATA		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
STATE	22, 872	16, 479	6, 393	22, 872	16, 479	6, 393	21, 488	15, 424	6, 064
ADAMS	307	201	106	334	219	115	255	156	99
ALCORN	241	223	18	241	224	17	202	187	15
AMITE	87	60	27	105	73	32	71	45	26
ATTALA	175	126	49	168	125	43	156	111	45
BENTON	43	29	14	49	34	15	38	26	12
BOLIVAR	235	98	137	233	95	138	237	99	138
CALHOUN	126	99	27	137	113	24	127	100	27
CARROLL	45	37	8	64	51	13	50	41	9
CHICKASAW	160	116	44	167	122	45	161	112	49
CHOCTAW	93	68	25	101	74	27	102	74	28
CLAIBORNE	81	11	70	97	22	75	79	11	68
CLARKE	133	96	37	160	114	46	141	104	37
CLAY	166	95	71	162	88	74	163	93	70
COAHOMA	172	79	93	166	78	88	159	72	87
COPIAH	220	126	94	233	145	88	212	113	99
COVINGTON	174	129	45	181	142	39	180	141	39
DESOTO	486	433	53	427	380	47	385	354	31
FORREST	866	670	196	707	542	165	709	536	173
FRANKLIN	58	42	16	72	53	19	49	30	19
GEORGE	250	235	15	231	216	15	190	179	11
GREENE	120	91	29	141	113	28	100	86	14
GRENADA	197	139	58	194	135	59	180	128	52
HANCOCK	355	335	20	343	322	21	299	277	22
HARRISON	1, 861	1, 531	330	1, 819	1, 509	310	1, 603	1, 324	279
HINDS	2, 401	1, 311	1, 090	2, 250	1, 198	1, 052	2, 036	1, 021	1, 015
HOLMES	129	40	89	147	49	98	130	40	90
HUMPHREYS	64	31	33	66	31	35	60	27	33
ISSAQUENA	5	3	2	3	1	2	6	3	3
ITAWAMBA	172	161	11	196	185	11	176	166	10
JACKSON	1, 181	955	226	1, 263	1, 031	232	1, 180	965	215
JASPER	131	75	56	129	68	61	129	63	66
JEFFERSON	50	7	43	42	5	37	40	6	34
JEFF DAVIS	114	70	44	119	65	54	113	65	48
JONES	560	449	111	583	464	119	567	465	102
KEMPER	55	24	31	65	33	32	48	21	27
LAFAYETTE	276	207	69	236	169	67	254	185	69
LAMAR	226	217	9	284	268	16	306	279	27
LAUDERDALE	736	547	189	702	510	192	670	486	184
LAWRENCE	97	77	20	121	95	26	105	82	23
LEAKE	152	101	51	175	119	56	155	107	48
LEE	747	590	157	679	546	133	675	529	146
LEFLORE	242	115	127	240	115	125	237	112	125

TABLE 15 - PAGE 2
MARRIAGES - MISSISSIPPI - 1994

COUNTY	LICENSURE DATA			OCCURRENCE DATA			RESIDENCE DATA		
	TOTAL	WHITE	NON-TOTAL	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
LINCOLN	289	214	75	299	219	80	275	198	77
LOWNDES	506	334	172	502	322	180	459	289	170
MADISON	368	218	150	412	252	160	537	369	168
MARION	276	211	65	277	213	64	260	205	55
MARSHALL	165	95	70	175	100	75	156	94	62
MONROE	287	222	65	316	238	78	283	220	63
MONTGOMERY	82	57	25	100	71	29	90	59	31
NESHOPA	256	199	57	263	208	55	245	190	55
NEWTON	193	137	56	196	147	49	214	161	53
NOXUBEE	90	29	61	98	34	64	84	27	57
OKTIBBEHA	322	212	110	296	184	112	280	177	103
PANOLA	228	132	96	247	146	101	220	128	92
PEARL RIVER	398	362	36	411	373	38	385	347	38
PERRY	111	97	14	115	98	17	111	96	15
PIKE	381	252	129	368	234	134	343	221	122
PONTOTOC	219	188	31	215	185	30	234	206	28
PRENTISS	217	200	17	216	198	18	217	196	21
QUITMAN	68	33	35	64	30	34	71	37	34
RANKIN	920	818	102	816	730	86	972	875	97
SCOTT	272	200	72	271	201	70	258	192	66
SHARKEY	48	16	32	52	23	29	46	16	30
SIMPSON	232	170	62	233	174	59	231	174	57
SMITH	119	102	17	153	132	21	132	112	20
STONE	150	130	20	142	123	19	129	113	16
SUNFLOWER	224	80	144	230	86	144	162	65	97
TALLAHATCHIE	98	59	39	110	66	44	91	49	42
TATE	162	120	42	167	125	42	141	100	41
TIPPAH	190	164	26	217	192	25	182	156	26
TISHOMINGO	126	122	4	136	132	4	117	114	3
TUNICA	58	19	39	60	21	39	52	14	38
UNION	241	211	30	234	204	30	245	217	28
WALTHALL	108	67	41	114	72	42	117	75	42
WARREN	469	318	151	464	311	153	428	283	145
WASHINGTON	301	167	134	315	182	133	279	155	124
WAYNE	180	127	53	198	145	53	168	116	52
WEBSTER	104	82	22	93	78	15	103	85	18
WILKINSON	49	20	29	60	28	32	47	20	27
WINSTON	155	107	48	164	114	50	162	111	51
YALOBUSHA	87	59	28	94	63	31	98	66	32
YAZOO	134	80	54	147	84	63	129	75	54
OUT OF STATE	*	*	*	*	*	*	1,384	1,055	329

* INFORMATION ON MISSISSIPPI BRIDES WHO OBTAINED LICENSES AND/OR MARRIED IN OTHER STATES IS NOT AVAILABLE.

TABLE 16
DIVORCES, BY COUNTY OF OCCURRENCE AND RACE*,
MISSISSIPPI, 1994

COUNTY	TOTAL	WHITE	NON- WHITE	UN- KNOWN	COUNTY	TOTAL	WHITE	NON- WHITE	UN- KNOWN
<u>STATE</u>	<u>13, 302</u>	<u>10, 110</u>	<u>2, 890</u>	<u>302</u>					
ADAMS	192	118	71	3	LINCOLN	88	63	25	0
ALCORN	207	194	10	3	LOWNDES	310	210	83	17
AMITE	64	56	8	0	MADISON	172	126	40	6
ATTALA	103	80	23	0	MARION	102	82	19	1
BENTON	26	19	7	0	MARSHALL	144	107	37	0
BOLIVAR	152	80	71	1	MONROE	185	147	35	3
CALHOUN	75	57	18	0	MONTGOMERY	69	49	20	0
CARROLL	7	4	3	0	NESHOPA	116	98	18	0
CHICKASAW	70	43	27	0	NEWTON	79	62	8	9
CHOCTAW	34	27	7	0	NOXUBEE	20	10	10	0
CLAIBORNE	20	3	17	0	OKTIBBEHA	147	88	54	5
CLARKE	88	65	23	0	PANOLA	159	112	47	0
CLAY	75	53	19	3	PEARL RIVER	227	207	18	2
COAHOMA	79	46	33	0	PERRY	60	50	10	0
COPIAH	126	82	44	0	PIKE	183	126	53	4
COVINGTON	88	61	22	5	PONTOTOC	184	172	12	0
DESOTO	553	525	27	1	PRENTISS	150	117	9	24
FORREST	344	263	62	19	QUITMAN	47	29	18	0
FRANKLIN	25	19	5	1	RANKIN	593	541	48	4
GEORGE	111	104	7	0	SCOTT	140	95	45	0
GREENE	39	38	1	0	SHARKEY	8	5	3	0
GRENADA	129	94	35	0	SIMPSON	142	109	30	3
HANCOCK	228	215	8	5	SMITH	93	86	6	1
HARRISON	814	612	113	89	STONE	70	60	9	1
HINDS	1, 326	757	569	0	SUNFLOWER	76	39	32	5
HOLMES	63	20	43	0	TALLAHATCHIE	38	25	13	0
HUMPHREYS	37	24	13	0	TATE	100	80	20	0
ISSAQUENA	5	1	4	0	TIPPAH	144	129	13	2
ITAWAMBA	146	140	6	0	TISHOMINGO	155	154	1	0
JACKSON	802	698	99	5	TUNICA	29	15	14	0
JASPER	80	50	30	0	UNION	170	150	13	7
JEFFERSON	20	4	14	2	WALTHALL	62	35	27	0
JEFF DAVIS	10	6	4	0	WARREN	256	208	48	0
JONES	365	301	64	0	WASHINGTON	258	149	94	15
KEMPER	24	16	8	0	WAYNE	118	90	28	0
LAFAYETTE	171	125	46	0	WEBSTER	37	32	5	0
LAMAR	211	171	7	33	WILKINSON	18	5	13	0
LAUDERDALE	510	381	129	0	WINSTON	101	66	35	0
LAWRENCE	47	35	12	0	YALOBUSHA	70	59	11	0
LEAKE	84	61	23	0	YAZOO	101	83	18	0
LEE	385	301	61	23					
LEFLORE	146	91	55	0					

* DIVORCES OF MIXED-RACE COUPLES ARE INCLUDED IN FIGURES FOR NONWHITES.

TABLE 17
REPORTED INDUCED TERMINATIONS OF PREGNANCY PERFORMED IN MISSISSIPPI
ON MISSISSIPPI RESIDENTS, BY COUNTY OF RESIDENCE AND RACE, 1994

COUNTY	TOTAL	WHITE	NON- WHITE	UNK. RACE	COUNTY	TOTAL	WHITE	NON- WHITE	UNK. RACE
<u>STATE</u>	<u>3,814</u>	<u>1,326</u>	<u>2,481</u>	<u>7</u>					
ADAMS	36	13	23	0	LINCOLN	43	16	27	0
ALCORN	5	3	2	0	LOWNDES	19	10	9	0
AMITE	11	3	8	0	MADISON	220	75	145	0
ATTALA	22	8	14	0	MARION	14	8	6	0
BENTON	0	0	0	0	MARSHALL	1	0	1	0
BOLIVAR	27	12	15	0	MONROE	11	4	7	0
CALHOUN	3	2	1	0	MONTGOMERY	25	4	20	1
CARROLL	9	2	7	0	NESHOBA	24	14	10	0
CHICKASAW	8	2	6	0	NEWTON	30	11	19	0
CHOCTAW	5	1	4	0	NOXUBEE	4	0	4	0
CLAIBORNE	30	1	29	0	OKTIBBEHA	40	23	17	0
CLARKE	23	8	15	0	PANOLA	5	4	1	0
CLAY	11	3	8	0	PEARL RIVER	4	3	1	0
COAHOMA	2	1	1	0	PERRY	5	4	1	0
COPIAH	64	18	46	0	PIKE	45	11	34	0
COVINGTON	17	8	9	0	PONTOTOC	1	0	1	0
DESOTO	0	0	0	0	PRENTISS	1	0	1	0
FORREST	93	58	35	0	QUITMAN	1	0	1	0
FRANKLIN	4	1	3	0	RANKIN	249	171	78	0
GEORGE	4	4	0	0	SCOTT	57	23	34	0
GREENE	2	0	2	0	SHARKEY	14	2	12	0
GRENADA	31	13	17	1	SIMPSON	39	22	16	1
HANCOCK	8	7	1	0	SMITH	20	15	5	0
HARRISON	181	106	75	0	STONE	10	6	4	0
HINDS	1,353	282	1,069	2	SUNFLOWER	35	8	27	0
HOLMES	48	4	44	0	TALLAHATCHIE	3	2	1	0
HUMPHREYS	11	5	6	0	TATE	2	2	0	0
ISSAQUENA	3	0	3	0	TIPPAH	0	0	0	0
ITAWAMBA	1	1	0	0	TISHOMINGO	0	0	0	0
JACKSON	42	27	15	0	TUNICA	1	0	1	0
JASPER	17	7	10	0	UNION	2	2	0	0
JEFFERSON	19	1	18	0	WALTHALL	12	5	7	0
JEFF DAVIS	15	4	11	0	WARREN	202	66	136	0
JONES	72	35	37	0	WASHINGTON	114	30	84	0
KEMPER	7	2	5	0	WAYNE	19	5	14	0
LAFAYETTE	6	5	1	0	WEBSTER	5	2	3	0
LAMAR	24	16	8	0	WILKINSON	2	0	2	0
LAUDERDALE	95	42	52	1	WINSTON	24	9	15	0
LAWRENCE	10	7	3	0	YALOBUSHA	2	2	0	0
LEAKE	22	7	15	0	YAZOO	61	20	41	0
LEE	14	9	5	0					
LEFLORE	93	19	73	1					

TABLE 18
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF ADAMS, ALCORN, AMITE, AND ATTALA COUNTIES, MISSISSIPPI, 1994

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	ADAMS COUNTY						ALCORN COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	0	0	0	-	-	-	1	0	1	3.2	-	27.5
HIV INFECTION (042-044)	7	0	7	19.8	-	40.4	0	0	0	-	-	-
MALIGNANT NEOPLASMS (140-208)	94	43	51	265.9	238.5	294.3	66	59	7	208.0	210.1	192.5
DIABETES MELLITUS (250)	8	2	6	22.6	11.1	34.6	5	3	2	15.8	10.7	55.0
DISEASES OF HEART (390-398, 402, 404, 410-429)	149	72	77	421.4	399.4	444.4	139	125	14	438.2	445.1	384.9
HYPERTENSION (401, 403)	5	0	5	14.1	-	28.8	0	0	0	-	-	-
CEREBROVASCULAR DISEASES (430-438)	32	18	14	90.5	99.8	80.8	41	34	7	129.2	121.1	192.5
ATHEROSCLEROSIS (440)	1	1	0	2.8	5.5	-	0	0	0	-	-	-
PNEUMONIA AND INFLUENZA (480-487)	15	8	7	42.4	44.4	40.4	20	19	1	63.0	67.6	27.5
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	22	12	10	62.2	66.6	57.7	13	13	0	41.0	46.3	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	4	2	2	11.3	11.1	11.5	3	3	0	9.4	10.7	-
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	4	1	3	11.3	5.5	17.3	3	3	0	9.4	10.7	-
INFECTIONS OF KIDNEY (590)	0	0	0	-	-	-	0	0	0	-	-	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	1	0	1	242.1	-	1612.9
CONGENITAL ANOMALIES (740-759)	2	0	2	5.6	-	11.5	2	1	1	6.3	3.6	27.5
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	3	1	2	5.6	5.9	5.5	3	3	0	7.3	8.5	-
ACCIDENTS (800-949)	17	12	5	48.1	66.6	28.8	25	19	6	78.8	67.6	165.0
MOTOR VEHICLE ACCIDENTS# (810-825)	10	7	3	28.3	38.8	17.3	6	6	0	18.9	21.4	-
SUICIDE (950-959)	7	4	3	19.8	22.2	17.3	6	5	1	18.9	17.8	27.5
HOMICIDE AND LEGAL INTERVENTION (960-978)	8	3	5	22.6	16.6	28.8	4	1	3	12.6	3.6	82.5
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	2	2	0	5.6	11.1	-	6	5	1	18.9	17.8	27.5

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	AMITE COUNTY						ATTALA COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	0	0	0	-	-	-	0	0	0	-	-	-
HIV INFECTION (042-044)	0	0	0	-	-	-	2	1	1	10.8	9.0	13.6
MALIGNANT NEOPLASMS (140-208)	30	18	12	225.1	247.5	198.2	54	35	19	292.2	314.9	257.9
DIABETES MELLITUS (250)	2	1	1	15.0	13.8	16.5	4	1	3	21.6	9.0	40.7
DISEASES OF HEART (390-398, 402, 404, 410-429)	57	30	27	427.7	412.5	445.8	90	56	34	487.0	503.9	461.5
HYPERTENSION (401, 403)	0	0	0	-	-	-	5	3	2	27.0	27.0	27.1
CEREBROVASCULAR DISEASES (430-438)	3	1	2	22.5	13.8	33.0	13	10	3	70.3	90.0	40.7
ATHEROSCLEROSIS (440)	0	0	0	-	-	-	7	6	1	37.9	54.0	13.6
PNEUMONIA AND INFLUENZA (480-487)	3	0	3	22.5	-	49.5	2	2	0	10.8	18.0	-
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	2	2	0	15.0	27.5	-	12	8	4	64.9	72.0	54.3
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	4	3	1	30.0	41.2	16.5	4	3	1	21.6	27.0	13.6
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	3	1	2	22.5	13.8	33.0	5	3	2	27.0	27.0	27.1
INFECTIONS OF KIDNEY (590)	0	0	0	-	-	-	0	0	0	-	-	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	0	0	0	-	-	-	0	0	0	-	-	-
ACCIDENTS (800-949)	6	4	2	45.0	55.0	33.0	20	11	9	108.2	99.0	122.2
MOTOR VEHICLE ACCIDENTS# (810-825)	4	3	1	30.0	41.2	16.5	13	7	6	70.3	63.0	81.4
SUICIDE (950-959)	0	0	0	-	-	-	3	3	0	16.2	27.0	-
HOMICIDE AND LEGAL INTERVENTION (960-978)	0	0	0	-	-	-	3	1	2	16.2	9.0	27.1
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	3	2	1	22.5	27.5	16.5	2	2	0	10.8	18.0	-

* CAUSES AND NUMBERS ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.

** DEATHS PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

**TABLE 18
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF BENTON, BOLIVAR, CALHOUN, AND CARROLL COUNTIES, MISSISSIPPI, 1994**

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	BENTON COUNTY						BOLIVAR COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	0	0	0	-	-	-	1	0	1	2.4	-	3.8
HIV INFECTION (042-044)	0	0	0	-	-	-	3	0	3	7.2	-	11.3
MALIGNANT NEOPLASMS (140-208)	23	19	4	285.8	390.2	125.9	90	38	52	214.9	249.0	195.4
DIABETES MELLITUS (250)	0	0	0	-	-	-	13	4	9	31.0	26.2	33.8
DISEASES OF HEART (390-398, 402, 404, 410-429)	28	20	8	348.0	410.8	251.8	158	51	107	377.3	334.2	402.0
HYPERTENSION (401, 403)	1	1	0	12.4	20.5	-	6	2	4	14.3	13.1	15.0
CEREBROVASCULAR DISEASES (430-438)	10	7	3	124.3	143.8	94.4	26	9	17	62.1	59.0	63.9
ATHEROSCLEROSIS (440)	7	3	4	87.0	61.6	125.9	5	3	2	11.9	19.7	7.5
PNEUMONIA AND INFLUENZA (480-487)	3	2	1	37.3	41.1	31.5	10	6	4	23.9	39.3	15.0
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	3	3	0	37.3	61.6	-	9	4	5	21.5	26.2	18.8
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	1	1	0	12.4	20.5	-	4	3	1	9.6	19.7	3.8
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	3	3	0	37.3	61.6	-	9	3	6	21.5	19.7	22.5
INFECTIONS OF KIDNEY (590)	0	0	0	-	-	-	1	0	1	2.4	-	3.8
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	0	0	0	-	-	-	2	0	2	4.8	-	7.5
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	1	0	1	9.2	-	26.3	0	0	0	-	-	-
ACCIDENTS (800-949)	12	4	8	149.1	82.2	251.8	31	11	20	74.0	72.1	75.1
MOTOR VEHICLE ACCIDENTS# (810-825)	9	3	6	111.8	61.6	188.8	17	8	9	40.6	52.4	33.8
SUICIDE (950-959)	0	0	0	-	-	-	5	3	2	11.9	19.7	7.5
HOMICIDE AND LEGAL INTERVENTION (960-978)	3	0	3	37.3	-	94.4	10	1	9	23.9	6.6	33.8
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	1	1	0	12.4	20.5	-	6	2	4	14.3	13.1	15.0

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	CALHOUN COUNTY						CARROLL COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	0	0	0	-	-	-	0	0	0	-	-	-
HIV INFECTION (042-044)	1	1	0	6.7	9.2	-	1	0	1	10.8	-	27.2
MALIGNANT NEOPLASMS (140-208)	19	17	2	127.4	157.0	49.0	23	13	10	249.0	233.8	272.0
DIABETES MELLITUS (250)	2	1	1	13.4	9.2	24.5	1	0	1	10.8	-	27.2
DISEASES OF HEART (390-398, 402, 404, 410-429)	63	48	15	422.6	443.2	367.7	19	13	6	205.7	233.8	163.2
HYPERTENSION (401, 403)	0	0	0	-	-	-	0	0	0	-	-	-
CEREBROVASCULAR DISEASES (430-438)	23	21	2	154.3	193.9	49.0	7	4	3	75.8	71.9	81.6
ATHEROSCLEROSIS (440)	0	0	0	-	-	-	1	0	1	10.8	-	27.2
PNEUMONIA AND INFLUENZA (480-487)	2	1	1	13.4	9.2	24.5	3	3	0	32.5	54.0	-
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	5	5	0	33.5	46.2	-	3	3	0	32.5	54.0	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	1	0	1	6.7	-	24.5	1	1	0	10.8	18.0	-
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	4	4	0	26.8	36.9	-	1	0	1	10.8	-	27.2
INFECTIONS OF KIDNEY (590)	0	0	0	-	-	-	0	0	0	-	-	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	1	0	1	4.3	-	10.9	0	0	0	-	-	-
ACCIDENTS (800-949)	12	10	2	80.5	92.3	49.0	6	4	2	65.0	71.9	54.4
MOTOR VEHICLE ACCIDENTS# (810-825)	6	6	0	40.2	55.4	-	4	2	2	43.3	36.0	54.4
SUICIDE (950-959)	2	1	1	13.4	9.2	24.5	1	1	0	10.8	18.0	-
HOMICIDE AND LEGAL INTERVENTION (960-978)	2	1	1	13.4	9.2	24.5	2	1	1	21.6	18.0	27.2
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	0	0	0	-	-	-	1	1	0	10.8	18.0	-

* CAUSES AND NUMBERS ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.

** DEATHS PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

**TABLE 18
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF CHICKASAW, CHOCTAW, CLAIBORNE, AND CLARKE COUNTIES, MISSISSIPPI, 1994**

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	CHICKASAW COUNTY						CHOCTAW COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	0	0	0	-	-	-	0	0	0	-	-	-
HIV INFECTION (042-044)	0	0	0	-	-	-	0	0	0	-	-	-
MALIGNANT NEOPLASMS (140-208)	33	23	10	182.5	208.0	142.3	19	16	3	209.4	253.2	109.0
DIABETES MELLITUS (250)	1	1	0	5.5	9.0	-	4	4	0	44.1	63.3	-
DISEASES OF HEART (390-398, 402, 404, 410-429)	85	60	25	470.0	542.5	355.9	44	33	11	485.1	522.2	399.7
HYPERTENSION (401, 403)	1	0	1	5.5	-	14.2	0	0	0	-	-	-
CEREBROVASCULAR DISEASES (430-438)	14	9	5	77.4	81.4	71.2	4	2	2	44.1	31.6	72.7
ATHEROSCLEROSIS (440)	0	0	0	-	-	-	0	0	0	-	-	-
PNEUMONIA AND INFLUENZA (480-487)	13	12	1	71.9	108.5	14.2	3	3	0	33.1	47.5	-
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	4	4	0	22.1	36.2	-	7	6	1	77.2	95.0	36.3
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	0	0	0	-	-	-	0	0	0	-	-	-
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	4	4	0	22.1	36.2	-	0	0	0	-	-	-
INFECTIONS OF KIDNEY (590)	0	0	0	-	-	-	0	0	0	-	-	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	2	1	1	11.0	9.0	14.2	1	0	1	11.0	-	36.3
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	1	0	1	3.0	-	6.6	1	1	0	8.6	13.7	-
ACCIDENTS (800-949)	13	8	5	71.9	72.3	71.2	5	3	2	55.1	47.5	72.7
MOTOR VEHICLE ACCIDENTS# (810-825)	9	5	4	49.8	45.2	56.9	3	2	1	33.1	31.6	36.3
SUICIDE (950-959)	0	0	0	-	-	-	2	2	0	22.0	31.6	-
HOMICIDE AND LEGAL INTERVENTION (960-978)	4	0	4	22.1	-	56.9	3	0	3	33.1	-	109.0
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	1	1	0	5.5	9.0	-	3	2	1	33.1	31.6	36.3

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	CLAIBORNE COUNTY						CLARKE COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	0	0	0	-	-	-	0	0	0	-	-	-
HIV INFECTION (042-044)	0	0	0	-	-	-	1	0	1	5.8	-	16.7
MALIGNANT NEOPLASMS (140-208)	26	6	20	228.7	300.9	213.3	29	18	11	167.5	159.1	183.3
DIABETES MELLITUS (250)	1	0	1	8.8	-	10.7	3	2	1	17.3	17.7	16.7
DISEASES OF HEART (390-398, 402, 404, 410-429)	57	23	34	501.3	1154	362.6	94	60	34	542.9	530.4	566.6
HYPERTENSION (401, 403)	0	0	0	-	-	-	0	0	0	-	-	-
CEREBROVASCULAR DISEASES (430-438)	7	2	5	61.6	100.3	53.3	17	10	7	98.2	88.4	116.6
ATHEROSCLEROSIS (440)	0	0	0	-	-	-	0	0	0	-	-	-
PNEUMONIA AND INFLUENZA (480-487)	3	1	2	26.4	50.2	21.3	9	9	0	52.0	79.6	-
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	3	2	1	26.4	100.3	10.7	4	3	1	23.1	26.5	16.7
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	0	0	0	-	-	-	2	2	0	11.6	17.7	-
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	5	1	4	44.0	50.2	42.7	0	0	0	-	-	-
INFECTIONS OF KIDNEY (590)	0	0	0	-	-	-	0	0	0	-	-	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	1	1	0	8.8	50.2	-	2	0	2	11.6	-	33.3
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	0	0	0	-	-	-	1	0	1	4.3	-	9.5
ACCIDENTS (800-949)	4	0	4	35.2	-	42.7	13	6	7	75.1	53.0	116.6
MOTOR VEHICLE ACCIDENTS# (810-825)	1	0	1	8.8	-	10.7	10	4	6	57.8	35.4	100.0
SUICIDE (950-959)	0	0	0	-	-	-	3	2	1	17.3	17.7	16.7
HOMICIDE AND LEGAL INTERVENTION (960-978)	4	0	4	35.2	-	42.7	4	0	4	23.1	-	66.6
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	7	1	6	61.6	50.2	64.0	0	0	0	-	-	-

* CAUSES AND NUMBERS ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.

** DEATHS PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

**TABLE 18
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF CLAY, COAHOMA, COPIAH, AND COVINGTON COUNTIES, MISSISSIPPI, 1994**

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	CLAY COUNTY						COAHOMA COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	0	0	0	-	-	-	1	0	1	3.2	-	4.8
HIV INFECTION (042-044)	2	0	2	9.5	-	17.6	5	2	3	15.8	18.2	14.5
MALIGNANT NEOPLASMS (140-208)	50	25	25	236.7	255.4	220.6	75	30	45	236.8	272.7	217.8
DIABETES MELLITUS (250)	7	4	3	33.1	40.9	26.5	11	2	9	34.7	18.2	43.6
DISEASES OF HEART (390-398, 402, 404, 410-429)	111	64	47	525.6	653.8	414.8	136	46	90	429.5	418.1	435.5
HYPERTENSION (401, 403)	2	1	1	9.5	10.2	8.8	3	1	2	9.5	9.1	9.7
CEREBROVASCULAR DISEASES (430-438)	18	10	8	85.2	102.2	70.6	33	15	18	104.2	136.4	87.1
ATHEROSCLEROSIS (440)	0	0	0	-	-	-	3	2	1	9.5	18.2	4.8
PNEUMONIA AND INFLUENZA (480-487)	4	3	1	18.9	30.6	8.8	17	8	9	53.7	72.7	43.6
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	6	4	2	28.4	40.9	17.6	10	5	5	31.6	45.4	24.2
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	2	1	1	9.5	10.2	8.8	1	1	0	3.2	9.1	-
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	3	0	3	14.2	-	26.5	5	1	4	15.8	9.1	19.4
INFECTIONS OF KIDNEY (590)	0	0	0	-	-	-	0	0	0	-	-	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	1	0	1	4.7	-	8.8	3	0	3	9.5	-	14.5
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	3	0	3	9.1	-	14.0	11	1	10	16.7	7.3	19.2
ACCIDENTS (800-949)	9	6	3	42.6	61.3	26.5	28	13	15	88.4	118.2	72.6
MOTOR VEHICLE ACCIDENTS# (810-825)	2	2	0	9.5	20.4	-	13	7	6	41.0	63.6	29.0
SUICIDE (950-959)	1	1	0	4.7	10.2	-	4	0	4	12.6	-	19.4
HOMICIDE AND LEGAL INTERVENTION (960-978)	6	2	4	28.4	20.4	35.3	8	1	7	25.3	9.1	33.9
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	3	0	3	14.2	-	26.5	4	0	4	12.6	-	19.4

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	COPIAH COUNTY						COVINGTON COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	0	0	0	-	-	-	0	0	0	-	-	-
HIV INFECTION (042-044)	1	1	0	3.6	7.4	-	0	0	0	-	-	-
MALIGNANT NEOPLASMS (140-208)	70	42	28	253.7	308.8	200.1	37	27	10	223.9	252.4	171.6
DIABETES MELLITUS (250)	12	4	8	43.5	29.4	57.2	6	2	4	36.3	18.7	68.6
DISEASES OF HEART (390-398, 402, 404, 410-429)	110	64	46	398.7	470.5	328.8	72	57	15	435.6	532.8	257.4
HYPERTENSION (401, 403)	0	0	0	-	-	-	1	0	1	6.0	-	17.2
CEREBROVASCULAR DISEASES (430-438)	23	16	7	83.4	117.6	50.0	11	9	2	66.6	84.1	34.3
ATHEROSCLEROSIS (440)	1	1	0	3.6	7.4	-	2	2	0	12.1	18.7	-
PNEUMONIA AND INFLUENZA (480-487)	13	10	3	47.1	73.5	21.4	6	3	3	36.3	28.0	51.5
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	10	6	4	36.2	44.1	28.6	7	6	1	42.4	56.1	17.2
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	1	1	0	3.6	7.4	-	2	2	0	12.1	18.7	-
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	2	2	0	7.2	14.7	-	0	0	0	-	-	-
INFECTIONS OF KIDNEY (590)	0	0	0	-	-	-	1	0	1	6.0	-	17.2
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	0	0	0	-	-	-	1	1	0	6.0	9.3	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	2	0	2	4.8	-	7.6	3	0	3	9.6	-	18.5
ACCIDENTS (800-949)	19	11	8	68.9	80.9	57.2	8	6	2	48.4	56.1	34.3
MOTOR VEHICLE ACCIDENTS# (810-825)	16	10	6	58.0	73.5	42.9	6	4	2	36.3	37.4	34.3
SUICIDE (950-959)	5	3	2	18.1	22.0	14.3	1	1	0	6.0	9.3	-
HOMICIDE AND LEGAL INTERVENTION (960-978)	6	1	5	21.7	7.4	35.7	2	1	1	12.1	9.3	17.2
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	7	5	2	25.4	36.8	14.3	1	1	0	6.0	9.3	-

* CAUSES AND NUMBERS ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.

** DEATHS PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

**TABLE 18
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF DESOTO, FORREST, FRANKLIN, AND GEORGE COUNTIES, MISSISSIPPI, 1994**

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	DESOTO COUNTY						FORREST COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	0	0	0	-	-	-	0	0	0	-	-	-
HIV INFECTION (042-044)	2	2	0	2.9	3.4	-	6	5	1	8.8	10.7	4.6
MALIGNANT NEOPLASMS (140-208)	117	102	15	172.3	173.3	165.7	151	111	40	221.0	237.8	184.8
DIABETES MELLITUS (250)	3	3	0	4.4	5.1	-	20	8	12	29.3	17.1	55.4
DISEASES OF HEART (390-398, 402, 404, 410-429)	186	152	34	273.9	258.2	375.7	232	158	74	339.6	338.5	341.9
HYPERTENSION (401, 403)	5	3	2	7.4	5.1	22.1	7	3	4	10.2	6.4	18.5
CEREBROVASCULAR DISEASES (430-438)	21	17	4	30.9	28.9	44.2	53	34	19	77.6	72.8	87.8
ATHEROSCLEROSIS (440)	1	1	0	1.5	1.7	-	5	5	0	7.3	10.7	-
PNEUMONIA AND INFLUENZA (480-487)	22	17	5	32.4	28.9	55.2	45	37	8	65.9	79.3	37.0
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	16	15	1	23.6	25.5	11.0	35	27	8	51.2	57.8	37.0
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	3	2	1	4.4	3.4	11.0	10	8	2	14.6	17.1	9.2
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	4	3	1	5.9	5.1	11.0	3	2	1	4.4	4.3	4.6
INFECTIONS OF KIDNEY (590)	0	0	0	-	-	-	1	0	1	1.5	-	4.6
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	5	3	2	7.4	5.1	22.1	5	2	3	7.3	4.3	13.9
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	1	0	1	0.8	-	5.2	7	0	7	6.2	-	13.9
ACCIDENTS (800-949)	33	24	9	48.6	40.8	99.4	29	16	13	42.4	34.3	60.1
MOTOR VEHICLE ACCIDENTS# (810-825)	18	13	5	26.5	22.1	55.2	16	12	4	23.4	25.7	18.5
SUICIDE (950-959)	6	6	0	8.8	10.2	-	8	5	3	11.7	10.7	13.9
HOMICIDE AND LEGAL INTERVENTION (960-978)	5	5	0	7.4	8.5	-	7	3	4	10.2	6.4	18.5
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	5	4	1	7.4	6.8	11.0	6	2	4	8.8	4.3	18.5

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	FRANKLIN COUNTY						GEORGE COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	0	0	0	-	-	-	0	0	0	-	-	-
HIV INFECTION (042-044)	0	0	0	-	-	-	2	2	0	12.0	13.3	-
MALIGNANT NEOPLASMS (140-208)	16	9	7	191.0	170.1	226.8	52	46	6	311.9	306.2	364.1
DIABETES MELLITUS (250)	8	2	6	95.5	37.8	194.4	1	1	0	6.0	6.6	-
DISEASES OF HEART (390-398, 402, 404, 410-429)	35	23	12	417.8	434.8	388.7	48	41	7	287.9	272.9	424.8
HYPERTENSION (401, 403)	0	0	0	-	-	-	1	0	1	6.0	-	60.7
CEREBROVASCULAR DISEASES (430-438)	4	2	2	47.8	37.8	64.8	11	10	1	66.0	66.6	60.7
ATHEROSCLEROSIS (440)	0	0	0	-	-	-	1	1	0	6.0	6.6	-
PNEUMONIA AND INFLUENZA (480-487)	2	2	0	23.9	37.8	-	4	4	0	24.0	26.6	-
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	1	1	0	11.9	18.9	-	8	8	0	48.0	53.2	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	0	0	0	-	-	-	2	2	0	12.0	13.3	-
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	4	2	2	47.8	37.8	64.8	1	1	0	6.0	6.6	-
INFECTIONS OF KIDNEY (590)	0	0	0	-	-	-	0	0	0	-	-	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	0	0	0	-	-	-	0	0	0	-	-	-
ACCIDENTS (800-949)	3	2	1	35.8	37.8	32.4	8	8	0	48.0	53.2	-
MOTOR VEHICLE ACCIDENTS# (810-825)	1	0	1	11.9	-	32.4	5	5	0	30.0	33.3	-
SUICIDE (950-959)	0	0	0	-	-	-	0	0	0	-	-	-
HOMICIDE AND LEGAL INTERVENTION (960-978)	1	0	1	11.9	-	32.4	1	1	0	6.0	6.6	-
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	1	1	0	11.9	18.9	-	0	0	0	-	-	-

* CAUSES AND NUMBERS ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.

** DEATHS PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

**TABLE 18
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF GREENE, GRENADA, HANCOCK, AND HARRISON COUNTIES, MISSISSIPPI, 1994**

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	GREENE COUNTY						GRENADA COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	0	0	0	-	-	-	0	0	0	-	-	-
HIV INFECTION (042-044)	1	0	1	9.8	-	45.0	3	1	2	13.9	8.0	22.2
MALIGNANT NEOPLASMS (140-208)	23	20	3	225.0	250.0	135.1	42	26	16	194.8	207.0	177.9
DIABETES MELLITUS (250)	4	2	2	39.1	25.0	90.0	2	1	1	9.3	8.0	11.1
DISEASES OF HEART (390-398, 402, 404, 410-429)	42	36	6	411.0	450.0	270.1	87	47	40	403.6	374.1	444.8
HYPERTENSION (401, 403)	1	0	1	9.8	-	45.0	0	0	0	-	-	-
CEREBROVASCULAR DISEASES (430-438)	6	6	0	58.7	75.0	-	31	15	16	143.8	119.4	177.9
ATHEROSCLEROSIS (440)	0	0	0	-	-	-	1	1	0	4.6	8.0	-
PNEUMONIA AND INFLUENZA (480-487)	1	1	0	9.8	12.5	-	10	7	3	46.4	55.7	33.4
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	1	1	0	9.8	12.5	-	11	7	4	51.0	55.7	44.5
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	0	0	0	-	-	-	3	1	2	13.9	8.0	22.2
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	4	4	0	39.1	50.0	-	8	5	3	37.1	39.8	33.4
INFECTIONS OF KIDNEY (590)	0	0	0	-	-	-	0	0	0	-	-	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	0	0	0	-	-	-	1	0	1	4.6	-	11.1
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	1	1	0	7.8	10.4	-	1	1	0	3.0	6.4	-
ACCIDENTS (800-949)	7	6	1	68.5	75.0	45.0	10	6	4	46.4	47.8	44.5
MOTOR VEHICLE ACCIDENTS# (810-825)	5	4	1	48.9	50.0	45.0	5	3	2	23.2	23.9	22.2
SUICIDE (950-959)	0	0	0	-	-	-	3	2	1	13.9	15.9	11.1
HOMICIDE AND LEGAL INTERVENTION (960-978)	2	2	0	19.6	25.0	-	3	0	3	13.9	-	33.4
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	0	0	0	-	-	-	3	1	2	13.9	8.0	22.2

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	HANCOCK COUNTY						HARRISON COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	0	0	0	-	-	-	0	0	0	-	-	-
HIV INFECTION (042-044)	7	7	0	22.0	24.4	-	23	17	6	13.9	13.3	15.9
MALIGNANT NEOPLASMS (140-208)	96	89	7	302.3	310.9	223.3	355	284	71	214.7	222.5	188.2
DIABETES MELLITUS (250)	4	3	1	12.6	10.5	31.9	23	16	7	13.9	12.5	18.6
DISEASES OF HEART (390-398, 402, 404, 410-429)	135	127	8	425.1	443.7	255.2	644	521	123	389.4	408.2	326.0
HYPERTENSION (401, 403)	1	1	0	3.1	3.5	-	5	3	2	3.0	2.4	5.3
CEREBROVASCULAR DISEASES (430-438)	19	18	1	59.8	62.9	31.9	66	52	14	39.9	40.7	37.1
ATHEROSCLEROSIS (440)	1	0	1	3.1	-	31.9	6	6	0	3.6	4.7	-
PNEUMONIA AND INFLUENZA (480-487)	17	14	3	53.5	48.9	95.7	49	43	6	29.6	33.7	15.9
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	16	16	0	50.4	55.9	-	72	61	11	43.5	47.8	29.2
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	4	4	0	12.6	14.0	-	23	23	0	13.9	18.0	-
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	5	5	0	15.7	17.5	-	15	12	3	9.1	9.4	8.0
INFECTIONS OF KIDNEY (590)	0	0	0	-	-	-	2	2	0	1.2	1.6	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	2	1	1	67.1	47.6	113.9
CONGENITAL ANOMALIES (740-759)	1	1	0	3.1	3.5	-	7	6	1	4.2	4.7	2.6
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	1	1	0	2.1	2.3	-	8	4	4	2.7	1.9	4.6
ACCIDENTS (800-949)	21	20	1	66.1	69.9	31.9	88	73	15	53.2	57.2	39.8
MOTOR VEHICLE ACCIDENTS# (810-825)	9	8	1	28.3	27.9	31.9	53	43	10	32.0	33.7	26.5
SUICIDE (950-959)	4	4	0	12.6	14.0	-	30	27	3	18.1	21.2	8.0
HOMICIDE AND LEGAL INTERVENTION (960-978)	3	3	0	9.4	10.5	-	23	11	12	13.9	8.6	31.8
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	0	0	0	-	-	-	10	5	5	6.0	3.9	13.2

* CAUSES AND NUMBERS ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.

** DEATHS PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

**TABLE 18
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF HINDS, HOLMES, HUMPHREYS, AND ISSAQUENA COUNTIES, MISSISSIPPI, 1994**

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	HINDS COUNTY						HOLMES COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	2	1	1	0.8	0.8	0.8	0	0	0	-	-	-
HIV INFECTION (042-044)	83	22	61	32.6	17.9	46.5	3	0	3	13.9	-	18.3
MALIGNANT NEOPLASMS (140-208)	532	275	257	209.1	223.2	195.8	56	17	39	259.2	328.4	237.4
DIABETES MELLITUS (250)	31	16	15	12.2	13.0	11.4	9	1	8	41.6	19.3	48.7
DISEASES OF HEART (390-398, 402, 404, 410-429)	814	451	363	319.9	366.1	276.5	96	28	68	444.4	541.0	413.9
HYPERTENSION (401, 403)	15	4	11	5.9	3.2	8.4	1	1	0	4.6	19.3	-
CEREBROVASCULAR DISEASES (430-438)	134	72	62	52.7	58.4	47.2	36	10	26	166.6	193.2	158.3
ATHEROSCLEROSIS (440)	4	3	1	1.6	2.4	0.8	0	0	0	-	-	-
PNEUMONIA AND INFLUENZA (480-487)	81	48	33	31.8	39.0	25.1	6	1	5	27.8	19.3	30.4
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	94	68	26	36.9	55.2	19.8	9	7	2	41.6	135.2	12.2
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	18	11	7	7.1	8.9	5.3	3	1	2	13.9	19.3	12.2
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	30	11	19	11.8	8.9	14.5	6	2	4	27.8	38.6	24.3
INFECTIONS OF KIDNEY (590)	0	0	0	-	-	-	0	0	0	-	-	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	19	8	11	7.5	6.5	8.4	2	0	2	9.2	-	12.2
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	14	0	14	3.4	-	4.8	1	0	1	2.4	-	2.6
ACCIDENTS (800-949)	110	56	54	43.2	45.5	41.1	22	4	18	101.8	77.3	109.6
MOTOR VEHICLE ACCIDENTS# (810-825)	52	25	27	20.4	20.3	20.6	14	3	11	64.8	58.0	67.0
SUICIDE (950-959)	33	19	14	13.0	15.4	10.7	0	0	0	-	-	-
HOMICIDE AND LEGAL INTERVENTION (960-978)	100	8	92	39.3	6.5	70.1	9	1	8	41.6	19.3	48.7
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	17	7	10	6.7	5.7	7.6	4	3	1	18.5	58.0	6.1

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	HUMPHREYS COUNTY						ISSAQUENA COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	1	0	1	8.2	-	12.1	0	0	0	-	-	-
HIV INFECTION (042-044)	1	0	1	8.2	-	12.1	0	0	0	-	-	-
MALIGNANT NEOPLASMS (140-208)	30	11	19	247.2	285.3	229.5	6	2	4	314.3	240.1	371.7
DIABETES MELLITUS (250)	1	0	1	8.2	-	12.1	0	0	0	-	-	-
DISEASES OF HEART (390-398, 402, 404, 410-429)	43	19	24	354.4	492.7	289.9	3	1	2	157.2	120.0	185.9
HYPERTENSION (401, 403)	1	1	0	8.2	25.9	-	0	0	0	-	-	-
CEREBROVASCULAR DISEASES (430-438)	11	5	6	90.6	129.7	72.5	1	0	1	52.4	-	92.9
ATHEROSCLEROSIS (440)	0	0	0	-	-	-	0	0	0	-	-	-
PNEUMONIA AND INFLUENZA (480-487)	8	1	7	65.9	25.9	84.6	0	0	0	-	-	-
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	3	2	1	24.7	51.9	12.1	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	0	0	0	-	-	-	0	0	0	-	-	-
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	2	0	2	16.5	-	24.2	0	0	0	-	-	-
INFECTIONS OF KIDNEY (590)	0	0	0	-	-	-	0	0	0	-	-	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	1	0	1	8.2	-	12.1	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	2	0	2	10.5	-	13.4	0	0	0	-	-	-
ACCIDENTS (800-949)	7	1	6	57.7	25.9	72.5	2	1	1	104.8	120.0	92.9
MOTOR VEHICLE ACCIDENTS# (810-825)	2	0	2	16.5	-	24.2	2	1	1	104.8	120.0	92.9
SUICIDE (950-959)	0	0	0	-	-	-	0	0	0	-	-	-
HOMICIDE AND LEGAL INTERVENTION (960-978)	8	1	7	65.9	25.9	84.6	0	0	0	-	-	-
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	0	0	0	-	-	-	0	0	0	-	-	-

* CAUSES AND NUMBERS ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.

** DEATHS PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

**TABLE 18
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF ITAWAMBA, JACKSON, JASPER, AND JEFFERSON COUNTIES, MISSISSIPPI, 1994**

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	ITAWAMBA COUNTY						JACKSON COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	0	0	0	-	-	-	0	0	0	-	-	-
HIV INFECTION (042-044)	1	1	0	5.0	5.4	-	11	10	1	9.5	11.1	4.0
MALIGNANT NEOPLASMS (140-208)	50	49	1	249.8	263.5	70.4	261	213	48	226.5	236.4	191.0
DIABETES MELLITUS (250)	4	3	1	20.0	16.1	70.4	12	11	1	10.4	12.2	4.0
DISEASES OF HEART (390-398, 402, 404, 410-429)	66	61	5	329.7	328.0	351.9	311	256	55	269.9	284.1	218.9
HYPERTENSION (401, 403)	0	0	0	-	-	-	1	1	0	0.9	1.1	-
CEREBROVASCULAR DISEASES (430-438)	19	19	0	94.9	102.2	-	52	40	12	45.1	44.4	47.8
ATHEROSCLEROSIS (440)	2	1	1	10.0	5.4	70.4	11	10	1	9.5	11.1	4.0
PNEUMONIA AND INFLUENZA (480-487)	7	5	2	35.0	26.9	140.7	24	21	3	20.8	23.3	11.9
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	13	13	0	64.9	69.9	-	35	33	2	30.4	36.6	8.0
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	1	1	0	5.0	5.4	-	23	22	1	20.0	24.4	4.0
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	3	2	1	15.0	10.8	70.4	9	7	2	7.8	7.8	8.0
INFECTIONS OF KIDNEY (590)	0	0	0	-	-	-	1	1	0	0.9	1.1	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	0	0	0	-	-	-	9	7	2	7.8	7.8	8.0
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	1	1	0	3.4	3.9	-	8	3	5	4.4	2.4	8.3
ACCIDENTS (800-949)	19	19	0	94.9	102.2	-	56	44	12	48.6	48.8	47.8
MOTOR VEHICLE ACCIDENTS# (810-825)	9	9	0	45.0	48.4	-	30	22	8	26.0	24.4	31.8
SUICIDE (950-959)	1	1	0	5.0	5.4	-	18	14	4	15.6	15.5	15.9
HOMICIDE AND LEGAL INTERVENTION (960-978)	0	0	0	-	-	-	11	8	3	9.5	8.9	11.9
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	4	3	1	20.0	16.1	70.4	5	3	2	4.3	3.3	8.0

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	JASPER COUNTY						JEFFERSON COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	0	0	0	-	-	-	0	0	0	-	-	-
HIV INFECTION (042-044)	0	0	0	-	-	-	0	0	0	-	-	-
MALIGNANT NEOPLASMS (140-208)	41	21	20	239.6	249.7	229.8	22	9	13	254.2	759.5	174.1
DIABETES MELLITUS (250)	1	0	1	5.8	-	11.5	1	0	1	11.6	-	13.4
DISEASES OF HEART (390-398, 402, 404, 410-429)	64	31	33	374.0	368.6	379.1	28	9	19	323.6	759.5	254.4
HYPERTENSION (401, 403)	2	0	2	11.7	-	23.0	0	0	0	-	-	-
CEREBROVASCULAR DISEASES (430-438)	17	12	5	99.3	142.7	57.4	9	0	9	104.0	-	120.5
ATHEROSCLEROSIS (440)	1	1	0	5.8	11.9	-	1	0	1	11.6	-	13.4
PNEUMONIA AND INFLUENZA (480-487)	4	2	2	23.4	23.8	23.0	3	2	1	34.7	168.8	13.4
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	8	3	5	46.7	35.7	57.4	3	2	1	34.7	168.8	13.4
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	1	1	0	5.8	11.9	-	1	0	1	11.6	-	13.4
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	1	1	0	5.8	11.9	-	0	0	0	-	-	-
INFECTIONS OF KIDNEY (590)	0	0	0	-	-	-	0	0	0	-	-	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	2	0	2	11.7	-	23.0	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	0	0	0	-	-	-	0	0	0	-	-	-
ACCIDENTS (800-949)	10	3	7	58.4	35.7	80.4	6	0	6	69.3	-	80.3
MOTOR VEHICLE ACCIDENTS# (810-825)	4	2	2	23.4	23.8	23.0	5	0	5	57.8	-	67.0
SUICIDE (950-959)	1	1	0	5.8	11.9	-	2	0	2	23.1	-	26.8
HOMICIDE AND LEGAL INTERVENTION (960-978)	4	2	2	23.4	23.8	23.0	3	0	3	34.7	-	40.2
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	2	0	2	11.7	-	23.0	3	0	3	34.7	-	40.2

* CAUSES AND NUMBERS ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.

** DEATHS PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

**TABLE 18
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF JEFF DAVIS, JONES, KEMPER, AND LAFAYETTE COUNTIES, MISSISSIPPI, 1994**

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	JEFF DAVIS COUNTY						JONES COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	0	0	0	-	-	-	0	0	0	-	-	-
HIV INFECTION (042-044)	0	0	0	-	-	-	4	1	3	6.4	2.2	18.9
MALIGNANT NEOPLASMS (140-208)	41	25	16	291.8	394.9	207.2	152	120	32	245.0	259.8	202.0
DIABETES MELLITUS (250)	4	1	3	28.5	15.8	38.8	9	8	1	14.5	17.3	6.3
DISEASES OF HEART (390-398, 402, 404, 410-429)	41	22	19	291.8	347.6	246.1	245	186	59	395.0	402.6	372.5
HYPERTENSION (401, 403)	1	0	1	7.1	-	13.0	2	1	1	3.2	2.2	6.3
CEREBROVASCULAR DISEASES (430-438)	12	5	7	85.4	79.0	90.7	42	32	10	67.7	69.3	63.1
ATHEROSCLEROSIS (440)	0	0	0	-	-	-	2	1	1	3.2	2.2	6.3
PNEUMONIA AND INFLUENZA (480-487)	6	3	3	42.7	47.4	38.8	31	22	9	50.0	47.6	56.8
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	5	4	1	35.6	63.2	13.0	28	21	7	45.1	45.5	44.2
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	2	1	1	14.2	15.8	13.0	7	3	4	11.3	6.5	25.2
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	2	2	0	14.2	31.6	-	12	9	3	19.3	19.5	18.9
INFECTIONS OF KIDNEY (590)	0	0	0	-	-	-	0	0	0	-	-	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	1	0	1	7.1	-	13.0	5	3	2	8.1	6.5	12.6
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	1	0	1	4.3	-	6.0	2	2	0	2.2	3.6	-
ACCIDENTS (800-949)	15	8	7	106.8	126.4	90.7	36	32	4	58.0	69.3	25.2
MOTOR VEHICLE ACCIDENTS# (810-825)	9	4	5	64.0	63.2	64.8	24	21	3	38.7	45.5	18.9
SUICIDE (950-959)	1	1	0	7.1	15.8	-	8	7	1	12.9	15.2	6.3
HOMICIDE AND LEGAL INTERVENTION (960-978)	4	0	4	28.5	-	51.8	8	4	4	12.9	8.6	25.2
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	1	0	1	7.1	-	13.0	1	1	0	1.6	2.2	-

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	KEMPER COUNTY						LAFAYETTE COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	1	0	1	9.6	-	16.8	0	0	0	-	-	-
HIV INFECTION (042-044)	1	0	1	9.6	-	16.8	1	0	1	3.1	-	11.5
MALIGNANT NEOPLASMS (140-208)	25	15	10	241.4	340.4	168.1	45	33	12	141.4	142.5	138.3
DIABETES MELLITUS (250)	3	2	1	29.0	45.4	16.8	3	3	0	9.4	13.0	-
DISEASES OF HEART (390-398, 402, 404, 410-429)	42	27	15	405.6	612.7	252.1	99	74	25	311.1	319.6	288.2
HYPERTENSION (401, 403)	0	0	0	-	-	-	1	1	0	3.1	4.3	-
CEREBROVASCULAR DISEASES (430-438)	9	3	6	86.9	68.1	100.8	17	11	6	53.4	47.5	69.2
ATHEROSCLEROSIS (440)	0	0	0	-	-	-	0	0	0	-	-	-
PNEUMONIA AND INFLUENZA (480-487)	2	1	1	19.3	22.7	16.8	2	2	0	6.3	8.6	-
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	6	5	1	57.9	113.4	16.8	9	6	3	28.3	25.9	34.6
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	1	0	1	9.6	-	16.8	2	1	1	6.3	4.3	11.5
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	1	0	1	9.6	-	16.8	0	0	0	-	-	-
INFECTIONS OF KIDNEY (590)	0	0	0	-	-	-	0	0	0	-	-	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	0	0	0	-	-	-	1	1	0	3.1	4.3	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	0	0	0	-	-	-	4	1	3	10.1	4.5	17.4
ACCIDENTS (800-949)	6	2	4	57.9	45.4	67.2	15	9	6	47.1	38.9	69.2
MOTOR VEHICLE ACCIDENTS# (810-825)	3	0	3	29.0	-	50.4	5	3	2	15.7	13.0	23.0
SUICIDE (950-959)	3	3	0	29.0	68.1	-	3	3	0	9.4	13.0	-
HOMICIDE AND LEGAL INTERVENTION (960-978)	1	0	1	9.6	-	16.8	3	1	2	9.4	4.3	23.0
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	4	3	1	38.6	68.1	16.8	7	5	2	22.0	21.6	23.0

* CAUSES AND NUMBERS ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.

** DEATHS PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

**TABLE 18
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF LAMAR, LAUDERDALE, LAWRENCE, AND LEAKE COUNTIES, MISSISSIPPI, 1994**

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	LAMAR COUNTY						LAUDERDALE COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	0	0	0	-	-	-	3	0	3	4.0	-	11.2
HIV INFECTION (042-044)	1	1	0	3.3	3.8	-	15	7	8	19.8	14.4	29.8
MALIGNANT NEOPLASMS (140-208)	54	49	5	177.5	184.2	130.7	168	114	54	222.4	234.0	201.1
DIABETES MELLITUS (250)	3	2	1	9.9	7.5	26.1	10	5	5	13.2	10.3	18.6
DISEASES OF HEART (390-398, 402, 404, 410-429)	90	83	7	295.8	312.0	183.0	309	212	97	409.0	435.3	361.3
HYPERTENSION (401, 403)	1	0	1	3.3	-	26.1	1	0	1	1.3	-	3.7
CEREBROVASCULAR DISEASES (430-438)	13	10	3	42.7	37.6	78.4	45	36	9	59.6	73.9	33.5
ATHEROSCLEROSIS (440)	1	0	1	3.3	-	26.1	2	0	2	2.6	-	7.4
PNEUMONIA AND INFLUENZA (480-487)	7	7	0	23.0	26.3	-	35	29	6	46.3	59.5	22.3
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	10	9	1	32.9	33.8	26.1	39	31	8	51.6	63.6	29.8
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	2	2	0	6.6	7.5	-	4	2	2	5.3	4.1	7.4
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	1	1	0	3.3	3.8	-	11	4	7	14.6	8.2	26.1
INFECTIONS OF KIDNEY (590)	0	0	0	-	-	-	0	0	0	-	-	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	3	3	0	9.9	11.3	-	5	5	0	6.6	10.3	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	3	1	2	6.2	2.6	22.7	7	2	5	5.8	3.3	8.3
ACCIDENTS (800-949)	10	10	0	32.9	37.6	-	44	29	15	58.2	59.5	55.9
MOTOR VEHICLE ACCIDENTS# (810-825)	8	8	0	26.3	30.1	-	19	13	6	25.1	26.7	22.3
SUICIDE (950-959)	4	4	0	13.1	15.0	-	10	9	1	13.2	18.5	3.7
HOMICIDE AND LEGAL INTERVENTION (960-978)	0	0	0	-	-	-	9	3	6	11.9	6.2	22.3
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	4	2	2	13.1	7.5	52.3	5	2	3	6.6	4.1	11.2

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	LAWRENCE COUNTY						LEAKE COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	0	0	0	-	-	-	0	0	0	-	-	-
HIV INFECTION (042-044)	0	0	0	-	-	-	1	1	0	5.4	9.0	-
MALIGNANT NEOPLASMS (140-208)	17	10	7	136.4	120.5	168.4	57	41	16	309.2	369.8	217.7
DIABETES MELLITUS (250)	8	7	1	64.2	84.3	24.0	3	0	3	16.3	-	40.8
DISEASES OF HEART (390-398, 402, 404, 410-429)	43	30	13	345.2	361.4	312.6	79	57	22	428.5	514.2	299.3
HYPERTENSION (401, 403)	1	0	1	8.0	-	24.0	0	0	0	-	-	-
CEREBROVASCULAR DISEASES (430-438)	14	11	3	112.4	132.5	72.2	18	12	6	97.6	108.2	81.6
ATHEROSCLEROSIS (440)	1	1	0	8.0	12.0	-	1	1	0	5.4	9.0	-
PNEUMONIA AND INFLUENZA (480-487)	6	5	1	48.2	60.2	24.0	10	7	3	54.2	63.1	40.8
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	1	1	0	8.0	12.0	-	7	6	1	38.0	54.1	13.6
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	2	1	1	16.0	12.0	24.0	3	1	2	16.3	9.0	27.2
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	3	3	0	24.1	36.1	-	7	4	3	38.0	36.1	40.8
INFECTIONS OF KIDNEY (590)	0	0	0	-	-	-	0	0	0	-	-	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	0	0	0	-	-	-	1	0	1	5.4	-	13.6
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	2	2	0	10.8	19.4	-	0	0	0	-	-	-
ACCIDENTS (800-949)	4	2	2	32.1	24.1	48.1	20	10	10	108.5	90.2	136.0
MOTOR VEHICLE ACCIDENTS# (810-825)	2	1	1	16.0	12.0	24.0	14	8	6	75.9	72.2	81.6
SUICIDE (950-959)	0	0	0	-	-	-	1	1	0	5.4	9.0	-
HOMICIDE AND LEGAL INTERVENTION (960-978)	2	1	1	16.0	12.0	24.0	1	0	1	5.4	-	13.6
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	0	0	0	-	-	-	3	1	2	16.3	9.0	27.2

* CAUSES AND NUMBERS ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.

** DEATHS PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

**TABLE 18
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF LEE, LEFLORE, LINCOLN, AND LOWNDES COUNTIES, MISSISSIPPI, 1994**

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	LEE COUNTY						LEFLORE COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	2	0	2	3.0	-	14.0	0	0	0	-	-	-
HIV INFECTION (042-044)	3	2	1	4.6	3.9	7.0	2	0	2	5.4	-	8.8
MALIGNANT NEOPLASMS (140-208)	123	94	29	187.6	183.4	202.5	82	38	44	219.6	261.8	192.8
DIABETES MELLITUS (250)	5	4	1	7.6	7.8	7.0	7	3	4	18.7	20.7	17.5
DISEASES OF HEART (390-398, 402, 404, 410-429)	240	173	67	366.0	337.5	467.8	208	99	109	557.0	682.0	477.5
HYPERTENSION (401, 403)	0	0	0	-	-	-	1	0	1	2.7	-	4.4
CEREBROVASCULAR DISEASES (430-438)	46	37	9	70.1	72.2	62.8	12	5	7	32.1	34.4	30.7
ATHEROSCLEROSIS (440)	2	2	0	3.0	3.9	-	0	0	0	-	-	-
PNEUMONIA AND INFLUENZA (480-487)	18	16	2	27.4	31.2	14.0	15	8	7	40.2	55.1	30.7
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	14	10	4	21.3	19.5	27.9	19	14	5	50.9	96.4	21.9
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	3	2	1	4.6	3.9	7.0	5	1	4	13.4	6.9	17.5
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	5	2	3	7.6	3.9	20.9	6	3	3	16.1	20.7	13.1
INFECTIONS OF KIDNEY (590)	0	0	0	-	-	-	0	0	0	-	-	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	2	1	1	3.0	2.0	7.0	2	0	2	5.4	-	8.8
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	8	4	4	6.2	4.6	9.5	3	1	2	4.4	6.7	3.8
ACCIDENTS (800-949)	27	18	9	41.2	35.1	62.8	13	4	9	34.8	27.6	39.4
MOTOR VEHICLE ACCIDENTS# (810-825)	16	10	6	24.4	19.5	41.9	8	3	5	21.4	20.7	21.9
SUICIDE (950-959)	8	5	3	12.2	9.8	20.9	6	6	0	16.1	41.3	-
HOMICIDE AND LEGAL INTERVENTION (960-978)	5	3	2	7.6	5.8	14.0	13	2	11	34.8	13.8	48.2
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	12	7	5	18.3	13.6	34.9	3	1	2	8.0	6.9	8.8

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	LINCOLN COUNTY						LOWNDES COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	2	1	1	6.6	4.7	11.0	0	0	0	-	-	-
HIV INFECTION (042-044)	2	1	1	6.6	4.7	11.0	6	1	5	10.1	2.7	22.2
MALIGNANT NEOPLASMS (140-208)	71	52	19	234.5	245.7	208.4	120	76	44	202.3	206.9	194.9
DIABETES MELLITUS (250)	11	8	3	36.3	37.8	32.9	9	4	5	15.2	10.9	22.2
DISEASES OF HEART (390-398, 402, 404, 410-429)	117	91	26	386.4	430.0	285.2	165	91	74	278.2	247.7	327.8
HYPERTENSION (401, 403)	3	2	1	9.9	9.4	11.0	14	4	10	23.6	10.9	44.3
CEREBROVASCULAR DISEASES (430-438)	19	13	6	62.8	61.4	65.8	33	18	15	55.6	49.0	66.4
ATHEROSCLEROSIS (440)	1	1	0	3.3	4.7	-	1	1	0	1.7	2.7	-
PNEUMONIA AND INFLUENZA (480-487)	9	5	4	29.7	23.6	43.9	13	11	2	21.9	29.9	8.9
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	12	11	1	39.6	52.0	11.0	17	17	0	28.7	46.3	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	3	3	0	9.9	14.2	-	4	4	0	6.7	10.9	-
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	7	4	3	23.1	18.9	32.9	9	3	6	15.2	8.2	26.6
INFECTIONS OF KIDNEY (590)	1	1	0	3.3	4.7	-	0	0	0	-	-	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	1	1	0	3.3	4.7	-	5	2	3	8.4	5.4	13.3
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	0	0	0	-	-	-	4	3	1	3.9	5.4	2.1
ACCIDENTS (800-949)	14	10	4	46.2	47.2	43.9	17	9	8	28.7	24.5	35.4
MOTOR VEHICLE ACCIDENTS# (810-825)	6	5	1	19.8	23.6	11.0	10	6	4	16.9	16.3	17.7
SUICIDE (950-959)	4	3	1	13.2	14.2	11.0	7	6	1	11.8	16.3	4.4
HOMICIDE AND LEGAL INTERVENTION (960-978)	3	0	3	9.9	-	32.9	8	0	8	13.5	-	35.4
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	2	0	2	6.6	-	21.9	28	15	13	47.2	40.8	57.6

* CAUSES AND NUMBERS ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.

** DEATHS PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

**TABLE 18
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF MADISON, MARION, MARSHALL, AND MONROE COUNTIES, MISSISSIPPI, 1994**

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	MADISON COUNTY						MARION COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	0	0	0	-	-	-	0	0	0	-	-	-
HIV INFECTION (042-044)	4	1	3	7.4	3.4	12.5	3	3	0	11.7	16.9	-
MALIGNANT NEOPLASMS (140-208)	102	57	45	189.6	191.3	187.5	53	37	16	207.5	208.6	204.8
DIABETES MELLITUS (250)	6	1	5	11.2	3.4	20.8	3	1	2	11.7	5.6	25.6
DISEASES OF HEART (390-398, 402, 404, 410-429)	161	100	61	299.3	335.7	254.1	116	88	28	454.1	496.2	358.5
HYPERTENSION (401, 403)	4	0	4	7.4	-	16.7	0	0	0	-	-	-
CEREBROVASCULAR DISEASES (430-438)	35	20	15	65.1	67.1	62.5	21	12	9	82.2	67.7	115.2
ATHEROSCLEROSIS (440)	0	0	0	-	-	-	8	8	0	31.3	45.1	-
PNEUMONIA AND INFLUENZA (480-487)	18	13	5	33.5	43.6	20.8	7	6	1	27.4	33.8	12.8
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	13	11	2	24.2	36.9	8.3	13	10	3	50.9	56.4	38.4
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	2	1	1	3.7	3.4	4.2	2	1	1	7.8	5.6	12.8
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	6	2	4	11.2	6.7	16.7	2	1	1	7.8	5.6	12.8
INFECTIONS OF KIDNEY (590)	0	0	0	-	-	-	0	0	0	-	-	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	2	0	2	3.7	-	8.3	1	0	1	3.9	-	12.8
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	3	1	2	2.6	1.7	3.5	0	0	0	-	-	-
ACCIDENTS (800-949)	29	17	12	53.9	57.1	50.0	18	16	2	70.5	90.2	25.6
MOTOR VEHICLE ACCIDENTS# (810-825)	19	9	10	35.3	30.2	41.6	11	10	1	43.1	56.4	12.8
SUICIDE (950-959)	6	5	1	11.2	16.8	4.2	7	6	1	27.4	33.8	12.8
HOMICIDE AND LEGAL INTERVENTION (960-978)	8	6	2	14.9	20.1	8.3	3	0	3	11.7	-	38.4
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	1	0	1	1.8	-	4.2	0	0	0	-	-	-

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	MARSHALL COUNTY						MONROE COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	0	0	0	-	-	-	1	1	0	2.7	3.9	-
HIV INFECTION (042-044)	1	0	1	3.3	-	6.4	1	0	1	2.7	-	8.9
MALIGNANT NEOPLASMS (140-208)	69	30	39	227.3	202.1	251.3	85	58	27	232.4	228.4	241.3
DIABETES MELLITUS (250)	6	3	3	19.8	20.2	19.3	7	2	5	19.1	7.9	44.7
DISEASES OF HEART (390-398, 402, 404, 410-429)	86	41	45	283.2	276.2	290.0	143	95	48	390.9	374.1	429.0
HYPERTENSION (401, 403)	5	0	5	16.5	-	32.2	1	1	0	2.7	3.9	-
CEREBROVASCULAR DISEASES (430-438)	13	6	7	42.8	40.4	45.1	31	19	12	84.7	74.8	107.2
ATHEROSCLEROSIS (440)	5	2	3	16.5	13.5	19.3	0	0	0	-	-	-
PNEUMONIA AND INFLUENZA (480-487)	8	5	3	26.4	33.7	19.3	21	17	4	57.4	66.9	35.8
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	13	8	5	42.8	53.9	32.2	18	16	2	49.2	63.0	17.9
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	1	1	0	3.3	6.7	-	5	3	2	13.7	11.8	17.9
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	3	0	3	9.9	-	19.3	9	5	4	24.6	19.7	35.8
INFECTIONS OF KIDNEY (590)	0	0	0	-	-	-	1	0	1	2.7	-	8.9
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	3	1	2	9.9	6.7	12.9	2	2	0	5.5	7.9	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	7	0	7	11.7	-	18.8	5	1	4	8.6	2.9	16.7
ACCIDENTS (800-949)	32	11	21	105.4	74.1	135.3	25	19	6	68.3	74.8	53.6
MOTOR VEHICLE ACCIDENTS# (810-825)	18	7	11	59.3	47.2	70.9	16	12	4	43.7	47.2	35.8
SUICIDE (950-959)	2	2	0	6.6	13.5	-	6	4	2	16.4	15.8	17.9
HOMICIDE AND LEGAL INTERVENTION (960-978)	4	2	2	13.2	13.5	12.9	6	2	4	16.4	7.9	35.8
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	7	2	5	23.0	13.5	32.2	2	1	1	5.5	3.9	8.9

* CAUSES AND NUMBERS ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.

** DEATHS PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

**TABLE 18
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF MONTGOMERY, NESHOPA, NEWTON, AND NOXUBEE COUNTIES, MISSISSIPPI, 1994**

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	MONTGOMERY COUNTY						NESHOPA COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	0	0	0	-	-	-	0	0	0	-	-	-
HIV INFECTION (042-044)	1	1	0	8.1	14.4	-	2	2	0	8.1	11.8	-
MALIGNANT NEOPLASMS (140-208)	27	13	14	218.0	188.0	255.8	57	42	15	229.8	247.9	191.0
DIABETES MELLITUS (250)	1	1	0	8.1	14.4	-	5	0	5	20.2	-	63.6
DISEASES OF HEART (390-398, 402, 404, 410-429)	49	32	17	395.5	462.7	310.7	105	82	23	423.4	483.9	292.8
HYPERTENSION (401, 403)	1	1	0	8.1	14.4	-	2	1	1	8.1	5.9	12.7
CEREBROVASCULAR DISEASES (430-438)	15	7	8	121.1	101.2	146.2	21	18	3	84.7	106.2	38.2
ATHEROSCLEROSIS (440)	1	1	0	8.1	14.4	-	0	0	0	-	-	-
PNEUMONIA AND INFLUENZA (480-487)	10	8	2	80.7	115.7	36.6	15	12	3	60.5	70.8	38.2
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	3	3	0	24.2	43.4	-	10	10	0	40.3	59.0	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	1	0	1	8.1	-	18.3	4	2	2	16.1	11.8	25.5
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	2	2	0	16.1	28.9	-	6	4	2	24.2	23.6	25.5
INFECTIONS OF KIDNEY (590)	0	0	0	-	-	-	0	0	0	-	-	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	0	0	0	-	-	-	2	2	0	8.1	11.8	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	1	0	1	6.0	-	9.7	5	0	5	12.6	-	27.3
ACCIDENTS (800-949)	4	2	2	32.3	28.9	36.6	18	12	6	72.6	70.8	76.4
MOTOR VEHICLE ACCIDENTS# (810-825)	3	1	2	24.2	14.4	36.6	10	8	2	40.3	47.2	25.5
SUICIDE (950-959)	4	3	1	32.3	43.4	18.3	1	1	0	4.0	5.9	-
HOMICIDE AND LEGAL INTERVENTION (960-978)	1	1	0	8.1	14.4	-	3	0	3	12.1	-	38.2
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	0	0	0	-	-	-	7	2	5	28.2	11.8	63.6

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	NEWTON COUNTY						NOXUBEE COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	1	0	1	4.9	-	15.2	0	0	0	-	-	-
HIV INFECTION (042-044)	1	0	1	4.9	-	15.2	0	0	0	-	-	-
MALIGNANT NEOPLASMS (140-208)	67	51	16	330.2	372.3	242.6	27	11	16	214.2	277.8	185.1
DIABETES MELLITUS (250)	9	5	4	44.4	36.5	60.7	2	0	2	15.9	-	23.1
DISEASES OF HEART (390-398, 402, 404, 410-429)	105	71	34	517.5	518.4	515.6	51	20	31	404.6	505.2	358.6
HYPERTENSION (401, 403)	2	1	1	9.8	7.3	15.2	0	0	0	-	-	-
CEREBROVASCULAR DISEASES (430-438)	19	10	9	93.6	73.0	136.5	8	4	4	63.5	101.0	46.3
ATHEROSCLEROSIS (440)	2	2	0	9.8	14.6	-	2	1	1	15.9	25.2	11.6
PNEUMONIA AND INFLUENZA (480-487)	2	1	1	9.8	7.3	15.2	4	2	2	31.7	50.5	23.1
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	7	5	2	34.5	36.5	30.3	6	5	1	47.6	126.3	11.6
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	6	2	4	29.6	14.6	60.7	0	0	0	-	-	-
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	3	2	1	14.8	14.6	15.2	1	1	0	7.9	25.2	-
INFECTIONS OF KIDNEY (590)	0	0	0	-	-	-	0	0	0	-	-	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	1	0	1	4.9	-	15.2	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	4	2	2	13.1	11.5	15.3	2	1	1	9.2	21.3	5.9
ACCIDENTS (800-949)	4	4	0	19.7	29.2	-	14	2	12	111.1	50.5	138.8
MOTOR VEHICLE ACCIDENTS# (810-825)	2	2	0	9.8	14.6	-	8	2	6	63.5	50.5	69.4
SUICIDE (950-959)	0	0	0	-	-	-	2	2	0	15.9	50.5	-
HOMICIDE AND LEGAL INTERVENTION (960-978)	5	1	4	24.6	7.3	60.7	3	1	2	23.8	25.2	23.1
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	2	0	2	9.8	-	30.3	2	0	2	15.9	-	23.1

* CAUSES AND NUMBERS ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.

** DEATHS PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

**TABLE 18
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF OKTIBBEHA, PANOLA, PEARL RIVER, AND PERRY COUNTIES, MISSISSIPPI, 1994**

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	OKTIBBEHA COUNTY						PANOLA COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	0	0	0	-	-	-	0	0	0	-	-	-
HIV INFECTION (042-044)	3	0	3	7.8	-	21.0	0	0	0	-	-	-
MALIGNANT NEOPLASMS (140-208)	52	31	21	135.5	128.8	146.7	80	54	26	266.7	351.2	177.8
DIABETES MELLITUS (250)	13	5	8	33.9	20.8	55.9	5	3	2	16.7	19.5	13.7
DISEASES OF HEART (390-398, 402, 404, 410-429)	58	40	18	151.1	166.2	125.8	90	58	32	300.0	377.2	218.9
HYPERTENSION (401, 403)	32	17	15	83.4	70.6	104.8	1	0	1	3.3	-	6.8
CEREBROVASCULAR DISEASES (430-438)	24	17	7	62.5	70.6	48.9	27	11	16	90.0	71.5	109.4
ATHEROSCLEROSIS (440)	0	0	0	-	-	-	1	1	0	3.3	6.5	-
PNEUMONIA AND INFLUENZA (480-487)	6	3	3	15.6	12.5	21.0	15	10	5	50.0	65.0	34.2
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	9	8	1	23.4	33.2	7.0	14	11	3	46.7	71.5	20.5
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	1	0	1	2.6	-	7.0	2	1	1	6.7	6.5	6.8
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	4	0	4	10.4	-	28.0	4	4	0	13.3	26.0	-
INFECTIONS OF KIDNEY (590)	1	1	0	2.6	4.2	-	0	0	0	-	-	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	0	0	0	-	-	-	3	0	3	10.0	-	20.5
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	1	1	0	2.0	4.1	-	5	0	5	9.3	-	14.5
ACCIDENTS (800-949)	22	11	11	57.3	45.7	76.9	24	10	14	80.0	65.0	95.8
MOTOR VEHICLE ACCIDENTS# (810-825)	8	3	5	20.8	12.5	34.9	16	8	8	53.3	52.0	54.7
SUICIDE (950-959)	4	3	1	10.4	12.5	7.0	3	2	1	10.0	13.0	6.8
HOMICIDE AND LEGAL INTERVENTION (960-978)	2	0	2	5.2	-	14.0	4	1	3	13.3	6.5	20.5
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	1	1	0	2.6	4.2	-	0	0	0	-	-	-

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	PEARL RIVER COUNTY						PERRY COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	0	0	0	-	-	-	0	0	0	-	-	-
HIV INFECTION (042-044)	3	2	1	7.7	6.1	17.2	2	0	2	18.4	-	79.0
MALIGNANT NEOPLASMS (140-208)	104	84	20	268.6	255.4	343.3	18	15	3	165.7	180.0	118.5
DIABETES MELLITUS (250)	18	14	4	46.5	42.6	68.6	1	1	0	9.2	12.0	-
DISEASES OF HEART (390-398, 402, 404, 410-429)	139	121	18	359.0	367.9	309.0	40	25	15	368.2	300.0	592.4
HYPERTENSION (401, 403)	1	1	0	2.6	3.0	-	0	0	0	-	-	-
CEREBROVASCULAR DISEASES (430-438)	21	18	3	54.2	54.7	51.5	7	7	0	64.4	84.0	-
ATHEROSCLEROSIS (440)	3	2	1	7.7	6.1	17.2	1	1	0	9.2	12.0	-
PNEUMONIA AND INFLUENZA (480-487)	20	19	1	51.7	57.8	17.2	5	4	1	46.0	48.0	39.5
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	16	16	0	41.3	48.6	-	4	2	2	36.8	24.0	79.0
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	3	3	0	7.7	9.1	-	0	0	0	-	-	-
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	4	4	0	10.3	12.2	-	3	2	1	27.6	24.0	39.5
INFECTIONS OF KIDNEY (590)	0	0	0	-	-	-	0	0	0	-	-	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	2	2	0	5.2	6.1	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	3	3	0	5.0	6.4	-	0	0	0	-	-	-
ACCIDENTS (800-949)	22	19	3	56.8	57.8	51.5	6	4	2	55.2	48.0	79.0
MOTOR VEHICLE ACCIDENTS# (810-825)	10	9	1	25.8	27.4	17.2	5	3	2	46.0	36.0	79.0
SUICIDE (950-959)	9	9	0	23.2	27.4	-	0	0	0	-	-	-
HOMICIDE AND LEGAL INTERVENTION (960-978)	4	2	2	10.3	6.1	34.3	3	2	1	27.6	24.0	39.5
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	2	2	0	5.2	6.1	-	1	1	0	9.2	12.0	-

* CAUSES AND NUMBERS ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.

** DEATHS PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

**TABLE 18
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF PIKE, PONTOTOC, PRENTISS, AND QUITMAN COUNTIES, MISSISSIPPI, 1994**

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	PIKE COUNTY						PONTOTOC COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	0	0	0	-	-	-	0	0	0	-	-	-
HIV INFECTION (042-044)	4	3	1	10.8	15.0	5.9	2	1	1	9.0	5.3	30.1
MALIGNANT NEOPLASMS (140-208)	92	54	38	249.4	270.9	224.2	51	46	5	229.3	243.2	150.6
DIABETES MELLITUS (250)	9	7	2	24.4	35.1	11.8	6	5	1	27.0	26.4	30.1
DISEASES OF HEART (390-398, 402, 404, 410-429)	164	105	59	444.7	526.8	348.1	77	70	7	346.3	370.0	210.8
HYPERTENSION (401, 403)	2	0	2	5.4	-	11.8	0	0	0	-	-	-
CEREBROVASCULAR DISEASES (430-438)	38	21	17	103.0	105.4	100.3	20	18	2	89.9	95.2	60.2
ATHEROSCLEROSIS (440)	4	2	2	10.8	10.0	11.8	5	5	0	22.5	26.4	-
PNEUMONIA AND INFLUENZA (480-487)	10	7	3	27.1	35.1	17.7	10	10	0	45.0	52.9	-
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	14	11	3	38.0	55.2	17.7	7	7	0	31.5	37.0	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	1	0	1	2.7	-	5.9	1	1	0	4.5	5.3	-
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	5	2	3	13.6	10.0	17.7	8	6	2	36.0	31.7	60.2
INFECTIONS OF KIDNEY (590)	0	0	0	-	-	-	0	0	0	-	-	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	0	0	0	-	-	-	1	1	0	4.5	5.3	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	1	0	1	1.7	-	2.7	2	1	1	6.0	3.6	17.5
ACCIDENTS (800-949)	16	9	7	43.4	45.2	41.3	11	8	3	49.5	42.3	90.4
MOTOR VEHICLE ACCIDENTS# (810-825)	7	5	2	19.0	25.1	11.8	3	2	1	13.5	10.6	30.1
SUICIDE (950-959)	2	2	0	5.4	10.0	-	3	3	0	13.5	15.8	-
HOMICIDE AND LEGAL INTERVENTION (960-978)	7	1	6	19.0	5.0	35.4	2	1	1	9.0	5.3	30.1
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	2	2	0	5.4	10.0	-	2	1	1	9.0	5.3	30.1

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	PRENTISS COUNTY						QUITMAN COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	0	0	0	-	-	-	0	0	0	-	-	-
HIV INFECTION (042-044)	0	0	0	-	-	-	0	0	0	-	-	-
MALIGNANT NEOPLASMS (140-208)	57	48	9	244.9	234.4	321.3	24	11	13	228.8	258.8	208.3
DIABETES MELLITUS (250)	8	5	3	34.4	24.4	107.1	0	0	0	-	-	-
DISEASES OF HEART (390-398, 402, 404, 410-429)	50	46	4	214.8	224.6	142.8	45	20	25	429.0	470.6	400.6
HYPERTENSION (401, 403)	0	0	0	-	-	-	0	0	0	-	-	-
CEREBROVASCULAR DISEASES (430-438)	10	8	2	43.0	39.1	71.4	6	3	3	57.2	70.6	48.1
ATHEROSCLEROSIS (440)	0	0	0	-	-	-	0	0	0	-	-	-
PNEUMONIA AND INFLUENZA (480-487)	6	6	0	25.8	29.3	-	2	2	0	19.1	47.0	-
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	9	8	1	38.7	39.1	35.7	4	3	1	38.1	70.6	16.0
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	2	2	0	8.6	9.8	-	2	2	0	19.1	47.0	-
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	3	2	1	12.9	9.8	35.7	3	1	2	28.6	23.5	32.0
INFECTIONS OF KIDNEY (590)	0	0	0	-	-	-	0	0	0	-	-	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	0	0	0	-	-	-	1	0	1	9.5	-	16.0
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	2	2	0	6.4	8.0	-	0	0	0	-	-	-
ACCIDENTS (800-949)	9	7	2	38.7	34.2	71.4	7	3	4	66.7	70.6	64.1
MOTOR VEHICLE ACCIDENTS# (810-825)	6	5	1	25.8	24.4	35.7	4	1	3	38.1	23.5	48.1
SUICIDE (950-959)	6	5	1	25.8	24.4	35.7	0	0	0	-	-	-
HOMICIDE AND LEGAL INTERVENTION (960-978)	4	2	2	17.2	9.8	71.4	1	1	0	9.5	23.5	-
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	37	30	7	158.9	146.5	249.9	1	1	0	9.5	23.5	-

* CAUSES AND NUMBERS ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.

** DEATHS PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

TABLE 18
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF RANKIN, SCOTT, SHARKEY, AND SIMPSON COUNTIES, MISSISSIPPI, 1994

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	RANKIN COUNTY						SCOTT COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	0	0	0	-	-	-	0	0	0	-	-	-
HIV INFECTION (042-044)	4	3	1	4.6	4.2	6.6	3	2	1	12.4	13.5	10.7
MALIGNANT NEOPLASMS (140-208)	141	110	31	161.8	152.7	204.9	52	29	23	215.4	195.6	247.1
DIABETES MELLITUS (250)	10	4	6	11.5	5.6	39.7	7	4	3	29.0	27.0	32.2
DISEASES OF HEART (390-398, 402, 404, 410-429)	246	203	43	282.2	281.8	284.2	97	67	30	401.9	451.8	322.3
HYPERTENSION (401, 403)	3	3	0	3.4	4.2	-	1	0	1	4.1	-	10.7
CEREBROVASCULAR DISEASES (430-438)	35	19	16	40.2	26.4	105.8	13	9	4	53.8	60.7	43.0
ATHEROSCLEROSIS (440)	2	2	0	2.3	2.8	-	6	5	1	24.8	33.7	10.7
PNEUMONIA AND INFLUENZA (480-487)	27	19	8	31.0	26.4	52.9	17	13	4	70.4	87.7	43.0
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	20	18	2	22.9	25.0	13.2	11	8	3	45.6	53.9	32.2
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	5	5	0	5.7	6.9	-	4	4	0	16.6	27.0	-
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	5	3	2	5.7	4.2	13.2	2	1	1	8.3	6.7	10.7
INFECTIONS OF KIDNEY (590)	1	1	0	1.1	1.4	-	0	0	0	-	-	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	4	1	3	4.6	1.4	19.8	3	3	0	12.4	20.2	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	1	1	0	0.7	0.9	-	1	1	0	2.3	4.8	-
ACCIDENTS (800-949)	39	29	10	44.7	40.2	66.1	24	14	10	99.4	94.4	107.4
MOTOR VEHICLE ACCIDENTS# (810-825)	15	13	2	17.2	18.0	13.2	17	10	7	70.4	67.4	75.2
SUICIDE (950-959)	9	9	0	10.3	12.5	-	4	3	1	16.6	20.2	10.7
HOMICIDE AND LEGAL INTERVENTION (960-978)	8	6	2	9.2	8.3	13.2	9	1	8	37.3	6.7	85.9
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	6	4	2	6.9	5.6	13.2	4	1	3	16.6	6.7	32.2

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	SHARKEY COUNTY						SIMPSON COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	0	0	0	-	-	-	0	0	0	-	-	-
HIV INFECTION (042-044)	2	0	2	28.3	-	42.3	6	4	2	25.0	24.8	25.5
MALIGNANT NEOPLASMS (140-208)	16	8	8	226.4	342.0	169.2	44	29	15	183.7	179.8	191.6
DIABETES MELLITUS (250)	5	0	5	70.8	-	105.8	4	3	1	16.7	18.6	12.8
DISEASES OF HEART (390-398, 402, 404, 410-429)	28	13	15	396.3	555.8	317.3	83	63	20	346.5	390.7	255.5
HYPERTENSION (401, 403)	0	0	0	-	-	-	1	0	1	4.2	-	12.8
CEREBROVASCULAR DISEASES (430-438)	4	0	4	56.6	-	84.6	26	17	9	108.5	105.4	115.0
ATHEROSCLEROSIS (440)	0	0	0	-	-	-	7	5	2	29.2	31.0	25.5
PNEUMONIA AND INFLUENZA (480-487)	5	3	2	70.8	128.3	42.3	7	5	2	29.2	31.0	25.5
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	1	0	1	14.2	-	21.2	5	4	1	20.9	24.8	12.8
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	1	1	0	14.2	42.8	-	3	2	1	12.5	12.4	12.8
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	4	3	1	56.6	128.3	21.2	3	2	1	12.5	12.4	12.8
INFECTIONS OF KIDNEY (590)	0	0	0	-	-	-	0	0	0	-	-	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	0	0	0	-	-	-	1	0	1	4.2	-	12.8
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	0	0	0	-	-	-	2	2	0	5.2	9.8	-
ACCIDENTS (800-949)	8	3	5	113.2	128.3	105.8	13	5	8	54.3	31.0	102.2
MOTOR VEHICLE ACCIDENTS# (810-825)	2	0	2	28.3	-	42.3	6	3	3	25.0	18.6	38.3
SUICIDE (950-959)	1	1	0	14.2	42.8	-	6	5	1	25.0	31.0	12.8
HOMICIDE AND LEGAL INTERVENTION (960-978)	1	0	1	14.2	-	21.2	3	2	1	12.5	12.4	12.8
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	0	0	0	-	-	-	1	0	1	4.2	-	12.8

* CAUSES AND NUMBERS ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.

** DEATHS PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

**TABLE 18
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF SMITH, STONE, SUNFLOWER, AND TALLAHATCHIE COUNTIES, MISSISSIPPI, 1994**

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	SMITH COUNTY						STONE COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	0	0	0	-	-	-	0	0	0	-	-	-
HIV INFECTION (042-044)	1	1	0	6.8	8.7	-	0	0	0	-	-	-
MALIGNANT NEOPLASMS (140-208)	31	26	5	209.5	225.8	152.3	35	31	4	325.6	370.7	167.5
DIABETES MELLITUS (250)	5	2	3	33.8	17.4	91.4	5	2	3	46.5	23.9	125.6
DISEASES OF HEART (390-398, 402, 404, 410-429)	58	53	5	391.9	460.2	152.3	51	39	12	474.4	466.4	502.5
HYPERTENSION (401, 403)	2	2	0	13.5	17.4	-	0	0	0	-	-	-
CEREBROVASCULAR DISEASES (430-438)	2	2	0	13.5	17.4	-	10	7	3	93.0	83.7	125.6
ATHEROSCLEROSIS (440)	3	2	1	20.3	17.4	30.5	0	0	0	-	-	-
PNEUMONIA AND INFLUENZA (480-487)	9	9	0	60.8	78.2	-	8	5	3	74.4	59.8	125.6
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	9	6	3	60.8	52.1	91.4	4	2	2	37.2	23.9	83.8
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	2	2	0	13.5	17.4	-	2	1	1	18.6	12.0	41.9
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	1	1	0	6.8	8.7	-	1	1	0	9.3	12.0	-
INFECTIONS OF KIDNEY (590)	0	0	0	-	-	-	0	0	0	-	-	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	0	0	0	-	-	-	1	0	1	5.0	-	18.2
ACCIDENTS (800-949)	13	11	2	87.8	95.5	60.9	8	7	1	74.4	83.7	41.9
MOTOR VEHICLE ACCIDENTS# (810-825)	11	9	2	74.3	78.2	60.9	6	5	1	55.8	59.8	41.9
SUICIDE (950-959)	1	0	1	6.8	-	30.5	1	0	1	9.3	-	41.9
HOMICIDE AND LEGAL INTERVENTION (960-978)	1	1	0	6.8	8.7	-	2	0	2	18.6	-	83.8
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	1	1	0	6.8	8.7	-	1	1	0	9.3	12.0	-

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	SUNFLOWER COUNTY						TALLAHATCHIE COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	0	0	0	-	-	-	0	0	0	-	-	-
HIV INFECTION (042-044)	6	2	4	18.2	17.2	18.8	1	0	1	6.6	-	11.2
MALIGNANT NEOPLASMS (140-208)	64	29	35	194.7	249.9	164.6	31	12	19	203.8	191.8	212.2
DIABETES MELLITUS (250)	6	2	4	18.2	17.2	18.8	2	0	2	13.1	-	22.3
DISEASES OF HEART (390-398, 402, 404, 410-429)	142	59	83	432.0	508.4	390.3	50	27	23	328.7	431.5	256.9
HYPERTENSION (401, 403)	1	0	1	3.0	-	4.7	0	0	0	-	-	-
CEREBROVASCULAR DISEASES (430-438)	37	10	27	112.6	86.2	127.0	16	9	7	105.2	143.8	78.2
ATHEROSCLEROSIS (440)	0	0	0	-	-	-	1	0	1	6.6	-	11.2
PNEUMONIA AND INFLUENZA (480-487)	8	2	6	24.3	17.2	28.2	6	3	3	39.4	47.9	33.5
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	5	4	1	15.2	34.5	4.7	3	2	1	19.7	32.0	11.2
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	1	1	0	3.0	8.6	-	1	0	1	6.6	-	11.2
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	10	2	8	30.4	17.2	37.6	3	1	2	19.7	16.0	22.3
INFECTIONS OF KIDNEY (590)	0	0	0	-	-	-	0	0	0	-	-	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	0	0	0	-	-	-	1	0	1	6.6	-	11.2
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	2	0	2	3.9	-	4.8	0	0	0	-	-	-
ACCIDENTS (800-949)	16	7	9	48.7	60.3	42.3	15	7	8	98.6	111.9	89.4
MOTOR VEHICLE ACCIDENTS# (810-825)	7	3	4	21.3	25.8	18.8	9	5	4	59.2	79.9	44.7
SUICIDE (950-959)	6	4	2	18.2	34.5	9.4	2	0	2	13.1	-	22.3
HOMICIDE AND LEGAL INTERVENTION (960-978)	6	1	5	18.2	8.6	23.5	2	0	2	13.1	-	22.3
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	5	0	5	15.2	-	23.5	2	0	2	13.1	-	22.3

* CAUSES AND NUMBERS ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.

** DEATHS PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

**TABLE 18
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF TATE, TIPPAAH, TISHOMINGO, AND TUNICA COUNTIES, MISSISSIPPI, 1994**

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	TATE COUNTY						TIPPAAH COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	1	1	0	4.7	7.2	-	0	0	0	-	-	-
HIV INFECTION (042-044)	0	0	0	-	-	-	1	1	0	5.1	6.2	-
MALIGNANT NEOPLASMS (140-208)	36	27	9	168.0	193.6	120.2	44	36	8	225.4	221.5	244.5
DIABETES MELLITUS (250)	6	1	5	28.0	7.2	66.8	6	5	1	30.7	30.8	30.6
DISEASES OF HEART (390-398, 402, 404, 410-429)	100	66	34	466.6	473.3	454.1	127	108	19	650.5	664.6	580.7
HYPERTENSION (401, 403)	0	0	0	-	-	-	0	0	0	-	-	-
CEREBROVASCULAR DISEASES (430-438)	12	1	11	56.0	7.2	146.9	23	17	6	117.8	104.6	183.4
ATHEROSCLEROSIS (440)	5	3	2	23.3	21.5	26.7	1	1	0	5.1	6.2	-
PNEUMONIA AND INFLUENZA (480-487)	8	6	2	37.3	43.0	26.7	9	7	2	46.1	43.1	61.1
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	5	4	1	23.3	28.7	13.4	10	8	2	51.2	49.2	61.1
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	1	1	0	4.7	7.2	-	1	0	1	5.1	-	30.6
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	1	1	0	4.7	7.2	-	6	4	2	30.7	24.6	61.1
INFECTIONS OF KIDNEY (590)	0	0	0	-	-	-	0	0	0	-	-	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	3	3	0	14.0	21.5	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	0	0	0	-	-	-	1	1	0	3.5	4.6	-
ACCIDENTS (800-949)	12	6	6	56.0	43.0	80.1	14	9	5	71.7	55.4	152.8
MOTOR VEHICLE ACCIDENTS# (810-825)	8	4	4	37.3	28.7	53.4	8	5	3	41.0	30.8	91.7
SUICIDE (950-959)	1	1	0	4.7	7.2	-	2	2	0	10.2	12.3	-
HOMICIDE AND LEGAL INTERVENTION (960-978)	3	2	1	14.0	14.3	13.4	0	0	0	-	-	-
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	3	3	0	14.0	21.5	-	1	1	0	5.1	6.2	-

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	TISHOMINGO COUNTY						TUNICA COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	0	0	0	-	-	-	0	0	0	-	-	-
HIV INFECTION (042-044)	0	0	0	-	-	-	0	0	0	-	-	-
MALIGNANT NEOPLASMS (140-208)	43	43	0	243.2	252.8	-	19	7	12	232.7	351.4	194.4
DIABETES MELLITUS (250)	5	5	0	28.3	29.4	-	2	1	1	24.5	50.2	16.2
DISEASES OF HEART (390-398, 402, 404, 410-429)	93	90	3	525.9	529.1	445.8	33	14	19	404.2	702.8	307.8
HYPERTENSION (401, 403)	1	0	1	5.6	-	148.6	0	0	0	-	-	-
CEREBROVASCULAR DISEASES (430-438)	8	8	0	45.2	47.0	-	6	1	5	73.5	50.2	81.0
ATHEROSCLEROSIS (440)	1	1	0	5.6	5.9	-	0	0	0	-	-	-
PNEUMONIA AND INFLUENZA (480-487)	9	9	0	50.9	52.9	-	2	1	1	24.5	50.2	16.2
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	12	12	0	67.9	70.5	-	2	1	1	24.5	50.2	16.2
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	2	2	0	11.3	11.8	-	1	1	0	12.2	50.2	-
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	4	4	0	22.6	23.5	-	2	0	2	24.5	-	32.4
INFECTIONS OF KIDNEY (590)	0	0	0	-	-	-	0	0	0	-	-	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	2	2	0	11.3	11.8	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	0	0	0	-	-	-	2	0	2	13.7	-	16.1
ACCIDENTS (800-949)	18	17	1	101.8	99.9	148.6	7	2	5	85.7	100.4	81.0
MOTOR VEHICLE ACCIDENTS# (810-825)	12	12	0	67.9	70.5	-	4	2	2	49.0	100.4	32.4
SUICIDE (950-959)	2	2	0	11.3	11.8	-	2	1	1	24.5	50.2	16.2
HOMICIDE AND LEGAL INTERVENTION (960-978)	2	2	0	11.3	11.8	-	1	0	1	12.2	-	16.2
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	3	2	1	17.0	11.8	148.6	1	0	1	12.2	-	16.2

* CAUSES AND NUMBERS ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.

** DEATHS PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

**TABLE 18
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF UNION, WALTHALL, WARREN, AND WASHINGTON COUNTIES, MISSISSIPPI, 1994**

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	UNION COUNTY						WALTHALL COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	0	0	0	-	-	-	0	0	0	-	-	-
HIV INFECTION (042-044)	1	1	0	4.5	5.3	-	0	0	0	-	-	-
MALIGNANT NEOPLASMS (140-208)	64	50	14	289.8	265.9	426.7	21	12	9	146.3	145.4	147.5
DIABETES MELLITUS (250)	3	3	0	13.6	16.0	-	4	2	2	27.9	24.2	32.8
DISEASES OF HEART (390-398, 402, 404, 410-429)	97	79	18	439.2	420.1	548.6	72	44	28	501.7	533.2	459.0
HYPERTENSION (401, 403)	0	0	0	-	-	-	0	0	0	-	-	-
CEREBROVASCULAR DISEASES (430-438)	24	22	2	108.7	117.0	61.0	6	5	1	41.8	60.6	16.4
ATHEROSCLEROSIS (440)	0	0	0	-	-	-	0	0	0	-	-	-
PNEUMONIA AND INFLUENZA (480-487)	13	12	1	58.9	63.8	30.5	6	3	3	41.8	36.4	49.2
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	10	8	2	45.3	42.5	61.0	8	7	1	55.7	84.8	16.4
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	1	1	0	4.5	5.3	-	0	0	0	-	-	-
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	4	3	1	18.1	16.0	30.5	4	2	2	27.9	24.2	32.8
INFECTIONS OF KIDNEY (590)	0	0	0	-	-	-	0	0	0	-	-	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	1	1	0	4.5	5.3	-	1	0	1	7.0	-	16.4
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	2	2	0	6.0	7.6	-	0	0	0	-	-	-
ACCIDENTS (800-949)	14	13	1	63.4	69.1	30.5	10	5	5	69.7	60.6	82.0
MOTOR VEHICLE ACCIDENTS# (810-825)	9	9	0	40.8	47.9	-	6	4	2	41.8	48.5	32.8
SUICIDE (950-959)	3	3	0	13.6	16.0	-	2	2	0	13.9	24.2	-
HOMICIDE AND LEGAL INTERVENTION (960-978)	2	1	1	9.0	5.3	30.5	1	0	1	7.0	-	16.4
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	2	1	1	9.0	5.3	30.5	0	0	0	-	-	-

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	WARREN COUNTY						WASHINGTON COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	1	0	1	2.1	-	5.3	0	0	0	-	-	-
HIV INFECTION (042-044)	3	1	2	6.3	3.5	10.5	5	3	2	7.4	10.6	5.0
MALIGNANT NEOPLASMS (140-208)	101	58	43	210.9	200.8	226.3	124	49	75	182.5	172.9	189.4
DIABETES MELLITUS (250)	10	4	6	20.9	13.8	31.6	9	3	6	13.2	10.6	15.2
DISEASES OF HEART (390-398, 402, 404, 410-429)	193	103	90	403.1	356.7	473.6	295	118	177	434.2	416.5	447.0
HYPERTENSION (401, 403)	5	3	2	10.4	10.4	10.5	3	0	3	4.4	-	7.6
CEREBROVASCULAR DISEASES (430-438)	42	15	27	87.7	51.9	142.1	37	19	18	54.5	67.0	45.4
ATHEROSCLEROSIS (440)	2	1	1	4.2	3.5	5.3	1	1	0	1.5	3.5	-
PNEUMONIA AND INFLUENZA (480-487)	25	18	7	52.2	62.3	36.8	21	10	11	30.9	35.3	27.8
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	13	10	3	27.2	34.6	15.8	17	13	4	25.0	45.9	10.1
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	6	4	2	12.5	13.8	10.5	4	2	2	5.9	7.0	5.0
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	10	3	7	20.9	10.4	36.8	18	4	14	26.5	14.1	35.4
INFECTIONS OF KIDNEY (590)	0	0	0	-	-	-	0	0	0	-	-	-
MATERNAL CAUSES (630-676)	1	0	1	125.0	-	241.5	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	1	0	1	2.1	-	5.3	7	1	6	10.3	3.5	15.2
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	4	0	4	5.0	-	9.7	6	0	6	4.5	-	5.9
ACCIDENTS (800-949)	31	15	16	64.7	51.9	84.2	51	19	32	75.1	67.0	80.8
MOTOR VEHICLE ACCIDENTS# (810-825)	21	9	12	43.9	31.2	63.2	23	9	14	33.8	31.8	35.4
SUICIDE (950-959)	3	2	1	6.3	6.9	5.3	6	6	0	8.8	21.2	-
HOMICIDE AND LEGAL INTERVENTION (960-978)	11	3	8	23.0	10.4	42.1	21	1	20	30.9	3.5	50.5
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	2	0	2	4.2	-	10.5	7	2	5	10.3	7.0	12.6

* CAUSES AND NUMBERS ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.

** DEATHS PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

**TABLE 18
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF WAYNE, WEBSTER, WILKINSON, AND WINSTON COUNTIES, MISSISSIPPI, 1994**

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	WAYNE COUNTY						WEBSTER COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	0	0	0	-	-	-	0	0	0	-	-	-
HIV INFECTION (042-044)	0	0	0	-	-	-	1	1	0	9.8	12.6	-
MALIGNANT NEOPLASMS (140-208)	48	31	17	245.9	247.9	242.5	35	29	6	342.4	364.6	264.4
DIABETES MELLITUS (250)	5	1	4	25.6	8.0	57.0	3	3	0	29.3	37.7	-
DISEASES OF HEART (390-398, 402, 404, 410-429)	63	41	22	322.8	327.8	313.8	40	29	11	391.3	364.6	484.8
HYPERTENSION (401, 403)	0	0	0	-	-	-	0	0	0	-	-	-
CEREBROVASCULAR DISEASES (430-438)	12	10	2	61.5	80.0	28.5	8	8	0	78.3	100.6	-
ATHEROSCLEROSIS (440)	5	4	1	25.6	32.0	14.3	0	0	0	-	-	-
PNEUMONIA AND INFLUENZA (480-487)	2	1	1	10.2	8.0	14.3	3	2	1	29.3	25.1	44.1
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	8	8	0	41.0	64.0	-	7	7	0	68.5	88.0	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	0	0	0	-	-	-	3	2	1	29.3	25.1	44.1
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	2	1	1	10.2	8.0	14.3	3	2	1	29.3	25.1	44.1
INFECTIONS OF KIDNEY (590)	0	0	0	-	-	-	0	0	0	-	-	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	3	2	1	15.4	16.0	14.3	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	3	0	3	9.4	-	17.5	1	1	0	8.7	13.7	-
ACCIDENTS (800-949)	15	9	6	76.8	72.0	85.6	12	9	3	117.4	113.2	132.2
MOTOR VEHICLE ACCIDENTS# (810-825)	6	4	2	30.7	32.0	28.5	5	4	1	48.9	50.3	44.1
SUICIDE (950-959)	0	0	0	-	-	-	0	0	0	-	-	-
HOMICIDE AND LEGAL INTERVENTION (960-978)	2	2	0	10.2	16.0	-	0	0	0	-	-	-
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	3	2	1	15.4	16.0	14.3	1	1	0	9.8	12.6	-

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	WILKINSON COUNTY						WINSTON COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	1	0	1	10.3	-	15.2	0	0	0	-	-	-
HIV INFECTION (042-044)	0	0	0	-	-	-	1	0	1	5.1	-	12.1
MALIGNANT NEOPLASMS (140-208)	17	12	5	175.6	384.2	76.3	46	29	17	236.7	260.1	205.3
DIABETES MELLITUS (250)	5	1	4	51.7	32.0	61.0	4	0	4	20.6	-	48.3
DISEASES OF HEART (390-398, 402, 404, 410-429)	52	23	29	537.3	736.5	442.4	109	79	30	560.9	708.4	362.2
HYPERTENSION (401, 403)	0	0	0	-	-	-	1	0	1	5.1	-	12.1
CEREBROVASCULAR DISEASES (430-438)	6	2	4	62.0	64.0	61.0	21	14	7	108.1	125.5	84.5
ATHEROSCLEROSIS (440)	0	0	0	-	-	-	1	1	0	5.1	9.0	-
PNEUMONIA AND INFLUENZA (480-487)	0	0	0	-	-	-	5	4	1	25.7	35.9	12.1
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	4	2	2	41.3	64.0	30.5	8	6	2	41.2	53.8	24.1
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	0	0	0	-	-	-	1	1	0	5.1	9.0	-
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	1	0	1	10.3	-	15.2	5	3	2	25.7	26.9	24.1
INFECTIONS OF KIDNEY (590)	0	0	0	-	-	-	1	1	0	5.1	9.0	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	1	0	1	10.3	-	15.2	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	2	0	2	16.0	-	21.3	1	0	1	4.2	-	7.9
ACCIDENTS (800-949)	7	2	5	72.3	64.0	76.3	26	14	12	133.8	125.5	144.9
MOTOR VEHICLE ACCIDENTS# (810-825)	5	1	4	51.7	32.0	61.0	12	7	5	61.8	62.8	60.4
SUICIDE (950-959)	0	0	0	-	-	-	2	2	0	10.3	17.9	-
HOMICIDE AND LEGAL INTERVENTION (960-978)	2	0	2	20.7	-	30.5	6	1	5	30.9	9.0	60.4
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	3	1	2	31.0	32.0	30.5	4	3	1	20.6	26.9	12.1

* CAUSES AND NUMBERS ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.

** DEATHS PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

TABLE 18
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF YALOBUSHA AND YAZOO COUNTIES, AND THE STATE OF MISSISSIPPI, 1994

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	YALOBUSHA COUNTY						YAZOO COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	1	0	1	8.3	-	22.0	0	0	0	-	-	-
HIV INFECTION (042-044)	0	0	0	-	-	-	5	2	3	19.6	16.7	22.1
MALIGNANT NEOPLASMS (140-208)	28	17	11	232.7	227.3	241.5	54	31	23	211.7	259.2	169.8
DIABETES MELLITUS (250)	1	0	1	8.3	-	22.0	10	6	4	39.2	50.2	29.5
DISEASES OF HEART (390-398, 402, 404, 410-429)	68	41	27	565.1	548.2	592.9	117	64	53	458.7	535.2	391.2
HYPERTENSION (401, 403)	0	0	0	-	-	-	2	1	1	7.8	8.4	7.4
CEREBROVASCULAR DISEASES (430-438)	6	4	2	49.9	53.5	43.9	31	7	24	121.5	58.5	177.1
ATHEROSCLEROSIS (440)	0	0	0	-	-	-	1	1	0	3.9	8.4	-
PNEUMONIA AND INFLUENZA (480-487)	7	6	1	58.2	80.2	22.0	8	5	3	31.4	41.8	22.1
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	3	2	1	24.9	26.7	22.0	9	5	4	35.3	41.8	29.5
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	0	0	0	-	-	-	3	1	2	11.8	8.4	14.8
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	1	0	1	8.3	-	22.0	7	2	5	27.4	16.7	36.9
INFECTIONS OF KIDNEY (590)	0	0	0	-	-	-	0	0	0	-	-	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	0	0	0	-	-	-	3	1	2	11.8	8.4	14.8
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	0	0	0	-	-	-	1	0	1	2.0	-	3.1
ACCIDENTS (800-949)	12	7	5	99.7	93.6	109.8	20	9	11	78.4	75.3	81.2
MOTOR VEHICLE ACCIDENTS# (810-825)	9	5	4	74.8	66.8	87.8	14	7	7	54.9	58.5	51.7
SUICIDE (950-959)	2	2	0	16.6	26.7	-	2	2	0	7.8	16.7	-
HOMICIDE AND LEGAL INTERVENTION (960-978)	0	0	0	-	-	-	6	1	5	23.5	8.4	36.9
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	1	1	0	8.3	13.4	-	2	2	0	7.8	16.7	-

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	STATE OF MISSISSIPPI					
	NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	20	4	16	0.8	0.2	1.7
HIV INFECTION (042-044)	269	120	149	10.4	7.3	15.8
MALIGNANT NEOPLASMS (140-208)	5,602	3,727	1,875	217.7	228.2	199.5
DIABETES MELLITUS (250)	495	250	245	19.2	15.3	26.1
DISEASES OF HEART (390-398, 402, 404, 410-429)	9,617	6,365	3,252	373.7	389.7	346.0
HYPERTENSION (401, 403)	160	64	96	6.2	3.9	10.2
CEREBROVASCULAR DISEASES (430-438)	1,753	1,087	666	68.1	66.5	70.9
ATHEROSCLEROSIS (440)	140	106	34	5.4	6.5	3.6
PNEUMONIA AND INFLUENZA (480-487)	927	679	248	36.0	41.6	26.4
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	946	756	190	36.8	46.3	20.2
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	235	170	65	9.1	10.4	6.9
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	373	199	174	14.5	12.2	18.5
INFECTIONS OF KIDNEY (590)	11	7	4	0.4	0.4	0.4
MATERNAL CAUSES (630-676)	4	1	3	9.5	4.6	14.7
CONGENITAL ANOMALIES (740-759)	144	69	75	5.6	4.2	8.0
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	180	53	127	4.3	2.5	6.2
ACCIDENTS (800-949)	1,526	927	599	59.3	56.8	63.7
MOTOR VEHICLE ACCIDENTS# (810-825)	844	525	319	32.8	32.1	33.9
SUICIDE (950-959)	313	247	66	12.2	15.1	7.0
HOMICIDE AND LEGAL INTERVENTION (960-978)	455	119	336	17.7	7.3	35.8
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	297	160	137	11.5	9.8	14.6

* CAUSES AND NUMBERS ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.

** DEATHS PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

TIME SERIES TABLES

TABLE 19
LIVE BIRTHS AND RATES, BY YEAR AND RACE,
MISSISSIPPI, 1913-1994,
(OCCURRENCE DATA 1913-1943, RESIDENCE DATA 1944-1994)

	NUMBER			RATE*		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
1913	41, 103	21, 874	19, 229	21. 9	26. 6	18. 2
1914	40, 623	21, 360	19, 263	21. 4	25. 7	18. 0
1915	39, 484	20, 999	18, 485	20. 5	23. 8	17. 1
1916	39, 033	20, 130	18, 903	20. 0	23. 6	17. 2
1917	37, 141	19, 056	18, 085	18. 8	22. 0	16. 3
1918	39, 391	20, 005	19, 386	19. 7	22. 8	17. 2
1919	42, 491	22, 028	20, 463	21. 0	24. 9	18. 0
1920	43, 743	22, 438	21, 305	24. 4	26. 3	22. 7
1921	46, 482	23, 703	22, 779	25. 6	27. 3	24. 1
1922	43, 723	21, 286	22, 437	23. 8	24. 1	23. 6
1923	43, 266	21, 140	22, 126	23. 3	23. 6	23. 1
1924	43, 960	22, 180	21, 780	23. 4	24. 3	22. 5
1925	45, 563	22, 265	23, 298	24. 0	24. 1	23. 9
1926	50, 449	24, 600	25, 849	26. 2	26. 2	26. 3
1927	49, 204	24, 163	25, 041	25. 3	25. 3	25. 3
1928	48, 126	23, 642	24, 484	24. 5	24. 4	24. 5
1929	45, 570	22, 105	23, 465	22. 9	22. 5	23. 3
1930	47, 982	23, 192	24, 790	23. 8	23. 2	24. 0
1931	45, 123	21, 637	23, 486	22. 2	21. 4	22. 9
1932	46, 481	21, 883	24, 598	22. 6	21. 4	23. 9
1933	44, 184	20, 407	23, 777	21. 3	19. 7	22. 9
1934	47, 905	22, 342	25, 563	23. 0	21. 4	24. 6
1935	48, 291	21, 972	26, 319	23. 0	20. 8	25. 1
1036	49, 261	22, 194	27, 067	23. 3	20. 8	25. 7
1937	52, 170	23, 285	28, 885	24. 4	21. 6	27. 3
1938	53, 729	24, 046	29, 683	25. 0	22. 1	27. 8
1939	52, 288	23, 505	28, 783	24. 1	21. 4	26. 8
1940	52, 526	23, 084	29, 442	24. 0	20. 9	27. 3
1941	54, 561	24, 167	30, 394	24. 7	21. 6	28. 0
1942	56, 521	25, 306	31, 215	25. 4	22. 4	28. 6
1943	59, 408	27, 611	31, 797	28. 9	26. 4	31. 6
1944	56, 586	25, 647	30, 939	28. 3	25. 2	31. 6
1945	53, 540	23, 426	30, 114	26. 9	23. 1	30. 9
1946	61, 430	29, 715	31, 715	26. 8	25. 4	28. 2
1947	66, 291	32, 423	33, 868	28. 6	27. 5	29. 9
1948	65, 291	29, 666	35, 625	28. 0	24. 9	31. 2
1949	66, 128	28, 786	37, 342	28. 1	24. 0	32. 5
1950	64, 427	27, 188	37, 239	29. 6	22. 9	37. 6
1951	65, 512	27, 798	37, 714	30. 1	23. 4	38. 1
1952	64, 509	28, 073	36, 436	29. 6	23. 6	36. 8
1953	64, 061	28, 312	35, 749	29. 4	23. 8	36. 1
1954	64, 748	28, 781	35, 967	29. 7	24. 2	36. 3
1955	63, 244	27, 546	35, 698	29. 0	23. 2	36. 0
1956	62, 178	27, 278	34, 900	29. 5	23. 8	36. 2
1957	60, 712	26, 804	33, 908	28. 8	23. 4	35. 2
1958	59, 189	26, 812	32, 377	27. 1	20. 9	35. 9
1959	60, 562	27, 979	32, 583	27. 2	20. 9	36. 6

TABLE 19 - PAGE 2
LIVE BIRTHS - MISSISSIPPI - 1913-1994

	NUMBER			RATE*		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
1960	59,210	27,198	32,012	27.2	21.6	34.8
1961	59,523	27,435	32,088	27.3	21.8	34.8
1962	58,921	27,512	31,409	26.1	20.8	33.5
1963	57,316	26,823	30,493	25.0	19.9	32.4
1964	56,650	25,942	30,708	24.5	18.9	32.5
1965	51,171	23,369	27,802	22.0	17.4	28.2
1966	48,230	22,736	25,494	20.4	16.5	25.9
1967	46,594	22,675	23,919	9.7	15.9	25.6
1968	45,719	22,807	22,912	19.4	15.7	25.4
1969	47,120	24,025	23,095	21.2	17.2	28.0
1970	48,141	24,893	23,248	21.7	17.9	28.2
1971	48,601	25,199	23,402	21.9	18.1	28.4
1972	45,907	23,745	22,162	20.3	NOT AVAILABLE	
1973	44,638	23,119	21,519	19.3	NOT AVAILABLE	
1974	44,032	23,023	21,009	18.9	NOT AVAILABLE	
1975	43,336	22,559	20,777	18.5	NOT AVAILABLE	
1976	42,983	22,605	20,378	18.2	NOT AVAILABLE	
1977	45,532	23,369	22,163	19.1	NOT AVAILABLE	
1978	44,373	22,632	21,741	18.5	NOT AVAILABLE	
1979	45,919	23,487	22,432	19.1	NOT AVAILABLE	
1980	47,821	24,687	23,134	19.0	15.3	25.5
1981	46,228	23,777	22,451	18.3	14.7	24.8
1982	45,926	24,028	21,898	18.0	NOT AVAILABLE	
1983	43,992	22,659	21,333	17.0	NOT AVAILABLE	
1984	43,742	22,672	21,070	16.9	NOT AVAILABLE	
1985	43,432	22,943	20,489	16.3	13.5	21.5
1986	41,868	22,060	19,808	15.8	13.0	20.8
1987	41,279	21,576	19,703	15.2	12.4	20.2
1988	42,040	21,685	20,355	15.3	12.3	20.6
1989**	43,026	22,069	20,957	15.5	12.4	20.9
1990**	43,547	22,280	21,267	16.9	13.6	22.6
1991**	43,184	21,908	21,276	16.8	13.4	22.6
1992**	42,676	21,700	20,976	16.6	13.3	22.3
1993**	42,134	21,246	20,888	16.4	13.0	22.2
1994**	41,938	21,536	20,402	16.3	13.2	21.7

* BIRTHS PER 1,000 POPULATION.

** FIGURES SHOWN ARE BY RACE OF MOTHER; FIGURES FOR YEARS PRIOR TO 1989 ARE BY RACE OF CHILD.

TABLE 20
DEATHS AND RATES, BY YEAR AND RACE,
MISSISSIPPI, 1913-1994,
(OCCURRENCE DATA 1913-1943, RESIDENCE DATA 1944-1994)

YEAR	NUMBER			RATE*		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
1913	21,305	7,643	13,662	11.4	9.3	13.0
1914	21,485	7,442	14,043	11.3	8.9	13.1
1915	24,001	8,088	15,913	12.5	9.6	14.7
1916	21,794	7,588	14,206	11.2	8.9	13.0
1917	23,579	8,048	15,531	11.9	9.3	14.0
1918	30,437	10,177	20,260	15.2	11.6	18.0
1919	22,667	8,142	14,525	12.7	9.5	15.5
1920	22,072	7,916	14,156	12.3	9.3	15.1
1921	19,991	7,308	12,683	11.0	8.4	13.4
1922	19,278	7,312	11,966	10.5	8.3	12.6
1923	20,363	7,688	12,675	11.0	8.6	13.2
1924	21,155	7,809	13,346	11.3	8.6	13.8
1925	22,229	8,143	14,086	11.7	8.8	14.4
1926	23,929	9,133	14,796	12.5	9.7	15.1
1927	23,257	8,765	14,492	12.0	9.2	14.6
1928	25,965	10,111	15,854	13.2	10.4	15.9
1929	25,868	10,048	15,820	13.0	10.2	15.7
1930	24,098	9,072	15,026	11.9	9.0	14.8
1931	22,007	8,641	13,366	10.8	8.5	13.0
1932	20,322	8,295	12,027	9.9	8.1	11.6
1933	21,617	8,898	12,719	10.4	8.6	12.2
1934	21,786	9,350	12,436	10.5	9.0	12.0
1935	21,285	9,186	12,099	10.1	8.7	11.6
1936	24,127	10,367	13,760	11.4	9.7	13.1
1937	24,005	10,055	13,950	11.2	9.3	13.2
1938	22,814	9,471	13,343	10.6	8.7	12.5
1939	22,701	9,464	13,237	10.5	8.6	12.3
1940	23,185	9,565	13,620	10.6	8.6	12.6
1941	22,573	9,442	13,131	10.2	8.4	12.1
1942	20,693	8,750	11,943	9.3	7.7	10.9
1943	20,850	9,139	11,711	10.2	8.7	11.6
1944	20,199	8,830	11,369	10.1	8.7	11.6
1945	19,024	8,452	10,572	9.6	8.3	10.8
1946	19,321	8,995	10,326	8.4	7.7	9.2
1947	20,007	9,238	10,769	8.6	7.8	9.5
1948	20,183	9,216	10,967	8.6	7.7	9.6
1949	20,489	9,233	11,256	8.7	7.7	9.8
1950	20,567	9,466	11,101	9.4	8.0	11.2
1951	21,007	9,593	11,414	9.6	8.1	11.5
1952	20,657	9,387	11,270	9.5	7.9	11.4
1953	20,492	9,495	10,997	9.4	8.0	11.1
1954	19,353	9,453	9,900	8.9	8.0	10.0
1955	19,403	9,501	9,902	8.9	8.0	10.0
1956	19,780	9,969	9,811	9.4	8.7	10.2
1957	20,476	10,339	10,137	9.7	9.0	10.5
1958	21,541	10,811	10,730	9.9	8.4	11.9
1959	20,890	10,742	10,148	9.4	8.0	11.4

TABLE 20 - PAGE 2
DEATHS - MISSISSIPPI - 1913-1994

YEAR	NUMBER			RATE*		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
1960	21,713	11,204	10,509	10.0	8.9	11.4
1961	21,232	11,063	10,169	9.7	8.8	11.0
1962	22,713	11,868	10,845	10.0	9.0	11.6
1963	23,339	12,118	11,221	10.2	9.0	11.9
1964	22,559	12,039	10,520	9.7	8.8	11.1
1965	22,652	12,376	10,276	9.7	9.2	10.4
1966	23,350	12,976	10,374	9.9	9.4	10.5
1967	22,609	12,816	9,793	9.6	9.0	10.5
1968	23,986	13,468	10,518	10.2	9.3	11.7
1969	23,865	13,873	9,992	10.8	10.0	12.1
1970	23,305	13,623	9,682	10.5	9.8	11.8
1971	23,426	13,980	9,446	10.6	10.0	11.5
1972	23,663	14,077	9,586	10.5	NOT AVAILABLE	
1973	24,007	14,461	9,546	10.4	NOT AVAILABLE	
1974	23,153	14,268	8,885	9.9	NOT AVAILABLE	
1975	22,768	13,790	8,978	9.7	NOT AVAILABLE	
1976	23,124	14,307	8,817	9.8	NOT AVAILABLE	
1977	23,022	14,318	8,704	9.6	NOT AVAILABLE	
1978	23,363	14,631	8,732	9.7	NOT AVAILABLE	
1979	22,932	14,348	8,584	9.5	NOT AVAILABLE	
1980	23,576	14,531	9,045	9.4	9.0	10.0
1981	23,405	14,876	8,529	9.3	9.2	9.4
1982	23,173	14,863	8,310	9.1	NOT AVAILABLE	
1983	23,831	15,250	8,581	9.2	NOT AVAILABLE	
1984	23,781	15,225	8,556	9.2	NOT AVAILABLE	
1985	24,568	15,803	8,765	9.2	9.3	9.2
1986	24,341	15,694	8,647	9.2	9.2	9.1
1987	24,525	15,835	8,690	9.0	9.1	8.9
1988	24,706	16,034	8,672	9.0	9.1	8.8
1989	25,273	16,386	8,887	9.1	9.2	8.9
1990	24,994	16,088	8,906	9.7	9.8	9.5
1991	25,503	16,393	9,110	9.9	10.0	9.7
1992	25,163	16,417	8,746	9.8	10.0	9.3
1993	26,271	17,003	9,268	10.2	10.4	9.9
1994	26,657	17,210	9,447	10.4	10.5	10.0

* DEATHS PER 1,000 POPULATION.

TABLE 21
MATERNAL DEATHS* AND MORTALITY RATES, BY YEAR AND RACE,
MISSISSIPPI, 1913-1994,
(OCCURRENCE DATA 1913-1943, RESIDENCE DATA 1944-1994)

YEAR	NUMBER			RATE**		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
1913	447	162	285	1087.5	740.6	1482.1
1914	413	124	289	1016.7	580.5	1500.3
1915	289	88	201	731.9	419.1	1087.4
1916	326	102	224	835.2	506.7	1185.0
1917	297	105	192	799.6	551.0	1061.6
1918	302	82	220	766.7	409.9	1134.8
1919	407	173	234	957.8	785.4	1143.5
1920	393	127	266	898.4	566.0	1248.5
1921	391	145	246	841.2	611.7	1079.9
1922	313	110	203	715.9	516.8	904.8
1923	321	108	213	741.9	510.9	962.7
1924	413	137	276	939.5	617.7	1267.2
1925	435	143	292	954.7	642.3	1253.3
1926	388	153	235	769.1	622.0	909.1
1927	409	134	275	831.2	554.6	1098.2
1928	421	161	260	874.8	681.0	1061.9
1929	410	152	258	899.7	687.6	1099.5
1930	489	171	318	1019.1	737.3	1282.8
1931	352	131	221	780.1	605.4	941.0
1932	279	103	176	600.2	470.7	715.5
1933	315	116	199	712.9	568.4	836.9
1934	306	116	190	638.8	519.2	743.3
1935	334	137	197	691.6	623.5	748.5
1936	358	134	224	726.7	603.8	827.6
1937	370	150	220	709.2	644.2	761.6
1938	333	116	217	619.8	482.4	731.0
1939	311	97	214	594.8	412.7	743.5
1940	327	106	221	622.5	459.2	750.6
1941	293	93	200	537.0	384.8	658.0
1942	248	77	171	438.8	304.3	547.8
1943	233	66	167	392.2	239.0	525.2
1944	225	72	153	397.6	280.7	494.5
1945	216	64	152	403.4	273.2	504.7
1946	199	67	132	323.9	225.5	416.2
1947	175	50	125	264.0	154.2	369.1
1948	177	38	139	271.1	128.1	390.2
1949	147	32	115	222.3	111.2	308.0
1950	165	30	135	256.1	110.3	362.5
1951	143	28	115	218.3	100.7	304.9
1952	119	15	104	184.5	53.4	285.4
1953	119	24	95	185.8	84.8	265.7
1954	104	11	93	160.6	38.2	258.6
1955	76	12	64	120.2	43.6	179.3
1956	74	12	62	119.0	44.0	177.6
1957	75	14	61	123.5	52.2	179.9
1958	53	10	43	89.5	37.3	132.8
1959	55	9	46	90.8	32.2	141.2

TABLE 21 - PAGE 2
 MATERNAL DEATHS - MISSISSIPPI - 1913-1994

YEAR	NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
1960	59	8	51	99.6	29.4	159.3
1961	49	9	40	82.3	32.8	124.6
1962	55	7	48	93.3	25.4	152.8
1963	44	9	35	76.8	33.6	114.8
1964	57	9	48	100.6	34.7	156.3
1965	40	3	37	78.2	12.8	133.1
1966	27	6	21	56.0	26.4	82.4
1967	36	10	26	77.3	44.1	108.7
1968	21	3	18	45.9	13.2	78.6
1969	23	3	20	48.8	12.5	86.6
1970	34	5	29	70.6	20.1	124.7
1971	21	5	16	43.2	19.8	68.4
1972	24	5	19	52.3	21.0	85.7
1973	12	4	8	26.9	17.3	37.2
1974	12	4	8	27.2	17.4	38.1
1975	6	0	6	13.8	-	28.9
1976	8	4	4	18.6	17.7	19.6
1977	10	2	8	22.0	8.6	36.1
1978	6	1	5	13.5	4.4	23.0
1979	10	3	7	21.8	12.8	31.2
1980	2	1	1	4.2	4.0	4.3
1981	7	5	2	15.1	21.0	8.9
1982	1	1	0	2.2	4.2	-
1983	1	0	1	2.3	-	4.7
1984	3	1	2	6.8	4.4	9.5
1985	3	2	1	6.9	8.7	4.9
1986	3	0	3	7.2	-	15.1
1987	4	2	2	9.7	9.3	10.2
1988	7	2	5	16.6	9.2	24.6
1989	6	1	5	13.9	4.5	23.8
1990	6	0	6	13.8	-	28.2
1991	3	2	1	6.9	9.1	4.7
1992	4	1	3	9.4	4.6	14.3
1993	11	2	9	26.1	9.4	43.1
1994	4	1	3	9.5	4.6	14.7

* DEATHS RESULTING FROM DELIVERIES AND COMPLICATIONS OF PREGNANCY, CHILD BIRTH, AND THE PUERPERIUM

** DEATHS PER 100,000 LIVE BIRTHS.

TABLE 22
INFANT DEATHS* AND MORTALITY RATES, BY YEAR AND RACE,
MISSISSIPPI, 1917-1994,
(OCCURRENCE DATA 1917-1944, RESIDENCE DATA 1945-1994)

YEAR	NUMBER			RATE**		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
1917	3, 689	1, 296	2, 393	99. 3	68. 0	132. 3
1918	#	#	#	#	#	#
1919	3, 554	#	#	83. 6	#	#
1920	3, 499	1, 344	2, 155	80. 0	59. 9	101. 1
1921	3, 157	1, 243	1, 914	67. 9	52. 4	84. 0
1922	2, 826	1, 067	1, 759	64. 6	50. 1	78. 4
1923	2, 908	1, 104	1, 804	67. 2	52. 2	81. 5
1924	3, 137	1, 188	1, 949	71. 4	53. 6	89. 5
1925	3, 176	1, 179	1, 997	69. 7	53. 0	85. 7
1926	3, 578	1, 447	2, 131	70. 9	58. 8	82. 4
1927	3, 291	1, 303	1, 988	66. 9	54. 0	79. 4
1928	3, 567	1, 416	2, 151	74. 1	59. 9	87. 9
1929	3, 275	1, 268	2, 007	71. 9	57. 4	85. 5
1930	3, 276	1, 182	2, 094	68. 3	51. 0	84. 5
1931	2, 547	961	1, 586	56. 4	44. 4	67. 5
1932	2, 482	965	1, 517	53. 4	44. 1	61. 7
1933	2, 800	1, 035	1, 765	63. 4	50. 7	74. 2
1934	3, 070	1, 199	1, 871	64. 1	53. 7	73. 2
1935	2, 587	1, 044	1, 543	53. 6	47. 5	58. 6
1936	2, 883	1, 105	1, 778	58. 5	49. 8	65. 7
1937	3, 098	1, 174	1, 924	59. 4	50. 4	66. 6
1938	3, 051	1, 205	1, 846	56. 8	50. 1	62. 2
1939	2, 908	1, 135	1, 773	55. 6	48. 3	61. 6
1940	2, 864	1, 070	1, 794	54. 5	46. 4	60. 9
1941	2, 969	1, 113	1, 856	54. 4	46. 1	61. 1
1942	2, 654	957	1, 697	47. 0	37. 8	54. 4
1943	2, 774	1, 137	1, 637	46. 7	41. 2	51. 5
1944	2, 481	965	1, 516	43. 6	37. 1	49. 0
1945	2, 192	846	1, 346	40. 9	36. 1	44. 7
1946	2, 298	1, 005	1, 293	37. 4	33. 8	40. 8
1947	2, 428	1, 009	1, 419	36. 6	31. 1	41. 9
1948	2, 470	988	1, 482	37. 8	33. 3	41. 6
1949	2, 612	900	1, 712	39. 5	31. 3	45. 8
1950	2, 348	763	1, 585	36. 4	28. 1	42. 6
1951	2, 589	814	1, 775	39. 5	29. 3	47. 1
1952	2, 592	760	1, 832	40. 2	27. 1	50. 3
1953	2, 534	807	1, 727	39. 6	28. 5	48. 3
1954	2, 360	744	1, 616	36. 4	25. 8	44. 9
1955	2, 338	680	1, 658	37. 0	24. 7	46. 4
1956	2, 353	734	1, 619	37. 8	26. 9	46. 4
1957	2, 257	694	1, 563	37. 2	25. 9	46. 1
1958	2, 424	706	1, 718	41. 0	26. 3	53. 1
1959	2, 355	677	1, 678	38. 9	24. 2	51. 5

TABLE 22 - PAGE 2
 INFANT DEATHS - MISSISSIPPI - 1917-1994

YEAR	NUMBER			RATE**		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
1960	2,457	714	1,743	41.5	26.2	54.4
1961	2,250	645	1,605	37.8	23.5	50.0
1962	2,353	705	1,648	39.9	25.6	52.5
1963	2,372	610	1,762	41.4	22.7	57.8
1964	2,230	599	1,631	39.4	23.1	53.1
1965	2,126	593	1,533	41.5	25.4	55.1
1966	1,856	520	1,336	38.5	22.9	52.4
1967	1,645	512	1,133	35.3	22.6	47.4
1968	1,613	517	1,096	35.3	22.7	47.8
1969	1,513	530	983	32.1	22.1	42.6
1970	1,403	480	923	29.1	19.3	39.7
1971	1,311	460	851	27.0	18.2	36.4
1972	1,187	459	728	25.8	19.3	32.8
1973	1,154	392	762	25.8	17.0	35.4
1974	1,024	356	668	23.2	15.5	31.8
1975	975	356	619	22.5	15.8	29.8
1976	927	331	596	21.6	14.6	29.2
1977	834	285	549	18.3	12.2	24.8
1978	846	266	580	19.1	11.8	26.7
1979	809	280	529	17.6	11.9	23.6
1980	812	272	540	17.0	11.0	23.3
1981	711	248	463	15.4	10.4	20.6
1982	706	249	457	15.4	10.4	20.9
1983	664	240	424	15.1	10.6	19.9
1984	629	224	405	14.4	9.9	19.2
1985	596	213	383	13.7	9.3	18.7
1986	517	197	320	12.3	8.9	16.2
1987	565	212	353	13.7	9.8	17.9
1988	516	189	327	12.3	8.7	16.1
1989	498	190	308	11.6	8.6	14.7
1990	528	189	339	12.1	8.5	15.9
1991	493	163	330	11.4	7.4	15.5
1992	508	170	338	11.9	7.8	16.1
1993	482	178	304	11.4	8.4	14.6
1994	459	158	301	10.9	7.3	14.8

* DEATHS OF CHILDREN UNDER 1 YEAR OF AGE.

** DEATHS PER 1,000 LIVE BIRTHS.

NOT AVAILABLE.

TABLE 23
NEONATAL DEATHS* AND MORTALITY RATES, BY YEAR AND RACE,
MISSISSIPPI, 1924-1994,
(OCCURRENCE DATA 1924-1944, RESIDENCE DATA 1945-1994)

YEAR	NUMBER			RATE**		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
1924	1, 598	730	868	36. 4	32. 9	39. 8
1925	1, 639	701	938	36. 0	31. 5	40. 3
1926	1, 731	823	908	34. 3	33. 4	35. 1
1927	1, 644	786	858	33. 4	32. 5	34. 3
1928	1, 788	804	984	37. 2	34. 0	40. 2
1929	1, 662	773	889	36. 5	35. 0	37. 9
1930	1, 692	715	977	35. 3	30. 8	39. 4
1931	1, 339	590	749	29. 7	27. 3	31. 9
1932	1, 361	572	789	29. 3	26. 1	32. 1
1933	1, 540	636	904	34. 8	31. 2	38. 0
1934	1, 505	644	861	31. 4	28. 8	33. 7
1935	1, 446	642	804	29. 9	29. 2	30. 5
1936	1, 494	676	818	30. 3	30. 4	30. 2
1937	1, 678	755	923	32. 2	32. 4	32. 0
1938	1, 688	747	941	31. 4	31. 1	31. 7
1939	1, 637	735	902	31. 3	31. 3	31. 3
1940	1, 613	680	933	30. 7	29. 4	31. 7
1941	1, 663	734	929	30. 5	30. 4	30. 6
1942	1, 544	638	906	27. 3	25. 2	29. 0
1943	1, 652	791	861	27. 8	28. 6	27. 1
1944	1, 436	661	775	25. 2	25. 4	25. 1
1945	1, 351	624	727	25. 2	26. 6	24. 1
1946	1, 561	794	767	25. 4	26. 7	24. 2
1947	1, 595	750	845	24. 1	23. 1	24. 9
1948	1, 674	773	901	25. 6	26. 0	25. 3
1949	1, 594	661	933	24. 1	23. 0	25. 0
1950	1, 446	560	886	22. 4	20. 6	23. 8
1951	1, 679	626	1, 053	25. 6	22. 5	27. 9
1952	1, 658	581	1, 077	25. 7	20. 7	29. 6
1953	1, 630	635	995	25. 4	22. 4	27. 8
1954	1, 521	601	920	23. 5	20. 9	25. 6
1955	1, 440	527	913	22. 8	19. 1	25. 6
1956	1, 451	581	870	23. 3	21. 3	24. 9
1957	1, 425	540	885	23. 5	20. 1	26. 1
1958	1, 475	540	935	24. 9	20. 1	28. 9
1959	1, 450	515	935	23. 9	18. 4	28. 7
1960	1, 497	550	947	25. 3	20. 2	29. 6
1961	1, 401	509	892	23. 5	18. 6	27. 8
1962	1, 456	550	906	24. 7	20. 0	28. 8
1963	1, 449	470	979	25. 3	17. 5	32. 1
1964	1, 372	460	912	24. 2	17. 7	29. 7
1965	1, 283	470	813	25. 1	20. 1	29. 2
1966	1, 123	386	737	23. 3	17. 0	28. 9
1967	1, 053	388	665	22. 6	17. 1	27. 8
1968	1, 116	424	692	24. 4	18. 6	30. 2
1969	1, 066	441	625	22. 6	18. 4	27. 1

TABLE 23 - PAGE 2
 NEONATAL DEATHS - MISSISSIPPI - 1924- 1994

YEAR	NUMBER			RATE**		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
1970	976	391	585	20.3	15.7	25.2
1971	940	382	558	19.3	15.2	23.8
1972	837	362	475	18.2	15.2	21.4
1973	793	301	492	17.8	13.0	22.9
1974	710	276	434	16.1	12.0	20.6
1975	677	257	420	15.6	11.4	20.2
1976	626	243	383	14.6	10.7	18.8
1977	588	222	366	12.9	9.5	16.5
1978	559	191	368	12.6	8.4	16.9
1979	514	191	323	11.2	8.1	14.4
1980	523	189	334	10.9	7.6	14.4
1981	486	166	320	10.5	7.0	14.2
1982	467	166	301	10.2	6.9	13.7
1983	410	160	250	9.3	7.1	11.7
1984	395	158	237	9.0	7.0	11.2
1985	368	127	241	8.5	5.5	11.8
1986	323	133	190	7.7	6.0	9.6
1987	363	128	235	8.8	5.9	11.9
1988	318	118	200	7.6	5.4	9.8
1989	309	132	177	7.2	6.0	8.4
1990	332	111	221	7.6	5.0	10.4
1991	303	95	208	7.0	4.3	9.8
1992	320	97	223	7.5	4.5	10.6
1993	298	111	187	7.1	5.2	9.0
1994	273	93	180	6.5	4.3	8.8

* DEATHS OF INFANTS UNDER 28 DAYS OF AGE, BUT FIGURES FOR 1924- 1948 INCLUDE DEATHS OF INFANTS UNDER ONE MONTH OF AGE.

** DEATHS PER 1,000 LIVE BIRTHS.

TABLE 24
POSTNEONATAL DEATHS* AND MORTALITY RATES, BY YEAR AND RACE,
MISSISSIPPI, 1924-1994,
(OCCURRENCE DATA 1924-1944, RESIDENCE DATA 1945-1994)

YEAR	NUMBER			RATE**		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
1924	1, 539	458	1, 081	35. 0	20. 6	49. 6
1925	1, 537	478	1, 059	33. 7	21. 5	45. 4
1926	1, 847	624	1, 223	36. 6	25. 4	47. 3
1927	1, 647	517	1, 130	33. 5	21. 4	45. 1
1928	1, 779	612	1, 167	37. 0	25. 9	47. 7
1929	1, 613	495	1, 118	35. 4	22. 4	47. 6
1930	1, 584	467	1, 117	33. 0	20. 1	45. 0
1931	1, 208	371	837	26. 8	17. 1	35. 6
1932	1, 121	393	728	24. 1	18. 0	29. 6
1933	1, 260	399	861	28. 5	19. 6	36. 2
1934	1, 565	555	1, 010	32. 7	24. 8	39. 5
1935	1, 141	402	739	23. 6	18. 3	28. 1
1936	1, 389	429	960	28. 2	19. 3	35. 5
1937	1, 420	419	1, 001	27. 2	18. 0	34. 6
1938	1, 363	458	905	25. 4	19. 0	30. 5
1939	1, 271	400	871	24. 3	17. 0	30. 3
1940	1, 251	390	861	23. 8	16. 9	29. 2
1941	1, 306	379	927	23. 9	15. 7	30. 5
1942	1, 110	319	791	19. 6	12. 6	25. 3
1943	1, 122	346	776	18. 9	12. 5	24. 4
1944	1, 045	304	741	18. 4	11. 7	24. 0
1945	841	222	619	15. 7	9. 5	20. 6
1946	737	211	526	12. 0	7. 1	16. 6
1947	833	259	574	12. 6	8. 0	16. 9
1948	796	215	581	12. 2	7. 2	16. 3
1949	1, 018	239	779	15. 4	8. 3	20. 9
1950	902	203	699	14. 0	7. 5	18. 8
1951	910	188	722	13. 9	6. 8	19. 1
1952	934	179	755	14. 5	6. 4	20. 7
1953	904	172	732	14. 1	6. 1	20. 5
1954	839	143	696	13. 0	5. 0	19. 4
1955	898	153	745	14. 2	5. 6	20. 9
1956	902	153	749	14. 5	5. 6	21. 5
1957	832	154	678	13. 7	5. 7	20. 0
1958	949	166	783	16. 0	6. 2	24. 2
1959	905	162	743	14. 9	5. 8	22. 8
1960	960	164	796	16. 2	6. 0	24. 9
1961	849	136	713	14. 3	5. 0	22. 2
1962	897	155	742	15. 2	5. 6	23. 6
1963	923	140	783	16. 1	5. 2	25. 7
1964	858	139	719	15. 1	5. 4	23. 4
1965	843	123	720	16. 5	5. 3	25. 9
1966	733	134	599	15. 2	5. 9	23. 5
1967	592	124	468	12. 7	5. 5	19. 6
1968	497	93	404	10. 9	4. 1	17. 6
1969	447	89	358	9. 5	3. 7	15. 5

TABLE 24 - PAGE 2
 POSTNEONATAL DEATHS - MISSISSIPPI - 1924-1994

YEAR	NUMBER			RATE**		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
1970	427	89	338	8.9	3.6	14.5
1971	371	78	293	7.6	3.1	12.5
1972	350	97	253	7.6	4.1	11.4
1973	361	91	270	8.1	3.9	12.5
1974	314	80	234	7.1	3.5	11.1
1975	298	99	199	6.9	4.4	9.6
1976	301	88	213	7.0	3.9	10.4
1977	246	63	183	5.4	2.7	8.2
1978	287	75	212	6.5	3.3	9.8
1979	295	89	206	6.4	3.8	9.2
1980	289	83	206	6.0	3.4	8.9
1981	225	82	143	4.9	3.4	6.4
1982	239	83	156	5.2	3.4	7.1
1983	254	80	174	5.8	3.5	8.2
1984	234	66	168	5.4	2.9	8.0
1985	228	86	142	5.2	3.7	6.9
1986	194	64	130	4.6	2.9	6.6
1987	202	84	118	4.9	3.9	6.0
1988	198	71	127	4.7	3.3	6.2
1989	189	58	131	4.4	2.6	6.2
1990	196	78	118	4.5	3.5	5.5
1991	190	68	122	4.4	3.1	5.7
1992	188	73	115	4.4	3.4	5.5
1993	184	67	117	4.4	3.2	5.6
1994	186	65	121	4.4	3.0	5.9

* DEATHS OF INFANTS 28 DAYS OF AGE OR OLDER, BUT FIGURES FOR
 1924-1948 ONLY INCLUDE DEATHS OF INFANTS ONE MONTH OF AGE OR OLDER

** DEATHS PER 1,000 LIVE BIRTHS.

TABLE 25
MARRIAGES AND DIVORCES, BY YEAR AND RACE, OCCURRENCE DATA,
MISSISSIPPI, 1926-1994

YEAR	MARRIAGES			DIVORCES		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
1926*	28,712			2,766		
1927*	29,048**	11,402	17,383	2,895		
1928	30,231**	11,662	18,257	3,009	1,435	1,574
1929	31,495**	12,864	18,388	3,172	1,598	1,574
1930	25,728**	10,815	14,751	2,743	1,487	1,256
1931	21,589**	9,952	11,629	2,015	1,308	707
1932	22,688**	10,147	12,453	1,918	1,308	610
1933	27,567**	12,201	15,300	1,955	1,396	559
1934	30,149**	13,497	16,541	2,446	1,704	742
1935	28,722**	12,955	15,635	2,425	1,681	744
1936	32,480**	14,120	18,196	2,520	1,690	830
1937	32,055**	14,802	17,246	2,977	1,984	993
1938	31,495	14,224	17,271	2,916	2,069	847
1939	31,956	15,370	16,586	3,034	2,166	868
1940	34,088	16,834	17,254	3,251	2,295	956
1941	42,142	21,611	20,531	3,831	2,444	1,387
1942	49,565	27,227	22,338	4,326	2,606	1,720
1943	46,030	23,445	22,585	5,851	3,062	2,789
1944	41,559	21,173	20,386	6,742	3,425	3,317
1945	44,871	24,738	20,133	6,727	3,919	2,808
1946	64,204	37,099	27,105	9,495	5,867	3,628
1947	53,584	30,514	23,070	7,004	4,323	2,681
1948	53,645	31,504	22,141	6,697	3,864	2,833
1949	52,765	32,191	20,574	6,285	3,621	2,664
1950	56,738	37,871	18,867	6,065	3,711	2,354
1951	57,321	37,857	19,464	5,464	3,601	1,863
1952	58,116	39,162	18,954	5,419	3,607	1,812
1953	61,751	42,961	18,790	5,204	3,515	1,689
1954	61,381	43,268	18,113	5,001	3,424	1,577
1955	66,423	47,618	18,805	4,845	3,372	1,473
1956	66,223	48,140	18,083	5,027	3,452	1,575
1957	62,495	46,868	15,627	4,974	3,350	1,624
1958	36,402	26,998	9,404	5,016	3,485	1,531
1959	20,447	13,547	6,900	5,108	3,557	1,551
1960	21,233	14,029	7,204	5,260	3,553	1,707
1961	21,610	14,438	7,172	5,213	3,545	1,668
1962	22,007	14,432	7,575	5,467	3,827	1,640
1963	22,140	14,508	7,632	5,452	3,930	1,522
1964	22,784	15,159	7,625	5,631	4,077	1,554
1965	23,343	15,613	7,730	5,730	4,220	1,510
1966	23,476	15,860	7,616	6,306	4,650	1,656
1967	23,535	15,752	7,783	6,455	4,704	1,751
1968	25,355	17,142	8,213	7,020	5,202	1,818
1969	25,956	17,582	8,374	7,506	5,616	1,890

TABLE 25 - PAGE 2
MARRIAGES AND DIVORCES - MISSISSIPPI - 1926-1994

YEAR	MARRIAGES			DIVORCES		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
1970	26,328	17,883	8,445	8,211	6,227	1,984
1971	27,597	18,668	8,929	8,936	6,705	2,231
1972	28,703	19,178	9,525	10,097	7,510	2,587
1973	28,513	19,276	9,237	10,787	8,138	2,649
1974	27,613	19,236	8,377	11,866	9,203	2,663
1975	26,279	18,602	7,677	12,303	9,570	2,733
1976	26,772	18,969	7,803	12,243	9,399	2,844
1977	26,843	19,200	7,643	12,759	9,921	2,838
1978	27,280	19,762	7,518	13,313	10,339	2,974
1979	27,279	19,843	7,436	13,628	10,402	3,226
1980	27,908	20,620	7,288	13,846	10,760	3,086
1981	28,002	20,877	7,125	14,182**	10,403	2,795
1982	27,584	20,547	7,037	12,861**	10,239	2,570
1983	26,921	19,950	6,971	13,436**	10,709	2,674
1984	26,025	19,255	6,770	12,911**	10,205	2,664
1985	24,750	18,241	6,509	12,535**	9,766	2,662
1986	24,283	17,729	6,554	12,871**	10,155	2,630
1987	23,729	17,286	6,443	12,142**	9,542	2,420
1988	24,919	18,335	6,584	12,097**	9,454	2,473
1989	24,240	17,735	6,505	12,945**	9,823	2,755
1990	24,348	17,766	6,582	12,735**	9,498	2,804
1991	23,446	17,235	6,211	13,027**	9,926	2,689
1992	22,995	16,776	6,219	12,758**	9,785	2,667
1993	23,271	17,066	6,205	13,860**	10,513	2,940
1994	22,872	16,479	6,393	13,302**	10,110	2,890

* TOTAL NUMBER OF MARRIAGES FOR 1926 AND TOTAL NUMBER OF DIVORCES FOR 1926 AND 1927 FURNISHED BY U. S. BUREAU OF CENSUS; DISTRIBUTION BY RACE NOT AVAILABLE.

** INCLUDES SOME RECORDS ON WHICH THE RACE OF THE COUPLE WAS NOT STATED.

TABLE 26
REPORTED INDUCED TERMINATIONS OF PREGNANCY
AND INDUCED TERMINATION RATIOS, BY YEAR AND RACE,
PROCEDURES PERFORMED IN MISSISSIPPI, 1976-1994

YEAR	NUMBER				RATIO*		
	TOTAL	WHITE	NON- WHITE	UNK. RACE	TOTAL	WHITE	NON- WHITE
1976	1,510	976	515	19	35.1	43.2	25.3
1977	2,446	1,531	907	8	53.7	65.5	40.9
1978	3,280	1,998	1,270	12	73.9	88.3	58.4
1979	4,411	2,765	1,636	10	96.1	117.7	72.9
1980	5,543	3,283	2,250	10	115.9	133.0	97.2
1981	5,561	3,236	2,263	62	120.3	136.1	100.8
1982	5,145	2,954	2,174	17	112.0	122.9	99.3
1983	4,560	2,473	2,084	3	103.6	109.1	97.7
1984	4,585	2,633	1,945	7	104.8	116.1	92.3
1985	5,288	2,922	2,359	7	121.8	127.4	115.1
1986	4,521	2,505	2,013	3	108.0	113.6	101.6
1987	5,469	2,950	2,517	2	132.5	136.7	127.7
1988	5,170	2,561	2,588	21	123.0	118.1	127.1
1989	5,490	2,674	2,802	14	127.6	121.2	133.7
1990	6,842	3,334	3,485	23	157.1	149.6	163.9
1991	8,184	3,910	4,244	30	189.5	178.5	199.5
1992	7,555	3,425	4,127	3	177.0	157.8	196.7
1993	6,002	2,425	3,551	26	142.4	114.1	170.0
1994	3,979	1,414	2,558	7	94.9	65.6	125.4

* INDUCED TERMINATIONS OF PREGNANCY PER 1,000 LIVE BIRTHS.